

Go Slow in the Austrian Alps

Naturetrek Tour Report

25th June – 2nd July 2025



Beaver by Maggie Mole



False Heath Fritillary by Rob Nottage



Marsh Helleborine by Bruce Middleton



Black Vanilla Orchid by Bruce Middleton

Tour report by Bruce Middleton



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Bruce Middleton and Pete Stevens (leaders) with 13 Naturetrek clients

Summary

Near the beginning there was some rain and a mountain storm at night. However, after that the weather was very hot and sunny. The scenery was stunning, and the hotel was lovely. The staff here were very friendly and helpful. Highlights of our forays of the Austria Go Slow Tour included flowers such as Red Helleborine, Dark Red Helleborine, Marsh Helleborine, Greater Butterfly, Lesser Butterfly, Small White, Fragrant, Black Vanilla and Marsh Orchids, Spring Gentian, and Clusius's Gentian. Birds included Golden Eagle, Black Kite, Red-backed Shrike, Rosefinch, Alpine Chough and Dipper. Then we had butterfly species including Heath Fritillary, Swallowtail, Black-veined White, and Idas and Baton Blue. Other highlights included a trip to the top of Zugspitz Mountain and the boat trip on the Heiterwanger See as well as a couple of short evening excursions to see Beavers.

Day 1

Wednesday 25th June

Weather: Warm, dry and sunny.

Naturetrekkers flew either to Innsbruck or Munich and then were driven to the Alpen Residence Hotel in Ehrwald. The hosts here were very friendly and helpful. A few birds were seen on the journey including Buzzard. Some had an afternoon walk where we explored a small part of the Larchen Wald. Here we saw Mossy Sandwort *Moebringia muscosa*, Wood Scabious *Knautia dipsacifolia*, Greater Masterwort *Astrantia major* and some Clustered Bellflower *Campanula glomerata*. On our return to the hotel a Black Kite was spotted. We all met each other for the first time at the hotel in time to freshen up for the first delicious meal of the tour. Then after supper we all went down to the stream and saw a couple of Beaver in day light beside their home.

Day 2

Thursday 26th June

Weather: Hot with some sunshine that turned into a thunderstorm

After breakfast we stopped off at a supermarket in the village to buy sandwiches for lunch. Then we set off to the Ehrwaler Alm Cable Car. After paying for parking tickets, we ascended to the Ehrwald Alm where we had lovely views looking down into the villages of Ehrwald and Lermoos. We saw a nice variety of plants that included Globe Flower *Trollius europaeus*, Herb Paris *Paris quadrifolia*, Hepatica *Hepatica nobilis*, Woolly Buttercup *Ranunculus lanuginosus*, Green Spleenwort *Asplenium viride*, Round-leaved Saxifrage *Saxifraga rotundifolia* and Flat Sedge *Blasmus compressus*. When we came to a small lake, we sat down to have our packed lunch. The lake was full of tadpoles and there was a family of Mallard with their ducklings to be seen. We also saw White Wagtail flying across the lake. Some of us saw the Alpine Newt *Ichthyosaura alpestris* coming up for air on the lake edge. The butterfly species included the mountain form of Green-veined White *Pieris bryoniae*, Wood White *Leptidea sinapis*, Heath Fritillary *Melitaea athalia*, Comma *Polygonum c album*, Baton Blue *Pseudophilotes sinaicus* and Small Blue *Cupido minimus*. We also saw a variety of orchids that included Alpine Marsh *Dactylorhiza alpestris*, Small White *Pseudorchis albida*, Greater Butterfly *Platanthera chlorantha*, Broad-leaved Marsh *Dactylorhiza majalis*, Twayblade *Neottia ovata* and Fragrant *Gymnadenia conopsea* agg.

Then we went down the cable car because a storm was brewing so we headed down to avoid being stuck up on the mountain in a thunderstorm. On the way down some of us spotted two Golden Eagle. We then headed back

to the hotel in the rain. So, we returned early and had a rest before going through the species list and then had our afternoon tea. Later we had our evening meal.

Day 3

Friday 27th June

Weather: Sunny and dry

After breakfast we all went down to the supermarket and chose our rolls and other things for our lunch. Then we drove through Bieberwier and on to the Marienberg Ski lift station. We boarded the ski lift that took us up to the middle station and then we went on to another lift up to the top. On the way up we could see a number of Fragrant Orchid *Gymnadenia conopsea* as well as some Dwarf Alpen Rose *Rhodothamnus chamaecistus*. When we were up there, we walked around and soon found Alpine Bartsia *Bartsia alpina*, numerous Alpine Bistort *Bistorta vivipara*, Cat's-foot or Mountain Everlasting *Antennaria dioica*, Small White Orchid *Pseudorchis albid*, Round-leaved Wintergreen *Pyrola rotundifolia* and Alpine Aster *Aster Alpinus*. We scanned the mountainsides with the scope until we found a few Chamois *Rupicapra rupicapra* grazing. After a short while up there on the top looking at the beautiful views we returned to the middle station and here we disembarked and made our way to the Gasthaus where some of us had cool drinks whilst others had ice creams. After this welcome refreshing break, we then set off on foot down to the lower station where the minibuses were parked. There were a number of grazing ponies in the meadow whilst above our heads there were a couple of Raven cronking. On our descent we came across Adenostyles *Adenostyles alliariae*, Stinking Hellebore *Helleborus foetidus*, Good King Henry *Blitum bonus-henricus* and Matted Globularia *Globularia cordifolia*. We also saw Wart-biter Cricket *Decticus verrucivorus*.

Once we reached the minibuses we then drove up to the Blind See where we went and sat down and had our lunch. Whilst here we saw Grey Heron, Coot, Mallard, White Wagtail and Little Grebe. We also saw numerous Broad-bodied Chaser dragonflies *Libellula depressa*. After a pleasant lunch we then went on a short walk to Mitter See. On our journey we found Red Helleborine *Cephalanthera rubra* and Dark Red Helleborine *Epipactis atrorubens*, and Bird's-nest Orchid *Neottia nidus-avis*. Other plants of interest included Swallow Wort *Vincetoxicum hirundinaria*, Yellow Betony *Stachys officinalis* (yellow flower form) and Alpine Bastard Toadflax *Thesium alpinum*. We spotted Silver washed Fritillary *Argynnis paphia*, False Heath Fritillary *Melitaea diamina*, Orange Tip *Anthocharis cardamines* and Ringlet *Aphantopus hyperantus*. We also came across Four-spotted Chaser *Libellula quadrimaculata*, Keeled Skimmer *Othetrum coerulescens* and Common Club-tail *Gomphus vulgatissimus*.

We returned to the hotel and were soon sitting down to afternoon tea and cake. Later on, we went through the species list then sat down for another delicious meal. After that, some of us went and visited the Beavers again.

Day 4

Saturday 28th June

Weather: Dry and sunny

After breakfast we selected our sandwiches from the local supermarket. Then we set off in the minibuses for a short journey to the Tiroler Zugspitzbahn cable car. Once we arrived, we purchased parking tickets for both vehicles and then stepped into the large cable car. The cable car climbed up to the top of the Zugspitz. The top of the mountain is around 2962 metres above sea level. What makes the site interesting is that part of the top is in Austria but the other is in Germany and has its own cable car on the other side to reach here. This is the highest mountain there is in Germany. When we arrived, it was cloudy at the top so we went into the museum. Here we

learnt a little about the cable car history at Zugspitz. The small informative museum told us about how Josef Naus and his assistant and mountain guide Johann Georg Tauschl climbed to the summit on the 27th of August 1820. And then how the cable car systems were built to make it possible for others to reach the summit from both sides. The first was built in 1926 and then they have been continually updated. In 1990 a weather station was set up on the mountain to record climate change.

When we left the museum, we made our way out of the cable car and then went to explore the top of the mountain and explored the Austrian side first. Some of us managed to have a brief glimpse of an Alpine Chough. It was nice and cool up here among the clouds. From time to time, we would glimpse gaps in the clouds and we could see that the snow had melted almost completely and there were sadly only tiny patches of glacier still remaining and this was far less than a few years ago. We all managed to see more Alpine Chough on the German side that seem to have taken up residence here. Some of us were able to hand feed them with bits of our sandwiches. We also saw Snow Finch, Alpine Accentor and there were a few Small Tortoiseshell *Aglais urticae* flying around. There were very few flowers to see up there and we had to use binoculars to see Chamois-creep *Hornungia alpina* and Alpine Meadow-grass *Poa alpina*.

Then we descended back down the cable car to find that the temperature at the base was much warmer. We then took the vehicles a little way down the mountain and drove to briefly look at a meadow filled with wild meadow flowers including German Gentian *Gentianella germanica*, Meadow Clary *Salvia pratensis* and Alpine Marsh Orchid *Dactylorhiza alpestris*. Then we drove to the beautiful waterfall known as Haselgehr Wasserfall and here we sat and had our lunch. After lunch we went and explored the area and came across Twayblade *Neottia ovata* and Red Helleborine *Cephalanthera rubra*. Other flowers included Ribbed Melilot *Melilotus officinalis*, Swallow wort *Vincetoxicum hirundinaria* and Lily of the Valley *Convallaria majalis*. We also saw a few butterflies that included Wood White *Leptidea sinapis*, Ringlet *Aphantopus hyperantus* and White Admiral *Limenitis camilla*. We then returned to the hotel to freshen up and be in time for afternoon tea.

We later went through the list followed by a delicious meal, a buffet style dinner with a wide variety of food and drink to sample and enjoy.

Day 5

Monday 29th June

Weather: Hot and sunny all day

Before breakfast some of us visited the Moos area to do a bit of bird watching. It was quite atmospheric because there was a mist covering the moos whilst all around was in beautiful sunshine. Here we came across two not so common birds and they were Marsh Warbler and Rosefinch. After breakfast we picked up our sandwiches for lunch from the hotel because the supermarket was closed on Sundays. Then we drove to the Lermoos cable car. We parked up and then boarded the lift and went up to the middle station and then on up to the top station. The view was amazing looking down at Ehrwald and across to Zugspitze. We set about exploring the mountainside and soon found a new mix of plants to see such as Moss Campion *Silene acaulis*, Hoary Rockrose *Helianthemum oelandicum* subsp. *incanum*, Spring Gentian *Gentiana verna*, Leafless-stemmed Speedwell *Veronica aphylla*, Rock Speedwell *Veronica fruticans*, Mountain Buttercup *Ranunculus montanus*, Musky Saxifrage *Saxifraga moschata*, Yellow Mountain Saxifrage *Saxifraga aizoides*, Blue Saxifrage *Saxifraga caesia* and Black Vanilla Orchid *Gymnadenia rbellicani*. There were some interesting ferns that we found that included Green Spleenwort *Asplenium viride*, Holly Fern

Polystichum lonchitis and the very small Moonwort *Botrychium lunaria*. Birds of note seen whilst up here were Water Pipit and Ring Ouzel. We had a drink in the gasthaus at the top and then we had our packed lunch whilst looking at the stunning scenery and we did spot a couple of Chamois.

Most of us next took the cable car down to the middle station and from here we walked down to the two parked minibuses. However, some of us stayed a little longer at the top before going all the way down to meet us at the bottom later in the day. As most of us slowly descended the path we discovered Wood Horsetail *Equisetum sylvaticum*, Yellow Gentian *Gentianella lutea*, Wood Vetch *Vicia sylvatica* and Leafless-stemmed Speedwell *Veronica aphylla*. Butterfly-wise we saw False Heath Fritillary *Melitaea diamina*, Weaver's Fritillary *Boloria dia*, Idas Blue *Plebejus idas*, Alpine Blue *Plebejus orbitulus*, Clouded Yellow *Colias crocea* and Swallowtail *Papilio machaon*. Almost near base some of us spotted a Golden Eagle. Once we all arrived back by the minibuses we were soon driving back to the hotel in time for tea and cake. Later we went through our species list session followed by last delicious meal.

Day 6

Saturday 30th June

Weather: Very Hot and Sunny

After breakfast we chose lunch from the local supermarket. Then we parked up beside an entrance leading on to an area known as the Moos. This area has a lot of wet meadows and a stream running through it. However, to get to this area we had to walk through part of the southern side of Ehrwald. We saw Black Redstart and plenty of House Sparrows. But it was not too long before the landscape opened out and we had wonderful views of the mountains all around us. We first made our way towards an area where Red-backed Shrike have been seen and we were rewarded by finding an adult and a youngster. Then we soon had a Rose Finch in the scope as well. Plant-wise we came across Common Cotton-grass *Eriophorum latifolium* Hare's-tail Cotton-grass *Eriophorum vaginatum*, Slender Cotton-grass *Eriophorum gracile*, Grass of Parnassus, Knotted Pearlwort *Sagina nodosa*, Deergrass *Trichophorum cespitosum*, Round-leaved Sundew *Drosera rotundifolia* and there were also numerous Marsh Helleborines *Epipactis palustris*. We had our lunch in the Moos and then headed back to the minibuses. Some of the group wanted to either cool off back at the hotel and some wanted to go and explore the village, whilst some of us wanted to do some more natural history

So, half of us went back to the Ehrwald Alm Station car park and then from here we went on a walk along the Wasserfall Weg. Plants of interest that we saw included Yellow Foxglove *Digitalis grandiflora*, Blue Lettuce *Lactuca perennis*, Large Bitter-cress *Cardamine amara*, Alpine Bistort *Polygonum viviparum* and Lesser Butterfly Orchid *Platanthera*. We saw a number of butterflies that included Scarce Large Blue *Phengaris teleius*, Little Blue *Cupido minimus*, Chestnut Heath *Coenonympha glycerion*, Silver-washed Fritillary *Argynnis paphia*, Noble Fritillary *Melitaea athalia*, Titania's Fritillary *Boloria titania* and Large Wall Brown *Lasiommata maera*.

We then returned to the hotel in time for afternoon tea and then shortly after that we went through our species list session followed by a buffet style dinner with a wide variety of food and drink to sample and enjoy.

Day 7

Tuesday 1st July

After breakfast we stopped off at the supermarket in the village to buy sandwiches for lunch then we drove off to Heiterwangersee. We arrived at Fischer am See beside Heiterwangersee and waited for the boat. It was not long before we boarded and set off on our journey to Seespritze. The day was hot and sunny and many of us sat on the

top of the boat to have visibility. We had wonderful views of the mountains being reflected back in the blue waters of the lake. We saw a variety of birds that including Golden Eagle, Coot, Grey Wagtail, White Wagtail, Great Crested Grebe, Peregrine and a family of Goosander. Then from Seespritz the boat trip continued to the far end of the lake to a place known as Forelle and then the boat then took us back to Fischer am See via Seespritz. Because it was very hot, we went and found some shade under some trees and had our lunch.

Then we set off for a short walk along the lake edge to see what flowers grew there and were rewarded with some pink Birds-eye Primrose *Primula farinosa*, yellow Buckler Mustard *Biscutella laevigata* and lilac-blue Matted Globularia *Globularia cordifolia*. There were a number of butterflies flying in the good weather such as False Heath Fritillary *Metitaea atbalea*, Wood White *Leptidea sinapis*, Orange Tip *Anthocharis cardamines* and Pearly Heath *Coenonympha arcania*. As we continued following the path running alongside the lake, we also came across interesting orchids that included Dark-red Helleborine *Epipactis atrorubens*, Bird's-nest Orchid *Neottia nidus-avis*, Lesser Butterfly *Platanthera bifolia*, Fragrant *Gymnadenia conopsea* and Red Helleborine *Cethalanthera rubra*.

Then we were soon driving back in the minibuses to the hotel and just in time for tea and cake. Later we went through the species list and then had our evening meal.

Day 8

Thursday 2nd July

Weather: Hot and sunny

After breakfast and packing we checked out and then said our goodbyes to each other as one person returned to Munich Airport, and the rest of the group went back to Innsbruck Airport. We enjoyed the last look at the stunning mountain scenery as we left the Alpen Residence Hotel grounds and reflected on the interesting and very varied places and habitats we had visited on the tour.

Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

naturetrek.co.uk/e-newsletter-signup

Scan to
sign up!



Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek_wildlife_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



[facebook.com/naturetrekwildlifeholidays](https://www.facebook.com/naturetrekwildlifeholidays)



naturetrek.bsky.social



x.com/naturetrektours (formerly Twitter)

Species lists

Birds (H = Heard only)

| Common Name | Scientific Name | June - July 2025 | | | | | | | |
|---------------------------|--------------------------------|------------------|----|----|----|----|----|---|---|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Mallard | <i>Anas platyrhynchos</i> | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| Pochard | <i>Aythya ferina</i> | | | | | | | ✓ | |
| Goosander | <i>Mergus merganser</i> | | | | | | | ✓ | |
| Grey Heron | <i>Ardea cinerea</i> | | | ✓ | | | | | |
| Common Swift | <i>Apus apus</i> | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Kingfisher | <i>Alcedo atthis</i> | | | | | | H | | |
| Collared Dove | <i>Streptopelia decaccto</i> | | | | | | ✓ | | |
| Common Wood Pigeon | <i>Columba palumbus</i> | | | | | | ✓ | | |
| Eurasian Coot | <i>Fulica atra</i> | | | ✓ | | | | ✓ | |
| Little Grebe | <i>Tachybaptus ruficollis</i> | | | ✓ | | | | | |
| Great Crested Grebe | <i>Podiceps cristatus</i> | | | | | | | ✓ | |
| Golden Eagle | <i>Aquila chrysaetos</i> | | ✓ | | | ✓ | | ✓ | |
| Common Buzzard | <i>Buteo buteo</i> | ✓ | | ✓ | | ✓ | | ✓ | |
| Peregrine | <i>Falco peregrinus</i> | | | | | | | ✓ | |
| Sparrowhawk | <i>Accipiter nisus</i> | | | | | | ✓ | | |
| European Honey Buzzard | <i>Pernis apivorus</i> | | | | ✓ | | | | |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | | H | H | | ✓ | | | |
| European Green Woodpecker | <i>Picus viridis</i> | | | | H | ✓ | | | |
| Black Woodpecker | <i>Dryocopus martius</i> | | H | | | | | | |
| Red Kite | <i>Milvus milvus</i> | | ✓ | | | | ✓ | | |
| Black Kite | <i>Milvus migrans</i> | ✓ | | | | | | ✓ | |
| Common Kestrel | <i>Falco tinnunculus</i> | | ✓ | | ✓ | ✓ | | ✓ | |
| Red-backed Shrike | <i>Lanius collurio</i> | | | | | | ✓ | | |
| Jay | <i>Garrulus glandarius</i> | | ✓ | | | | | | |
| Alpine Chough | <i>Pyrrhocorax graculus</i> | | | | ✓ | | | | |
| Carrion Crow | <i>Corvus corone</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Northern Raven | <i>Corvus corax</i> | | | ✓ | | | | | |
| Coal Tit | <i>Parus ater</i> | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Eurasian Blue Tit | <i>Cyanistes caeruleus</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Great Tit | <i>Parus major</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Barn Swallow | <i>Hirundo rustica</i> | | | | | ✓ | ✓ | | |
| Common House Martin | <i>Delichon urbicum</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Common Chiffchaff | <i>Phylloscopus collybita</i> | | H | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Willow Warbler | <i>Phylloscopus trochilus</i> | | | | | | H | | |
| Western Bonelli's Warbler | <i>Phylloscopus bonelli</i> | | | | | | | ✓ | |
| Eurasian Blackcap | <i>Sylvia atricapilla</i> | H | H | H | H | H | ✓ | ✓ | |
| Garden Warbler | <i>Sylvia borin</i> | | | H | | | | | |
| Lesser Whitethroat | <i>Curruca curruca</i> | | | | | ✓ | | | |
| Common Firecrest | <i>Regulus ignicapilla</i> | | ✓ | | ✓ | | | | |
| Goldcrest | <i>Regulus regulus</i> | H | | H | | | | | |
| Eurasian Wren | <i>Troglodytes troglodytes</i> | | H | | H | | | | |

| Common Name | Scientific Name | June - July 2025 | | | | | | | |
|-----------------------|--------------------------------|------------------|----|----|----|----|----|---|---|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Starling | <i>Sturnus vulgaris</i> | | | | ✓ | ✓ | | | |
| Ring Ouzel | <i>Turdus torquatus</i> | | | | | ✓ | ✓ | | |
| Common Blackbird | <i>Turdus merula</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Fieldfare | <i>Turdus pilaris</i> | | | ✓ | | ✓ | | | |
| Song Thrush | <i>Turdus philomelos</i> | | | ✓ | | | | | |
| Mistle Thrush | <i>Turdus viscivorus</i> | | | ✓ | | ✓ | | ✓ | |
| Spotted Flycatcher | <i>Muscicapa striata</i> | | | ✓ | | | | | |
| European Robin | <i>Erithacus rubecula</i> | | | ✓ | ✓ | H | ✓ | | |
| Black Redstart | <i>Phoenicurus ochruros</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Redstart | <i>Phoenicurus phoenicurus</i> | | | | | | | ✓ | |
| Wheatear | <i>Oenanthe oenanthe</i> | | | | | ✓ | | | |
| White-throated Dipper | <i>Cinclus cinclus</i> | | | | ✓ | | | | |
| House Sparrow | <i>Passer domesticus</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Alpine Accentor | <i>Prunella collaris</i> | | | | ✓ | | | | |
| Grey Wagtail | <i>Motacilla cinerea</i> | | | ✓ | ✓ | | ✓ | | |
| White Wagtail | <i>Motacilla alba</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Water Pipit | <i>Anthus spinoletta</i> | | | | | ✓ | | | |
| Common Chaffinch | <i>Fringilla coelebs</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Linnet | <i>Linaria cannabina</i> | | | | | ✓ | | | |
| Green Finch | <i>Chloris chloris</i> | H | ✓ | | H | H | | H | |
| European Goldfinch | <i>Carduelis carduelis</i> | H | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Snow Finch | <i>Montifringilla nivalis</i> | | | | ✓ | | | | |
| Rose Finch | <i>Carpodacus erythrinus</i> | | | | | ✓ | ✓ | | |
| Cirl Bunting | <i>Emberiza hortulana</i> | | | H | | | | | |

Mammals

| Common name | Scientific name | June – July 2025 | | | | | | | |
|--------------|----------------------------|------------------|----|----|----|----|----|---|---|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Beaver | <i>Castor fiber</i> | ✓ | | | | | | | |
| Chamois | <i>Rupicapra rupicapra</i> | | | ✓ | | ✓ | | | |
| Red Squirrel | <i>Sciurus vulgaris</i> | | ✓ | | | | ✓ | | |

Reptiles & amphibians

| Common name | Scientific name | June – July 2025 | | | | | | | |
|-------------|--------------------------|------------------|----|----|----|----|----|---|---|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Alpine Newt | <i>Triturus triturus</i> | | ✓ | | | | | | |
| Common Frog | <i>Rana temporaria</i> | | ✓ | ✓ | | | | | |
| Common Toad | <i>Bufo bufo</i> | | | ✓ | | | | | |

Butterflies

| Common name | Scientific name | June – July 2025 | | | | | | | |
|-----------------------------|--------------------------------|------------------|----|----|----|----|----|---|---|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Swallowtail | <i>Papilio machaon</i> | | | | | ✓ | ✓ | ✓ | |
| Orange Tip | <i>Anthocharis cardamines</i> | | | ✓ | | | ✓ | | |
| Mountain Dappled White | <i>Euchloe simplomia</i> | | | | ✓ | | | | |
| Brimstone | <i>Gonepteryx rhamni</i> | | | | | | ✓ | ✓ | |
| Clouded Yellow | <i>Colias croceus</i> | | | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Wood White | <i>Leptidea sinapis</i> | | ✓ | | ✓ | | ✓ | | |
| Black-veined White | <i>Aporia crataegi</i> | | | | ✓ | ✓ | | ✓ | |
| Large White | <i>Pieris brassicae</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Small White | <i>Pieris rapae</i> | | ✓ | | | | ✓ | | |
| Green-veined White | <i>Pieris napi</i> | | | | ✓ | | | | |
| Mountain Green-veined White | <i>Pieris bryoniae</i> | | ✓ | | | ✓ | ✓ | | |
| Large Blue | <i>Phengaris arion</i> | | ✓ | ✓ | | | | | |
| Mazarine Blue | <i>Cyanisis semiargus</i> | | | | ✓ | | | | |
| Scarce Large Blue | <i>Phengaris teleius</i> | | | | | | ✓ | | |
| Little Blue | <i>Cupido minimus</i> | | ✓ | | ✓ | ✓ | ✓ | | |
| Alpine Blue | <i>Plebejus orbitulus</i> | | | | | ✓ | | | |
| Idas Blue | <i>Plebejus idas</i> | | | | | ✓ | ✓ | | |
| Common Blue | <i>Polyommatus icarus</i> | | | | | | ✓ | | |
| Chalk-hill Blue | <i>Polyommatus coridon</i> | | | | | | | ✓ | |
| Baton Blue | <i>Psuedophilotes sinaicus</i> | | ✓ | | | ✓ | | | |
| Glandon Blue | <i>Agriades glandon</i> | | | | | ✓ | | | |
| White Admiral | <i>Limenitis camilla</i> | | | | ✓ | | | | |
| Red Admiral | <i>Vanessa atalanta</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Painted Lady | <i>Vanessa cardui</i> | | ✓ | | | ✓ | ✓ | | |
| Small Tortoiseshell | <i>Aglais urticae</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Comma | <i>Polygonium c album</i> | | ✓ | | ✓ | | ✓ | | |
| Silver-washed Fritillary | <i>Argynnis paphia</i> | | | ✓ | | | ✓ | ✓ | |
| Pearl-bordered Fritillary | <i>Boloria euphrosyne</i> | | ✓ | | | | | | |
| Titania's Fritillary | <i>Boloria titania</i> | | | | | | ✓ | | |
| Weavers Fritillary | <i>Boloria dia</i> | | | | ✓ | | | | |
| Noble Fritillary | <i>Argynnes niobe</i> | | | | | | ✓ | | |
| False Heath Fritillary | <i>Melitaea diamina</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Knapweed Fritillary | <i>Melitaea phoebe</i> | | | | | | | ✓ | |
| Pearly Heath | <i>Coenonympha arcania</i> | | | | | ✓ | ✓ | ✓ | |
| Chestnut Heath | <i>Coenonympha glycerion</i> | | | | | ✓ | ✓ | | |
| Large Heath | <i>Coenonympha tullia</i> | | | | ✓ | | | | |
| Speckled Wood | <i>Pararge aegeria</i> | | | | ✓ | | | | |
| Large Wall Brown | <i>Lasiommata maera</i> | | | | | ✓ | ✓ | ✓ | |
| Arran Brown | <i>Erebia ligea</i> | | | | ✓ | | | | |
| Woodland Brown | <i>Lopinga achine</i> | | | | ✓ | | | | |
| Common Ringlet | <i>Aphantopus hyperantus</i> | | ✓ | ✓ | ✓ | | | | |
| Meadow Brown | <i>Maniola jurtina</i> | | ✓ | | ✓ | | | | |
| Grizzled Skipper | <i>Pyrgus malvae</i> | | | | | ✓ | | | |

| Common name | Scientific name | June – July 2025 | | | | | | | |
|---------------|------------------------------|------------------|----|----|----|----|----|---|---|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Small Skipper | <i>Thymelicus sylvestris</i> | | ✓ | ✓ | | | ✓ | | |
| Large Skipper | <i>Ochlodes sylvanus</i> | | | ✓ | ✓ | ✓ | ✓ | ✓ | |

Moths

| Common name | Scientific name | June – July 2025 | | | | | | | |
|----------------------------------|--------------------------------|------------------|----|----|----|----|----|---|---|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Transparent Burnet | <i>Zygaena purpuralis</i> | | | ✓ | | | | | |
| Narrow-bordered Five-spot Burnet | <i>Zygaena lonicerae</i> | | | ✓ | | | ✓ | | |
| Six-spotted Burnet | <i>Zygaena</i> | | ✓ | ✓ | ✓ | | | ✓ | |
| Argent and Sable | <i>Rheumaptera hastata</i> | | | | | ✓ | | | |
| Chimney Sweeper | <i>Odezia atrata</i> | | ✓ | ✓ | | ✓ | | | |
| Silver Y | <i>Autographa gamma</i> | ✓ | | | | | | | |
| Burnet Companion | <i>Eucidia glyphica</i> | ✓ | | ✓ | | | | | |
| Common White Wave | <i>Cabera pusaria</i> | | | ✓ | | | | ✓ | |
| Speckled Yellow | <i>Pseudopanthera maculata</i> | | | | ✓ | | | | |
| Latticed Heath | <i>Chiasmia clathrata</i> | | ✓ | | | ✓ | | | |
| Purple-burred Yellow | <i>Phytometra viridaria</i> | | | ✓ | | | | | |
| Wood Tiger | <i>Parasemia plantaginis</i> | | | | | ✓ | | | |
| Garden Tiger | <i>Arctia caja</i> | | | | ✓ | | | | |
| Fox Moth | <i>Macrothylacia rubi</i> | | | | | | | ✓ | |
| A moth | <i>Pyrausta purpuralis</i> | | | | ✓ | | | | |
| A moth | <i>Hypercallia citrinalis</i> | | | | ✓ | | | | |

Other invertebrates

| Common name | Scientific name | June – July 2025 | | | | | | | |
|----------------------------|---------------------------------|------------------|----|----|----|----|----|---|---|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Southern Wood Ant | <i>Formica rufa</i> | | | | | | | ✓ | |
| Golden-ringed Dragonfly | <i>Cordulegaster boltonii</i> | | ✓ | | ✓ | | | ✓ | |
| Four-spotted Chaser | <i>Libellula quadrimaculata</i> | | | ✓ | | ✓ | | | |
| Common Blueth | <i>Coenagrion puella</i> | | ✓ | ✓ | | ✓ | | | |
| Small Pincer-tail | <i>Onychogomphus forcipatus</i> | | | ✓ | | | | | |
| Keeled Skimmer | <i>Orthetrum coerulescens</i> | | | ✓ | | | | | |
| Downy Emerald | <i>Cordulia aenea</i> | | | | | | | ✓ | |
| Green Mountain Grasshopper | <i>Antaxius pedestris</i> | | | | ✓ | | | | |
| Great Green Bush Cricket | <i>Tettigonia viridissima</i> | | | | | | ✓ | | |
| Roesel's Bush Cricket | <i>Roeseliana roeselii</i> | | | | | ✓ | | | |
| Common Wart-biter | <i>Decticus verrucivorus</i> | | | ✓ | | | | | |
| Field Cricket | <i>Gryllus campestris</i> | | H | H | H | H | H | H | |
| Red and Black Frog-hopper | <i>Cercopis vulnerata</i> | | | ✓ | | | ✓ | | |
| Green Tiger Beetle | <i>Cicindela campestris</i> | | | | ✓ | | | | |

| | | June – July 2025 | | | | | | | |
|------------------------------|--------------------------------|------------------|----|----|----|----|----|---|---|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Musk Beetle | <i>Aromia moschata</i> | | | | ✓ | | | | |
| Red Pine Long-horn Beetle | <i>Stictoleptura rubra</i> | | | | ✓ | | | | |
| Speckled Long-horn Beetle | <i>Rutpela maculata</i> | | | | ✓ | | | | |
| A long-horn Beetle | <i>Gaurotes virginea</i> | | | | ✓ | | | | |
| Rose Chafer | <i>Cetonia aurata.</i> | | | | ✓ | ✓ | | | |
| Garden Chafer | <i>Phyllopertha horticola</i> | | | | ✓ | | | | |
| Hairy Shield Bug | <i>Dolycoris baccarum</i> | | | ✓ | | | | | |
| A Checkered Beetle | <i>Trichodes apiaries</i> | | | | ✓ | | | | |
| | <i>Grypocoris stysi</i> | | | | ✓ | | | | |
| | <i>Hadrodemus m flavum</i> | | | | ✓ | | | | |
| | <i>Pachyta quaudrimaculata</i> | | | | ✓ | | | | |
| Thistle Bud Weevil | <i>Larinus planus</i> | | | | ✓ | | | | |
| A Weevil | <i>Otiorhynchus gemmatus</i> | | | | ✓ | | | | |
| European Alpine Scorpion Fly | <i>Panorpa alpina</i> | | | | ✓ | | | | |
| Bumble-bee Hoverfly | <i>Volucella bombylans</i> | | | | | | | | |
| Pellucid Fly | <i>Volucella pellucens</i> | | | | ✓ | | | | |
| European Firefly | <i>Lampyrus noctiluca</i> | | | | | ✓ | | | |
| Honey Bee | <i>Apis mellifera carnica</i> | | | | | | | ✓ | |
| Noble Wasp Sawfly | <i>Tenthreda vespa</i> | | | | ✓ | | | | |
| Common Wasp | <i>Vespula vulgaris</i> | | | | ✓ | | | | |
| Paper Wasp | <i>Polistes dominula</i> | | | | ✓ | | | | |
| A Spider | <i>Neoscona adianta</i> | | | | ✓ | | | | |

Others

| | | June – July 2025 | | | | | | | |
|----------------|----------------------|------------------|----|----|----|----|----|---|---|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 |
| Mollusc | | | | | | | | | |
| Roman Snail | <i>Helix pomatia</i> | | | ✓ | | | | | |
| Fish | | | | | | | | | |
| Barbel | <i>Barbus barbus</i> | | | ✓ | | | | | |

Plants

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|----------------------------------|------------------------------|--------------|
| PTERIDOPHYTES | FERNS & ALLIES | |
| Lycophytes | | |
| Lycopodiaceae | | |
| <i>Diphasiastrum alpinum</i> | Alpine Clubmoss | MA |
| <i>Lycopodium annotinum</i> | Interrupted Clubmoss | E Z L |
| | | |
| Calamophytes | | |
| Equisetaceae | Horsetail Family | |
| <i>Equisetum arvense</i> | Field Horsetail | M |
| <i>Equisetum palustre</i> | Marsh Horsetail | M |
| <i>Equisetum sylvatica</i> | Wood Horsetail | E G |
| <i>Equisetum variegatum</i> | Variegated Horsetail | E H Z G L MO |
| | | |
| Eusporangiate Ferns | | |
| Ophioglossaceae | Adder's-tongue Family | |
| <i>Botrychium lunaria</i> | Moonwort | G |
| | | |
| Leptosporangiate Ferns | True Ferns | |
| Aspleniaceae | Spleenwort Family | |
| <i>Asplenium adiantum-nigrum</i> | Wall Rue | HW |
| <i>Asplenium viride</i> | Green Spleenwort | E G M |
| | | |
| Athyriaceae | Lady-fern Family | |
| <i>Athyrium alpestre</i> | Alpine Lady Fern | E |
| <i>Athyrium filix-femina</i> | Lady-fern | E M L |
| | | |
| Cystopteraceae | Bladder-fern Family | |
| <i>Cystopteris alpina</i> | Alpine Bladder-fern | G |
| <i>Cystopteris fragilis</i> | Brittle Bladder-fern | E |
| <i>Gymnocarpium robertianum</i> | Limestone Fern | E H G M L |
| | | |
| Dennstaedtiaceae | Bracken Family | |
| <i>Pteridium aquilinum</i> | Bracken | MA H Z M L |
| | | |
| Dryopteridaceae | Buckler-fern Family | |
| <i>Dryopteris dilatata</i> | Broad Buckler-fern | L |
| <i>Dryopteris filix-mas</i> | Male-fern | E L |
| <i>Polystichum lonchitis</i> | Holly Fern | G B |
| | | |
| Polypodiaceae | Polypody Family | |
| <i>Polypodium vulgare</i> | Common Polypody | E |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugspitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|---------------------------------------|--------------------------|----------------|
| Thelypteridaceae | Marsh Fern Family | |
| <i>Phegopheris connectilis</i> | Beech Fern | E |
| | | |
| GYMNOSPERMS | CONIFERS | |
| Cupressaceae | Juniper Family | |
| <i>Juniperus communis</i> | Juniper | H Z G M L |
| | | |
| Pinaceae | Pine Family | |
| <i>Larix decidua</i> | European Larch | E Z M L |
| <i>Picea abies</i> | Norway Spruce | E H Z G M L MO |
| <i>Pinus mugo</i> | Dwarf Mountain Pine | E G M |
| <i>Pinus nigra</i> | Austrian Pine | H |
| <i>Pinus sylvestris</i> | Scot's Pine | E H Z M L B MO |
| | | |
| Taxaceae | Yew Family | |
| <i>Taxus baccata</i> | Yew | E |
| ANGIOSPERMS | FLOWERING PLANTS | |
| | | |
| Eu-dicots | True Dicotyledons | |
| Adoxaceae | Moschatel Family | |
| <i>Sambucus nigra</i> | Elder | E H Z M L B |
| <i>Sambucus racemosa</i> | Red-berried Elder | E B |
| <i>Viburnum lantana</i> | Wayfaring Tree | E M H B G |
| <i>Viburnum opulus</i> | Guelder-rose | E M H B G |
| | | |
| Amaranthaceae (Chenopodiaceae) | Goose-foot Family | |
| <i>Chenopodium bonus-henricus</i> | Good King Henry | G |
| | | |
| Apiaceae | Carrot Family | |
| <i>Aegopodium podagraria</i> | Ground Elder | E B |
| <i>Angelica sylvestris</i> | Wild Angelica | H M MO |
| <i>Anthriscus sylvestris</i> | Cow Parsley | H |
| <i>Astrantia major</i> | Great Masterwort | E H G M L B |
| <i>Conopodium majus</i> | Pignut | E H |
| <i>Chaerophyllum hirsutum</i> | Hairy Chervil | E H Z G M B |
| <i>Daucus carota</i> agg. | Wild Carrot | M |
| <i>Heracleum mantegazzianum</i> | Giant Hogweed | M |
| <i>Heracleum sphondylium</i> | Hogweed | G B |
| <i>Laserpitium latifolium</i> | Broad-leaved Sermountain | E H Z G M |
| <i>Laserpitium siler</i> | A Sermountain | H |
| <i>Pimpinella major</i> | Greater Burnet Saxifrage | H |
| <i>Sanicula europaea</i> | Sanicle | E |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugspitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|--------------------------------------|-----------------------------|-------------|
| Apocynaceae | Periwinkle Family | |
| <i>Vinca minor</i> | Lesser Periwinkle | E |
| <i>Vincetoxicum hirundinaria</i> | Swallow-wort | H M L |
| Araliaceae | Ivy Family | |
| <i>Hedera helix</i> agg | Ivy | B |
| Berberidaceae | Barberry Family | |
| <i>Berberis vulgaris</i> | Barberry | H M L |
| Betulaceae | Birch Family | |
| <i>Alnus glutinosa</i> | Common Alder | E B MO |
| <i>Alnus viridis</i> | Green Alder | H |
| <i>Betula pendula</i> | Silver Birch | E Z G M B |
| <i>Carpinus betulus</i> | Hornbeam | E |
| <i>Corylus avellana</i> | Hazel | E H Z G M B |
| Boraginaceae | Forget-me-not Family | |
| <i>Echium vulgare</i> | Viper's Bugloss | E M |
| <i>Myosotis alpestris</i> | Alpine Wood Forget-me-not | G |
| <i>Myosotis arvensis</i> | Field Forget-me-not | E |
| <i>Myosotis scorpioides</i> | Water Forget-me-not | E |
| <i>Myosotis sylvatica</i> | Wood Forget-me-not | Z G L |
| <i>Symphytum officinale</i> | Common Comfrey | E B |
| Brassicaceae | Cabbage Family | |
| <i>Biscutella laevigata</i> | Buckler Mustard | H Z L B |
| <i>Capsella bursa-pastoris</i> | Shepherd's Purse | H |
| <i>Cardamine flexuosa</i> | Wavy Bitter-cress | B |
| <i>Cardamine impatiens</i> | Narrow-leaved Bitter-cress | E |
| <i>Cardamine amara</i> | Large Bitter-cress | E |
| <i>Cardamine pratensis</i> | Cuckoo Flower | E |
| <i>Draba aizoides</i> | Yellow Whitlow-grass | G |
| <i>Hornungia (Pritzelago) alpina</i> | Chamois Cress | Z |
| <i>Turritus glabra</i> | Tower Mustard | H |
| Campanulaceae | Bellflower Family | |
| <i>Campanula glomerata</i> | Clustered Bellflower | E H Z G |
| <i>Campanula patula</i> | Spreading Bellflower | E MO |
| <i>Campanula latifolia</i> | Giant Bellflower | M |
| <i>Campanula rapunculoides</i> | Creeping Bellflower | E |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|--|--------------------------------|------------------|
| <i>Campanula rotundifolia</i> | Harebell | E H Z G M L B MO |
| <i>Campanula trachelium</i> | Nettle-leaved Bellflower | E B |
| <i>Phyteuma orbiculare</i> | Round-headed Rampion | E H G M L B |
| <i>Phyteuma nigrum</i> | Black Rampion (not in flower) | M |
| <i>Phyteuma spicata</i> | Spiked Rampion (not in flower) | E H M L B |
| | | |
| Caprifoliaceae | Honeysuckle Family | |
| <i>Knautia arvensis</i> | Field Scabious | E G |
| <i>Knatia dipsacifolia</i> | Wood Scabious | E H Z G M L B |
| <i>Lonicera xylosteum</i> | Fly Honeysuckle | E H Z M B |
| <i>Scabiosa columbaria</i> | Scabious | M |
| <i>Valeriana officinalis</i> | Common Valerian | E H Z G M L B MO |
| <i>Valeriana saxatilis</i> | Rock Valerian | H |
| <i>Valeriana tripteris</i> | Three-leaved Valerian | M B |
| <i>Valerina montana</i> | Mountain valerian | E G M |
| <i>Valerina dioica</i> | Bog Valerian | E MO L |
| | | |
| Caryophyllaceae | Pink Family | |
| <i>Arenaria serpyllifolia</i> | Thyme-leaved Sandwort | MA |
| <i>Cerastium fontanum</i> | Common Mouse-ear | E M B |
| <i>Gypsophilla repens</i> | Gypsophilla | G |
| <i>Minuartia verna</i> | Spring Sandwort | MA |
| <i>Moehringia muscosa</i> | Mossy Sandwort | L |
| <i>Sagina nodosa</i> | Knotted Pearlwort | MO |
| <i>Silene acaulis</i> | Moss Campion | G |
| <i>Silene dioica</i> | Red Campion | E H Z G M L B |
| <i>Silene nutans</i> | Nottingham Catchfly | H E |
| <i>Silene (Lychnis) flos-cuculi</i> | Ragged Robin | H Z G M MO |
| <i>Silene vulgaris</i> | Bladder Campion | E H G M B |
| | | |
| Celastraceae | Spindle-tree Family | |
| <i>Euonymus europaeus</i> | Spindle-tree | E G M MO |
| <i>Parnassia palustris</i> | Grass-of-Parnassus | MO LW |
| | | |
| Cistaceae | Rock-rose Family | |
| <i>Helianthemum nummularium</i> | Common Rockrose | MA E H G B |
| <i>Helianthemum oelandicum. subsp. incanum</i> | Hoary Rockrose | MA G M |
| | | |
| Compositae (Asteraceae) | Daisy Family | |
| <i>Achillea millefolium</i> | Yarrow | E H Z G M L B |
| <i>Adenostyles alliariae</i> | Adenostyles | EA MA |
| <i>Aposeris foetida</i> | Stinking Wood Salad | H |
| <i>Actium lappa</i> | Greater Burdock | E |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|-----------------------------------|-------------------------|----------------|
| <i>Aster alpinus</i> | Alpine Aster | E G M |
| <i>Arctium minus</i> | Lesser Burdock | M |
| <i>Bellidastrium michelii</i> | False Aster | E H G M L B |
| <i>Bellis perennis</i> | Daisy | E H G M L B |
| <i>Buphthalmum salicifolium</i> | Yellow Ox-eye | E H Z G M L B |
| <i>Carduus defloratus</i> | Alpine Thistle | E H G M L B |
| <i>Carlina vulgaris</i> | Carlina Thistle | G |
| <i>Centaurea montana</i> | Perennial Cornflower | H |
| <i>Centaurea scabiosa</i> | Greater Knapweed | E H Z G M B MO |
| <i>Cirsium acaule</i> | Stemless Thistle | M |
| <i>Cirsium oleraceum</i> | Cabbage Thistle | E H G M L B MO |
| <i>Cirsium palustre</i> | Marsh Thistle | E H G M MO L |
| <i>Cirsium vulgare</i> | Spear Thistle | E G |
| <i>Crepis aurea</i> | Golden Hawksbeard | E G |
| <i>Crepis biennis</i> | Biennial Hawksbeard | E Z G MO |
| <i>Eupatorium cannabinum</i> | Hemp Agrimony | E H G B |
| <i>Homogyne discolor</i> | An Alpine Coltsfoot | G M |
| <i>Leucanthemum vulgare</i> | Ox-eye Daisy | E H G M L B MO |
| <i>Matricaria discoides</i> | Pineapple-weed | E |
| <i>Mycelis muralis</i> | Wall Lettuce | E H Z G M L B |
| <i>Petasites albus</i> | White Butterbur | E M G |
| <i>Petasites hybridus</i> | Butterbur | E G |
| <i>Pilosella aurantiaca</i> | Fox-and-cubs | M |
| <i>Pilosella officinarum</i> agg. | Mouse-eared Hawkweed | E B |
| <i>Senecio nemorensis</i> | Alpine Ragwort | MA |
| <i>Solidago virgaurea</i> | Goldenrod | H G M L B |
| <i>Sonchus oleraceus</i> | Smooth Sow-thistle | MA |
| <i>Prenanthes purpurea</i> | Purple Lettuce | E H G M L B |
| <i>Taraxacum</i> sp. | Dandelion | E H G M B |
| <i>Tragopogon pratensis</i> | Goats beard | E H |
| <i>Tussilago farfara</i> | Colt's-foot | E H G M L B |
| | | |
| Convolvulaceae | Bindweed Family | |
| <i>Calystegia sepium</i> | Hedge Bindweed | MO |
| | | |
| Cornaceae | Dogwood Family | |
| <i>Cornus sanguinea</i> | Dogwood | G B |
| | | |
| Crassulaceae | Stonecrop Family | |
| <i>Sedum atratum</i> | Dark Stonecrop | G |
| | | |
| Droseracea | Sundew Family | |
| <i>Drosera rotundifolia</i> | Round-leaved Sundew | MO |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|--|-------------------------------|---------------|
| Ericaceae | Heather family | |
| <i>Calluna vulgaris</i> | Ling | MO |
| <i>Erica carnea</i> | Spring Heath | E H Z G M L B |
| <i>Moneses media</i> | Intermediate Wintergreen | MA |
| <i>Pyrola rotundifolia</i> | Round-leaved Wintergreen | MO MA |
| <i>Rhodothamus chamaecistus</i> | Dwarf Alpenrose | G M |
| <i>Vaccinium myrtillus</i> | Bilberry | H Z M B |
| <i>Vaccinium vitis-idaea</i> | Cowberry | G |
| Euphorbiaceae | Spurge Family | |
| <i>Euphorbia cyparissias</i> | Cypress Spurge | L |
| <i>Euphorbia helioscopia</i> | Sun Spurge | E |
| <i>Mercurialis perennis</i> | Dog's Mercury | E M L B |
| Fagaceae | Oak & Beech Family | |
| <i>Fagus sylvatica</i> | Beech | E H Z M B |
| Gentianaceae | Gentian Family | |
| <i>Gentiana asclepiadea</i> | Willow Gentian | H M B |
| <i>Gentiana clusii</i> | Clusius's Gentian | Z M G |
| <i>Gentiana germanica</i> | German Gentian | Z G |
| <i>Gentiana lutea</i> | Yellow Gentian | E G |
| <i>Gentiana verna</i> | Spring Gentian | G M |
| Geraniaceae | Geranium Family | |
| <i>Geranium molle</i> | Dove's-foot Crane's-bill | E |
| <i>Geranium pratense</i> | Meadow Crane's-bill | E |
| <i>Geranium robertianum</i> | Herb Robert | E H Z G M B |
| <i>Geranium sylvaticum</i> | Wood Crane's-bill | E H Z G M L B |
| Hypericaceae | St. John's-wort Family | |
| <i>Hypericum perforatum</i> | Perforate St John's-wort | H G M |
| <i>Hypericum tetrapterum</i> | Square-stemmed St John's-wort | G |
| Juglandaceae | Walnut Family | |
| <i>Juglans regia</i> | Walnut Family | E |
| Lamiaceae | Dead-nettle Family | |
| <i>Ajuga reptans</i> | Bugle | E H Z G M L B |
| <i>Clinopodium (Acinos) alpinum</i> | Alpine Basil Thyme | H Z G M L B |
| <i>Galopsis tetrahit</i> | Common Hempnettle | E |
| <i>Lamium galeobdolon</i> subsp. <i>montanum</i> | Yellow Archangel | E |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|----------------------------------|----------------------------|-------------------|
| <i>Lamium album</i> | White Deadnettle | E |
| <i>Mentha aquatica</i> | Water Mint | E |
| <i>Mentha longifolia</i> | Horse Mint | E H Z G M L B |
| <i>Origanum vulgare</i> | Marjoram | E |
| <i>Prunella vulgaris</i> | Self-heal | E H Z G M L B |
| <i>Prunella grandifolia</i> | Large Selfheal | E M O M G |
| <i>Salvia pratensis</i> | Meadow Clary | E H Z G M |
| <i>Stachys alopecuroides</i> | Yellow Woundwort | M |
| <i>Stachys sylvatica</i> | Hedge Woundwort | E H G |
| <i>Thymus polytrichus</i> | Wild Thyme | E H Z G M L B |
| | | |
| Leguminosae (Fabaceae) | Pea Family | |
| <i>Anthyllis vulneraria</i> agg. | Kidney Vetch | H Z G M L B |
| <i>Hippocrepis comosa</i> | Horseshoe Vetch | E Z G M B |
| <i>Lathyrus pratensis</i> | Yellow Vetchling | E |
| <i>Lotus alpinus</i> | Alpine Bird's-foot Trefoil | E |
| <i>Lotus corniculatus</i> | Bird's-foot Trefoil | E H Z G M L B |
| <i>Medicago lupulina</i> | Black Medick | E H B |
| <i>Medicago sativa</i> agg. | Lucerne | E |
| <i>Melilotus albus</i> | White Melilot | E |
| <i>Melilotus officinalis</i> | Ribbed Melilot | HW |
| <i>Onobrychis montana</i> | Sainfoin | E H Z G M |
| <i>Ononis spinosa</i> | Spiny Restharrow | G |
| <i>Securigera varia</i> | Crown Vetch | E |
| <i>Trifolium dubium</i> | Lesser Trefoil | B |
| <i>Trifolium medium</i> | Zigzag Clover | E G M L B |
| <i>Trifolium montanum</i> | Mountain Clover | E H Z G M L B M O |
| <i>Trifolium pratense</i> | Red Clover | E H Z G M L B M O |
| <i>Trifolium repens</i> | White Clover | E H Z G M L B M O |
| <i>Vicia cracca</i> | Tufted Vetch | E H Z G M L B M O |
| <i>Vicia sepium</i> | Bush Vetch | E H G M L B M O |
| <i>Vicia sylvatica</i> | Wood Vetch | G |
| | | |
| Lentabulariaceae | Bladderwort Family | |
| <i>Pinguicula vulgaris</i> | Common Butterwort | E H M L |
| | | |
| Linaceae | Flax Family | |
| <i>Linum catharticum</i> | Purging or Fairy Flax | E H Z G M L B M O |
| | | |
| Malvaceae | Mallow Family | |
| <i>Malva moschata</i> | Musk Mallow | E |
| | | |
| Menyanthaceae | Bogbean Family | |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|--------------------------------|-------------------------------|----------------|
| <i>Menyanthes trifoliata</i> | Bogbean | G |
| Oleaceae | Olive Family | |
| <i>Fraxinus excelsior</i> | Ash | E H Z G M B |
| <i>Ligustrum vulgare</i> | Wild Privet | E H G |
| Onagraceae | Willowherb Family | |
| <i>Epilobium angustifolium</i> | Rosebay Willowherb | E H G M B |
| <i>Epilobium ciliatum</i> | American Willowherb | MO |
| <i>Epilobium montanum</i> | Broad-leaved Willowherb | E H G M B |
| | Broad-leaved Willowherb | |
| Orobanchaceae | Broomrape Family | |
| <i>Bartsia alpina</i> | Alpine Bartsia | MA |
| <i>Melampyrum pratense</i> | Common Cow-wheat | G |
| <i>Melampyrum sylvaticum</i> | Wood Cow-wheat | E H Z G M L B |
| <i>Orobanche gracilis</i> | Slender Broomrape | E Z G M L B MO |
| <i>Pedicularis foliosa</i> | Leafy Lousewort | G |
| <i>Rhinanthus minor</i> agg. | Yellow Rattle | E H G M L B MO |
| <i>Rhinanthus serotinus</i> | Greater Yellow Rattle | E H G M L B MO |
| Oxalidaceae | Wood-sorrel Family | |
| <i>Oxalis acetosella</i> | Wood-sorrel | E H Z M L B |
| Papaveraceae | Poppy Family | |
| <i>Chelidonium majus</i> | Greater Celandine | E B |
| <i>Papaver rhoeas</i> | Corn Poppy | E |
| Plantaginaceae | Plantain Family | |
| <i>Digitalis grandiflora</i> | Yellow Foxglove | E |
| <i>Globularia nudicaulis</i> | Matted Globularia | H G M |
| <i>Plantago lanceolata</i> | Ribwort Plantain | E |
| <i>Plantago major</i> | Greater Plantain | E H M B MO |
| <i>Plantago media</i> | Hoary or Lamb's-tail Plantain | E H Z G M B |
| <i>Veronica aphylla</i> | Leafless-stemmed Speedwell | G |
| <i>Veronica arvensis</i> | Wall Speedwell | G |
| <i>Veronica beccabunga</i> | Brooklime | E H G M MO |
| <i>Veronica chamaedrys</i> | Germander Speedwell | G M B |
| <i>Veronica filiformis</i> | Slender Speedwell | MA |
| <i>Veronica fruticans</i> | Rock Speedwell | G |
| <i>Veronica montana</i> | Wood Speedwell | E H Z M B |
| <i>Veronica officinalis</i> | Heath Speedwell | M L B |
| <i>Veronica serpyllifolia</i> | Thyme-leaved Speedwell | E G |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|----------------------------------|----------------------------|----------------|
| <i>Veronica urticifolia</i> | Nettle-leaved Speedwell | E M B |
| | | |
| Polygalaceae | Milkwort Family | |
| <i>Polygala alpestris</i> | Mountain Milkwort | E G M |
| <i>Polygala amara</i> | Bitter Milkwort | MA |
| | | |
| Polygonaceae | Knotweed Family | |
| <i>Fallopia japonica</i> | Japanese Knotweed | E B |
| <i>Persicaria alpinum</i> | Alpine Bistort | H Z G M L B |
| <i>Persicaria bistorta</i> | Bistort | E G MO |
| <i>Rumex acetosa</i> | Sorrel | E H Z |
| <i>Rumex crispus</i> | Curled Dock | E B |
| <i>Rumex obtusifolius</i> | Broad-leaved Dock | M |
| | | |
| Primulaceae | Primrose Family | |
| <i>Androsace chamaejasme</i> | Ciliate Rock-jasmine | G |
| <i>Lysimachia nemorum</i> | Yellow Pimpernel | H G M L |
| <i>Lysimachia punctata</i> | Dotted Loosestrife | E |
| <i>Lysimachia vulgaris</i> | Yellow Loosestrife | MO |
| <i>Primula elatior</i> | Oxlip | E M L B |
| <i>Primula farinosa</i> | Bird's-eye Primrose | H Z G L |
| | | |
| Ranunculaceae | Buttercup Family | |
| <i>Aconitum napellus</i> | Monk's-hood | G |
| <i>Aconitum vulparia</i> | Wolf's-bane | E M B |
| <i>Anemone narcissiflora</i> | Narcissus-flowered Anemone | EA MA |
| <i>Anemone nemorosa</i> | Wood Anemone | EA MA |
| <i>Aquilegia atrata</i> | Dark-flowered Columbine | E H Z G M L |
| <i>Caltha palustris</i> | Kingcups | E H G M MO |
| <i>Clematis vitalba</i> | Traveller's Joy | M |
| <i>Ficaria verna</i> | Lesser Celandine | E |
| <i>Helleborus foetidus</i> | Stinking Hellebore | M |
| <i>Hepatica nobilis</i> | Hepatica | E H M |
| <i>Ranunculus acris</i> | Meadow Buttercup | E H Z G M L MO |
| <i>Ranunculus alpestris</i> | Alpine Buttercup | G |
| <i>Ranunculus auricomus</i> | Goldilocks Buttercup | E Z L B |
| <i>Ranunculus lanuginosus</i> | Woolly Buttercup | E |
| <i>Ranunculus montanus</i> | Mountain Buttercup | G |
| <i>Thalictrum aquilegifolium</i> | Great Meadow-rue | E G B |
| <i>Trollius europaeus</i> | Globeflower | E M |
| | | |
| Rhamnaceae | Buckthorn Family | |
| <i>Frangula alnus</i> | Alder Buckthorn | HA M MO |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugspitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|---------------------------------|-----------------------------------|------------------|
| Rosaceae | Rose Family | |
| <i>Alchemilla alpina</i> | Alpine Lady's-mantle | E H G M |
| <i>Alchemilla glabra</i> | Smooth Lady's-mantle | E MA G M L B MO |
| <i>Alchemilla glaucescens</i> | Small Lady's-mantle | L |
| <i>Alchemilla mollis</i> | Soft Lady's-mantle | E G |
| <i>Amelanchier ovalis</i> | Amelanchier | E B MA |
| <i>Aruncus dioicus</i> | Goat's-beard Spirea | E B |
| <i>Cotoneaster integerrimus</i> | Wild Cotoneaster | MA |
| <i>Crataegus monogyna</i> | Hawthorn | E M |
| <i>Dryas octopetala</i> | Mountain Avens | E G |
| <i>Filipendula ulmaria</i> | Meadowsweet | E H G M B MO |
| <i>Fragaria vesca</i> | Wild Strawberry | E H Z G M L B MO |
| <i>Geum rivale</i> | Water Avens | E G MO |
| <i>Geum urbanum</i> | Wood Avens or Herb Bennett | E H G M B |
| <i>Potentilla anserina</i> | Silverweed | E B |
| <i>Potentilla erecta</i> | Tormentil | E H Z G M L B |
| <i>Potentilla aurea</i> | Golden Cinquefoil | E |
| <i>Potentilla reptans</i> | Creeping Cinquefoil | E Z G M B |
| <i>Ribes uva-crispa</i> | Gooseberry | H |
| <i>Prunus avium</i> | Wild Cherry | E |
| <i>Rosa arvensis</i> | Field Rose | E |
| <i>Rosa canina</i> agg. | Common Dog Rose | G M L B MO |
| <i>Rosa pendulina</i> | Alpine Rose | E L |
| <i>Rubus fruticosus</i> agg | Bramble | B |
| <i>Rubus idaeus</i> | Raspberry | E H G L B |
| <i>Sanguisorba minor</i> | Salad Burnet | MA |
| <i>Sanguisorba officinalis</i> | Greater Burnet | E H G M MO |
| <i>Sorbus aria</i> agg | Whitebeam | E H Z M B |
| <i>Sorbus aucuparia</i> | Rowan | E H Z G M B MO |
| Rubiaceae | Bedstraw Family | |
| <i>Galium mollugo</i> | Hedge Bedstraw | E |
| <i>Galium sylvaticum</i> | Wood Bedstraw | E G |
| <i>Galium verum</i> | Ladies Bedstraw | E |
| <i>Galium palustre</i> | Marsh Bedstraw | MO |
| <i>Galium sternerii</i> | Limestone Bedstraw | E |
| Salicaceae | Poplar & Willow Family | |
| <i>Populus tremula</i> | Aspen | E M B MO |
| <i>Salix cinerea</i> | Grey Willow | E H Z M MO |
| <i>Salix elaeagnos</i> | Lavender-leaved Willow | E H Z G M MO |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|----------------------------------|---------------------------|------------------|
| Santalaceae | Sandalwood Family | |
| <i>Thesium alpinum</i> | Alpine Bastard Toadflax | H Z M L B |
| | | |
| Sapindaceae (Aceraceae) | Maple Family | |
| <i>Acer campestre</i> | Field Maple | E |
| <i>Acer platanoides</i> | Norway Maple | E |
| <i>Acer pseudoplatanus</i> | Sycamore | E H Z G M L B MO |
| <i>Aesculus hippocastnum</i> | Horse Chestnut | E |
| | | |
| Saxifragaceae | Saxifrage Family | |
| <i>Saxifraga aizoides</i> | Mountain Yellow Saxifrage | G |
| <i>Saxifraga caesia</i> | Blue Saxifrage | G |
| <i>Saxifraga moschata</i> | Musky Saxifrage | G |
| <i>Saxifraga rotundifolia</i> | Round-leaved saxifrage | EA |
| | | |
| Solanaceae | Nightshade Family | |
| <i>Atropa belladonna</i> | Deadly Nightshade | H |
| <i>Solanum dulcamara</i> | Bittersweet | E H MO |
| | | |
| Thymelaeaceae | Mezereon Family | |
| <i>Daphne mezereum</i> | Mezereon | E H M |
| <i>Daphne striatum</i> | Striated Daphne | G |
| | | |
| Ulmaceae | Elm Family | |
| <i>Ulmus glabra</i> | Wych Elm | MO |
| | | |
| Urticaceae | Nettle Family | |
| <i>Urtica dioica</i> | Common Nettle | E H M B MO |
| | | |
| Violaceae | Violet Family | |
| <i>Viola biflora</i> | Yellow Wood Violet | E |
| <i>Viola riviniana</i> | Common Dog Violet | MA |
| | | |
| Monocots | Monocotyledons | |
| | | |
| Asparagaceae | Asparagus Family | |
| <i>Anthericum ramosum</i> | a St Bernard's Lily | H |
| <i>Convallaria majalis</i> | Lily-of-the-valley | E H M B |
| <i>Maianthemum bifolium</i> | May Lily | E M L B |
| <i>Polygonatum verticillatum</i> | Whorled Solomon's Seal | E H Z G M L B |
| | | |
| Cyperaceae | Sedge Family | |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|--|--------------------------|------------------|
| <i>Blasmus compressus</i> | Flat Sedge | E G L |
| <i>Carex binervis</i> | Green-ribbed Sedge | M |
| <i>Carex digitata</i> | Finger Sedge | E |
| <i>Carex disticha</i> | Brown Sedge | E |
| <i>Carex echinata</i> | Star Sedge | MO |
| <i>Carex flacca</i> | Glaucous Sedge | E H Z G M L MO |
| <i>Carex hirta</i> | Hairy Sedge | E |
| <i>Carex nigra</i> | Common Sedge | E H Z G B MO |
| <i>Carex pallescens</i> | Pale Sedge | G MO |
| <i>Carex paniculata</i> | Great Tussock Sedge | M E G MO |
| <i>Carex pulicaris</i> | Flea Sedge | E |
| <i>Carex ranflora</i> | Mountain Bog Sedge | G |
| <i>Carex rostrata</i> | Bottle Sedge | G |
| <i>Carex spicata</i> | Spiked Sedge | HA |
| <i>Carex sylvatica</i> | Wood Sedge | E H Z G M L B MO |
| <i>Carex viridula subsp. oedocarpa</i> | Yellow Sedge | M E |
| <i>Eleocharis palustris</i> | Common Spike Rush | MO |
| <i>Eriophorum gracile</i> | Slender Cotton-grass | MO |
| <i>Eriophorum latifolium</i> | Common Cotton-grass | H G L MO |
| <i>Eriophorum vaginatum</i> | Hare's-tail Cotton-grass | MO |
| <i>Scirpus sylvatica</i> | Wood Club-rush | H |
| <i>Trichophorum cespitosum</i> | Deergrass | MO |
| | | |
| Iridaceae | Iris Family | |
| <i>Iris pseudacorus</i> | Yellow Flag | E MO |
| | | |
| Juncaceae | Rush Family | |
| <i>Juncus inflexus</i> | Hard Rush | E H Z G |
| <i>Juncus effusus</i> | Soft Rush | MO |
| <i>Juncus tenuis</i> | Slender Rush | E |
| | | |
| Liliaceae | Lily Family | |
| <i>Lilium martagon</i> | Martagon Lily | E |
| | | |
| Melanthiaceae | Herb-Paris Family | |
| <i>Paris quadrifolia</i> | Herb-Paris | E Z G M L B |
| <i>Veratrum album</i> | White False-helleborine | E Z G M |
| | | |
| Orchidaceae | Orchid Family | |
| <i>Cephalanthera longifolia</i> | Sword-leaved Helleborine | H M |
| <i>Cephalanthera rubra</i> | Red Helleborine | HW MI |
| <i>Dactylorhiza alpina</i> | Alpine Marsh Orchid | E M |
| <i>Dactylorhiza fuchsii</i> | Common Spotted Orchid | E H Z G M B MO |

Key: E - Ehrwald; H - Heiterwangersee; Z - Zugpitze; G - Grubigstein; B - Biberwier; M- Marienberg; MI - Mittersee; Mo - Moos; L – Larchenwald: HW – Haselgehr Wasserfall

| Scientific name | Common name | |
|------------------------------------|------------------------------|------------------|
| <i>Dactylorhiza incarnata</i> agg. | Early Marsh Orchid | MI |
| <i>Dactylorhiza majalis</i> | Broad-leaved Marsh Orchid | E G M |
| <i>Epipactis atrorubens</i> | Dark Red Helleborine | MI H |
| <i>Epipactis palustris</i> | Marsh Helleborine | MO |
| <i>Epipactis helleborine</i> | Common Helleborine | MI |
| <i>Epipactis purpurata</i> | Purple Helleborine | H |
| <i>Gymnadenia conopsea</i> agg. | Fragrant Orchid | E H Z G M L B MO |
| <i>Neottia nidus-avis</i> | Bird's-nest Orchid | H M L B |
| <i>Neottia ovata</i> | Twayblade | E H Z G M L B |
| <i>Ophrys insectifera</i> | Fly Orchid | HW |
| <i>Platanthera bifolia</i> | Lesser Butterfly Orchid | E H Z G M L B |
| <i>Gymnadenia nigra</i> | Black Vanilla Orchid | G |
| | | |
| Poaceae | Grass Family | |
| <i>Anthoxanthum odoratum</i> | Sweet Vernal-grass | M B |
| <i>Arrhenatherum elatius</i> | False Oat | E |
| <i>Briza media</i> | Quaking Grass | E H G M B |
| <i>Bromopsis inermis</i> | Hungarian Brome | E |
| <i>Cynosurus cristatus</i> | Crested Dog's-tail | E H Z G M B |
| <i>Dactylis glomerata</i> | Cock's-foot | E H Z G M B |
| <i>Deschampsia cespitosa</i> | Tufted-hair-grass | M |
| <i>Elytrigia repens</i> | Couch-grass | E |
| <i>Lolium perenne</i> | Perennial Rye-grass | E |
| <i>Glyceria declinata</i> | Small Sweet-grass | H |
| <i>Glyceria fluitans</i> | Floating Sweet-grass | G |
| <i>Melica nutans</i> | Mountain Melick | E H G M B |
| <i>Phleum pratense</i> | Timothy | E MO |
| <i>Phragmites australis</i> | Common Reed | MO |
| <i>Poa alpina</i> | Alpine Meadow-grass | Z MA |
| <i>Poa pratense</i> | Smooth Meadow-grass | E |
| <i>Poa trivialis</i> | Rough Meadow-grass | E |
| <i>Sesleria caerulea</i> | Blue Moor-grass | H G M B |
| | | |
| Tofieldiaceae | False Asphodel Family | |
| <i>Tofieldia calyculata</i> | Tofield's Asphodel | E H G M L B MO |