

Bolivia - Lowlands

Naturetrek Tour Report

28 October - 6 November 2018



Plush-crested Jay



Bolivian Earthcreeper



Red-fronted Macaws



White Woodpecker



Guira Cuckoo

Report compiled by Jose Antonio Padilla
Images courtesy of Juan Perez Lorenzo



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Jose Antonio Padilla and Gustavo Cañas (Leaders) with nine Naturetrek clients

Summary

This was an wonderful tour in the lowlands of Bolivia with 9 participants, all very keen birders. We travelled through this beautiful country starting at Viru Viru airport, which is set in an amazing grassland habitat home for many birds, including very attractive Burrowing Owls and magnificent Greater Rheas. Next we went to the home of one the most range-restricted and endangered birds in the whole world, the Red-fronted Macaw and finally we went to the Refugio Los Volcanes, a beautiful eco-lodge located in the Southern Part of Amboro National Park, home to the Military Macaw and the magnificent Andean Condor.

Day 1

Sunday 28th October

Our Air Europa flight from Gatwick to Madrid arrived in plenty of time for us to catch our overnight connection to Santa Cruz where we met up with our tour leaders.

Day 2

Monday 29th October

Eight of the group arrived in good time via Madrid with Air Europa, the other member having arrived one day previously to be more rested for the start of the tour. So, after arrival the group got their binoculars out and we began birding right away. Here at the airport we saw some magnificent birds like Burrowing Owls, Southern Lapwing, Chopi Blackbird, Red-winged Tinamou, Campo Flicker, Rufous Hornero, White-tailed Hawks, Fork-tailed Flycatchers, Chotoy spinetail, Greater Thornbird, Sacaya Tanagers, White-browed Blackbirds, Grassland Sparrows, Wedge-tailed Grass-finch, and many others.

After an outstanding start to the holiday we went to the hotel to drop our luggage and then to have lunch in Casarao, a nice Brazilian, buffet style restaurant, where we had our first taste of Brazilian and Bolivian Cuisine. After Lunch we headed to the Lomas de Arena State Park, a unique habitat, with some open grassland and shrubby forest. Here we saw things like Red-capped Cardinal, Purple-throated Euphonia, Rufous-fronted Thornbird, the fantastic White Woodpecker, Saffron Finches, Thrush-like Wrens, Buff-throated Woodcreeper, Blue-winged Parrotlets, Spotted Sandpiper, etc.

After a fantastic first day, we went back to the hotel for dinner and a rest, as tomorrow was going to be a very long day.

Day 3

Tuesday 30th October

Today after an early breakfast at the hotel, we went west of the city to the Botanical Gardens of Santa Cruz which is probably the only remaining natural protected area left in the whole city. We arrived very early so we could take advantage of the quiet first hours in the morning before locals start to arrive.

We first went to the artificial lake by the parking area and here we started with some excellent birds like Black-crowned Night-Heron, Cocoi & Striated Heron, Great & Snowy egrets, Picazuro Pigeons, Greater Anis, Guira Cuckoos, Rufous Hornero, Hauxwell's Creamy-bellied & Black-billed Thrushes, Variable Oriole, Streaked

Flycatcher, Black-tailed & Black-crowned Tityra, Purplish Jay, Shiny Cowbirds, Chopi Blackbirds, Great Kiskadee, Little Woodpecker, Straight-billed & Buff-throated Woodcreeper, Bare-faced Ibis, Sayaca & Palm Tanagers, Eastern & Tropical Kingbirds, Rufous-tailed Jacamar, Yellow-chevroned Parakeets, Ringed Kingfisher, Wattled Jacanas, Red-capped Cardinals, Crested Oropendula, Yellow-rumped Caciques, etc etc.

After some excellent birding at this first spot, we started heading into the wooded area, where there is a trail system which is very productive and we found some forest birds like: Bolivian Slaty Antshrike (our first Bolivian endemic) Buff-breasted Wren, Golden-crowned warbler, Chestnut-fronted macaws, Scale-headed Parrots, Amazonian Motmot, Narrow-billed Woodcreeper, and the very common, sometimes elusive, but very nice Ferruginous Pygmy-owl, all giving very good views this morning.

After birding at this fantastic place and finding great birds for this part of the country, we went back to the city for lunch, and then travelled west, taking the old road to Cochabamba for about 224 kms to a missionary school called Monte Blanco. This is a quiet place used by young Bolivians as a place of spiritual retreat at certain times of the year, and it would be our home for the next three nights. On the way we found a nice White-throated Hawk perched on a branch of a tree and some Plush-crested Jays alongside the main road...nice!!!

Monte Blanco and the Comarapa area are located in a very dry Inter-andean valley, dominated especially by cactus trees, and many small bushes and shrubs, and it is also home to one of the most beautiful, range-restricted and endemic birds in the country, the fantastic Red-fronted Macaw, as well as many other birds which are hard to see anywhere else in Bolivia.

We arrived after a very long drive in time for dinner. Over dinner we talked about our plans for next day and very secretively we had some beers, as drinking is not allowed in this place!

Day 4

Wednesday 31st October

We had a very early breakfast right after which we jumped in the van and went to the Valley of Saipina where we were hoping to find the macaws and other specialties like White-tipped Plantcutter and another species of endemic parrot, Cliff Parakeet. We were In the valley by 7 am and started birding, finding Small-billed Elaenia, Green-barred Woodpecker, Ringed, Black-capped and Black Warbling-finches, Great Pampa Finch, Rufous-capped Antshrike, Greater Wagtail- Tyrant, more than 70 of the fantastic Red-fronted Macaws, Turquoise-fronted Amazon, Blue-crowned Parakeets, Blue & Yellow Tanagers, the very range-restricted White-fronted Woodpecker, Striped Cuckoo, Southern Martin, Tawny-headed Swallow, Sooty-fronted Spinetail, many Saffron Finches, Double-collared Seedeaters, and many more.

The temperature was increasing and by the middle of the morning it got really hot, so we returned to the van and went south west to try to find Cliff Parakeets. Things looked different as a new road was just finished few months ago, and we almost missed the spot for the parakeets. However we found it and few minutes later Edith found the parakeets on the other side of the Valley on the side of a big cliff. We had excellent views through the scopes, and then it was back to the van as it was time to head back to Monte Blanco for lunch.

After lunch, and a small break until 3:30 pm, we went to look for another Bolivian endemic, the very localized Bolivian Earthcreeper which we have previously found in a small, dry river a few hundred yards behind the

missionary school. We took the van and 10 minutes later we were at the spot. Here we left the vehicle behind and started to walk into the dry river, finding Striped-crowned Spinetail, White-bellied Tyrannulet, Plain Tyrannulet, Glittering-bellied Emerald, White-bellied Hummingbird, Red-crested Finch, and after a lot of trying we finally got a Bolivian Earthcreeper, thanks to Peter who found it moving at the top of a small cliff....excellent, another great bird for the trip. Tonight, we decided to go back out to look for Scissor-tailed Nightjars and other nocturnal creatures.

So, before dinner we went for a walk behind the centre. It was a fairly quiet but after a while we finally found the Nightjars flying over our heads, and some were also perched at a distance, so using strong flashlights we were able to see them well. Then it was dinner and off to bed.

Day 5

Thursday 1st November

Today we had another early breakfast before heading west towards Cochabamba, as we were going to spend the day in La Siberia Cloudforest at an altitude of up to 2,800 metres in the eastern slopes of the Andes. About an hour after setting off we had our first stop of the day, looking for the fantastic Olive-crowned Crescentchest, a bird that we eventually saw in the middle of a grassy area and luckily everyone was able to see it. Another 15 minutes later, we stopped in an area known as Torrecillas, where we had some excellent birds like Brown-capped & Spectacled Redstart, Spot-breasted Thornbird, Red-tailed Comet (female), Chiguanco & Great Thrushes, Highland Elaenia, Grayish Baywing, House Wren, Yellow-billed Tit-Tyrant, and the Rusty-vented Canastero (the creamy-breasted form), White-winged Black-tyrant, Bolivian Warbling-finch, Rufous-sided Warbling-finch, Golden-billed Saltator, Black-backed Grosbeak, and many more.

At the next stop, another 15 minutes up the road, we went for a short walk and had: Rufous-browed Warbling-finch, Streak-fronted Thornbird and many Rufous-collared Sparrows.

It was time to keep going up the road and we reached the highest point in this tour at almost 3,000 meters in elevation. Here we also had some excellent birds like Blue-and-Yellow Tanager, Rust-and-Yellow Tanager, Swallow-tailed Kites, Roadside & Variable Hawk, Rufous-breasted Chat-tyrant, Tyrian Metaltail, Long-tailed Sylph, Blue-capped Puffleg, Violet-throated Starfrontlet, Gray-breasted Wood-wren, Buff-browed Foliage-gleaner, Slaty & Sierran Elaenia, White-throated Tyrannulet, White-banded Tyrannulet, Cinnamon Flycatcher, Blue and White Swallows, Azara's Spinetail, and the fantastic Fulvous-headed Brushfinch. Rufous-bellied Thrush, Hooded Siskins, Pale-legged Warbler were also seen today.

We had a short break for lunch, and then we moved on a little and we found Pearled Treerunner, Masked Flowerpiercer, Chestnut-collared & White Collared Swifts, Scale-naped Parrots, Blue-crowned & Mitred Parakeets, Light-crowned Spinetail, Rufous-faced Antpitta (briefly), Trilling Tapaculo, Barred Becard, Andean Slaty Thrush, and many more.

Eventually, and with some reluctance after a brilliant day, it was time to start heading back to Monte Blanco. We made a brief stop at the town of Comarapa to refuel the vehicle (and to buy some ice creams) and 25 minutes later we were back at the centre for dinner, the check-list and then off to bed.

Day 6

Friday 2nd November

Today we left the centre and headed towards our final destination of the tour, the beautiful ecolodge at Refugio Los Volcanes. This is located in the most southern part of the Amboro National Park, a fantastic place at the base of the mountains, surrounded by forested hills and not too far from the city of Santa Cruz. We took packed lunches with us, as we were planning to spend as much time as possible birding on the way, hoping to fill in a few gaps in our holiday list.

Our first stop in this dry forest valley delivered Brown & Andean Tinamous, Turkey & Black Vultures, Squirrel Cuckoo, Burrowing Owl, Dot-fronted & Golden-olive Woodpeckers, Southern-crested Caracara, Variable Antshrike, Ochre-faced Tody-flycatcher, White-bellied Tyrannulet, Cliff Flycatcher, Fuscous Flycatcher, Yellow-browed Tyrant, Variegated Flycatcher, Tropical Parula, Rufous-browed Peppershrike, Orange-headed Tanager, Red Tanager and the stunning Ultramarine Grosbeak.

We had our picnic lunch on the way and we had a short stop at Samaipata where we had bought ice-creams and snacks to keep us going on our journey.

As we were getting closer to the lodge we saw birds such as Wattled Jacanas, Two-banded Warbler, Short-tailed Ant-thrush, Grey-crested Finch, Sacaya Tanager, Saffron-billed Sparrow and Shiny Cowbird

We switched cars at the main gate and took small 4 by 4 vehicles, to get down to the lodge, and we arrived at this beautiful spot well before dark.

We had dinner today at 7:30 pm and it was a Rodizio of homemade Pizzas, which was very welcome after our long journey today.

Day 7

Saturday 3rd November

This morning we decided to have a pre-breakfast birding walk in the grounds of the lodge, and we found new birds like Blue-throated Piping-Guan, Plumbeous Pigeon, Ferruginous Pygmy-Owl, White-tipped & Andean Swifts, Blue-headed Parrots, many Turquoise-fronted Amazons, Western Wood-pewee, Masked Tityra, Purplish & the beautiful Plush-crested Jay, Dusky-green & Crested Oropendulas, and Palm Tanager.

Breakfast was very good and straight afterwards we set off again, but this time we went for a longer walk on the main jeep Trail.

We started our walk and soon began finding some really good birds, including Buff-bellied Hermit, Andean Condor, Plumbeous Kite, Red-billed Parrot, Green-checked Parakeets and the greatest number of Military Macaws Jose had ever seen here. We also had Slaty Gnateater, Buff-fronted Foliage-Gleaner, Oliveaceous Woodcreeper, Plain Antvireo, the rare Black-capped Antwren, Squirrel Cuckoo, Mitred Parakeets, Ochre-cheeked Spinetail, Swainson's Thrush, Riverbank warbler, Black-goggled Tanager, and many more.

We returned to the lodge in time for lunch, and around the main rooms we found a nice pair of Thick-billed Euphonias, and after lunch, we had time to relax before setting out again at about 3:15 pm. This time we went to

the other side of the property, finding excellent birds like Yungas Manakin, White-necked Thrush, Chestnut-eared Aracari, Channel-billed & White-throated Toucan, Olive-sided Flycatcher, Black-chested Buzzard-eagle, and a lifer for Jose, the Gray-throated Leaf-tosser....great!!! We also heard Tawny-breasted Screech-Owl, but unfortunately we never saw it. Anyway, it had been an excellent afternoon, and we went back to the Lodge very happy.

We had another excellent dinner at the Refugio and off to bed.

Day 8

Sunday 4th November

Today we had to return to Santa Cruz, but not until after lunch, so this morning we tried to find some birds that we hadn't previously seen so it was off again into the forest, and we saw Squirrel Cuckoo, Channel-billed Toucan, Blue-headed Parrots, and Tourquoise-fronted Amazons, Military Macaws again, Mitred Parakeets, Ochre-checked Spinetail, Great-rufous Woodcreeper, Plain Antvireo, Black Phoebe and Crowned-Slaty Flycatcher. We also heard Moustached Wren although we didn't see it, but we did manage to see Hauxwell's Thrush, Hooded Siskins, Riverbank Warbler, Two-banded Warblers, Black-goggled, Palm & Silver-beaked Tanagers, Black-faced Dacnis, (female), and more. We had a pleasant walk in the forest, but with a slight problem; the water in the stream had risen because of the rain we had in the morning, so we had to take the long way to get across. Finally, we were able to get back and get ready for an early lunch and then to set off to Santa Cruz.

After organizing our luggage, we boarded the small 4x4 vehicles to take us up to the main gate of the lodge. There we had to change cars to our van for the journey to Santa Cruz, but upon arrival at the main gate, we went for a short walk as our van hadn't yet arrived. On this walk we saw Chestnut-backed Antshrike, Black-capped Antwren, Crested & Dusky-green Oropendulas, Rufous-bellied thrush, Green-checked Parakeets, and more.

Our van finally arrived after having some problems on the way, and eventually we were on the main road heading back to the city.

On the way we had brief views of American Kestrel, Tropical Kingbirds, House Sparrows, and the introduced Rock Doves.

At the Lido Hotel we had some time to relax before meeting up again to go through the final checklist and dinner.

Day 9

Monday 5th November

Today we went to the airport for our flights back to the UK, saying goodbye to the members of the group who were flying to Cochabamba with Jose to start another tour in the Bolivian Highlands.

Day 10

Tuesday 6th November

Our flights from Santa Cruz, via Madrid, landed at Gatwick this morning and after clearing immigration we said our goodbyes and went our separate ways home, after a wonderful holiday in the wildlife-rich Bolivian Lowlands. The exotic birds and stunning landscape would remain in our memories for a very long time.

Species Lists

Birds (✓=recorded but not counted; H = heard only)

	E = Endemic; N = Near Endemic; I = Introduced		October/November						
	Common name	Scientific name	29	30	31	1	2	3	4
1	Greater Rhea	<i>Rhea americana</i>	✓						
2	Brown Tinamou	<i>Crypturellus obsoletus</i>				H	✓	✓	✓
3	Red-winged Tinamou	<i>Rhynchotus rufescens</i>	✓						
4	Andean Tinamou	<i>Nothoprocta pentlandii</i>					✓		
5	Brazilian Teal	<i>Amazonetta brasiliensis</i>	✓						
6	Speckled Chachalaca	<i>Ortalis guttata</i>	H						
7	Blue-throated Piping Guan	<i>Pipile cumanensis</i>						✓	
8	Wood Stork	<i>Mycteria americana</i>		✓					
9	Buff-necked Ibis	<i>Theristicus caudatus</i>	✓						
10	Bare-faced Ibis	<i>Phimosus infuscatus</i>		✓	✓				
11	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>		✓					
12	Striated Heron	<i>Butorides striata</i>		✓					
13	Western Cattle Egret	<i>Bubulcus ibis</i>	✓	✓	✓				✓
14	Cocoi Heron	<i>Ardea cocoi</i>		✓					
15	Great Egret	<i>Ardea alba</i>	✓	✓	✓				
16	Whistling Heron	<i>Syrigma sibilatrix</i>	✓	✓					
17	Snowy Egret	<i>Egretta thula</i>		✓					
18	Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>	✓	✓					
19	Anhinga	<i>Anhinga anhinga</i>		✓		✓			
20	Turkey Vulture	<i>Cathartes aura ruficollis</i>	✓	✓	✓	✓	✓	✓	
21	Black Vulture	<i>Coragyps atratus</i>	✓	✓	✓	✓	✓	✓	
22	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	✓						
23	Andean Condor	<i>Vultur gryphus</i>			✓			✓	
24	Swallow-tailed Kite	<i>Elanoides forficatus</i>		✓		✓			
25	Plain-breasted Hawk	<i>Accipiter ventralis</i>			✓				
26	Plumbeous Kite	<i>Ictinia plumbea</i>		✓				✓	✓
27	Roadside Hawk	<i>Rupornis magnirostris</i>	✓	✓	✓	✓			
28	White-tailed Hawk	<i>Geranoaetus albicaudatus</i>	✓						
29	Variable Hawk - N	<i>Geranoaetus polyosoma</i>				✓			
30	Black-chested Buzzard-Eagle	<i>Geranoaetus melanoleucus</i>						✓	
31	Short-tailed Hawk	<i>Buteo brachyurus</i>			✓				
32	White-throated Hawk	<i>Buteo albigula</i>		✓					
33	Rufous-sided Crake	<i>Laterallus melanophaius</i>			H				
34	Grey-Cowled Wood Rail	<i>Aramides cajaneus</i>	✓						
35	Common Gallinule	<i>Gallinula galeata</i>		✓					
36	Limpkin	<i>Aramus guarauna</i>		✓					
37	Southern Lapwing	<i>Vanellus chilensis</i>	✓	✓	✓				
38	Wattled Jacana	<i>Jacana jacana</i>					✓		
39	Spotted Sandpiper	<i>Actitis macularius</i>	✓						
40	Solitary Sandpiper	<i>Tringa solitaria</i>			✓				
41	Rock Dove - I	<i>Columba livia</i>	✓	✓	✓	✓	✓	□	✓
42	Picazuro Pigeon	<i>Patagioenas picazuro</i>	✓	✓					
43	Plumbeous Pigeon	<i>Patagioenas plumbea</i>						✓	
44	Ruddy Ground Dove	<i>Columbina talpacoti</i>	✓						
45	Picui Ground Dove	<i>Columbina picui</i>	✓		✓	✓			
46	White-tipped Dove	<i>Leptotila verreauxi</i>			✓	✓	✓		
47	Yungas / large-tailed Dove - N	<i>Leptotila megalura</i>					H		H

	E = Endemic; N = Near Endemic; I = Introduced		October/November						
	Common name	Scientific name	29	30	31	1	2	3	4
48	Eared Dove	<i>Zenaida auriculata</i>	✓	✓	✓	✓			
49	Guira Cuckoo	<i>Guira guira</i>	✓	✓	✓		✓		✓
50	Greater Ani	<i>Crotophaga major</i>		✓					
51	Smooth-billed Ani	<i>Crotophaga ani</i>	✓	✓	✓		✓	✓	✓
52	Striped Cuckoo	<i>Tapera naevia</i>	H		✓				
53	Squirrel Cuckoo	<i>Piaya cayana</i>		✓			✓	✓	✓
54	Yellow-billed Cuckoo	<i>Coccyzus americanus</i>	✓						
55	Tropical Screech Owl	<i>Megascops choliba</i>			H				
56	Tawny-bellied Screech Owl	<i>Megascops watsonii</i>						H	
57	Yungas Pygmy Owl	<i>Glaucidium bolivianum</i>			H				
58	Ferruginous Pygmy Owl	<i>Glaucidium brasilianum</i>		✓				✓	H
59	Burrowing Owl	<i>Athene cunicularia</i>	✓				✓		
60	Scissor-tailed Nightjar	<i>Hydropsalis torquata</i>			✓				
61	Rufous Nightjar	<i>Antrostomus rufus</i>						H	H
62	Chestnut-collared Swift	<i>Streptoprocne rutila</i>			✓	✓	✓		
63	White-collared Swift	<i>Streptoprocne zonaris</i>			✓	✓	✓		
64	White-tipped Swift	<i>Aeronautes montivagus</i>						✓	
65	Andean Swift	<i>Aeronautes andecolus</i>						✓	
66	Buff-bellied Hermit - N	<i>Phaethornis subochraceus</i>						✓	✓
67	Glittering-bellied Emerald	<i>Chlorostilbon lucidus</i>			✓		✓		
68	Great Sapphirewing	<i>Pterophanes cyanopterus</i>				✓			
69	White-bellied Hummingbird	<i>Amazilia chionogaster</i>			✓	✓	✓		
70	Blue-capped Puffleg - N	<i>Eriocnemis glaucopoides</i>				✓			
71	Red-tailed Comet	<i>Sappho sparganurus</i>				✓			
72	Tyrian Metaltail	<i>Metallura tyrianthina</i>				✓			
73	Long-tailed Sylph	<i>Agelaiocercus kingii</i>				✓			
74	Long-billed Starthroat	<i>Helimaster longirostris</i>							
75	Blue-tufted Starthroat	<i>Helimaster furcifer</i>			✓				
76	Blue-crowned Trogon	<i>Trogon curucui</i>	✓					H	
77	Ringed Kingfisher	<i>Megaceryle torquata</i>		✓					
78	Amazonian Motmot	<i>Momotus momota</i>		✓					
79	Rufous-tailed Jacamar	<i>Galbula ruficauda</i>		✓					
80	Chaco Puffbird / Spot-backed	<i>Nystalus striatipectus</i>			✓				
81	Black-fronted Nunbird	<i>Monasa nigrifrons</i>		H					
82	Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>						✓	
83	Channel-billed Toucan	<i>Ramphastos vitellinus</i>						✓	✓
84	White-throated Toucan	<i>Ramphastos tucanus</i>						H	
85	Ocellated Piculet	<i>Picumnus dorbignyanus</i>			✓				
86	White Woodpecker	<i>Melanerpes candidus</i>	✓						
87	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	✓	✓					
88	White-fronted Woodpecker	<i>Melanerpes cactorum</i>			✓				
89	Little Woodpecker	<i>Veniliornis passerinus</i>		✓					
90	Checkered Woodpecker	<i>Veniliornis mixtus</i>			✓				
91	Dot-fronted Woodpecker	<i>Veniliornis frontalis</i>					✓		
92	Golden-olive Woodpecker	<i>Colaptes rubiginosus</i>					✓		
93	Green-barred Woodpecker	<i>Colaptes melanochloros</i>			✓				
94	Campo Flicker	<i>Colaptes campestris</i>	✓						
95	Lineated Woodpecker	<i>Dryocopus lineatus</i>		✓					
96	Red-necked Woodpecker	<i>Campephilus rubicollis</i>						H	
97	Southern Crested Caracara	<i>Caracara plancus</i>	✓	✓	✓	✓	✓		
98	Yellow-headed Caracara	<i>Milvago chimachima</i>	✓	✓					

	E = Endemic; N = Near Endemic; I = Introduced		October/November						
	Common name	Scientific name	29	30	31	1	2	3	4
99	American Kestrel	<i>Falco sparverius</i>	✓	✓					✓
100	Aplomado Falcon	<i>Falco femoralis</i>			✓				
101	Cliff Parakeet	<i>Myiopsitta luchi</i>			✓				
102	Yellow-chevroned Parakeet	<i>Brotogeris chiriri</i>	✓	✓	✓	✓			
103	Black-winged Parrot - N	<i>Hapalopsittaca melanotis</i>							
104	Red-billed Parrot	<i>Pionus sordidus</i>						✓	
105	Scaly-headed Parrot	<i>Pionus maximiliani</i>		✓					
106	Blue-headed Parrot	<i>Pionus menstruus</i>						✓	✓
107	Turquoise-fronted Amazon	<i>Amazona aestiva</i>	✓	✓	✓		✓	✓	✓
108	Scaly-naped Amazon	<i>Amazona mercenarius</i>				✓			
109	Blue-winged Parrotlet	<i>Forpus xanthopterygius</i>	✓	✓					
110	Green-cheeked Parakeet	<i>Pyrrhura molinae</i>	✓		✓			✓	✓
111	Military Macaw	<i>Ara militaris</i>						✓	✓
112	Red-fronted Macaw - E	<i>Ara rubrogenys</i>			✓				
113	Chestnut-fronted Macaw	<i>Ara severus</i>		✓					
114	Blue-crowned Parakeet	<i>Thectocercus acuticaudatus</i>			✓	✓	✓		
115	Mitred Parakeet	<i>Psittacara mitratus</i>		✓	✓	✓	✓	✓	✓
116	White-eyed Parakeet	<i>Psittacara leucophthalmus</i>	✓						
117	Bolivian Earthcreeper - N	<i>Tarphononotus harterti</i>			✓	H	H		
118	Rufous Hornero	<i>Furnarius rufus</i>	✓	✓	✓				✓
119	Rusty-vented Canastero - N	<i>Asthenes dorbignyi</i>				✓			
120	Chotoy Spinetail	<i>Schoeniophylax phryganophilus</i>	✓						
121	Ochre-cheeked Spinetail	<i>Synallaxis scutata</i>						✓	✓
122	Sooty-fronted Spinetail	<i>Synallaxis frontalis</i>			✓				
123	Azara's Spinetail	<i>Synallaxis azarae</i>				✓			
124	Light-crowned Spinetail - N	<i>Cranioleuca albiceps</i>				✓			
125	Stripe-crowned Spinetail	<i>Cranioleuca pyrrhophia</i>			✓				
126	Rufous-fronted Thornbird	<i>Phacellodomus rufifrons</i>	✓						
127	Streak-fronted Thornbird	<i>Phacellodomus striaticeps</i>			✓				
128	Spot-breasted Thornbird - N	<i>Phacellodomus maculipectus</i>				✓			
129	Greater Thornbird	<i>Phacellodomus ruber</i>	✓						
130	Pearled Treerunner	<i>Margarornis squamiger</i>				✓			
131	Buff-fronted Foliage-gleaner	<i>Philydor rufum</i>						✓	✓
132	Buff-browed Foliage-gleaner	<i>Syndactyla rufosuperciliata</i>				✓			
133	Grey-throated Leafosser	<i>Sclerurus albigularis</i>						✓	
134	Olivaceous Woodcreeper - E	<i>Sittasomus griseicapillus viridis</i>						✓	
135	Straight-billed Woodcreeper	<i>Dendroplex picus</i>		✓					
136	Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>	✓	✓					
137	Narrow-billed Woodcreeper	<i>Lepidocolaptes angustirostris</i>		✓	✓		✓		
138	Great-Rufous Woodcreeper	<i>Xiphocolaptes maior</i>							✓
139	Barred Antshrike	<i>Thamnophilus doliatus</i>			✓				
140	Chestnut-backed Antshrike	<i>Thamnophilus palliatus</i>							✓
141	Bolivian Slaty Antshrike	<i>Thamnophilus sticturus</i>		✓					
142	Variable Antshrike	<i>Thamnophilus caeruleus</i>					✓		
143	Rufous-capped Antshrike	<i>Thamnophilus ruficapillus</i>			✓				
144	Plain Antwren	<i>Dysithamnus mentalis</i>						✓	✓
145	Black-capped Antwren	<i>Herpsilochmus atricapillus</i>						✓	✓
146	Short-tailed Antthrush	<i>Chamaeza campanisona</i>					✓	H	H
147	Rufous-faced Antpitta - E	<i>Grallaria erythrotis</i>				✓			
148	Slaty Gnateater - N	<i>Conopophaga ardesiaca</i>						✓	
149	Bolivian White-crowned Tapaculo - N	<i>Scytalopus bolivianus</i>							H

	E = Endemic; N = Near Endemic; I = Introduced		October/November						
	Common name	Scientific name	29	30	31	1	2	3	4
150	Trilling Tapaculo - N	<i>Scytalopus parvirostris</i>				✓			
151	Olive-crowned Crescentchest	<i>Melanopareia maximiliani</i>				✓			
152	Small-billed Elaenia	<i>Elaenia parvirostris</i>			✓		✓		
153	Lesser Elaenia	<i>Elaenia chiriquensis</i>	✓						
154	Highland Elaenia	<i>Elaenia obscura</i>				✓			
155	Sierran Elaenia	<i>Elaenia pallatangae</i>				✓			
156	Slaty Elaenia	<i>Elaenia strepera</i>				✓			
157	Southern Beardless Tyrannulet	<i>Camptostoma obsoletum</i>			✓				
158	White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>				✓			
159	Yellow-billed Tit-Tyrant	<i>Anairetes flavirostris</i>				✓			
160	White-bellied Tyrannulet	<i>Serpophaga munda</i>					✓		
161	White-crested Tyrannulet	<i>Serpophaga subcristata</i>			✓				
162	White-banded Tyrannulet	<i>Mecocerculus leucophrys</i>				✓			
163	Greater Wagtail-Tyrant	<i>Stigmatura budytoides</i>			✓		✓		
164	Bran-colored Flycatcher	<i>Myiophobus fasciatus</i>	✓		✓				
165	Yungas Tody-Tyrant	<i>Hemitriccus spodiops</i>							
166	Pearly-vented Tody-Tyrant	<i>Hemitriccus margaritaceiventer</i>	✓		✓		✓		
167	Ochre-faced Tody-Flycatcher	<i>Poecilatriccus plumbeiceps</i>					✓		
168	Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>				✓			
169	Cliff Flycatcher	<i>Hirundinea ferruginea</i>			✓		✓		
170	Fuscous Flycatcher	<i>Cnemotriccus fuscatus</i>					✓		
171	Black Phoebe	<i>Sayornis nigricans</i>							✓
172	Olive-sided Flycatcher	<i>Contopus cooperi</i>						✓	
173	Western Wood Pewee	<i>Contopus sordidulus</i>						✓	
174	White-winged Black Tyrant	<i>Knipolegus aterrimus</i>				✓	✓		
175	Yellow-browed Tyrant	<i>Satrapa icterophrys</i>					✓		
176	Rufous-breasted Chat-Tyrant	<i>Ochthoeca rufipectoralis</i>				✓			
177	Cattle Tyrant	<i>Machetornis rixosa</i>	✓						
178	Great Kiskadee	<i>Pitangus sulphuratus</i>	H	✓	✓	H	✓		
179	Golden-crowned Flycatcher	<i>Myiodynastes chrysocephalus</i>						H	
180	Streaked Flycatcher	<i>Myiodynastes maculatus</i>	✓	✓			✓	✓	✓
181	Variegated Flycatcher	<i>Empidonomus varius</i>					✓	✓	
182	Crowned Slaty Flycatcher	<i>Griseotyrannus aurantioatrocristatus</i>	✓	✓	✓				
183	Tropical Kingbird	<i>Tyrannus melancholicus</i>	✓	✓	✓	✓	✓	✓	✓
184	Fork-tailed Flycatcher	<i>Tyrannus savana</i>	✓						
185	Eastern Kingbird	<i>Tyrannus tyrannus</i>	✓	✓					
186	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>						✓	
187	Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	✓						
188	Brown-crested Flycatcher	<i>Myiarchus tyrannulus</i>			✓				
189	White-tipped Plantcutter	<i>Phytotoma rutila</i>			✓		✓		
190	Yungas Manakin	<i>Chiroxiphia boliviana</i>						✓	
191	Black-crowned Tityra	<i>Tityra inquisitor</i>		✓					
192	Black-tailed Tityra	<i>Tityra cayana</i>		✓					
193	Masked Tityra	<i>Tityra semifasciata</i>						✓	✓
194	Barred Becard	<i>Pachyramphus versicolor</i>				✓			
195	Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>					✓		
196	Purplish Jay	<i>Cyanocorax cyanomelas</i>	✓	✓				✓	✓
197	Plush-crested Jay	<i>Cyanocorax chrysops</i>		✓			✓	✓	✓
198	Purple Martin	<i>Progne subis</i>						✓	
199	Southern Martin	<i>Progne elegans</i>			✓				
200	Brown-chested Martin	<i>Progne tapera</i>	✓						

	E = Endemic; N = Near Endemic; I = Introduced		October/November						
	Common name	Scientific name	29	30	31	1	2	3	4
201	Blue-and-white Swallow	<i>Notiochelidon cyanoleuca</i>				✓			
202	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>			✓				
203	Tawny-headed Swallow	<i>Alopocheilidon fucata</i>			✓				
204	Barn Swallow	<i>Hirundo rustica</i>			✓				
205	Thrush-like Wren	<i>Campylorhynchus turdinus</i>	✓	✓					
206	Fawn-breasted Wren	<i>Cantorchilus guarayanus</i>		✓					
207	House Wren	<i>Troglodytes aedon musculus</i>	□		✓	✓	✓	✓	✓
208	Grey-breasted Wood Wren	<i>Henicorhina leucophrys</i>				✓			
209	Masked Gnatcatcher	<i>Polioptila dumicola</i>			✓		✓		
210	Spotted Nightingale-Thrush	<i>Catharus dryas</i>				H			
211	Swainson's Thrush	<i>Catharus ustulatus</i>	✓					✓	✓
212	Great Thrush	<i>Turdus fuscater</i>				✓			
213	Chiguanco Thrush	<i>Turdus chiguanco</i>				✓			
214	Andean Slaty Thrush	<i>Turdus nigriceps</i>				✓			
215	Rufous-bellied Thrush	<i>Turdus rufiventris</i>			✓	✓	✓		✓
216	Creamy-bellied Thrush	<i>Turdus amaurochalinus</i>	✓	✓	✓		✓		
217	Black-billed Thrush	<i>Turdus ignobilis</i>	✓	✓					
218	Hauxwell's Thrush	<i>Turdus hauxwelli</i>		✓					✓
219	White-necked Thrush	<i>Turdus albicollis</i>						✓	✓
220	House Sparrow - I	<i>Passer domesticus</i>	✓	✓	✓	✓	✓		✓
221	Hooded Siskin	<i>Spinus magellanicus</i>			✓	✓			✓
222	Purple-throated Euphonia	<i>Euphonia chlorotica</i>	✓		✓		✓		
223	Thick-billed Euphonia	<i>Euphonia lanirostris</i>						✓	
224	Southern Yellowthroat	<i>Geothlypis velata</i>			✓		✓		
225	Tropical Parula	<i>Setophaga pitayumi</i>					✓	H	
226	Pale-legged Warbler	<i>Myiothlypis signata</i>				✓			
227	Riverbank Warbler	<i>Myiothlypis rivularis</i>						✓	✓
228	Two-banded Warbler	<i>Myiothlypis bivittata</i>					✓	✓	✓
229	Golden-crowned Warbler	<i>Basileuterus culicivorus</i>		✓					
230	Slate-throated Whitestart	<i>Myioborus miniatus</i>					✓		
231	Brown-capped Whitestart - N	<i>Myioborus bruniceps</i>				✓	✓		
232	Spectacled Whitestart	<i>Myioborus melanocephalus</i>				✓			
233	White-browed Blackbird	<i>Sturnella supercilialis</i>	✓						
234	Dusky-green Oropendola	<i>Psarocolius atrovirens</i>		✓				✓	✓
235	Crested Oropendola	<i>Psarocolius decumanus</i>	✓	✓			✓	✓	✓
236	Yellow-rumped Cacique	<i>Cacicus cela</i>		✓					
237	Orange-backed Troupial	<i>Icterus croconotus</i>		✓					
238	Epaulet Oriole	<i>Icterus cayanensis</i>							
239	Variable Oriole	<i>Icterus pyrrhopterus</i>			✓				
240	Giant Cowbird	<i>Molothrus oryzivorus</i>							
241	Shiny Cowbird	<i>Molothrus bonariensis</i>	✓	✓	✓		✓		
242	Chopi Blackbird	<i>Gnorimopsar chopi</i>	✓	✓					
243	Greyish Baywing	<i>Agelaioides badius</i>			✓	✓			
244	Bananaquit	<i>Coereba flaveola</i>					✓		
245	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>			✓	✓	✓		
246	Grassland Sparrow	<i>Ammodramus humeralis</i>	✓						
247	Saffron-billed Sparrow	<i>Arremon flavirostris</i>					✓		
248	Bolivian Brushfinch - E	<i>Atlapetes rufinucha</i>				✓			
249	Fulvous-headed Brushfinch - N	<i>Atlapetes fulviceps</i>				✓			
250	Common Bush Tanager	<i>Chlorospingus flavopectus</i>				✓			
251	Red-crested Cardinal	<i>Paroaria coronata</i>	✓	✓					

	Common name	Scientific name	October/November						
			29	30	31	1	2	3	4
252	Red-capped Cardinal	<i>Paroaria gularis</i>		✓					
253	Orange-headed Tanager	<i>Thlypopsis sordida</i>					✓		
254	Black-goggled Tanager	<i>Trichothraupis melanops</i>						✓	✓
255	Silver-beaked Tanager	<i>Ramphocelus carbo</i>		✓					✓
256	Sayaca Tanager	<i>Thraupis sayaca</i>	✓	✓	✓	✓	✓		
257	Palm Tanager	<i>Thraupis palmarum</i>						✓	✓
258	Blue-and-yellow Tanager	<i>Thraupis bonariensis</i>			✓	✓	✓		
259	Rust-and-Yellow Tanager	<i>Thlypopsis ruficeps</i>				✓			
260	Blue-winged Mountain Tanager	<i>Anisognathus somptuosus</i>				✓			
261	Black-faced Dacnis	<i>Dacnis lineata</i>							✓
262	Masked Flowerpiercer	<i>Diglossa cyanea</i>				✓			
263	Red Pileated Finch	<i>Coryphospingus cucullatus</i>			✓				
264	Grey-crested Finch - N	<i>Lophospingus griseocristatus</i>			✓	✓	✓		
265	Bolivian Warbling Finch - N	<i>Poospiza boliviana</i>				✓			
266	Rufous-sided Warbling Finch - N	<i>Poospiza hypocondria</i>				✓			
267	Rusty-browed Warbling Finch - N	<i>Poospiza erythrophrys</i>				✓			
268	Black-and-chestnut Warbling Finch - N	<i>Poospiza whitii</i>			✓	✓	✓		
269	Ringed Warbling Finch	<i>Poospiza torquata</i>			✓	✓	✓		
270	Black-capped Warbling Finch	<i>Poospiza melanoleuca</i>			✓				
271	Saffron Finch	<i>Sicalis flaveola</i>	✓	✓	✓	✓			
272	Wedge-tailed Grass Finch	<i>Emberizoides herbicola</i>	✓						
273	Pampa Finch	<i>Embernagra platensis</i>			✓	✓			
274	Greyish Saltator	<i>Saltator coerulescens</i>	✓						
275	Golden-billed Saltator	<i>Saltator aurantirostris</i>			✓	✓	✓		
276	Blue-black Grassquit	<i>Volatinia jacarina</i>	✓		✓				
277	White-bellied Seedeater	<i>Sporophila leucoptera</i>	✓		✓				
278	Band-tailed Seedeater	<i>Catamenia analis</i>				✓			
279	Red Tanager	<i>Piranga flava</i>					✓		
280	Black-backed Grosbeak	<i>Pheucticus aureoventris aureoventris</i>			✓	✓			
281	Ultramarine Grosbeak	<i>Cyanocompsa brissonii</i>					✓		

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



www.facebook.com/naturetrekwildlifeholidays



www.twitter.com/naturetrektours



www.instagram.com/naturetrek_wildlife_holidays