

The Best of Brazil's Atlantic Rainforest

Naturetrek Tour Report

10 - 19 March 2017



Rufous-tailed Jacamar



Brazilian Ruby

Report and images by Andy Foster



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Andy Foster (leader) with a group of seven Naturetrek clients

Day 1

Friday 10th March

The tour started for some with overnight flights from London Heathrow to Brazil via Paris.

Day 2

Saturday 11th March

A number of the group were already in Brazil and had spent the night in the Linx Hotel, located by the side of Rio de Janeiro international airport. They met up for breakfast at 6.30am. The remaining members of the group were due to arrive on an Air France flight at 7.10am, however their flight was delayed and they were now due to land at 5.35pm. By 7.30am we were departing from Rio de Janeiro with arrangements for the driver to return later to collect the rest of the group. Before departing from the hotel we saw Masked Water-Tyrant, Rufous Hornero, Cattle Tyrant and White-eyed Parakeet. We drove around the side of Guanabara Bay, spotting a few species including Cocoli Heron, Brown Pelican, Snowy Egret, Great Egret, Magnificent Frigatebird and Neotropic Cormorant. Within an hour we were well away from the hustle and bustle of Rio and were coming closer to the mountain range where we were to spend the week birding. We saw a few species en route including Savana Hawk, Smooth-billed Ani, White-browed Blackbird, Southern Caracara and Ruddy Ground Dove.

By 10am we arrived at the lovely Itororo Lodge and were greeted by Rainer and Bettina. It was already quite warm so there was not a great deal of activity at the feeders, but we did see Golden-chevrons Tanager, Brassy-breasted Tanager, Ruby-crowned Tanager, Burnished-buff Tanager, Rufous-bellied Thrush and of course Rufous-collared Sparrow (which we won't mention again)! On the hummingbird feeders we saw Brazilian Ruby and Scale-throated Hermit.

We had a quick briefing with tea and cake and then were shown to our rooms. We met up shortly afterwards and a great mixed flock suddenly appeared by the lodge with species including White-winged Becard, Cinnamon Tanager, Planalto Tyrannulet, Green-backed Becard, Olivaceous Woodcreeper, Gilt-edged Tanager, Dusky-legged Guan, Buff-fronted Foliage Gleaner, Rufous-browed Peppershrike, Hooded Siskin and Rufous-headed Tanager. Some of the group also picked up Slaty-breasted Wood Rail and some White-collared Swifts flying through. A distant Cliff Flycatcher was calling and provided poor views.

We had lunch at 1pm after which we had a short break and met up again at 3pm. During the break the heavens had opened and we had a good tropical downpour, clearing the air and bringing us no less than three new hummingbirds: Black Jacobin, White-throated Hummingbird and Violet-capped Woodnymph! We were also joined by four Marron-bellied Parakeets on the banana feeders.

We started our afternoon walk towards the White Trail and soon started seeing new species including Ochre-rumped Antbird, Surucua Trogon, Streaked Xenops, Lesser Woodcreeper, Variable Antshrike, Mottle-cheeked Tyrannulet, Sepia-capped Flycatcher and Orange-eyed Thornbird. A great start!

We soon heard a Rufous-tailed Antthrush calling close by. It flew across the path but unfortunately didn't provide decent enough views for any of the group. A White-rimmed Warbler was calling close by and then it

showed very well. We had reasonable views of Ochre-faced Tody Flycatcher and Whiskered Myiobius, and excellent views of a Scaled Woodcreeper close to the lodge on the way back.

We arrived back at the lodge at 5.45pm and met up again shortly afterwards for dinner, followed by our daily checklist. The delayed group members made good progress during the day and joined us at 9pm, having been delayed by around 12 hours.

Day 3

Sunday 12th March

We awoke to a cool and clear morning! We all met on the decking area around 5.45am and went in for breakfast at 6am. By 6.30am we were all ready to leave for a morning's birding on the Blue Trail; a great circular trail that leads through some primary and secondary forest, starting at the back of the Lodge.

The sun took a while to hit the trail we were on, but we soon started to see new birds including Rufous Gnateater and White-shouldered Fire-Eye. We continued on around the trail and soon came across our first mixed flock which included Rufous-crowned Greenlet, Blue Manakin, Pin-tailed Manakin, White-collared Foliage Gleaner, Lesser Woodcreeper, Brassy-breasted Tanager, Rough-legged Tyrannulet and Grey-capped Tyrannulet. We heard a Spot-billed Toucanet calling nearby, and with a bit of effort we managed to locate it further down the path. It gave slightly obscured views but at least everybody saw this stunning bird. Whilst we were trying to locate the Toucanet, a Mouse-coloured Tapaculo started calling, so after seeing the Toucanet we looked for this tiny little endemic. It appeared in some nearby vegetation and eventually crossed the path and everyone had good views - typical Tapaculo behaviour! We tried to find Saffron Toucanet at several locations but unfortunately had no luck. We did, however, find Bertoni's Antbird which gave great views!

Moving on, just as we were reaching the highest point on the path we had good views of a couple of Planalto Woodcreepers, one of which was feeding on a rather large grasshopper. Further round we had views of another Streaked Xenops, together with Olivaceous Woodcreeper, a couple of Buff-browed Foliage Gleaners, and better views of a male Spot-billed Toucanet. Shortly afterwards we flushed a Plumbeous Pigeon that was perched close by.

We had now started our descent and soon came across a couple of Grey-bellied Spinetails. They were behaving in their usual fashion and although everyone managed to see them, they never gave great views. This was followed by nice views of an Eared Pygmy Tyrant, followed by great views of a White-rimmed Warbler. Once again we had another Brazilian Antthrush calling close by, but it didn't come out into the open.

It was now noon and it took us just another ten minutes to get back to the lodge. After a short break we had a delicious lunch of Fejoada; a mixture of black beans and smoked sausage, rice, salad and kale. During lunch a female Hepatic Tanager came to the feeders. We had a break after lunch as it was really quite hot without any bird activity, and met up again at 2.30pm to bird the White Trail for the rest of the afternoon.

It was still fairly warm but there were a few birds calling as we started the trail. We had good views of a Creamy-bellied Thrush followed by a Rufous-capped Spinetail, and shortly after Nick picked up a Drab-breasted Bamboo-Tyrant. Next up were great views of the endemic Sharp-billed Treehunter, followed by three Chestnut-crowned Becards. As we started to climb the White Trail, we came to a known territory of Variegated Antpitta.

Whilst one was seen in a semi-open area, unfortunately it was not seen by everyone. We tried for a little longer and managed to relocate the bird calling from a nearby perch. Thankfully everybody managed to get views of this spectacular and very tricky bird! We continued up the trail to the end where we tried for a couple of target species. Firstly a Saffron-crested Tyrant-Manakin showed really well and after quite a lot of effort, we had brief views of both male and female Tufted Antshrike; a great endemic. We also had good views of a Squirrel Cuckoo in the same area.

It was now 5pm so we started making our way back towards the lodge, managing to spot a White-necked Thrush along the last section of the path. We met up again shortly afterwards at 6pm to complete the daily checklist. This was followed by dinner at 6.30pm, after which we set off for a little bit of owling. We only heard a distant Tropical Screech Owl calling, but it was a very different story for the Rusty-barred Owl that put in an appearance and gave great views.

Having had a great days birding with some quality birds, we arrived back at the lodge shortly before 8pm and retired to recharge ready for tomorrow!

Day 4

Monday 13th March

We awoke to a rather overcast morning and some concern if it would be clear enough to bird the higher elevations of Pico de Caladonia as planned. We met up for breakfast at the normal time of 6am and by 6.30am the sky had cleared somewhat, so we headed towards Nova Friburgo for the high altitude excursion. We were not disappointed because as we got our first views of the peak at 2,300 metres, it was completely clear and we could see the communication masts at the top really clearly!

Forty minutes later we were parking at our usual spot and preparing for the walk up to 2,300 metres. Bird activity was fairly low to start with; just a single Thick-billed Saltator and a sub-adult male Black and Gold Cotinga. After an hour or so we came across our first mixed flock which had quite a few of our target species in it, such as Variable Antshrike, Diademed Tanager, Rufous-tailed Antbird, Rufous-backed Antwreio and Serra do Mar Tyrannulet. We then walked on a bit further to the first real area where we could scan for Grey-winged Cotinga. Unfortunately there was no sign of the Cotinga but we did manage to get good views of Blue-billed Black-Tyrant, Yellow-browed Woodpecker and a female Velvety-black Tyrant. We also had good views of several male Plovercrests, Brazilian Ruby and a Pallid Spinetail.

It was now 10.30am and as we were nearing the security guards hut, the cloud was really building up with a storm threatening. We searched for Itaitiaia Spinetail and Andy heard one calling off to the left. We walked down the road a little and started to scan. Amazingly, the Spinetail was over the other side of the ridge on some vegetation and everyone managed to see it. It was the first time in 20 years that Andy had been able to scope an Itaitiaia Spinetail! Very happy with ourselves, we started to head back down the mountain. We heard a couple of Grey-winged Cotingas but unfortunately they only vocalised a little and although we scanned a lot, there was no way we could find them. Whilst we went to see the Itaitiaia Spinetail, Steve stayed at the Cotinga lookout spot and managed to get good views of an Olivaceous Elaenia. The storm clouds were looking even more threatening so we continued to head down the mountain, spotting Yellow-legged Thrush on the way. We arrived back at the minibus early and after a five-minute drive, we arrived at our next stop at a place called Sao Bernardo. Thankfully our main target was standing there in the road: three Red-legged Seriemas! We also saw here Cliff Flycatcher, Hooded Siskin and a Creamy-bellied Thrush.

It was now 2pm so we headed back to the lodge, arriving by 2.45pm. We had an hour's break to recharge and then went on a walk on the first section of the Blue Trail. Unfortunately it was quite windy and there was no real activity, although we did manage to get Dusky-legged Guan for Steve and Jules who had previously missed them due to their late arrival courtesy of Air France.

By 5.15pm we were back at the lodge and met up again at 6pm for the daily checklist, followed by a delicious dinner at 6.30pm. All feeling quite exhausted after a long day in the field, we then retired for the evening.

Day 5

Tuesday 14th March

The day started very cloudy and rain was threatening. Today we planned to go towards Duas Barras and Sumidouro for some open country birding, with the main target being the Three-toed Jacamar. We left the lodge at 6.30am and shortly afterwards had an unscheduled stop for a rather nice Half-collared Sparrow; a very good start to the day! We took a slightly different route to avoid rush hour in the town of Nova Friburgo and arrived at our first stop an hour later. As usual, this area gave us some great birds including Streamer-tailed Tyrant, Common Thornbird, White-eyed Parakeet, Rufous and Band-tailed Horneros, Yellow-chinned Spinetail, Savanna Hawk and Double-collared Seedeater.

We drove on to our next stop, a small fragmented piece of forest. Our main target here was Serra Antwren and we got ok views of it. This was followed by a White-barred Piculet, Orange-eyed Thornbird and a pair of Hangnest Tody-Tyrant, another good endemic bird. We also tried to find Crescent-chested Puffbird (bound to be on Martin's 'tried for list' so thought I'd better mention it!) We crossed the road to overlook a marshy area to look for Blackish Rail and within a few minutes we all had great views of one in a small pool in front of us.

On to our next stop where we spotted Firewood Gatherer, White-tailed Hawk, Crested Black-Tyrant, White-rumped Monjita, Grassland Sparrow, Blue-black Grassquit and a Wedge-tailed Grassfinch. Things were going well!

We had a quick coffee stop in the rather quaint town of Duas Barras before heading on a dirt road towards Murineli for the next couple of hours. This dirt road was very productive with new birds at each stop we made. New species along this road included Chopi Blackbird, Shiny Cowbird, Chestnut-vented Conebill, Plain Antvireo, Yellow-eared Woodpecker, Chestnut-capped Blackbird, Black-capped Donacobius, White-eared Puffbird, Yellow-lored Tody Flycatcher, Bertoni's Antbird, Whistling Heron, Tawny-headed Swallow and Yellow-browed Tyrant.

We had lunch around 12.30pm before heading on to Sumidouro and to the Three-toed Jacamar site. Rain clouds were building up so we drove straight to the Jacamar site, just in case it started to pour with rain. By 1.45pm we had arrived and within ten minutes we had located four Three-toed Jacamars and these gave excellent views for the whole group. We also saw a fantastic Crescent-chested Puffbird, Red-rumped Cacique, Planalto Hermit, Short-crested Flycatcher and Golden-crowned Warbler. It was now 2.45pm and the storm clouds were thick around us and it started to rain. We walked quickly back to the minibus and as we were pulling away, it started raining properly: excellent timing!

We had planned a couple of stops on the way back but unfortunately it rained non-stop for the whole journey, so we just continued back to the lodge, arriving around 4.30pm. What a great days birding and perfectly timed around the weather!

Day 6

Wednesday 15th March

It was another beautiful and clear day. We met for breakfast at the usual time of 6am and by 6.30am we were on our way to bird the White Trail for a few hours, before our departure to Regua. We had a few tough endemic targets this morning and thankfully we had a great few hours birding. First up was a nice mixed flocked just after we left the lodge, which included Brassy-breasted Tanager, Green-backed Becard, Olivaceous Woodcreeper, Chicli Spinetail and Rufous-headed Tanager. Next we had good views of an Ochre-rumped Antbird. We heard a Giant Antshrike calling in the distance so headed in that direction, but unfortunately it was just too far away. We did, however, see a Sharp-tailed Streamcreeper and heard a Rufous-capped Motmot close.

We arrived at the start of the White Trail and started the slow walk uphill. This is quite a short trail but has a good mixture of habitats and a lot of different species. After some effort we saw Such's Antthrush, and a Black Hawk-Eagle was seen overhead. Next we saw a Black-billed Scythebill and the whole group had great views of this striking bird! We continued on up the trail and had excellent views of a male Chestnut-headed Tanager: the morning was going well! We started heading back down the trail and luckily spotted Greenish Schiffornis and Star-throated Antwren, and getting closer to the lodge, we finally had good views of a Drab-breasted Bamboo Tyrant. A fantastic few hours birding! We arrived back at the Lodge at 9.45am with just enough time to pack, ready for our one-and-a-half hour journey down into the lowlands and the Regua reserve.

We arrived at Regua at 12.15pm and were met by Raquel. We sorted out room allocation and met again at 1pm for lunch. It was much warmer compared to where we had been at Itororo, so we met up again at 3p for a short walk around the wetlands. Prior to this we did a little birding in the lodge grounds spotting our first Swallow-tailed Hummingbird and Glittering-throated Emerald. We also saw some Red-rumped Caciques, Blue Dacnis and some Tufted-eared Marmosets. There was potentially a lot of new species for us here and despite the heat, we did pretty well, seeing some great birds around the margins of the wetlands. Species of note for the afternoon included Rufescent Tiger Heron, Boat-billed Heron, Crane Hawk, Grey-rumped Swift, Amazon and Ringed Kingfishers, Rufous-tailed Jacamar, Channel-billed Toucan, Blond-crested Woodpecker (for some), Silvery-flanked Antwren, Unicolored Antwren, White-headed Marsh-Tyrant, Violaceous Euphonia, Brazilian Tanager, Greater Ani, Black-bellied Whistling Duck, Brazilian Teal, Muscovy Duck and Chestnut-backed Antshrike.

We arrived back at the lodge just as it started to rain. The plan had been to go and look for Giant Snipe at dusk but, due to the rain, this was postponed until tomorrow. We completed the daily checklist at 6.30pm followed by dinner at 7pm. The weather had, thankfully, cleared up after some good rainfall so we decided to go and try for owls. The resident guide Adeli met us and we set off at 8pm for a 20 minute drive to a patch of lowland forest. Once there we heard Tawny-browed, Mottled and Black-banded Owls, but unfortunately none came close enough to be seen: a pity as they were so close! We arrived back at the lodge at 10pm, had a beer and retired for the night.

Day 7

Thursday 16th March

We awoke to a beautiful sunny day! As usual we met at 6am for breakfast and instantly had a mixed flock at the front of the lodge. New birds included Flame-crested Tanager, Yellow-backed Tanager, Crested Becard and Piratic Flycatcher. We departed slightly later than scheduled at 6.50am for a 25 minute drive to the beginning of the Green Trail. En route we had nice views of White-browed Blackbird and Blue-winged Parrotlet. We arrived at our starting point and by 7.30am we were heading into the forest. It was fairly quiet for the first half an hour as we were still waiting for the sun to hit the forest and get the birds active. A Southern Antpipit was heard in the distance and we had great views of a Grey-hooded Attila. This was followed by Plain-winged Woodcreeper, Black-cheeked Gnateater and a Rufous-breasted Leaf-tosser. We continued up the trail and saw a Shrike-like Cotinga above us, giving great views for the whole group: this was one of our main targets for the morning! This was followed shortly afterwards by great views of a male and female Scaled Antbird.

Continuing up the trail, we saw both Streak-capped Antwren and Rufous-winged Antwren, followed shortly afterwards by an Eye-ringed Tody Tyrant, another endemic target for today's trail, and then a Spot-breasted Antwren. We then hit a bit of a lull in activity until we found a Rufous-capped Antthrush that came onto the path and gave stunning views! Then we saw a Spot-backed Antshrike, as usual, high up in the canopy, but it still gave good views. We also heard Buff-bellied Puffbirds call above us and although we searched and searched, we couldn't find them; another canopy species. Suddenly Steve said he had something with a white belly and dark collar, and a tiny window through to the canopy revealed a nice Ochre-bellied Puffbird.

Very pleased with ourselves, we continued up the trail. By now it was getting really quite hot and bird activity had dropped off. We pushed on up to the waterfall, where we had lunch before heading back down the trail around 1pm. We came across a couple of mixed flocks on the walk back down with a couple of new species: Black-tailed Myiobius and Yellow-throated Woodpecker for a couple of the group. A little later on we came across another small flock that held Red-crowned Ant Tanager, Black-capped Foliage Gleaner and White-eyed Foliage Gleaner, although none of these really showed that well. Shortly afterwards we saw an Ochre-bellied Flycatcher. Nearing our pick-up point we had good views of a male Sooretama Slaty-Antshrike, and then a Southern Antpipit in front of us giving everyone great views!

Our driver picked us up as planned at 3pm and by 3.45pm we were back at the lodge. We had a break and met up again at 5.30pm to go and look for Giant Snipe with Adeli. It was tough birding this evening but we did get flight views of Giant Snipe, a perched Common Potoo, Ash-throated Crane was heard and we also had good views of a Yellowish Pipit. We arrived back at the lodge in time for dinner at 7.15pm and after a few more beers, retired for the evening.

Day 8

Friday 17th March

Today we drove away from the Regua reserve for 45 minutes, through the town of Cachoeiras de Macacu and up to the Cedae Trail. This trail is located at 550 metres in altitude and where we had the chance of most new species. We left the lodge slightly late due to some bird activity in the gardens and arrived at the beginning of the Cedae Trail at 7.45am. As soon as we got out of the minibus it was mayhem! First up we had Red-necked Tanager followed by Green-headed Tanager, and then some Plain Parakeets flew over. Then to top our three

new species, within two minutes we saw a small family party of Black-throated Grosbeaks and a Tropical Parula: five new species within as many minutes!

We started on the trail and had a very productive morning. Other species of note on the first section of the trail included Short-tailed Antthrush, Scaly-headed Parrot, Rufous-thighed Kite and Dusky-throated Hermit. Further down, an Ochre-breasted Foliage Gleaner gave great views and shortly afterwards we ran into a nice mixed flock with species including Spot-backed Antshrike, Black-capped and White-eyed Foliage Gleaners and Red-crowned Ant-Tanager. We also got good views of Orange-bellied and Chestnut-bellied Euphonias, both new birds for the trip. By 10.45am we had almost reached the bottom of the trail and started heading back, picking up Plain Antvireo and Streaked Xenops and nearing the minibus, good views of a flying Black Hawk-Eagle.

We had arrived back at the bus by noon and drove 15 minutes up the road to the Theodoro Trail. We ate lunch prior to starting the trail and set off at 1.15pm. It was a very quiet afternoon but we did manage to see some Spot-winged Wood Quails, Variegated Antpitta, Whiskered Myiobius and a small family party of Rufous-capped Spinetails. We arrived back at the minibus around 3.30pm and drove back down to Regua, arriving at 4.45pm. We met up again for the daily checklist at 6.30pm and had our last meal together at 7pm followed by a few beers!

Day 9

Saturday 18th March

Surprisingly, we awoke to rain: it had been a lovely starry night when we had gone to bed! Thankfully the rain was light and we set off for a three hour walk around the wetlands and into the forest. We had a few targets for this morning but unfortunately it was, once again, very quiet bird-wise. We did have good views of Rufous-capped Motmot, Grayish Mourner, Yellow-Tyrannulet, Chestnut-vented Conebill, on arriving back at the lodge several White Woodpeckers and finally a Rufous-breasted Hermit.

Our transport arrived at 11am to take the majority of the group back down to Rio de Janeiro for their flights home, and a few returned to Itororo Lodge for a few extra days there.

It had been a great week where the weather was kind to us, we saw loads of excellent birds and everyone had a very enjoyable holiday. Our final bird totals were: species seen – 258; species heard only – 19; Atlantic forest endemics seen – 91.

Day 10

Sunday 19th March

Those returning to the UK landed in Paris after an overnight flight, and then flew on to London Heathrow, landing late morning, where another Naturetrek adventure came to an end

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Species Lists

Birds (✓=recorded but not counted; H = heard only)

| | Common name | Scientific name | March | | | | | | | | |
|----|------------------------------|----------------------------------|-------|----|----|----|----|----|----|----|---|
| | | | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | |
| 1 | Brown Tinamou | <i>Crypturellus obsoletus</i> | | H | | | | H | | | |
| 2 | Dusky-legged Guan | <i>Penelope obscura</i> | 5 | | 5 | | 5 | | | | |
| 3 | Rusty-margined Guan | <i>Penelope supercilialis</i> | | | | | | | | 1 | |
| 4 | Spot-winged Wood Quail | <i>Odontophorus capueira</i> | | | | | | | | ✓ | |
| 5 | Black-bellied Whistling Duck | <i>Dendrocygna autumnalis</i> | | | | | | ✓ | | | ✓ |
| 6 | Muscovy Duck | <i>Cairina moschata</i> | | | | | | ✓ | | | |
| 7 | Brazilian Teal | <i>Amazonetta brasiliensis</i> | | | | | | 2 | | | 4 |
| 8 | Rufescent Tiger Heron | <i>Tigrisoma lineatum</i> | | | | | | 1 | | | 2 |
| 9 | Boat-billed Heron | <i>Cochlearius cochlearius</i> | | | | | | 2 | | | |
| 10 | Black-crowned Night Heron | <i>Nycticorax nycticorax</i> | | | | | | 4 | | | |
| 11 | Striated Heron | <i>Butorides striata</i> | | | | | | ✓ | | | 2 |
| 12 | Western Cattle Egret | <i>Bubulcus ibis</i> | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 13 | Cocoi Heron | <i>Ardea cocoi</i> | 2 | | | | | | | | |
| 14 | Great Egret | <i>Ardea alba</i> | ✓ | | | | | 2 | | 1 | 2 |
| 15 | Capped Heron | <i>Pilherodius pileatus</i> | | | | | | 1 | | | |
| 16 | Whistling Heron | <i>Syrigma sibilatrix</i> | | | | 1 | | | | | |
| 17 | Snowy Egret | <i>Egretta thula</i> | 3 | | | | | | | 1 | |
| 18 | Brown Pelican | <i>Pelecanus occidentalis</i> | 1 | | | | | | | | |
| 19 | Magnificent Frigatebird | <i>Fregata magnificens</i> | ✓ | | | | | | | | |
| 20 | Neotropic Cormorant | <i>Phalacrocorax brasilianus</i> | 2 | | | | | | | | 2 |
| 21 | Anhinga | <i>Anhinga anhinga</i> | | | | | | 2 | | | 2 |
| 22 | Turkey Vulture | <i>Cathartes aura</i> | ✓ | | 1 | 2 | 1 | | | 2 | 2 |
| 23 | Lesser Yellow-headed Vulture | <i>Cathartes burrovianus</i> | | | | 1 | | | | | |
| 24 | Black Vulture | <i>Coragyps atratus</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 25 | Black Hawk-Eagle | <i>Spizaetus tyrannus</i> | | | | | | 1 | | 1 | |
| 26 | Black-and-white Hawk-Eagle | <i>Spizaetus melanoleucus</i> | | | | | | | | | |
| 27 | Rufous-thighed Kite | <i>Harpagus diodon</i> | | | | | | | | 1 | |
| 28 | Savanna Hawk | <i>Buteogallus meridionalis</i> | 1 | | | 2 | 1 | | | 1 | |
| 29 | Crane Hawk | <i>Geranoospiza caerulescens</i> | | | | | | 1 | | | |
| 30 | White-tailed Hawk | <i>Geranoaetus albicaudatus</i> | | | | 1 | | | | | |
| 31 | Red-legged Seriema | <i>Cariama cristata</i> | | | 3 | | | | | | |
| 32 | Slaty-breasted Wood Rail | <i>Aramides saracura</i> | 1 | 1 | 2 | 1 | 1 | | | | |
| 33 | Ash-throated Crane | <i>Porzana albicollis</i> | | | | | | | | H | |
| 34 | Blackish Rail | <i>Pardirallus nigricans</i> | | | | 3 | | | | | |
| 35 | Purple Gallinule | <i>Porphyrio martinicus</i> | | | | | | 2 | | | 1 |
| 36 | Common Gallinule | <i>Gallinula galeata</i> | | | | | | ✓ | | | ✓ |
| 37 | Southern Lapwing | <i>Vanellus chilensis</i> | ✓ | | 2 | ✓ | ✓ | ✓ | ✓ | 2 | ✓ |
| 38 | Wattled Jacana | <i>Jacana jacana</i> | | | | | | ✓ | | | ✓ |
| 39 | Giant Snipe | <i>Gallinago undulata</i> | | | | | | | 2 | | |
| 40 | Rock Dove | <i>Columba livia</i> | ✓ | | | ✓ | ✓ | | | ✓ | |
| 41 | Picazuro Pigeon | <i>Patagioenas picazuro</i> | | | 3 | ✓ | | | ✓ | ✓ | ✓ |
| 42 | Plumbeous Pigeon | <i>Patagioenas plumbea</i> | | 1 | 2 | | | | | | |
| 43 | Ruddy Ground Dove | <i>Columbina talpacoti</i> | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 44 | Grey-fronted Dove | <i>Leptotila rufaxilla</i> | 2 | 2 | 1 | | 1 | | | 2 | |
| 45 | White-eyed Parakeet | <i>Psittacara leucophthalmus</i> | 6 | | | ✓ | | | | | |
| 46 | Pileated Parrot | <i>Pionopsitta pileata</i> | | | | | | | | ✓ | |
| 47 | Greater Ani | <i>Crotophaga major</i> | | | | | | ✓ | | | ✓ |

| | Common name | Scientific name | March | | | | | | | |
|----|-----------------------------|-----------------------------------|-------|----|----|----|----|----|----|----|
| | | | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 48 | Smooth-billed Ani | <i>Crotophaga ani</i> | 1 | | | ✓ | ✓ | ✓ | ✓ | ✓ |
| 49 | Squirrel Cuckoo | <i>Piaya cayana</i> | | 1 | | | 1 | 1 | | |
| 50 | Tropical Screech Owl | <i>Megascops choliba</i> | | H | | | | H | | |
| 51 | Rusty-barred Owl | <i>Strix hylophila</i> | | 1 | | | | | | |
| 52 | Mottled Owl | <i>Strix virgata</i> | | | | | H | | | |
| 53 | Black-banded Owl | <i>Strix huhula</i> | | | | | H | | | |
| 54 | Tawny-browed Owl | <i>Pulsatrix koenigswaldiana</i> | | | | | H | | | |
| 55 | Burrowing Owl | <i>Athene cunicularia</i> | | | | | 2 | | | |
| 56 | Common Potoo | <i>Nyctibius griseus</i> | | | | | | 1 | | |
| 57 | Pauraque | <i>Nyctidromus albicollis</i> | | | | | | H | | |
| 58 | White-collared Swift | <i>Streptoprocne zonaris</i> | ✓ | | ✓ | | ✓ | ✓ | ✓ | |
| 59 | Grey-rumped Swift | <i>Chaetura cinereiventris</i> | | | | | 2 | ✓ | | |
| 60 | Saw-billed Hermit | <i>Ramphodon naevius</i> | | | | | | H | 2 | H |
| 61 | Rufous-breasted Hermit | <i>Glaucis hirsutus</i> | | | | | | | | |
| 62 | Scale-throated Hermit | <i>Phaethornis eurynome</i> | 2 | 4 | 2 | 1 | 1 | | 2 | |
| 63 | Planalto Hermit | <i>Phaethornis pretrei</i> | | | | 1 | | | | |
| 64 | Dusky-throated Hermit | <i>Phaethornis squalidus</i> | | | | | | | 1 | |
| 65 | Reddish Hermit | <i>Phaethornis ruber</i> | | 1 | | | | 1 | | 1 |
| 66 | Swallow-tailed Hummingbird | <i>Eupetomena macroura</i> | | | | | 2 | 2 | 1 | 2 |
| 67 | Black Jacobin | <i>Florisuga fusca</i> | 2 | 2 | 2 | 2 | 2 | 2 | ✓ | ✓ |
| 68 | Green-crowned Plovercrest | <i>Stephanoxis lalandi</i> | | 2 | 4 | | | | | |
| 69 | Violet-capped Woodnymph | <i>Thalurania glaucopis</i> | 3 | ✓ | 2 | 2 | ✓ | ✓ | ✓ | ✓ |
| 70 | White-throated Hummingbird | <i>Leucochloris albicollis</i> | 1 | 2 | 1 | 1 | 1 | | | |
| 71 | Glittering-throated Emerald | <i>Amazilia fimbriata</i> | | | | | ✓ | ✓ | ✓ | ✓ |
| 72 | Brazilian Ruby | <i>Clytolaema rubricauda</i> | 3 | 3 | ✓ | 3 | 2 | | | |
| 73 | Surucua Trogon | <i>Trogon surrucura</i> | 1 | H | | | 1 | 1 | H | |
| 74 | Green Kingfisher | <i>Chloroceryle americana</i> | | | | | | | | 1 |
| 75 | Amazon Kingfisher | <i>Chloroceryle amazona</i> | | | | | 1 | | | 1 |
| 76 | Ringed Kingfisher | <i>Megaceryle torquata</i> | | | | | 2 | | | |
| 77 | Rufous-capped Motmot | <i>Baryphthengus ruficapillus</i> | | | | | H | | | 1 |
| 78 | Three-toed Jacamar | <i>Jacamaralcyon tridactyla</i> | | | | 4 | | | | |
| 79 | Yellow-billed Jacamar | <i>Galbula albirostris</i> | | | | | 2 | | | 1 |
| 80 | Buff-bellied Puffbird | <i>Notharchus swainsoni</i> | | | | | | 1 | | |
| 81 | White-eared Puffbird | <i>Nystalus chacuru</i> | | | | 1 | | | | |
| 82 | Crescent-chested Puffbird | <i>Malacoptila striata</i> | | | | 1 | | | | |
| 83 | Spot-billed Toucanet | <i>Selenidera maculirostris</i> | | 2 | | | | | | |
| 84 | Channel-billed Toucan | <i>Ramphastos vitellinus</i> | | | | | 6 | ✓ | H | |
| 85 | White-barred Piculet | <i>Picumnus cirratus</i> | | | | 2 | | 2 | | |
| 86 | White Woodpecker | <i>Melanerpes candidus</i> | | | | H | | | | 6 |
| 87 | Yellow-eared Woodpecker | <i>Veniliornis maculifrons</i> | | | | 1 | 1 | | | |
| 88 | Yellow-throated Woodpecker | <i>Piculus flavigula</i> | | | | | | 1 | | |
| 89 | Yellow-browed Woodpecker | <i>Piculus aurulentus</i> | | | 1 | | | | | |
| 90 | Campo Flicker | <i>Colaptes campestris</i> | | | | H | | | | |
| 91 | Blond-crested Woodpecker | <i>Celeus flavescens</i> | | | | | 1 | | | H |
| 92 | Lineated Woodpecker | <i>Dryocopus lineatus</i> | | | | | H | | | |
| 93 | Southern Crested Caracara | <i>Caracara plancus</i> | 4 | | | 4 | 1 | 2 | 1 | ✓ |
| 94 | Yellow-headed Caracara | <i>Milvago chimachima</i> | | | | 4 | 4 | ✓ | ✓ | ✓ |
| 95 | Laughing Falcon | <i>Herpetotheres cachinnans</i> | | | | | H | | | |
| 96 | Plain Parakeet | <i>Brotogeris tirica</i> | | | | | | H | 4 | |
| 97 | Scaly-headed Parrot | <i>Pionus maximiliani</i> | | | | | | | 4 | 2 |
| 98 | Blue-winged Parrotlet | <i>Forpus xanthopterygius</i> | | | | H | | ✓ | H | |

| | Common name | Scientific name | March | | | | | | | |
|-----|--------------------------------|---------------------------------------|-------|----|----|----|----|----|----|----|
| | | | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 99 | Maroon-bellied Parakeet | <i>Pyrrhura frontalis</i> | 4 | ✓ | 2 | | 1 | H | H | |
| 100 | Band-tailed Hornero | <i>Furnarius figulus</i> | | | | 4 | 2 | | 2 | |
| 101 | Rufous Hornero | <i>Furnarius rufus</i> | 2 | | | ✓ | 2 | 2 | 2 | |
| 102 | Itatiaia Spinetail | <i>Asthenes moreirae</i> | | | 1 | | | | | |
| 103 | Rufous-capped Spinetail | <i>Synallaxis ruficapilla</i> | H | 1 | 1 | | | | 4 | |
| 104 | Grey-bellied Spinetail | <i>Synallaxis cinerascens</i> | | 2 | | | | | | |
| 105 | Spix's Spinetail | <i>Synallaxis spixi</i> | | | | | 1 | | | |
| 106 | Pallid Spinetail | <i>Cranioleuca pallida</i> | | | 1 | | | | | |
| 107 | Yellow-chinned Spinetail | <i>Certhiaxis cinnamomeus</i> | | | | 4 | 4 | | | ✓ |
| 108 | Rufous-fronted Thornbird | <i>Phacellodomus rufifrons</i> | | | | 2 | | | | |
| 109 | Orange-eyed Thornbird | <i>Phacellodomus erythrophthalmus</i> | 2 | | | 2 | | | | |
| 110 | Firewood-Gatherer | <i>Anumbius annumbi</i> | | | | 2 | | | | |
| 111 | Buff-browed Foliage-Gleaner | <i>Syndactyla rufosuperciliata</i> | H | 4 | | | H | | 1 | |
| 112 | Ochre-breasted Foliage-Gleaner | <i>Philydor lichtensteini</i> | | | | | | | 1 | |
| 113 | Black-capped Foliage-Gleaner | <i>Philydor atricapillus</i> | | | | | | 1 | 3 | |
| 114 | Buff-fronted Foliage-Gleaner | <i>Philydor rufum</i> | 4 | H | | 1 | 1 | | | |
| 115 | White-collared Foliage-Gleaner | <i>Anabazenops fuscus</i> | | 1 | | | | | | |
| 116 | White-eyed Foliage-Gleaner | <i>Automolus leucophthalmus</i> | | | | | | 1 | 1 | |
| 117 | Rufous-breasted Leaf-tosser | <i>Sclerurus scansor</i> | | H | | | | 1 | 1 | |
| 118 | Sharp-tailed Streamcreeper | <i>Lochmias nematura</i> | | | | | 1 | | H | |
| 119 | Sharp-billed Treehunter | <i>Heliobletus contaminatus</i> | | 1 | | | | | | |
| 120 | Streaked Xenops | <i>Xenops rutilans</i> | 1 | 1 | | | | | 1 | |
| 121 | Plain-winged Woodcreeper | <i>Dendrocincla turdina</i> | | | | | | 2 | | |
| 122 | Olivaceous Woodcreeper | <i>Sittasomus griseicapillus</i> | 2 | ✓ | 1 | 1 | 2 | ✓ | 2 | |
| 123 | White-throated Woodcreeper | <i>Xiphocolaptes albicollis</i> | | 1 | | | | 1 | 1 | |
| 124 | Planalto Woodcreeper | <i>Dendrocolaptes platyrostris</i> | H | 2 | | | | | H | |
| 125 | Lesser Woodcreeper | <i>Xiphorhynchus fuscus</i> | 1 | 1 | | | | | 1 | |
| 126 | Scaled Woodcreeper | <i>Lepidocolaptes squamatus</i> | 1 | | | 2 | | | | |
| 127 | Black-billed Scythebill | <i>Campylorhamphus falcularius</i> | | | | | 1 | | | |
| 128 | Spot-backed Antshrike | <i>Hypoedaleus guttatus</i> | | | | | | 1 | 2 | |
| 129 | Giant Antshrike | <i>Batara cinerea</i> | H | H | | | H | | H | |
| 130 | Large-tailed Antshrike | <i>Mackenziaena leachii</i> | | H | H | | | | | |
| 131 | Tufted Antshrike | <i>Mackenziaena severa</i> | | 2 | | | | | | |
| 132 | Chestnut-backed Antshrike | <i>Thamnophilus palliatus</i> | | | | H | 2 | | | H |
| 133 | Sooretama Slaty Antshrike | <i>Thamnophilus ambiguus</i> | | | | | | 1 | | |
| 134 | Variable Antshrike | <i>Thamnophilus caerulescens</i> | 1 | H | 1 | | | | | |
| 135 | Spot-breasted Antwren | <i>Dysithamnus stictothorax</i> | | | | | | 1 | | |
| 136 | Plain Antwren | <i>Dysithamnus mentalis</i> | | | | 1 | | 1 | 1 | |
| 137 | Rufous-backed Antwren | <i>Dysithamnus xanthopterus</i> | | | 2 | | | | | |
| 138 | Star-throated Antwren | <i>Rhopias gularis</i> | | | | | 2 | 2 | H | |
| 139 | Silvery-flanked Antwren | <i>Myrmotherula luctuosa</i> | | | | | 2 | 1 | | 2 |
| 140 | Unicolored Antwren | <i>Myrmotherula unicolor</i> | | | | | 1 | | | |
| 141 | Rufous-winged Antwren | <i>Herpsilochmus rufimarginatus</i> | | | | | | 1 | | |
| 142 | Serra Antwren | <i>Formicivora serrana</i> | | | | 1 | | | | |
| 143 | Ferruginous Antbird | <i>Drymophila ferruginea</i> | | | | 1 | | | | |
| 144 | Bertoni's Antbird | <i>Drymophila rubricollis</i> | H | 1 | | | | | | |
| 145 | Rufous-tailed Antbird | <i>Drymophila genei</i> | | | 4 | | | | | |
| 146 | Ochre-rumped Antbird | <i>Drymophila ochropyga</i> | 2 | | | | 1 | | | |
| 147 | Dusky-tailed Antbird | <i>Drymophila malura</i> | | H | | | | | | |
| 148 | Scaled Antbird | <i>Drymophila squamata</i> | | | | | | 2 | | |
| 149 | Streak-capped Antwren | <i>Terenura maculata</i> | | | | | | 1 | 1 | |

| | Common name | Scientific name | March | | | | | | | | |
|-----|------------------------------|-----------------------------------|-------|----|----|----|----|----|----|----|---|
| | | | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | |
| 150 | White-shouldered Fire-Eye | <i>Pyriglena leucoptera</i> | | 1 | | | | | | 2 | |
| 151 | Rufous-capped Antthrush | <i>Formicarius colma</i> | | | | | | | 1 | | |
| 152 | Short-tailed Antthrush | <i>Chamaeza campanisona</i> | | | | | | | | 1 | |
| 153 | Cryptic Antthrush | <i>Chamaeza meruloides</i> | H | H | | | | 1 | | | |
| 154 | Rufous-tailed Antthrush | <i>Chamaeza ruficauda</i> | H | H | H | | H | | | | |
| 155 | Variiegated Antpitta | <i>Grallaria varia</i> | H | 1 | | | | | | 1 | |
| 156 | Rufous Gnatcatcher | <i>Conopophaga lineata</i> | | 2 | | | | 1 | | | |
| 157 | Black-cheeked Gnatcatcher | <i>Conopophaga melanops</i> | | | | | | | 1 | | |
| 158 | Mouse-colored Tapaculo | <i>Scytalopus spelunca</i> | | 1 | H | | | | | | |
| 159 | Planalto Tyrannulet | <i>Phyllomyias fasciatus</i> | 1 | | | 1 | | | | | |
| 160 | Rough-legged Tyrannulet | <i>Phyllomyias burmeisteri</i> | | 1 | | | | | | | |
| 161 | Grey-capped Tyrannulet | <i>Phyllomyias griseocapilla</i> | | 1 | | | | | | | |
| 162 | Yellow-crowned Elaenia | <i>Myiopagis flavivertex</i> | | | | | | 2 | | | 1 |
| 163 | Olivaceous Elaenia | <i>Elaenia mesoleuca</i> | | | 1 | | | | | | |
| 164 | Yellow Tyrannulet | <i>Capsiempis flaveola</i> | | | | | H | | | | 2 |
| 165 | Southern Antpiper | <i>Corythopsis delalandi</i> | | | | | | | 1 | | |
| 166 | Mottle-cheeked Tyrannulet | <i>Phylloscartes ventralis</i> | 1 | 2 | 1 | | | | | | |
| 167 | Serra Do Mar Tyrannulet | <i>Phylloscartes difficilis</i> | | | 2 | | | | | | |
| 168 | Ochre-bellied Flycatcher | <i>Mionectes oleagineus</i> | | | | | | | 1 | | |
| 169 | Sepia-capped Flycatcher | <i>Leptopogon amaurocephalus</i> | 2 | 2 | | | | | 1 | 1 | |
| 170 | Drab-breasted Bamboo Tyrant | <i>Hemitriccus diops</i> | | 1 | H | | | 1 | | | |
| 171 | Eye-ringed Tody-Tyrant | <i>Hemitriccus orbitatus</i> | | | | | | | 2 | | |
| 172 | Hangnest Tody-Tyrant | <i>Hemitriccus nidipendulus</i> | | | | 2 | | | | | |
| 173 | Eared Pygmy Tyrant | <i>Myiornis auricularis</i> | | 1 | | | | | 1 | | |
| 174 | Ochre-faced Tody-Flycatcher | <i>Poecilatriccus plumbeiceps</i> | 1 | 1 | | 2 | | | | | |
| 175 | Yellow-lored Tody-Flycatcher | <i>Todirostrum poliocephalum</i> | | | | 1 | 1 | | | | 1 |
| 176 | Yellow-olive Flatbill | <i>Tolmomyias sulphureus</i> | | 1 | | 1 | 1 | H | 2 | | |
| 177 | White-throated Spadebill | <i>Platyrinchus mystaceus</i> | | | | | | | 1 | | |
| 178 | Cliff Flycatcher | <i>Hirundinea ferruginea</i> | 1 | 4 | 3 | 1 | | | | | |
| 179 | Euler's Flycatcher | <i>Lathrotriccus eulerei</i> | | 1 | 1 | | | | 1 | | |
| 180 | Blue-billed Black Tyrant | <i>Knipolegus cyanirostris</i> | | | ✓ | | | | | | |
| 181 | Crested Black Tyrant | <i>Knipolegus lophotes</i> | | | | 2 | | | | | |
| 182 | Velvety Black Tyrant | <i>Knipolegus nigerrimus</i> | | | 1 | | | | | | |
| 183 | Yellow-browed Tyrant | <i>Satrapa icterophrys</i> | | | | 1 | | | | | |
| 184 | White-rumped Monjita | <i>Xolmis velatus</i> | | | | 2 | | | | | |
| 185 | Streamer-tailed Tyrant | <i>Gubernetes yetapa</i> | | | | 4 | | | | | |
| 186 | Masked Water Tyrant | <i>Fluvicola nengeta</i> | 2 | | | 4 | ✓ | | | | 2 |
| 187 | White-headed Marsh Tyrant | <i>Arundinicola leucocephala</i> | | | | | 3 | | | | 1 |
| 188 | Long-tailed Tyrant | <i>Colonia colonus</i> | | | | 1 | | | | | |
| 189 | Cattle Tyrant | <i>Machetornis rixosa</i> | 1 | | | | | | 2 | | |
| 190 | Piratic Flycatcher | <i>Legatus leucophaeus</i> | | | | | | | 2 | 2 | |
| 191 | Social Flycatcher | <i>Myiozetetes similis</i> | 1 | | 2 | | 4 | | | | ✓ |
| 192 | Great Kiskadee | <i>Pitangus sulphuratus</i> | ✓ | 1 | 1 | 2 | ✓ | ✓ | ✓ | 1 | 2 |
| 193 | Boat-billed Flycatcher | <i>Megarynchus pitangua</i> | | | | 2 | 1 | | | 1 | |
| 194 | Tropical Kingbird | <i>Tyrannus melancholicus</i> | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 195 | Greyish Mourner | <i>Rhytipterna simplex</i> | | | | | | | | | 1 |
| 196 | Swainson's Flycatcher | <i>Myiarchus swainsoni</i> | | H | | | | | | | |
| 197 | Short-crested Flycatcher | <i>Myiarchus ferox</i> | | | | 1 | | | | | |
| 198 | Grey-hooded Attila | <i>Attila rufus</i> | | | | | | | 1 | | |
| 199 | Black-and-gold Cotinga | <i>Tijuca atra</i> | | | 1 | | | | | | |
| 200 | Grey-winged Cotinga | <i>Tijuca condita</i> | | | H | | | | | | |

| | Common name | Scientific name | March | | | | | | | |
|-----|--------------------------------|------------------------------------|-------|----|----|----|----|----|----|----|
| | | | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 201 | Saffron-crested Tyrant-Manakin | <i>Neopelma chrysocephalum</i> | | 1 | | | | | | |
| 202 | Pin-tailed Manakin | <i>Ilicura militaris</i> | | 1 | | | 1 | | | |
| 203 | White-bearded Manakin | <i>Manacus manacus</i> | | | | | 1 | | | 3 |
| 204 | Blue Manakin | <i>Chiroxiphia caudata</i> | | 3 | | | | 3 | 2 | |
| 205 | Whiskered Myiobius | <i>Myiobius barbatus</i> | 1 | 1 | | | | | 2 | |
| 206 | Black-tailed Myiobius | <i>Myiobius atricaudus</i> | | | | | | 1 | | |
| 207 | Greenish Schiffornis | <i>Schiffornis virescens</i> | | H | | | 1 | | | |
| 208 | Brazilian Laniisoma | <i>Laniisoma elegans</i> | | | | | | 1 | | |
| 209 | Green-backed Becard | <i>Pachyramphus viridis</i> | 2 | | | | 2 | | | |
| 210 | Chestnut-crowned Becard | <i>Pachyramphus castaneus</i> | | 4 | | 1 | | | | |
| 211 | White-winged Becard | <i>Pachyramphus polychopterus</i> | 1 | 1 | | 2 | 2 | 2 | | |
| 212 | Crested Becard | <i>Pachyramphus validus</i> | | | | | | 1 | 1 | 1 |
| 213 | Rufous-browed Peppershrike | <i>Cyclarhis gujanensis</i> | 1 | 4 | 2 | | 2 | H | 2 | |
| 214 | Red-eyed Vireo | <i>Vireo olivaceus</i> | | | | | | 1 | 1 | |
| 215 | Rufous-crowned Greenlet | <i>Hylophilus poicilotis</i> | | ✓ | ✓ | | | | | |
| 216 | Lemon-chested Greenlet | <i>Hylophilus thoracicus</i> | | | | | | | | H |
| 217 | Grey-breasted Martin | <i>Progne chalybea</i> | | | | | | ✓ | | |
| 218 | Blue-and-white Swallow | <i>Notiochelidon cyanoleuca</i> | ✓ | | ✓ | ✓ | | ✓ | ✓ | |
| 219 | Southern Rough-winged Swallow | <i>Stelgidopteryx ruficollis</i> | | | | ✓ | | | | |
| 220 | Black-capped Donacobius | <i>Donacobius atricapilla</i> | | | | 2 | | | | |
| 221 | Long-billed Wren | <i>Cantorchilus longirostris</i> | | | | | | | | H |
| 222 | House Wren | <i>Troglodytes aedon</i> | H | | | 1 | | | 1 | |
| 223 | Chalk-browed Mockingbird | <i>Mimus saturninus</i> | | | | ✓ | | | 2 | |
| 224 | Yellow-legged Thrush | <i>Turdus flavipes</i> | | | 3 | | | | | |
| 225 | Rufous-bellied Thrush | <i>Turdus rufiventris</i> | ✓ | ✓ | ✓ | 1 | 2 | | | 1 |
| 226 | Creamy-bellied Thrush | <i>Turdus amaurochalinus</i> | | 1 | 1 | | | | | |
| 227 | White-necked Thrush | <i>Turdus albicollis</i> | | 1 | | | | | | |
| 228 | House Sparrow | <i>Passer domesticus</i> | 1 | | | 1 | | | ✓ | |
| 229 | Yellowish Pipit | <i>Anthus lutescens</i> | | | | H | | 1 | | |
| 230 | Hooded Siskin | <i>Spinus magellanicus</i> | 3 | | 1 | 1 | | | | |
| 231 | Violaceous Euphonia | <i>Euphonia violacea</i> | | | | | 2 | 1 | 2 | 1 |
| 232 | Orange-bellied Euphonia | <i>Euphonia xanthogaster</i> | | | | | | | 1 | |
| 233 | Chestnut-bellied Euphonia | <i>Euphonia pectoralis</i> | | | | | | | 2 | |
| 234 | Blue-naped Chlorophonia | <i>Chlorophonia cyanea</i> | | H | | | | | | |
| 235 | Tropical Parula | <i>Setophaga pitayumi</i> | | | | | | | 1 | |
| 236 | White-rimmed Warbler | <i>Myiothlypis leucoblephara</i> | 1 | 2 | H | | | | | |
| 237 | Golden-crowned Warbler | <i>Basileuterus culicivorus</i> | 2 | ✓ | 2 | 1 | 1 | | 2 | |
| 238 | Red-rumped Cacique | <i>Cacicus haemorrhous</i> | | | | 2 | ✓ | | | ✓ |
| 239 | Shiny Cowbird | <i>Molothrus bonariensis</i> | | | | 3 | | | | |
| 240 | Chopi Blackbird | <i>Gnorimopsar chopi</i> | | | | ✓ | | ✓ | | |
| 241 | Chestnut-capped Blackbird | <i>Chrysomus ruficapillus</i> | | | | 3 | | | | |
| 242 | White-browed Blackbird | <i>Sturnella superciliaris</i> | 2 | | | | | 2 | | |
| 243 | Bananaquit | <i>Coereba flaveola</i> | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 2 |
| 244 | Rufous-collared Sparrow | <i>Zonotrichia capensis</i> | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| 245 | Grassland Sparrow | <i>Ammodramus humeralis</i> | | | | 2 | | | | |
| 246 | Half-collared Sparrow | <i>Arremon semitorquatus</i> | | | | 1 | | | | |
| 247 | Cinnamon Tanager | <i>Schistochlamys ruficapillus</i> | 1 | | | | | | | |
| 248 | Magpie Tanager | <i>Cissopis leverianus</i> | | | | | 1 | | | |
| 249 | Olive-green Tanager | <i>Orthogonyx chloricterus</i> | | | | | | ✓ | | |
| 250 | Chestnut-headed Tanager | <i>Pyrrhocomma ruficeps</i> | | | | | 1 | | | |
| 251 | Black-goggled Tanager | <i>Trichothraupis melanops</i> | 2 | 4 | | 1 | 4 | | 4 | |

| | Common name | Scientific name | March | | | | | | | |
|-----|----------------------------|----------------------------------|-------|----|----|----|----|----|----|----|
| | | | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 252 | Flame-crested Tanager | <i>Tachyphonus cristatus</i> | | | | | | 2 | 2 | 1 |
| 253 | Ruby-crowned Tanager | <i>Tachyphonus coronatus</i> | ✓ | ✓ | 2 | 2 | 4 | 2 | | |
| 254 | Brazilian Tanager | <i>Ramphocelus bresilius</i> | | | | | 1 | | | 1 |
| 255 | Sayaca Tanager | <i>Thraupis sayaca</i> | ✓ | ✓ | ✓ | 4 | 2 | | | 2 |
| 256 | Azure-shouldered Tanager | <i>Thraupis cyanoptera</i> | | | | 1 | | | | |
| 257 | Golden-chevroned Tanager | <i>Thraupis ornata</i> | ✓ | ✓ | 2 | 1 | ✓ | | | |
| 258 | Palm Tanager | <i>Thraupis palmarum</i> | | | | 2 | | 2 | | |
| 259 | Diademed Tanager | <i>Stephanophorus diadematus</i> | | | ✓ | | | | | |
| 260 | Green-headed Tanager | <i>Tangara seledon</i> | | | | | | | 2 | |
| 261 | Red-necked Tanager | <i>Tangara cyanocephala</i> | | | | | | | ✓ | |
| 262 | Brassy-breasted Tanager | <i>Tangara desmaresti</i> | ✓ | ✓ | ✓ | | ✓ | | | |
| 263 | Gilt-edged Tanager | <i>Tangara cyanoventris</i> | 2 | | | | | | | |
| 264 | Burnished-buff Tanager | <i>Tangara cayana</i> | 2 | 2 | 2 | 1 | 2 | | | |
| 265 | Blue Dacnis | <i>Dacnis cayana</i> | | 1 | | | 1 | 2 | ✓ | 2 |
| 266 | Rufous-headed Tanager | <i>Hemithraupis ruficapilla</i> | 2 | | | | 2 | | | |
| 267 | Yellow-backed Tanager | <i>Hemithraupis flavicollis</i> | | | | | | 1 | 2 | 2 |
| 268 | Chestnut-vented Conebill | <i>Conirostrum speciosum</i> | | | | | | 1 | | 2 |
| 269 | Bay-chested Warbling Finch | <i>Poospiza thoracica</i> | | | ✓ | | | | | |
| 270 | Saffron Finch | <i>Sicalis flaveola</i> | 1 | | ✓ | ✓ | | ✓ | | |
| 271 | Wedge-tailed Grass Finch | <i>Emberizoides herbicola</i> | | | | 1 | | | | |
| 272 | Blue-black Grassquit | <i>Volatinia jacarina</i> | | | | 2 | | 1 | 1 | |
| 273 | Double-collared Seedeater | <i>Sporophila caerulescens</i> | 1 | | | ✓ | 1 | | | |
| 274 | Tooth-billed Tanager | <i>Piranga lutea</i> | | 1 | | | | | | |
| 275 | Red-crowned Ant Tanager | <i>Habia rubica</i> | | | | | | 2 | 4 | |
| 276 | Black-throated Grosbeak | <i>Saltator fuliginosus</i> | | | | | | | 3 | |
| 277 | Thick-billed Saltator | <i>Saltator maxillosus</i> | | | 1 | | | | | |

Others

| | | | | | | | | | | |
|---|-----------------------------|----------------------------------|--|---|--|--|---|---|--|--|
| 1 | Buffy-tufted Eared Marmoset | <i>Callithrix aurita</i> | | 5 | | | | | | |
| 2 | Tufted-eared Marmoset | <i>Callithrix aurita</i> | | | | | 6 | | | |
| 3 | Capybara | <i>Hydrochoerus hydrochaeris</i> | | | | | ✓ | | | |
| 4 | Broad-snouted Caiman | <i>Caiman latirostris</i> | | | | | ✓ | | | |
| 5 | Agouti sp. | genus <i>Dasyprocta</i> | | | | | | 1 | | |

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!