

# The Best of Brazil's Atlantic Rainforest

Naturetrek Tour Report

1 - 10 December 2017

---



Brassy-breasted Tanager



Orange-eyed Thornbird



Filled Coquette



Blue-winged Macaw

Report and images by Andy Foster

---



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour participants: Andy Foster (leader) with eight Naturetrek clients

## Day 1

Friday 1st December

The group members were in flight to Rio de Janeiro.

## Day 2

Saturday 2nd December

The group were collected by our driver Serginho at 7am at the Linx Hotel, located next to the International Airport in Rio de Janeiro. They quickly made their way out of Rio, picking up Magnificent Frigatebird along the way. Being a Saturday there was not much traffic on the journey up, and by 9.30am, they were arriving at the Lodge. We unloaded the minibus and had intended to allocate rooms etc, but there was quite a lot of bird activity so we started watching the feeders whilst we had tea and coffee. Activity picked up even more and we ended up birding non-stop, with new birds every few minutes until 11.15! Some of the birds we saw during the morning included Brassy-breasted Tanager, Golden-chevrons Tanager, Ruby-crowned Tanager, Azure-shouldered Tanager, Maroon-bellied Parakeet, Plain Parakeet, Pallid Spinetail, Scaled Woodcreeper, Green-backed Becard, Rufous-bellied Thrush, Creamy-bellied Thrush, Pale-breasted Thrush, Slaty-breasted Wood Rail, White-winged Becard, Olivaceous Woodcreeper, Dusky-tailed Antbird, Half-collared Sparrow, Orange-eyed Thornbird, Pin-tailed Manakin, Planalto Tyrannulet, Grey-capped Tyrannulet, Dusky-legged Guan, Buff-fronted Foliage-gleaner, White-barred Piculet, Picazuro Pigeon, Grey-fronted Dove, Scale-throated Hermit, Black Jacobin, Violet-capped Woodnymph, Brazilian Ruby, Sombre Hummingbird, White-throated Hummingbird, Spix's Spinetail, Variegated Flycatcher, Streaked Flycatcher, Rufous-crowned Greenlet, Variable Antshrike, Black-goggled Tanager, Burnished-buff Tanager and Saffron Finch..... an amazing couple of hours birding seeing 54 species without moving any further than 20 metres away from the Lodge!!!

After a well-earned lunch we set off at 2pm to bird the White Trail within the lodge grounds. It was fairly cool with birds still quite active; we soon picked up Cliff and Swainson's Flycatchers followed by Jayne spotting a Bare-throated Bellbird which gave good scope views! Shortly afterwards we stopped at a small area of native bamboo and managed to get good views of both Bertoni's and Ochre-rumped Antbirds, Rufous-capped Spinetail and, further along, a Rufous-thighed Kite came through trying to get hold of a Brassy-breasted Tanager, Drab-breasted Bamboo Tyrant and an Ochre-faced Tody-Flycatcher.

We then finally made it onto the White Trail and picked up several new species including Golden-crowned Warbler, White-browed Foliage-gleaner, a stunning male Giant Antshrike, White-shouldered Fire-eye, Rufous Gnateater and had good views of the rather-hard-to-see White-breasted Tapaculo; this was followed by a Mottled-cheeked Tyrannulet. It was now 5.15pm so we headed back to the lodge and met up again at 6pm for the completion of our first trip checklist. This was followed by a delicious dinner and then, with cloud rolling in, we set off for some owling. It was quite cold and damp with not much activity, but we did manage good views of a Tropical Screech Owl.

We picked up a Common Opossum on the feeders when we got back to the lodge, and soon retired for the evening to recharge, ready for a full day birding the lodge grounds tomorrow.

## Day 3

## Sunday 3rd December

After some heavy rain during the night we met up for breakfast at 6am to surprisingly clear skies! We were to spend a full day in the lodge grounds doing the circular Blue Trail in the morning, returning to the comfort of the lodge for lunch, and then spend the afternoon on the White and Green Trails. We had a good number of target species for the day as this was to be the only full day birding at this altitude (1,200 metres), during the trip. As the sun came up we spent some time on the deck by the lodge with Alain spotting a male Double-collared Seedeater for the group, and we also got good views of a Euler's Flycatcher. As we set off around the Blue trail we soon picked up Rough-legged Tyrannulet and Fawn-breasted Tanager; this was followed shortly afterwards by a pair of White-throated Woodcreepers, Mouse-coloured Tapaculo, Sharp-billed Treehunter and Grey-hooded Attila.

About half way around, we had good views of a male Surucua Trogon followed shortly afterwards by great views of a pair of Spot-billed Toucanets and then, to add to the excitement, we used playback to call in a Black-billed Scythebill that gave great views - such a great bird! We made it to the half-way point and had a short rest before continuing on, where close by, we had good views of a couple of male Blue Manakins.

Further around the trail someone called a toucanet, which upon further inspection turned out to be a Saffron Toucanet! After some playback they flew a little closer and briefly showed well - great stuff ... a two-toucanet day! Shortly afterwards we used playback for Rufous-backed Antwreio and Yellow-browed Woodpecker. First up, we got great views of the Woodpecker and shortly afterwards the Antwreio came in, another two Atlantic forest endemics! We then came across a small mixed flock that contained Rufous-crowned Greenlet, White-collared Foliage-gleaner, Lesser Woodcreeper, Sharp-billed Treehunter, Black-billed Scythebill and Olivaceous Woodcreeper, action all round! Near the end of the trail we had great views of a female Green-crowned Plovercrest, before we arrived back at the lodge for lunch at 12.30.

After a great lunch I was on the way back to my room when I spotted a distant raptor; on looking through the binoculars, it was a Mantled Hawk carrying a snake! I quickly ran back down the steps and called the rest of the group who were sitting on the veranda of the lodge, and they quickly made their way over and had great views of this endemic raptor!

After a short break, we set off towards the White Trail, picking up Squirrel Cuckoo on the way. As we started to walk up the trail, I spotted a Brown Tinamou which Alain managed to see as he was right next to me; unfortunately, it did not stick around for the rest of the group to see. We then heard another White-rimmed Warbler calling (we had already tried for this several times during the past 24 hours with no success)! We used some playback and, within five seconds, we were having really great views of this strange little warbler.

Next up, I used some playback for Variegated Antpitta; meanwhile, Rufous-breasted Leaftosser was calling, so we called this in but, unfortunately, Alain was the only person to get on this. Whilst we were trying to see the Leaftosser, the Antpitta responded and, with a lot of patience and effort, the whole group eventually got great views of this wonderful bird! Shortly afterwards I played some Chestnut-headed Tanager and within a few minutes we had all had great views of a stunning male tanager! Next up, was some playback for Planalto Woodcreeper, with a single bird coming in quite quickly, giving good views. The day was going really well with lots of the target species "in the bag"!

Towards the end of the afternoon it unfortunately started to rain, so we went to an area that can be good for Rufous-capped Motmot. Upon using a little playback, we had an instant response but, due to the deteriorating weather, the birds not really show very well. Nicholas, however, spotted a female Black-throated Trogon for the group.

It was now raining harder, so we set off back to the lodge arriving just after 5pm. We met up again at 6pm for the daily checklist followed by dinner. After dinner Rainer (the owner of Itororo Lodge) gave a brief talk about the history of the lodge and how they are working to reinstate the native forest to the surrounding area.

## Day 4

## Monday 4th December

Today we awoke to very low cloud over the lodge; it was looking unlikely that we would head to Pico da Caledonia for some high-altitude birding. As we drove down the mountain from the lodge, there was thick cloud everywhere, so we decided to head towards Duas Barras and Sumidouro for some open-country birding. This turned out to be a very good choice! By 7.45am we had arrived at our first stop, and were soon picking up lots of new species, including Streamer-tailed Tyrant, Blue-winged Macaw, White-eyed Parakeet, Blackish Rail, Yellow-browed Tyrant, Yellow-bellied Eleania, White-bellied Seedeater, Rufous Hornero and Wing-banded Hornero.

After about 40 minutes, we drove a further 10 minutes to our next spot, a little marshy area and some fragmented forest. No sooner had we got out of the minibus, than we had great views of Gilt-edged Tanager, after which I used some recording of Ferruginous Pygmy Owl to call in various other species, including Chestnut-crowned Becard, Blue Dacnis, Streaked Flycatcher, Yellow-lored Tody-Flycatcher, Scaled Woodcreeper, Sapphire-spangled Emerald, Glittering-bellied Emerald and Saffron Finch. We also picked up nice views of a Black Hawk-Eagle. We walked a little further down the road getting views of Cattle Tyrant and Cliff Flycatcher along the way, and used playback for Serra Antwren which responded well and gave good views; this was followed by Grey-eyed Greenlet and a rather nice Crescent-chested Puffbird!

We drove along the road a little further and came to a lovely view point and managed to see Crested Black Tyrant, White-tailed Hawk, White-eared Puffbird, Grassland Sparrow, White-rumped Swallow and Grassland Yellow Finch. It was now mid-morning so we stopped in the small town of Duas Barras for coffee and cake before heading on towards a dirt track that we would bird up until lunch time. This proved very productive with us picking up good views of Firewood Gatherer, Planalto Woodcreeper, Spot-breasted Antwren, (with poor views of a Ferruginous Antbird for some), Golden-crowned Warbler, Streaked Xenops and Capped Heron. Our next stop got us nice views of Yellow-rumped Marshbird, Roadside Hawk and another Streamer-tailed Tyrant and, thanks to Jayne, a Toco Toucan flying over high. We drove a little further and stopped by a farm where we saw Black-capped Donacobius, Tawny-headed Swallow (after a lot of work!), Red-legged Seriema, Masked Water Tyrant and Chestnut-headed Blackbird. It was already 1pm, so we drove a little further and stopped for our picnic lunch where we also managed to see Guira Cuckoo, Whistling Heron, Double-collared Seedeater and Common Waxbill.

As we were finishing lunch it started to rain, so we packed everything up and drove for about 25 minutes to a local garage where we used the facilities before heading on through the town of Sumidouro and to the Three-toed Jacamar spot. Thankfully, the rain stopped and, as soon as we arrived at the spot, Alain found a Three-toed Jacamar - probably the fastest ever found! With the main target bird seen well, we got back into the minibus and

drove back through Sumidouro, with our last stop just before a small village called Murineli, where we managed to pick up our last two target species, being Black-necked Aracari and Curl-crested Jay.... with great views of Toco Toucan and a Biscutate Swift thrown in for good measure!

What a fantastic days birding! We had managed to see all of our target species and pick up many more great views and various other species along the way. By 4.45pm we were driving back through Nova Friburgo in a torrential downpour: our timing had been just right! We had seen an astonishing 121 species today, with the record over the past 15 years for this day's trip being 124! We went for a short night walk after dinner, managing to hear (unfortunately it wouldn't come into playback) a Rusty-barred Owl and have good flight views of a Short-tailed Nighthawk.

## Day 5

## Tuesday 5th December

Already on our last full day based at Itororo Lodge, we headed off towards Pico da Caledonia for a full day birding the higher reaches of the Serra do Mar Mountains. The weather was quite good, although the top of the peak was in thick cloud. We drove slowly up the mountain, arriving just before 8am; although the cloud was low, it thankfully wasn't raining.

We got our gear and lunches together and started the walk up the mountain towards the summit at 2,300 metres. Birding started a little slowly, with thick cloud rolling in and out and making visibility a little difficult at times, but slowly and surely, the cloud started to lift and we started to pick up some new birds. First up, we had some views of Yellow-legged Thrush, Diademed Tanager and Olivaceous Elaenia; this was followed shortly afterwards by some Bay-chested Warbling Finches, Uniform Finch (for some of the group), Serra do Mar Tyrannulet and a Thick-billed Saltator - so far so good!

We walked along a little further and managed to get glimpses of a pair of Buff-browed Foliage-gleaners, followed by full-on views of two Rufous-tailed Antbirds!

The cloud slowly rolled down again, making visibility hard. We started using playback for Large-tailed Antshrike; within a few minutes we had called one in quite close, and then, suddenly, a female Antshrike popped up a little and showed well whilst she moved along through the vegetation in front of us! Suddenly, a raptor appeared really close by, flying very low over the forest: it was a Mantled Hawk, the second for the trip - amazing! It was seriously low overheard, flying just below the cloud. It landed close by, and we managed to scope it; it was slightly misty, but we had great views of this tough-to-see raptor. We continued on up the cobbled road, and began to get close to the area where we hoped to see the endemic Grey-winged Cotinga. It was still thick in cloud but we used some playback and got a very distant response. We continued on up the road and stopped for a couple of Cinnamon Tanagers and played the Grey-winged Cotinga again; amazingly, the bird responded really very close by, and everyone was ready and focussed in the right area. I played the bird call again and, thankfully, it perched smack-bang in front of us for about five seconds: the whole group had fantastic views of this very rare bird!

Feeling quite tired, we reached the base of the 620 steps, where we hoped to find the very localised Itatiaia Spinetail. Usually we have to walk a good few hundred steps before we find one; however, today our luck was in, and we located one right at the base of the steps....easy!!

We started making our way back down the mountain, back through the security area and down to the open grassy area where we stopped for our picnic lunch. Here we managed to finally get good views of both Velvety-black Tyrant and Blue-billed Black Tyrant, other targets of the day! As the cloud slowly cleared, we soon had wonderful views of the city of Nova Friburgo way down in the distant valley; this was followed shortly afterwards by distant but good views of two male Black-and-gold Cotingas! Having now seen all of our target birds for the upper reaches of Pico da Caledonia, we set off back down the mountain for just over an hour's walk back to the minibus.

Arriving back at the minibus feeling quite tired, we all climbed in and took a short drive to another area where we got excellent views of a rather aggressive Red-legged Seriema and Shear-tailed Grey Tyrant, followed by Nick's excellent find of a male Swallow-tailed Cotinga. We had now seen all of our target birds (and more!) so, although still early, we started the one-hour drive back to the lodge for some tea, coffee and cake. Recharged, some of the group took a short walk into the Orchid garden area where we managed to get good (but brief) views of a Sharp-tailed Streamcreeper, Black-throated Trogon, Rufous-crowned Motmot, Whiskered Flycatcher and a pair of Yellow Tyrannulets - not a bad end to a fantastic day's birding!

## Day 6

## Wednesday 6th December

We met up as usual at 6am for breakfast; this was followed by a short break to pack for our departure to our next location, Regua. Alain did manage to get one new species for the group before we departed, a Swallow-tailed Hummingbird: this was a new species for the Itororo Lodge grounds! We said our thank yous and goodbyes to Rainer and Bettina at Itororo Lodge where we had been so well looked after and fed over the past five days!

We drove for 45 minutes back down towards Rio and stopped at the Cedae Trail for three hours' birding. Bird activity was a little slow at first, but we did, however, pick up quite a few new species including Star-throated Antwren, Green-headed Tanager, Red-necked Tanager, Green Honeycreeper, Black-throated Grosbeak and Streak-capped Antwren. On our way back up to the minibus, we used some playback for some distant Olive-green Tanagers, with rather amazing results. They flew into the trees above us and then promptly started to come down lower to where the speaker was located, giving the whole group fantastic views of this Atlantic forest endemic! As we neared the minibus, a White-eyed Foliage-gleaner called, so we used playback to call in this tricky little species!

We arrived back at the minibus at 11.30, and by 12.30 we arrived at Regua. We quickly settled into our rooms and met up shortly afterwards for lunch at 1pm. After a short break we met up again at 2.30 to go birding around the wetlands.

It was fairly warm and activity was a little slow, but we did however manage to pick up lots of new species, including Yellow-backed Tanager, Brazilian Tanager, Silvery-flanked Antwren, Sooretama Slaty Antshrike, Rufous-tailed Jacamar, Common Gallinule, Purple Gallinule, White-faced Whistling Duck, White-headed Marsh Tyrant, Blond-crested Woodpecker, Cocoli Heron and Amazon Kingfisher. We arrived back at the Lodge at 5pm and met up again at 5.30 to complete the daily checklist before having dinner at 6pm. Afterwards, at 6.45pm, we met up with Adeli (one of the Regua guides) to go and look for Giant Snipe and some owls. We arrived at the Giant Snipe site at around 7.15 and waited a while for the sun to go down for the Snipe to become active.

During this time, we got good views again of Black-capped Donacobius, White-bellied Seedeater and tried using playback to call out an Ash-throated Crake, but unfortunately it had different ideas! As it slowly got darker the Giant Snipe started to call, and within 20 minutes, we had excellent views of these wonderful birds flying low over the field. We also managed to pick up good views of a Yellowish Pipit and Common Pauraque at the same spot.

With our mission accomplished, we drove a further 10 minutes to a fragmented patch of lowland forest where we got excellent views of a juvenile and adult Mottled Owl sitting high in a Cecropia tree. We also tried here for Black-banded and Tawny-browed Owls, but to no avail.

We started heading back to the lodge around 9pm, and on our way up the drive to the lodge, the group in the back of the truck banged on the roof; we stopped and found they had spotted a Tawny-browed Owl! We used some playback and had excellent views! A great end to a great day!

## Day 7

## Thursday 7th December

We awoke to a beautiful morning with high cloud, so hopefully it wouldn't get too hot today! We headed off for a 20-minute drive to the start of the Green Trail that would take us through some good primary forest up to the waterfall. We had lots of targets today, and although birding was a little slow, we saw some excellent birds. Highlights of the day included Southern Antpipit, Scaled Antbird, Unicoloured Antwren, White-eyed Foliage-gleaner, Black-capped Foliage-gleaner, Black-throated Trogon, Blue Manakin, Lesser Woodcreeper, Thrush-like Woodcreeper, amazing views of Spot-backed Antshrike, Eye-ringed Tody-Tyrant and Greyish Mourner. We had lunch at the beautiful waterfall where we picked up White-thighed Swallow and Black-tailed Myiobius.

After lunch we started the 2.5-kilometre walk back down to where we had left the vehicle. It was fairly quiet on the way back as it had warmed up a little, but we did however manage to get good views of Rufous-capped Antthrush and Yellow-throated Woodpecker, but not such good views of a very frustrating Rufous-winged Antwren way up in the canopy! We arrived back at the lodge at 4pm and had a break before meeting up again at 6pm for the daily checklist, followed by dinner. We met back up at 8pm to try for Common Potoo and Black-banded Owl close to the lodge.

## Day 8

## Friday 8th December

This morning we were greeted by low, dark clouds and unfortunately it was raining lightly by the time we left for the trail. We drove away from the lodge to spend part of the morning birding the Waldonor Trail. By 7.15am we had arrived at the start of the trail. There were a few birds in the open area where we parked, including Variegated Flycatcher, Green-headed Tanager and a new trip-bird, Crested Becard. There were some distant Yellow-green Grosbeaks calling but unfortunately, they refused to come into playback. We started walking up the trail and used playback for Rufous-capped Motmot; one came in and some of the group managed to get scope views of this rather shy bird. We really had a couple of targets this morning: Frilled Coquette and Yellow-fronted Woodpecker. After about 45 minutes we arrived at the spot for the Frilled Coquette. Adeli's local knowledge really paid off here, as within five minutes, we were having great views of this stunning little hummingbird. We also picked up nice views of Yellow-backed Tanager, Flame-crested Tanager, Red-necked Tanager and another new bird for us, Yellow-eared Woodpecker. We started using some playback for Yellow-

fronted Woodpecker and, about five minutes later, had a very distant response. We continued playing the call and suddenly Alain spotted two birds on a distant, dead snag in the forest. Slowly but surely, they started to move closer, and about five minutes later, we were having good views of this beautiful Woodpecker! Mission accomplished, we played a little Buff-bellied Puffbird, but to no avail.

We started to walk slowly back to the pick-up truck; by this point it started to rain a little more and we decided to head back to the Lodge and go for some new species at the back of the wetlands. On the journey back, the rain became heavier and more persistent, we stopped to try at a site for White-bellied Tanager, but ended up seeing a Lined Seedeater instead! Upon arrival back at the lodge, it was still raining so we decided to spend the remainder of the morning up the tower by the lodge, picking up some more Yellow-backed Tanagers, Grey-rumped Swift, Brazilian Tanager (brief views), Cocoli Heron, Black-bellied Whistling Duck, White-faced Whistling Duck, Capped Heron and Ringed Kingfisher.

Lunch was served at 1pm; after lunch, we had a short break and, thankfully, the rain started to ease so at 2.30 we headed off onto the Brown trail behind the wetlands, to go and look for some new species that we had not yet seen. No sooner had we left than it started to rain harder; in fact, it rained and rained and rained. We walked over past the wetlands, picking up Rufescent Tiger Heron and Limpkin, and then arrived at the spot for Long-billed Wren, but the rain was non-stop and there was no vocalisation from anything in the forest; it continued this way for the next hour and a half. The only bird we saw was a Green Kingfisher! We waited in the forest to see if the rain would stop, but it didn't, so we started to head back slowly to the lodge, via the wetlands.

As we arrived back at the wetlands, the rain suddenly stopped! I started to use playback for Chestnut-backed Antshrike and one showed briefly, with only a couple of the group members getting onto it; we also had better views of a male Brazilian Tanager. I used some playback for Rufous-sided Crake and, amazingly, one wandered into the open for at least five seconds, allowing excellent views for some of the group; unfortunately, others were blocked by vegetation. In typical Rufous-sided Crake style, the bird didn't show again. We also had a couple of Yellow-lored Tody-Flycatchers, and a Rufous-breasted Hermit fly through, chasing a Violet-capped Woodnymph. We continued back around the wetlands and took a detour to the hide where we had good views of Muscovy Duck, Boat-billed Heron, Black-crowned Night Heron and Roadside Hawk.

It was now 5.30pm, so we took the short walk back to the lodge where Ray spotted a nice male Blond-crested Woodpecker.

We had a quick break before meeting up for checklist at 6pm, when we had a male Glittering-throated Emerald and a Rufous-breasted Hermit visiting the feeders, giving good views for all!

## Day 9

## Saturday 9th December

We awoke to very heavy rain; in fact, it had rained heavily all night. We sat and had breakfast, and decided to give it until 7am, and then decide what to do. Come 7am, it was still raining but was looking a little brighter (!) in the distance. I decided we should go on the Brown Trail, and four of the group stayed behind in the dry!

Half an hour into our walk, it really started to rain heavily again; however, we persevered and it paid off. As the morning went on, the rain started to slow down, then it stopped and the sun even shone for half an hour! We



had a slow but successful morning's birding, seeing new species including Chestnut-vented Conebill, Long-billed Wren, great views of White-bibbed Antbird, and also a Ferruginous Pygmy Owl. We returned to the lodge by midday and met up again for lunch at 12.30. The afternoon until 4.30 was free for birding, photography or packing! Serginho arrived at 4.15 and we loaded up the minibus, said our goodbyes to Thomas the lodge manager and by 4.45 we were on our way to Rio and the international airport. The road down to Rio was fairly clear and by 6.30pm, we were arriving at the airport for our flights home.

## Day 10

Sunday 10th December

Group members landed in the UK after an excellent trip, in which we had truly experienced the best of Brazil's Atlantic Forest.

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at [www.facebook.com](http://www.facebook.com) is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!



Amazing views of the Olive-green Tanager

## Species Lists

Birds (✓=recorded but not counted; H = heard only)

	Common name	Scientific name	December								
			2	3	4	5	6	7	8	9	
1	Brown Tinamou	<i>Crypturellus obsoletus</i>	H	1			H				
2	Tataupa Tinamou	<i>Crypturellus tataupa</i>								H	
3	Dusky-legged Guan	<i>Penelope obscura</i>	✓	✓	✓	✓	✓				
4	Rusty-margined Guan	<i>Penelope supercilialis</i>						1	1	1	
5	Spot-winged Wood Quail	<i>Odontophorus capueira</i>	H	H							
6	White-faced Whistling Duck	<i>Dendrocygna viduata</i>					3		2	2	
7	Black-bellied Whistling Duck	<i>Dendrocygna autumnalis</i>							2	1	
8	Muscovy Duck	<i>Cairina moschata</i>							2		
9	Brazilian Teal	<i>Amazonetta brasiliensis</i>			1						
10	Rufescent Tiger Heron	<i>Tigrisoma lineatum</i>							1	2	
11	Boat-billed Heron	<i>Cochlearius cochlearius</i>							1		
12	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>							1	1	
13	Striated Heron	<i>Butorides striata</i>					1		2	2	
14	Western Cattle Egret	<i>Bubulcus ibis</i>	✓				✓	✓	✓	✓	
15	Cocoi Heron	<i>Ardea cocoi</i>					1		2	1	
16	Great Egret	<i>Ardea alba</i>	✓				2		1		
17	Capped Heron	<i>Pilherodius pileatus</i>			2		1		2	2	
18	Whistling Heron	<i>Syrigma sibilatrix</i>			2						
19	Magnificent Frigatebird	<i>Fregata magnificens</i>	✓								
20	Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>	✓					1		1	
21	Turkey Vulture	<i>Cathartes aura</i>			✓		✓	✓	✓	✓	
22	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>			1				1	1	
23	Black Vulture	<i>Coragyps atratus</i>	✓	✓	✓	✓	✓	✓	✓	✓	
24	Black Hawk-Eagle	<i>Spizaetus tyrannus</i>			1						
25	Rufous-thighed Kite	<i>Harpagus diodon</i>	1		2					1	
26	Plumbeous Kite	<i>Ictinia plumbea</i>			1						
27	Roadside Hawk	<i>Rupornis magnirostris</i>			2				2	1	
28	White-tailed Hawk	<i>Geranoaetus albicaudatus</i>			3						
29	Mantled Hawk	<i>Pseudastur polionotus</i>		1		1					
30	Red-legged Seriema	<i>Cariama cristata</i>			1	2					
31	Rufous-sided Crake	<i>Laterallus melanophaius</i>							1		
32	Slaty-breasted Wood Rail	<i>Aramides saracura</i>	3	1	3	1	1				
33	Ash-throated Crake	<i>Porzana albicollis</i>					H				
34	Blackish Rail	<i>Pardirallus nigricans</i>			2				2		
35	Purple Gallinule	<i>Porphyrio martinicus</i>					1		2	2	
36	Common Gallinule	<i>Gallinula galeata</i>					✓		✓	✓	
37	Limpkin	<i>Aramus guarana</i>							1	3	
38	Southern Lapwing	<i>Vanellus chilensis</i>			✓	1	2	✓	✓	✓	
39	Wattled Jacana	<i>Jacana jacana</i>					1		✓	✓	
40	Giant Snipe	<i>Gallinago undulata</i>					3				
41	Rock Dove	<i>Columba livia</i>	✓		✓		✓				
42	Picazuro Pigeon	<i>Patagioenas picazuro</i>	6	✓	✓	✓	✓	✓	✓	2	
43	Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	1		1						
44	Plumbeous Pigeon	<i>Patagioenas plumbea</i>				H					
45	Ruddy Ground Dove	<i>Columbina talpacoti</i>			✓		✓	✓	✓	✓	
46	White-tipped Dove	<i>Leptotila verreauxi</i>	H	H							
47	Grey-fronted Dove	<i>Leptotila rufaxilla</i>	4	4	2	1	1				

	Common name	Scientific name	December							
			2	3	4	5	6	7	8	9
48	White-eyed Parakeet	<i>Psittacara leucophthalmus</i>	H	H	✓	2				
49	Guira Cuckoo	<i>Guira guira</i>			4			3	✓	
50	Greater Ani	<i>Crotophaga major</i>					✓		✓	✓
51	Smooth-billed Ani	<i>Crotophaga ani</i>			✓		✓	✓	✓	✓
52	Squirrel Cuckoo	<i>Piaya cayana</i>		1		1	1	1	H	1
53	Tropical Screech Owl	<i>Megascops choliba</i>	1		H			H		
54	Black-capped Screech Owl	<i>Megascops atricapilla</i>								
55	Rusty-barred Owl	<i>Strix hylophila</i>			H					
56	Mottled Owl	<i>Strix virgata</i>					2			
57	Tawny-browed Owl	<i>Pulsatrix koenigswaldiana</i>					1			
58	Ferruginous Pygmy Owl	<i>Glaucidium brasilianum</i>								1
59	Burrowing Owl	<i>Athene cunicularia</i>					1			
60	Short-tailed Nighthawk	<i>Lurocalis semitorquatus</i>			1	1				
61	Pauraque	<i>Nyctidromus albigollis</i>					4			
62	White-collared Swift	<i>Streptoprocne zonaris</i>			✓	✓		✓	✓	✓
63	Biscutate Swift	<i>Streptoprocne biscutate</i>			1					
64	Grey-rumped Swift	<i>Chaetura cinereiventris</i>							1	
65	Sick's Swift	<i>Chaetura meridionalis</i>			1	2	2		✓	
66	Saw-billed Hermit	<i>Ramphodon naevius</i>					H	2	2	1
67	Rufous-breasted Hermit	<i>Glaucis hirsutus</i>							2	1
68	Scale-throated Hermit	<i>Phaethornis eurynome</i>	2	2	1	2	2			
69	Planalto Hermit	<i>Phaethornis pretrei</i>			2					
70	Dusky-throated Hermit	<i>Phaethornis squalidus</i>					1			
71	Sombre Hummingbird	<i>Aphantochroa cirrochloris</i>	2	1	1	1	1			
72	Swallow-tailed Hummingbird	<i>Eupetomena macroura</i>			1		2	1	1	1
73	Black Jacobin	<i>Florisuga fusca</i>	✓	✓	✓	✓	✓	2	✓	✓
74	White-vented Violetear	<i>Colibri serrirostris</i>								
75	Green-crowned Plovercrest	<i>Stephanoxis lalandi</i>	H	1		2				
76	Frilled Coquette	<i>Lophornis magnificus</i>							2	
77	Glittering-bellied Emerald	<i>Chlorostilbon lucidus</i>			1					
78	Violet-capped Woodnymph	<i>Thalurania glaucopis</i>	3	4	2	3	2	2	2	2
79	White-chinned Sapphire	<i>Hylocharis cyanus</i>						1	1	1
80	White-throated Hummingbird	<i>Leucochloris albigollis</i>	2	2	2	✓	✓			
81	Glittering-throated Emerald	<i>Amazilia fimbriata</i>						1	1	
82	Sapphire-spangled Emerald	<i>Amazilia lactea</i>			1					
83	Brazilian Ruby	<i>Clytolaema rubricauda</i>	✓	✓	✓	✓	✓			
84	Surucua Trogon	<i>Trogon surrucura</i>		1	H	H				
85	Black-throated Trogon	<i>Trogon rufus</i>		1		1		1		
86	Green Kingfisher	<i>Chloroceryle americana</i>							1	
87	Amazon Kingfisher	<i>Chloroceryle amazona</i>					2			
88	Ringed Kingfisher	<i>Megaceryle torquata</i>							2	2
89	Rufous-capped Motmot	<i>Baryphthengus ruficapillus</i>		H		1	H	H	2	
90	Three-toed Jacamar	<i>Jacamaralcyon tridactyla</i>			1					
91	Rufous-tailed Jacamar	<i>Galbula ruficauda</i>					1		4	
92	White-eared Puffbird	<i>Nystalus chacuru</i>			2					
93	Crescent-chested Puffbird	<i>Malacoptila striata</i>			1					H
94	Black-necked Aracari	<i>Pteroglossus aracari</i>			3					
95	Saffron Toucanet	<i>Pteroglossus bailloni</i>		2						
96	Spot-billed Toucanet	<i>Selenidera maculirostris</i>		2						
97	Channel-billed Toucan	<i>Ramphastos vitellinus</i>					2		✓	
98	Toco Toucan	<i>Ramphastos toco</i>			3					

	Common name	Scientific name	December								
			2	3	4	5	6	7	8	9	
99	White-barred Piculet	<i>Picumnus cirratus</i>	2	H			2	1	H		
100	Yellow-fronted Woodpecker	<i>Melanerpes flavifrons</i>							2		
101	Yellow-eared Woodpecker	<i>Veniliornis maculifrons</i>							1		
102	Yellow-throated Woodpecker	<i>Piculus flavigula</i>						1			
103	Yellow-browed Woodpecker	<i>Piculus aurulentus</i>		2							
104	Campo Flicker	<i>Colaptes campestris</i>			2						
105	Blond-crested Woodpecker	<i>Celeus flavescens</i>					1		1	1	
106	Southern Crested Caracara	<i>Caracara plancus</i>		1	2	2	1			1	
107	Yellow-headed Caracara	<i>Milvago chimachima</i>			3		✓	1	✓	✓	
108	Barred Forest Falcon	<i>Micrastur ruficollis</i>					H				
109	American Kestrel	<i>Falco sparverius</i>			1						
110	Aplomado Falcon	<i>Falco femoralis</i>			3						
111	Plain Parakeet	<i>Brotogetis tirica</i>	2	2		1	H		1		
112	Scaly-headed Parrot	<i>Pionus maximiliani</i>	H	H	4		H		3		
113	Orange-winged Amazon	<i>Amazona amazonica</i>						1			
114	Blue-winged Parrotlet	<i>Forpus xanthopterygius</i>			H				H	H	
115	Maroon-bellied Parakeet	<i>Pyrrhura frontalis</i>	✓	✓	✓	✓	✓	✓	✓		
116	Blue-winged Macaw	<i>Primolius maracana</i>			4						
117	Band-tailed Hornero	<i>Furnarius figulus</i>			2				1	1	
118	Rufous Hornero	<i>Furnarius rufus</i>			✓	1					
119	Itatiaia Spinetail	<i>Asthenes moreirae</i>				1					
120	Rufous-capped Spinetail	<i>Synallaxis ruficapilla</i>	1	H		1					
121	Grey-bellied Spinetail	<i>Synallaxis cinerascens</i>		H		1					
122	Spix's Spinetail	<i>Synallaxis spixi</i>	1								
123	Pallid Spinetail	<i>Cranioleuca pallida</i>	2			1					
124	Yellow-chinned Spinetail	<i>Certhiaxis cinnamomeus</i>			2		2		4	2	
125	Rufous-fronted Thornbird	<i>Phacellodomus rufifrons</i>			1						
126	Orange-eyed Thornbird	<i>Phacellodomus erythrophthalmus</i>	2	1		1					
127	Firewood-Gatherer	<i>Anumbius annumbi</i>			2						
128	White-browed Foliage-gleaner	<i>Anabacerthia amaurotis</i>	1	H							
129	Buff-browed Foliage-gleaner	<i>Syndactyla rufosuperciliata</i>	H			2					
130	Ochre-breasted Foliage-gleaner	<i>Philydor lichtensteini</i>					H				
131	Black-capped Foliage-gleaner	<i>Philydor atricapillus</i>						1			
132	Buff-fronted Foliage-gleaner	<i>Philydor rufum</i>	2	2	1				H		
133	White-collared Foliage-gleaner	<i>Anabazenops fuscus</i>	1	1							
134	Pale-browed Treehunter	<i>Cichlocolaptes leucophrus</i>						H			
135	White-eyed Foliage-gleaner	<i>Automolus leucophthalmus</i>					1	3			
136	Rufous-breasted Leaf-tosser	<i>Sclerurus scansor</i>	H	1							
137	Sharp-tailed Streamcreeper	<i>Lochmias nematura</i>				1					
138	Sharp-billed Treehunter	<i>Heliobletus contaminatus</i>		3							
139	Plain Xenops	<i>Xenops minutus</i>					1				
140	Streaked Xenops	<i>Xenops rutilans</i>			1		1				
141	Plain-winged Woodcreeper	<i>Dendrocincla turdina</i>					H	2	H		
142	Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>	2	2			1	2			
143	White-throated Woodcreeper	<i>Xiphocolaptes albicollis</i>		2					1		
144	Planalto Woodcreeper	<i>Dendrocolaptes platyrostris</i>		1	1		1				
145	Lesser Woodcreeper	<i>Xiphorhynchus fuscus</i>	H	1			1	2	H		
146	Scaled Woodcreeper	<i>Lepidocolaptes squamatus</i>	2	4	1		1				
147	Black-billed Scythebill	<i>Campylorhamphus falcularius</i>		1							
148	Spot-backed Antshrike	<i>Hypoedaleus guttatus</i>						1			
149	Giant Antshrike	<i>Batara cinerea</i>	1			H					

	Common name	Scientific name	December							
			2	3	4	5	6	7	8	9
150	Large-tailed Antshrike	<i>Mackenziaena leachii</i>				1				
151	Tufted Antshrike	<i>Mackenziaena severa</i>						H		
152	Chestnut-backed Antshrike	<i>Thamnophilus palliatus</i>					H		1	1
153	Sooretama Slaty Antshrike	<i>Thamnophilus ambiguus</i>					1	1	1	1
154	Variable Antshrike	<i>Thamnophilus caerulescens</i>	2			2				
155	Rufous-capped Antshrike	<i>Thamnophilus ruficapillus</i>				H				
156	Spot-breasted Antvireo	<i>Dysithamnus stictothorax</i>			2		1		H	
157	Plain Antvireo	<i>Dysithamnus mentalis</i>					2			
158	Rufous-backed Antvireo	<i>Dysithamnus xanthopterus</i>		1		1				
159	Star-throated Antwren	<i>Rhopias gularis</i>					1			
160	Silvery-flanked Antwren	<i>Myrmotherula luctuosa</i>					1			1
161	Unicolored Antwren	<i>Myrmotherula unicolor</i>						1		2
162	Rufous-winged Antwren	<i>Herpsilochmus rufimarginatus</i>						2		2
163	Serra Antwren	<i>Formicivora serrana</i>			1					
164	Ferruginous Antbird	<i>Drymophila ferruginea</i>			1					
165	Bertoni's Antbird	<i>Drymophila rubicollis</i>	1	H						
166	Rufous-tailed Antbird	<i>Drymophila genei</i>				1				
167	Ochre-rumped Antbird	<i>Drymophila ochropyga</i>	1	1						
168	Dusky-tailed Antbird	<i>Drymophila malura</i>	1	H						
169	Scaled Antbird	<i>Drymophila squamata</i>						1		H
170	Streak-capped Antwren	<i>Terenura maculata</i>					2			
171	White-shouldered Fire-eye	<i>Pyriglena leucoptera</i>	1	1						
172	White-bibbed Antbird	<i>Myrmeciza loricata</i>								1
173	Rufous-capped Antthrush	<i>Formicarius colma</i>						1		
174	Cryptic Antthrush	<i>Chamaeza meruloides</i>	H	H						
175	Rufous-tailed Antthrush	<i>Chamaeza ruficauda</i>	H	H		H				
176	Variegated Antpitta	<i>Grallaria varia</i>		1					H	
177	Rufous Gnateater	<i>Conopophaga lineata</i>	2	1		H				
178	Black-cheeked Gnateater	<i>Conopophaga melanops</i>					1	1		
179	White-breasted Tapaculo	<i>Eleoscytalopus indigoticus</i>	1							
180	Mouse-colored Tapaculo	<i>Scytalopus speluncae</i>		1		H				
181	Planalto Tyrannulet	<i>Phyllomyias fasciatus</i>	4	3					1	
182	Rough-legged Tyrannulet	<i>Phyllomyias burmeisteri</i>		1						
183	Grey-capped Tyrannulet	<i>Phyllomyias griseocapilla</i>	1							
184	Yellow-bellied Elaenia	<i>Myiopagis flavogaster</i>			3				1	
185	Olivaceous Elaenia	<i>Elaenia mesoleuca</i>				2				
186	Southern Beardless Tyrannulet	<i>Camptostoma obsoletum</i>		2	2					
187	Yellow Tyrannulet	<i>Capsiempis flaveola</i>				2				
188	Southern Antpipit	<i>Corythopsis delalandi</i>						1	H	H
189	Mottle-cheeked Tyrannulet	<i>Phylloscartes ventralis</i>	1	1		2				
190	Serra do Mar Tyrannulet	<i>Phylloscartes difficilis</i>				2				
191	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>						1	H	H
192	Grey-hooded Flycatcher	<i>Mionectes rufiventris</i>					1	1		
193	Sepia-capped Flycatcher	<i>Leptopogon amaurocephalus</i>		H				1		
194	Drab-breasted Bamboo Tyrant	<i>Hemitriccus diops</i>	1							
195	Eye-ringed Tody-Tyrant	<i>Hemitriccus orbitatus</i>						1		H
196	Ochre-faced Tody-Flycatcher	<i>Poecilatriccus plumbeiceps</i>	1	H	H	H				
197	Yellow-lored Tody-Flycatcher	<i>Todirostrum poliocephalum</i>			3		H		2	
198	Yellow-olive Flatbill	<i>Tolmomyias sulphurescens</i>	1	1			1	1		
199	White-throated Spadebill	<i>Platyrinchus mystaceus</i>						2	H	
200	Cliff Flycatcher	<i>Hirundinea ferruginea</i>	1		4	2				

	Common name	Scientific name	December							
			2	3	4	5	6	7	8	9
201	Euler's Flycatcher	<i>Lathrotriccus euleri</i>		1	H			1		
202	Blue-billed Black Tyrant	<i>Knipolegus cyanirostris</i>				1				
203	Crested Black Tyrant	<i>Knipolegus lophotes</i>			2					
204	Velvety Black Tyrant	<i>Knipolegus nigerrimus</i>				2				
205	Yellow-browed Tyrant	<i>Satrapa icterophrys</i>			3					
206	White-rumped Monjita	<i>Xolmis velatus</i>			3					
207	Streamer-tailed Tyrant	<i>Gubernetes yetapa</i>			✓					
208	Shear-tailed Grey Tyrant	<i>Muscipipra vetula</i>				3				
209	Masked Water Tyrant	<i>Fluvicola nengeta</i>	1		✓		2		✓	✓
210	White-headed Marsh Tyrant	<i>Arundinicola leucocephala</i>					2		2	2
211	Cattle Tyrant	<i>Machetornis rixosa</i>			3				2	
212	Piratic Flycatcher	<i>Legatus leucophaeus</i>						1		
213	Social Flycatcher	<i>Myiozetetes similis</i>	2	2	4	4	2		✓	✓
214	Great Kiskadee	<i>Pitangus sulphuratus</i>	✓	✓	✓	✓	✓	2	✓	✓
215	Streaked Flycatcher	<i>Myiodynastes maculatus</i>	2		✓	✓	1			
216	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	1			1	2		2	
217	Variiegated Flycatcher	<i>Empidonomus varius</i>	4			2			2	
218	Tropical Kingbird	<i>Tyrannus melancholicus</i>	1		✓	2	✓	✓	✓	✓
219	Fork-tailed Flycatcher	<i>Tyrannus savana</i>			✓					
220	Greyish Mourner	<i>Rhytipterna simplex</i>						1		
221	Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	1			1				
222	Short-crested Flycatcher	<i>Myiarchus ferox</i>			2		H			
223	Grey-hooded Attila	<i>Attila rufus</i>		1			H	1	H	
224	Bare-throated Bellbird	<i>Procnias nudicollis</i>	2	✓		H	H			
225	Black-and-gold Cotinga	<i>Tijuca atra</i>				2				
226	Grey-winged Cotinga	<i>Tijuca condita</i>				2				
227	Saffron-crested Tyrant-Manakin	<i>Neopelma chrysocephalum</i>		1						
228	Pin-tailed Manakin	<i>Ilicura militaris</i>	1	1				5		
229	White-bearded Manakin	<i>Manacus manacus</i>					✓		2	4
230	Blue Manakin	<i>Chiroxiphia caudata</i>	H	3		H	H	2	H	
231	Whiskered Myiobius	<i>Myiobius barbatus</i>				1				
232	Black-tailed Myiobius	<i>Myiobius atricaudus</i>						1		
233	Green-backed Becard	<i>Pachyrampus viridis</i>	1							
234	Chestnut-crowned Becard	<i>Pachyrampus castaneus</i>		H	1				1	
235	White-winged Becard	<i>Pachyrampus polychopterus</i>	1		H		H			
236	Crested Becard	<i>Pachyrampus validus</i>							2	
237	Swallow-tailed Cotinga	<i>Phibalura flavirostris</i>				1				
238	Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>	1	1		H	1			
239	Red-eyed Vireo	<i>Vireo olivaceus</i>					2	2	2	
240	Rufous-crowned Greenlet	<i>Hylophilus poicilotis</i>	1	1		2				
241	Lemon-chested Greenlet	<i>Hylophilus thoracicus</i>						1		
242	Grey-eyed Greenlet	<i>Hylophilus amaurocephalus</i>			2					
243	Curl-crested Jay	<i>Cyanocorax cristatellus</i>			1					
244	White-rumped Swallow	<i>Tachycineta leucorrhoa</i>			✓					
245	Grey-breasted Martin	<i>Progne chalybea</i>			✓				✓	
246	Brown-chested Martin	<i>Progne tapera</i>			✓			✓		
247	Blue-and-white Swallow	<i>Notiochelidon cyanoleuca</i>			✓				✓	
248	White-thighed Swallow	<i>Neochelidon tibialis</i>						2		
249	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>			✓		✓		✓	✓
250	Tawny-headed Swallow	<i>Alopochelidon fucata</i>			2					
251	Black-capped Donacobius	<i>Donacobius atricapilla</i>			2		1			

	Common name	Scientific name	December								
			2	3	4	5	6	7	8	9	
252	Moustached Wren	<i>Pheugopedius genibarbis</i>								H	
253	Long-billed Wren	<i>Cantorchilus longirostris</i>								1	
254	House Wren	<i>Troglodytes aedon</i>			H		2	H	1		
255	Chalk-browed Mockingbird	<i>Mimus saturninus</i>	1		✓	1		2			
256	Yellow-legged Thrush	<i>Turdus flavipes</i>				2					
257	Rufous-bellied Thrush	<i>Turdus rufiventris</i>	✓	✓	✓	✓	✓	2	2		
258	Pale-breasted Thrush	<i>Turdus leucomelas</i>	2	1	2	2					
259	Creamy-bellied Thrush	<i>Turdus amaurochalinus</i>	1		2						
260	White-necked Thrush	<i>Turdus albicollis</i>	H					1			
261	House Sparrow	<i>Passer domesticus</i>			✓	✓			2		
262	Common Waxbill	<i>Estrilda astrild</i>			2					4	
263	Yellowish Pipit	<i>Anthus lutescens</i>					1				
264	Violaceous Euphonia	<i>Euphonia violacea</i>							2	1	
265	Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>						2			
266	Chestnut-bellied Euphonia	<i>Euphonia pectoralis</i>					1				
267	White-rimmed Warbler	<i>Myiothlypis leucoblephara</i>	H	1							
268	Golden-crowned Warbler	<i>Basileuterus culicivorus</i>	1	1	1						
269	Crested Oropendola	<i>Psarocolius decumanus</i>	✓	✓	2	4	✓				
270	Red-rumped Cacique	<i>Cacicus haemorrhous</i>			3		✓	✓	✓	✓	
271	Shiny Cowbird	<i>Molothrus bonariensis</i>	1	1	✓		1		✓		
272	Chopi Blackbird	<i>Gnorimopsar chopi</i>			✓				✓		
273	Chestnut-capped Blackbird	<i>Chrysomus ruficapillus</i>			✓		✓		4	3	
274	Yellow-rumped Marshbird	<i>Pseudoleistes guirahuro</i>			5						
275	Bananaquit	<i>Coereba flaveola</i>	✓	✓	✓	✓	2		2	2	
276	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	✓	✓	✓	✓	2				
277	Grassland Sparrow	<i>Ammodramus humeralis</i>			1						
278	Half-collared Sparrow	<i>Arremon semitorquatus</i>	2								
279	Cinnamon Tanager	<i>Schistochlamys ruficapillus</i>				2					
280	Magpie Tanager	<i>Cissopis leverianus</i>			2						
281	Hooded Tanager	<i>Nemosia pileata</i>							2		
282	Olive-green Tanager	<i>Orthogonys chloricterus</i>					4				
283	Chestnut-headed Tanager	<i>Pyrrhocomma ruficeps</i>		1							
284	Black-goggled Tanager	<i>Trichothraupis melanops</i>	✓	✓	2						
285	Flame-crested Tanager	<i>Tachyphonus cristatus</i>					4		4		
286	Ruby-crowned Tanager	<i>Tachyphonus coronatus</i>	✓	✓	✓	✓	✓		2		
287	Brazilian Tanager	<i>Ramphocelus bresilius</i>					2	1	1	4	
288	Sayaca Tanager	<i>Thraupis sayaca</i>	✓	✓	✓	✓	✓	2	2	✓	
289	Azure-shouldered Tanager	<i>Thraupis cyanopectera</i>	✓	✓	2	3	2				
290	Golden-chevroned Tanager	<i>Thraupis ornata</i>	✓	✓	✓	✓	✓				
291	Palm Tanager	<i>Thraupis palmarum</i>			2		2		2	1	
292	Diademed Tanager	<i>Stephanophorus diadematus</i>				✓					
293	Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>		1							
294	Green-headed Tanager	<i>Tangara seledon</i>					✓		2		
295	Red-necked Tanager	<i>Tangara cyanocephala</i>					✓		4		
296	Brassy-breasted Tanager	<i>Tangara desmaresti</i>	✓	✓	✓	✓	2				
297	Gilt-edged Tanager	<i>Tangara cyanoventris</i>			✓						
298	Burnished-buff Tanager	<i>Tangara cayana</i>	3	3	2	2	2		2		
299	Blue Dacnis	<i>Dacnis cayana</i>	4	✓	✓	✓	✓	2	✓	✓	
300	Rufous-headed Tanager	<i>Hemithraupis ruficapilla</i>	2		1						
301	Yellow-backed Tanager	<i>Hemithraupis flavicollis</i>					1		4	2	
302	Chestnut-vented Conebill	<i>Conirostrum speciosum</i>								2	

	Common name	Scientific name	December							
			2	3	4	5	6	7	8	9
303	Uniform Finch	<i>Haplospiza unicolor</i>				1				
304	Bay-chested Warbling Finch	<i>Poospiza thoracica</i>				✓				
305	Saffron Finch	<i>Sicalis flaveola</i>	4	1	✓	✓	✓	✓	✓	✓
306	Grassland Yellow Finch	<i>Sicalis luteola</i>			2					
307	Blue-black Grassquit	<i>Volatinia jacarina</i>			2					
308	Lined Seedeater	<i>Sporophila lineola</i>							1	
309	Double-collared Seedeater	<i>Sporophila caerulea</i>		1	3					
310	White-bellied Seedeater	<i>Sporophila leucoptera</i>			2					
311	Red-crowned Ant Tanager	<i>Habia rubica</i>					2	2	H	1
312	Yellow-green Grosbeak	<i>Caryothraustes canadensis</i>							H	
313	Black-throated Grosbeak	<i>Saltator fuliginosus</i>					2		H	
314	Buff-throated Saltator	<i>Saltator maximus</i>					1		1	
315	Green-winged Saltator	<i>Saltator similis</i>	H	H						
316	Thick-billed Saltator	<i>Saltator maxillosus</i>				2				

## Other Taxa

1	Brazilian Squirrel	<i>Sciurus aestuans</i>	1				2			
2	Capybara	<i>Hydrochoerus hydrochaeris</i>					✓		✓	✓
3	White-tufted-eared Marmoset	<i>Callithrix jacchus</i>					2		4	3
4	Common Opossum	<i>Didelphis marsupialis</i>	1							
5	Tegu Lizard	<i>Salvator merianae</i>					1			1
6	Rat Snake sp.						1			
7	Brown-throated Sloth	<i>Bradypus variegatus</i>							H	



Gilt-edged Tanager