

# The Best of Brazil's Atlantic Rainforest

Naturetrek Tour Report

12 - 21 October 2018



Brassy-breasted Tanager



Bertoni's Antbird



Streamer-tailed Tyrant



The rare and endemic Itatiaia Thistletail

Report and images by Andy Foster



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour participants: Andy Foster (leader) with 10 Naturetrek Clients

## Day 1

Friday 12th October

Our flight from Heathrow to Rio de Janeiro landed safely on Friday evening and we transferred by free shuttle to our overnight accommodation at the Linx Hotel, not far from the airport.

## Day 2

Saturday 13th October

The group were collected from the Linx hotel at 07.00 by Serginho, our driver for the week. Being a Saturday there was thankfully little traffic on the road and by 09.30 we arrived at Itororo Lodge, our base for the first 5 days of the tour.

We quickly got to grips with some of the birds coming in and out of the feeders including Golden-chevrons Tanager, Brassy-breasted Tanager, Ruby-crowned Tanager, Maroon-bellied Parakeet, Rufous-bellied Thrush, Blue Dacnis, Burnished-buff Tanager and Dusky-legged Guan, while hummingbirds included Violet-capped Woodnymph, Scale-throated Hermit, Black Jacobin, White-throated Hummingbird, Brazilian Ruby, Sombre Hummingbird and a rather nice male Amethyst Woodstar. Other birds seen around the lodge included Green-backed Becard, Chestnut-crowned Becard, Southern Crested Caracara, Savanna Hawk, Rufous-thighed Kite, Slaty-breasted Wood Rail, Grey-rumped Swift, Surucua Trogon, Grey-fronted Dove and Cliff Flycatcher.

After the excitement of lots of new species in a very short period of time everyone was shown to their rooms and we met up again at 10.30 for a quick briefing on the tour and the lodge etc. After this we took a short walk up along the main track within the lodge grounds and it wasn't long before we were picking off new species such as Bertoni's Antbird, Grey-capped Tyrannulet, Rough-legged Tyrannulet, Drab-breasted Bamboo Tyrant, Green-winged Saltator and Variable Antshrike. We made our way back to the lodge for 12.30 in time for lunch. Afterwards we had a short break (some saw Plain Parakeet on the feeders) meeting up again at 14.15 to go and spend the afternoon birding the White Trail.

Unlike the previous week the weather had really started to warm up and bird activity was quite low with few species responding to playback, we did however manage to see Bare-throated Bellbird, Spot-billed Toucanet, Olivaceous Woodcreeper, Scaled Woodcreeper, Ochre-faced Tody Flycatcher, brief views of Blue Manakin, Squirrel Cuckoo, Crested Oropendola, Black-goggled Tanager and Rufous-headed Tanager.

Things had gone really quiet so we made our way back to the lodge picking up some Magpie Tanagers on one of the lodge feeders and Alan and Keith had lined up some nice Gilt-edged Tanagers for us in the trees by the lodge! A little later we took a short walk up to an area hoping to see Long-trained Nightjar but unfortunately it refused to show this evening, although we did get great views of a Short-tailed Nighthawk flying low overhead and heard some Common Potoos calling far away.

We made it back to the lodge for 18.30, dinner was served and we completed our first checklist of the tour. Exhausted, everyone retired soon afterwards.

## Day 3

## Sunday 14th October

We awoke to a fairly clear morning so a trip up to Pico de Caledonia for some higher altitude birding was looking good. As we dropped down through the local town the cloud was steadily building up over the peak, but it looked clear everywhere else so we decided to give it a shot. What a good plan that turned out to be! We arrived at our parking spot at around 1,700m in altitude and got ourselves prepared for the day ahead. As we started to walk up the mountain we got our first views of Black and Gold Cotinga, such a great bird! A little further up we used some playback for Rufous-tailed Antbird which responded and showed well. Suddenly there was a lot of bird activity around us. Looking up we could see a great fruiting tree and the next 25 minutes was non-stop action! We had several great birds come to the tree including Swallow-tailed Cotinga, Pallid Spinetail, Rufous-browed Peppershrike, Black and Gold Cotinga, Thick-billed Saltator, Rufous-crowned Greenlet, Bay-chested Warbling Finch, Rufous-backed Antvireo, Olivaceous Eleania, Brassy-breasted Tanager and Diademed Tanager - what a very productive start to the day!

As we walked up the track we came across a Rufous Gnateater, Serra do Mar Tyrannulet and also a Serra do Mar Tyrant-Manakin, all just 100m after the fruiting tree! Further along we used some playback for Giant Antshrike, but although the bird responded it refused to come any closer. Next up was a Blue-billed Black Tyrant followed by another pair of Diademed Tanagers and a Mouse-coloured Tapaculo.

We were now fast approaching the best area for Grey-winged Cotinga, and we heard it vocalise a few times but no sign of the bird! Further up we started to scan and used a little playback, within a few minutes all but one of the group had good scope views of this scarce endemic! Try as we might we couldn't relocate the bird so continued on up towards the spot for Itatiaia Thistletail, another big target for the day.

Being a Sunday there was a little movement of people up on the access road, including a group of 50+ girls from the local church carrying chairs and various other bits and bobs for a morning service.....all the way up at the top of the peak! An hour later two priests also walked past to give the service! Strangely the security guard was not on duty today so access to the upper section was looking difficult, until we decided to follow the churchgoers and go through a small hole in the fence! Now well on our way we arrived at the 620+ steps towards the Thistletail spot. Every 50 steps or so we used playback to try to call the bird in, but unfortunately it was having none of it. Around step 580 we finally got a response, just as our 50+ churchgoers decided to come back down, putting our Thistletail on hold a little! Fifteen minutes later after a constant stream of people we used playback again and finally got good views of this very localised and scarce endemic!! Well worth the effort and the wait!

The rare and endemic Itatiaia Thistletail through the mist! (©Andy Foster)

It was now 13.00 and with thick cloud and drizzle now falling we decided to head back down to have our packed lunch. After lunch we continued on down playing a little more Grey-winged Cotinga and thankfully after a quick scan I picked it up, got it in the scope and Tony (who had missed it earlier) along with the rest of the group had some great views! We continued on down and it had now become quite cool with little bird activity. We arrived back at the minibus just after 14.45 and took a 10 minute drive to another spot. This turned out to be very productive indeed with Red-legged Seriema, Large-tailed Antshrike, Masked Yellowthroat, Bran-coloured Flycatcher, Olivaceous Eleania and Rufous-capped Antshrike - what a great end to a fantastic days birding!

We arrived back at the lodge just after 17.00, refreshed ourselves with tea, coffee and cake and met up again just before 18.00 to try to find the Long-trained Nightjar. Once again unfortunately it failed to appear, so, same time tomorrow we would try again!

Dinner was served at 18.30 followed by our daily checklist.

## Day 4

## Monday 15th October

We were greeted by a very cloudy morning - thick fog in fact! After breakfast we departed for an hour's drive towards Duas Barras for a day of open country birding. We arrived at our first stop just after 07.30 and although there was some light drizzle it turned out to be a very productive spot. As soon as we got out of the minibus we had five Blue-winged Macaws in a tree above us - a great start! We started scanning the valley below us and were soon picking up many new species including Streamer-tailed Tyrant, Yellow-bellied Elaenia, Wing-banded Hornero, Rufous Hornero, Rufous-fronted Thornbird, Black-capped Donacobius, Fork-tailed Flycatcher, Chalk-browed Mockingbird, Yellow-browed Tyrant, Cattle Tyrant and Masked Water Tyrant.

We drove for another 10 minutes or so and pulled over at the roadside again picking up Short-crested Flycatcher, Red-rumped Cacique, Double-collared Seedeater, Hooded Siskin and Rufous-headed Tanager. The next stop produced Pale-vented Pigeon and Guira Cuckoo, and we then started using playback for Serra Antwren, within a few minutes getting a good response from one that ended up coming in and giving some good views for the group. We then started playing some Hangnest Tody-Tyrant, which also came in and showed briefly but was soon replaced by a pair of Grey-eyed Greenlets. After getting good views of this new bird we played some more Hangnest Tody and it soon popped out giving the group great views! At the same time it started to pour with rain so we retreated back to the minibus and drove on towards Duas Barras having a quick stop at the viewpoint where it continued to pour with rain. We had a brief respite and managed to find a Firewood Gatherer and also picked up Blue-black Grassquit, White-rumped Swallow, Southern rough-winged Swallow and Swallow Tanager. We dropped down into the small town of Duas Barras stopping for coffee and cake before moving on towards Sumidouro. Still with light rain falling we had our first stop along the dirt road getting good views of a pair of White-tailed Hawks, Smooth-billed Ani, Campo Flicker and Chestnut-capped Blackbird.

Next up we stopped in a small fragment of forest, but unfortunately it too was in thick cloud and it started to rain heavily. We did however manage to get views of a Yellow-lored Tody Flycatcher and Grey-hooded Attila.

We moved on with the dirt road being quite slippery in places but our driver Serginho did an excellent job of negotiating various bad sections of the road and getting us through safely. We had a few other stops along the way picking up Blackish Rail, Yellow-chinned Spinetail, White-eared Puffbird, Cliff Flycatcher, Tawny-headed Swallow and White-crested Tyrannulet.

It was now 13.00 so we stopped for lunch at the end of the dirt road and picked up a few new species at the same time including Rufous-capped Spinetail, Curl-crested Jay, Olivaceous Woodcreeper, Golden-crowned Warbler and Dave spotted an Ultramarine Grosbeak! After lunch we took a 20 minute drive towards Sumidouro, and then to the Three-toed Jacamar spot. As soon as we pulled up we spotted a couple of Toco Toucans in a nearby tree - beautiful birds! After having some good looks at the toucans we used some playback for the Three-

toed Jacamar and almost instantly we had two fly in above us giving everyone fantastic views! We also picked up Lesser-yellow headed Vulture.

With mission accomplished we started to drive back through Sumidouro and towards Murineli, having one last stop on the way hoping to see Black-necked Aracaris, but unfortunately we were unsuccessful. After a very productive days birding, we arrived back at the lodge around 17.00 and met up again at 18.30 for dinner and the days checklist.

## Day 5

**Tuesday 16th October**

Another cloudy morning as we met up for breakfast at 06.00. Today we were to spend a full day in the Itororo Lodge grounds. As we set off light rain started to fall but we were soon using playback on our first Antbird of the day, a Dusky-tailed Antbird that responded well coming in and showing well for the whole group.

Further along the track we played some Ochre-rumped Antbird which didn't respond initially, but a few minutes later one appeared in the bamboo in front of us, again giving some good views! We started walking along the White Trail and it was fairly quiet, although we did get good views of a Rufous Gnateater followed by a Star-throated Antwren for some of the group. We came across a small mixed flock that was a little frustrating as it moved through the understorey a little too fast. We did however manage to get views of White-collared Foliage Gleaner, Sharp-billed Treehunter, Uniform Finch, Lesser Woodcreeper, Rufous-crowned Greenlet and Brassy-breasted Tanager. The rest of the morning was fairly quiet as we were enshrouded in thick cloud, we did manage to call in a male Spot-billed Toucanet giving us better views of this beautiful bird than we had earlier in the week. This was followed by a Rufous-capped Motmot which after some effort the whole group managed to see. We also got good views of Ochre-faced Tody Flycatcher, Olivaceous Woodcreeper, Blue Manakin, Golden-crowned Warbler and briefer views of a male Pin-tailed Manakin.

We got back to the lodge at 12.15 and had lunch at 13.00 followed by a short break. Meeting up again at 14.15 we set off for an afternoon's birding around the Blue Trail, again in the lodge grounds. Unfortunately the weather didn't improve all afternoon, with low thick cloud and light rain really affecting the birding. We managed to get good views of a male Chestnut-headed Tanager, Euler's Flycatcher and more looks at White-collared Foliage Gleaner and Blue Manakins, but apart from that it was very quiet.

We arrived back at the lodge just after 17.00, had some tea, coffee and cake and then set off at 17.45 to try to find the Long-trained Nightjar again... for the third night!! Whilst we were waiting a couple of Short-tailed Nighthawks flew over giving good views and then shortly afterwards.... the Long-trained Nightjar appeared flying low over our heads and giving a good display, after such a tough days birding we really deserved this! We got back to the lodge just before 18.30, dinner was served and we completed the checklist afterwards.

## Day 6

**Wednesday 17th October**

Today was our moving on day to our next lodge at Reserva Ecologica de Guapi Acu. We met for breakfast as usual at 06.00 and shortly afterwards our driver Serginho arrived and we paid our drinks bills, loaded up the minibus, said our goodbyes and set off towards Macae de Cima. As we drove towards the highest point of the mountain pass the weather was still bad so unfortunately we couldn't drive up the Macae de Cima road as it

would have been impassable in the minibus. Instead we decided to drop down and bird the Cedae Trail for the morning which turned out to be an excellent choice!

Shortly after we got out of the minibus we were into the action with both Red-necked and Green-headed Tanagers above us giving pretty good views.

Next up we used playback and called down a Tropical Parula, and this was followed by a Rufous-headed Tanager and a Green Honeycreeper. We walked a little way down the track and came across a small mixed flock that contained Lesser Woodcreeper, Red-crowned Ant Tanager and a Black-capped Foliage Gleaner. We then played some Saffron Toucanet which did not respond but it did attract in a nice male Spot-billed Toucanet that gave a serious upgraded view to the one we had seen the previous day at Itororo. We walked on down and used playback to call in a Black-cheeked Gnateater followed by good views of Grey-hooded Attila. Further down we came across a Spot-backed Antshrike that showed well and shortly afterwards a White-throated Spadebill. It was now just after 10.30 so we turned around and started heading back up the track picking up views of Star-throated Antwren and amazingly good views of White-throated Woodcreeper!

After some playback we also managed to get good views of the endemic Ochre-breasted Foliage Gleaner. Arriving back at the minibus just after 11.30 we took a short drive down to some local feeders but unfortunately they were very quiet only producing a pair of Green-headed Tanagers, but still good to have such great looks!

We took the hour drive to Regua arriving just before 13.00 and went straight into lunch. After a short break we set off at 14.30 for a walk around the wetland area by the lodge picking up some of the commoner species including Rufous-tailed Jacamar, very brief views of Silvery-flanked Antwren, Common Galinule, Boat-billed Heron (such a great bird!), Cattle Egret, Striated Heron, White-headed Marsh-Tyrant, Greater Ani, Yellow-lored Tody Flycatcher and Brazilian Tanager.

We arrived back at the lodge around 17.00 and sorted out the rooms and then met up again at 18.30 for dinner. Shortly after 19.00 we set off for some owling and took a 15 minute drive away from the lodge with Adeli, one of the Regua guides. We used some playback for Mottled Owl first, within a matter of seconds we had one fly in and perch above us giving great views! Next we played some Tawny-browed Owl, and although it called back, unfortunately it refused to come in. We drove a little further and played some Black-banded Owl, which responded well but like the Tawny-browed Owl, refused to come closer. Adeli walked further down the track and managed to locate the Black-banded Owl, which gave the whole group excellent views!

We arrived back at the lodge around 21.30, completed our checklist for the day and retired to bed soon after!

## Day 7

## Thursday 18th October

We awoke to a cloudy and cool morning which was a nice surprise! We had a little pre-breakfast birding around the lodge grounds and picked up Silvery-flanked Antwren, Unicoloured Antwren, Brazilian Tanager, White-bearded Manakin, White-barred Piculet and over the wetlands saw Neotropic Cormorant, Black-bellied Whistling Duck and Rufescent Tiger Heron. After breakfast we set off from the lodge for a morning's birding around the Brown Trail. Being cooler than usual, we were hoping that the bird activity would remain good all morning. We certainly had a steady morning picking up lots of new species. Around the edge of the wetlands we

got good views of Ringed Kingfisher, Amazon Kingfisher, Capped Heron and Anhinga, while in the vegetation by the edge we had improved views of Yellow-lored Tody Flycatcher and also called in a couple of Lemon-chested Greenlets.

As we headed into the forest we were soon getting more new species such as Sooretama Slaty Antshrike, Southern Antpipit, catch-up views for the some of the group of Silvery Flanked and Unicoloured Antwrens, Long-billed Wren, Scaled Antbird, Black-capped Foliage Gleaner, Rufous-winged Antwren, White-eyed Foliage Gleaner, Eye-ringed Tody Tyrant and a rather nice Crescent-chested Puffbird. By 11.15 we turned around on the trail and started heading back towards the lodge, on the way we had the briefest of flight views of a Blond-crested Woodpecker and then used some playback on Rufous-sided Crake that left the reeds and flew over the path giving brief but OK views for some. We arrived back at the lodge at 12.30 in time for lunch. We had a short break afterwards and met up again at 14.30 to bird part of the Yellow Trail behind the wetlands. During the break a small family group of White-tufted Eared Marmosets visited the feeders.

It was incredibly hot with hardly any birds vocalising, but we pressed on and soon came across the highlight of the day, a Common Potoo with a chick perched up high on a dead stump - brilliant to see such a great sight! We carried on around the wetlands getting a response from a Moustached Wren which unfortunately did not come to playback. Shortly afterwards we had scope views of some Grey-necked Wood-Rails across the other side of the wetland together with some Amazon Kingfishers. We came across four male Brazilian Tanagers, followed by scope views of a Cocoi Heron. A very quiet afternoon, but great to see the Potoo!

We arrived back at the lodge just before 17.00, leaving just enough time for some tea and coffee before Adeli arrived to take us to the Giant Snipe spot. We took the 15 minute drive to the Snipe spot and waited for it to get a little darker. We tried to locate the Snipe on the ground but unfortunately they were not playing tonight, but we did manage to see two in flight as they flushed from the ground, so pretty good! We also managed to get Yellowish Pipit and Burrowing Owl prior to the Snipe and also a Pauraque in flight and on the road on the journey back.

We arrived back at the lodge at 19.00 quite exhausted after a very successful and long day in the field, but all very rewarding! We went straight in for dinner and completed the daily checklist shortly afterwards.

## Day 8

## Friday 19th October

Another cloudy morning greeted us as we met up for some pre-breakfast birding, which was actually great news as it meant the temperature would hopefully stay low throughout the day making things more productive. We set off for a morning's birding along the Waldonoor Trail arriving at the start just before 07.45. On the way some of the group got good views of a Red-cowled Cardinal along the side of the road. As soon as we arrived at the start of the trail there were Yellow-green Grosbeaks calling and perched up in clear view - an excellent start! We then started walking the trail picking up some Green-headed Tanagers along the way followed by some Channel-billed Toucans and then our first new woodpecker of the morning, a nice male Yellow-throated Woodpecker! It perched up nice and still so allowed us all good scope views. Next up we started to use some playback for Blond-crested Woodpecker, but although this responded it did not come any closer, although we did get good scope views of a male Spot-billed Toucanet in the same area. We also picked up a Yellow-olive Flycatcher and more views of Red-necked Tanagers. As we continued along the trail we played for some more Blond-crested

Woodpecker and got a good response. After about five minutes of trying the male woodpecker finally landed where we could all get onto it giving some pretty good views of this wonderful bird.

We arrived at another spot where we have had Yellow-fronted Woodpeckers in the past, and after some playback, sure enough one appeared in the tree above us, again, giving good scope views - a three woodpecker morning can't be bad!! Shortly afterwards Adeli spotted an Olive-green Tanager (another target bird for the morning) in a distant tree, and after some playback they came in closer for the whole group to see. We continued on up the now rather narrow track until we reached an area where we were hoping to see Frilled Coquette. After some 20 minutes of waiting there was still no sign so we started using playback for various different species, one of which was Buff-bellied Puffbird. After a few minutes Adeli spotted one perched way off in the distance, but nothing the scope couldn't handle (!) giving us good views of this rather large puffbird.

It was now 10.30 so we started to walk back down the track as rain started to fall; hopefully it wouldn't last long. Thankfully the rain remained light and just as we were getting close to the car we heard a couple of Dusky-capped Flycatchers, which were up in the canopy and gave OK views in the end. Nearing where we had left the vehicle we flushed a White-necked Hawk from the side of the track - such a pity that it didn't stay just a few seconds longer for the whole group to get views. We started our 25 minute drive back to the lodge and half way along both Liz and myself spotted a male Frilled Coquette perched by the roadside. Panic set in as we got the driver to stop and we all managed to get great views of this fantastic little hummingbird!

We arrived back at the lodge at noon and found Purple-throated Euphonias next to the feeder before having lunch at 12.30. This was followed by a short break, meeting up again at 14.30 to bird around the wetlands to try to pick up some more new species before our departure tomorrow. As we left the lodge it started to rain lightly again, and this continued on and off during the afternoon. It was a fairly quiet afternoon but we managed to get a few new species as we followed the Yellow Trail around the wetlands. First up we had a Pied-billed Grebe followed by a couple of Yellow Tyrannulets, and then a Yellow-breasted Flycatcher high up in the canopy...a tough bird to see!

As we walked further around the wetlands we came across a Boat-billed Heron, Rufescent Tiger Heron and a Black-crowned Night Heron. We also tried in a few places for Moustached Wren but without any luck, so this would have to wait until tomorrow! Further around the wetlands we had some nice male White-bearded Manakins followed by a Laughing Falcon flying over high and we also had great views of a pair of Blond-crested Woodpeckers and a pair of Chestnut-backed Antshrikes.

We arrived back at the lodge around 17.30 and met up again for dinner at 18.30 followed by the completion as usual of the daily checklist.

## Day 9

Saturday 20th October

Unfortunately the last day was upon us the week having flown by! We met as usual for some pre-breakfast birding and then set off after breakfast to walk the Brown Trail in search of a few missing species. Before leaving we had an Orange-bellied Euphonia on the lodge feeder. Along the trail it was a little slow going but as we headed towards the Sao Jose Trail we got better views of Southern Antpipit followed by much better views of a male Scaled Antbird that responded well to playback. Next up we heard a Greyish Mourner calling and again



after some playback this finally perched above us; not the best views as it was high in the canopy, but good enough. Straight afterwards we had a couple of Eared Pygmy Tyrants calling way above us in the canopy, and again, after a little effort we located these tiny little Tyrants! As we started to walk the Sao Jose Trail we used some playback for White-bibbed Antbird as they had previously been seen here. After a while we finally got a response and after much effort we got great views of this great little endemic! During the course of the morning we had good views of at least a couple of Reddish Hermits. On the way back towards the lodge we used some playback for a Grey-hooded Flycatcher that was calling some distance away, within seconds it perched up in front of us giving good prolonged views.

Whilst we were away on the trail some of the group stayed behind for some “free time”, during which John photographed a female Frilled Coquette and Keith had good views of a Hooded Tanager.

We arrived back at the lodge in time for lunch at 12.30, which was followed by the final checklist and then it was time for packing etc. Serginho arrived at the lodge at 15.15 and the minibus was soon loaded up, and after a brief interval for a Versicoloured Emerald that was feeding in a nearby tree, we departed the lodge shortly afterwards. It took us just a couple of hours to drive down to the airport in Rio, which was quicker than expected but it was good to have a nice smooth journey. We said our goodbyes at the airport after a great week with a lovely group of people, making it a very enjoyable and productive trip!

## Day 10

Sunday 21st October

Return flight arriving in the UK

Trip totals were as follows:

As a group we saw a total of 284 species, of which 89 were Atlantic forest endemics.

We had a further 26 species heard only, marked H in the checklist

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



[www.facebook.com/naturetrekwildlifeholidays](http://www.facebook.com/naturetrekwildlifeholidays)



[www.twitter.com/naturetrektours](http://www.twitter.com/naturetrektours)



[www.instagram.com/naturetrek\\_wildlife\\_holidays](http://www.instagram.com/naturetrek_wildlife_holidays)

## Species Lists

Birds (✓=recorded but not counted; H = heard only; Species in **bold** are Atlantic forest endemics)

	Common name	Scientific name	October							
			13	14	15	16	17	18	19	20
1	Brown Tinamou	<i>Crypturellus obsoletus</i>	H			H				
2	Dusky-legged Guan	<i>Penelope obscura</i>	3	2	✓	4	✓			
3	Rusty-margined Guan	<i>Penelope superciliaris</i>					2	2		
4	<b>Spot-winged Wood Quail</b>	<i>Odontophorus capueira</i>	H	H		H	H			
5	Black-bellied Whistling Duck	<i>Dendrocygna autumnalis</i>						✓	✓	✓
6	Muscovy Duck	<i>Cairina moschata</i>						2	2	2
7	Brazilian Teal	<i>Amazonetta brasiliensis</i>			2					
8	Pied-billed Grebe	<i>Podilymbus podiceps</i>							1	
9	Rufescent Tiger Heron	<i>Tigrisoma lineatum</i>						1	3	2
10	Boat-billed Heron	<i>Cochlearius cochlearius</i>					2	4	3	2
11	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>						1	1	
12	Striated Heron	<i>Butorides striata</i>					3	2	2	1
13	Western Cattle Egret	<i>Bubulcus ibis</i>	✓		✓		✓	✓	✓	✓
14	Cocoi Heron	<i>Ardea cocoi</i>						1	1	
15	Great Egret	<i>Ardea alba</i>	1		2			2	2	1
16	Capped Heron	<i>Pilherodius pileatus</i>						2	2	
17	Snowy Egret	<i>Egretta thula</i>	✓							
18	Magnificent Frigatebird	<i>Fregata magnificens</i>	✓							
19	Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>						4	4	2
20	Anhinga	<i>Anhinga anhinga</i>					1	2	3	1
21	Turkey Vulture	<i>Cathartes aura</i>	2		1		✓	2	2	✓
22	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>			1					
23	Black Vulture	<i>Coragyps atratus</i>	✓	✓	✓	1	✓	✓	✓	✓
24	Rufous-thighed Kite	<i>Harpagus diodon</i>	2	1						
25	Savanna Hawk	<i>Buteogallus meridionalis</i>	2		3			1		
26	<b>White-necked Hawk</b>	<i>Buteogallus lacernulatus</i>							1	
27	Roadside Hawk	<i>Rupornis magnirostris</i>							1	
28	White-tailed Hawk	<i>Geranoaetus albicaudatus</i>			3					
29	Red-legged Seriema	<i>Cariama cristata</i>		1	H					
30	Rufous-sided Crake	<i>Laterallus melanophaius</i>					H	1	H	
31	Grey-necked Wood Rail	<i>Aramides cajaneus</i>						2		H
32	<b>Slaty-breasted Wood Rail</b>	<i>Aramides saracura</i>	2	1	H	2	1			
33	Ash-throated Crake	<i>Porzana albicollis</i>						H		
34	Blackish Rail	<i>Pardirallus nigricans</i>			2		H	H	H	
35	Purple Gallinule	<i>Porphyrio martinicus</i>						1	2	2
36	Common Gallinule	<i>Gallinula galeata</i>					✓	✓	✓	✓
37	Southern Lapwing	<i>Vanellus chilensis</i>	✓		✓			✓	2	
38	Wattled Jacana	<i>Jacana jacana</i>					✓	✓	✓	✓
39	Giant Snipe	<i>Gallinago undulata</i>						2		
40	Rock Dove	<i>Columba livia</i>	✓		✓					
41	Picazuro Pigeon	<i>Patagioenas picazuro</i>	2	4	✓	✓	✓	✓	✓	✓
42	Pale-vented Pigeon	<i>Patagioenas cayennensis</i>			2				4	2
43	Plumbeous Pigeon	<i>Patagioenas plumbea</i>				H				
44	Ruddy Ground Dove	<i>Columbina talpacoti</i>	✓	✓			✓	2	✓	
45	White-tipped Dove	<i>Leptotila verreauxi</i>	1							
46	Grey-fronted Dove	<i>Leptotila rufaxilla</i>	✓	2	2	4	1	2	4	1

	Common name	Scientific name	October							
			13	14	15	16	17	18	19	20
47	White-eyed Parakeet	<i>Psittacara leucophthalmus</i>	✓	✓	✓	✓				
48	Guira Cuckoo	<i>Guira guira</i>			3				2	
49	Greater Ani	<i>Crotophaga major</i>					✓	✓	✓	✓
50	Smooth-billed Ani	<i>Crotophaga ani</i>			✓			✓	✓	
51	Squirrel Cuckoo	<i>Piaya cayana</i>	✓		2	H	1	3		1
52	Tropical Screech Owl	<i>Megascops choliba</i>	H				H			
53	Mottled Owl	<i>Strix virgata</i>					1			
54	Black-banded Owl	<i>Strix huhula</i>					1			
55	<b>Tawny-browed Owl</b>	<i>Pulsatrix koeniswaldiana</i>					H			
56	Ferruginous Pygmy Owl	<i>Glaucidium brasilianum</i>			H		1	H		
57	Burrowing Owl	<i>Athene cunicularia</i>						2		
58	<b>Long-tailed Potoo</b>	<i>Nyctibius aethereus</i>					H			
59	Common Potoo	<i>Nyctibius griseus</i>	H			H		2	2	2
60	Short-tailed Nighthawk	<i>Lurocalis semitorquatus</i>	1	H		2				
61	Pauraque	<i>Nyctidromus albicollis</i>					1	4		
62	<b>Long-trained Nightjar</b>	<i>Macropsalis forcipata</i>				1				
63	White-collared Swift	<i>Streptoprocne zonaris</i>		✓			✓	✓		✓
64	Grey-rumped Swift	<i>Chaetura cinereiventris</i>	5	2	4		1	2		2
65	<b>Saw-billed Hermit</b>	<i>Ramphodon naevius</i>					H		H	
66	<b>Scale-throated Hermit</b>	<i>Phaethornis eurynome</i>	2	2	1	3				
67	Planalto Hermit	<i>Phaethornis pretrei</i>			H					
68	Reddish Hermit	<i>Phaethornis ruber</i>						1		2
69	<b>Sombre Hummingbird</b>	<i>Aphantochroa cirrochloris</i>	1			1				
70	Swallow-tailed Hummingbird	<i>Eupetomena macroura</i>					2	1	2	1
71	<b>Black Jacobin</b>	<i>Florisuga fusca</i>	✓	✓	✓	✓	✓	✓	✓	✓
72	<b>Green-crowned Plovercrest</b>	<i>Stephanoxis lalandi</i>		2						
73	<b>Frisled Coquette</b>	<i>Lophornis magnificus</i>							1	1
74	Glittering-bellied Emerald	<i>Chlorostilbon lucidus</i>		1	2					
75	<b>Violet-capped Woodnymph</b>	<i>Thalurania glaucopis</i>	✓	2	4	4	2	2	3	2
76	White-chinned Sapphire	<i>Hylocharis cyanus</i>					1		1	2
77	<b>White-throated Hummingbird</b>	<i>Leucochloris albicollis</i>	✓	✓	✓	✓	✓			
78	Versicolored Emerald	<i>Amazilia versicolor</i>					1			1
79	Glittering-throated Emerald	<i>Amazilia fimbriata</i>						1		
80	<b>Brazilian Ruby</b>	<i>Clytolaema rubricauda</i>	✓	✓	✓	✓	✓			
81	Amethyst Woodstar	<i>Calliphlox amethystina</i>	1							
82	Surucua Trogon	<i>Trogon surrucura</i>	2		H	1	1			
83	Green Kingfisher	<i>Chloroceryle americana</i>							1	
84	Amazon Kingfisher	<i>Chloroceryle amazona</i>			1		1	4	✓	1
85	Ringed Kingfisher	<i>Megaceryle torquata</i>			2			4		
86	<b>Rufous-capped Motmot</b>	<i>Baryphthengus ruficapillus</i>	H			1	H		H	
87	<b>Three-toed Jacamar</b>	<i>Jacamaralcyon tridactyla</i>			2					
88	Rufous-tailed Jacamar	<i>Galbula ruficauda</i>					2	✓	3	
89	Buff-bellied Puffbird	<i>Notharchus swainsoni</i>					H		1	
90	White-eared Puffbird	<i>Nystalus chacuru</i>			2					
91	<b>Crescent-chested Puffbird</b>	<i>Malacoptila striata</i>						1		
92	<b>Spot-billed Toucanet</b>	<i>Selenidera maculirostris</i>	1			1	1		1	
93	Channel-billed Toucan	<i>Ramphastos vitellinus</i>							4	✓
94	Toco Toucan	<i>Ramphastos toco</i>			2					
95	White-barred Piculet	<i>Picumnus cirratus</i>		1			1	2		
96	<b>Yellow-fronted Woodpecker</b>	<i>Melanerpes flavifrons</i>							1	
97	<b>Yellow-eared Woodpecker</b>	<i>Veniliornis maculifrons</i>				2				

	Common name	Scientific name	October							
			13	14	15	16	17	18	19	20
98	Yellow-throated Woodpecker	<i>Piculus flavigula</i>							1	H
99	Campo Flicker	<i>Colaptes campestris</i>			2			2		
100	Blond-crested Woodpecker	<i>Celeus flavescens</i>						H	3	2
101	Southern Crested Caracara	<i>Caracara plancus</i>	4	1	3				1	
102	Yellow-headed Caracara	<i>Milvago chimachima</i>			2		4	✓	2	✓
103	Laughing Falcon	<i>Herpetotheres cachinnans</i>							1	
104	American Kestrel	<i>Falco sparverius</i>			1					
105	<b>Plain Parakeet</b>	<i>Brotogeris tirica</i>	2						5	
106	Scaly-headed Parrot	<i>Pionus maximiliani</i>	4		2	H	3		✓	H
107	Orange-winged Amazon	<i>Amazona amazonica</i>	2							
108	Blue-winged Parrotlet	<i>Forpus xanthopterygius</i>						4		
109	<b>Maroon-bellied Parakeet</b>	<i>Pyrrhura frontalis</i>	2	3	5	✓	✓	✓	✓	✓
110	Blue-winged Macaw	<i>Primolius maracana</i>			5					
111	<b>Band-tailed Hornero</b>	<i>Furnarius figulus</i>			4		2	2	2	
112	Rufous Hornero	<i>Furnarius rufus</i>			✓					
113	<b>Itatiaia Spinetail</b>	<i>Asthenes moreirae</i>		2						
114	<b>Rufous-capped Spinetail</b>	<i>Synallaxis ruficapilla</i>	H	H	1	H				
115	Spix's Spinetail	<i>Synallaxis spixi</i>				1				
116	<b>Pallid Spinetail</b>	<i>Cranioleuca pallida</i>	1	1		H				
117	Yellow-chinned Spinetail	<i>Certhiaxis cinnamomeus</i>			2		1	4	4	4
118	Rufous-fronted Thornbird	<i>Phacellodomus rufifrons</i>			4					
119	<b>Orange-eyed Thornbird</b>	<i>Phacellodomus erythrophthalmus</i>		1		H				
120	Firewood-Gatherer	<i>Anumbius anumbi</i>			1					
121	Buff-browed Foliage-Gleaner	<i>Syndactyla rufosuperciliata</i>	H	2		1				
122	Ochre-breasted Foliage-Gleaner	<i>Philydor lichtensteini</i>					1			
123	<b>Black-capped Foliage-Gleaner</b>	<i>Philydor atricapillus</i>					H	1	1	
124	Buff-fronted Foliage-Gleaner	<i>Philydor rufum</i>	4			4	2			
125	<b>White-collared Foliage-Gleaner</b>	<i>Anabazenops fuscus</i>	H			2				
126	<b>Pale-browed Treehunter</b>	<i>Cichocolaptes leucophrus</i>					H			
127	<b>White-eyed Foliage-Gleaner</b>	<i>Automolus leucophthalmus</i>						1	H	
128	<b>Rufous-breasted Leaftosser</b>	<i>Sclerurus scansor</i>				H				
129	Sharp-tailed Streamcreeper	<i>Lochmias nematura</i>				H				
130	<b>Sharp-billed Treehunter</b>	<i>Heliobletus contaminatus</i>				2				
131	Plain Xenops	<i>Xenops minutus</i>						1		
132	Streaked Xenops	<i>Xenops rutilans</i>					1	1		1
133	<b>Plain-winged Woodcreeper</b>	<i>Dendrocincla turdina</i>					1		H	H
134	Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>	1		2	5	2			
135	White-throated Woodcreeper	<i>Xiphocolaptes albicollis</i>		1			1			
136	Planalto Woodcreeper	<i>Dendrocolaptes platyrostris</i>				H				
137	<b>Lesser Woodcreeper</b>	<i>Xiphorhynchus fuscus</i>	H			1	1	2		H
138	<b>Scaled Woodcreeper</b>	<i>Lepidocolaptes squamatus</i>	3							
139	<b>Spot-backed Antshrike</b>	<i>Hypoedaleus guttatus</i>					1		H	
140	Giant Antshrike	<i>Batara cinerea</i>		H		H				
141	<b>Large-tailed Antshrike</b>	<i>Mackenziaena leachii</i>		1						
142	<b>Tufted Antshrike</b>	<i>Mackenziaena severa</i>								H
143	Chestnut-backed Antshrike	<i>Thamnophilus palliatus</i>						1	2	
144	<b>Sooretama Slaty Antshrike</b>	<i>Thamnophilus ambiguus</i>						2	H	H
145	Variable Antshrike	<i>Thamnophilus caerulescens</i>	2			2				
146	Rufous-capped Antshrike	<i>Thamnophilus ruficapillus</i>		1						
147	<b>Spot-breasted Antwireo</b>	<i>Dysithamnus stictothorax</i>					1			
148	Plain Antwireo	<i>Dysithamnus mentalis</i>					2			

	Common name	Scientific name	October							
			13	14	15	16	17	18	19	20
149	<b>Rufous-backed Antwreio</b>	<i>Dysithamnus xanthopterus</i>		2						
150	<b>Star-throated Antwren</b>	<i>Rhopias gularis</i>				1	2			
151	<b>Silvery-flanked Antwren</b>	<i>Myrmotherula luctuosa</i>					H	✓		2
152	<b>Unicolored Antwren</b>	<i>Myrmotherula unicolor</i>						4		H
153	Rufous-winged Antwren	<i>Herpsilochmus rufimarginatus</i>						1		H
154	<b>Serra Antwren</b>	<i>Formicivora serrana</i>			1					
155	<b>Bertoni's Antbird</b>	<i>Drymophila rubricollis</i>	2							
156	<b>Rufous-tailed Antbird</b>	<i>Drymophila genei</i>		4						
157	<b>Ochre-rumped Antbird</b>	<i>Drymophila ochropyga</i>	H			1				
158	<b>Dusky-tailed Antbird</b>	<i>Drymophila malura</i>	H			1				
159	<b>Scaled Antbird</b>	<i>Drymophila squamata</i>						1		1
160	<b>Streak-capped Antwren</b>	<i>Terenura maculata</i>					1			
161	<b>White-shouldered Fire-Eye</b>	<i>Pyriglena leucoptera</i>				H	H			
162	<b>White-bibbed Antbird</b>	<i>Myrmeciza loricata</i>								1
163	<b>Cryptic Antthrush</b>	<i>Chamaeza meruloides</i>				H				
164	<b>Rufous-tailed Antthrush</b>	<i>Chamaeza ruficauda</i>	H			H				
165	Variegated Antpitta	<i>Grallaria varia</i>	H			H				
166	<b>Rufous Gnateater</b>	<i>Conopophaga lineata</i>		1		1				
167	<b>Black-cheeked Gnateater</b>	<i>Conopophaga melanops</i>					2		H	
168	<b>White-breasted Tapaculo</b>	<i>Eleoscytalopus indigoticus</i>	1			H				
169	<b>Mouse-colored Tapaculo</b>	<i>Scytalopus speluncae</i>		1		H				
170	Planalto Tyrannulet	<i>Phyllomyias fasciatus</i>	1		1					
171	Rough-legged Tyrannulet	<i>Phyllomyias burmeisteri</i>	1							
172	<b>Grey-capped Tyrannulet</b>	<i>Phyllomyias griseocapilla</i>	1							
173	Yellow-bellied Elaenia	<i>Myiopagis flavivertex</i>			4			2		
174	Olivaceous Elaenia	<i>Elaenia mesoleuca</i>		2						
175	Southern Beardless Tyrannulet	<i>Campostoma obsoletum</i>			2					
176	White-crested Tyrannulet	<i>Serpophaga subcristata</i>			1					
177	Yellow Tyrannulet	<i>Capsiempis flaveola</i>					H		2	
178	Southern Antpipit	<i>Corythopsis delalandi</i>						1		1
179	Mottle-cheeked Tyrannulet	<i>Phylloscartes ventralis</i>				2				
180	<b>Serra Do Mar Tyrannulet</b>	<i>Phylloscartes difficilis</i>		1						
181	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>						2		H
182	<b>Grey-hooded Flycatcher</b>	<i>Mionectes rufiventris</i>								1
183	Sepia-capped Flycatcher	<i>Leptopogon amaurocephalus</i>			2	1				H
184	Bran-colored Flycatcher	<i>Myiophobus fasciatus</i>		1	1					
185	<b>Drab-breasted Bamboo Tyrant</b>	<i>Hemitriccus diops</i>	1			H				
186	<b>Eye-ringed Tody-Tyrant</b>	<i>Hemitriccus orbitatus</i>						1		1
187	<b>Hangnest Tody-Tyrant</b>	<i>Hemitriccus nidipendulus</i>			1			H		
188	<b>Eared Pygmy Tyrant</b>	<i>Myiornis auricularis</i>								2
189	Ochre-faced Tody-Flycatcher	<i>Poecilatriccus plumbeiceps</i>	2			1				
190	<b>Yellow-lored Tody-Flycatcher</b>	<i>Todirostrum poliocephalum</i>			1		1	1	H	
191	Yellow-olive Flatbill	<i>Tolmomyias sulphurescens</i>								1
192	Ochre-lored Flatbill	<i>Tolmomyias flaviventris</i>								1
193	White-throated Spadebill	<i>Platyrinchus mystaceus</i>					1			
194	Cliff Flycatcher	<i>Hirundinea ferruginea</i>	1		2	1				
195	Euler's Flycatcher	<i>Lathrotriccus euleri</i>				1			H	
196	Blue-billed Black Tyrant	<i>Knipolegus cyanirostris</i>		3						
197	<b>Velvety Black Tyrant</b>	<i>Knipolegus nigerrimus</i>		2						
198	Yellow-browed Tyrant	<i>Satrapa icterophrys</i>			2					
199	Streamer-tailed Tyrant	<i>Gubernetes yetapa</i>			4					

	Common name	Scientific name	October							
			13	14	15	16	17	18	19	20
200	Masked Water Tyrant	<i>Fluvicola nengeta</i>	1		✓		✓	✓	✓	✓
201	White-headed Marsh Tyrant	<i>Arundinicola leucocephala</i>					2	2	2	
202	Cattle Tyrant	<i>Machetornis rixosa</i>			3					
203	Piratic Flycatcher	<i>Legatus leucophaeus</i>			1					
204	Social Flycatcher	<i>Myiozetetes similis</i>	2	1	4		4	✓	2	
205	Great Kiskadee	<i>Pitangus sulphuratus</i>	✓	H	✓	✓	✓	✓	✓	✓
206	Streaked Flycatcher	<i>Myiodynastes maculatus</i>	1	H	1	H			1	
207	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>						2	2	
208	Tropical Kingbird	<i>Tyrannus melancholicus</i>	✓	✓	✓		✓	✓	✓	✓
209	Fork-tailed Flycatcher	<i>Tyrannus savana</i>	1		4				1	1
210	Greyish Mourner	<i>Rhytipterna simplex</i>								1
211	Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	1							
212	Short-crested Flycatcher	<i>Myiarchus ferox</i>	1		3		H	2		
213	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>								2
214	<b>Grey-hooded Attila</b>	<i>Attila rufus</i>			1		1	H	H	
215	<b>Bare-throated Bellbird</b>	<i>Procnias nudicollis</i>	3	H		H	H			
216	<b>Black-and-gold Cotinga</b>	<i>Tijuca atra</i>		4						
217	<b>Grey-winged Cotinga</b>	<i>Tijuca condita</i>		2						
218	<b>Serra do Mar Tyrant-Manakin</b>	<i>Neopelma chrysocephalum</i>		1						
219	<b>Pin-tailed Manakin</b>	<i>Ilicura militaris</i>	H			2				
220	White-bearded Manakin	<i>Manacus manacus</i>					1	✓	✓	✓
221	<b>Blue Manakin</b>	<i>Chiroxiphia caudata</i>	1		1	4			3	
222	Sharpbill	<i>Oxyruncus cristatus</i>		1						
223	Greenish Schiffornis	<i>Schiffornis virescens</i>				H				
224	Green-backed Becard	<i>Pachyramphus viridis</i>	1							
225	Chestnut-crowned Becard	<i>Pachyramphus castaneus</i>	2	2		5				
226	White-winged Becard	<i>Pachyramphus polychopterus</i>			2					
227	Crested Becard	<i>Pachyramphus validus</i>						2	1	
228	Swallow-tailed Cotinga	<i>Phibalura flavirostris</i>		1						
229	Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>	H	1		1				
230	Red-eyed Vireo	<i>Vireo olivaceus</i>					H		4	
231	<b>Rufous-crowned Greenlet</b>	<i>Hylophilus poicilotis</i>		✓		✓				
232	Lemon-chested Greenlet	<i>Hylophilus thoracicus</i>					H	2	H	
233	Grey-eyed Greenlet	<i>Hylophilus amaurocephalus</i>			2					
234	Curl-crested Jay	<i>Cyanocorax cristatellus</i>			1					
235	White-rumped Swallow	<i>Tachycineta leucorrhoa</i>			4					
236	Grey-breasted Martin	<i>Progne chalybea</i>			2					
237	Brown-chested Martin	<i>Progne tapera</i>			4		✓			
238	Blue-and-white Swallow	<i>Notiochelidon cyanoleuca</i>	2	✓	✓					✓
239	White-thighed Swallow	<i>Neochelidon tibialis</i>					2			✓
240	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>			✓		✓	✓	✓	
241	Tawny-headed Swallow	<i>Alopochelidon fucata</i>			1					
242	Black-capped Donacobius	<i>Donacobius atricapilla</i>			4					
243	Moustached Wren	<i>Pheugopedius genibarbis</i>						H		H
244	Long-billed Wren	<i>Cantorchilus longirostris</i>					H	1		1
245	House Wren	<i>Troglodytes aedon</i>	1		2			1	2	1
246	Chalk-browed Mockingbird	<i>Mimus saturninus</i>		1	✓					
247	Yellow-legged Thrush	<i>Turdus flavipes</i>	3			H				
248	Rufous-bellied Thrush	<i>Turdus rufiventris</i>	✓	✓	✓	✓	✓		1	
249	Pale-breasted Thrush	<i>Turdus leucomelas</i>			1	1	1		1	1
250	Creamy-bellied Thrush	<i>Turdus amaurochalinus</i>		2						

	Common name	Scientific name	October							
			13	14	15	16	17	18	19	20
251	White-necked Thrush	<i>Turdus albicollis</i>				H				
252	House Sparrow	<i>Passer domesticus</i>	✓	2	2				4	
253	Yellowish Pipit	<i>Anthus lutescens</i>						1		
254	Hooded Siskin	<i>Spinus magellanicus</i>	H	1	✓					
255	Purple-throated Euphonia	<i>Euphonia chlorotica</i>							2	
256	Violaceous Euphonia	<i>Euphonia violacea</i>						1	2	2
257	Orange-bellied Euphonia	<i>Euphonia Xanthogaster</i>								1
258	<b>Chestnut-bellied Euphonia</b>	<i>Euphonia pectoralis</i>					1			
259	Masked Yellowthroat	<i>Geothlypis aequinoctialis</i>		1						
260	Tropical Parula	<i>Setophaga pitiayumi</i>					1			
261	<b>White-rimmed Warbler</b>	<i>Myiothlypis leucoblephara</i>				2				
262	Golden-crowned Warbler	<i>Basileuterus culicivorus</i>		2	3	2				
263	Crested Oropendola	<i>Psarocolius decumanus</i>	3	✓	✓	✓	✓			
264	Red-rumped Cacique	<i>Cacicus haemorrhous</i>			3		✓	✓	✓	✓
265	Shiny Cowbird	<i>Molothrus bonariensis</i>			✓				1	
266	Chopi Blackbird	<i>Gnorimopsar chopi</i>			✓					
267	Chestnut-capped Blackbird	<i>Chrysomus ruficapillus</i>			✓		✓	✓	✓	✓
268	Bananaquit	<i>Coereba flaveola</i>	✓	✓	✓	✓	✓	2	5	
269	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	✓	✓	2	✓	2			
270	Grassland Sparrow	<i>Ammodramus humeralis</i>			H					
271	<b>Half-collared Sparrow</b>	<i>Arremon semitorquatus</i>				H				
272	Red-cowled Cardinal	<i>Paroaria dominicana</i>						1	1	
273	Cinnamon Tanager	<i>Schistochlamys ruficapillus</i>		1						
274	Magpie Tanager	<i>Cissopis leverianus</i>	4	5	✓					
275	Hooded Tanager	<i>Nemosia pileate</i>								1
276	<b>Olive-green Tanager</b>	<i>Orthogonys chloricterus</i>							4	
277	<b>Chestnut-headed Tanager</b>	<i>Pyrrhocomma ruficeps</i>				1				
278	Black-goggled Tanager	<i>Trichothraupis melanops</i>	2	4	1		2			
279	Flame-crested Tanager	<i>Tachyphonus cristatus</i>					1	2	1	
280	<b>Ruby-crowned Tanager</b>	<i>Tachyphonus coronatus</i>	✓	4	4	✓	✓			
281	<b>Brazilian Tanager</b>	<i>Ramphocelus bresilius</i>					2	✓	4	1
282	Sayaca Tanager	<i>Thraupis sayaca</i>	1	2	4	2	2	2	2	2
283	<b>Azure-shouldered Tanager</b>	<i>Thraupis cyanoptera</i>	2	✓		2	2			
284	<b>Golden-chevroned Tanager</b>	<i>Thraupis ornate</i>	✓	✓	✓	✓	✓	2	✓	3
285	Palm Tanager	<i>Thraupis palmarum</i>			2					1
286	Diademed Tanager	<i>Stephanophorus diadematus</i>		✓						
287	<b>Green-headed Tanager</b>	<i>Tangara seledon</i>					4		✓	
288	<b>Red-necked Tanager</b>	<i>Tangara cyanocephala</i>					✓		4	
289	<b>Brassy-breasted Tanager</b>	<i>Tangara desmaresti</i>	✓	✓	2	✓	✓			
290	<b>Gilt-edged Tanager</b>	<i>Tangara cyanoventris</i>	3							
291	Burnished-buff Tanager	<i>Tangara cayana</i>	2		2	2	2		2	
292	Swallow Tanager	<i>Tersina viridis</i>			4		2			
293	Blue Dacnis	<i>Dacnis cayana</i>	✓	✓	✓	✓	✓	✓	✓	✓
294	Green Honeycreeper	<i>Chlorophanes spiza</i>					1			
295	<b>Rufous-headed Tanager</b>	<i>Hemithraupis ruficapilla</i>	1		2		2			
296	Yellow-backed Tanager	<i>Hemithraupis flavicollis</i>						3	4	1
297	Chestnut-vented Conebill	<i>Conirostrum speciosum</i>			1			1	2	
298	<b>Uniform Finch</b>	<i>Haplospiza unicolor</i>				1				
299	<b>Bay-chested Warbling Finch</b>	<i>Poospiza thoracica</i>		4						
300	Saffron Finch	<i>Sicalis flaveola</i>		✓	✓			2	✓	✓
301	Grassland Yellow Finch	<i>Sicalis luteola</i>			1					

	Common name	Scientific name	October							
			13	14	15	16	17	18	19	20
302	Wedge-tailed Grass Finch	<i>Emberizoides herbicola</i>			H					
303	Blue-black Grassquit	<i>Volatinia jacarina</i>			✓					
304	Double-collared Seedeater	<i>Sporophila caerulescens</i>			✓					
305	Red-crowned Ant Tanager	<i>Habia rubica</i>					2	1	H	H
306	Yellow-green Grosbeak	<i>Caryothraustes canadensis</i>							✓	
307	<b>Black-throated Grosbeak</b>	<i>Saltator fuliginosus</i>					H			
308	Green-winged Saltator	<i>Saltator similis</i>	1							
309	<b>Thick-billed Saltator</b>	<i>Saltator maxillosus</i>		4						
310	Ultramarine Grosbeak	<i>Cyanocompsa brissonii</i>			1					

Other Species

1	Capybara	<i>Hydrochoerus hydrochaeris</i>					✓	✓	✓	✓
2	White-tufted Eared Marmoset	<i>Callithrix jacchus</i>					1	✓	✓	✓
3	Brazilian Squirrel	<i>Sciurus aestuans</i>					1	1		
4	Broad-snouted Caiman	<i>Caiman latirostris</i>					✓	✓	3	✓
5	Tegu Lizard sp	<i>Tupinambis sp</i>						✓		4
6	Orange-spined Hairy Dwarf Porcupine	<i>Sphiggurus villosus</i>								1



Black-bellied Whistling Ducks, Southern Lapwing and Capybaras



Mottled Owl



Common Potoo and chick



Black and Gold Cotinga



Mottled Owl