

# Wengen - Alpine Flowers of the Swiss Alps

Naturetrek Tour Report

18 - 25 June 2017

---



*Pulsatilla vernalis*



*Thlaspi rotundifolium*



Wengen

Report and images by David Tattersfield

---



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)



Tour participants: David Tattersfield (leader) with 12 Naturetrek clients

## Day 1

Sunday 18th June

We arrived in Zurich in the early afternoon and were soon enjoying the comfort of the inter-city train. After changing at Bern and Interlaken, we joined the regional train to Lauterbrunnen, following the glacial melt-waters of the Lutschine River. The last leg of the journey was on the delightful cogwheel railway to Wengen, where it was just a short walk to our hotel. It had been hot and sunny all day. After a delicious evening meal, we discussed the plans for the exciting week ahead, before retiring to bed.

## Day 2

Monday 19th June

We woke to another sunny day and took the Mannlichen cable-car, high above the village. We set off to explore a wide range of habitats, as we made our way, slowly towards Mannlichen summit, at 2343 metres. On shaded banks and cliffs there was a rich flora, typical of areas where snow lies late into the season. A range of dwarf shrubs included Net-leaved Willow *Salix reticulata*, Retuse-leaved Willow *Salix retusa* and Mountain Avens *Dryas octopetala*, with splashes of colour provided by Bird's-eye Primrose *Primula farinosa*, Moss Champion *Silene acaulis*, Alpine Cinquefoil *Potentilla crantzii* and Spring Gentian *Gentiana verna*. On a small limestone cliff, we found Snowdon Lily *Gagea serotina*, tight cushions of Swiss Rock-jasmine *Androsace helvetica*, Moschatel *Adoxa moschatellina* and the tiny rosettes of Dwarf Orchid *Chamorchis alpina*. We encountered a tapestry of colourful flowers in the turf from the purple Whorled Lousewort *Pedicularis verticillata* and blue Alpine Forget-me-not *Myosotis alpestris* to the rich yellows of Globeflower *Trollius europaeus* and Alpine Pasqueflower *Pulsatilla alpina* subsp. *apiifolia*. Near the edges of the last remaining snow, there were still a few white flowers of Spring Crocus *Crocus vernus* and Kuepfer's Buttercup *Ranunculus kuepferi* and the fringed bells of Alpine Snowbell *Soldanella alpina*. Some of us ventured a little way beyond the summit, where Crimson-tipped Lousewort *Pedicularis oederi* was growing in the dwarf-shrub heath.

We relaxed a while at the Mannlichen Berghaus, before having lunch on a grassy knoll overlooking Grindelwald. Below us we could see Alpine Marmot, and Snowfinch flew to and from their nest on the pylons of a ski-tow. For the rest of the afternoon, we followed an easy path down to Kleine Scheidegg, with views of the Eiger and Monch, in front of us. We were fortunate to see a Golden Eagle and a Bearded Vulture, now successfully reintroduced to the Alps. There were many more plants to find and identify and we made slow progress, eventually catching the 5.30pm train back to Wengen.

## Day 3

Tuesday 20th June

The weather followed a similar pattern, for the rest of the week, with temperatures in the high 20's, clear sunny mornings, and variable amounts of cloud on the summits, during the afternoon. We took the short train ride to Wengernalp, and started by exploring the vicinity of the station platform. Here were found Early-purple Orchid *Orchis mascula*, many Common Spotted-orchid *Dactylorhiza fuchsii* and Frog Orchid *Coeloglossum viride*. After a coffee break, we walked down through colourful, damp, meadows to Wixi, where we found the deep-blue Bavarian Gentian *Gentiana bavarica*, pink Lady's Smock *Cardamine pratensis* and lots of Broad-leaved Marsh-orchid *Dactylorhiza majalis*, growing in wet flushes. The descent to Biglenalp was over hard limestone bedrock and brought new flowers, most notably, the blue *Globularia cordifolia*, Spring Heath *Erica carnea* and Hairy Alpenrose

*Rhododendron hirsutum* and we were able to compare the large pleated leaves of White False-helleborine *Veratrum album* with those of Great Yellow Gentian *Gentiana lutea*. Growing in shady areas of the forest were May Lily *Maianthemum bifolium*, Coralroot Orchid *Corallorhiza trifida* and One-flowered Wintergreen *Moneses uniflora*.

A sunny bank, close to the stream, provided the perfect place for our picnic. A little way through the forest, we found two of the special rarities of the district. The first of these was *Aquilegia alpina*, with stunning, large, blue flowers and the second was a single plant of Lady's-slipper *Cypripedium calceolus*, just coming into flower and in perfect condition. Our return was a lovely walk past the cowsheds at Mettlenalp, and then down through pastures and forest back to Wengen, but most of the group were happy to take the train from Almend, to save weary legs.

## Day 4

## Wednesday 21st June

We took the train down to Lauterbrunnen and the cable car up the steep valley side to Grutschalp. Another train took us to Murren, perched high on the edge of the cliff, opposite the Trummelbach Falls. It was the lovely sunny day, with unobstructed views of the famous trio of peaks, from a completely different angle. After a short stroll through the village, we boarded the funicular railway to Almendhubel, where we continued to enjoy the view, over morning coffee. The vegetation on this side of the valley provided a complete contrast to what we had seen previously. Tall herbs and marshy ground predominated, with thickets of Green Alder *Alnus viridis* and a luxuriant growth of ferns. Stony pasture was home to miniature rock gardens, with a number of interesting plants, including the spectacular Yellow Bellflower *Campanula thyrsoides* and Mountain Pansy *Viola lutea*, in a variety of colours. Marshy ground was thick with Broad-leaved Marsh-orchid *Dactylorhiza majalis* but it took some careful searching before we found just a few Round-headed Orchid *Traunsteinera globosa*, which were just coming into flower.

After lunch, we followed the Mountain View Trail, firstly across heather-clad slopes and then, further on, over lush pasture, thick with Aconite-leaved Buttercup *Ranunculus aconitifolius* and the huge pleated leaves of White False-helleborine, neither plant welcome to the farmers who graze their cows here in summer. A herd of Alpine Chamois were grazing the slopes, high above us. We descended through damp thickets of Green Alder, where notable plants included Alpine Leek *Allium victorialis*, Yellow Pea *Lathyrus laevigatus* subsp. *occidentalis* and Alpine Blue-sowthistle *Cicerbita alpina*. Our final descent was through forest, where there were large colonies of Lesser Twaybade, *Neottia cordata* and the curious *Streptopus amplexifolius*, with small, yellowish, pendant flowers, on bent pedicels, hidden beneath its leaves. Just below us was Grutschalp station, where we boarded the cable car for the return journey. It had been a wonderful day, with stunning views but cloud was now obscuring the mountains. We arrived back at the hotel around 7.00pm, just in time to miss a thunderstorm.

## Day 5

## Thursday 22nd June

We followed the trails down to Lauterbrunnen, finding plenty to interest us, not least the views of the vertical-sided Lauterbrunnen Valley. In the forest we found Herb-Paris *Paris quadrifolia* and Whorled Solomon's-seal *Polygonatum verticillatum* and there were beautiful patches of Dark Columbine *Aquilegia atrata* in the meadows. We arrived in Lauterbrunnen, at 11.50am and had time for a coffee break, before taking the bus to Trummelbach. We had our picnic by the river, before visiting the Trummelbach Falls. The sights and sounds of the waterfalls were a unique and memorable experience, and we could only marvel at the ingenuity of the Swiss engineering,

that allowed us access. Special flora around the falls included Blue Saxifrage *Saxifraga caesia*, the rhizomatous Mountain Bladder-fern *Cystopteris montana* and a single plant of the rare Red Helleborine *Cephalanthera rubra*. We had a relaxing coffee break, at the cafe, before setting off again, to walk back down the valley to Lauterbrunnen, where we caught the train back to Wengen.

## Day 6

Friday 23rd June

After travelling down to Wilderswil, we boarded the delightful train for the steep climb to Schynige Platte. After a coffee break, we spent the rest of the morning exploring the many delights of the Alpine Garden, its natural setting and superb display of plants, each carefully labelled. The whole garden is a great credit to the dedicated team of gardeners that keep it in trim.

After lunch on the station platform, we walked across to a viewpoint, below the Oberberghorn, to look down on Interlaken and the two lakes, the Brienzensee and Thunersee. There were wonderful displays of flowers on the limestone slopes, most notably the robust, yellow, Leafy Lousewort *Pedicularis foliosa*, Yellow Bellflower *Campanula thyrsoides*, Pallid Milk-vetch *Astragalus frigidus* and St Bruno's Lily *Paradisea liliastrum*. Limestone Fern *Gymnocarpium robertianum*, Angular Solomon's-seal *Polygonatum odoratum* and Lily-of-the-Valley *Convallaria majalis* grew in extensive colonies on the screes and Alpine Aster *Aster alpinus* and Wood Pink *Dianthus sylvestris* were flowering on the cliffs, above us. We returned to Wilderswil, where it was 32°C and we were glad of ice creams, while we waited for our connecting train.

## Day 7

Saturday 24th June

We took the train to the top of the line, at Kleine Scheidegg, and another, to the Eigergletscher station. Above the station platform, we made our way past the railway tunnel entrance, and onto the moraines, below the west face of the Eiger. From a distance, these looked bare and devoid of vegetation, but on closer inspection, they were full of colourful alpine treasures. Most attractive, among these, were Broad-leaved Mouse-ear *Cerastium latifolium*, Mt Cenis Pansy *Viola cenisia* and the deliciously scented Round-leaved Penny-cress *Thlaspi rotundifolium*. It was very misty, as we followed the narrow ridge of the medial moraine back towards the station cafe and it was interesting to see the transition from bare rock to closed turf. Here were stunning patches of Moss Campion *Silene acaulis*, beautiful deep-blue Spring Gentians and Large-flowered Leopard's-bane *Doronicum grandiflorum*, looking somewhat out of place, among its tiny neighbours.

We took a break in the station cafe, before crossing the railway line and climbing the cliff path around a corner to the start of the North Face Trail. We followed this for only a short distance but far enough to find Glacier Crowfoot *Ranunculus glacialis*, on the screes. Returning to the station, we descended a little way to a flowery meadow, in which to have our lunch, which we shared with some very bold Alpine Chough. The misty conditions continued, as we rejoined the medial moraine and made a careful descent to its termination. Beyond here, we followed a steep, path, which descended through flowery pasture to a broad limestone ridge and a final section of forest, which finished at Wixi. The uphill walk, to Wengernalp, seemed endless, after a longish day, but the delicious, home-made apricot tart, that Paul had made, especially for us, was well worth the effort.

## Day 8

Sunday 25th June

Sadly, our week had come to an end. We thanked Aldino, Martina and their staff for their excellent food and hospitality during a memorable week. After a relaxed breakfast and packing, we were able to take a last look around, before wandering down to the station to catch the mid-morning train and return to Zurich for the flight home.

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at [www.facebook.com](http://www.facebook.com) is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

## Species Lists

Plants (‡ = cultivated or naturalised)

Latin Name	Common Name	Notes
<b>PTERIDOPHYTES</b>	<b>FERNS AND FERN ALLIES</b>	
<b>Aspleniaceae</b>	<b>Spleenwort Family</b>	
<i>Asplenium adiantum-nigrum</i>	Black Spleenwort	Shady cliffs
<i>Asplenium ruta-muraria</i>	Wall-rue	Walls
<i>Asplenium scolopendrium</i>	Hart's-tongue	Lowland woods
<i>Asplenium septentrionale</i>	Forked Spleenwort	Rare, on rocks
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Walls and cliffs
<i>Asplenium viride</i>	Green Spleenwort	Mountain rocks
<b>Blechnaceae</b>	<b>Hard-fern Family</b>	
<i>Blechnum spicant</i>	Hard-fern	Locally common
<b>Dennstaedtiaceae</b>	<b>Bracken Family</b>	
<i>Pteridium aquilinum</i>	Bracken	Valley woodland
<b>Dryopteridaceae</b>	<b>Buckler-fern Family</b>	
<i>Dryopteris affinis</i>	Scaly Male-fern	Widespread
<i>Dryopteris carthusiana</i>	Narrow Buckler-fern	Damp scrub
<i>Dryopteris dilatata</i>	Broad Buckler-fern	Frequent
<i>Dryopteris expansa</i>	Northern Buckler-fern	Damp scrub
<i>Dryopteris filix-mas</i>	Male-fern	Widespread
<i>Dryopteris submontana</i>	Rigid Buckler-fern	Limestone rocks. Oberberghorn
<i>Gymnocarpium dryopteris</i>	Oak Fern	Woods and rocks. Local
<i>Gymnocarpium robertianum</i>	Limestone Fern	Limestone rocks. Oberberghorn
<i>Polystichum aculeatum</i>	Hard Shield-fern	Woods. Occasional
<i>Polystichum lonchitis</i>	Holly-fern	Mountain rocks
<b>Equisetaceae</b>	<b>Horsetail Family</b>	
<i>Equisetum arvense</i>	Field Horsetail	Meadows and tracksides
<i>Equisetum palustre</i>	Marsh Horsetail	Wet pasture
<i>Equisetum sylvaticum</i>	Wood Horsetail	Woods and damp pasture
<b>Lycopodiaceae</b>	<b>Clubmoss Family</b>	
<i>Diphasiastrum alpinum</i>	Alpine Clubmoss	Occasional. Mountain turf
<i>Huperzia selago</i>	Fir Clubmoss	Frequent. Acidic pasture
<i>Lycopodium annotinum</i>	Interrupted Clubmoss	Local. Almend
<i>Lycopodium clavatum</i>	Stag's-horn Clubmoss	Local. Above Grutschalp
<b>Ophioglossaceae</b>	<b>Adder's-tongue Family</b>	
<i>Botrychium lunaria</i>	Moonwort	Short turf. Widespread
<b>Polypodiaceae</b>	<b>Polypody Family</b>	
<i>Polypodium vulgare</i>	Common Polypody	Occasional on rocks
<b>Pteridaceae</b>	<b>Maidenhair Fern Family</b>	
<i>Cryptogramma crispa</i>	Parsley Fern	Acidic rocks

Latin Name	Common Name	Notes
<b>Selaginellaceae</b> <i>Selaginella selaginoides</i>	<b>Lesser Clubmoss Family</b> Lesser Clubmoss	Occasional in turf
<b>Thelypteridaceae</b> <i>Oreopteris limbosperma</i> <i>Phegopteris connectilis</i>	<b>Marsh Fern Family</b> Lemon-scented Fern Beech Fern	Green Alder scrub and woods Woods. Occasional
<b>Woodsiaceae</b> <i>Athyrium distentifolium</i> <i>Athyrium filix-femina</i> <i>Cystopteris alpina</i> <i>Cystopteris fragilis</i> <i>Cystopteris montana</i> <i>Woodsia alpina</i>	<b>Lady-fern Family</b> Alpine Lady-fern Lady-fern Alpine Bladder-fern Brittle Bladder-fern Mountain Bladder-fern Alpine Woodsia	Mountain woods. Above Murren Occasional Rare. Grutschalp, Eiger Frequent on rocks Local. Trummelbach Rare. Almendhubel
<b>GYMNOSPERMS</b>	<b>CONIFERS</b>	
<b>Cupressaceae</b> <i>Juniperus communis</i> subsp. <i>nana</i>	<b>Juniper Family</b> Common Juniper	Mountain pasture
<b>Pinaceae</b> <i>Abies alba</i> <i>Larix decidua</i> <i>Picea abies</i> <i>Pinus cembra</i> ‡ <i>Pinus mugo</i> <i>Pinus sylvestris</i> <i>Pinus uncinata</i> <i>Pseudotsuga menziesii</i> ‡	<b>Pine Family</b> European Silver-fir Larch Norway Spruce Arolla Pine Dwarf Mountain-pine Scots Pine Mountain Pine Douglas Fir	Forests Occasional Forests Occasional Tree-line Widespread Occasional Forest below Wengen
<b>ANGIOSPERMS</b>	<b>FLOWERING PLANTS</b>	
	<b>DICOTYLEDONS</b>	
<b>Adoxaceae</b> <i>Adoxa moschatellina</i> <i>Sambucus ebulus</i> <i>Sambucus nigra</i> <i>Sambucus racemosa</i> <i>Viburnum lantana</i> <i>Viburnum opulus</i>	<b>Moschatel Family</b> Moschatel Dwarf Elder Common Elder Alpine Elder Wayfaring-tree Guelder-rose	Rare. Mannlichen Lowland. Wilderswil Woods Occasional. Rocky places Woods below Wengen Woods below Wengen
<b>Amaranthaceae</b> <i>Chenopodium album</i> <i>Chenopodium bonus-henricus</i>	<b>Goosefoot Family</b> Fat-hen Good-King-Henry	Occasional weed Frequent weed
<b>Apiaceae</b> <i>Aegopodium podagraria</i> <i>Angelica sylvestris</i> <i>Astrantia major</i> <i>Astrantia minor</i> <i>Athamanta cretensis</i> <i>Bupleurum stellatum</i>	<b>Carrot Family</b> Ground Elder Wild Angelica Astrantia Lesser Astrantia Athamanta Starry Hare's-ear	Below Wengen Common in lowlands Meadows Locally common Rocky places and moraines Mountain rocks



Latin Name	Common Name	Notes
<i>Chaerophyllum hirsutum</i>	Hairy Chervil	Woods
<i>Daucus carota</i>	Wild Carrot	Wilderswil
<i>Heracleum sphondylium</i>	Hogweed	Common
<i>Imperatoria ostruthium</i>	Masterwort	Common
<i>Laserpitium halleri</i>	Haller's Sermountain	Occasional
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Trummelbach
<i>Ligusticum mutellina</i>	Alpine Lovage	Mountain pasture
<i>Ligusticum mutellinoides</i>	Unbranched Lovage	High-mountain pasture
<i>Pimpinella major</i>	Greater Burnet-saxifrage	Common
<i>Pimpinella saxifraga</i>	Burnet-saxifrage	Meadows
<b>Araliaceae</b>	<b>Ivy Family</b>	
<i>Hedera helix</i>	Ivy	Occasional
<b>Asclepiadaceae</b>	<b>Milkweed Family</b>	
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	Frequent
<b>Asteraceae</b>	<b>Daisy Family</b>	
<i>Adenostyles alliariae</i>	Adenostyles	Green Alder scrub
<i>Adenostyles glabra</i>	Hairless Adenostyles	Screes. Oberberghorn
<i>Achillea atrata</i>	Dark-stemmed Sneezewort	Frequent on limestone
<i>Achillea erba-rotta</i> subsp. <i>moschata</i>	Musk Milfoil	Acidic mountain pasture
<i>Achillea millefolium</i>	Yarrow	Meadows
<i>Antennaria carpathica</i>	Carpathian Cat's-foot	Occasional. Mountain pasture
<i>Antennaria dioica</i>	Cat's-foot	Common
<i>Arnica montana</i>	Arnica	Common
<i>Aster alpinus</i>	Alpine Aster	Mountain rocks and turf
<i>Bellidastrum michelii</i>	False Aster	Common
<i>Bellis perennis</i>	Daisy	Frequent
<i>Carduus defloratus</i>	Alpine Thistle	Common
<i>Carlina acaulis</i>	Stemless Carlina Thistle	Mountain pasture
<i>Centaurea montana</i>	Mountain Cornflower	Meadows
<i>Centaurea scabiosa</i>	Greater Knapweed	Meadows
<i>Cicerbita alpina</i>	Alpine Blue-sowthistle	Forests and scrub
<i>Cirsium acaule</i>	Dwarf Thistle	Mountain pasture
<i>Cirsium oleraceum</i>	Cabbage Thistle	Common below Wengen
<i>Cirsium palustre</i>	Marsh Thistle	Occasional. Wet places
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Mountain pasture
<i>Crepis aurea</i>	Golden Hawk's-beard	Meadows
<i>Crepis paludosa</i>	Marsh Hawk's-beard	Wet meadows
<i>Doronicum grandiflorum</i>	Large-flowered Leopard's-bane	Screes
<i>Erigeron alpinus</i>	Alpine Fleabane	Mountain rocks. Local
<i>Erigeron annuus</i>	Annual Fleabane	Wilderswil
<i>Erigeron uniflorus</i>	One-flowered Fleabane	Mountain rocks. Local
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Lowland
<i>Gnaphthodium norvegicum</i>	Norwegian Cudweed	Occasional
<i>Gnaphthodium supinum</i>	Dwarf Cudweed	Snowbeds
<i>Hieracium angustifolium</i>	Glacier Hawkweed	Occasional
<i>Hieracium aurantiacum</i> ‡	Orange Hawkweed	Wengen
<i>Hieracium lactucella</i>	A Hawkweed	Common
<i>Hieracium murorum</i>	A Hawkweed	Occasional
<i>Hieracium pilosella</i>	Mouse-ear Hawkweed	Common
<i>Hieracium villosum</i>	Hairy Hawkweed	Mannlichen

Latin Name	Common Name	Notes
<i>Homogyne alpina</i>	Alpine Colt's-foot	Mountain turf. Common
<i>Hypochaeris uniflora</i>	Giant Cat's-ear	Mannlichen
<i>Lapsana communis</i>	Nipplewort	Below Wengen
<i>Leontodon helveticus</i>	Swiss Hawkbit	Mountain turf. Common
<i>Leontodon hispidus</i>	Alpine Hawkbit	Acidic pasture
<i>Leucanthemopsis alpina</i>	Alpine Moon Daisy	Acidic mountain turf
<i>Leucanthemum adustum</i>	Mountain Ox-eye	Mountain pasture
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Meadows
<i>Mycelis muralis</i>	Wall Lettuce	Walls
<i>Petasites albus</i>	White Butterbur	Mannlichen
<i>Petasites paradoxus</i>	Alpine Butterbur	Mountain pasture
<i>Prenanthes purpurea</i>	Purple Lettuce	Common. Forests
<i>Saussurea alpina</i>	Alpine Saw-wort	Mountain turf
<i>Senecio doronicum</i>	Chamois Ragwort	Limestone rocks and scree
<i>Senecio ovatus</i>	Wood Ragwort	Forests
<i>Solidago virgaurea</i>	Goldenrod	Mountain pasture
<i>Taraxacum alpinum</i>	Alpine Dandelion	Screes
<i>Taraxacum officinale</i>	Dandelion	Widespread
<i>Tragopogon pratensis</i>	Goat's-beard	Meadows
<i>Tussilago farfara</i>	Colt's-foot	Damp places. Widespread
<b>Balsaminaceae</b>	<b>Balsam Family</b>	
<i>Impatiens parviflora</i> ‡	Small Balsam	Woods below Wengen
<b>Betulaceae</b>	<b>Birch Family</b>	
<i>Alnus glutinosa</i>	Common Alder	Valleys, by rivers
<i>Alnus incana</i>	Grey Alder	Valleys, by rivers
<i>Alnus viridis</i>	Green Alder	Wet mountain slopes
<i>Betula pendula</i>	Silver Birch	Widespread
<i>Betula pubescens</i>	Downy Birch	Frequent
<b>Boraginaceae</b>	<b>Borage Family</b>	
<i>Echium vulgare</i>	Viper's Bugloss	Below Wengen
<i>Myosotis alpestris</i>	Alpine Forget-me-not	Common
<b>Brassicaceae</b>	<b>Cabbage Family</b>	
<i>Alliaria petiolata</i>	Garlic Mustard	Tracksides
<i>Arabis alpina</i> subsp. <i>alpina</i>	Alpine Rock-cress	Alpine rocks
<i>Arabis bellidifolia</i>	Dwarf Rock-cress	Mountain rocks
<i>Arabis hirsuta</i>	Hairy Rock-cress	Limestone rocks
<i>Arabis soyeri</i> subsp. <i>subcoriacea</i>	Soyer's Rock-cress	Mountain rocks
<i>Barbarea vulgaris</i>	Winter-cress	Wet places, mostly lowland
<i>Biscutella laevigata</i>	Buckler Mustard	Mountain turf and moraine
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Widespread
<i>Cardamine alpina</i>	Alpine Bitter-cress	Mountain rocks
<i>Cardamine amara</i>	Large Bitter-cress	Streamsides
<i>Cardamine flexuosa</i>	Wavy Bitter-cress	Wet places
<i>Cardamine hirsuta</i>	Hairy Bitter-cress	Occasional
<i>Cardamine impatiens</i>	Narrow-leaved Bitter-cress	Damp places
<i>Cardamine pratensis</i> subsp. <i>pratensis</i>	Lady's Smock	Wet places
<i>Cardamine resedifolia</i>	Mignonette-leaved Bitter-cress	Mountain rocks
<i>Draba aizoides</i>	Yellow Whitlowgrass	Moraines
<i>Draba dubia</i>	Austrian Whitlowgrass	Rocky places

Latin Name	Common Name	Notes
<i>Draba tomentosa</i>	Wooly Whitlowgrass	Rocks. Almendhubel
<i>Erophila verna</i>	Spring Whitlowgrass	Occasional
<i>Hornungia alpina</i>	Chamois Cress	Mountain rocks and screes
<i>Kernera saxatilis</i>	Rock Kernera	Rocks.
<i>Pseudoturritis turrita</i>	Tower Cress	Lowland rocks
<i>Sisymbrium austriacum</i>	Austrian Rocket	Waste places
<i>Thlaspi rotundifolium</i> subsp. <i>rotundifolium</i>	Round-leaved Penny-cress	Moraines and screes
<b>Campanulaceae</b>	<b>Bellflower Family</b>	
<i>Campanula barbata</i>	Bearded Bellflower	Mountain turf
<i>Campanula cochlearifolia</i>	Fairy's-thimble	Screes
<i>Campanula glomerata</i>	Clustered Bellflower	Occasional
<i>Campanula rapunculoides</i>	Creeping Bellflower	Wilderswil
<i>Campanula rhomboidalis</i>	Broad-leaved Bellflower	Common in meadows
<i>Campanula rotundifolia</i>	Harebell	Common
<i>Campanula scheuchzeri</i>	Scheuchzer's Bellflower	Mountain turf
<i>Campanula thyrsoidea</i>	Yellow Bellflower	Schynige Platte
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	Woods
<i>Phyteuma betonicifolium</i>	Betony-leaved Rampion	Acidic pasture
<i>Phyteuma hemisphaericum</i>	Globe-headed Rampion	Mountain Rocks
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Meadows. Frequent
<i>Phyteuma spicatum</i>	Spiked Rampion	Meadows. Frequent
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>	
<i>Knautia arvensis</i>	Field Scabious	Common
<i>Knautia dipsacifolia</i>	Wood Scabious	Common
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Occasional. Forests
<i>Lonicera caerulea</i>	Blue-berried Honeysuckle	Green Alder scrub
<i>Lonicera nigra</i>	Black-berried Honeysuckle	Woods
<i>Lonicera xylosteum</i>	Fly Honeysuckle	Woods
<i>Scabiosa columbaria</i>	Small Scabious	Common in lowlands
<i>Scabiosa lucida</i>	Shining Scabious	Meadows
<i>Succisa pratensis</i>	Devil's-bit Scabious	Damp meadows
<i>Valeriana dioica</i>	Marsh Valerian	Wet pasture
<i>Valeriana officinalis</i>	Common Valerian	Damp meadows
<i>Valeriana tripteris</i>	Three-leaved Valerian	Woods
<b>Caryophyllaceae</b>	<b>Pink Family</b>	
<i>Arenaria biflora</i>	Two-flowered Sandwort	Screes
<i>Cerastium alpinum</i>	Alpine Mouse-ear	Mountain turf
<i>Cerastium arvense</i> subsp. <i>strictum</i>	Field Mouse-ear	Frequent
<i>Cerastium cerastoides</i>	Starwort Mouse-ear	Rocks and pasture
<i>Cerastium fontanum</i>	Common Mouse-ear	Common
<i>Cerastium glomeratum</i>	Sticky Mouse-ear	Waste places
<i>Cerastium latifolium</i>	Broad-leaved Mouse-ear	Moraines and screes
<i>Dianthus barbatus</i> ‡	Sweet-William	Garden escape
<i>Dianthus carthusianorum</i>	Carthusian Pink	Almendhubel
<i>Dianthus superbus</i> ‡	Large Pink	Railway banks below Almend
<i>Dianthus sylvestris</i>	Wood Pink	Rocks. Local
<i>Gypsophila repens</i>	Alpine Gypsophila	Frequent
<i>Minuartia sedoides</i>	Mossy Cyphel	Alpine turf
<i>Minuartia verna</i>	Vernal Sandwort	Rocky places
<i>Moehringia ciliata</i>	Creeping Sandwort	Screes

Latin Name	Common Name	Notes
<i>Moehringia muscosa</i>	Mossy Sandwort	Shady places. Local
<i>Sagina procumbens</i>	Procumbent Pearlwort	Common
<i>Sagina saginoides</i>	Alpine Pearlwort	Alpine turf and screes
<i>Silene acaulis</i>	Moss Campion	Mountain turf
<i>Silene dioica</i>	Red Campion	Frequent. Meadows
<i>Silene exscapa</i>	Stemless Moss Campion	Mountain turf
<i>Silene nutans</i>	Nottingham Catchfly	Occasional. Rocks
<i>Silene pratensis</i>	White Campion	Occasional. Tracksides
<i>Silene rupestris</i>	Rock Campion	Common on rocks
<i>Silene vulgaris</i>	Bladder Campion	Occasional. Meadows
<i>Stellaria graminea</i>	Lesser Stitchwort	Occasional
<i>Stellaria holostea</i>	Greater Stichwort	Occasional
<i>Stellaria media</i>	Common Chickweed	Occasional
<i>Stellaria nemorum</i>	Wood Stitchwort	Woods
<b>Celastraceae</b>	<b>Spindle Family</b>	
<i>Parnassia palustris</i>	Grass-of-Parnassus	Damp flushes
<b>Cistaceae</b>	<b>Rockrose Family</b>	
<i>Helianthemum nummularium</i> subsp. <i>grandiflorum</i>	Large-flowered Common Rockrose	Common
<i>Helianthemum oelandicum</i> subsp. <i>alpestre</i>	Alpine Rockrose	Frequent
<b>Cornaceae</b>	<b>Dogwood Family</b>	
<i>Cornus sanguinea</i>	Dogwood	Woods
<b>Corylaceae</b>	<b>Hazel Family</b>	
<i>Corylus avellana</i>	Hazel	Woods
<b>Crassulaceae</b>	<b>Stonecrop Family</b>	
<i>Sedum acre</i>	Biting Stonecrop	Occasional
<i>Sedum album</i>	White Stonecrop	Walls. Wengen
<i>Sedum annuum</i>	Annual Stonecrop	Mountain rocks
<i>Sedum alpestre</i>	Alpine Stonecrop	Mountain rocks
<i>Sedum atratum</i>	Dark Stonecrop	Mountain rocks
<i>Sedum dasyphyllum</i>	Thick-leaved Stonecrop	Walls and rocks
<i>Sedum hispanicum</i> ‡	Spanish Stonecrop	Naturalised. Wengen
<i>Sedum spurium</i> ‡	Caucasian Stonecrop	Wengen
<i>Sedum reflexum</i>	Rock Stonecrop	Occasional. Rocks
<i>Sedum rubens</i>	Reddish Stonecrop	Rocks
<i>Sedum sexangulare</i> ‡	Tasteless Stonecrop	Walls. Wengen
<i>Sempervivum montanum</i>	Mountain Houseleek	Common on rocks
<i>Sempervivum tectorum</i>	Common Houseleek	Frequent on rocks
<b>Cuscutaceae</b>	<b>Dodder Family</b>	
<i>Cuscuta epithymum</i>	Common Dodder	Frequent
<b>Ericaceae</b>	<b>Heather Family</b>	
<i>Arctostaphylos alpinus</i>	Alpine Bearberry	Occasional. Mountain turf
<i>Arctostaphylos uva-ursi</i>	Bearberry	Acidic heaths
<i>Calluna vulgaris</i>	Ling	Frequent
<i>Empetrum nigrum</i> subsp. <i>hermaphroditum</i>	Hermaphrodite Crowberry	Acidic heaths
<i>Erica carnea</i>	Spring Heath	Frequent on limestone

Latin Name	Common Name	Notes
<i>Kalmia procumbens</i>	Trailing Azalea	Acidic heaths
<i>Moneses uniflora</i>	One-flowered Wintergreen	Forest
<i>Orthilia secunda</i>	Serrated Wintergreen	Forest
<i>Pyrola minor</i>	Lesser Wintergreen	Forest
<i>Rhododendron ferrugineum</i>	Alpenrose	Common
<i>Rhododendron hirsutum</i>	Hairy Alpenrose	Common on limestone
<i>Vaccinium myrtillus</i>	Bilberry	Common
<i>Vaccinium uliginosum</i> agg.	Bog Whortleberry	Common
<i>Vaccinium vitis-idaea</i>	Cowberry	Common
<b>Euphorbiaceae</b>	<b>Spurge Family</b>	
<i>Euphorbia cyparissias</i>	Cypress Spurge	Frequent on limestone
<i>Mercurialis perennis</i>	Dog's Mercury	Woods
<b>Fabaceae</b>	<b>Pea Family</b>	
<i>Anthyllis vulneraria</i> subsp. <i>alpestris</i>	Alpine Kidney Vetch	Mountain pasture
<i>Astragalus alpinus</i>	Alpine Milk-vetch	Mountain turf
<i>Astragalus australis</i>	Southern Milk-vetch	Mountain turf
<i>Astragalus frigidus</i>	Pallid Milk-vetch	Limestone cliffs
<i>Astragalus glycyphyllos</i>	Wild Liquorice	Occasional
<i>Astragalus penduliflorus</i>	Mountain Lentil	Limestone cliffs
<i>Coronilla emerus</i>	False Senna	Occasional
<i>Coronilla vaginalis</i>	Small Scorpion-vetch	Cliffs below Wengen
<i>Hedysarum hedysaroides</i>	Alpine Sainfoin	Mountain pasture
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Common
<i>Lathyrus aphaca</i>	Yellow Vetchling	Meadows
<i>Lathyrus laevigatus</i> subsp. <i>occidentalis</i>	Yellow Pea	Green Alder scrub. Grutschalp
<i>Lathyrus pratensis</i>	Meadow Vetchling	Meadows
<i>Lotus alpinus</i>	Alpine Bird's-foot-trefoil	Mountain turf
<i>Lotus corniculatus</i>	Bird's-foot-trefoil	Meadows
<i>Lotus uliginosus</i>	Greater Bird's-foot-trefoil	Wet meadows
<i>Medicago lupulina</i>	Black Medick	Common
<i>Medicago sativa</i> †	Lucerne	Occasional weed
<i>Melilotus albus</i>	White Melilot	Lowland
<i>Melilotus indicus</i>	Small Melilot	Lowland
<i>Onobrychis arenaria</i>	Small Sainfoin	Occasional
<i>Onobrychis montana</i>	Mountain Sainfoin	Mountain pasture
<i>Onobrychis viciifolia</i>	Sainfoin	Occasional
<i>Ononis repens</i>	Common Restharrow	Below Wengen
<i>Oxytropis campestris</i>	Yellow Milk-vetch	Locally common
<i>Oxytropis jacquinii</i>	Mountain Milk-vetch	Moraines. Local
<i>Oxytropis lapponica</i>	Northern Milk-vetch	Moraines. local
<i>Robinia pseudoacacia</i> †	False Acacia	Lowlands
<i>Securigera varia</i>	Crown Vetch	Wilderswil
<i>Trifolium alpinum</i>	Alpine Clover	Common
<i>Trifolium badium</i>	Brown Clover	Mountain meadows
<i>Trifolium montanum</i>	Mountain Clover	Mountain pasture
<i>Trifolium pratense</i>	Red Clover	Meadows
<i>Trifolium repens</i>	White Clover	Frequent
<i>Trifolium thalii</i>	Thal's Clover	Mountain turf and scree
<i>Vicia cracca</i>	Tufted Vetch	Frequent
<i>Vicia sepium</i>	Bush Vetch	Occasional
<i>Vicia sylvatica</i>	Wood Vetch	Woods

Latin Name	Common Name	Notes
<b>Fagaceae</b>	<b>Beech Family</b>	
<i>Castanea sativa</i> †	Sweet Chestnut	Occasional
<i>Fagus sylvatica</i>	Beech	Valley forest
<i>Quercus petraea</i>	Sessile Oak	Frequent. Woods
<i>Quercus robur</i>	Pedunculate Oak	Occasional
<b>Gentianaceae</b>	<b>Gentian Family</b>	
<i>Gentiana acaulis</i>	Trumpet Gentian	Mountain pasture
<i>Gentiana asclepiadea</i>	Willow Gentian	Woods on limestone
<i>Gentiana bavarica</i>	Bavarian Gentian	Marshes
<i>Gentiana brachyphylla</i>	Short-leaved Gentian	Alpine turf
<i>Gentiana clusii</i>	Clusius' Gentian	Limestone pasture
<i>Gentiana lutea</i>	Great Yellow Gentian	Mountain pasture
<i>Gentiana nivalis</i>	Snow Gentian	Occasional. Mountain pasture
<i>Gentiana purpurea</i>	Purple Gentian	Green Alder scrub and pasture
<i>Gentiana verna</i>	Spring Gentian	Mountain pasture
<b>Geraniaceae</b>	<b>Crane's-bill Family</b>	
<i>Geranium pyrenaicum</i>	Pyrenean Crane's-bill	Occasional
<i>Geranium robertianum</i>	Herb Robert	Occasional
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Common
<b>Hypericaceae</b>	<b>St John's-wort Family</b>	
<i>Hypericum maculatum</i>	Imperforate St John's-wort	Frequent
<b>Juglandaceae</b>	<b>Walnut Family</b>	
<i>Juglans regia</i> †	Walnut	Occasional
<b>Lamiaceae</b>	<b>Dead-nettle Family</b>	
<i>Ajuga pyramidalis</i>	Pyramidal Bugle	Locally common
<i>Ajuga reptans</i>	Common Bugle	Common
<i>Betonica officinalis</i>	Betony	Meadows
<i>Clinopodium alpinum</i>	Alpine Calamint	Occasional. Rocky banks
<i>Clinopodium vulgare</i>	Wild Basil	Frequent
<i>Galeopsis tetrahit</i>	Common Hemp-nettle	Occasional
<i>Glechoma hederacea</i>	Ground-ivy	Woods
<i>Lamium galeobdolon</i>	Yellow Archangel	Woods
<i>Lamium maculatum</i>	Spotted Dead-nettle	Occasional
<i>Lamium purpureum</i>	Red Dead-nettle	Occasional
<i>Origanum vulgare</i>	Marjoram	Occasional. Meadows
<i>Prunella grandiflora</i>	Large-flowered Self-heal	Meadows. Trummelbach
<i>Prunella vulgaris</i>	Self-heal	Common
<i>Salvia glutinosa</i>	Sticky Clary	Forest. Wilderwil
<i>Salvia pratensis</i>	Meadow Clary	Meadows. Trummelbach
<i>Stachys alpina</i>	Alpine Woundwort	Below Wengen
<i>Stachys sylvatica</i>	Hedge Woundwort	Woods
<i>Teucrium chamaedrys</i>	Wall Germander	Below Wengen
<i>Teucrium montanum</i>	Mountain Germander	Trummelbach
<i>Teucrium scorodonia</i>	Wood Sage	Woods
<i>Thymus polytrichus</i>	Wild Thyme	Common
<b>Lentibulariaceae</b>	<b>Butterwort Family</b>	
<i>Pinguicula alpina</i>	Alpine Butterwort	Mountain rocks and turf

Latin Name	Common Name	Notes
<i>Pinguicula vulgaris</i>	Common Butterwort	Wet turf
<b>Linaceae</b>	<b>Flax Family</b>	
<i>Linum alpinum</i>	Alpine Flax	Wengernalp
<i>Linum catharticum</i>	Fairy Flax	Common
<b>Oleaceae</b>	<b>Ash Family</b>	
<i>Fraxinus excelsior</i>	Ash	Lowland
<i>Ligustrum vulgare</i>	Wild Privet	Lowland
<b>Onagraceae</b>	<b>Willowherb Family</b>	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	Occasional
<i>Epilobium alpestre</i>	Whorled-leaved Willowherb	Frequent
<i>Epilobium alsinifolium</i>	Chickweed Willowherb	Frequent
<i>Epilobium anagallidifolium</i>	Pimpernel-leaved Willowherb	Frequent
<i>Epilobium hirsutum</i>	Great Willowherb	Lowlands
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Occasional
<b>Orobanchaceae</b>	<b>Broomrape Family</b>	
<i>Bartsia alpina</i>	Alpine Bartsia	Mountain turf
<i>Euphrasia minima</i>	Dwarf Eyebright	Local. Mountain pasture
<i>Euphrasia officinalis</i> subsp. <i>monticola</i>	Montane Eyebright	Mountain pasture
<i>Euphrasia officinalis</i> subsp. <i>pratensis</i>	Rostkov's Eyebright	Valley meadows
<i>Euphrasia salisburgensis</i>	Irish Eyebright	Pasture
<i>Melampyrum pratense</i>	Common Cow-wheat	Woods
<i>Melampyrum sylvaticum</i>	Small Cow-wheat	Forest
<i>Orobanche alba</i>	Thyme Broomrape	Occasional
<i>Orobanche caryophyllacea</i>	Clove-scented Broomrape	Occasional
<i>Pedicularis foliosa</i>	Leafy Lousewort	Local. Limestone pasture
<i>Pedicularis kernerii</i>	Kerner's Lousewort	Alpine turf
<i>Pedicularis oederi</i>	Crimson-tipped Lousewort	Alpine turf
<i>Pedicularis tuberosa</i>	Long-beaked Yellow Lousewort	Acidic turf
<i>Pedicularis verticillata</i>	Whorled Lousewort	Mountain turf
<i>Rhinanthus alectorolophus</i>	Greater Yellow-rattle	Common. Meadows
<i>Rhinanthus glacialis</i>	Glacier Yellow-rattle	Mountain pasture
<i>Rhinanthus minor</i>	Yellow-rattle	Uncommon. Pasture
<b>Oxalidaceae</b>	<b>Wood-sorrel Family</b>	
<i>Oxalis acetosella</i>	Wood-sorrel	Shaded rocks
<b>Papaveraceae</b>	<b>Poppy Family</b>	
<i>Papaver cambricum</i> ‡	Welsh Poppy	Occasional
<i>Papaver rhoeas</i>	Common Poppy	Occasional. Lowland
<b>Plantaginaceae</b>	<b>Plantain and Speedwell Family</b>	
<i>Cymbalaria muralis</i> ‡	Ivy-leaved Toadflax	Occasional on walls
<i>Digitalis grandiflora</i>	Large Yellow Foxglove	Local. Forest
<i>Erinus alpinus</i>	Fairy Foxglove	Frequent
<i>Globularia cordifolia</i>	Matted Globularia	Frequent
<i>Globularia nudicaulis</i>	Leafless-stemmed Globularia	Frequent
<i>Linaria alpina</i>	Alpine Toadflax	Moraine and scree
<i>Plantago alpina</i>	Alpine Plantain	Mountain turf
<i>Plantago atrata</i>	Dark Plantain	Mountain turf

Latin Name	Common Name	Notes
<i>Plantago major</i>	Greater Plantain	Occasional
<i>Plantago maritima</i> subsp. <i>serpentina</i>	Fleshy Plantain	Frequent
<i>Plantago media</i>	Hoary Plantain	Occasional
<i>Plantago lanceolata</i>	Ribwort Plantain	Occasional
<i>Veronica alpina</i>	Alpine Speedwell	Stony mountain pasture
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Stony mountain pasture
<i>Veronica beccabunga</i>	Brooklime	Wet places
<i>Veronica bellidioides</i>	Violet Speedwell	Acidic pasture
<i>Veronica chamaedrys</i>	Germander Speedwell	Below Wengen
<i>Veronica fruticans</i>	Rock Speedwell	Mountain rocks
<i>Veronica fruticulosa</i>	A Rock Speedwell	Oberberghorn
<i>Veronica officinalis</i>	Heath Speedwell	Woods
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Frequent
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Woods
<b>Polygalaceae</b>	<b>Milkwort Family</b>	
<i>Polygala alpestris</i>	Mountain Milkwort	Common
<i>Polygala alpina</i>	Alpine Milkwort	Mountain rocks
<i>Polygala chamaebuxus</i>	Shrubby Milkwort	Frequent on rocks
<b>Polygonaceae</b>	<b>Dock Family</b>	
<i>Fallopia japonica</i> ‡	Japanese Knotweed	Lowland
<i>Oxyria digyna</i>	Mountain Sorrel	Mountain rocks and scree
<i>Persicaria bistorta</i>	Common Bistort	Damp pasture
<i>Persicaria vivipara</i>	Alpine Bistort	Common. Mountain turf
<i>Rumex acetosa</i>	Common Sorrel	Widespread
<i>Rumex acetosella</i>	Sheep's Sorrel	Acidic pasture
<i>Rumex alpestris</i>	Mountain Dock	Mountain pasture
<i>Rumex alpinus</i>	Monk's-rhubarb	Disturbed mountain pasture
<i>Rumex obtusifolius</i>	Broad-leaved Dock	Occasional
<i>Rumex scutatus</i>	French Sorrel	Rocks and scree
<b>Primulaceae</b>	<b>Primrose Family</b>	
<i>Androsace chamaejasme</i>	Ciliate Rock-jasmine	Frequent
<i>Androsace helvetica</i>	Swiss Rock-jasmine	Alpine cliffs
<i>Androsace obtusifolia</i>	Blunt-leaved Rock-jasmine	Acidic turf
<i>Androsace pubescens</i>	Hairy Rock-jasmine	Rare. Mountain rocks
<i>Lysimachia nemorum</i>	Yellow Pimpernel	Damp woods
<i>Primula auricula</i>	Auricula	Mountain rocks and turf
<i>Primula elatior</i>	Oxlip	Snowbeds
<i>Primula farinosa</i>	Bird's-eye Primrose	Mountain turf
<i>Primula hirsuta</i>	Hairy Primrose	Acidic rocks
<i>Primula veris</i>	Cowslip	Below Wengen
<i>Soldanella alpina</i>	Alpine Snowbell	Common
<b>Ranunculaceae</b>	<b>Buttercup Family</b>	
<i>Aconitum lycoctonum</i> subsp. <i>vulparia</i>	Wolf's-bane	Frequent. Forest
<i>Aconitum napellus</i> agg.	Monk's-hood	Damp meadows
<i>Aconitum variegatum</i> subsp. <i>paniculatum</i>	Variegated Monk's-hood	Damp meadows
<i>Actaea spicata</i>	Baneberry	Woods
<i>Anemone narcissiflora</i>	Narcissus-flowered Anemone	Mountain pasture
<i>Anemone nemorosa</i>	Wood Anemone	Woods
<i>Aquilegia alpina</i>	Alpine Columbine	Rare. Biglenalp, Eiger



Latin Name	Common Name	Notes
<i>Aquilegia atrata</i>	Dark Columbine	Forest and meadows
<i>Caltha palustris</i>	Marsh-marigold	Flushes and streamsides
<i>Clematis alpina</i> ‡	Alpine Clematis	Alpine Garden
<i>Clematis vitalba</i>	Old Man's Beard	Common. Lowland
<i>Delphinium elatum</i>	Alpine Larkspur	Occasional
<i>Hepatica nobilis</i>	Liverleaf	Woodland
<i>Pulsatilla alpina</i> subsp. <i>alpina</i>	Alpine Pasqueflower	Frequent on limestone
<i>Pulsatilla alpina</i> subsp. <i>apiifolia</i>	Alpine Pasqueflower	Frequent on acidic soils
<i>Pulsatilla vernalis</i>	Spring Pasqueflower	Locally common
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Locally common
<i>Ranunculus acris</i>	Meadow Buttercup	Common
<i>Ranunculus alpestris</i>	Alpine Buttercup	Snowbeds. Common
<i>Ranunculus glacialis</i>	Glacier Crowfoot	Alpine screes. Eiger
<i>Ranunculus kuepferi</i>	Kuepfer's Buttercup	Locally common
<i>Ranunculus montanus</i>	Mountain Buttercup	Mountain pasture
<i>Ranunculus repens</i>	Creeping Buttercup	Occasional. Meadows
<i>Thalictrum alpinum</i>	Alpine Meadow-rue	Uncommon. Alpine turf
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Mountain meadows
<i>Thalictrum foetidum</i>	Stinking Meadow-rue	Trummelbach
<i>Trollius europaeus</i>	Globeflower	Common
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>	
<i>Rhamnus alpinus</i>	Alpine Buchthorn	Rocky places
<i>Rhamnus pumilus</i>	Dwarf Buckthorn	Limestone rocks. Oberberghorn
<b>Rosaceae</b>	<b>Rose Family</b>	
<i>Agrimonia eupatoria</i>	Agrimony	Occasional. Lowland
<i>Alchemilla alpina</i>	Alpine Lady's-mantle	Common
<i>Alchemilla conjuncta</i>	Silver Lady's-mantle	Frequent
<i>Alchemilla glabra</i>	Smooth Lady's-mantle	Frequent
<i>Alchemilla pentaphyllea</i>	Cut-leaved Lady's-mantle	Snowbeds
<i>Alchemilla vulgaris</i> agg.	Lady's-mantle	Frequent
<i>Alchemilla xanthochlora</i>	Pale Lady's-mantle	Frequent
<i>Aruncus dioicus</i>	Goat's-beard Spiraea	Woods. Below Wengen
<i>Cotoneaster integerrima</i>	Wild Cotoneaster	Mountain rocks. Oberberghorn
<i>Crataegus monogyna</i>	Hawthorn	Woods
<i>Dryas octopetala</i>	Mountain Avens	Mountain rocks and scree
<i>Filipendula ulmaria</i>	Meadowsweet	Lowland meadows
<i>Fragaria vesca</i>	Wild Strawberry	Woods and pasture
<i>Geum montanum</i>	Alpine Avens	Mountain turf
<i>Geum rivale</i>	Water Avens	Occasional. Wet pasture
<i>Geum urbanum</i>	Herb Bennet	Woods
<i>Potentilla aurea</i>	Golden Cinquefoil	Occasional. Mountain turf
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Common. Mountain turf
<i>Potentilla erecta</i>	Tormentil	Acidic turf
<i>Potentilla sterilis</i>	Barren Strawberry	Frequent
<i>Poterium sanguisorba</i>	Salad Burnet	Widespread
<i>Prunus avium</i>	Wild Cherry	Woods
<i>Rosa canina</i>	Dog-rose	Below Wengen
<i>Rosa glauca</i>	Blue-leaved Rose	Occasional
<i>Rosa micrantha</i>	Small-flowered Sweet-briar	Occasional
<i>Rosa pendulina</i>	Alpine Rose	Frequent. Mountains
<i>Rosa rubiginosa</i>	Sweet-briar	Below Wengen

Latin Name	Common Name	Notes
<i>Rubus idaeus</i>	Raspberry	Woods
<i>Rubus saxatilis</i>	Stone Bramble	Occasional. Rocky places
<i>Sibbaldia procumbens</i>	Sibbaldia	Snowbeds
<i>Sorbus aria</i>	Whitebeam	Occasional. Woods
<i>Sorbus aucuparia</i>	Rowan	Woods
<i>Sorbus chamaemespilus</i>	False-medlar	Mountain pasture
<i>Sorbus mougeotii</i>	Mougeot's Whitebeam	Woods
<b>Rubiaceae</b>	<b>Madder Family</b>	
<i>Asperula cynanchica</i>	Squinancywort	Occasional
<i>Cruciata laevipes</i>	Crosswort	Meadows
<i>Galium anisophyllum</i>	Dwarf Bedstraw	Frequent
<i>Galium megalospermum</i>	Swiss Bedstraw	Moraines
<i>Galium mollugo</i>	Hedge Bedstraw	Meadows
<i>Galium odoratum</i>	Woodruff	Woods
<i>Galium pumilum</i>	Slender Bedstraw	Frequent
<i>Galium verum</i>	Lady's Bedstraw	Meadows
<b>Salicaceae</b>	<b>Willow Family</b>	
<i>Populus alba</i>	White Poplar	Lowland
<i>Populus tremula</i>	Aspen	Occasional
<i>Salix aurita</i>	Eared Willow	Widespread
<i>Salix breviserrata</i>	Finely-toothed Willow	Occasional
<i>Salix caprea</i>	Goat Willow	Lowland
<i>Salix elaeagnos</i>	Olive Willow	Lowland. By rivers
<i>Salix foetida</i>	Stinking Willow	Locally common
<i>Salix hastata</i>	Large-stipuled Willow	Local. Lauberhorn
<i>Salix glaucosericea</i>	Silky Willow	Local. Lauberhorn
<i>Salix hegetschweileri</i>	Alpine Willow	Mountain turf
<i>Salix helvetica</i> †	Swiss Willow	Garden. Murren
<i>Salix herbacea</i>	Least Willow	Mountain turf
<i>Salix laggeri</i>	Lagger's Willow	Local. Lauberhorn
<i>Salix myrsinites</i>	Whortle-leaved Willow	Mountain turf
<i>Salix reticulata</i>	Net-leaved Willow	Alpine rocks and turf
<i>Salix retusa</i>	Retuse-leaved Willow	Alpine rocks and turf
<i>Salix serpyllifolia</i>	Thyme-leaved Willow	Alpine rocks and turf
<b>Sapindaceae</b>	<b>Maple Family</b>	
<i>Acer campestre</i>	Field Maple	Frequent
<i>Acer platanoides</i>	Norway Maple	Occasional
<i>Acer pseudoplatanus</i>	Sycamore	Common
<b>Santalaceae</b>	<b>Bastard-toadflax Family</b>	
<i>Thesium alpinum</i>	Alpine Bastard-toadflax	Occasional. Pasture
<i>Thesium pyrenaicum</i>	Pyrenean Bastard-toadflax	Uncommon. Pasture
<b>Saxifragaceae</b>	<b>Saxifrage Family</b>	
<i>Chrysosplenium alternifolium</i>	Alternate-leaved Golden-saxifrage	Occasional
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	Wet turf and scree
<i>Saxifraga androsacea</i>	Scree Saxifrage	Damp scree and snowbeds
<i>Saxifraga aspera</i>	Rough Saxifrage	Occasional. Rocks
<i>Saxifraga bryoides</i>	Mossy Saxifrage	Acidic rocks
<i>Saxifraga caesia</i>	Blue Saxifrage	Limestone rocks and scree

Latin Name	Common Name	Notes
<i>Saxifraga exarata</i> subsp. <i>moschata</i>	Musky Saxifrage	Mountain rocks
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Rocks, moraine and scree
<i>Saxifraga paniculata</i>	Livelong Saxifrage	Rocks
<i>Saxifraga rotundifolia</i>	Round-leaved Saxifrage	Damp shaded rocks
<i>Saxifraga stellaris</i>	Starry Saxifrage	Acidic flushes
<b>Scrophulariaceae</b>	<b>Figwort Family</b>	
<i>Verbascum nigrum</i>	Dark Mullein	Lowland
<b>Solanaceae</b>	<b>Nightshade Family</b>	
<i>Atropa bella-donna</i>	Deadly Nightshade	Forest. Wilderwil
<i>Solanum nigrum</i>	Black Nightshade	Trummelbach
<b>Thymelaeaceae</b>	<b>Mezereon Family</b>	
<i>Daphne mezereum</i>	Mezereon	Local. Mountain pasture
<b>Tiliaceae</b>	<b>Lime Family</b>	
<i>Tilia cordata</i>	Small-leaved Lime	Lowland
<i>Tilia platyphyllos</i>	Large-leaved Lime	Lowland
<b>Ulmaceae</b>	<b>Elm Family</b>	
<i>Ulmus glabra</i>	Wych Elm	Valley woods
<b>Urticaceae</b>	<b>Nettle Family</b>	
<i>Urtica dioica</i>	Common Nettle	Widespread
<b>Violaceae</b>	<b>Violet Family</b>	
<i>Viola biflora</i>	Yellow Wood Violet	Common
<i>Viola calcarata</i>	Long-spurred Pansy	Locally common
<i>Viola cenisia</i>	Mt Cenis Pansy	Moraine and scree
<i>Viola lutea</i>	Mountain Pansy	Locally common
<i>Viola palustris</i>	Marsh Violet	Common
<i>Viola riviniana</i>	Common Dog-violet	Common
<i>Viola tricolor</i>	Wild Pansy	Local
<b>MONOCOTYLEDONS</b>		
<b>Amaryllidaceae</b>	<b>Daffodil Family</b>	
<i>Allium schoenoprasum</i>	Chives	Occasional. Mountains
<i>Allium senescens</i>	Mountain Onion	Mannlichen
<i>Allium victorialis</i>	Alpine Leek	Uncommon. Mountain pasture
<b>Asparagaceae</b>	<b>Asparagus Family</b>	
<i>Anthericum ramosum</i>	Branched St Bernard's Lily	Trummelbach
<i>Convallaria majalis</i>	Lily-of-the-Valley	Limestone cliffs and scree
<i>Maianthemum bifolium</i>	May Lily	Mountain woods
<i>Paradisea liliastrum</i>	St Bruno's Lily	Local. Mountain pasture
<i>Polygonatum odoratum</i>	Angular Solomon's-seal	Limestone cliffs and scree
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Occasional. Forests
<b>Colchicaceae</b>	<b>Meadow Saffron Family</b>	
<i>Colchicum autumnale</i>	Meadow Saffron	Meadows below Wengen

Latin Name	Common Name	Notes
<b>Cyperaceae</b>	<b>Sedge Family</b>	
<i>Carex atrata</i>	Black Alpine Sedge	Wet mountain pasture
<i>Carex canescens</i>	White Sedge	Wet mountain pasture
<i>Carex capillaris</i>	Hair Sedge	Wet mountain pasture
<i>Carex caryophyllea</i>	Spring Sedge	Dry pasture
<i>Carex curvula</i>	An alpine Sedge	Dominant. Mountain turf
<i>Carex davalliana</i>	Davall's Sedge	Wet calcareous turf
<i>Carex echinata</i>	Star Sedge	Frequent
<i>Carex ferruginea</i>	Rusty Sedge	Dominant. Limestone turf
<i>Carex flacca</i>	Glaucous Sedge	Common
<i>Carex flava</i>	Yellow Sedge	Marshes
<i>Caex nigra</i>	Black Sedge	Common
<i>Carex panicea</i>	Carnation Sedge	Common
<i>Carex rostrata</i>	Bottle Sedge	Pond margins
<i>Carex sempervirens</i>	Evergreen Sedge	Mountain grassland on limestone
<i>Eriophorum angustifolium</i>	Common Cottongrass	Wet flushes and bogs
<i>Eriophorum latifolium</i>	Broad-leaved Cottongrass	Marshes
<i>Eriophorum scheuchzeri</i>	Scheuchzer's Cottongrass	Occasional. Bogs
<i>Eriophorum vaginatum</i>	Hare's-tail Cottongrass	Acidic bogs
<b>Iridaceae</b>	<b>Iris Family</b>	
<i>Crocus vernus</i>	Spring Crocus	Common
<b>Juncaceae</b>	<b>Rush Family</b>	
<i>Juncus alpinoarticulatus</i>	Alpine Rush	Wet mountain pasture
<i>Juncus jacquinii</i>	Jacquin's Rush	Wet mountain pasture
<i>Juncus trifidus</i>	Three-leaved Rush	Acidic mountain turf
<i>Juncus triglumis</i>	Three-flowered Rush	Acidic mountain turf
<i>Luzula alpinopilosa</i>	Alpine Wood-rush	Mountain turf
<i>Luzula lutea</i>	Yellow Wood-rush	Mountain turf
<i>Luzula multiflora</i>	Heath Wood-rush	Mountain turf
<i>Luzula spicata</i>	Spiked Wood-rush	Mountain turf
<i>Luzula sylvatica</i>	Great Wood-rush	Woods
<b>Liliaceae</b>	<b>Lily Family</b>	
<i>Gagea serotina</i>	Snowdon Lily	Mountain turf
<i>Lilium martagon</i>	Martagon Lily	Woods
<i>Streptopus amplexifolius</i>	Streptopus	Occasional. Forests
<b>Melanthiaceae</b>	<b>Herb-Paris Family</b>	
<i>Paris quadrifolia</i>	Herb-Paris	Local. Woods
<i>Veratrum album</i>	White False-helleborine	Mountain pasture
<b>Orchidaceae</b>	<b>Orchid Family</b>	
<i>Cephalantha longifolia</i>	Narrow-leaved Helleborine	Frequent. Woods
<i>Cephalanthera rubra</i>	Red Helleborine	Local. Trummelbach
<i>Chamorchis alpina</i>	Dwarf Orchid	Local
<i>Coeloglossum viride</i>	Frog Orchid	Frequent
<i>Corallorhiza trifida</i>	Coralroot Orchid	Local. Forests
<i>Cypripedium calceolus</i>	Lady's-slipper	Local
<i>Dactylorhiza fuchsii</i>	Common Spotted-orchid	Damp base-rich soils
<i>Dactylorhiza maculata</i>	Heath Spotted-orchid	Acidic soils
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh-orchid	Common

Latin Name	Common Name	Notes
<i>Epipactis atrorubens</i>	Dark-red Helleborine	Frequent. Forests
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Frequent. Forests
<i>Gymnadenia conopsea</i>	Fragrant-orchid	Common
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant-orchid	Local. Trummelbach
<i>Gymnadenia rhellicani</i>	Vanilla Orchid	Locally common
<i>Neotinea ustulata</i>	Burnt Orchid	Uncommon. Mountain pasture
<i>Neottia cordata</i>	Lesser Twayblade	Locally common
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Frequent. Forests
<i>Neottia ovata</i>	Twayblade	Locally common
<i>Orchis mascula</i>	Early-purple Orchid	Common
<i>Platanthera bifolia</i>	Lesser Butterfly-orchid	Locally frequent. Forests
<i>Pseudorchis albida</i>	Small-white Orchid	Common. Mountain turf
<i>Traunsteinera globosa</i>	Round-headed Orchid	Local
<b>Poaceae</b>		
<i>Agropyron repens</i>	Common Couch	Occasional
<i>Agrostis capillaris</i>	Common Bent	Common
<i>Anthoxanthum alpinum</i>	Alpine Vernal-grass	Frequent. Mountain turf
<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	Common
<i>Arrhenatherum elatius</i>	False Oat-grass	Common
<i>Brachypodium sylvaticum</i>	False Brome	Woods
<i>Briza media</i>	Quaking-grass	Locally common
<i>Bromus hordeaceus</i>	Soft Brome	Frequent
<i>Bromus sterilis</i>	Barren Brome	Frequent
<i>Cynosurus cristatus</i>	Crested Dog's-tail	Common
<i>Dactylis glomerata</i>	Cock's-foot	Common
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	Wet mountain pasture
<i>Deschampsia flexuosa</i>	Wavy Hair-grass	Acidic mountain turf
<i>Festuca ovina</i>	Sheep's-fescue	Common
<i>Festuca rubra</i>	Red Fescue	Common
<i>Festuca violacea</i>	Violet Fescue	Mountain turf
<i>Holcus lanatus</i>	Yorkshire-fog	Locally common
<i>Holcus mollis</i>	Creeping Soft-grass	Locally common
<i>Koeleria macrantha</i>	Crested Hair-grass	Frequent
<i>Lolium perenne</i>	Perennial Rye-grass	Frequent
<i>Melica uniflora</i>	Wood Melick	Woods
<i>Nardus stricta</i>	Mat-grass	Common
<i>Phleum alpinum</i>	Alpine Timothy	Frequent. Mountain pasture
<i>Phleum pratense</i>	Timothy	Common
<i>Poa alpina</i>	Alpine Meadow-grass	Common
<i>Poa annua</i>	Annual Meadow-grass	Common on trackways
<i>Poa pratensis</i>	Smooth Meadow-grass	Common. Meadows
<i>Poa nemoralis</i>	Wood Meadow-grass	Frequent
<i>Poa supina</i>	Creeping Meadow-grass	Frequent
<i>Poa trivialis</i>	Rough Meadow-grass	Frequent
<i>Schedonorus pratensis</i>	Meadow Fescue	Common
<i>Sesleria caerulea</i>	Blue Moor-grass	Common. Limestone pasture
<b>Tofieldiaceae</b>		
<i>Tofieldia calyculata</i>	Scottish Asphodel Family Tofield's Asphodel	Common

## Birds (✓=recorded but not counted; H = heard only)

	Common name	Latin name	June							
			18	19	20	21	22	23	24	25
1	Rock Ptarmigan	<i>Lagopus muta</i>		✓						
2	Mute Swan	<i>Cygnus olor</i>	✓							✓
3	Great Crested Grebe	<i>Podiceps cristatus</i>	✓							✓
4	Great Cormorant	<i>Phalacrocorax carbo</i>								✓
5	Red Kite	<i>Milvus milvus</i>	✓				✓			✓
6	Bearded Vulture	<i>Gypaetus barbatus</i>		✓					✓	
7	Common Buzzard	<i>Buteo buteo</i>			✓					✓
8	Golden Eagle	<i>Aquila chrysaetos</i>	✓	✓	✓					
9	Common Kestrel	<i>Falco tinnunculus</i>						✓		
10	Black-headed Gull	<i>Chroicocephalus ridibundus</i>								✓
11	Common Cuckoo	<i>Cuculus canorus</i>	H	H		H				
12	Common Swift	<i>Apus apus</i>	✓	✓	✓	✓	✓	✓	✓	✓
13	Alpine Swift	<i>Tachymarptis melba</i>					✓			
14	Great Spotted Woodpecker	<i>Dendrocopos major</i>				✓	✓		✓	
15	Black Woodpecker	<i>Dryocopus martius</i>			✓					
16	European Green Woodpecker	<i>Picus viridis</i>					✓			
17	Eurasian Jay	<i>Garrulus glandarius</i>			✓					✓
18	Eurasian Magpie	<i>Pica pica</i>			✓		✓			
19	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>			✓	H				
20	Alpine Chough	<i>Pyrrhocorax graculus</i>		✓	✓	✓		✓	✓	
21	Carrion Crow	<i>Corvus corone</i>	✓		✓	✓	✓	✓	✓	✓
22	Northern Raven	<i>Corvus corax</i>		✓						
23	Marsh Tit	<i>Poecile palustris</i>				H				
24	Coal Tit	<i>Periparus ater</i>			✓	✓	✓	✓	✓	
25	European Crested Tit	<i>Lophophanes cristatus</i>				✓		✓	✓	
26	Great Tit	<i>Parus major</i>				✓	✓		✓	
27	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>					✓			✓
28	Barn Swallow	<i>Hirundo rustica</i>						✓		
29	Common House Martin	<i>Delichon urbicum</i>			✓		✓	✓		✓
30	Common Chiffchaff	<i>Phylloscopus collybita</i>				H				
31	Wood Warbler	<i>Phylloscopus sibilatrix</i>								
32	Eurasian Blackcap	<i>Sylvia atricapilla</i>			✓	✓	✓			
33	Common Firecrest	<i>Regulus ignicapilla</i>			✓		H		H	
34	Goldcrest	<i>Regulus regulus</i>							✓	✓
35	Eurasian Wren	<i>Troglodytes troglodytes</i>				H	✓			
36	Eurasian Nuthatch	<i>Sitta europaea</i>			H			H	H	
37	Ring Ouzel	<i>Turdus torquatus</i>		✓	✓			✓	✓	
38	Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓	✓	✓	✓
39	Fieldfare	<i>Turdus pilaris</i>			✓		✓		✓	✓
40	Song Thrush	<i>Turdus philomelos</i>			H	H	✓		H	H
41	Mistle Thrush	<i>Turdus viscivorus</i>					✓			✓
42	European Robin	<i>Erithacus rubecula</i>			✓				✓	
43	Black Redstart	<i>Phoenicurus ochruros</i>		✓	✓	✓	✓	✓	✓	✓
44	Northern Wheatear	<i>Oenanthe oenanthe</i>							✓	
45	Spotted Flycatcher	<i>Muscicapa striata</i>					✓	✓	✓	✓
46	White-throated Dipper	<i>Cinclus cinclus</i>					✓			
47	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓
48	White-winged Snowfinch	<i>Montifringilla nivalis</i>		✓					✓	
49	Alpine Accentor	<i>Prunella collaris</i>		✓					✓	

	Common name	Latin name	June								
			18	19	20	21	22	23	24	25	
50	Dunnock	<i>Prunella modularis</i>							✓		
51	White Wagtail	<i>Motacilla alba</i>	✓		✓	✓	✓	✓	✓		
52	Water Pipit	<i>Anthus spinoletta</i>		✓	✓	✓			✓	✓	
53	Common Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
54	European Serin	<i>Serinus serinus</i>		✓	✓	✓	✓	✓	✓	✓	✓
55	European Greenfinch	<i>Chloris chloris</i>			✓		✓	✓	✓	✓	✓
56	European Goldfinch	<i>Carduelis carduelis</i>				✓	✓	✓	✓		
57	Common Linnet	<i>Linaria cannabina</i>			✓			✓	✓		
58	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>			✓	✓				✓	

## Mammals (E = evidence of)

1	Common Pipistrelle	<i>Pipistrellus pipistrellus</i>		✓							
2	Alpine Marmot	<i>Marmota marmota</i>		✓	✓	✓	H			✓	
3	Snow Vole	<i>Microtus nivalis</i>		E							
4	Alpine Chamois	<i>Rupicapra rupicapra</i>				✓					

## Amphibians

1	Common Frog	<i>Rana temporaria</i>			✓						
---	-------------	------------------------	--	--	---	--	--	--	--	--	--

## Butterflies

1	Swallowtail	<i>Papilio machaon</i>		✓	✓	✓	✓	✓	✓		
2	Clouded Apollo	<i>Parnassius mnemosyne</i>			✓						
3	Black-veined White	<i>Aporia crataegi</i>					✓				
4	Small White	<i>Pieris rapae</i>		✓							
5	Green-veined White	<i>Pieris napi</i>			✓						
6	Orange Tip	<i>Anthocharis cardamines</i>		✓	✓	✓					
7	Clouded Yellow	<i>Colias crocea</i>		✓	✓	✓					
8	Mountain Clouded Yellow	<i>Colias phicomone</i>									✓
9	Wood White	<i>Leptidea sinapis</i>			✓						
10	Green Hairstreak	<i>Callophrys rubi</i>			✓				✓		
11	Little Blue	<i>Cupido minimus</i>		✓	✓	✓	✓	✓	✓	✓	
12	Chalk-hill Blue	<i>Lysandra coridon</i>							✓		
13	Adonis Blue	<i>Lysandra bellargus</i>			✓						
14	Common Blue	<i>Polyommatus icarus</i>		✓	✓	✓	✓	✓	✓	✓	
15	Peacock	<i>Inachis io</i>									
16	Red Admiral	<i>Vanessa atalanta</i>		✓	✓		✓			✓	
17	Painted Lady	<i>Cynthia cardui</i>							✓		
18	Small Tortoiseshell	<i>Aglais urticae</i>		✓	✓	✓	✓	✓	✓	✓	
19	Pearl-bordered Fritillary	<i>Clossiana euphrosyne</i>		✓		✓			✓	✓	
20	Marbled White	<i>Melanargia galathea</i>					✓				
21	Piedmont Ringlet	<i>Erebia meolans</i>			✓	✓	✓	✓	✓	✓	
22	Meadow Brown	<i>Maniola jurtina</i>		✓							✓
23	Alpine Heath	<i>Coenonympha gardetta</i>		✓	✓						
24	Wall Brown	<i>Lasiommata megera</i>					✓				
25	Duke of Burgundy Fritillary	<i>Hamearis lucina</i>			✓				✓		
26	Dingy Skipper	<i>Erynnis tages</i>				✓					
27	Essex Skipper	<i>Thymelicus lineolus</i>							✓		

	Common name	Latin name	June						
			18	19	20	21	22	23	24

Moths

1	Humming-bird Hawk-moth	<i>Macroglossum stellatarum</i>			✓	✓		✓		
2	Chimney Sweeper	<i>Odezia atrata</i>			✓	✓				
3	Lackey Moth	<i>Malacosoma neustria</i>								
4		<i>Psodos quadrifaria</i>			✓					
5	Silver Y	<i>Autographa gamma</i>					✓			



*Primula auricula*