

# Colombia - Multicoloured Tanager Tour

Naturetrek Tour Report

18 - 28 November 2018



Multicoloured Tanager



Red-headed Barbet



Purple-throated Woodstar



Chestnut-bellied Flowerpiercer

Report & Images by Roberto Cedeno



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour participants: Roberto Cedeno & Ferney Salgado (leaders) with seven Naturetrek clients

## Day 1

**Sunday 18th November**

Most of the group were in flight from the UK to Bogota.

## Day 2

**Monday 19th November**

Following their flight from Bogota, Ferney, Andres (our driver) and I met the group in Cali. We birded along the way to La Voragine where we looked for Torrent Duck and White-capped Dipper: we found it!! Later, at El Pance, we visited Balcon de los Colibries where we found a few highlights such as Long-billed Starthroat and Black-throated Mango.

We had a wonderful lunch of Colombian cuisine, what a treat! In the afternoon we drove back to Cali and then to La Lolita, a community project, had a great homemade dinner, and comfortable stay overnight. After dinner we had the chance to go Owl-watching, but we had no luck this time. On the way to La Lolita, species included Rusty-margined Flycatcher, Yellow-headed Caracara and Colombian Chachalaca.

## Day 3

**Tuesday 20th November**

We had an early departure to have breakfast at El Descanso, where visited Dona Dora feeders at the Anchicalla Forest. Here we saw an amazing list of birds, including Masked Tityra, Scarlet-browed Tanager, Summer Tanager and White-whiskered Hermit.

In the afternoon we birded along the road to Buenaventura or the Represa. Late in the evening we drove back to la Lolita for dinner and overnight.

## Day 4

**Wednesday 21st November**

We left La Lotita and after an hour we got to Alejandria where we enjoyed a nice breakfast and we were ready to birdwatch the whole morning and even some time after lunch. Here we saw the endemic, emblematic bird of this trip, Multicoloured Tanager. Other species included Red-headed Barbet, Blue-winged Mountain Tanager, Long-tailed Sylph, Green Hermit, Montane Woodcreeper and Crested Quetzal (some scientists suggest this is a hybrid with the Golden-headed Quetzal).

After lunch we drove to El Sonso marsh, we saw amazing birds like Common Potoo, Common Nighthawk and Greyish Piculet. We ended up the day in Buga at the Hotel Guadalajara.

## Day 5

**Thursday 22nd November**

After breakfast we went back to Sonso Marsh to bird for few hours more in such a beautiful place. Species seen here included Streaked Flycatcher and Bay-headed Tanager.

After this interesting morning we drove up north following the road to Armenia y Pereira. We had three hours of driving, leaving behind the enormous Valle del Cauca and passing through miles and miles of sugar cane, to reach the Valle del Rio Rizaralda. We had lunch in Pueblo Rico.

We then changed to 4x4 vehicles and drove for 20 kilometres to the Montezuma Lodge, really close to the Tatama National Park. Amongst the wonderful hummingbirds we saw were Empress Brilliant, Brown Inca, Purple-throated Woodstar, Violet-tailed Sylph and White-tailed Hillstar.

We had dinner and stayed overnight in Montezuma Lodge.

## Day 6

**Friday 23rd November**

Today we had a full day in Montezuma and Tatama National Park. Highlights included Collared Inca, Chestnut-bellied Flowerpiercer, Green-and-black Fruiteater, Lyre-tailed Nightjar, Tourmaline Sunangel and a Crested Dragon Anole.

## Day 7

**Saturday 24th November**

We spent the morning in Montezuma. After a very tasty breakfast, we did an uphill walk, birdwatching along the main road. Here, amongst other species, we saw Black-and-white Warbler, Olive Finch and Purplish-mantled Tanager.

After a few hours birding here, we went back to Pueblo Rico, took back our minibus and drove for four hours to Otun-Quimbaya, stopping for lunch on the way. We were lucky to see the most emblematic species of birds of this amazing place: Cauca Guan and Red-ruffed Fruitcrow. This lodge is another community project, where we had dinner and stayed overnight.

## Day 8

**Sunday 25th November**

We left Otun-Quimbaya and drove for about two hours to the Rio Blanco Reserve, near the city of Manizales, where we were excited because of the feeding station for Antpittas. Amongst many other species, we had good views of Brown-banded Antpitta, Chestnut-crowned Antpitta and Powerful Woodpecker. We spent a full day here, from breakfast till mid-afternoon. We went back to Manizales by the old road, where spent the night in a very nice hotel.

## Day 9

**Monday 26th November**

We had an early departure this morning for the Nevados National Park. It was cold - weather for gloves and a hat – but fine. We had a great morning birding, seeing many wonderful species, including Grass Wren, Black-backed Bush Tanager, Buffy Helmetcrest and White-capped Dipper.

It was our last night in Manizales, and we had a great dinner in a nice restaurant with a beautiful view of the city.

## Day 10

Tuesday 27th November

We left after breakfast to birdwatch in Chinchina, visiting the dam known as Cameguadua, where we had the chance to see a lot of aquatic birds. Then we drove to Pereira airport to take our flight back to Bogota. Most of the group were heading back home, but three guests and myself were ready to start a follow-on trip in search of the endemics of the Santa Marta region.

## Day 11

Wednesday 28th November

Those heading home arrived back in the UK.

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



[www.facebook.com/naturetrekwildlifeholidays](http://www.facebook.com/naturetrekwildlifeholidays)



[www.twitter.com/naturetrektours](http://www.twitter.com/naturetrektours)



[www.instagram.com/naturetrek\\_wildlife\\_holidays](http://www.instagram.com/naturetrek_wildlife_holidays)



Collared Inca



Crested Dragon Anole

## Species Lists

Birds (✓=recorded but not counted; H = heard only)

Black-bellied Whistling Duck (*Dendrocygna autumnalis*)  
 Torrent Duck (*Merganetta armata*)  
 Blue-winged Teal (*Spatula discors*)  
 Andean Teal (*Anas andium*)  
 Colombian Chachalaca (*Ortalis columbiana*)  
 Crested Bobwhite (*Colinus cristatus*)  
 Buff-necked Ibis (*Theristicus caudatus*)  
 Bare-face Ibis (*Phimosus infuscatus*)  
 Fasciated Tiger Heron (*Tigrisoma fasciatum*)  
 Striated Heron (*Butorides striata*)  
 Great Blue Heron (*Ardea herodias*)  
 Great Egret (*Ardea alba*)  
 Snowy Egret (*Egretta thula*)  
 Turkey Vulture (*Cathartes aura*)  
 Western Osprey (*Pandion haliaetus*)  
 Pearl Kite (*Gampsonyx swainsonii*)  
 Semicollared Hawk (*Accipiter collaris*)  
 Snail Kite (*Rostrhamus sociabilis*)  
 Roadside Hawk (*Rupornis magnirostris*)  
 Broad-winged Hawk (*Buteo platypterus*)  
 Bogota Rail (*Rallus semiplumbeus*)  
 Purple Gallinule (*Porphyrion martinica*)  
 American Coot (*Fulica americana*)  
 Southern Lapwing (*Vanellus chilensis*)  
 Spotted Sandpiper (*Actitis macularis*)  
 Greater Yellowlegs (*Tringa melanoleuca*)  
 Band-tailed Pigeon (*Patagioenas fasciata*)  
 White-tipped Dove (*Leptotila verreauxi*)  
 Greater Ani (*Crotophaga major*)  
 Dwarf Cuckoo – N (*Coccyzua pumila*)  
 Yellow-billed Cuckoo (*Coccyzus americanus*)  
 Lesser Nighthawk (*Chordeiles acutipennis*)  
 Band-winged Nightjar (*Systellura longirostris*)  
 White-collared Swift (*Streptoprocne zonaris*)  
 White-whiskered Hermit – N (*Phaethornis yaruqui*)  
 Tawny-bellied Hermit (*Phaethornis syrmatophorus*)  
 White-necked Jacobin (*Florisuga mellivora*)  
 Lesser Violetear (*Colibri cyanotus*)  
 Green Thorntail (*Discosura conversii*)  
 Crowned Woodnymph (*Thalurania colombica*)  
 Andean Emerald (*Amazilia franciae*)  
 Speckled Hummingbird (*Adelomyia melanogenys*)  
 Green-crowned Brilliant (*Heliodoxa jacula*)  
 Rufous-gaped (was White-tailed) Hillstar (*Urochroa bougueri*)  
 Velvet-purple Coronet - N (*Boissonneaua jardini*)  
 Mountain Velvetbreast (*Lafresnaya lafresnayi*)  
 Brown Inca- N (*Coeligena wilsoni*)

Fulvous Whistling Duck (*Dendrocygna bicolor*)  
 Comb Duck (*Sarkidiornis sylvicola*)  
 Lesser Scaup (*Aythya affinis*)  
 Ruddy Duck (*Oxyura jamaicensis*)  
 Cauca Guan (*Penelope perspicax*)  
 Pied-billed Grebe (*Podilymbus podiceps*)  
 Green Ibis (*Mesembrinibis cayennensis*)  
 Glossy Ibis (*Plegadis falcinellus*)  
 Black-crowned Night Heron (*Nycticorax nycticorax*)  
 Western Cattle Egret (*Bubulcus ibis*)  
 Cocoi Heron (*Ardea cocoi*)  
 Little Blue Heron (*Egretta caerulea*)  
 Neotropic Cormorant (*Phalacrocorax brasilianus*)  
 Black Vulture (*Coragyps atratus*)  
 White-tailed Kite (*Elanus leucurus*)  
 Double-toothed Kite (*Harpagus bidentatus*)  
 Sharp-shinned Hawk (*Accipiter striatus*)  
 Barred Hawk (*Morphnarchus princeps*)  
 Black-chested Buzzard-Eagle (*Geranoaetus melanoleucus*)  
 Short-tailed Hawk (*Buteo brachyurus*)  
 Blackish Rail (*Pardirallus nigricans*)  
 Common Gallinule (*Gallinula galeata*)  
 Limpkin (*Aramus guarauna*)  
 Wattled Jacana (*Jacana jacana*)  
 Lesser Yellowlegs (*Tringa flavipes*)  
 Rock Dove – I (*Columba livia*)  
 Pale-vented Pigeon (*Patagioenas cayennensis*)  
 Eared Dove (*Zenaida auriculata*)  
 Smooth-billed Ani (*Crotophaga ani*)  
 Squirrel Cuckoo (*Piaya cayana*)  
 Common Potoo (*Nyctibus griseus*)  
 Common Nighthawk (*Chordeiles minor*)  
 Lyre-tailed Nightjar (*Uropsalis lyra*)  
 Grey-rumped Swift (*Chaetura cinereiventris*)  
 Green Hermit (*Phaethornis guy*)  
 Green-fronted Lancebill (*Doryfera ludovicae*)  
 Brown Violetear (*Colibri delphinae*)  
 Black-throated Mango (*Anthracothorax nigricollis*)  
 Western Emerald – N (*Chlorostilbon melanorhynchus*)  
 Rufous-tailed Hummingbird (*Amazilia tzacatl*)  
 Steely-vented Hummingbird - N (*Amazilia saucerottii*)  
 Fawn-breasted Brilliant (*Heliodoxa rubinoides*)  
 Empress Brilliant (*Heliodoxa imperatrix*)  
 Buff-tailed Coronet (*Boissonneaua flavescens*)  
 Shining Sunbeam (*Aglaeactis cupripennis*)  
 Bronzy Inca (*Coeligena coeligena*)  
 Collared Inca (*Coeligena torquata*)

Buff-winged Starfrontlet ( <i>Coeligena lutetiae</i> )	Great Sapphirewing ( <i>Pterophanes cyanopterus</i> )
Tormaline Sunangel – N ( <i>Helianthus exortis</i> )	Golden-breasted Puffleg – N ( <i>Eriocnemis mosquera</i> )
Greenish Puffleg ( <i>Haplophaedia aureliae</i> )	Purple-bibbed Whitetip ( <i>Urosticte benjamini</i> )
White-booted Racket-tail ( <i>Ocreatus underwoodii</i> )	Purple-backed Thornbill ( <i>Ramphomicron microrhynchum</i> )
Buffy Helmetcrest ( <i>Oxypogon stuebeli</i> )	Tyrian Metaltail ( <i>Metallura tyrianthina</i> )
Viridian Metaltail ( <i>Metallura williami</i> )	Rainbow-bearded Thornbill ( <i>Chalcostigma herrani</i> )
Long-tailed Sylph ( <i>Agelaiocercus kingii</i> )	Violet-tailed Sylph ( <i>Agelaiocercus coelestis</i> )
Long-billed Starthroat ( <i>Heliomaster longirostris</i> )	Purple-throated Woodstar ( <i>Calliphlox mitchellii</i> )
White bellied Woodstar ( <i>Chaetocercus mulsant</i> )	Golden-headed Quetzal ( <i>Pharomachrus auriceps</i> )
Collared Trogon ( <i>Trogon collaris</i> )	Masked Trogon ( <i>Trogon personatus</i> )
Ringed Kingfisher ( <i>Megaceryle torquata</i> )	Andean Motmot ( <i>Momotus aequatorialis</i> )
Broad billed Motmot ( <i>Electron platyrhynchum</i> )	Moustached Puffbird ( <i>Malacoptila mystacalis</i> )
Lanceolated Monklet ( <i>Micromonacha lanceolata</i> )	Red-headed Barbet ( <i>Eubucco bourcierii</i> )
Toucan Barbet ( <i>Semnormis ramphastinus</i> )	White-throated Toucanet ( <i>Aulacorhynchus albivitta</i> )
Crimson-rumped Toucanet ( <i>Aulacorhynchus haematopygus</i> )	Black-billed Mountain Toucan ( <i>Andigena nigrirostris</i> )
Greyish Piculet. E ( <i>Picumnus granadensis</i> )	Black-cheeked Woodpecker ( <i>Melanerpes pucherani</i> )
Red-crowned Woodpecker ( <i>Melanerpes rubricapillus</i> )	Acorn Woodpecker ( <i>Melanerpes formicivorus</i> )
Yellow-vented Woodpecker ( <i>Veniliornis dignus</i> )	Smoky-brown Woodpecker ( <i>Leuconotopicus fumigatus</i> )
Golden-olive Woodpecker ( <i>Colaptes rubiginosus</i> )	Crimson-mantled Woodpecker ( <i>Colaptes rivolli</i> )
Spot-breasted Woodpecker ( <i>Colaptes punctigula</i> )	Lineated Woodpecker ( <i>Dryocopus lineatus</i> )
Powerful Woodpecker ( <i>Campephilus pollens</i> )	Northern Crested Caracara ( <i>Caracara cheriway</i> )
Yellow-headed Caracara ( <i>Milvago chimachima</i> )	American Kestrel ( <i>Falco sparverius</i> )
Peregrine Falcon ( <i>Falco peregrinus</i> )	Rusty-faced Parrot ( <i>Hapalopsittaca amazonina</i> )
White-capped Parrot ( <i>Pionus seniloides</i> )	Blue-headed Parrot ( <i>Pionus menstruus</i> )
Yellow-crowned Amazon ( <i>Amazona ochrocephala</i> )	Scaly-naped Amazon ( <i>Amazona mercenarius</i> )
Spectacled Parrotlet ( <i>Forpus conspicillatus</i> )	Scarlet-fronted Parakeet ( <i>Psittacara wagleri</i> )
Spotted Woodcreeper ( <i>Xiphorhynchus erythropygius</i> )	Olive-backed Woodcreeper ( <i>Xiphorhynchus triangularis</i> )
Streak-headed Woodcreeper ( <i>Lepidocolaptes souleyetii</i> )	Montane Woodcreeper ( <i>Lepidocolaptes lacrymiger</i> )
Streaked Xenops ( <i>Xenops rutilans</i> )	Stout-billed Cincloides ( <i>Cincloides excelsior</i> )
Fulvous-dotted Treerunner ( <i>Margarornis stellatus</i> )	Pearled Treerunner ( <i>Margarornis squamiger</i> )
Montane Foliage-gleaner ( <i>Anabacerthia striaticollis</i> )	Buff fronted Foliage-gleaner ( <i>Philydor rufum</i> )
Uniform Treehunter ( <i>Thripadectes ignobilis</i> )	Andean Tit-Spinetail ( <i>Leptasthenura andicola</i> )
Rufous Spinetail ( <i>Synallaxis unirufa</i> )	Azara's Spinetail ( <i>Synallaxis azarae</i> )
Slaty Spinetail ( <i>Synallaxis brachyura</i> )	Red-faced Spinetail ( <i>Cranioleuca erythrops</i> )
Pacific Antwren ( <i>Myrmotherula pacifica</i> )	Great Antshrike ( <i>Taraba major</i> )
Bar-crested Antshrike ( <i>Thamnophilus multistriatus</i> )	Parker's Antbird ( <i>Cercomacroides parkeri</i> )
Chestnut-crowned Antpitta ( <i>Grallaria ruficapilla</i> )	Brown-banded Antpitta. E ( <i>Grallaria milleri</i> )
Ash-coloured Tapaculo ( <i>Myornis senilis</i> )	Nariño Tapaculo ( <i>Scytalopus vicinior</i> )
Sooty-headed Tyrannulet ( <i>Phyllomyias griseiceps</i> )	Black-capped Tyrannulet ( <i>Phyllomyias nigrocapillus</i> )
Yellow-bellied Elaenia ( <i>Elaenia flavogaster</i> )	White-throated Tyrannulet ( <i>Mecocerculus leucophrys</i> )
Agile Tit-Tyrant ( <i>Uromyias agilis</i> )	Torrent Tyrannulet ( <i>Serpophaga cinerea</i> )
Mouse-coloured Tyrannulet ( <i>Phaeomyias murina</i> )	Golden-faced Tyrannulet ( <i>Zimmerius chrysops</i> )
Marble-faced Bristle Tyrant ( <i>Pogonotriccus ophthalmicus</i> )	Streak-necked Flycatcher ( <i>Mionectes striaticollis</i> )
Slaty-capped Flycatcher ( <i>Leptopogon supercilialis</i> )	Handsome Flycatcher ( <i>Nephelomyias pulcher</i> )
Ornate Flycatcher ( <i>Myiobittacus ornatus</i> )	Rufous-crowned Tody-Flycatcher ( <i>Poecilatriccus ruficeps</i> )
Common Tody-Flycatcher ( <i>Todirostrum cinereum</i> )	Black Phoebe ( <i>Sayornis nigricans</i> )
Western Wood Pewee ( <i>Contopus sordidulus</i> )	Vermilion Flycatcher ( <i>Pyrocephalus obscurus</i> )
Smoky Bush Tyrant ( <i>Myiotheretes fumigatus</i> )	Pied Water Tyrant ( <i>Fluvicola pica</i> )
Brown backed Chat-Tyrant ( <i>Ochthoeca fumicolor</i> )	Cinnamon Flycatcher ( <i>Pyrrhomyias cinnamomeus</i> )
Cattle Tyrant ( <i>Machetornis rixosa</i> )	Piratic Flycatcher ( <i>Legatus leucophaeus</i> )

Rusty-margined Flycatcher ( <i>Myiozetetes cayanensis</i> )	Great Kiskadee ( <i>Pitangus sulphuratus</i> )
Lemon-browed Flycatcher ( <i>Conopias cinchoneti</i> )	Streaked Flycatcher ( <i>Myiodynastes maculatus</i> )
Tropical Kingbird ( <i>Tyrannus melancholicus</i> )	Fork-tailed Flycatcher ( <i>Tyrannus savana</i> )
Bright-rumped Attila ( <i>Attila spadiceus</i> )	Green-and-black Fruiteater ( <i>Pipreola riefferii</i> )
Orange-breasted Fruiteater ( <i>Pipreola jucunda</i> )	Red-ruffed Fruitcrow ( <i>Pyroderus scutatus</i> )
Golden-collared Manakin ( <i>Manacus vitellinus</i> )	Club-winged Manakin ( <i>Machaeropterus deliciosus</i> )
Sulphur-rumped Myiobius ( <i>Myiobius sulphureipygius</i> )	Masked Tityra ( <i>Tityra semifasciata</i> )
Barred Becard ( <i>Pachyramphus versicolor</i> )	Black-billed Peppershrike ( <i>Cyclarhis nigrirostris</i> )
Slaty-capped Shrike-Vireo ( <i>Vireolanius leucotis</i> )	Brown-capped Vireo ( <i>Vireo leucophrys</i> )
Beautiful Jay ( <i>Cyanolyca pulchra</i> )	Inca Jay ( <i>Cyanocorax yncas</i> )
Grey-breasted Martin ( <i>Progne chalybea</i> )	Blue-and-white Swallow ( <i>Notiochelidon cyanoleuca</i> )
Brown-bellied Swallow ( <i>Notiochelidon murina</i> )	Southern Rough-winged Swallow ( <i>Stelgidopteryx ruficollis</i> )
Barn Swallow ( <i>Hirundo rustica</i> )	Sepia-brown Wren ( <i>Cinnycerthia olivascens</i> )
Apolinar's Wren ( <i>Cistothorus apolinari</i> )	Grass Wren ( <i>Cistothorus platensis</i> )
Sooty-headed Wren ( <i>Pheugopedius spadix</i> )	Bay Wren ( <i>Cantorchilus nigricapillus</i> )
House Wren ( <i>Troglodytes aedon</i> )	Mountain Wren ( <i>Troglodytes solstitialis</i> )
Grey-breasted Wood Wren ( <i>Henicorhina leucophrys</i> )	Munchique Wood Wren. E ( <i>Henicorhina negreti</i> )
Tropical Mockingbird ( <i>Mimus gilvus</i> )	Andean Solitaire ( <i>Myadestes ralloides</i> )
Swainson's Thrush ( <i>Catharus ustulatus</i> )	Great Thrush ( <i>Turdus fuscater</i> )
Glossy Black Thrush ( <i>Turdus serranus</i> )	Black-billed Thrush ( <i>Turdus ignobilis</i> )
Clay-coloured Thrush ( <i>Turdus grayi</i> )	White-capped Dipper ( <i>Cinclus leucocephalus</i> )
Lesser Goldfinch ( <i>Spinus psaltria</i> )	Yellow-bellied Siskin ( <i>Spinus xanthogastrus</i> )
Andean Siskin ( <i>Spinus spinescens</i> )	Thick-billed Euphonia ( <i>Euphonia lanirostris</i> )
Orange-bellied Euphonia ( <i>Euphonia xanthogaster</i> )	Yellow-collared Chlorophonia ( <i>Chlorophonia flavirostris</i> )
Chesnut-breasted Chlorophonia ( <i>Chlorophonia pyrrhophrys</i> )	Rufous-collared Sparrow ( <i>Zonotrichia capensis</i> )
Grey-browed Brushfinch ( <i>Arremon assimilis</i> )	Olive Finch ( <i>Arremon castaneiceps</i> )
White-naped Brushfinch ( <i>Atlapetes albinucha</i> )	Pale-naped Brushfinch ( <i>Atlapetes pallidinucha</i> )
Tricoloured Brushfinch ( <i>Atlapetes tricolor</i> )	Slaty Brushfinch ( <i>Atlapetes schistaceus</i> )
Common Bush Tanager ( <i>Chlorospingus flavopectus</i> )	Red-breasted Blackbird ( <i>Leistes militaris</i> )
Chestnut-headed Oropendola ( <i>Psarocolius wagleri</i> )	Russet-backed Oropendola ( <i>Psarocolius angustifrons</i> )
Yellow-backed Oriole ( <i>Icterus chrysater</i> )	Yellow Oriole ( <i>Icterus nigrogularis</i> )
Giant Cowbird ( <i>Molothrus oryzivorus</i> )	Shiny Cowbird ( <i>Molothrus bonariensis</i> )
Oriole Blackbird ( <i>Gymnomystax mexicanus</i> )	Yellow-hooded Blackbird ( <i>Chrysomus icterocephalus</i> )
Northern Waterthrush ( <i>Parkesia noveboracensis</i> )	Black-and-white Warbler ( <i>Mniotilta varia</i> )
Mourning Warbler ( <i>Geothlypis philadelphia</i> )	Olive-crowned Yellowthroat ( <i>Geothlypis semiflava</i> )
Cerulean Warbler ( <i>Setophaga cerulea</i> )	Tropical Parula ( <i>Setophaga pitiayumi</i> )
Blackburnian Warbler ( <i>Setophaga fusca</i> )	American Yellow Warbler ( <i>Setophaga aestiva</i> )
Blackpoll Warbler ( <i>Setophaga striata</i> )	Black-crested Warbler ( <i>Myiothlypis nigrocristata</i> )
Buff-rumped Warbler ( <i>Myiothlypis fulvicauda</i> )	Russet-crowned Warbler ( <i>Myiothlypis coronata</i> )
Three-striped Warbler ( <i>Basileuterus tristriatus</i> )	Slate-throated Whitestart ( <i>Myioborus miniatus</i> )
Golden-fronted Whitestart ( <i>Myioborus ornatus</i> )	Tooth-billed Tanager ( <i>Piranga lutea</i> )
Summer Tanager ( <i>Piranga rubra</i> )	Crested Ant Tanager ( <i>Habia cristata</i> )
Ochre-breasted Tanager ( <i>Chlorothraupis stolzmanni</i> )	White-capped Tanager ( <i>Sericossypha albocristata</i> )
Black-capped Hemispingus ( <i>Hemispingus atropileus</i> )	Oleaginous Hemispingus ( <i>Hemispingus frontalis</i> )
Black-eared Hemispingus ( <i>Hemispingus melanotis</i> )	Grey-hooded Bush Tanager ( <i>Cnemoscopus rubrirostris</i> )
White-shouldered Tanager ( <i>Tachyphonus luctuosus</i> )	White-lined Tanager ( <i>Tachyphonus rufus</i> )
Crimson-backed Tanager ( <i>Ramphocelus dimidiatus</i> )	Flame-rumped Tanager ( <i>Ramphocelus flammigerus</i> )
Blue-grey Tanager ( <i>Thraupis episcopus</i> )	Palm Tanager ( <i>Thraupis palmarum</i> )
Blue-capped Tanager ( <i>Thraupis cyanocephala</i> )	Black-and-gold Tanager ( <i>Bangsia melanochlamys</i> )
Gold-ringed Tanager ( <i>Bangsia aureocincta</i> )	Hooded Mountain Tanager ( <i>Buthraupis montana</i> )



Lacrimose Mountain Tanager (*Anisognathus lacrymosus*)  
 Blue-winged Mountain Tanager (*Anisognathus somptuosus*)  
 Grass-green Tanager (*Chlorornis riefferii*)  
 Purplish-mantled Tanager (*Iridosornis porphyrocephalus*)  
 Fawn-breasted Tanager (*Pipraeidea melanonota*)  
 Grey-and-gold Tanager (*Tangara palmeri*)  
 Silver-throated Tanager (*Tangara icterocephala*)  
 Flame-faced Tanager (*Tangara parzudakii*)  
 Bay-headed Tanager (*Tangara gyrola*)  
 Golden-naped Tanager (*Tangara ruficervix*)  
 Blue-necked Tanager (*Tangara cyanicollis*)  
 Beryl-spangled Tanager (*Tangara nigroviridis*)  
 Turquoise Dacnis - E (*Dacnis hartlaubii*)  
 Green Honeycreeper (*Chlorophanes spiza*)  
 Blue-backed Conebill (*Conirostrum sitticolor*)  
 Rusty Flowerpiercer (*Diglossa sittoides*)  
 Glossy Flowerpiercer (*Diglossa lafresnayii*)  
 White-sided Flowerpiercer (*Diglossa albilatera*)  
 Bluish Flowerpiercer (*Diglossa caerulescens*)  
 Black-backed Bush Tanager (*Urothraupis stolzmanni*)  
 Saffron Finch (*Sicalis flaveola*)  
 Buff-throated Saltator (*Saltator maximus*)  
 Greyish Saltator (*Saltator coerulescens*)  
 Slate-coloured Seedeater (*Sporophila schistacea*)  
 Yellow-bellied Seedeater (*Sporophila nigricollis*)  
 Plain-coloured Seedeater (*Catamenia inornata*)  
 Yellow-faced Grassquit (*Tiaris olivaceous*)

Scarlet-bellied Mountain Tanager (*Anisognathus igniventris*)  
 Black-chinned Mountain Tanager (*Anisognathus notabilis*)  
 Buff-breasted Mountain Tanager (*Dubusia taeniata*)  
 Golden-crowned Tanager (*Iridosornis rufivertex*)  
 Multicoloured Tanager (*Chlorochysa nitidissima*)  
 Golden Tanager (*Tangara arthus*)  
 Saffron-crowned Tanager (*Tangara xanthocephala*)  
 Rufous-throated Tanager (*Tangara rufigula*)  
 Scrub Tanager (*Tangara vitriolina*)  
 Metallic-green Tanager (*Tangara labradorides*)  
 Golden-hooded Tanager (*Tangara larvata*)  
 Blue-and-black Tanager (*Tangara vassorii*)  
 Blue Dacnis (*Dacnis cayana*)  
 Scarlet-browed Tanager (*Heterospingus xanthopygius*)  
 Capped Conebill (*Conirostrum albifrons*)  
 Chestnut-bellied Flowerpiercer - E (*Diglossa gloriosissima*)  
 Black Flowerpiercer (*Diglossa humeralis*)  
 Indigo Flowerpiercer (*Diglossa indigotica*)  
 Masked Flowerpiercer (*Diglossa cyanea*)  
 Plumbeous Sierra Finch (*Phrygilus unicolor*)  
 Slate-coloured Grosbeak (*Saltator grossus*)  
 Black-winged Saltator (*Saltator atripennis*)  
 Blue-black Grassquit (*Volatinia jacarina*)  
 Variable Seedeater (*Sporophila corvina*)  
 Ruddy-breasted Seedeater (*Sporophila minuta*)  
 Bananaquit (*Coereba flaveola*)



Chestnut-crowned Antpitta



Lyre-tailed Nightjar



Cauca Guan