

Go Slow in Colombia

Naturetrek Tour Report

12th – 25th February 2025



Multicolored Tanager



Torrent Duck



Grey-breasted Mountain Toucan



Buffy Helmetcrest

Tour report by Laura Rubio
Photos by Clive Pickton



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Laura Rubio (leader) with nine Naturetrek clients

Day 1

Wednesday 12th February

Overnight flight from Heathrow to Bogota, arriving in the early hours of Thursday

Day 2

Thursday 13th February

Despite a challenging morning due to bad weather at Pereira Airport, which caused flight cancellations and returns to Bogotá, we finally arrived in Pereira. We then enjoyed a delicious lunch at a countryside restaurant, where we had our first opportunity to admire some of Colombia's beautiful birds. That day, we encountered two near-endemics: Steely-vented Hummingbird and Scrub Tanager. After lunch, we continued our journey to Manizales, arriving at Hacienda Venecia, where we enjoyed a delightful dinner and a well-deserved rest.

Day 3

Friday 14th February

We spent the morning birdwatching at the feeders and gardens of the hacienda, marvelling at the stunning colours of the Crimson-backed Tanager and Andean Motmot, along with many other species.

In the afternoon, after a delicious lunch, we enjoyed a coffee tour, exploring the hacienda's facilities and learning about their production process. Hacienda Venecia is a well-known coffee estate that exports premium coffee to many parts of the world. Its beautiful main house has even been used as a filming location for the Colombian telenovela *Café con Aroma de Mujer*, adding a touch of history and charm to our visit.

Day 4

Saturday 15th February

Our adventure to Río Blanco Reserve began early in the morning. Along the way, we encountered an unexpected challenge: a landslide blocking the road. With the help of Johan and a kind local man, we safely crossed the obstacle. While waiting for the other bus to pick us up, we took the opportunity to enjoy a warm cup of hot chocolate with empanadas at a small shop, run by Doña Luz Marina.

Once we finally arrived at Río Blanco, we were rewarded with incredible birdwatching moments. We observed several species of antpittas, including the endemic Brown-banded Antpitta. At the feeders, we also admired stunning hummingbirds such as the Long-tailed Sylph and the Buff-tailed Coronet, making for a truly unforgettable experience.

Day 5

Sunday 16th February

Today, we visited a family-owned reserve called Don Miguel, where we were warmly welcomed by his son, John. He showed us the feeders, where we observed a variety of hummingbirds, tanagers, and toucans. Some of the highlights included the White-vented Plumeleteer, Black-capped Tanager, Green Honeycreeper and Crimson-rumped Toucanet. However, the absolute highlights of the day were spotting the endemic Turquoise Dacnis and the stunning Torrent Duck. Thanks to John and Victor's dedication and knowledge of the area, we were able to find these elusive species in their natural habitat.

As we left Don Miguel's, we discovered that we had a flat tyre. This led to a short stop in the town of Chinchiná for repairs, before making our way back to Hacienda Venecia.

Day 6

Monday 17th February

This was an exciting day exploring the páramo ecosystem with Andrea, a unique high-altitude habitat found above 3000m. We had the incredible opportunity to see species adapted to these extreme conditions, including the endemic Buffy Helmetcrest and the dazzling Rainbow-bearded Thornbill.

Later, at Termales de Ruiz, we enjoyed close encounters with stunning hummingbirds, such as Shining Sunbeam and Great Sapphirewing. Some of us also took the chance to relax in the thermal waters, before heading back to Hacienda Venecia for a well-deserved rest.

Day 7

Tuesday 18th February

Today, we travelled to Hacienda El Bosque, where our host, Juan Pablo, welcomed us with a delicious breakfast before we headed to the feeders. There, we had the chance to observe White-browed Spinetail and Equatorial Antpittam, and we were treated to the sight of a Gray-breasted Mountain-Toucan feasting on grapes, and a Yellow-bellied Chat-Tyrant enjoying some tasty worms.

After lunch, we made our way back to Hacienda Venecia, bringing another fantastic day of birding to a close.



Yellow-bellied Chat-Tyrant



Glistening-green Tanager

Day 8

Wednesday 19th February

Today, we visited the Camaguadua Reservoir, where we observed several aquatic and wetland-associated bird species. Among them were the Neotropic Cormorant and the Green Kingfisher. However, the most exciting sightings of the day were perhaps the endemic Grayish Piculet and the striking Gray-cowled Wood-Rail.

We returned to Hacienda Venecia for a relaxing lunch, and in the afternoon, those interested joined a cacao tour, where we learned about the fascinating process of transforming cacao into chocolate.

Day 9

Thursday 20th February

Today was a day of farewells. Some of the group stayed behind to enjoy one last peaceful morning in this wonderful place before departing for home in the afternoon.

San Felipe extension

The rest of us set off toward the city of Cali. Along the way, we stopped at Laguna de Sonso for lunch, and had the chance to spot a Spectacled Parrotlet and a Common Potoo sleeping on a majestic tree near the environmental education centre.

In the afternoon, we arrived at San Felipe Reserve, located at km18 in Cali, where we enjoyed watching the birds visiting their mirror feeder. The highlight of the visit was undoubtedly the breathtaking Multicolored Tanager.

Day 10

Friday 21st February

Today, we visited Doña Dora's, a special birding spot located along the old road to Buenaventura, Colombia's main port. This incredible location offered us stunning views of Toucan Barbet and Glistening-green Tanager, along with a variety of hummingbirds flocking to the feeders.

In the afternoon, back at San Felipe, we explored additional feeders, before wrapping up the day with a delicious dinner.

Day 11

Saturday 22nd February

Today, we visited La Florida, a nearby birding site where the feeders have successfully attracted some elusive insectivorous species, such as the Streak-capped Treehunter and the Gray-breasted Wood Wren. Two of the highlights of the morning were the endemic Chestnut Wood-Quail, and the elusive Little Tinamou.

After lunch, we returned to San Felipe, and later we went in search of owls. Our efforts were rewarded with a great sighting of Mottled Owl.

Day 12

Sunday 23rd February

Today, we spent the entire day enjoying San Felipe, making the most of its feeders and the many species that visit its beautiful gardens. Some of the highlights included Gray-headed Dove, Spotted Barbtail, and the striking Red-headed Barbet.

A special mention must go to Sergio, the lodge's guide, whose energy, enthusiasm, and constant good mood made the experience even better. He was always eager to help us find more birds, making our time at San Felipe truly memorable.

Day 13

Monday 24th February

Our last morning at San Felipe gifted us with a few additions to our trip list, including Barred Becard, Southern Emerald Toucanet, and Scarlet-fronted Parakeet.

After lunch, we took some time to reflect on this incredible journey, filled with unforgettable moments, breathtaking landscapes, and Colombia's extraordinary biodiversity. With great memories and fantastic bird sightings, we prepared to say goodbye to this amazing adventure.

Day 14

Tuesday 25th February

Clients arrived safely home after a long flight to London.

Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

naturetrek.co.uk/e-newsletter-signup

Scan to
sign up!



Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek_wildlife_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



facebook.com/naturetrekwildlifeholidays



naturetrek.bsky.social



x.com/naturetrektours (formerly Twitter)

Species lists

Main tour

E = Endemic, N = Near endemic	
Common name	Scientific name
Little Tinamou	<i>Crypturellus soui</i>
Torrent Duck	<i>Merganetta armata</i>
Muscovy Duck	<i>Cairina moschata</i>
Blue-winged Teal	<i>Spatula discors</i>
Andean Teal	<i>Anas andium</i>
Andean Duck	<i>Oxyura ferruginea</i>
Colombian Chachalaca - E	<i>Ortalis columbiana</i>
Andean Guan	<i>Penelope montagnii</i>
Sickle-winged Guan	<i>Chamaepetes goudotii</i>
White-collared Swift	<i>Streptoprocne zonaris</i>
Lesser Swallow-tailed Swift	<i>Panyptila cayennensis</i>
White-necked Jacobin	<i>Florisuga mellivora</i>
Green Hermit	<i>Phaethornis guy</i>
White-throated Daggerbill - N	<i>Schistes albogularis</i>
Lesser Violetear	<i>Colibri cyanotus</i>
Sparkling Violetear	<i>Colibri coruscans</i>
Black-throated Mango	<i>Anthracothonax nigricollis</i>
Tourmaline Sunangel - N	<i>Heliangelus exortis</i>
Speckled Hummingbird	<i>Adelomyia melanogenys</i>
Long-tailed Sylph	<i>Agelaiocercus kingii</i>
Purple-backed Thornbill	<i>Ramphomicron microrhynchum</i>
Buffy Helmetcrest - E	<i>Oxypogon stuebelii</i>
Rainbow-bearded Thornbill	<i>Chalcostigma herrani</i>
Tyrian Metaltail	<i>Metallura tyrianthina</i>
Viridian Metaltail - N	<i>Metallura williami</i>
Greenish Puffleg	<i>Haplophaedia aureliae</i>
Black-thighed Puffleg - N	<i>Eriocnemis derbyi</i>
Golden-breasted Puffleg - N	<i>Eriocnemis mosquera</i>
Shining Sunbeam	<i>Aglaeactis cupripennis</i>
Bronzy Inca	<i>Coeligena coeligena</i>
Collared Inca	<i>Coeligena torquata</i>
Buff-winged Starfrontlet	<i>Coeligena lutetiae</i>
Mountain Velvetbreast	<i>Lafresnaya lafresnayi</i>
Sword-billed Hummingbird	<i>Ensifera ensifera</i>
Great Sapphirewing	<i>Pterophanes cyanopterus</i>
Buff-tailed coronet	<i>Boissonneaua flavescens</i>
White-booted Racket-tail	<i>Ocreatus underwoodii</i>
Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>
Long-billed Starthroat	<i>Heliopteryx longirostris</i>
White-bellied Woodstar	<i>Chaetocercus mulsant</i>
Western Emerald - N	<i>Chlorostilbon melanorhynchus</i>
White-vented Plumeleteer	<i>Chalybura buffonii</i>
Crowned Woodnymph	<i>Thalurania colombica</i>
Steely-vented Hummingbird - N	<i>Saucerottia saucerottei</i>
Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>
Andean Emerald	<i>Uranomitra franciae</i>
Smooth-billed Ani	<i>Crotophaga ani</i>

E = Endemic, N = Near endemic	
Common name	Scientific name
Squirrel Cuckoo	<i>Piaya cayana</i>
Band-tailed Pigeon	<i>Patagioenas fasciata</i>
Ruddy Ground Dove	<i>Columbina talpacoti</i>
White-tipped Dove	<i>Leptotila verreauxi</i>
White-throated Quail-Dove	<i>Zentrygon frenata</i>
Eared Dove	<i>Zenaida auriculata</i>
Blackish Rail	<i>Pardirallus nigricans</i>
Grey-cowled Wood Rail	<i>Aramides cajaneus</i>
Common Gallinule	<i>Gallinula galeata</i>
Purple Gallinule	<i>Porphyrio martinica</i>
White-throated Crake	<i>Laterallus albigularis</i>
Pied-billed Grebe	<i>Podilymbus podiceps</i>
Black-necked Stilt	<i>Himantopus mexicanus</i>
Southern Lapwing	<i>Vanellus chilensis</i>
Spotted Sandpiper	<i>Actitis macularius</i>
Solitary Sandpiper	<i>Tringa solitaria</i>
Lesser Yellowlegs	<i>Tringa flavipes</i>
Neotropic Cormorant	<i>Nannopterum brasilianum</i>
Buff-necked Ibis	<i>Theristicus caudatus</i>
Bare-faced Ibis	<i>Phimosus infuscatus</i>
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>
Little Blue Heron	<i>Egretta caerulea</i>
Snowy Egret	<i>Egretta thula</i>
Striated Heron	<i>Butorides striata</i>
Great Egret	<i>Ardea alba</i>
Western Cattle Egret	<i>Ardea ibis</i>
Cocoi Heron	<i>Ardea cocoi</i>
Black Vulture	<i>Coragyps atratus</i>
Osprey	<i>Pandion haliaetus</i>
Roadside Hawk	<i>Rupornis magnirostris</i>
Black-chested Buzzard-Eagle	<i>Geranoaetus melanoleucus</i>
Broad-winged Hawk	<i>Buteo platypterus</i>
Masked Trogon	<i>Trogon personatus</i>
Green Kingfisher	<i>Chloroceryle americana</i>
Andean Motmot	<i>Momotus aequatorialis</i>
Red-headed Barbet	<i>Eubucco bourcierii</i>
Grey-breasted Mountain Toucan	<i>Andigena hypoglaucha</i>
Crimson-rumped Toucanet	<i>Aulacorhynchus haematopygus</i>
Greyish Piculet - E	<i>Picumnus granadensis</i>
Red-crowned Woodpecker	<i>Melanerpes rubricapillus</i>
Crimson-mantled Woodpecker	<i>Colaptes rivolii</i>
Spot-breasted Woodpecker	<i>Colaptes punctigula</i>
Lineated Woodpecker	<i>Dryocopus lineatus</i>
Yellow-headed Caracara	<i>Milvago chimachima</i>
Laughing Falcon	<i>Herpetotheres cachinnans</i>
Blue-headed Parrot	<i>Pionus menstruus</i>
Bronze-winged Parrot	<i>Pionus chalcopterus</i>
Golden-plumed Parakeet	<i>Leptosittaca branickii</i>
Tyrannine Woodcreeper	<i>Dendrocicla tyrannina</i>
Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>
Pearled Treerunner	<i>Margarornis squamiger</i>

E = Endemic, N = Near endemic	
Common name	Scientific name
Andean Tit-spinetail	<i>Leptasthenura andicola</i>
White-browed Spinetail	<i>Hellmayrea gularis</i>
White-chinned Thistletail	<i>Asthenes fuliginosa</i>
Red-faced Spinetail	<i>Cranioleuca erythrops</i>
Pale-breasted Spinetail	<i>Synallaxis albescens</i>
Azara's Spinetail	<i>Synallaxis azarae</i>
Bar-crested Antshrike - N	<i>Thamnophilus multistriatus</i>
Great Antshrike	<i>Taraba major</i>
Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>
Equatorial Antpitta	<i>Grallaria saturata</i>
Tawny Antpitta	<i>Grallaria quitensis</i>
Brown-banded Antpitta - E	<i>Grallaria milleri</i>
Slaty-crowned Antpitta	<i>Grallarica nana</i>
Ash-colored Tapaculo	<i>Myornis senilis</i>
Blackish Tapaculo	<i>Scytalopus latrans</i>
Spillmann's Tapaculo - N	<i>Scytalopus spillmanni</i>
Sooty-headed Tyrannulet	<i>Phyllomyias griseiceps</i>
Black-capped Tyrannulet	<i>Tyranniscus nigrocapillus</i>
Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>
Mountain Elaenia	<i>Elaenia frantzii</i>
White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>
White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>
Torrent Tyrannulet	<i>Serpophaga cinerea</i>
Mouse-colored Tyrannulet	<i>Nesotriccus murinus</i>
Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>
Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>
Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>
Common Tody-Flycatcher	<i>Todirostrum cinereum</i>
Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>
Black Phoebe	<i>Sayornis nigricans</i>
Eastern Wood Pewee	<i>Contopus virens</i>
Vermilion Flycatcher	<i>Pyrocephalus obscurus</i>
Yellow-bellied Chat-Tyrant	<i>Silvicultrix diadema</i>
Brown-backed Chat-Tyrant	<i>Ochthoeca fumicolor</i>
Cattle Tyrant	<i>Machetornis rixosa</i>
Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>
Great Kiskadee	<i>Pitangus sulphuratus</i>
Golden-bellied Flycatcher	<i>Myiodynastes hemichrysus</i>
Tropical Kingbird	<i>Tyrannus melancholicus</i>
Barred Fruiteater	<i>Pipreola arcuata</i>
Green-and-black Fruiteater	<i>Pipreola riefferii</i>
Red-crested Cotinga	<i>Ampelion rubrocristatus</i>
Cinereous Becard	<i>Pachyramphus rufus</i>
Cinnamon Becard	<i>Pachyramphus cinnamomeus</i>
Chivi Vireo	<i>Vireo chivi</i>
Brown-capped Vireo	<i>Vireo leucophrys</i>
Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>
Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>
Brown-bellied Swallow	<i>Orochelidon murina</i>
Rufous Wren	<i>Cinnycerthia unirufa</i>
Grass Wren	<i>Cistothorus platensis</i>

E = Endemic, N = Near endemic	
Common name	Scientific name
Northern House Wren	<i>Troglodytes aedon</i>
Mountain Wren	<i>Troglodytes solstitialis</i>
Grey-breasted Wood Wren	<i>Henicorhina leucophrys</i>
Andean Solitaire	<i>Myadestes ralloides</i>
Slaty-backed Nightingale-Thrush	<i>Catharus fuscater</i>
Swainson's Thrush	<i>Catharus ustulatus</i>
Great Thrush	<i>Turdus fuscater</i>
Black-billed Thrush	<i>Turdus ignobilis</i>
Clay-colored Thrush	<i>Turdus grayi</i>
Thick-billed Euphonia	<i>Euphonia lanirostris</i>
Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>
Yellow-throated Chlorospingus	<i>Chlorospingus flavigularis</i>
Grey-browed Brushfinch	<i>Arremon assimilis</i>
Chestnut-capped Brushfinch	<i>Arremon brunneinucha</i>
Rufous-collared Sparrow	<i>Zonotrichia capensis</i>
White-naped Brushfinch	<i>Atlapetes albinucha</i>
Slaty Brushfinch	<i>Atlapetes schistaceus</i>
Pale-naped Brushfinch	<i>Atlapetes pallidinucha</i>
Yellow-backed Oriole	<i>Icterus chrysater</i>
Yellow Oriole	<i>Icterus nigrogularis</i>
Shiny Cowbird	<i>Molothrus bonariensis</i>
Carib Grackle	<i>Quiscalus lugubris</i>
Great-tailed Grackle	<i>Quiscalus mexicanus</i>
Northern Waterthrush	<i>Parkesia noveboracensis</i>
Black-and-white Warbler	<i>Mniotilta varia</i>
Tennessee Warbler	<i>Leiothlypis peregrina</i>
Mourning Warbler	<i>Geothlypis philadelphia</i>
American Redstart	<i>Setophaga ruticilla</i>
Bay-breasted Warbler	<i>Setophaga castanea</i>
Blackburnian Warbler	<i>Setophaga fusca</i>
American Yellow Warbler	<i>Setophaga aestiva</i>
Black-crested Warbler	<i>Myiothlypis nigrocristata</i>
Buff-rumped Warbler	<i>Myiothlypis fulvicauda</i>
Russet-crowned Warbler	<i>Myiothlypis coronata</i>
Golden-crowned Warbler	<i>Basileuterus culicivorus</i>
Three-striped Warbler	<i>Basileuterus tristriatus</i>
Canada Warbler	<i>Cardellina canadensis</i>
Slate-throated Whitestart	<i>Myioborus miniatus</i>
Golden-fronted Whitestart	<i>Myioborus ornatus</i>
Summer Tanager	<i>Piranga rubra</i>
Green Honeycreeper	<i>Chlorophanes spiza</i>
Turquoise Dacnis - E	<i>Dacnis hartlaubi</i>
Olive-grey Saltator	<i>Saltator olivascens</i>
Streaked Saltator	<i>Saltator striatipectus</i>
Black-winged Saltator - N	<i>Saltator atripennis</i>
Bananaquit	<i>Coereba flaveola</i>
Yellow-faced Grassquit	<i>Tiaris olivaceus</i>
White-lined Tanager	<i>Tachyphonus rufus</i>
Flame-rumped Tanager - E	<i>Ramphocelus flammigerus</i>
Crimson-backed Tanager	<i>Ramphocelus dimidiatus</i>
Grey Seedeater	<i>Sporophila intermedia</i>

E = Endemic, N = Near endemic	
Common name	Scientific name
Yellow-bellied Seed eater	<i>Sporophila nigricollis</i>
Ruddy-breasted Seed eater	<i>Sporophila minuta</i>
Black-capped Hemispingus	<i>Kleinothraupis atropileus</i>
Saffron Finch	<i>Sicalis flaveola</i>
Plumbeous Sierra Finch	<i>Geospizopsis unicolor</i>
Plain-colored Seed eater	<i>Catamenia inornata</i>
Masked Flowerpiercer	<i>Diglossa cyanea</i>
White-sided Flowerpiercer	<i>Diglossa albilatera</i>
Black Flowerpiercer	<i>Diglossa humeralis</i>
Buff-breasted Mountain Tanager	<i>Dubusia taeniata</i>
Hooded Mountain Tanager	<i>Buthraupis montana</i>
Blue-capped Tanager	<i>Sporathraupis cyanocephala</i>
Blue-winged Mountain Tanager	<i>Anisognathus somptuosus</i>
Scarlet-bellied Mountain Tanager	<i>Anisognathus igniventris</i>
Lacrimose Mountain Tanager	<i>Anisognathus lacrymosus</i>
Blue-grey Tanager	<i>Thraupis episcopus</i>
Palm Tanager	<i>Thraupis palmarum</i>
Black-capped Tanager	<i>Stilpnia heinei</i>
Blue-necked Tanager	<i>Stilpnia cyanicollis</i>
Scrub Tanager - N	<i>Stilpnia vitriolina</i>
Bay-headed Tanager	<i>Tangara gyrola</i>
Golden Tanager	<i>Tangara arthus</i>

Extension

E = Endemic, N = Near endemic	
Common name	Scientific name
Highland Tinamou	<i>Nothocercus bonapartei</i>
Little Tinamou	<i>Crypturellus soui</i>
Colombian Chachalaca - E	<i>Ortalis columbiana</i>
Chestnut Wood Quail - E	<i>Odontophorus hyperythrus</i>
White-collared Swift	<i>Streptoprocne zonaris</i>
White-necked Jacobin	<i>Florisuga mellivora</i>
Green Hermit	<i>Phaethornis guy</i>
Tawny-bellied Hermit	<i>Phaethornis syrmatophorus</i>
Green-fronted Lancebill	<i>Doryfera ludovicae</i>
Brown Violetear	<i>Colibri delphinae</i>
Black-throated Mango	<i>Anthracothonax nigricollis</i>
Tourmaline Sunangel - N	<i>Heliangelus exortis</i>
Green Thorntail	<i>Discosura conversii</i>
Speckled Hummingbird	<i>Adelomyia melanogenys</i>
Long-tailed Sylph	<i>Agelaiocercus kingii</i>
Greenish Puffleg	<i>Haplophaedia aureliae</i>
Bronzy Inca	<i>Coeligena coeligena</i>
Buff-tailed coronet	<i>Boissonneaua flavescens</i>
Velvet-purple Coronet - N	<i>Boissonneaua jardini</i>
White-booted Racket-tail	<i>Ocreatus underwoodii</i>
Purple-bibbed Whitetip	<i>Urosticte benjamini</i>
Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>
Empress Brilliant	<i>Heliodoxa imperatrix</i>
Purple-throated Woodstar	<i>Philodice mitchellii</i>

E = Endemic, N = Near endemic	
Western Emerald - N	<i>Chlorostilbon melanorhynchus</i>
Crowned Woodnymph	<i>Thalurania colombica</i>
Steely-vented Hummingbird - N	<i>Saucerottia saucerottei</i>
Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>
Andean Emerald	<i>Uranomitra franciae</i>
Greater Ani	<i>Crotophaga major</i>
Smooth-billed Ani	<i>Crotophaga ani</i>
Squirrel Cuckoo	<i>Piaya cayana</i>
Band-tailed Pigeon	<i>Patagioenas fasciata</i>
Pale-vented Pigeon	<i>Patagioenas cayennensis</i>
Ruddy Ground Dove	<i>Columbina talpacoti</i>
White-tipped Dove	<i>Leptotila verreauxi</i>
Grey-headed Dove	<i>Leptotila plumbeiceps</i>
White-throated Quail-Dove	<i>Zentrygon frenata</i>
Eared Dove	<i>Zenaida auriculata</i>
Southern Lapwing	<i>Vanellus chilensis</i>
Wattled Jacana	<i>Jacana jacana</i>
Neotropic Cormorant	<i>Nannopterum brasilianum</i>
Bare-faced Ibis	<i>Phimosus infuscatus</i>
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>
Little Blue Heron	<i>Egretta caerulea</i>
Snowy Egret	<i>Egretta thula</i>
Striated Heron	<i>Butorides striata</i>
Great Egret	<i>Ardea alba</i>
Western Cattle Egret	<i>Ardea ibis</i>
Black Vulture	<i>Coragyps atratus</i>
Roadside Hawk	<i>Rupornis magnirostris</i>
Broad-winged Hawk	<i>Buteo platypterus</i>
Mottled Owl	<i>Strix virgata</i>
Masked Trogon	<i>Trogon personatus</i>
Andean Motmot	<i>Momotus aequatorialis</i>
Spot-crowned Barbet	<i>Capito maculicoronatus</i>
Red-headed Barbet	<i>Eubucco bourcierii</i>
Toucan Barbet	<i>Semnornis ramphastinus</i>
White-throated Toucanet	<i>Aulacorhynchus albivitta</i>
Crimson-rumped Toucanet	<i>Aulacorhynchus haematopygus</i>
Acorn Woodpecker	<i>Melanerpes formicivorus</i>
Red-crowned Woodpecker	<i>Melanerpes rubricapillus</i>
Spot-breasted Woodpecker	<i>Colaptes punctigula</i>
Lineated Woodpecker	<i>Dryocopus lineatus</i>
Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>
Yellow-headed Caracara	<i>Milvago chimachima</i>
Laughing Falcon	<i>Herpetotheres cachinnans</i>
Blue-headed Parrot	<i>Pionus menstruus</i>
Spectacled Parrotlet	<i>Forpus conspicillatus</i>
Scarlet-fronted Parakeet - N	<i>Psittacara wagleri</i>
Montane Woodcreeper	<i>Lepidocolaptes lacrymiger</i>
Streaked Xenops	<i>Xenops rutilans</i>
Streak-capped Treehunter	<i>Thripadectes virgaticeps</i>
Spotted Barbtail	<i>Premnoplex brunnescens</i>
Red-faced Spinetail	<i>Cranioleuca erythrops</i>
Azara's Spinetail	<i>Synallaxis azarae</i>

E = Endemic, N = Near endemic	
Slaty Antwren	<i>Myrmotherula schisticolor</i>
Scaled Antpitta	<i>Grallaria guatemalensis</i>
Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>
Mountain Elaenia	<i>Elaenia frantzii</i>
Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>
Variegated Bristle Tyrant	<i>Pogonotriccus poecilotis</i>
Common Tody-Flycatcher	<i>Todirostrum cinereum</i>
Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>
Black Phoebe	<i>Sayornis nigricans</i>
Eastern Wood Pewee	<i>Contopus virens</i>
Vermilion Flycatcher	<i>Pyrocephalus obscurus</i>
Yellow-bellied Chat-Tyrant	<i>Silvicultrix diadema</i>
Cattle Tyrant	<i>Machetornis rixosa</i>
Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>
Great Kiskadee	<i>Pitangus sulphuratus</i>
Golden-bellied Flycatcher	<i>Myiodynastes hemichrysus</i>
Tropical Kingbird	<i>Tyrannus melancholicus</i>
Barred Becard	<i>Pachyramphus versicolor</i>
Brown-capped Vireo	<i>Vireo leucophrys</i>
Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>
Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>
Whiskered Wren	<i>Pheugopedius mystacalis</i>
Northern House Wren	<i>Troglodytes aedon</i>
Grey-breasted Wood Wren	<i>Henicorhina leucophrys</i>
Andean Solitaire	<i>Myadestes ralloides</i>
Orange-billed Nightingale-Thrush	<i>Catharus aurantiirostris</i>
Swainson's Thrush	<i>Catharus ustulatus</i>
Great Thrush	<i>Turdus fuscater</i>
Black-billed Thrush	<i>Turdus ignobilis</i>
Lesser Goldfinch	<i>Spinus psaltria</i>
Yellow-bellied Siskin	<i>Spinus xanthogastrus</i>
Blue-naped Chlorophonia	<i>Chlorophonia cyanea</i>
Thick-billed Euphonia	<i>Euphonia laniirostris</i>
Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>
Yellow-throated Chlorospingus	<i>Chlorospingus flavigularis</i>
Ashy-throated Chlorospingus	<i>Chlorospingus canigularis</i>
Black-headed Brushfinch - N	<i>Arremon atricapillus</i>
Chestnut-capped Brushfinch	<i>Arremon brunneinucha</i>
Rufous-collared Sparrow	<i>Zonotrichia capensis</i>
White-naped Brushfinch	<i>Atlapetes albinucha</i>
Choco Brushfinch	<i>Atlapetes crassus</i>
Chestnut-headed Oropendola	<i>Psarocolius wagleri</i>
Shiny Cowbird	<i>Molothrus bonariensis</i>
Great-tailed Grackle	<i>Quiscalus mexicanus</i>
Northern Waterthrush	<i>Parkesia noveboracensis</i>
Black-and-white Warbler	<i>Mniotilta varia</i>
Mourning Warbler	<i>Geothlypis philadelphia</i>
Tropical Parula	<i>Setophaga pitaiayumi</i>
Bay-breasted Warbler	<i>Setophaga castanea</i>
Blackburnian Warbler	<i>Setophaga fusca</i>
American Yellow Warbler	<i>Setophaga aestiva</i>
Buff-rumped Warbler	<i>Myiothlypis fulvicauda</i>

E = Endemic, N = Near endemic	
Russet-crowned Warbler	<i>Myiothlypis coronata</i>
Three-striped Warbler	<i>Basileuterus tristriatus</i>
Canada Warbler	<i>Cardellina canadensis</i>
Slate-throated Whitestart	<i>Myioborus miniatus</i>
Summer Tanager	<i>Piranga rubra</i>
Green Honeycreeper	<i>Chlorophanes spiza</i>
Streaked Saltator	<i>Saltator striatipectus</i>
Black-winged Saltator - N	<i>Saltator atripennis</i>
Bananaquit	<i>Coereba flaveola</i>
Yellow-faced Grassquit	<i>Tiaris olivaceus</i>
White-lined Tanager	<i>Tachyphonus rufus</i>
Flame-rumped Tanager - E	<i>Ramphocelus flammigerus</i>
Crimson-backed Tanager	<i>Ramphocelus dimidiatus</i>
Yellow-bellied Seedeater	<i>Sporophila nigricollis</i>
Saffron Finch	<i>Sicalis flaveola</i>
Rusty Flowerpiercer	<i>Diglossa sittoides</i>
White-sided Flowerpiercer	<i>Diglossa albilatera</i>
Blue-winged Mountain Tanager	<i>Anisognathus somptuosus</i>
Glistening-green Tanager	<i>Chlorochrysa phoenicotis</i>
Multicolored Tanager	<i>Chlorochrysa nitidissima</i>
Rufous-throated Tanager	<i>Ixothraupis rufigula</i>
Golden-naped Tanager	<i>Chalcothraupis ruficervix</i>
Blue-grey Tanager	<i>Thraupis episcopus</i>
Palm Tanager	<i>Thraupis palmarum</i>
Black-capped Tanager	<i>Stilpnia heinei</i>
Golden-hooded Tanager	<i>Stilpnia larvata</i>
Blue-necked Tanager	<i>Stilpnia cyanicollis</i>
Scrub Tanager - N	<i>Stilpnia vitriolina</i>
Metallic-green Tanager	<i>Tangara labradorides</i>
Bay-headed Tanager	<i>Tangara gyrola</i>
Saffron-crowned Tanager	<i>Tangara xanthocephala</i>
Golden Tanager	<i>Tangara arthus</i>
Silver-throated Tanager	<i>Tangara icterocephala</i>