

Go Slow in Colombia

Naturetrek Tour Report

17th – 30th January 2026



Gray-breasted Mountain Toucan



Chestnut-crowned Antpitta



Andean Motmot



Rainbow-bearded Thornbill

Tour report by Laura Rubio
Photos by Laura Rubio, Peter Archdale and Yesenia Tapasco



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Laura Rubio (leader) with ten Naturetrek clients

Day 1

Saturday 17th January

Evening flight from Heathrow to Bogota, arriving in the early hours of Sunday. Those travelling from Heathrow met the participants already in Colombia, and boarded the onward flight from Bogota to Pereira.

Day 2

Sunday 18th January

We enjoyed a smooth arrival at Pereira International Airport, with no delays or unexpected events. We headed to the beautiful Hacienda Venecia, where we enjoyed lunch and had our first opportunity to admire some of Colombia's beautiful birdlife from the garden. We encountered the near-endemic Steely-vented Hummingbird and the vibrant Scrub Tanager, as well as many impressive iguanas basking in the trees behind the coffee lodge. Later in the day, we enjoyed a delightful dinner and a well-deserved rest, to prepare for the adventures ahead.

Day 3

Monday 19th January

We spent the morning birdwatching in the gardens of the hacienda, marvelling at the stunning colours of Crimson-backed Tanager, Thick-billed Euphonia and Andean Motmot. Our morning was further enriched by several other species, including North American migrants like Summer Tanager and Rose-breasted Grosbeak. We were particularly fortunate to find a quiet spot where we watched the typically timid Bar-crested Antshrike.

In the afternoon, following a delicious lunch, we enjoyed an immersive coffee tour, exploring the hacienda's facilities and learning the intricate details of their production process. As a world-renowned estate, Hacienda Venecia exports premium coffee globally, and its historic main house even served as a filming location for the famous Colombian telenovela *Café con Aroma de Mujer*. The tour added a wonderful touch of local charm and history to our visit.

Day 4

Tuesday 20th January

Our adventure in the Rio Blanco Reserve began early in the morning. Upon our arrival, the feeders welcomed us with many new hummingbirds to admire, such as Long-tailed Sylph and Buff-tailed Coronet. After breakfast, we headed to an area where we spotted a Stygian Owl roosting in a tree, along with Rufous-crowned Tody-Flycatcher. Later, we visited several antpitta feeders, where we observed Chestnut-crowned, Slate-crowned and the endemic Brown-banded Antpittas. At the feeders, we also admired uncommon species like Green-and-black Fruiteater and Slaty-backed Nightingale-Thrush. We were pleasantly surprised at the lodge by the arrival of the uncommon White-capped Tanager. After enjoying lunch at the lodge, we headed back to Hacienda Venecia.

Day 5

Wednesday 21st January

Today, we visited the Cameduadua Reservoir, where we observed several aquatic and wetland-associated bird species. Among them were Neotropic Cormorant and Pied-billed Grebe. We also spotted North American migrants such as Spotted Sandpiper, Solitary Sandpiper, and even an Osprey. As we walked along the water's edge,

we were lucky enough to see three different species of kingfishers, including Amazon Kingfisher, as well as Blackish Rail.

However, the most exciting sightings of the day were definitely the endemic Grayish Piculet and the striking Vermilion Flycatcher. We also encountered several other migratory birds throughout the morning. We returned to Hacienda Venecia for a relaxing lunch, and in the afternoon, those interested joined a cacao tour, where we learned about the fascinating process of transforming cacao into chocolate.

Day 6

Thursday 22nd January

Today, we travelled to Hacienda El Bosque, where our host, Juan Pablo, welcomed us with a delicious breakfast before we headed to the feeders. There, we had the chance to observe White-browed Spinetail and Equatorial Antpitta. At the hummingbird feeders, we were treated to the sight of a Gray-breasted Mountain-Toucan feasting on grapes, as well as Andean Guan. We also saw the beautiful Purple-backed Thornbill feeding on nearby flowers, and a Yellow-bellied Chat-Tyrant enjoying some tasty worms. The feeders were buzzing with stunning hummingbirds, including the incredible Sword-billed Hummingbird, Buff-winged Starfrontlet and Mountain Velvetbreast. As we moved along the path, we spotted several other high-altitude specialties.

After lunch, we spent a little more time at the feeders where, during a short walk, some of the group spotted Masked Trogon. We then made our way back to Hacienda Venecia, bringing another fantastic day of birding to a close.

Day 7

Friday 23rd January

This was an exciting day, spent exploring the unique páramo ecosystem, marking our highest point of the trip at over 4000m. Our first stop was Laguna Negra, where we saw Andean Teal and Andean Duck, as well as the rarer Andean Lapwing and Stout-billed Cinclodes. Later, upon reaching the visitor centre at 4140m, we took a moment to adjust to the altitude with hot coca tea and a guava sweet. We had an incredible opportunity to observe species specifically adapted to these extreme conditions, including the endemic Buffy Helmetcrest and Andean Tit-Spinetail. From the visitor centre, we also watched the national bird of Colombia, the Andean Condor, soaring through the clouds, along with a Black-chested Buzzard-Eagle. Finally, at Termales del Ruiz, we enjoyed close encounters with stunning hummingbirds, such as Shining Sunbeam, Great Sapphirewing and the dazzling Rainbow-bearded Thornbill.

Day 8


Saturday 24th January

Today, we visited a family-owned reserve called Don Miguel, where we were warmly welcomed by the owner's son, John. He showed us the feeders, where we observed a variety of hummingbirds and tanagers. Some of the highlights included White-vented Plumeleteer, Black-capped Tanager and Green Honeycreeper. However, the absolute highlights of the day was spotting the endemic Turquoise Dacnis, and the stunning Torrent Duck. Thanks to John and Victor's dedication and knowledge of the area, we were able to find these elusive species in their natural habitats. We also spent some time in the observation tower overlooking the canopy, where we saw Chivi Vireo, among several other species. After a delicious traditional *fiambre* for lunch, we headed back to Hacienda Venecia for an afternoon of free time.

Day 9

Sunday 25th January

Today was a day of farewells. Some of the group stayed behind to enjoy one last peaceful morning at Hacienda Venecia before departing for home. Meanwhile, the rest of us set off toward the town of Pueblo Rico and Tatama National Park to continue our birding adventure, this time in the western Andes.



Tayra



Sword-billed Hummingbird

Along the way, we stopped for coffee and gained a true appreciation for the vast scale of the Andean landscape. To reach our destination, we descended the central Andes, crossed the Cauca River, and climbed back up the mountains into the western Andes, navigating the winding roads and occasional landslides. After a ride in 4x4 trucks, we finally arrived at Montezuma Lodge, where we enjoyed a delicious lunch and spent the afternoon at the feeders around the house. We saw many new species of hummingbirds, including White-whiskered Hermit, Violet-tailed Sylph and Purple-bibbed Whitetip. We even encountered some mammals, such as Central American Agouti and Tayra, which visited the feeders to scavenge or boldly steal bananas.

Day 10

Monday 26th January

We had an early start to the day and explored the lower elevations of Tatama National Park, walking toward the La Clarita area with our local guide and founder of the lodge, Michelle. During our walk, we spotted a wide range of species, from Plumbeous Pigeon to a perched Double-toothed Kite and the colourful Collared Trogon. We also successfully found more elusive species, such as Buff-fronted Foliage-gleaner, Slaty Antwren and Choco Tapaculo. We returned to the lodge for lunch and spent some time enjoying the busy activity at the feeders, before heading out in the afternoon to explore other open areas nearby.

Day 11

Tuesday 27th January

The day started very early with a quick coffee or chocolate, before we boarded the 4x4 vehicles that would take us toward the summit, reaching an altitude of nearly 2500m. Constant rain can make this road difficult, so only experienced drivers navigate this route. Near the top, close to the military base, we stopped at one of the shelters to have breakfast and enjoy the high-altitude species that inhabit the area or visit the feeders. Among the local specialties, we observed the endemic Chestnut-bellied Flowerpiercer and Purplish-mantled Tanager. As the weather cleared, we took advantage of the conditions to walk down the road in search of mixed-species flocks. During our descent, we spotted other endemics, including Gold-ringed Tanager, Chami Antpitta, and Narino Tapaculo. We periodically hopped back into the cars to move between different stations and shelters, and enjoyed

a warm and delicious packed lunch on the mountain. Mid-afternoon, after seeing many more birds, we headed back to the lodge to rest, or to watch the busy feeders around the house.

Day 12

Wednesday 28th January

We had another early start to continue our exploration of the diverse rainforests of Tatama National Park. Today, we focused on the mid-elevation areas, starting at a set of feeders. There, we observed Brown Inca, Greenish Puffleg and more endemics such as Black-and-gold Tanager. We walked along the road searching for mixed-species flocks, and were rewarded with sightings of Golden-collared Honeycreeper, Choco Brushfinch, Black-chinned Mountain-Tanager, Ochre-breasted Antpitta and Choco Warbler. We were once again very lucky with the weather, which allowed us to enjoy a variety of orchids and butterflies alongside the many bird species. After another delicious packed lunch, we headed back to the lodge in the mid-afternoon.

Day 13

Thursday 29th January

Our final morning at Montezuma was very relaxed: we slept in a little later, listening to the calming rain. We spent the early hours organizing our gear and preparing for the journey home. Some of the group stayed by the feeders, taking advantage of the soft light to photograph the many species that visited for sugar water or bananas. After an early lunch, we began our drive toward the Pereira airport, where we said goodbye to this wonderful part of Colombia.

Day 14

Friday 30th January

Clients safely arrived home in the UK.

Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

naturetrek.co.uk/e-newsletter-signup

Scan to
sign up!



Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek_wildlife_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



[facebook.com/naturetrekwildlifeholidays](https://www.facebook.com/naturetrekwildlifeholidays)



[naturetrek.bsky.social](https://bsky.app/profile/naturetrek.social)



x.com/naturetrektours (formerly Twitter)

Species lists

Birds (H=heard only)

Main tour

E = Endemic, N = Near-endemic, I = Introduced		January 2026						
Common name	Scientific name	18	19	20	21	22	23	24
Little Tinamou	<i>Crypturellus soui</i>		H					
Torrent Duck	<i>Merganetta armata</i>							✓
Muscovy Duck	<i>Cairina moschata</i>				✓			
Blue-winged Teal	<i>Spatula discors</i>				✓			
Andean Teal	<i>Anas andium</i>						✓	
Andean Duck	<i>Oxyura ferruginea</i>						✓	
Colombian Chachalaca - E	<i>Ortalis columbiana</i>		✓		✓			
Andean Guan	<i>Penelope montagnii</i>			✓		✓		
Sickle-winged Guan	<i>Chamaepetes goudotii</i>			✓		✓		
Pauraque	<i>Nyctidromus albicollis</i>					✓		
Chestnut-collared Swift	<i>Streptoprocne rutila</i>	✓	✓					
White-collared Swift	<i>Streptoprocne zonaris</i>	✓	✓	✓	✓	✓	✓	
White-necked Jacobin	<i>Florisuga mellivora</i>		✓					✓
White-throated Daggerbill - N	<i>Schistes albogularis</i>			✓				
Lesser Violetear	<i>Colibri cyanotus</i>			✓				
Sparkling Violetear	<i>Colibri coruscans</i>			✓		✓		
Black-throated Mango	<i>Anthracothonax nigricollis</i>	✓	✓		✓			
Tourmaline Sunangel - N	<i>Heliangelus exortis</i>			✓		✓		
Speckled Hummingbird	<i>Adelomyia melanogenys</i>			✓				
Long-tailed Sylph	<i>Agelaiocercus kingii</i>			✓				
Purple-backed Thornbill	<i>Ramphomicron microrhynchum</i>			✓		✓		
Buffy Helmetcrest - E	<i>Oxypogon stuebelii</i>						✓	
Rainbow-bearded Thornbill	<i>Chalcostigma herrani</i>						✓	
Tyrian Metaltail	<i>Metallura tyrianthina</i>						✓	
Viridian Metaltail - N	<i>Metallura williami</i>						✓	
Golden-breasted Puffleg - N	<i>Eriocnemis mosquera</i>					✓	✓	
Shining Sunbeam	<i>Aglaeactis cupripennis</i>					✓	✓	
Bronzy Inca	<i>Coeligena coeligena</i>			✓				
Collared Inca	<i>Coeligena torquata</i>			✓		✓		
Buff-winged Starfrontlet	<i>Coeligena lutetiae</i>					✓		
Mountain Velvetbreast	<i>Lafresnaya lafresnayi</i>					✓		
Sword-billed Hummingbird	<i>Ensifera ensifera</i>					✓		
Great Sapphirewing	<i>Pterophanes cyanopterus</i>						✓	
Buff-tailed Coronet	<i>Boissonneaua flavescens</i>			✓				
Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>			✓				
Long-billed Starthroat	<i>Helimaster longirostris</i>	✓						
White-bellied Woodstar	<i>Chaetocercus mulsant</i>			✓		✓		
Western Emerald - N	<i>Chlorostilbon melanorhynchus</i>	✓	✓		✓	✓		✓
White-vented Plumeleteer	<i>Chalybura buffonii</i>	✓						✓
Steely-vented Hummingbird - N	<i>Saucerottia saucerottei</i>	✓	✓		✓			✓
Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	✓	✓	✓	✓	✓		✓
Andean Emerald	<i>Uranomitra franciae</i>			✓				✓
Smooth-billed Ani	<i>Crotophaga ani</i>				✓			
Common Squirrel Cuckoo	<i>Piaya cayana</i>		✓					
Feral Rock Dove - I	<i>Columba livia</i>			✓	✓			

E = Endemic, N = Near-endemic, I = Introduced		January 2026						
Common name	Scientific name	18	19	20	21	22	23	24
Band-tailed Pigeon	<i>Patagioenas fasciata</i>					✓		
Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	✓	✓					
Ruddy Ground Dove	<i>Columbina talpacoti</i>	✓	✓	✓	✓	✓		
Eared Dove	<i>Zenaida auriculata</i>	✓	✓	✓	✓	✓	✓	✓
Blackish Rail	<i>Pardirallus nigricans</i>				✓			
Grey-cowled Wood Rail	<i>Aramides cajaneus</i>							✓
Common Gallinule	<i>Gallinula galeata</i>				✓			
Purple Gallinule	<i>Porphyrio martinica</i>				✓			
Pied-billed Grebe	<i>Podilymbus podiceps</i>				✓			
Black-necked Stilt	<i>Himantopus mexicanus</i>				✓			
Southern Lapwing	<i>Vanellus chilensis</i>				✓	✓		
Andean Lapwing	<i>Vanellus resplendens</i>						✓	
Spotted Sandpiper	<i>Actitis macularius</i>				✓			
Solitary Sandpiper	<i>Tringa solitaria</i>				✓			
Neotropic Cormorant	<i>Nannopterum brasilianum</i>				✓			
Bare-faced Ibis	<i>Phimosus infuscatus</i>	✓	✓	✓	✓	✓		✓
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>				✓			
Little Blue Heron	<i>Egretta caerulea</i>				✓			
Snowy Egret	<i>Egretta thula</i>				✓			
Striated Heron	<i>Butorides striata</i>				✓			
Great Egret	<i>Ardea alba</i>				✓			
Western Cattle Egret	<i>Ardea ibis</i>	✓	✓	✓	✓			✓
Andean Condor	<i>Vultur gryphus</i>						✓	
Black Vulture	<i>Coragyps atratus</i>	✓	✓	✓	✓	✓		✓
Osprey	<i>Pandion haliaetus</i>				✓			
Sharp-shinned Hawk	<i>Accipiter striatus</i>	✓						
Roadside Hawk	<i>Rupornis magnirostris</i>	✓	✓		✓			✓
White-tailed Hawk	<i>Geranoaetus albicaudatus</i>	✓		✓				
Black-chested Buzzard-Eagle	<i>Geranoaetus melanoleucus</i>						✓	
Broad-winged Hawk	<i>Buteo platypterus</i>	✓	✓			✓		✓
Stygian Owl	<i>Asio stygius</i>			✓				
Masked Trogon	<i>Trogon personatus</i>					✓		
Amazon Kingfisher	<i>Chloroceryle amazona</i>				✓			
Green Kingfisher	<i>Chloroceryle americana</i>				✓			
Ringed Kingfisher	<i>Megaceryle torquata</i>		✓		✓			
Andean Motmot	<i>Momotus aequatorialis</i>		✓		✓			✓
Moustached Puffbird	<i>Malacoptila mystacalis</i>		✓					
Gray-breasted Mountain Toucan	<i>Andigena hypoglaucha</i>					✓		
Southern Emerald Toucanet	<i>Aulacorhynchus albivitta</i>			✓				
Greyish Piculet - E	<i>Picumnus granadensis</i>				✓			
Red-crowned Woodpecker	<i>Melanerpes rubricapillus</i>	✓	✓		✓	✓		✓
Smoky-brown Woodpecker	<i>Leuconotopicus fumigatus</i>							✓
Spot-breasted Woodpecker	<i>Colaptes punctigula</i>				✓			
Crested Caracara	<i>Caracara plancus</i>					✓		
Yellow-headed Caracara	<i>Milvago chimachima</i>	✓	✓	✓	✓	✓		✓
American Kestrel	<i>Falco sparverius</i>				✓			
Blue-headed Parrot	<i>Pionus menstruus</i>	✓	✓	✓	✓	✓		✓
Spectacled Parrotlet	<i>Forpus conspicillatus</i>	✓	✓		✓			
Scarlet-fronted Parakeet - N	<i>Psittacara wagleri</i>				✓			
Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>		✓		✓			✓

E = Endemic, N = Near-endemic, I = Introduced		January 2026						
Common name	Scientific name	18	19	20	21	22	23	24
Streaked Xenops	<i>Xenops rutilans</i>			✓				
Streaked Tuftedcheek	<i>Pseudocolaptes boissonneautii</i>					✓		
Stout-billed Cinclodes - N	<i>Cinclodes excelsior</i>						✓	
Pearled Treerunner	<i>Margarornis squamiger</i>					✓	✓	
Andean Tit-spinetail	<i>Leptasthenura andicola</i>						✓	
White-browed Spinetail	<i>Hellmayrea gularis</i>					✓		
Red-faced Spinetail	<i>Cranioleuca erythrops</i>		✓					
Slaty Spinetail	<i>Synallaxis brachyura</i>				H			
Pale-breasted Spinetail	<i>Synallaxis albescens</i>	✓	✓		✓			
Azara's Spinetail	<i>Synallaxis azarae</i>			H				
Bar-crested Antshrike - N	<i>Thamnophilus multistriatus</i>		✓					
Great Antshrike	<i>Taraba major</i>		H					
Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>			✓				
Equatorial Antpitta	<i>Grallaria saturata</i>					✓		
Tawny Antpitta	<i>Grallaria quitensis</i>						H	
Brown-banded Antpitta - E	<i>Grallaria milleri</i>			✓				
Slaty-crowned Antpitta	<i>Grallaricula nana</i>			✓				
Ash-colored Tapaculo	<i>Myornis senilis</i>			H				
Blackish Tapaculo	<i>Scytalopus latrans</i>			H		✓		
Spillmann's Tapaculo - N	<i>Scytalopus spillmanni</i>			H				
Sooty-headed Tyrannulet	<i>Phyllomyias griseiceps</i>				✓			
Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>	✓	✓		✓			
White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>					✓	✓	
Torrent Tyrannulet	<i>Serpophaga cinerea</i>			✓				
Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>	✓	✓	✓	✓	✓		✓
Streak-necked Flycatcher	<i>Mionectes striaticollis</i>			✓				
Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>		✓					✓
Rufous-crowned Tody-Flycatcher	<i>Poecilatriccus ruficeps</i>			✓				
Common Tody-Flycatcher	<i>Todirostrum cinereum</i>		✓		✓			
Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>			✓				
Black Phoebe	<i>Sayornis nigricans</i>	✓	✓	✓	✓			✓
Eastern Wood Pewee	<i>Contopus virens</i>	✓						
Acadian Flycatcher	<i>Empidonax virescens</i>		✓		✓			✓
Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>				✓			
Streak-throated Bush Tyrant	<i>Myiotheretes striaticollis</i>					✓		
Yellow-bellied Chat-Tyrant	<i>Silvicultrix diadema</i>					✓		
Brown-backed Chat-Tyrant	<i>Ochthoeca fuscicollis</i>						✓	
Cattle Tyrant	<i>Machetornis rixosa</i>				✓			
Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>	✓	✓	✓	✓	✓		✓
Social Flycatcher	<i>Myiozetetes similis</i>							
Great Kiskadee	<i>Pitangus sulphuratus</i>	✓	✓		✓			✓
Streaked Flycatcher	<i>Myiodynastes maculatus</i>		✓					✓
Tropical Kingbird	<i>Tyrannus melancholicus</i>	✓	✓	✓	✓	✓		✓
Barred Fruiteater	<i>Pipreola arcuata</i>					✓		
Green-and-black Fruiteater	<i>Pipreola riefferii</i>			✓				
Rufous-naped Greenlet	<i>Pachysylvia semibrunnea</i>				✓			
Chivi Vireo	<i>Vireo chivi</i>		✓					✓
Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	✓	✓	✓	✓			✓
Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>	✓	✓	✓	✓			
Brown-bellied Swallow	<i>Orochelidon murina</i>			✓			✓	

E = Endemic, N = Near-endemic, I = Introduced		January 2026						
Common name	Scientific name	18	19	20	21	22	23	24
Grass Wren	<i>Cistothorus platensis</i>					✓	✓	
Whiskered Wren	<i>Pheugopedius mystacalis</i>				✓			
Southern House Wren	<i>Troglodytes musculus</i>	✓	✓	✓	✓	✓		✓
Mountain Wren	<i>Troglodytes solstitialis</i>					✓		
White-breasted Wood Wren	<i>Henicorhina leucosticta</i>		✓					
Tropical Gnatcatcher	<i>Poliophtila plumbea</i>	✓	✓		✓			
Tropical Mockingbird	<i>Mimus gilvus</i>		✓	✓				
Orange-billed Nightingale-Thrush	<i>Catharus aurantiirostris</i>		✓					
Slaty-backed Nightingale-Thrush	<i>Catharus fuscater</i>			✓				
Swainson's Thrush	<i>Catharus ustulatus</i>		✓	✓				
Great Thrush	<i>Turdus fuscater</i>			✓		✓	✓	
Black-billed Thrush	<i>Turdus ignobilis</i>	✓	✓	✓	✓			✓
Clay-colored Thrush	<i>Turdus grayi</i>		✓					
Lesser Goldfinch	<i>Spinus psaltria</i>	✓						
Yellow-bellied Siskin	<i>Spinus xanthogastrus</i>				✓			
Thick-billed Euphonia	<i>Euphonia lanirostris</i>	✓	✓		✓			✓
Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>							✓
Grey-browed Brushfinch	<i>Arremon assimilis</i>			✓		✓	✓	
Chestnut-capped Brushfinch	<i>Arremon brunneinucha</i>			✓				
Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	✓	✓	✓	✓	✓	✓	
Northern Slaty Brushfinch	<i>Atlapetes schistaceus</i>			✓		✓		
Pale-naped Brushfinch	<i>Atlapetes pallidinucha</i>						✓	
Yellow-backed Oriole	<i>Icterus chrysater</i>							✓
Yellow Oriole	<i>Icterus nigrogularis</i>	✓	✓		✓			
Shiny Cowbird	<i>Molothrus bonariensis</i>	✓	✓		✓			
Carib Grackle	<i>Quiscalus lugubris</i>				✓			
Great-tailed Grackle	<i>Quiscalus mexicanus</i>				✓			
Northern Waterthrush	<i>Parkesia noveboracensis</i>				✓			
American Redstart	<i>Setophaga ruticilla</i>		✓					
Tropical Parula	<i>Setophaga pitayumi</i>		✓					✓
Blackburnian Warbler	<i>Setophaga fusca</i>		✓	✓		✓		✓
American Yellow Warbler	<i>Setophaga aestiva</i>		✓		✓			
Black-crested Warbler	<i>Myiothlypis nigrocristata</i>			✓		✓		
Russet-crowned Warbler	<i>Myiothlypis coronata</i>			✓				
Golden-crowned Warbler	<i>Basileuterus culicivorus</i>		✓					
Canada Warbler	<i>Cardellina canadensis</i>			✓				
Golden-fronted Whitestart	<i>Myioborus ornatus</i>					✓	✓	
Hepatic Tanager	<i>Piranga flava</i>							✓
Summer Tanager	<i>Piranga rubra</i>		✓	✓	✓			✓
Rose-breasted Grosbeak	<i>Pheucticus ludovicianus</i>		✓		✓			
White-capped Tanager	<i>Sericossypha albocristata</i>			✓				
Green Honeycreeper	<i>Chlorophanes spiza</i>							✓
Turquoise Dacnis - E	<i>Dacnis hartlaubi</i>							✓
Olive-gray Saltator	<i>Saltator olivascens</i>				✓			
Streaked Saltator	<i>Saltator striatipectus</i>	✓	✓		✓			
Black-winged Saltator - N	<i>Saltator atripennis</i>							✓
Masked Saltator	<i>Saltator cinctus</i>			✓				
Bananaquit	<i>Coereba flaveola</i>	✓	✓		✓			✓
Yellow-faced Grassquit	<i>Tiaris olivaceus</i>	✓	✓		✓			
Dull-colored Grassquit	<i>Asemospiza obscura</i>		✓					

E = Endemic, N = Near-endemic, I = Introduced		January 2026						
Common name	Scientific name	18	19	20	21	22	23	24
Blue-black Grassquit	<i>Volatinia jacarina</i>		✓					
White-lined Tanager	<i>Tachyphonus rufus</i>	✓	✓					
Flame-rumped Tanager - E	<i>Ramphocelus flammigerus</i>	✓	✓		✓			✓
Crimson-backed Tanager	<i>Ramphocelus dimidiatus</i>	✓	✓		✓			✓
Grey Seedeater	<i>Sporophila intermedia</i>	✓	✓		✓			
Yellow-bellied Seedeater	<i>Sporophila nigricollis</i>		✓		✓			✓
Grey-hooded Bush Tanager	<i>Cnemoscopus rubrirostris</i>			✓				
Superciliaried Hemispingus	<i>Thlypopsis superciliaris</i>						✓	
Capped Conebill	<i>Conirostrum albifrons</i>			✓				
Blue-backed Conebill	<i>Conirostrum sitticolor</i>						✓	
Saffron Finch	<i>Sicalis flaveola</i>	✓	✓		✓			
Plumbeous Sierra Finch	<i>Geospizopsis unicolor</i>						✓	
Masked Flowerpiercer	<i>Diglossa cyanea</i>			✓		✓	✓	
Glossy Flowerpiercer	<i>Diglossa lafresnayii</i>						✓	
White-sided Flowerpiercer	<i>Diglossa albilatera</i>			✓				
Black Flowerpiercer	<i>Diglossa humeralis</i>			✓		✓		
Golden-crowned Tanager	<i>Iridosornis rufivertex</i>						✓	
Blue-capped Tanager	<i>Sporathraupis cyanocephala</i>			✓		✓		
Blue-winged Mountain Tanager	<i>Anisognathus somptuosus</i>			✓				
Scarlet-bellied Mountain Tanager	<i>Anisognathus igniventris</i>						✓	
Lacrimose Mountain Tanager	<i>Anisognathus lacrymosus</i>						✓	
Blue-grey Tanager	<i>Thraupis episcopus</i>	✓	✓	✓	✓	✓		✓
Palm Tanager	<i>Thraupis palmarum</i>	✓	✓	✓	✓	✓		✓
Black-capped Tanager	<i>Stilpnia heinei</i>							✓
Blue-necked Tanager	<i>Stilpnia cyanicollis</i>		✓		✓			✓
Scrub Tanager - N	<i>Stilpnia vitriolina</i>	✓	✓		✓			✓
Blue-and-black Tanager	<i>Tangara vassorii</i>			✓				
Metallic-green Tanager	<i>Tangara labradorides</i>			✓				
Bay-headed Tanager	<i>Tangara gyrola</i>		✓		✓			✓
Golden Tanager	<i>Tangara arthus</i>							✓

Extension

E = Endemic, N = Near-endemic, I = Introduced		January 2026			
Common name	Scientific name	25	26	27	28
Sickle-winged Guan	<i>Chamaepetes goudotii</i>		✓		✓
Pauraque	<i>Nyctidromus albicollis</i>		H		
White-collared Swift	<i>Streptoprocne zonaris</i>		✓		✓
White-necked Jacobin	<i>Florisuga mellivora</i>	✓	✓	✓	✓
White-whiskered Hermit - N	<i>Phaethornis yaruqui</i>	✓	✓		✓
Tawny-bellied Hermit	<i>Phaethornis syrmatophorus</i>	✓		✓	✓
Green-fronted Lancebill	<i>Doryfera ludovicae</i>		✓		
Tourmaline Sunangel - N	<i>Helianthus exortis</i>			✓	
Green Thorntail	<i>Discosura conversii</i>	✓		✓	✓
Speckled Hummingbird	<i>Adelomyia melanogenys</i>			✓	
Long-tailed Sylph	<i>Agelaiocercus kingii</i>			✓	
Violet-tailed Sylph	<i>Agelaiocercus coelestis</i>	✓	✓	✓	✓
Greenish Puffleg	<i>Haplophaedia aureliae</i>			✓	✓
Brown Inca	<i>Coeligena wilsoni</i>	✓		✓	✓
Collared Inca	<i>Coeligena torquata</i>			✓	

E = Endemic, N = Near-endemic, I = Introduced		January 2026			
Common name	Scientific name	25	26	27	28
Buff-tailed Coronet	<i>Boissonneaua flavescens</i>	✓		✓	✓
Velvet-purple Coronet - N	<i>Boissonneaua jardini</i>	✓		✓	✓
White-booted Racket-tail	<i>Ocreatus underwoodii</i>	✓	✓	✓	✓
Rufous-gaped Hillstar	<i>Urochroa bougueri</i>	✓	✓	✓	✓
Purple-bibbed Whitetip	<i>Urosticte benjamini</i>	✓	✓		✓
Green-crowned Brilliant	<i>Heliodoxa jacula</i>	✓			
Empress Brilliant	<i>Heliodoxa imperatrix</i>	✓		✓	✓
Purple-throated Woodstar	<i>Philodice mitchellii</i>	✓	✓	✓	✓
Western Emerald - N	<i>Chlorostilbon melanorhynchus</i>	✓	✓		
Crowned Woodnymph	<i>Thalurania colombica</i>	✓	✓		
Steely-vented Hummingbird - N	<i>Saucerottia saucerottei</i>	✓	✓		✓
Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	✓	✓	✓	✓
Andean Emerald	<i>Uranomitra franciae</i>	✓	✓	✓	✓
Smooth-billed Ani	<i>Crotophaga ani</i>		✓		
Squirrel Cuckoo	<i>Piaya cayana</i>		✓		
Band-tailed Pigeon	<i>Patagioenas fasciata</i>		✓		
Plumbeous Pigeon	<i>Patagioenas plumbea</i>		✓		
Ruddy Pigeon	<i>Patagioenas subvinacea</i>				✓
Eared Dove	<i>Zenaida auriculata</i>		✓		
Blackish Rail	<i>Pardirallus nigricans</i>	✓	✓		✓
Black Vulture	<i>Coragyps atratus</i>		✓	✓	✓
Turkey Vulture	<i>Cathartes aura</i>		✓		
Ornate Hawk-Eagle	<i>Spizaetus ornatus</i>		H		
Double-toothed Kite	<i>Harpagus bidentatus</i>		✓		
Golden-headed Quetzal	<i>Pharomachrus auriceps</i>				H
Crested Quetzal	<i>Pharomachrus antisianus</i>				✓
Collared Trogon	<i>Trogon collaris</i>		✓		
Ringed Kingfisher	<i>Megaceryle torquata</i>				✓
Andean Motmot	<i>Momotus aequatorialis</i>	✓			
Red-headed Barbet	<i>Eubucco bourcierii</i>	✓	✓		
Toucan Barbet	<i>Semnornis ramphastinus</i>				✓
Crimson-rumped Toucanet	<i>Aulacorhynchus haematopygus</i>		✓		
Greyish Piculet - E	<i>Picumnus granadensis</i>		✓		
Black-cheeked Woodpecker	<i>Melanerpes pucherani</i>	✓	✓		
Yellow-vented Woodpecker	<i>Veniliornis dignus</i>			✓	✓
Powerful Woodpecker	<i>Campephilus pollens</i>			H	
Yellow-headed Caracara	<i>Milvago chimachima</i>		✓		
Bronze-winged Parrot	<i>Pionus chalcopterus</i>		✓		
Wedge-billed Woodcreeper	<i>Glyphorynchus spirurus</i>	✓	✓		
Brown-billed Scythebill	<i>Campylorhamphus pusillus</i>				✓
Pacific Tuftedcheek	<i>Pseudocolaptes johnsoni</i>				✓
Scaly-throated Foliage-gleaner	<i>Anabacerthia variegaticeps</i>				✓
Buff-fronted Foliage-gleaner	<i>Dendroma rufa</i>		✓		
Uniform Treehunter - N	<i>Thripadectes ignobilis</i>			✓	✓
Star-chested Treerunner	<i>Margarornis stellatus</i>			✓	✓
Red-faced Spinetail	<i>Cranioleuca erythrops</i>		✓	✓	✓
Slaty Antwren	<i>Myrmotherula schisticolor</i>		✓		
Plain Antvireo	<i>Dysithamnus mentalis</i>		✓		
Uniform Antshrike	<i>Thamnophilus unicolor</i>				✓
Streak-headed Antbird	<i>Drymophila striaticeps</i>			✓	
Yellow-breasted Antpitta	<i>Grallaria flavotincta</i>			H	

E = Endemic, N = Near-endemic, I = Introduced		January 2026			
Common name	Scientific name	25	26	27	28
Chami Antpitta	<i>Grallaria alvarezii</i>			✓	
Ochre-breasted Antpitta	<i>Grallaria flaviviridis</i>				✓
Chestnut-crowned Gnatcatcher	<i>Conopophaga castaneiceps</i>		✓		
Narino Tapaculo	<i>Scytalopus vicini</i>			✓	
Choco Tapaculo	<i>Scytalopus chocoensis</i>		✓		
Tatama Tapaculo	<i>Scytalopus alvarezlopezi</i>				✓
Torrent Tyrannulet	<i>Serpophaga cinerea</i>		✓		✓
Bronze-olive Pygmy Tyrant	<i>Pseudotriccus pelzelni</i>				✓
Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>	✓	✓		
Streak-necked Flycatcher	<i>Mionectes striaticollis</i>		✓	✓	✓
Slaty-capped Flycatcher	<i>Leptopogon superciliosus</i>		✓		
Handsome Flycatcher	<i>Nephelomyias pulcher</i>			✓	✓
Ornate Flycatcher	<i>Myiobrycon ornatus</i>		✓		✓
Black-throated Tody-Tyrant	<i>Hemitriccus granadensis</i>			✓	✓
Pacific Flatbill	<i>Rhynchocyclus pacificus</i>		✓		
Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>			✓	✓
Black Phoebe	<i>Sayornis nigricans</i>		✓	✓	✓
Smoky Bush Tyrant	<i>Myiozetetes fumigatus</i>			✓	
Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>	✓	✓	✓	✓
Great Kiskadee	<i>Pitangus sulphuratus</i>	✓			
Golden-bellied Flycatcher	<i>Myiodynastes hemichrysus</i>		✓		
Tropical Kingbird	<i>Tyrannus melancholicus</i>		✓		✓
Orange-breasted Fruiteater	<i>Pipreola jucunda</i>				✓
Green-and-black Fruiteater	<i>Pipreola riefferii</i>			✓	✓
Olivaceous Piha	<i>Snowornis cryptolophus</i>				✓
Purple-throated Fruitcrow	<i>Querula purpurata</i>		✓		
Golden-winged Manakin	<i>Masius chrysopterus</i>		✓		
Club-winged Manakin	<i>Machaeropterus deliciosus</i>		✓		
Striolated Manakin	<i>Machaeropterus striolatus</i>		✓		
Masked Tityra	<i>Tityra semifasciata</i>		✓		
Barred Becard	<i>Pachyrhamphus versicolor</i>			✓	
Rufous-naped Greenlet	<i>Pachysylvia semibrunnea</i>		✓		
Black-chested Jay	<i>Cyanocorax affinis</i>		✓		
Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>		✓		
Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>		✓		
Brown-bellied Swallow	<i>Orochelidon murina</i>			✓	
Sepia-brown Wren	<i>Cinnycerthia olivascens</i>			✓	
Whiskered Wren	<i>Pheugopedius mystacalis</i>		✓		
Bay Wren	<i>Cantorchilus nigricapillus</i>		✓		
Southern House Wren	<i>Troglodytes musculus</i>		✓		✓
Grey-breasted Wood Wren	<i>Henicorhina leucophrys</i>		✓		✓
Munchique Wood Wren	<i>Henicorhina negreti</i>			✓	
Northern Chestnut-breasted Wren	<i>Cyphorhinus dichrous</i>			✓	
Andean Solitaire	<i>Myadestes ralloides</i>		✓		
Glossy-black Thrush	<i>Turdus serranus</i>			✓	
Great Thrush	<i>Turdus fuscater</i>			✓	
Black-billed Thrush	<i>Turdus ignobilis</i>		✓	✓	✓
Chestnut-breasted Chlorophonia	<i>Chlorophonia pyrrhophrys</i>			✓	✓
Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>	✓	✓		✓

E = Endemic, N = Near-endemic, I = Introduced		January 2026			
Common name	Scientific name	25	26	27	28
Tanager Finch	<i>Oreothraupis arremonops</i>			✓	
Yellow-throated Chlorospingus	<i>Chlorospingus flavigularis</i>		✓		
Dusky Chlorospingus	<i>Chlorospingus semifuscus</i>			✓	✓
Black-headed Brushfinch - N	<i>Arremon atricapillus</i>	✓			
Rufous-collared Sparrow	<i>Zonotrichia capensis</i>			✓	
Choco Brushfinch	<i>Atlapetes crassus</i>				✓
Chestnut-headed Oropendola	<i>Psarocolius wagleri</i>	✓	✓		
Russet-backed Oropendola	<i>Psarocolius angustifrons</i>	✓	✓	✓	✓
Red-bellied Grackle	<i>Hypopyrrhus pyrohypogaster</i>		✓		
Northern Waterthrush	<i>Parkesia noveboracensis</i>	✓	✓		
Blackburnian Warbler	<i>Setophaga fusca</i>		✓	✓	✓
Choco Warbler	<i>Myiothlypis chlorophrys</i>				✓
Three-striped Warbler	<i>Basileuterus tristriatus</i>		✓		✓
Canada Warbler	<i>Cardellina canadensis</i>		✓		
Slate-throated Whitestart	<i>Myioborus miniatus</i>			✓	✓
Golden-fronted Whitestart	<i>Myioborus ornatus</i>			✓	
Hepatic Tanager	<i>Piranga flava</i>	✓	✓		
Summer Tanager	<i>Piranga rubra</i>	✓	✓		✓
Crested Ant Tanager	<i>Driophlox cristata</i>		✓		
Green Honeycreeper	<i>Chlorophanes spiza</i>	✓	✓	✓	✓
Golden-collared Honeycreeper	<i>Iridophanes pulcherrimus</i>				✓
Black-winged Saltator - N	<i>Saltator atripennis</i>	✓	✓		
Bananaquit	<i>Coereba flaveola</i>	✓	✓	✓	✓
Flame-rumped Tanager - E	<i>Ramphocelus flammigerus</i>	✓	✓	✓	✓
Crimson-backed Tanager	<i>Ramphocelus dimidiatus</i>	✓	✓		✓
Bluish Flowerpiercer	<i>Diglossa caerulescens</i>			✓	✓
Masked Flowerpiercer	<i>Diglossa cyanea</i>			✓	
Chestnut-bellied Flowerpiercer	<i>Diglossa gloriosissima</i>			✓	
White-sided Flowerpiercer	<i>Diglossa albilatera</i>			✓	✓
Purplish-mantled Tanager	<i>Iridosornis porphyrocephalus</i>			✓	✓
Blue-capped Tanager	<i>Sporathraupis cyanocephala</i>			✓	
Grass-green Tanager	<i>Chlorornis riefferii</i>			✓	
Black-chinned Mountain Tanager	<i>Anisognathus notabilis</i>			✓	✓
Glistening-green Tanager	<i>Chlorochrysa phoenicotis</i>			✓	✓
Multicolored Tanager	<i>Chlorochrysa nitidissima</i>		✓		
Gold-ringed Tanager	<i>Bangsia aureocincta</i>			✓	✓
Black-and-gold Tanager	<i>Bangsia melanochlamys</i>		✓		✓
Rufous-throated Tanager	<i>Ixothraupis rufigula</i>		✓		✓
Blue-grey Tanager	<i>Thraupis episcopus</i>	✓	✓		✓
Palm Tanager	<i>Thraupis palmarum</i>	✓	✓		✓
Golden-hooded Tanager	<i>Stilpnia larvata</i>		✓		
Blue-necked Tanager	<i>Stilpnia cyanicollis</i>		✓		
Scrub Tanager - N	<i>Stilpnia vitriolina</i>	✓	✓		
Beryl-spangled Tanager	<i>Tangara nigroviridis</i>		✓	✓	✓
Metallic-green Tanager	<i>Tangara labradorides</i>		✓		
Bay-headed Tanager	<i>Tangara gyrola</i>		✓		✓
Golden Tanager	<i>Tangara arthus</i>		✓		✓
Silver-throated Tanager	<i>Tangara icterocephala</i>	✓	✓	✓	✓