

Costa Rica

Naturetrek Tour Report

7th – 22nd February 2026



Red-legged Honeycreepers



Scarlet-rumped Tanager



White-necked Jacobin



Violet Sabrewing

Tour report by Philip Crayford



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Cesar Sanchez (leader) with ten Naturetrek clients

Day 1

Saturday 7th February

Departure

We checked in for our British Airways direct flight from London Gatwick to San José. The flight left on time, was uneventful and landed on schedule at San José. We cleared immigration without delay, met up with Cesar, our tour leader for the next two weeks, and headed for Hotel Bougainvillea for a one-night stay.

Day 2

Sunday 8th February

Talamanca mountains

We were up early to explore the hotel gardens, which are large and well-maintained, with a large variety of plants to attract the wildlife. We started the bird list with Great Kiskadee, White-winged Dove, Red-billed Pigeon, Hoffmann's Woodpecker, Tennessee Warbler, Social Flycatcher, Inca Dove and Great-tailed Grackle, and our first Rufous-tailed Hummingbird. Black and Turkey Vultures circled above us as we walked. We checked out and headed for the Talamanca mountains.

We stopped en route to pick up supplies at a supermarket. which happened to be next to a piece of dry scrubby land. We quickly picked up Cattle Egret, a Tropical Kingbird, Southern Lapwing and a number of Killdeers in the scrub. Our departure was delayed by a Crested Caracara with prey landing on a nearby tree and proceeding to eat its meal.

We continued our journey with lunch at Quetzal Lodge in Paraiso. We arrived in good time, and were treated to our first experience of hummingbirds at feeders. Lesser Violetear, Grey-tailed Mountaingems and tiny Volcano Hummingbirds were abundant, along with the very localised Talamanca Hummingbird. We explored the extensive gardens before lunch, seeing Long-tailed Silky-flycatchers, Rufous-necked Sparrows and Mountain Thrushes, but the star bird was a Golden-browed Chlorophonia feeding on berries in one of the many shrubs. As we returned to the lodge, a Large-footed Finch was founding working its way through the undergrowth at the edge of the car park.

We continued our journey to Savegre Mountain Lodge, and checked in. A brief pre-dinner walk produced Turkey and Black Vultures, Blue-and-white Swallow and a Slaty Flowerpiercer.

Day 3

Monday 9th February

La Savegre Lodge & Quebrada Trail

A pre-dawn start saw us looking in a heavily wooded area for Resplendent Quetzals. A pair of Acorn Woodpeckers showed well, and then the quetzal was heard! Moving quickly, we located them and enjoyed good views for a number of minutes, until the bird moved deeper into the forest and out of sight. We returned to the bus and after enjoying close up views of a Grey-tailed Mountaingem feeding on the wayside flowers, we left the site. As we made our way back to the lodge, we were stopped by the sight of another male Resplendent Quetzal perched on a dead tree immediately by the roadside! We joined another group and observed the bird. As news got around, further groups arrived and the quetzal moved further into the woods. Amazingly, a female emerged from a hole in the tree and also flew off into the woods, but remained just visible to the assembled birders. With excellent views of three quetzals in one morning, we headed back very happy, for a later-than-planned breakfast.

After breakfast, we got into the jeeps to drive to the top of the Quebrada trail, one of the many in the nature reserve attached to the lodge. We made our way slowly down the track. Along the way we saw Ruddy-crowned Nightingale-Thrush and Red-crowned Woodpecker and heard the unmistakable sound of Pale-billed Woodpecker. Yellowish Flycatcher and Wilson's Warbler were added to the list, and then a pair of Ruddy Treerunners appeared in the bushes next to the path and gave close views for some considerable time. On reaching the end of the Quebrada trail, we had the option of getting a jeep for the last part of the route back to the lodge, or continuing to walk. On the walk, Summer Tanager and Baltimore Oriole were seen, and a Flame-coloured Tanager gave excellent views perched in a wayside tree. The group reconvened for lunch at the lodge.

The day was concluded with a pre-dinner walk around the lodge gardens, where Grey-tailed Mountaingems and Stripe-tailed, Volcano and Scintillant Hummingbirds were seen in the gardens and at the feeders. Rufous-collared Sparrow and Common Chlorospingus were also seen, along with thermalling Black and Turkey Vultures. The walk ended at the river, where an American Dipper and Summer Tanagers were picked up.

Day 4

Tuesday 10th February

The Pacific coast and Macaw Lodge

We were up early for some pre-breakfast birding, concentrating on the trees towards the back of the site, which were in full flower and contained Tennessee Warblers, Baltimore Orioles, Flame-coloured Tanagers and Slaty Flowerpiercers.

We checked out after breakfast and headed for the Pacific lowland rainforest, and a complete change of scenery and vast increase in temperature. On the way we visited the *paramo*, a rare steppe-like habitat at some 3000m elevation. As we climbed the wind increased, along with the rain, which by the time we reached our destination had become horizontal. A few ventured out, but saw little through the cloud and rain. We returned to the bus and continued our journey.

We had three nights ahead of us at Macaw Lodge, but before checking in to the lodge we headed to the beach and saw our first Scarlet Macaws, Wood Storks and Laughing Gulls. Magnificent Frigatebirds were plentiful, and Black Vultures and a Common Black Hawk were feeding on a fisherman's by-catch. A pair of Rufous-backed Wrens showed well in a roadside tree, accompanied by Great Kiskadees and Tropical Kingbirds. We headed towards Macaw Lodge, only a short way from the beach, but took around an hour to navigate the narrow winding track and road.

After checking in, we began to explore the grounds of the lodge. Tropical Kingbirds, Green Herons, Purple Gallinules, Ringed Kingfisher and wood rails were seen, along with Scarlet-rumped and Blue-grey Tanagers. As we headed for dinner, a Buff-rumped Warbler was picked up around the ponds by the path

Day 5

Wednesday 11th February

Carara National Park

Pre-breakfast, the feeders were busy with Grey-headed Chachalacas, accompanied by various tanagers and a pair of Northern Waterthrushes feeding in the grass. After breakfast we made the short journey to Carara National Park. Before we entered the reserve, we found butterflies nectaring on the yellow peacock flowers, along with three Black Iguanas warming up in the early morning sunshine. We entered the reserve and followed a trail into the forest. Vast columns of leaf cutter ants were industriously working along the paths. As we went deeper into the forest, we heard and got brief views of a Chestnut-backed Antbird deep in the undergrowth. A Black-hooded Antshrike and a Rufous Piha gave good views in the trees above us. As we crossed the river a basilisk lizard was spotted basking on a rock, and another Black Iguana was by the side of the path. The intense heat and humidity made this a challenging session, but we were rewarded with views of some difficult-to-see birds.

We had lunch at a fish restaurant by the coast, and then made the short journey back to Macaw Lodge. After a rest, we enjoyed the wonderful gardens and surrounding forest. Hoffmann's Woodpecker, Bare-throated Tiger Heron, Spot-crowned Euphonia, Scarlet-rumped Tanager, Clay-coloured Thrush, Grey-cowled Wood Rail, Groove-billed Ani and Ruddy Quail-Dove were seen. A Lesson's Motmot gave good views in the trees. As we walked around the grounds, we noticed some leaves which had been carefully shaped to form a tent, and on closer inspection two Pacific Tent-making bats were found roosting in the foliage.

As we returned to the lodge, a Purple-crowned Fairy was found feeding in the flowering clock vine plants around the restaurant area, along with the Rufous-tailed Hummingbirds.

Day 6

Thursday 12th February

Tarcoles River Cruise

First thing, the feeders supported the usual cast of tanagers and euphonias. We left for a pre-breakfast walk: hummingbirds were feeding in the trees and Rufous-backed Wrens showed well. As we walked along the trails, we found a pond with numerous butterflies and dragonflies, adding to the wide variety of birds. We returned for breakfast: the activity on the feeders was still in full swing.

We left the lodge and headed towards the coast, where we had an afternoon cruise on the Tarcoles River. Over high tide, the sand banks were being used by a vast number and variety of sea and shore birds. Black-necked Stilt, Southern Lapwing, Grey, Semipalmated, Wilson's and Collared Plovers, Hudsonian Whimbrel, Spotted and Least Sandpipers, and Willet were all seen. Royal, Elegant and Sandwich Terns were there in numbers, with a surprise Common Tern seen in among them. Wood Storks and Magnificent Frigatebirds were frequent, along with a great variety of herons and egrets.

With the availability of prey, raptors were also there: we noted both Yellow-headed and Crested Caracaras, Common Black Hawk, Osprey and Grey Hawk, and a Black Hawk-Eagle was seen overhead. Kingfishers were plentiful, with the highlight being close views of an American Pygmy Kingfisher hunting in the shallow margins. Prothonotary Warblers and a Panama Flycatcher added to the picture. The cruise came to an end and we began the journey back to Macaw Lodge for our final night there.

Day 7

Friday 13th February

Macaw Lodge to La Ensenada

This was our final morning at Macaw Lodge. The pre-breakfast walk produced good views of Montezuma's Oropendolas building their nest in a palm tree. Green Herons, Green Kingfisher, Tropical Kingbirds, assorted tanagers and euphonias, and Rufous-tailed Hummingbirds all gave good views

We checked out and began our journey to La Ensenada lodge, for a two-night stay. We were delayed mid-journey by a Roadside Hawk perched in a tree by the roadside. After lunch at La Ensenada, we explored the area focusing on an inland lagoon. Roseate Spoonbills, Wood Storks and various herons and egrets were all in evidence.

American Crocodiles were circling threateningly around the lagoon. Northern Jacanas were picking around the margins, along with Black-necked Stilts and Spotted Sandpipers. Blue-winged Teals were seen on the lagoon.

We returned to the lodge, enjoying views of Orange-fronted Parakeet and Rose-breasted Grosbeak on the way.

Day 8

Saturday 14th February

La Ensenada

The pre-breakfast walk produced excellent views of Black-headed Trogon, Streak-backed and Baltimore Orioles, Squirrel Cuckoo, White-necked Puffbird, Hoffmann's Woodpecker, Rufous-backed Wren and White-throated Magpie-jay.

After breakfast, we visited the local salt pans, an area might be productive for egrets and waders. We stopped on the way to view a Turquoise-browed Motmot and Double-striped Thick-knee, also finding a Yellow-headed Caracara surveying the scene from its perch above a herd of cattle. Rufous-backed Wren and Hoffmann's Woodpecker were found in the trees. The heat was becoming intense as we headed to the saltpan. A quick look produced little beyond some Snowy and Great Egrets, and most of the group took the option to return to the lodge. The few who remained, however, were treated to a flock of some four hundred Wilson's Plovers wheeling in the sky as they came into land.

As we left the lodge in the afternoon to explore the local area further, the Central American Howler Monkeys were very active and very loud. We observed a Pacific Screech Owl roosting near to the lodge. We soon found Painted Bunting, Prothonotary, Mangrove and Yellow Warblers, and Cinnamon Hummingbirds. As we returned to the bus, a pair of Yellow-naped Amazons were seen feeding at the top of the trees.

Day 9

Sunday 15th February

La Ensenada to Arenal

The howlers began their early morning communication at around 4.30am. waking us up in good time for the early morning walk, which proved notable for the display put on by a group of trogons and sightings of a Ferruginous Pygmy Owl. We checked out and headed for Arenal Volcano Lodge, situated in the tropical forests of the Caribbean foothills. We stopped at a Tilapia farm on the way, and picked up good views of Limpkin in among the Great Egrets; an Osprey flew overhead and Southern Rough-winged Swallows were perched on the wires.

We arrived late in the afternoon and checked in. The volcano was just visible through the clouds, but never fully appeared throughout our stay. The feeders were still busy, and one of the first birds spotted was a Broad-billed Motmot perched in a tree. The light soon faded, and we retired early to be ready for the next day.

Day 10

Monday 16th February

Arenal Volcano Lodge

In common with the other lodges, there was much activity on the early morning feeders, and with new species in evidence. Crested Guan and Great Curassow dominated the feeders early on, along with Grey-headed Chachalacas. As these moved off, the tanagers moved in, along with Collared Aracari and Brown Jay. Emerald and Golden-hooded Tanagers were seen amongst the honeycreepers. Tennessee Warbler, Rufous-tailed Hummingbirds and Buff-throated Saltator all appeared, and a Chestnut-backed Oropendola showed up among the now-familiar Montezuma's Oropendola. We moved away from the feeders and found Summer and Hepatic Tanagers around the lodge entrance; a Pale-billed Woodpecker showed well in the pine trees, along with a Yellow-throated Toucan.

After breakfast we explored the grounds around the lodge. Hummingbirds were active among the flowering shrubs: Striped Hermits gave fleeting views as they hurried from plant to plant. Rufous-tailed Hummingbirds were actively defending their territory against all comers, notably a pair of Bananaquits. Crimson-collared and Summer Tanagers were seen, along with Tropical Kingbirds and Great Kiskadee. A Masked Tityra flew in and perched on a dead tree trunk.

We headed for lunch at a restaurant close by, which had a reserve attached to it. We explored here after lunch. The walk was most notable for herons and egrets, with Green, Boat-billed and Yellow-crowned Night Heron all seen. The feeders were also active: a highlight was a Russet-naped Wood Rail devouring an unfortunate frog.

We headed back to the lodge and stopped at the river crossing, picking up a Rufous-tailed Jacamar, along with Black Phoebe and American Dipper. After supper, we spent a little time looking at the moths and insects attracted by the lights on the viewing platform, and had brief views of a Black-and-white Owl just in front of reception.

Day 11

Tuesday 17th February

Arenal to La Selva

The pre-breakfast walk focused on the wooded area in front of the lodge, and Tawny-capped Euphonia and Grey-capped Warbler were added to the list. A Long-tailed Tyrant spent most of the morning catching flies from the top of a dead tree close to the viewing gallery. After breakfast, we enjoyed a last walk around the grounds, before

checking out and continuing our journey to the Caribbean lowlands and Selva Verde Lodge and Reserve, situated on the banks of the Sarapiquí river. As usual our journey was delayed, this time by a White Hawk perched in a tree by the roadside. It stayed there for some ten minutes before eventually flying off.

We checked in and found our rooms, all of which had excellent views. Having eventually relocated the dining area, we enjoyed a pre-supper walk around the grounds and made our way to the banks of the river. White-collared Manakins, Brown Basilisk, White-tailed Deer and Bare-throated Tiger Herons were all seen. An Osprey flew past with prey in its talons, banked around and perched at the top of tree, where it consumed its catch. After our evening meal, we located a number of Red-eyed Tree Frogs in the foliage around the pools.

Day 12

Wednesday 18th February

La Selva Biological Station

The pre-breakfast walk added Fasciated Tiger Heron and Olive-backed Euphonia to our list. After breakfast we headed to La Selva Biological Station, a well-known research site which has long studied the region's tropical rainforests. Before we entered the research area, we stopped to look (unsuccessfully) for Snowy Cotinga in the trees, but were rewarded with views of Black-faced Grosbeak feeding in the shrubby trees by the entrance.

As we headed down the trail, our first bird was a Black-throated Trogon perched in full view. A Rufous-tailed Jacamar was spotted, along with an Amazon Kingfisher, as we negotiated a rickety rope bridge across the river. Strawberry Poison-dart Frogs were found calling in the leaf litter, and we saw a second Black-throated Trogon, followed by a White-fronted Nunbird high in the canopy, and a Broad-billed Motmot lower down.

After lunch at the lodge, we returned to the Biological Station to explore a second trail. A Gartered Trogon appeared, and a Chestnut-backed Antbird was seen picking around the leaf litter at the edge of the path, while a pair of Pale-billed Woodpeckers fed in the trees above us. As we reached the end of the trail, a Brown-throated Three-toed Sloth was found high in a tree, and a diminutive Pied Puffbird showed well. We began our return journey, stopping to look at a group of Variable Seedeaters in overgrown fields on the way.

Day 13

Thursday 19th February

Socorro

We left the lodge after breakfast and travelled for around forty-five minutes to the forests around Virgin de Socorro, planning to stop for coffee and refreshments at a small restaurant en route, which had the added attraction of a feeding station.

On arrival, we were entertained by the usual tanagers, honeycreepers, saltators and chlorophonias on the bird feeders, but these were eclipsed by a Blue-throated (formerly Emerald) Toucanet perched in the trees. Coffee and snacks were ordered, and while we waited a Violet Sabrewing posed in the trees, giving excellent views: its bright purple gorget sparkled in the sunshine. A lone Central American Coati then intervened and took over the feeding station, until it was 'gently persuaded' to move on by the restaurant staff. We left the restaurant and headed to a forested valley. Large numbers of raptors were flying overhead, and Slate-throated Whitestart and Tufted Flycatcher were found in the trees.

We returned to the lodge for lunch and in the afternoon explored the fields around Chilamate. Woodcreepers, woodpeckers, Tennessee and Chestnut-sided Warblers, Black-faced Grosbeaks and a Black Iguana were seen in the fields and trees. A Bronze Cowbird was found perching on the wire, and Great Green Macaws were in the trees. Tropical Kingbird, Great Kiskadee, Red-winged Blackbird and Southern Rough-winged Swallow completed the list, before we made our way back to the lodge.

Day 14

Friday 20th February

La Selva & Kobe's Gardens

Before breakfast, we explored the fields around the lodge, adding more birds to our ever-increasing list, notably a pair of Bat Falcons, Striped Cuckoo, Cocoa Woodcreeper and Olive-crowned Yellowthroat. As we returned to the bus, a large raptor was spotted perched very close to us in a tree. Our guide had never a Black Hawk-Eagle so close, and he had to think hard about the identification! We arrived back just in time for breakfast.

We checked out after breakfast, and spent a little time exploring the trails around the lodge: the highlight was a family of Bay Wrens in the trees by the bar area. We left to have lunch in a local restaurant, fortunately arriving before the rain came down. We finished our lunch and headed for Kobe's Gardens, a private reserve owned and run by an entirely self-taught artist and naturalist. We went through to the viewing area, where White-necked Jacobins were plentiful, along with a Green Heron by the pool. We were kitted out with wellington boots and were taken to more remote areas. As we negotiated muddy tracks and streams, it was apparent why the boots were needed! The effort was rewarded with views of Crested and Spectacled Owls at roost, along with a Great Potoo camouflaged on a dead branch high in a tree. We returned to the gardens, where Kobe had set up a photographic area with studio lighting, enabling the photographers to experiment with action shots of hummingbirds in flight.

Reluctantly, we left and began a long, foggy journey back over the mountains toward San José and the Hotel Bougainvillea, for our final night.

Day 15

Saturday 21st February

Bougainvillea Hotel and travel to airport.

After enjoying a leisurely breakfast, we took a relaxed stroll around the hotel gardens, and found the resident Mottled Owl to bring our bird total to 370. We enjoyed lunch at the hotel and headed for the airport. Our flight took off around ninety minutes late, after some issues on the runway.

Day 16

Sunday 22nd February

Home again

We landed around an hour late, collected baggage and cleared customs and headed for home tired but very happy and full of memories of an amazing two weeks in Costa Rica. Tropical fruit with every breakfast, 370 different bird species, along with numerous reptiles, amphibians, mammals and insects, amazing scenery along the way, and some unique places and lodges all contributed to the tour. We left each site with the feeling that we had only scratched the surface of what was there!

Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

naturetrek.co.uk/e-newsletter-signup

Scan to
sign up!



Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek_wildlife_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



[facebook.com/naturetrekwildlifeholidays](https://www.facebook.com/naturetrekwildlifeholidays)



[naturetrek_bsky.social](https://bsky.app/profile/naturetrek.social)



x.com/naturetrektours (formerly Twitter)

Species lists

Birds (H=heard only)

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Great Tinamou	<i>Tinamus major</i>				✓										
Little Tinamou	<i>Crypturellus soui</i>				✓	✓									
Black-bellied Whistling Duck	<i>Dendrocygna autumnalis</i>			✓			✓							✓	
Muscovy Duck	<i>Cairina moschata</i>			✓	✓	✓				✓					
Blue-winged Teal	<i>Spatula discors</i>						✓		✓						
Lesser Scaup	<i>Aythya affinis</i>								✓						
Grey-headed Chachalaca	<i>Ortalis cinereiceps</i>				✓	✓	✓			✓	✓	✓	✓	✓	
Crested Guan	<i>Penelope purpurascens</i>									✓	✓		✓	✓	
Black Guan - N	<i>Chamaepetes unicolor</i>	✓													
Great Curassow	<i>Crax rubra</i>									✓	✓				
Buffy-crowned Wood Partridge	<i>Dendrortyx leucophrys</i>	✓													
Spotted Wood Quail	<i>Odontophorus guttatus</i>		✓	✓											
Great Potoo	<i>Nyctibius grandis</i>													✓	
Chestnut-collared Swift	<i>Streptoprocne rutila</i>		✓												
White-collared Swift	<i>Streptoprocne zonaris</i>	✓	✓			✓	✓			✓			✓		
Grey-rumped Swift	<i>Chaetura cinereiventris</i>											✓			
Costa Rican Swift - N	<i>Chaetura fumosa</i>			✓		✓									
Vaux's Swift	<i>Chaetura vauxi</i>						✓								
Lesser Swallow-tailed Swift	<i>Panyptila cayennensis</i>						✓								
White-necked Jacobin	<i>Florisuga mellivora</i>													✓	
Stripe-throated Hermit	<i>Phaethornis striigularis</i>				✓						✓	✓		✓	
Long-billed Hermit	<i>Phaethornis longirostris</i>					✓	✓			✓		✓			
Lesser Violetear	<i>Colibri cyanotus</i>	✓	✓	✓											
Purple-crowned Fairy	<i>Heliodytes barroti</i>			✓	✓	✓				✓					
Green-breasted Mango	<i>Anthracothorax prevostii</i>						✓	✓	✓					✓	
Black-crested Coquette	<i>Lophornis helenae</i>									✓					
Green-crowned Brilliant	<i>Heliodoxa jacula</i>												✓		

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Talamanca Hummingbird - N	<i>Eugenes spectabilis</i>	✓	✓	✓											
Fiery-throated Hummingbird - N	<i>Panterpe insignis</i>	✓													
Long-billed Starthroat	<i>Heliomaster longirostris</i>					✓									
Grey-tailed Mountaingem - E	<i>Lampornis cinereicauda</i>	✓	✓	✓											
Ruby-throated Hummingbird	<i>Archilochus colubris</i>						✓	✓	✓						
Volcano Hummingbird - N	<i>Selasphorus flammula</i>	✓	✓	✓											
Scintillant Hummingbird - N	<i>Selasphorus scintilla</i>	✓	✓	✓											
Canivet's Emerald	<i>Cyananthus canivetii</i>							✓							
Violet-headed Hummingbird	<i>Klais guimeti</i>									✓					
Violet Sabrewing	<i>Campylopterus hemileucurus</i>												✓		
Bronze-tailed Plumeleteer	<i>Chalybura urochrysis</i>													✓	
Crowned Woodnymph	<i>Thalurania colombica</i>										✓				
Stripe-tailed Hummingbird	<i>Eupherusa eximia</i>		✓	✓											
Scaly-breasted Hummingbird	<i>Phaeochroa cuvierii</i>					✓				✓	✓				
Blue-vented Hummingbird - N	<i>Saucerottia hoffmanni</i>					✓		✓							
Cinnamon Hummingbird	<i>Amazilia rutila</i>							✓	✓						
Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mangrove Hummingbird - E	<i>Chrysuronia boucardi</i>					✓		✓							
Charming Hummingbird	<i>Polyerata decora</i>				✓	✓	✓								
Blue-throated Sapphire	<i>Chlorestes eliciae</i>				✓					✓					
Groove-billed Ani	<i>Crotophaga sulcirostris</i>				✓	✓	✓	✓	✓				✓	✓	
Striped Cuckoo	<i>Tapera naevia</i>													✓	
Squirrel Cuckoo	<i>Piaya cayana</i>						✓	✓							
Feral Rock Dove - I	<i>Columba livia</i>			✓											
Band-tailed Pigeon	<i>Patagioenas fasciata</i>	✓													
Pale-vented Pigeon	<i>Patagioenas cayennensis</i>									✓	✓		✓		
Red-billed Pigeon	<i>Patagioenas flavirostris</i>	✓		✓		✓	✓	✓	✓	✓					
Ruddy Pigeon	<i>Patagioenas subvinacea</i>		✓												
Short-billed Pigeon	<i>Patagioenas nigrirostris</i>				✓	✓						✓			
Inca Dove	<i>Columbina inca</i>	✓		✓		✓	✓	✓	✓						
Common Ground Dove	<i>Columbina passerina</i>						✓	✓							

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Ruddy Ground Dove	<i>Columbina talpacoti</i>					✓	✓						✓	✓	
Ruddy Quail-Dove	<i>Geotrygon montana</i>				✓		✓								
White-tipped Dove	<i>Leptotila verreauxi</i>			✓	✓	✓	✓	✓	✓	✓				✓	
White-winged Dove	<i>Zenaida asiatica</i>	✓		✓		✓	✓	✓	✓						
Russet-naped Wood Rail	<i>Aramides albiventris</i>			✓	✓					✓					
Grey-cowled Wood Rail	<i>Aramides cajaneus</i>			✓	✓	✓	✓								
American Coot	<i>Fulica americana</i>								✓						
Purple Gallinule	<i>Porphyrio martinica</i>			✓	✓	✓	✓								
White-throated Crake	<i>Laterallus albigularis</i>												✓		
Limpkin	<i>Aramus guarauna</i>								✓						
Double-striped Thick-knee	<i>Hesperoburhinus bistriatus</i>					✓	✓	✓	✓						
Black-necked Stilt	<i>Himantopus mexicanus</i>					✓	✓	✓	✓						
Grey Plover	<i>Pluvialis squatarola</i>					✓									
Killdeer	<i>Charadrius vociferus</i>	✓													
Semipalmated Plover	<i>Charadrius semipalmatus</i>					✓									
Southern Lapwing	<i>Vanellus chilensis</i>	✓				✓	✓						✓	✓	
Wilson's Plover	<i>Anarhynchus wilsonia</i>					✓		✓							
Collared Plover	<i>Anarhynchus collaris</i>					✓									
Northern Jacana	<i>Jacana spinosa</i>			✓		✓	✓		✓						
Hudsonian Whimbrel	<i>Numenius hudsonicus</i>			✓		✓		✓							
Short-billed Dowitcher	<i>Limnodromus griseus</i>							✓	✓						
Spotted Sandpiper	<i>Actitis macularius</i>			✓		✓	✓	✓			✓	✓			
Lesser Yellowlegs	<i>Tringa flavipes</i>							✓							
Willet	<i>Tringa semipalmata</i>			✓		✓		✓							
Greater Yellowlegs	<i>Tringa melanoleuca</i>						✓								
Ruddy Turnstone	<i>Arenaria interpres</i>					✓									
Sanderling	<i>Calidris alba</i>					✓									
Baird's Sandpiper	<i>Calidris bairdii</i>							✓							
Least Sandpiper	<i>Calidris minutilla</i>					✓		✓							
Western Sandpiper	<i>Calidris mauri</i>							✓							
Semipalmated Sandpiper	<i>Calidris pusilla</i>					✓									

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Common Tern	<i>Sterna hirundo</i>					✓									
Sandwich Tern	<i>Thalasseus sandvicensis</i>							✓							
Elegant Tern	<i>Thalasseus elegans</i>			✓											
Royal Tern	<i>Thalasseus maximus</i>			✓		✓	✓	✓							
Laughing Gull	<i>Leucophaeus atricilla</i>			✓		✓	✓	✓							
Wood Stork	<i>Mycteria americana</i>			✓		✓	✓	✓	✓						
Magnificent Frigatebird	<i>Fregata magnificens</i>			✓	✓	✓	✓	✓	✓						
Anhinga	<i>Anhinga anhinga</i>					✓									
Neotropic Cormorant	<i>Nannopterum brasilianum</i>			✓		✓	✓	✓	✓		✓				
Green Ibis	<i>Mesembrinibis cayennensis</i>				✓	✓	✓						✓		
American White Ibis	<i>Eudocimus albus</i>					✓	✓	✓							
Roseate Spoonbill	<i>Platalea ajaja</i>					✓	✓	✓	✓						
Bare-throated Tiger Heron	<i>Tigrisoma mexicanum</i>			✓	✓	✓	✓		✓		✓	✓			
Fasciated Tiger Heron	<i>Tigrisoma fasciatum</i>											✓			
Boat-billed Heron	<i>Cochlearius cochlearius</i>									✓					
Yellow-crowned Night Heron	<i>Nyctanassa violacea</i>					✓	✓	✓		✓		✓			
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>					✓	✓								
Little Blue Heron	<i>Egretta caerulea</i>					✓	✓	✓	✓		✓	✓	✓		
Tricolored Heron	<i>Egretta tricolor</i>					✓	✓	✓							
Reddish Egret	<i>Egretta rufescens</i>					✓									
Snowy Egret	<i>Egretta thula</i>			✓		✓	✓	✓	✓		✓	✓	✓	✓	
Green Heron	<i>Butorides virescens</i>			✓	✓	✓	✓			✓				✓	
Great Egret	<i>Ardea alba</i>	✓		✓		✓	✓	✓	✓		✓	✓	✓	✓	
Western Cattle Egret	<i>Ardea ibis</i>	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Great Blue Heron	<i>Ardea herodias</i>					✓	✓	✓							
Brown Pelican	<i>Pelecanus occidentalis</i>			✓		✓	✓	✓							
Black Vulture	<i>Coragyps atratus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Turkey Vulture	<i>Cathartes aura</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Osprey	<i>Pandion haliaetus</i>					✓		✓	✓		✓	✓			
White-tailed Kite	<i>Elanus leucurus</i>	✓													
Swallow-tailed Kite	<i>Elanoides forficatus</i>	✓								✓			✓		

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Black Hawk-Eagle	<i>Spizaetus tyrannus</i>					✓								✓	
Ornate Hawk-Eagle	<i>Spizaetus ornatus</i>									✓	✓				
Double-toothed Kite	<i>Harpagus bidentatus</i>											✓			
Plumbeous Kite	<i>Ictinia plumbea</i>					✓									
Barred Hawk	<i>Morphnarchus princeps</i>												✓		
Common Black Hawk	<i>Buteogallus anthracinus</i>			✓		✓		✓							
Great Black Hawk	<i>Buteogallus urubitinga</i>												✓		
Roadside Hawk	<i>Rupornis magnirostris</i>						✓		✓						
White Hawk	<i>Pseudastur albicollis</i>										✓		✓		
Grey-lined Hawk	<i>Buteo nitidus</i>					✓			✓			✓	✓	✓	
Broad-winged Hawk	<i>Buteo platypterus</i>								✓		✓	✓	✓		
Zone-tailed Hawk	<i>Buteo albonotatus</i>						✓	✓	✓						
Short-tailed Hawk	<i>Buteo brachyurus</i>						✓					✓	✓		
Red-tailed Hawk	<i>Buteo jamaicensis</i>	✓	✓										✓		
Ferruginous Pygmy Owl	<i>Glaucidium brasilianum</i>							✓	✓						
Pacific Screech Owl	<i>Megascops cooperi</i>							✓	✓						
Spectacled Owl	<i>Pulsatrix perspicillata</i>													✓	
Crested Owl	<i>Lophotrix cristata</i>													✓	
Mottled Owl	<i>Strix virgata</i>														✓
Black-and-white Owl	<i>Strix nigrolineata</i>								✓	✓					
Resplendent Quetzal	<i>Pharomachrus mocinno</i>		✓												
Slaty-tailed Trogon	<i>Trogon massena</i>				✓							✓			
Black-headed Trogon	<i>Trogon melanocephalus</i>							✓	✓						
Gartered Trogon	<i>Trogon caligatus</i>											✓			
Northern Black-throated Trogon	<i>Trogon tenellus</i>											✓			
Collared Trogon	<i>Trogon collaris</i>		✓												
Amazon Kingfisher	<i>Chloroceryle amazona</i>					✓	✓				✓	✓	✓		
American Pygmy Kingfisher	<i>Chloroceryle aenea</i>					✓									
Green Kingfisher	<i>Chloroceryle americana</i>				✓		✓			✓			✓		
Ringed Kingfisher	<i>Megaceryle torquata</i>			✓		✓	✓					✓	✓		
Belted Kingfisher	<i>Megaceryle alcyon</i>					✓									

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Lesson's Motmot	<i>Momotus lessonii</i>				✓	✓	✓								
Keel-billed Motmot	<i>Electron carinatum</i>				✓										
Broad-billed Motmot	<i>Electron platyrhynchum</i>								✓			✓			
Turquoise-browed Motmot	<i>Eumomota superciliosa</i>					✓		✓							
Rufous-tailed Jacamar	<i>Galbula ruficauda</i>									✓		✓		✓	
White-necked Puffbird	<i>Notharchus hyperrhynchus</i>							✓							
Pied Puffbird	<i>Notharchus tectus</i>											✓			
Red-headed Barbet	<i>Eubucco bourcierii</i>												✓		
Yellow-throated Toucan	<i>Ramphastos ambiguus</i>			✓	✓	✓				✓	✓	✓		✓	
Keel-billed Toucan	<i>Ramphastos sulfuratus</i>									✓	✓				
Fiery-billed Aracari - N	<i>Pteroglossus frantzii</i>						✓								
Collared Aracari	<i>Pteroglossus torquatus</i>									✓	✓	✓		✓	
Yellow-eared Toucanet	<i>Selenidera spectabilis</i>										✓				
Blue-throated Toucanet	<i>Aulacorhynchus caeruleogularis</i>												✓		
Acorn Woodpecker	<i>Melanerpes formicivorus</i>	✓	✓	✓											
Black-cheeked Woodpecker	<i>Melanerpes pucherani</i>									✓	✓	✓	✓		
Red-crowned Woodpecker	<i>Melanerpes rubricapillus</i>				✓										
Hoffmann's Woodpecker	<i>Melanerpes hoffmannii</i>	✓		✓			✓	✓	✓					✓	
Hairy Woodpecker	<i>Leuconotopicus villosus</i>			✓											
Rufous-winged Woodpecker	<i>Piculus simplex</i>									✓	✓			✓	
Cinnamon Woodpecker	<i>Celeus loricatus</i>											✓			
Pale-billed Woodpecker	<i>Campephilus guatemalensis</i>				✓					✓		✓			
Crested Caracara	<i>Caracara plancus</i>	✓	✓	✓	✓	✓	✓		✓		✓		✓		
Yellow-headed Caracara	<i>Milvago chimachima</i>	✓			✓	✓	✓	✓	✓						
Laughing Falcon	<i>Herpetotheres cachinnans</i>								✓						
Bat Falcon	<i>Falco rufigularis</i>														✓
Orange-chinned Parakeet	<i>Brotogeris jugularis</i>			✓			✓	✓	✓	✓					
Brown-hooded Parrot	<i>Pyrrhulia haematotis</i>									✓	✓				
White-crowned Parrot	<i>Pionus senilis</i>			✓	✓	✓	✓			✓	✓		✓		
White-fronted Amazon	<i>Amazona albifrons</i>						✓	✓							

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Red-lored Amazon	<i>Amazona autumnalis</i>									✓	✓	✓	✓	✓	
Yellow-naped Amazon	<i>Amazona auropalliata</i>						✓	✓							
Mealy Amazon	<i>Amazona farinosa</i>													✓	
Sulphur-winged Parakeet - N	<i>Pyrrhura hoffmanni</i>	✓	✓												
Olive-throated Parakeet	<i>Eupsittula nana</i>											✓		✓	
Orange-fronted Parakeet	<i>Eupsittula canicularis</i>						✓	✓	✓						
Great Green Macaw	<i>Ara ambiguus</i>											✓	✓	✓	
Scarlet Macaw	<i>Ara macao</i>			✓	✓	✓	✓					✓			
Finsch's Parakeet	<i>Psittacara finschi</i>	✓											✓	✓	
Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>												✓		
Tawny-winged Woodcreeper	<i>Dendrocincla anabatina</i>						✓								
Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>											✓			
Northern Barred Woodcreeper	<i>Dendrocolaptes sanctithomae</i>				✓										
Cocoa Woodcreeper	<i>Xiphorhynchus susurrans</i>											✓	✓	✓	
Spotted Woodcreeper	<i>Xiphorhynchus erythropygius</i>												✓		
Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>											✓		✓	
Spot-crowned Woodcreeper	<i>Lepidocolaptes affinis</i>		✓												
Northern Plain Xenops	<i>Xenops mexicanus</i>				✓					✓			✓		
Ruddy Treerunner - N	<i>Margarornis rubiginosus</i>		✓												
Barred Antshrike	<i>Thamnophilus doliatus</i>												✓		
Black-hooded Antshrike - N	<i>Thamnophilus bridgesi</i>				✓										
Black-crowned Antshrike	<i>Thamnophilus atrinucha</i>											✓			
Fasciated Antshrike	<i>Cymbilaimus lineatus</i>											✓			
Bicolored Antbird	<i>Gymnopithys bicolor</i>						✓								
Spotted Antbird	<i>Hylophylax naevioides</i>										✓				
Chestnut-backed Antbird	<i>Poliocrania exsul</i>				✓	✓	✓					✓			
Dull-mantled Antbird - N	<i>Sipia laemosticta</i>										✓				
Bare-crowned Antbird	<i>Gymnocichla nudiceps</i>								✓						
Black-faced Antthrush	<i>Formicarius analis</i>						✓								
Silvery-fronted Tapaculo - N	<i>Scytalopus argentifrons</i>		✓												
Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>												✓		

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Southern Beardless Tyrannulet	<i>Camptostoma obsoletum</i>					✓									
Torrent Tyrannulet	<i>Serpophaga cinerea</i>		✓												
Yellow Tyrannulet	<i>Capsiempis flaveola</i>												✓		
Mistletoe Tyrannulet	<i>Zimmerius parvus</i>					✓									
Olive-streaked Flycatcher	<i>Mionectes olivaceus</i>										✓				
Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>										✓				
Northern Scrub Flycatcher	<i>Sublegatus arenarum</i>					✓		✓							
Black-capped Pygmy Tyrant	<i>Myiornis atricapillus</i>											✓			
Scale-crested Pygmy Tyrant	<i>Lophotriccus pileatus</i>										✓				
Common Tody-Flycatcher	<i>Todirostrum cinereum</i>									✓	✓		✓		
Black-headed Tody-Flycatcher	<i>Todirostrum nigriceps</i>													✓	
Eye-ringed Flatbill	<i>Rhynchocyclus brevirostris</i>				✓										
Yellow-olive Flatbill	<i>Tolmomyias sulphurescens</i>				✓										
Black Phoebe	<i>Sayornis nigricans</i>	✓		✓	✓					✓	✓		✓		
Northern Tufted Flycatcher	<i>Mitrephanes phaeocercus</i>		✓										✓		
Northern Tropical Pewee	<i>Contopus bogotensis</i>												✓		
Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i>						✓								
Yellowish Flycatcher	<i>Empidonax flavescens</i>		✓												
Long-tailed Tyrant	<i>Colonia colonus</i>										✓		✓		
Piratic Flycatcher	<i>Legatus leucophaeus</i>				✓	✓						✓	✓		
Social Flycatcher	<i>Myiozetetes similis</i>	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Grey-capped Flycatcher	<i>Myiozetetes granadensis</i>			✓	✓	✓	✓			✓	✓	✓	✓	✓	
Great Kiskadee	<i>Pitangus sulphuratus</i>	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
White-ringed Flycatcher	<i>Conopias albovittatus</i>										✓		✓	✓	
Golden-bellied Flycatcher	<i>Myiodynastes hemichrysus</i>		✓												
Streaked Flycatcher	<i>Myiodynastes maculatus</i>							✓							
Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	✓		✓	✓	✓	✓			✓		✓			
Tropical Kingbird	<i>Tyrannus melancholicus</i>	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Scissor-tailed Flycatcher	<i>Tyrannus forficatus</i>							✓							
Rufous Mourner	<i>Rhytipterna holerythra</i>								✓						
Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>										✓				

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Panama Flycatcher	<i>Myiarchus panamensis</i>					✓									
Brown-crested Flycatcher	<i>Myiarchus tyrannulus</i>							✓							
Bright-rumped Attila	<i>Attila spadiceus</i>													✓	
Rufous Piha	<i>Lipaugus unirufus</i>				✓										
Velvety Manakin	<i>Lepidothrix velutina</i>					✓									
White-collared Manakin	<i>Manacus candei</i>										✓	✓			
Black-crowned Tityra	<i>Tityra inquisitor</i>									✓					
Masked Tityra	<i>Tityra semifasciata</i>					✓				✓					
Northern Schiffornis	<i>Schiffornis veraepacis</i>						✓								
Barred Becard	<i>Pachyramphus versicolor</i>		✓												
Rose-throated Becard	<i>Pachyramphus aglaiae</i>							✓							
Tropical Royal Flycatcher	<i>Onychorhynchus coronatus</i>						✓								
Tawny-crowned Greenlet	<i>Tunchiornis ochraceiceps</i>				✓										
Lesser Greenlet	<i>Pachysylvia decurtata</i>					✓		✓	✓	✓	✓	✓	✓		
Philadelphia Vireo	<i>Vireo philadelphicus</i>					✓							✓		
Brown-capped Vireo	<i>Vireo leucophrys</i>		✓												
Yellow-throated Vireo	<i>Vireo flavifrons</i>							✓					✓		
Yellow-winged Vireo - N	<i>Vireo carmioli</i>		✓												
White-throated Magpie-Jay	<i>Cyanocorax formosus</i>						✓	✓							
Brown Jay	<i>Cyanocorax morio</i>	✓								✓				✓	
Long-tailed Silky-flycatcher - N	<i>Ptiliogonys caudatus</i>	✓	✓												
Mangrove Swallow	<i>Tachycineta albilinea</i>					✓	✓	✓				✓	✓	✓	
Grey-breasted Martin	<i>Progne chalybea</i>					✓	✓		✓						
Northern Rough-winged Swallow	<i>Stelgidopteryx serripennis</i>						✓								
Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>									✓		✓	✓	✓	
Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>	✓	✓	✓							✓				
Barn Swallow	<i>Hirundo rustica</i>						✓	✓							
Rufous-backed Wren	<i>Campylorhynchus capistratus</i>	✓		✓	✓	✓	✓	✓	✓						
Banded Wren	<i>Thryophilus pleurostictus</i>						✓		✓						
Rufous-and-white Wren	<i>Thryophilus rufalbus</i>				✓										
Cabanis's Wren	<i>Cantorchilus modestus</i>	✓													

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Riverside Wren - N	<i>Cantorchilus semibadius</i>						✓								
Bay Wren	<i>Cantorchilus nigricapillus</i>										✓			✓	
Stripe-breasted Wren	<i>Cantorchilus thoracicus</i>										✓				
Southern House Wren	<i>Troglodytes musculus</i>									✓	✓				
Ochraceous Wren	<i>Troglodytes ochraceus</i>	✓	✓												
White-breasted Wood Wren	<i>Henicorhina leucosticta</i>									✓		✓			
Grey-breasted Wood Wren	<i>Henicorhina leucophrys</i>	✓	✓												
Northern Nightingale-Wren	<i>Microcerculus philomela</i>									✓	✓				
Song Wren	<i>Cyphorhinus phaeocephalus</i>									✓					
White-browed Gnatcatcher	<i>Polioptila bilineata</i>													✓	
Tropical Mockingbird	<i>Mimus gilvus</i>	✓		✓											
Black-faced Solitaire - N	<i>Myadestes melanops</i>		✓												
Ruddy-capped Nightingale-Thrush	<i>Catharus frantzii</i>		✓												
Sooty Thrush - N	<i>Turdus nigrescens</i>			✓											
Mountain Thrush	<i>Turdus plebejus</i>	✓	✓												
White-throated Thrush	<i>Turdus assimilis</i>										✓				
Clay-colored Thrush	<i>Turdus grayi</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
American Dipper	<i>Cinclus mexicanus</i>		✓										✓		
House Sparrow - I	<i>Passer domesticus</i>								✓						
Golden-browed Chlorophonia	<i>Chlorophonia callophrys</i>	✓											✓		
Scrub Euphonia	<i>Euphonia affinis</i>							✓	✓						
Yellow-crowned Euphonia	<i>Euphonia luteicapilla</i>					✓				✓		✓	✓	✓	
Yellow-throated Euphonia	<i>Euphonia hirundinacea</i>				✓				✓	✓	✓	✓	✓		
Spot-crowned Euphonia - N	<i>Euphonia imitans</i>			✓	✓	✓	✓								
Olive-backed Euphonia	<i>Euphonia gouldi</i>										✓	✓	✓		
Tawny-capped Euphonia	<i>Euphonia anaeae</i>										✓				
Sooty-capped Chlorospingus - N	<i>Chlorospingus pileatus</i>		✓												
Black-striped Sparrow	<i>Arremonops conirostris</i>													✓	
Orange-billed Sparrow	<i>Arremon aurantiirostris</i>											✓	✓		
Chestnut-capped Brushfinch	<i>Arremon brunneinucha</i>		✓												
Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	✓	✓	✓											

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Large-footed Finch - N	<i>Pezopetes capitalis</i>		✓												
Yellow-thighed Brushfinch - N	<i>Atlapetes tibialis</i>		✓												
Chestnut-headed Oropendola	<i>Psarocolius wagleri</i>									✓			✓	✓	
Montezuma Oropendola	<i>Psarocolius montezuma</i>	✓		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	
Scarlet-rumped Cacique	<i>Cacicus microrhynchus</i>										✓				
Streak-backed Oriole	<i>Icterus pustulatus</i>							✓	✓						
Baltimore Oriole	<i>Icterus galbula</i>	✓		✓			✓	✓	✓	✓		✓	✓	✓	
Spot-breasted Oriole	<i>Icterus pectoralis</i>								✓						
Black-cowled Oriole	<i>Icterus prothemelas</i>										✓		✓	✓	
Red-winged Blackbird	<i>Agelaius phoeniceus</i>					✓			✓				✓		
Shiny Cowbird	<i>Molothrus bonariensis</i>													✓	
Bronzed Cowbird	<i>Molothrus aeneus</i>												✓		
Melodious Blackbird	<i>Dives dives</i>	✓		✓	✓	✓				✓			✓	✓	
Great-tailed Grackle	<i>Quiscalus mexicanus</i>	✓		✓	✓	✓	✓	✓	✓	✓	✓		✓		
Northern Waterthrush	<i>Parkesia noveboracensis</i>				✓	✓	✓								
Golden-winged Warbler	<i>Vermivora chrysoptera</i>										✓				
Black-and-white Warbler	<i>Mniotilta varia</i>										✓				
Prothonotary Warbler	<i>Protonotaria citrea</i>					✓	✓	✓	✓						
Flame-throated Warbler	<i>Oreothlypis gutturalis</i>	✓	✓												
Tennessee Warbler	<i>Leiothlypis peregrina</i>	✓	✓	✓		✓	✓	✓	✓	✓	✓		✓		
Olive-crowned Yellowthroat	<i>Geothlypis semiflava</i>													✓	
Tropical Parula	<i>Setophaga pitiaiyumi</i>									✓	✓				
Blackburnian Warbler	<i>Setophaga fusca</i>													✓	
American Yellow Warbler	<i>Setophaga aestiva</i>	✓							✓				✓		
Mangrove Warbler	<i>Setophaga petechia</i>							✓							
Chestnut-sided Warbler	<i>Setophaga pensylvanica</i>				✓	✓	✓		✓	✓	✓	✓	✓	✓	
Black-throated Green Warbler	<i>Setophaga virens</i>	✓	✓												
Buff-rumped Warbler	<i>Myiothlypis fulvicauda</i>				✓	✓	✓								
Wilson's Warbler	<i>Cardellina pusilla</i>	✓	✓												
Slate-throated Whitestart	<i>Myioborus miniatus</i>												✓		
Collared Whitestart - N	<i>Myioborus torquatus</i>	✓	✓												

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Flame-colored Tanager	<i>Piranga bidentata</i>		✓	✓											
Tooth-billed Tanager	<i>Piranga lutea</i>		✓												
Hepatic Tanager	<i>Piranga hepatica</i>									✓	✓		✓		
Summer Tanager	<i>Piranga rubra</i>		✓					✓	✓	✓	✓		✓		
Red-throated Ant Tanager	<i>Driophlox fuscicauda</i>											✓	✓	✓	
Carmioli's Tanager	<i>Chlorothraupis carmioli</i>									✓	✓				
Rose-breasted Grosbeak	<i>Pheucticus ludovicianus</i>						✓								
Black-faced Grosbeak	<i>Caryothraustes poliogaster</i>											✓	✓		
Blue-black Grosbeak	<i>Cyanoloxia cyanooides</i>					✓									
Painted Bunting	<i>Passerina ciris</i>							✓							
Green Honeycreeper	<i>Chlorophanes spiza</i>				✓					✓	✓		✓		
Red-legged Honeycreeper	<i>Cyanerpes cyaneus</i>				✓	✓				✓	✓		✓	✓	
Scarlet-thighed Dacnis	<i>Dacnis venusta</i>				✓										
Cinnamon-bellied Saltator	<i>Saltator grandis</i>	✓											✓	✓	
Buff-throated Saltator	<i>Saltator maximus</i>				✓	✓				✓	✓	✓	✓	✓	
Slate-colored Grosbeak	<i>Saltator grossus</i>									✓					
Bananaquit	<i>Coereba flaveola</i>				✓	✓				✓	✓	✓	✓	✓	
Grey-headed Tanager	<i>Eucometis penicillata</i>				✓										
White-shouldered Tanager	<i>Loriotus luctuosus</i>				✓	✓									
Crimson-collared Tanager	<i>Ramphocelus sanguinolentus</i>									✓	✓	✓	✓	✓	
Scarlet-rumped Tanager	<i>Ramphocelus passerinii</i>			✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	
Morelet's Seedeater	<i>Sporophila moreletii</i>					✓									
Variable Seedeater	<i>Sporophila corvina</i>			✓	✓							✓	✓	✓	
Thick-billed Seed Finch	<i>Sporophila funerea</i>									✓		✓			
Slaty Flowerpiercer - N	<i>Diglossa plumbea</i>	✓	✓	✓											
Blue-grey Tanager	<i>Thraupis episcopus</i>	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	
Palm Tanager	<i>Thraupis palmarum</i>			✓	✓	✓	✓			✓	✓	✓	✓	✓	
Golden-hooded Tanager	<i>Stilpnia larvata</i>					✓				✓	✓	✓	✓		
Spangle-cheeked Tanager - N	<i>Tangara dowii</i>		✓												
Bay-headed Tanager	<i>Tangara gyrola</i>					✓					✓				
Rufous-winged Tanager	<i>Tangara lavinia</i>									✓					

E=Endemic, N=Near-endemic, I=Introduced		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Emerald Tanager	<i>Tangara florida</i>									✓	✓				
Silver-throated Tanager	<i>Tangara icterocephala</i>			✓						✓	✓				
Plain-colored Tanager	<i>Tangara inornata</i>												✓	✓	

Mammals

		February 2026													
Common name	Scientific name	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Brown-throated Three-toed Sloth	<i>Bradypus variegatus</i>									✓	✓	✓		✓	
Mantled Howler	<i>Alouatta palliata</i>						✓	✓	✓			✓			
Central American Spider Monkey	<i>Ateles geoffroyi</i>										✓				
Central American Agouti	<i>Dasyprocta punctata</i>			✓					✓			✓			
Red-tailed Squirrel	<i>Sciurus granatensis</i>	✓	✓												
Variiegated Squirrel	<i>Sciurus variegatoides</i>	✓					✓	✓	✓	✓	✓	✓	✓	✓	
Short-tailed Singing Mouse	<i>Scotinomys teguina</i>		✓												
Pacific Tent-making Bat	<i>Uroderma convexum</i>				✓	✓									
Striped Skunk	<i>Mephitis mephitis</i>						✓								
Northern Olingo	<i>Bassaricyon gabbii</i>	✓		✓											
White-nosed Coati	<i>Nasua narica</i>								✓	✓	✓		✓		
Kinkajou	<i>Potos flavus</i>			✓											
Coyote	<i>Canis latrans</i>			✓											
White-tailed Deer	<i>Odocoileus virginianus</i>										✓			✓	
Collared Peccary	<i>Dicotyles tajacu</i>											✓			

Amphibians & reptiles

Common name	Scientific name	February 2026													
		8	9	10	11	12	13	14	15	16	17	18	19	20	21
Cane Toad	<i>Rhinella marina</i>			✓	✓		✓								
Red-eyed Tree Frog	<i>Agalychnis callidryas</i>											✓			
Strawberry Poison-dart Frog	<i>Oophaga pumilio</i>											✓		✓	
Black River Turtle	<i>Rhinoclemmys funerea</i>													✓	
Meso-American Slider	<i>Trachemys venusta</i>					✓									
Common Basilisk	<i>Basiliscus basiliscus</i>					✓					✓				
Green Basilisk	<i>Basiliscus plumifrons</i>											✓			
Brown Basilisk	<i>Basiliscus vittatus</i>				✓										
Smooth Helmeted Iguana	<i>Corytophanes cristatus</i>													✓	
Black Iguana	<i>Ctenosaura similis</i>			✓	✓	✓			✓				✓		
Green Iguana	<i>Iguana iguana</i>											✓	✓		
Green Spiny Lizard	<i>Sceloporus malachiticus</i>		✓												
Common House Gecko	<i>Hemidactylus frenatus</i>						✓					✓			
Middle American Ameiva	<i>Holcosus festivus</i>										✓	✓			
Copper Anole	<i>Anolis cupreus</i>			✓											
American Crocodile	<i>Crocodylus acutus</i>					✓	✓								
Northern Cat-eyed Snake	<i>Leptodeira septentrionalis</i>			✓											