

Ecuador - The Andes & Amazon

Naturetrek Tour Report

9th – 23rd November 2025



Black Solitaire



Andean Cock-of-the-rock



Hoatzin



Crested Quetzal

Tour report by Iris Schriefer
Photos by Chris Donald



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Iris Schriefer (leader) with nine Naturetrek clients

Day 1

Sunday 9th November

Arrival in Quito

Five UK clients arrived in different flights to Quito where they were greeted by tour guide Iris, and Franklin, the driver throughout the tour. Sadly, three clients had missed their flight due to a delay, so the short briefing at dinner took place with only two-thirds of the group, including a client from the US, before everyone went to bed early.

Day 2

Monday 10th November

Zuroloma – Alambi Valley – Guaycapi Restaurant – Sachatamia Lodge

At 6.00am the tour started out from Quito into the Pichincha highlands, with some roadside birding along the way to our first major stop at Zuroloma reserve, at 3200m. Here we got our first impression of Andean birds such as Chestnut-naped and Equatorial Antpittas (fed by the local guide), Sword-billed Hummingbird, Mountain Velvetbreast, Green-tailed Trainbearer and many others on the hummingbird feeders, and as a special treat two White-throated Screech-Owls at their roost.

After some extra kilometres on the bumpy road, as the normal connection was closed due to roadworks, we drove down Alambi valley to arrive at our lunch spot, Mirador Guaycapi, where the birds distracted our attention from our food. We saw more than a dozen hummingbird species, such as White-booted Racket-tail, Purple-bibbed Whitetip and Purple-throated Woodstar, and some tanagers including Black-capped, White-lined, Swallow and Golden.

It started raining, so we drove straight to our hotel for the next few nights, Sachatamia Lodge, where we were greeted by a very special welcoming committee of four Yellow-throated Toucans in the parking lot. We spent a very productive afternoon, with sightings of Velvet-purple Coronet, Empress Brilliant, Brown Inca, Rusty-margined Flycatcher, Dusky Chlorospingus, Choco Brushfinch, Ecuadorian Thrush and a colourful array of tanagers.

Day 3

Tuesday 11th November

Sachatamia Lodge – Mindo Valley – Frutti Tour Gardens

Today, we finally met up with our delayed colleagues, and started off with a very active visit to the local moth trap and grounds, getting fine views of furnariids like Streak-capped Treehunter and Strong-billed Woodcreeper, flycatchers such as Choco Tyrannulet and Marble-faced Bristle-Tyrant, a Golden-headed Quetzal, and migratory species like Broad-winged Hawk, Swainson's Thrush and Blackburnian Warblers, among many others.

After a comfortable breakfast, where we had another short briefing for our new tour members, we headed to Mindo Valley, where we birded along the road and saw Crested Guan, White-throated Quail-dove, Red-headed

Barbet, Cryptic Becard, and Bay-headed and Silver-throated Tanagers. The highlight of the day was surely a well-hidden Stygian Owl in the centre of Mindo village, which drew the attention of several enthusiastic locals.

In the afternoon, we drove down to the Pedro Vivente Maldonado area, to bird in the small, but very productive garden of Frutti Tours, at 600m the lowest point on our exploration of the western slopes and Andean foothills. Memorable birds here included Bronzy Inca, Purple-chested and Violet-bellied Hummingbirds, Orange-fronted Barbet, Yellow-tailed Oriole, Black-winged Saltator and a very nice Masked Water Tyrant. A Pacific Pygmy-Owl was close by, but we could only guess its hiding place from the dozen of songbirds which mobbed it in its tree.

Day 4

Wednesday 12th November

Paz de las Aves Reserve – Upper Tandayapa Valley – Choco Birds Reserve

Today we had an early start to visit the famous Paz de las Aves Reserve, where the owners, Angel and Rodrigo Paz, were the first local guides who actually tried to acclimate shy antpittas to human presence, and have done their great work for more than twenty years. On a good day, as many as five species can be seen due to their constant efforts.

Of course, there were more birds in this forest than the enigmatic antpittas, and when we arrived at dawn to walk to the Andean Cock-of-the-rock lek deep in the valley, we got great views of a hunting Rufous-bellied Nighthawk. The lek wasn't visited by any females this day, so the males were relatively calm and came close to the hide.

After a short period having the hide to ourselves, a big group of observers arrived at, so we decided it was time to move on. On a small forest trail, we were able to get brief views of Olivaceous Piha and Blue-winged Mountain Tanagers.

Then it was time to follow the Paz brothers to the various antpitta feeding stations inside the forest. The first try (for Moustached Antpitta) did not work out, but after a steep downhill hike into yet another valley, we got great views of Giant Antpitta on its nest (!), with a bonus male Golden-winged Manakin at the same spot. At the roadside we got a much easier sighting of two Yellow-breasted Antpittas (one adult, one juvenile), but then we ran out of luck; according to the owners, the other species were incubating and therefore not visiting feeding stations.

Nevertheless, during our waiting time we got Black-chinned Mountain Tanagers, Flame-faced and Golden Tanagers, Red-headed and (distant) Toucan Barbets, White-throated Daggerbill and Spotted Barbtail. On the way back, we also got some very nice views of a pair of Zeledon's Antbirds.

In the afternoon, we decided to bird on the roadside at the high ridge over the Tandayapa valley. Things were exceptionally quiet, but we still had lovely views of two of the big targets in this area: the brightly coloured Gorgeted Sunangel and, after much trying in thick fog, a family of five Plate-billed Mountain Toucans.

Day 5

Thursday 13th November

Mashpi Amagusa Reserve – drive to Puembo

Once again, we started very early for our last day on the western slopes. Before we even left Sachatamia at 4.30am, we got our first bird, a beautiful Black-and-white Owl.

At Mashpi Amagusa, we had a fantastic morning with Sergio, who helped us connect with many specialties like Dark-backed Wood-Quail, White-tipped Sicklebill, Rose-faced Parrot, Orange-breasted Fruiteater, Glistening-green, Rufous-throated and Moss-backed Tanagers, Indigo Flowerpiercer and Black Solitaire, among many others. To be successful in achieving great views of several of these rare and range-restricted species at once at Mashpi Amagusa was truly mindblowing!

On the way back to the main road to Quito, we had some nice birding moments, with Pacific Tuftedcheek, Black-crowned Tityra, Yellow-faced Grassquit and Choco Toucan showing up.

The group stayed overnight in Puembo Birding Garden, as we had to leave early next day for our flight to Coca.

Day 6

Friday 14th November

Flight to Coca – Sacha Lodge

After breakfast in the company of numerous birds like Scrub, Blue-gray and Blue-and-yellow Tanagers, Croaking Ground-dove and Saffron Finch, we headed off to the airport for our flight to Francisco de Orellana, better known as El Coca. At arrival we were greeted by our local guides, Oscar and Shanshu, who were fantastic company in the forest for the next days, together with the local guides/canoeists, Eddison and Jerry.

The transfer from airport to office, for a short refreshment and briefing, and then to the motorized canoe on the Napo River is so well-choreographed that it doesn't feel stressful at any point. After a ride of about an hour and a half, we arrived at the Sacha Lodge docks, from where we walked for another twenty minutes to get to some smaller canoes, in which we were taken to the lodge along a small creek, locally called the caño. On the ride to Sacha, we saw some typical riverside birds like Cocoli Heron, Osprey, Yellow-headed Caracara, White-winged and White-banded Swallows, and Greater Ani.

We arrived at the lodge and had lunch accompanied by a family of Giant Otters, whose presence was always easily detected by the loud screams and chattering of their young, begging for fish. On the way to our cabins, we had the next highlight: a young Green Anaconda right below the footbridge to the lodging area!

In the afternoon, we went on a canoe ride with our local team, to explore wildlife in the small creeks and on the lake. In this quiet, enchanting environment we found Rufous Tiger Heron, Orange-crowned Manakin, Crane Hawk, Hoatzin, Cream-colored Woodpecker, Dot-backed Antbird, Black-capped Donacobius and a shy, but well-visible Sungrebe, together with many other new species for our trip.

Day 7

Saturday 15th November

Sacha Lodge – Canopy Walkway

After an early breakfast at 5.00am we left the lodge at 5.30am for a thirty-minute walk to the canopy walkway, 37m high and 275m long, with a great view over the canopy. But as soon as we arrived at the bottom of the first tower, a thunderstorm set in, and it didn't want to stop. In a brief period when the rain lessened, around 7.00am, Oscar decided that we should get to the top anyway, and wait for the rain to stop there. After four hours in pouring rain, without a roof, and the thunderstorm setting in again, the Sacha Crew decided we would go back to the lodge, which turned into a hike through creeks and swamps instead of paths: everything was flooded!

Happily, the rain stopped around 11.20am, so we were able to watch some birds around the lakeside. Later in the afternoon, we had the chance to return to the tower, this time without rain, and still experienced significant activity in the treetops, seeing Black-and-white Hawk-Eagle, Bat Falcon, White-necked Puffbird, Spangled Cotinga, Masked, Paradise and Opal-rumped Tanagers, Great Potoo and Spix's Guan, to name a few.

We stayed until sunset and then turned the walk back into a night walk, seeing many crickets, stick insects, tree frogs, whip spiders and, as a highlight, two huge Smoky Jungle Frogs next to the path.

One client spent the afternoon at the 43-metre-high observation tower built around a giant Kapok tree. Spotted in the canopy were a Brown-throated Three-toed Sloth, Plum-throated Cotinga and Yellow-rumped Cacique. Hoatzins were seen along the channel on the way to the tower trail.

Day 8

Sunday 16th November

Parrot Licks – Coca River Islands

This morning we left the lodge even earlier than the day before, as we had a day tour of the Yasuni National Park, including the Napo River islands and involving visits to two different clay licks, places visited by various parrot species to ingest clay and water to neutralize toxins from their green fruit diet, as well as to take up vital minerals.

On the way, we also passed smaller river islands and sandbanks, on which we could see Ladder-tailed Nightjar, Pied Plover, Amazonian Umbrellabird, Eastern Kingbirds (a lot) and Oriole Blackbirds.

Parrot activity was excellent and loud at both clay licks, and we saw Blue-headed and Orange-cheeked Parrots, Yellow-crowned and Orange-winged Amazons, Dusky-headed and Cobalt-winged Parakeets, and up to fifteen Scarlet Macaws. The absolute highlight was a rarely-seen Red-and-green Macaw joining the party! On arrival at the Napo River docks at Yasuni, we were extremely fortunate to have views of a Pink River Dolphin / Boto as it surfaced where the dark waters of a creek mixed with the milky water of the Napo. This was a species with which we all thought we were very unlikely to connect, but had all dreamt of seeing.

The group visited a number of sites on both shores of the Napo River and several creeks. We connected with new species such as Swallow-winged Puffbird, Green-backed Trogon, White-eared Jacamar, Cattle Tyrant, Black-billed

Thrush, Little and Crimson-crested Woodpeckers, Black-banded Woodcreeper, Scarlet-crowned Barbet, Black-fronted Nunbird and Amazonian Umbrellabird.

Day 9

Monday 17th November

Kapok Tower – canoe ride

After a short early morning canoe trip and short walk into the forest, we arrived at the magnificent Kapok Tower in good time for the morning's peak activity; thankfully there was no rain. The platforms are high in one of the largest trees at the Sacha property and offered a wonderful opportunity for us to experience mixed feeding flocks forty metres up in the canopy: it was magical! We recorded more than sixty species in two hours, and at times it was difficult to know which way to look as new species emerged from the foliage. Our guides kept us on point, and we added Black-bellied Cuckoo, Fork-tailed Woodnymph, Slate-coloured Hawk, Amazonian Violaceous Trogon, Purplish Jacamar Lemon-throated Barbet, Lettered Aracari, Buff-throated Woodcreeper, Dwarf Tyrant-Manakin, Purple-throated Fruitcrow, White-browed Purpletuft, Slender-footed Tyrannulet, Golden-bellied, Orange-bellied and Rufous-bellied Euphonias, Opal-crowned, Opal-rumped, Masked and Green-and-Gold Tanagers, Black-faced Dacnis and Green Honeycreeper.

At lunch, Iris joined the group again, and in the afternoon we went on a peaceful ride through the channels around Pilchicocha Lake, where we saw Rufous-breasted Hermit, Striated Heron, Common Scale-backed Antbird and had a brief flight view of a Ferruginous Pygmy Owl.

Day 10

Tuesday 18th November

Sacha Lodge – Coca – Pachakutik Lagoon – Susanita's Hummingbirds – San Isidro Lodge

On yet another rainy morning, we headed back to Coca in the motorized canoe, with the only notable sighting being a single Black Skimmer. On arrival, we were joined again by our friendly and reliable driver Franklin, who took us back up along the eastern Andean slopes to San Isidro. On the way, we stopped at several roadside locations, as well as Pachakutik Lagoon and Susanita's Hummingbirds for lunch.

We got a good overview of the changing ecosystems and their feathered inhabitants, like Riparian Parrotlet, Ruddy Ground-dove, Black-throated Mango, Carib Grackle (lower elevations); Chestnut-fronted Macaw, Little Woodpecker, Yellow-browed Sparrow (foothills); two Band-bellied Owls at roost and Ferruginous Pygmy-Owl (Pachakutik Lagoon); Cliff Flycatcher, Green-backed Hillstar, Black-throated Brilliant, Many-spotted Hummingbird and Gorgeted Woodstar (Susanita and surroundings).

In the evening, we settled in at our comfortable cabins at San Isidro lodge where, after dinner, we got great views of a Black-banded Owl.

Day 11

Wednesday 19th November

San Isidro – La Brisa

Our birding started unusually late, at 6.00am, with a cup of freshly-brewed coffee on the porch. Here, and later on around the lodge and road, we saw a nice mix of eastern cloudforest birds, such as White-throated Toucanet, Inca Jay, Andean Motmot, Rufous-crowned Tody-Flycatcher, Mountain Wren, Common Chlorospingus, Bluish Flowerpiercer, Beryl-spangled and Saffron-crowned Tanagers, and Azara's Spinetail.

In the afternoon, we drove to La Brisa Reserve, with a stop on one of the whitewater rivers, where a female Torrent Duck was busy feeding and swimming along the river. At the reserve there was great activity at the hummingbird feeders, with Bronzy Inca, Peruvian Racket-tail, Long-tailed Sylph and Violet-fronted Brilliant. We also got a fantastic view of a Scaled Fruiteater feeding in the palm trees.

After dinner and getting ready to rest, we got a group call from Iris to get back to the porch, as a Mountain Tapir had come to the salt lick below the porch. Those who made it back on the porch in time were rewarded with great views of the tapir as it calmly slurped at its treat for the night.

Day 12

Thursday 20th November

Borja Road – Guango Reserve – Papallacta hot springs

Today we left San Isidro after an earlier breakfast, to drive even further up the Andes and into the real highlands. We spent the first couple of hours at mid-elevation on the Borja road, where we had good activity among birds of more open habitats, like Black-and-white and Chestnut-bellied Seedeaters, Red-breasted Meadowlark, Pale-edged Flycatcher and several tanagers. The highlights along the river were a juvenile Fasciated Tiger Heron and a stunning male Crested Quetzal.

We arrived in Guango Reserve mid-morning, and immediately headed out to the mountainside, where Grey-breasted Mountain Toucans regularly show up to feed on grapes provided by the ranger. Initially they were very shy, or perhaps just not hungry, but after we waited for about forty minutes they made several appearances to snatch the grapes one-by-one from the perch.

After lunch, we wandered around the lodge trails, and found White-capped Dipper, Mountain Cacique, Turquoise Jay, Hooded Mountain Tanager and Grey-hooded Bush-Tanager, while at the hummingbird feeders we found White-bellied Woodstar, Tourmaline Sunangel and Chestnut-breasted Coronet.

On the way up to the Papallacta hot springs, we took yet another side road to get Iris (and everyone else) a lifer for the trip: a Black-collared Swallow at the water reservoir, which had shown up at this spot two weeks before, for the first time ever in Ecuador! After giving this gorgeous little bird its due attention, we headed to the hot springs for a well-deserved dip into the thermal waters.

Day 13

Friday 21st November

Surroundings of Papallacta – Antenna Hill – Puenbo

In the early morning, some of the group went out to bird the old Papallacta road, while others enjoyed a relaxed morning at the hot springs. The early birds saw Black-chested Buzzard-Eagle, Spillman's Tapaculo (poorly), Lacrimose and Scarlet-bellied Mountain Tanagers, Pale-naped Brushfinch and White-crested Elaenia.

After breakfast, we drove up to the entrance of Cayambe-Coca National Park, but with no luck, as the birds were unusually quiet; however, we did add Red-crested Cotinga, and brief views of Tawny Antpitta for some.

After an early lunch, we headed back to Quito, where we took the road up from the pass to the radio antennas. At this inhospitable elevation of 4300m there are some special birds which you have to work for, in particular the perfectly-camouflaged Rufous-bellied Seedsnipe. After around twenty minutes of climbing around the cushion plants and slipping on muddy slopes, an eagle-eyed client finally found one, and then two, on the last area of the hill we checked. Most of us got a good view of them before they disappeared into the fog. Other nice birds at this elevation were White-chinned Thistletail, Plain-capped Ground Tyrant and Red-rumped Bush Tyrant.

On the way down to Puenbo, we stopped at several places to scan the steep hillslopes for Spectacled Bears, and after some persistence, Iris found one feeding on some bromeliads! Although he was well-hidden behind some bushes, we still got to see him every time he moved to another bromeliad, and we enjoyed the show for quite a while.

Day 14

Saturday 22nd November

Antisana National Park – Departure

The trip to Antisana National Park was our last proper birding day as a group, as three of the participants would leave this afternoon for their flight back to the UK. It turned out to be the perfect farewell to Ecuador.

Our first stop was the Tambo Condor Restaurant, where we found not only our first Andean Condor, roosting on the stone canyon opposite the valley, but also finally got Sword-billed Hummingbird for those who had been delayed on the first day of the tour. We also saw Giant Hummingbird, Shining Sunbeam and Black-tailed Trainbearer.

At various stops through the Antisana highlands, we were still adding new species, such as Tufted Tit-Tyrant, Carunculated Caracara, Black-winged Ground-dove, Andean Ibis, Cinereous Harrier and Paramo Pipit. At La Mica lake, we saw Andean Teal, Yellow-billed Pintail, Andean Duck, Ecuadorian Hillstar and Andean Tit-Spinetail (at the nest), Many-striped Canastero, an obliging Tawny Antpitta and many more.

We did our last checklist at the Tambo Condor restaurant, enjoying close-up views of a Giant Hummingbird, and then it was time to leave for the airport. No, wait! It wasn't: we had to delay our departure from the restaurant, as a fully-grown Spectacled Bear showed up on the opposite mountainside, as if to wave a final farewell to the group, while Andean Condors circulated over the valley. What a way to end the trip!

Day 15

Sunday 23rd November

Final departure

While those who had left yesterday flew across the Atlantic and arrived back in the UK, the remaining group members enjoyed breakfast at Puembo feeding station, with Western Emerald and Fawn-breasted Tanager among the usual visitors. They then had an excellent tour of Quito's old town, organised by Mercedes at Puembo. Further rain curtailed afternoon birding, although Neotropic Cormorants were seen close to Quito International Airport before their departure.

Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

naturetrek.co.uk/e-newsletter-signup

Scan to
sign up!



Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek_wildlife_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



[facebook.com/naturetrekwildlifeholidays](https://www.facebook.com/naturetrekwildlifeholidays)



naturetrek.bsky.social



x.com/naturetrektours (formerly Twitter)

Species lists

Birds (H = Heard only)

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Grey Tinamou	<i>Tinamus tao</i>						H								
Great Tinamou	<i>Tinamus major</i>							H							
Little Tinamou	<i>Crypturellus soui</i>		H												
Undulated Tinamou	<i>Crypturellus undulatus</i>						H								
Torrent Duck	<i>Merganetta armata</i>										✓				
Blue-winged Teal	<i>Spatula discors</i>													✓	
Yellow-billed Pintail	<i>Anas georgica</i>													✓	
Andean Teal	<i>Anas andium</i>													✓	
Andean Duck	<i>Oxyura ferruginea</i>													✓	
Speckled Chachalaca	<i>Ortalis guttata</i>					✓	✓	✓	✓	✓					
Crested Guan	<i>Penelope purpurascens</i>		✓	H											
Spix's Guan	<i>Penelope jacquacu</i>						✓		✓						
Blue-throated Piping Guan	<i>Pipile cumanensis</i>							✓							
Wattled Guan	<i>Aburria aburri</i>										✓	H			
Sickle-winged Guan	<i>Chamaepetes goudotii</i>				✓							H			
Dark-backed Wood Quail	<i>Odontophorus melanonotus</i>				✓										
Rufous-bellied Nighthawk	<i>Lurocalis rufiventris</i>			✓											
Ladder-tailed Nightjar	<i>Hydropsalis climacocerca</i>							✓							
Great Potoo	<i>Nyctibius grandis</i>						✓	✓	✓						
Common Potoo	<i>Nyctibius griseus</i>							✓	H	H					
Chestnut-collared Swift	<i>Streptoprocne rutila</i>				✓					✓					
White-collared Swift	<i>Streptoprocne zonaris</i>		✓	✓	✓					✓					
Short-tailed Swift	<i>Chaetura brachyura</i>					✓	✓	✓	✓						
Fork-tailed Palm Swift	<i>Tachornis squamata</i>					✓	✓	✓	✓	✓					
White-necked Jacobin	<i>Florisuga mellivora</i>	✓	✓						✓						
White-tipped Sicklebill	<i>Eutoxeres aquila</i>				✓										
Bronzy Hermit	<i>Glaucis aeneus</i>		✓												
Rufous-breasted Hermit	<i>Glaucis hirsutus</i>								✓						

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
White-whiskered Hermit	<i>Phaethornis yaruqui</i>	✓	✓	✓	✓										
Tawny-bellied Hermit	<i>Phaethornis syrmatophorus</i>										✓				
Green-fronted Lancebill	<i>Doryfera ludovicae</i>			✓	✓										
White-throated Daggerbill - N	<i>Schistes albogularis</i>			✓	✓										
Brown Violetear	<i>Colibri delphinae</i>	✓	✓							✓		✓			
Lesser Violetear	<i>Colibri cyanotus</i>			✓							✓				
Sparkling Violetear	<i>Colibri coruscans</i>	✓				✓					✓	✓	✓	✓	
Black-throated Mango	<i>Anthracothonax nigricollis</i>		✓							✓					
Gorgeted Sunangel - N	<i>Heliangelus strophianus</i>	✓		✓											
Tourmaline Sunangel - N	<i>Heliangelus exortis</i>											✓			
Green Thorntail	<i>Discosura conversii</i>	✓	✓		✓										
Speckled Hummingbird	<i>Adelomyia melanogenys</i>	✓		✓							✓	✓	✓		
Long-tailed Sylph	<i>Aglaiocercus kingii</i>									✓	✓	✓			
Violet-tailed Sylph - N	<i>Aglaiocercus coelestis</i>	✓	✓	✓	✓										
Ecuadorian Hillstar - N	<i>Oreotrochilus chimborazo</i>													✓	
Black-tailed Trainbearer	<i>Lesbia victoriae</i>													✓	
Green-tailed Trainbearer	<i>Lesbia nuna</i>	✓													
Blue-mantled Thornbill	<i>Chalcostigma stanleyi</i>													✓	
Tyrian Metaltail	<i>Metallura tyrianthina</i>	✓											✓	✓	
Viridian Metaltail	<i>Metallura williami</i>												✓		
Sapphire-vented Puffleg	<i>Eriocnemis luciani</i>	✓													
Shining Sunbeam	<i>Aglaeactis cupripennis</i>	✓										✓	✓	✓	
Bronzy Inca	<i>Coeligena coeligena</i>										✓				
Brown Inca - N	<i>Coeligena wilsoni</i>	✓	✓	✓	✓										
Collared Inca	<i>Coeligena torquata</i>	✓		✓								✓			
Buff-winged Starfrontlet	<i>Coeligena lutetiae</i>	✓													
Mountain Velvetbreast	<i>Lafresnaya lafresnayi</i>	✓													
Sword-billed Hummingbird	<i>Ensifera ensifera</i>	✓											✓	✓	
Great Sapphirewing	<i>Pterophanes cyanopterus</i>													✓	
Buff-tailed Coronet	<i>Boissonneaua flavescens</i>	✓		✓								✓			
Chestnut-breasted Coronet	<i>Boissonneaua matthewsii</i>										✓	✓			

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Velvet-purple Coronet	<i>Boissonneaua jardini</i>	✓	✓	✓	✓										
White-booted Racket-tail - E	<i>Ocreatus underwoodii</i>	✓	✓	✓											
Peruvian Racket-tail	<i>Ocreatus peruanus</i>										✓				
Green-backed Hillstar	<i>Urochroa leucura</i>									✓	✓				
Purple-bibbed Whitetip - N	<i>Urosticte benjamini</i>	✓	✓	✓	✓										
Black-throated Brilliant	<i>Heliodoxa schreibersii</i>									✓					
Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>	✓	✓	✓											
Green-crowned Brilliant	<i>Heliodoxa jacula</i>	✓	✓	✓	✓										
Empress Brilliant	<i>Heliodoxa imperatrix</i>	✓	✓		✓										
Violet-fronted Brilliant	<i>Heliodoxa leadbeateri</i>										✓				
Giant Hummingbird	<i>Patagona gigas</i>													✓	
Long-billed Starthroat	<i>Heliomaster longirostris</i>		✓												
Purple-throated Woodstar	<i>Philodice mitchellii</i>	✓	✓	✓											
White-bellied Woodstar	<i>Chaetocercus mulsant</i>									✓		✓			
Gorgeted Woodstar	<i>Chaetocercus heliodor</i>									✓	✓				
Violet-headed Hummingbird	<i>Klais guimeti</i>									✓					
Crowned Woodnymph	<i>Thalurania colombica</i>	✓	✓												
Fork-tailed Woodnymph	<i>Thalurania furcata</i>								✓						
Many-spotted Hummingbird	<i>Taphrospilus hypostictus</i>									✓					
Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	✓	✓	✓	✓										
Andean Emerald	<i>Uranomitra franciae</i>	✓	✓	✓											
Golden-tailed Sapphire	<i>Chrysuronia oenone</i>									✓					
Purple-chested Hummingbird - N	<i>Polyerata rosenbergi</i>		✓		✓										
Violet-bellied Hummingbird	<i>Chlorestes julie</i>		✓												
Greater Ani	<i>Crotophaga major</i>					✓		✓							
Smooth-billed Ani	<i>Crotophaga ani</i>				✓		✓	✓	✓	✓	✓				
Little Cuckoo	<i>Coccyzua minuta</i>								H						
Squirrel Cuckoo	<i>Piaya cayana</i>		✓						✓						
Black-bellied Cuckoo	<i>Piaya melanogaster</i>								✓						
Feral Rock Dove - I	<i>Columba livia</i>	✓	✓												
Band-tailed Pigeon	<i>Patagioenas fasciata</i>			✓	✓							✓	✓	✓	

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Pale-vented Pigeon	<i>Patagioenas cayennensis</i>		✓			✓	✓	✓	✓	✓					
Plumbeous Pigeon	<i>Patagioenas plumbea</i>		✓	H											
Ruddy Pigeon	<i>Patagioenas subvinacea</i>				H		✓			✓		✓			
Ruddy Ground Dove	<i>Columbina talpacoti</i>									✓					
Croaking Ground Dove	<i>Columbina cruziana</i>					✓							✓	✓	
Black-winged Ground Dove	<i>Metriopelia melanoptera</i>													✓	
White-tipped Dove	<i>Leptotila verreauxi</i>	✓	✓												
Grey-fronted Dove	<i>Leptotila rufaxilla</i>							✓							
White-throated Quail-Dove	<i>Zentrygon frenata</i>		✓		✓										
Eared Dove	<i>Zenaida auriculata</i>	✓				✓							✓	✓	
Sungrebe	<i>Heliornis fulica</i>					✓									
Andean Coot	<i>Fulica ardesiaca</i>													✓	
Pied-billed Grebe	<i>Podilymbus podiceps</i>	✓													
Pied Plover	<i>Hoploxypterus cayanus</i>							✓							
Southern Lapwing	<i>Vanellus chilensis</i>	✓						✓				✓			
Andean Lapwing	<i>Vanellus resplendens</i>													✓	
Collared Plover	<i>Anarhynchus collaris</i>							✓							
Rufous-bellied Seedsnipe	<i>Attagis gayi</i>												✓		
Spotted Sandpiper	<i>Actitis macularius</i>							✓				✓			
Black Skimmer	<i>Rynchops niger</i>							✓		✓					
Andean Gull	<i>Chroicocephalus serranus</i>												✓	✓	
Anhinga	<i>Anhinga anhinga</i>					✓	✓		✓						
Andean Ibis	<i>Theristicus branickii</i>													✓	
Rufescent Tiger Heron	<i>Tigrisoma lineatum</i>					✓									
Fasciated Tiger Heron	<i>Tigrisoma fasciatum</i>											✓			
Boat-billed Heron	<i>Cochlearius cochlearius</i>					✓									
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>						✓	✓	✓						
Snowy Egret	<i>Egretta thula</i>					✓									
Striated Heron	<i>Butorides striata</i>							✓	✓						
Great Egret	<i>Ardea alba</i>					✓		✓		✓					
Western Cattle Egret	<i>Ardea ibis</i>	✓	✓												

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Cocoi Heron	<i>Ardea cocoi</i>					✓		✓		✓					
Hoatzin	<i>Opisthocomus hoazin</i>					✓	✓	✓	✓	✓					
King Vulture	<i>Sarcoramphus papa</i>					✓	✓								
Andean Condor	<i>Vultur gryphus</i>													✓	
Black Vulture	<i>Coragyps atratus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	
Turkey Vulture	<i>Cathartes aura</i>		✓	✓	✓	✓				✓	✓	✓			
Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>					✓	✓		✓						
Osprey	<i>Pandion haliaetus</i>					✓									
Hook-billed Kite	<i>Chondrohierax uncinatus</i>				✓										
Swallow-tailed Kite	<i>Elanoides forficatus</i>						✓			✓					
Black Hawk-Eagle	<i>Spizaetus tyrannus</i>					✓									
Black-and-white Hawk-Eagle	<i>Spizaetus melanoleucus</i>						✓								
Cinereous Harrier	<i>Circus cinereus</i>													✓	
Double-toothed Kite	<i>Harpagus bidentatus</i>								✓						
Plumbeous Kite	<i>Ictinia plumbea</i>						✓	✓	✓						
Crane Hawk	<i>Geranoospiza caerulescens</i>					✓			✓						
Slate-colored Hawk	<i>Buteogallus schistaceus</i>								✓						
Roadside Hawk	<i>Rupornis magnirostris</i>		✓	H	✓		✓			✓	✓	✓			
Harris's Hawk	<i>Parabuteo unicinctus</i>				✓										
Variable Hawk	<i>Geranoaetus polyosoma</i>	✓											✓	✓	
Black-chested Buzzard-Eagle	<i>Geranoaetus melanoleucus</i>												✓	✓	
Broad-winged Hawk	<i>Buteo platypterus</i>		✓									✓			
Ferruginous Pygmy Owl	<i>Glaucidium brasilianum</i>								✓	✓					
Pacific Pygmy Owl	<i>Glaucidium peruanum</i>		H												
Stygian Owl	<i>Asio stygius</i>		✓												
White-throated Screech Owl	<i>Megascops albogularis</i>	✓													
Tawny-bellied Screech Owl	<i>Megascops watsonii</i>					H									
Band-bellied Owl	<i>Pulsatrix melanota</i>									✓					
Crested Owl	<i>Lophotrix cristata</i>								✓						
Black-and-white Owl	<i>Strix nigrolineata</i>	✓			✓										
Black-banded Owl	<i>Strix huhula</i>										✓	✓			

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Golden-headed Quetzal	<i>Pharomachrus auriceps</i>	H	✓	✓	✓						H				
Crested Quetzal	<i>Pharomachrus antisianus</i>											✓			
Black-tailed Trogon	<i>Trogon melanurus</i>						✓								
Green-backed Trogon	<i>Trogon viridis</i>					✓	✓	✓	✓	H					
Amazonian Trogon	<i>Trogon ramonianus</i>								✓						
Masked Trogon	<i>Trogon personatus</i>		✓	✓							✓	✓			
Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>							✓							
Ringed Kingfisher	<i>Megaceryle torquata</i>					✓	✓		✓						
Amazonian Motmot	<i>Momotus momota</i>					H									
Andean Motmot	<i>Momotus aequatorialis</i>										✓	✓			
Rufous Motmot	<i>Baryphthengus martii</i>				✓										
White-eared Jacamar	<i>Galbalcyrhynchus leucotis</i>							✓							
Purplish Jacamar	<i>Galbula chalcothorax</i>								✓						
White-necked Puffbird	<i>Notharchus hyperrhynchus</i>						✓								
Black-fronted Nunbird	<i>Monasa nigrifrons</i>							✓							
Swallow-winged Puffbird	<i>Chelidoptera tenebrosa</i>							✓							
Scarlet-crowned Barbet	<i>Capito aurovirens</i>							✓							
Orange-fronted Barbet	<i>Capito squamatus</i>		✓												
Gilded Barbet	<i>Capito auratus</i>						✓		✓	H					
Lemon-throated Barbet	<i>Eubucco richardsoni</i>								✓						
Red-headed Barbet	<i>Eubucco bourcierii</i>	✓	✓	✓	✓						✓				
Toucan Barbet	<i>Semnornis ramphastinus</i>			✓											
Yellow-throated Toucan	<i>Ramphastos ambiguus</i>	✓													
White-throated Toucan	<i>Ramphastos tucanus</i>					✓	✓		✓						
Choco Toucan - N	<i>Ramphastos brevis</i>				✓										
Channel-billed Toucan	<i>Ramphastos vitellinus</i>					H	✓	✓							
Lettered Aracari	<i>Pteroglossus inscriptus</i>								✓						
Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>					✓			✓	✓					
Many-banded Aracari	<i>Pteroglossus pluricinctus</i>						✓								
Plate-billed Mountain Toucan - N	<i>Andigena laminirostris</i>			✓											
Grey-breasted Mountain Toucan	<i>Andigena hypoglaucha</i>											✓			

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
White-throated Toucanet	<i>Aulacorhynchus albivitta</i>										✓				
Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>						✓		✓						
Black-cheeked Woodpecker	<i>Melanerpes pucherani</i>		✓												
Little Woodpecker	<i>Veniliornis passerinus</i>							✓		✓					
Smoky-brown Woodpecker	<i>Leuconotopicus fumigatus</i>		✓												
Golden-olive Woodpecker	<i>Colaptes rubiginosus</i>		✓		✓							✓			
Chestnut Woodpecker	<i>Celeus elegans</i>							✓							
Cream-colored Woodpecker	<i>Celeus flavus</i>					✓	✓		✓						
Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>						✓	✓	✓						
Red-throated Caracara	<i>Ibycter americanus</i>								H						
Black Caracara	<i>Daptrius ater</i>					✓	✓	✓	✓						
Yellow-headed Caracara	<i>Milvago chimachima</i>					✓		✓		✓		✓			
Carunculated Caracara	<i>Phalcoboenus carunculatus</i>													✓	
Lined Forest Falcon	<i>Micrastur gilvicollis</i>						H								
American Kestrel	<i>Falco sparverius</i>	✓												✓	
Aplomado Falcon	<i>Falco femoralis</i>	✓												✓	
Bat Falcon	<i>Falco ruficularis</i>						✓								
Cobalt-winged Parakeet	<i>Brotogeris cyanoptera</i>						✓	✓	✓						
Rose-faced Parrot	<i>Pyrilia pulchra</i>				✓										
Orange-cheeked Parrot	<i>Pyrilia barrabandi</i>							✓							
Red-billed Parrot	<i>Pionus sordidus</i>			✓											
Blue-headed Parrot	<i>Pionus menstruus</i>							✓	✓	✓					
Bronze-winged Parrot	<i>Pionus chalcopterus</i>		✓												
Yellow-crowned Amazon	<i>Amazona ochrocephala</i>							✓							
Mealy Amazon	<i>Amazona farinosa</i>						✓	✓							
Orange-winged Amazon	<i>Amazona amazonica</i>					✓		✓							
Riparian Parrotlet	<i>Forpus crassirostris</i>									✓					
Black-headed Parrot	<i>Pionites melanocephalus</i>								✓						
Maroon-tailed Parakeet	<i>Pyrrhura melanura</i>		✓												
Dusky-headed Parakeet	<i>Aratinga weddellii</i>							✓							
Red-bellied Macaw	<i>Orthopsittaca manilatus</i>						✓		✓	✓					

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Chestnut-fronted Macaw	<i>Ara severus</i>						✓			✓					
Scarlet Macaw	<i>Ara macao</i>							✓							
Red-and-green Macaw	<i>Ara chloropterus</i>							✓							
Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>		✓												
Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>				✓										
Cinnamon-throated Woodcreeper	<i>Dendrexetastes rufigula</i>						✓								
Black-banded Woodcreeper	<i>Dendrocolaptes picumnus</i>							✓							
Strong-billed Woodcreeper	<i>Xiphocolaptes promeropirhynchus</i>		✓												
Elegant Woodcreeper	<i>Xiphorhynchus elegans</i>							H							
Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>						✓		✓						
Spotted Woodcreeper	<i>Xiphorhynchus erythropygius</i>		✓												
Olive-backed Woodcreeper	<i>Xiphorhynchus triangularis</i>										✓				
Montane Woodcreeper	<i>Lepidocolaptes lacrymiger</i>	✓									✓	✓			
Streaked Xenops	<i>Xenops rutilans</i>										✓				
Pacific Tuftedcheek	<i>Pseudocolaptes johnsoni</i>				✓										
Streaked Tuftedcheek	<i>Pseudocolaptes boissonneautii</i>			✓							✓				
Pacific Hornero	<i>Furnarius cinnamomeus</i>		✓		✓										
Chestnut-winged Cinclodes	<i>Cinclodes albidiventris</i>												✓	✓	
Stout-billed Cinclodes	<i>Cinclodes excelsior</i>												✓	✓	
Scaly-throated Foliage-gleaner	<i>Anabacerthia variegaticeps</i>		✓		✓										
Lineated Foliage-gleaner	<i>Syndactyla subalaris</i>	H	✓	H							✓				
Buff-fronted Foliage-gleaner	<i>Dendroma rufa</i>		✓												
Streak-capped Treehunter	<i>Thripadectes virgaticeps</i>		✓		✓										
Spotted Barbtail	<i>Premnoplex brunnescens</i>			✓	✓						✓				
Pearled Treerunner	<i>Margarornis squamiger</i>										✓	✓	✓		
Andean Tit-Spinetail	<i>Leptasthenura andicola</i>												H	✓	
Many-striped Canastero	<i>Asthenes flammulata</i>													✓	
White-chinned Thistletail	<i>Asthenes fuliginosa</i>												✓		
Red-faced Spinetail	<i>Cranioleuca erythrops</i>	✓	✓		✓					?					
Ash-browed Spinetail	<i>Cranioleuca curtata</i>										✓				
Slaty Spinetail	<i>Synallaxis brachyura</i>				H										

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Azara's Spinetail	<i>Synallaxis azarae</i>									✓	✓				
White-flanked Antwren	<i>Myrmotherula axillaris</i>					H									
Long-winged Antwren	<i>Myrmotherula longipennis</i>						H								
Grey Antwren	<i>Myrmotherula menetriesii</i>					H									
Plain-winged Antshrike	<i>Thamnophilus schistaceus</i>								✓						
Great Antshrike	<i>Taraba major</i>		✓		✓										
Black-spotted Bare-eye	<i>Phlegopsis nigromaculata</i>									H					
Common Scale-backed Antbird	<i>Willisornis poecilinotus</i>								✓						
Streak-headed Antbird	<i>Drymophila striaticeps</i>										H				
Peruvian Warbling Antbird	<i>Hypocnemis peruviana</i>								H						
Grey Antbird	<i>Cercomacra cinerascens</i>							✓	✓						
Dot-backed Antbird	<i>Hylophylax punctulatus</i>					✓									
Silvered Antbird	<i>Sclateria naevia</i>					H		✓							
Spot-winged Antbird	<i>Myrmelastes leucostigma</i>								H						
White-shouldered Antbird	<i>Akletos melanoceps</i>							✓	H						
Zeledon's Antbird	<i>Hafferia zeledoni</i>			✓	✓										
Rufous-breasted Antthrush	<i>Formicarius rufipectus</i>		H												
Giant Antpitta	<i>Grallaria gigantea</i>			✓											
Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>	H													
Chestnut-naped Antpitta	<i>Grallaria nuchalis</i>	✓													
Yellow-breasted Antpitta	<i>Grallaria flavotincta</i>			✓											
White-bellied Antpitta	<i>Grallaria hypoleuca</i>										✓	H			
Equatorial Antpitta	<i>Grallaria saturata</i>	✓											✓		
Tawny Antpitta - N	<i>Grallaria quitensis</i>	H										H	✓	✓	
Long-tailed Tapaculo	<i>Scytalopus micropterus</i>											H			
Blackish Tapaculo	<i>Scytalopus latrans</i>	H										H			
Narino Tapaculo	<i>Scytalopus vicinior</i>			H											
Spillmann's Tapaculo	<i>Scytalopus spillmanni</i>			H									✓		
Tawny-rumped Tyrannulet	<i>Tyranniscus uropygialis</i>													✓	
Greenish Elaenia	<i>Myiopagis viridicata</i>				✓										
Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>				✓										

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
White-crested Elaenia	<i>Elaenia albiceps</i>												✓	✓	
White-tailed Tyrannulet	<i>Mecocerculus poecilocercus</i>			✓							✓				
Sulphur-bellied Tyrannulet	<i>Mecocerculus minor</i>										✓				
White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>											✓	✓		
Tufted Tit-Tyrant	<i>Anairetes parulus</i>													✓	
Torrent Tyrannulet	<i>Serpophaga cinerea</i>											✓			
Slender-footed Tyrannulet	<i>Zimmerius gracilipes</i>								✓						
Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>											✓			
Choco Tyrannulet - N	<i>Zimmerius albigularis</i>		✓		✓										
Marble-faced Bristle Tyrant	<i>Pogonotriccus ophthalmicus</i>		✓								✓	✓			
Streak-necked Flycatcher	<i>Mionectes striaticollis</i>										✓				
Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>	✓	✓		✓										
Flavescent Flycatcher	<i>Myiophobus flavicans</i>										✓	✓			
Handsome Flycatcher	<i>Nephelomyias pulcher</i>										✓				
Ornate Flycatcher	<i>Myiotriccus ornatus</i>	✓	✓	H	✓										
Scale-crested Pygmy Tyrant	<i>Lophotriccus pileatus</i>		H												
Rufous-crowned Tody-Flycatcher	<i>Poecilotriccus ruficeps</i>										✓				
Common Tody-Flycatcher	<i>Todirostrum cinereum</i>		✓							✓					
Yellow-browed Tody-Flycatcher	<i>Todirostrum chrysocrotaphum</i>								✓						
Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>										✓	✓			
Cliff Flycatcher	<i>Hirundinea ferruginea</i>									✓					
Black Phoebe	<i>Sayornis nigricans</i>	✓	✓	✓	✓							✓			
Smoke-colored Pewee	<i>Contopus fumigatus</i>			✓	✓						✓				
Western Wood Pewee	<i>Contopus sordidulus</i>									✓					
Eastern Wood Pewee	<i>Contopus virens</i>								✓						
Vermilion Flycatcher	<i>Pyrocephalus obscurus</i>					✓						✓	✓		
Drab Water Tyrant	<i>Ochthornis littoralis</i>							✓							
Spot-billed Ground Tyrant	<i>Muscisaxicola maculirostris</i>													✓	
Paramo Ground Tyrant - N	<i>Muscisaxicola alpinus</i>												✓	✓	
Red-rumped Bush Tyrant	<i>Cnemarchus erythropygius</i>												✓		
Streak-throated Bush Tyrant	<i>Myiotheretes striaticollis</i>	✓												✓	

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Masked Water Tyrant	<i>Fluvicola nengeta</i>		✓												
Crowned Chat-Tyrant	<i>Silvicultrix frontalis</i>	H													
Slaty-backed Chat-Tyrant	<i>Ochthoeca cinnamomeiventris</i>	H													
Brown-backed Chat-Tyrant	<i>Ochthoeca fumicolor</i>												✓	✓	
Cattle Tyrant	<i>Machetornis rixosa</i>							✓							
Piratic Flycatcher	<i>Legatus leucophauius</i>								✓						
Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>	✓	✓		✓										
Social Flycatcher	<i>Myiozetetes similis</i>		✓			✓		✓	✓	✓					
Grey-capped Flycatcher	<i>Myiozetetes granadensis</i>					✓			✓						
Great Kiskadee	<i>Pitangus sulphuratus</i>					✓	✓	✓	✓	✓					
Lesser Kiskadee	<i>Philohydor lictor</i>					✓	✓		✓						
Golden-bellied Flycatcher	<i>Myiodynastes hemichrysus</i>	✓	✓	✓	✓										
Streaked Flycatcher	<i>Myiodynastes maculatus</i>		✓												
Boat-billed Flycatcher	<i>Megarynchus pitangua</i>		H					✓							
Tropical Kingbird	<i>Tyrannus melancholicus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	
Eastern Kingbird	<i>Tyrannus tyrannus</i>							✓							
Greyish Mourner	<i>Rhytipterna simplex</i>								✓						
Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>				✓										
Short-crested Flycatcher	<i>Myiarchus ferox</i>					✓			✓						
Pale-edged Flycatcher	<i>Myiarchus cephalotes</i>										✓	✓			
Cinnamon Attila	<i>Attila cinnamomeus</i>					✓	✓		H						
Scaled Fruiteater	<i>Ampelioides tschudii</i>										✓				
Orange-breasted Fruiteater - N	<i>Pipreola jucunda</i>				✓										
Barred Fruiteater	<i>Pipreola arcuata</i>	H													
Olivaceous Piha	<i>Snowornis cryptolophus</i>			✓											
Andean Cock-of-the-rock	<i>Rupicola peruvianus</i>			✓							H				
Red-crested Cotinga	<i>Ampelion rubrocristatus</i>												✓		
Purple-throated Fruitcrow	<i>Querula purpurata</i>						✓		✓						
Amazonian Umbrellabird	<i>Cephalopterus ornatus</i>							✓							
Plum-throated Cotinga	<i>Cotinga maynana</i>								✓						
Spangled Cotinga	<i>Cotinga cayana</i>						✓		✓						

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Purple-throated Cotinga	<i>Porphyrolaema porphyrolaema</i>						✓								
Dwarf Tyrant-Manakin	<i>Tyranneutes stolzmanni</i>								✓						
Golden-winged Manakin	<i>Masius chrysopterus</i>			✓											
Orange-crested Manakin	<i>Heterocercus aurantiivertex</i>					✓									
Wire-tailed Manakin	<i>Pipra filicauda</i>						✓		✓						
Club-winged Manakin - N	<i>Machaeropterus deliciosus</i>		✓												
Black-crowned Tityra	<i>Tityra inquisitor</i>				✓										
Black-tailed Tityra	<i>Tityra cayana</i>						✓		✓						
Masked Tityra	<i>Tityra semifasciata</i>									✓					
White-browed Purpletuft	<i>Iodopleura isabellae</i>								✓						
Barred Becard	<i>Pachyramphus versicolor</i>				✓						✓				
Cinnamon Becard	<i>Pachyramphus cinnamomeus</i>		✓		✓										
White-winged Becard	<i>Pachyramphus polychopterus</i>		✓												
Black-and-white Becard	<i>Pachyramphus albogriseus</i>		✓												
One-colored Becard	<i>Pachyramphus homochrous</i>		✓		✓										
Tawny-breasted Myiobius	<i>Myiobius villosus</i>				✓										
Black-billed Peppershrike	<i>Cyclarhis nigristrois</i>										H				
Chivi Vireo	<i>Vireo chivi</i>	✓	✓	✓	✓										
Brown-capped Vireo	<i>Vireo leucophrys</i>		✓		✓						✓				
Choco Vireo	<i>Vireo masteri</i>				✓										
Turquoise Jay	<i>Cyanolyca turcosa</i>			H								✓			
Violaceous Jay	<i>Cyanocorax violaceus</i>						✓	✓	✓	✓					
Inca Jay	<i>Cyanocorax yncas</i>										✓	✓			
White-winged Swallow	<i>Tachycineta albiventer</i>					✓	✓	✓	✓	✓					
Grey-breasted Martin	<i>Progne chalybea</i>					✓	✓	✓	✓						
Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>		✓		✓					✓		✓			
White-banded Swallow	<i>Atticora fasciata</i>					✓									
Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>	✓	✓	✓	✓	✓					✓	✓			
Black-collared Swallow	<i>Pygochelidon melanoleuca</i>											✓			
Brown-bellied Swallow	<i>Orochelidon murina</i>	✓										✓	✓	✓	
Black-capped Donacobius	<i>Donacobius atricapilla</i>					✓			✓	✓					

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Band-backed Wren	<i>Campylorhynchus zonatus</i>		✓												
Thrush-like Wren	<i>Campylorhynchus turdinus</i>						✓		H						
Grass Wren	<i>Cistothorus platensis</i>	H											H	✓	
Plain-tailed Wren	<i>Pheugopedius euophrys</i>	H											H		
Bay Wren	<i>Cantorchilus nigricapillus</i>				✓										
Southern House Wren	<i>Troglodytes musculus</i>	✓	✓		✓					✓		✓			
Mountain Wren	<i>Troglodytes solstitialis</i>		✓								✓	✓			
Grey-breasted Wood Wren	<i>Henicorhina leucophrys</i>	✓	✓	H	H						✓	✓			
Trilling (Long-billed) Gnatwren	<i>Ramphocaenus melanurus</i>								✓						
Andean Solitaire	<i>Myadestes ralloides</i>	H	H	H											
Black Solitaire	<i>Entomodestes coracinus</i>				✓										
Swainson's Thrush	<i>Catharus ustulatus</i>		✓	✓	✓					✓	✓	✓			
Glossy-black Thrush	<i>Turdus serranus</i>			✓								✓			
Great Thrush	<i>Turdus fuscater</i>	✓			✓							✓	✓	✓	
Lawrence's Thrush	<i>Turdus lawrencii</i>								H						
Black-billed Thrush	<i>Turdus ignobilis</i>								✓						
White-necked Thrush	<i>Turdus albicollis</i>							✓							
Ecuadorian Thrush	<i>Turdus maculirostris</i>	✓	✓	✓											
White-capped Dipper	<i>Cinclus leucocephalus</i>	✓										✓			
Paramo Pipit	<i>Anthus bogotensis</i>													✓	
Olivaceous Siskin	<i>Spinus olivaceus</i>										✓	✓			
Hooded Siskin	<i>Spinus magellanicus</i>													✓	
White-lored Euphonia	<i>Euphonia chrysopasta</i>								✓						
Thick-billed Euphonia	<i>Euphonia laniirostris</i>	✓	✓		✓				✓						
Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>	✓	✓	✓	✓		✓		✓	✓	✓	✓			
Bronze-green Euphonia	<i>Euphonia mesochrysa</i>									✓	✓				
Rufous-bellied Euphonia	<i>Euphonia rufiventris</i>						✓								
Yellow-throated Chlorospingus	<i>Chlorospingus flavigularis</i>		✓		✓					✓					
Common Chlorospingus	<i>Chlorospingus flavopectus</i>										✓	✓			
Dusky Chlorospingus - N	<i>Chlorospingus semifuscus</i>	✓	✓	✓											
Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>									✓		H			

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Black-striped Sparrow	<i>Arremonops conirostris</i>				✓										
Grey-browed Brushfinch	<i>Arremon assimilis</i>	H											H		
Orange-billed Sparrow	<i>Arremon aurantirostris</i>		✓		✓										
Chestnut-capped Brushfinch	<i>Arremon brunneinucha</i>		✓		✓							✓			
Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	✓	✓	✓	✓	✓				✓	✓	✓	✓	✓	
Choco Brushfinch	<i>Atlapetes crassus</i>	✓	✓		✓										
Pale-naped Brushfinch	<i>Atlapetes pallidinucha</i>											✓	✓		
Yellow-breasted Brushfinch	<i>Atlapetes latinuchus</i>	✓													
White-winged Brushfinch - N	<i>Atlapetes leucopterus</i>			✓											
Red-breasted Meadowlark	<i>Leistes militaris</i>											✓			
Russet-backed Oropendola	<i>Psarocolius angustifrons</i>					✓	✓	✓	✓	✓	✓	✓			
Crested Oropendola	<i>Psarocolius decumanus</i>						✓	✓		✓					
Yellow-rumped Cacique	<i>Cacicus cela</i>		✓			✓	✓	✓	✓	✓					
Scarlet-rumped Cacique	<i>Cacicus microrhynchus</i>		✓								✓	✓			
Mountain Cacique	<i>Cacicus chrysonotus</i>										✓				
Yellow-tailed Oriole	<i>Icterus mesomelas</i>		✓												
Epaulet Oriole	<i>Icterus cayanensis</i>							✓							
Giant Cowbird	<i>Molothrus oryzivorus</i>						✓								
Shiny Cowbird	<i>Molothrus bonariensis</i>					✓									
Scrub Blackbird	<i>Dives waczewiczi</i>	✓	✓												
Carib Grackle	<i>Quiscalus lugubris</i>									✓					
Oriole Blackbird	<i>Gymnomystax mexicanus</i>							✓							
American Redstart	<i>Setophaga ruticilla</i>		✓												
Tropical Parula	<i>Setophaga pitaiayumi</i>		✓	H	✓							✓			
Blackburnian Warbler	<i>Setophaga fusca</i>		✓		✓					✓	✓	✓			
Black-crested Warbler	<i>Myiothlypis nigrocristata</i>	H											✓	H	
Buff-rumped Warbler	<i>Myiothlypis fulvicauda</i>		✓		H										
Choco Warbler	<i>Myiothlypis chlorophrys</i>				H										
Russet-crowned Warbler	<i>Myiothlypis coronata</i>	H		H								H			
Three-striped Warbler	<i>Basileuterus tristriatus</i>		✓	✓							✓	H			
Canada Warbler	<i>Cardellina canadensis</i>									✓	✓	✓			

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Slate-throated Whitestart	<i>Myioborus miniatus</i>	✓	✓	✓	✓						✓	✓			
Spectacled Whitestart	<i>Myioborus melanocephalus</i>	✓										✓	✓		
Summer Tanager	<i>Piranga rubra</i>	✓	✓		✓					✓	✓	✓			
Scarlet Tanager	<i>Piranga olivacea</i>									✓		✓			
White-winged Tanager	<i>Piranga leucoptera</i>				✓										
Green Honeycreeper	<i>Chlorophanes spiza</i>		✓				✓		✓						
Golden-collared Honeycreeper	<i>Iridophanes pulcherrimus</i>				✓						✓				
Swallow Tanager	<i>Tersina viridis</i>	✓			✓					✓					
Purple Honeycreeper	<i>Cyanerpes caeruleus</i>						✓		✓						
Black-faced Dacnis	<i>Dacnis lineata</i>						✓		✓						
Buff-throated Saltator	<i>Saltator maximus</i>	✓	✓		✓										
Black-winged Saltator - N	<i>Saltator atripennis</i>	✓	✓		✓										
Bananaquit	<i>Coereba flaveola</i>	✓	✓		✓					✓	✓				
Yellow-faced Grassquit	<i>Tiaris olivaceus</i>				✓										
Blue-black Grassquit	<i>Volatinia jacarina</i>									✓					
White-lined Tanager	<i>Tachyphonus rufus</i>	✓	✓							✓					
Lemon-rumped Tanager	<i>Ramphocelus icteronotus</i>	✓	✓	✓	✓										
Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>							✓							
Silver-beaked Tanager	<i>Ramphocelus carbo</i>					✓		✓	✓	✓					
Lesson's Seedeater	<i>Sporophila bouvronides</i>									✓					
Variable Seedeater	<i>Sporophila corvina</i>		✓		✓										
Black-and-white Seedeater	<i>Sporophila luctuosa</i>											✓			
Yellow-bellied Seedeater	<i>Sporophila nigricollis</i>		✓	✓	✓										
Thick-billed Seed Finch	<i>Sporophila funerea</i>		✓												
Chestnut-bellied Seedeater	<i>Sporophila castaneiventris</i>									✓					
Grey-hooded Bush Tanager	<i>Cnemoscopus rubrirostris</i>											✓			
Black-eared Hemispingus	<i>Sphenopsis melanotis</i>										✓	✓			
Superciliaried Hemispingus	<i>Thlypopsis superciliaris</i>	✓													
Rufous-chested Tanager	<i>Thlypopsis ornata</i>	✓													
Capped Conebill	<i>Conirostrum albifrons</i>											✓			
Cinereous Conebill	<i>Conirostrum cinereum</i>	✓											✓	✓	

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Saffron Finch	<i>Sicalis flaveola</i>	✓				✓				✓					
Plumbeous Sierra Finch	<i>Geospizopsis unicolor</i>												✓	✓	
Plain-colored Seedeater	<i>Catamenia inornata</i>	✓											✓	✓	
Bluish Flowerpiercer	<i>Diglossa caerulescens</i>									✓		✓			
Masked Flowerpiercer	<i>Diglossa cyanea</i>	✓								✓		✓	✓		
Indigo Flowerpiercer	<i>Diglossa indigotica</i>				✓										
Glossy Flowerpiercer	<i>Diglossa lafresnayii</i>	✓													
White-sided Flowerpiercer	<i>Diglossa albilatera</i>	✓		✓											
Black Flowerpiercer	<i>Diglossa humeralis</i>	✓										✓	✓	✓	
Blue-and-yellow Tanager	<i>Rauenia bonariensis</i>					✓									
Blue-capped Tanager	<i>Sporathraupis cyanocephala</i>	✓		✓											
Blue-winged Mountain Tanager	<i>Anisognathus somptuosus</i>			✓	✓					✓		✓			
Black-chinned Mountain Tanager - N	<i>Anisognathus notabilis</i>			✓	✓										
Scarlet-bellied Mountain Tanager	<i>Anisognathus igniventris</i>	✓											✓		
Lacrimose Mountain Tanager	<i>Anisognathus lacrymosus</i>												✓		
Glistening-green Tanager - N	<i>Chlorochrysa phoenicotis</i>				✓										
Orange-eared Tanager	<i>Chlorochrysa calliparaea</i>										✓				
Moss-backed Tanager - N	<i>Bangsia edwardsi</i>				✓										
Magpie Tanager	<i>Cissopis leverianus</i>							✓		✓					
Rufous-throated Tanager - N	<i>Ixothraupis rufigula</i>				✓										
Golden-naped Tanager	<i>Chalcothraupis ruficervix</i>			✓	✓										
Blue-grey Tanager	<i>Thraupis episcopus</i>	✓	✓		✓	✓	✓	✓	✓	✓					
Palm Tanager	<i>Thraupis palmarum</i>		✓		✓	✓	✓	✓	✓						
Black-capped Tanager	<i>Stilpnia heinei</i>	✓		✓								✓			
Blue-necked Tanager	<i>Stilpnia cyanicollis</i>	✓	✓							✓	✓	✓			
Masked Tanager	<i>Stilpnia nigrocincta</i>						✓		✓						
Scrub Tanager - N	<i>Stilpnia vitriolina</i>					✓									
Blue-and-black Tanager	<i>Tangara vassorii</i>											✓	✓		
Beryl-spangled Tanager	<i>Tangara nigroviridis</i>		✓								✓	✓			
Bay-headed Tanager	<i>Tangara gyrola</i>		✓												
Saffron-crowned Tanager	<i>Tangara xanthocephala</i>										✓	✓			

E=endemic, N=near-endemic		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Flame-faced Tanager	<i>Tangara parzudakii</i>			✓	✓						✓				
Green-and-gold Tanager	<i>Tangara schrankii</i>						✓		✓						
Golden Tanager	<i>Tangara arthus</i>	✓	✓	✓	✓						✓				
Silver-throated Tanager	<i>Tangara icterocephala</i>		✓												
Turquoise Tanager	<i>Tangara mexicana</i>						✓		✓						
Paradise Tanager	<i>Tangara chilensis</i>						✓			✓					
Opal-crowned Tanager	<i>Tangara callophrys</i>						✓			✓					
Opal-rumped Tanager	<i>Tangara velia</i>						✓			✓					

Mammals

		November 2025													
Common name	Scientific name	10	11	12	13	14	15	16	17	18	19	20	21	22	
Brown-throated Three-toed Sloth	<i>Bradypus variegatus</i>								✓						
Western Pygmy Marmoset	<i>Cebuella pygmaea</i>								✓						
Ecuadorean Squirrel Monkey	<i>Saimiri macrodon</i>					✓			✓						
Humboldt's White-fronted Capuchin	<i>Cebus albifrons</i>								✓						
Colombian Red Howler	<i>Alouatta seniculus</i>						✓	✓	✓						
Common Tapeti	<i>Sylvilagus brasiliensis</i>	✓											✓	✓	
Central American Agouti	<i>Dasyprocta punctata</i>	✓	✓												
Black Agouti	<i>Dasyprocta fuliginosa</i>						✓		✓	✓	✓	✓			
Red-tailed Squirrel	<i>Sciurus granatensis</i>	✓	✓		✓					✓	✓	✓			
Western Dwarf Squirrel	<i>Microsciurus mimulus</i>				✓										
Proboscis Bat	<i>Rhynchonycteris naso</i>					✓	✓		✓						
White-tailed Deer	<i>Odocoileus virginianus</i>												✓	✓	
Mountain Tapir	<i>Tapirus pinchaque</i>										✓				
Spectacled Bear	<i>Tremarctos ornatus</i>												✓	✓	
Giant Otter	<i>Pteronura brasiliensis</i>					✓	✓		✓						
Western Mountain Coati	<i>Nasuella olivacea</i>				✓										
Pink River Dolphin	<i>Inia geoffrensis</i>										✓				

Amphibians & reptiles

Common name	Scientific name	November 2025												
		10	11	12	13	14	15	16	17	18	19	20	21	22
Smoky Jungle Frog	<i>Leptodactylus pentadactylus</i>						✓							
a caiman lizard	<i>Dracaena</i> sp.						✓		✓					
Black Caiman	<i>Melanosuchus niger</i>					✓								
Spectacled Caiman	<i>Caiman crocodilus</i>						✓		✓					
Green Anaconda	<i>Eunectes murinus</i>					✓								