

Corsica - The Scented Isle

Naturetrek Tour Report

13 - 20 May 2007



Report compiled by John Carruthers & Sophie Miller
Images by Tim Melling



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Leaders: John Carruthers (Ornithologist)
Sophie Miller (Botanist)

Participants: John and Hilary Foulds
Ron and Molly Brown
Richard and Sandra Rolfe
Val Pritchard
Brian and Ursula Smith

Day 1

Sunday 13th May

Weather hot and sunny, 28C

John met Sophie and the group at Bastia Airport and drove south to Venaco, stopping on the way at one of our regular sites for interesting birds and flowers. We were not disappointed. Firstly, one of our group found Marmora's Warbler and later Red-backed Shrike, Sardinian Warbler and Red Kite were seen. Finally, not just one, but a pair of Golden Eagles came over the hill and circled for several minutes providing unforgettable views. The hillside was covered with cistus scrub, amongst which were found a Tongue Orchid, a Pink Butterfly Orchid and two species of Cistus with the parasitic Cytinus. A Hoopoe was seen en route to Venaco from where we travelled down into the valley below the village to our hotel situated by the river.

Day 2

Monday 14th May

Weather hot and sunny, breezy in the afternoon, 24C

Our stone cabins were set amongst Corsican Pine with Cistus and Tree Heath scrub, Corsican Hellebore and Violet Birds-nest Orchid. Singing Cirl Buntings, Serin, Woodlark and Blackcap were the highlights of the pre-breakfast walk. Later we travelled to the forest of Vizzavona in search of the Corsican Nuthatch, where we caught a fleeting glimpse of one chasing a Great Spotted Woodpecker.

Here we also found the endemic Saxifrage and Balearic Sandwort, a Peregrine Falcon and some Bee-eaters plus several Scarce Swallowtail Butterflies. Today was a good butterfly day, with fifteen species seen, including Brimstone, Green Hairstreak, Holly Blue, Wall Brown and a Large Tortoiseshell.

We then moved to the Verghello valley and took our picnic in the shade next to a stream with many different flowers including two more Tongue Orchids and Yellow Bartsia. A Whip Snake was seen by some of the group as it shot under a pile of logs at the picnic site.

After lunch we drove to the top of the valley, parked and took a walk to higher levels during which we watched a Lammergeier above the opposite ridge drop what we thought was a large bone, on two or three occasions. Here the ground was carpeted with Cyclamen and we also found a splendid Provence Orchid and Sword-leaved Hellebore.

Day 3

Tuesday 15th May

Weather windy, bright and cool

It was a windy but sunny morning and after shopping for food in Venaco and watching the Red Kites, we set off for the Restonica Valley near Corte. On arrival at the top car park at about 5,000 ft we noticed that the temperature had plummeted to 4C and the cloud was low, with a strong wind blowing. We waited a short while but conditions did not improve so we went half way back down the valley and did a low-level walk in the sunshine and, sheltering from the wind, we had our picnic by the river. We had only seen a few birds in these conditions, Jays, Ravens, a Crossbill and lots of Spotted Flycatchers which may have just arrived. I was keeping an eye on the weather at the top and conditions started to improve so, after a coffee, we went back up to find the cloud had lifted, the sun was shining and we could see the mountain tops and although breezy, it was not so cold. We then did a short walk up the spectacular valley and found some Crag Martins and a Water Pipit plus Aqueligia, Corsican Alder and Corsican Butterwort amongst others.

Day 4

Wednesday 16th May

Weather warm and sunny, 24C

On the early walk we found a Man Orchid, a Buzzard, a Turtledove, a Stonechat and a Subalpine Warbler. Whilst we shopped in Corte, the group had a look round the old town and were impressed with its character, particularly the ancient citadel. We headed for the Lake Buguglia area near Bastia on the east coast, and at our first stop near the airport we had good views of Marsh Harriers, Hobbys, Fan-tailed Warblers, Corn Buntings and Red-backed Shrikes. The flowers here were very varied and included Chicory, Barbary Nut and four different Medicks with their lovely spiralled fruits.

We had lunch beside a Roman excavation and watched several Honey Buzzards and Bee-eaters nearby. Later, at the beach, we found Sea Spurge, Sea Holly, Sea Aster, Sea Stock plus Subalpine and Sardinian Warblers in the dune scrub. Finally we visited the lake where the birds were a little sparse, but included Great Crested Grebes, Little Egrets, many Coot and three Common Sandpipers. After an ice-cream stop, we set off for the hotel.

Day 5

Thursday 17th May

Weather hot and sunny, 26C

Today was transfer day and as we stopped at the filling station near Corte, a Black Kite was seen going over the hill. The Golden Eagle and Red-backed Shrike were waiting for us at the same site as on the arrival day and in the Strada di Santa Regina gorge, the endemic White Thrift was found growing on the rock walls and also a Blue Rock Thrush was seen.

After our picnic in a shady spot, we made our way up to the Col di Vergio at 1477m where we stopped for two hours and had a walk. We found four Water Pipits and many Citril Finches singing and flying around the low scrub and sprawling juniper which hid the little yellow Gagea (Star of Bethlehem). Dropping down from the col, we soon found ourselves in the delightful village of Evisa, situated at a height of 3,000ft. Here the Hotel Aitone was to be our base for the next three nights. After dinner, there was time to walk up the road and listen to the Scops Owl calling from the valley below.

Day 6

Friday 18th May

Weather hot and sunny, 25C

The Nuthatches that we found last week were still feeding young a short way from the hotel, providing everybody with excellent photo opportunities. It was decided to split the group in two for the walk in the Spelunca gorge. Sophie took six members down the steeper path from Evisa to Ota and I drove down to the bridge at Ota and walked up to meet the others for lunch at the Genoese bridge. This worked well and the top group saw Short-toed Eagle, Blue Rock Thrush, Crag Martin and heard a Firecrest.

The plant-life was interesting and included Cylamen, Three-cornered Leek, Snowflake and Strawberry Tree. The lower group saw most of the above plus Pancratium, Heart-shaped Tongue Orchid, Raven, Spotted Flycatcher and two Dippers (seen by all).

We finished the expedition with a drink in the café Chez Felix in Ota, before returning by minibus to our hotel for dinner. After dinner, we were again out look for Scops Owls, and this time we saw one flying in the village by the light of the street lamps.

Day 7

Saturday 19th May

Weather hot and sunny, 26C

Before breakfast we watched Nuthatches feeding their young again. Another beautiful sunny morning in Corsica found us taking a walk in the magnificent forest of Aitone just north of Evisa. This is a mixed, open forest of birch, beech, ash, rowan, spruce and Corsican pine with stunning mountain peaks and crags as the backdrop. The flowers were very interesting and included Mountain Pansy, Snowy Woodrush, Slender Vetch, Small Aquilegia and Mistletoe growing unusually on the pines. The birds were rather quiet but we did manage to see Blackcap, Citril Finch, Cirl Bunting, Spotted Flycatcher, Jay, Raven and Grey Wagtail from the river bridge which was at a height of 1130m.

After the forest we stopped at the Col de Sevi for a picnic en route to the west coast. Here the birds were good – first there was a Red-backed Shrike, then a Woodlark singing from a wire, followed by a low-level flypast from a Red Kite and a high-level one from a Golden Eagle. Perhaps the best sighting was of a pair of Marmora's Warblers which came out into the open on top of a bush near the picnic site.

At the coast we parked at the small estuary of the Liamone River in the Gulf of Sagone and immediately heard Nightingale and Cetti's Warbler singing close by.

The dunes at the back of the beach were covered in flowers including Sea Rocket, Sea Bindweed, Sea Beet, Sea Stock, Sheep's Bit and Yellow Horned Poppy. We also enjoyed good views of Turtle Doves, Bee-eaters, a Tawny Pipit and a Little Ringed Plover. Sophie had an interesting sighting of a snake consuming a frog whilst she was searching for flowers. After dinner we went out looking for Scops Owls and were eventually rewarded by seeing two perched on a wire next to a street lamp whilst they looked for moths.

Day 8

Sunday 20th May

Weather hot and sunny, 28C

As our flight was not until mid-afternoon, we enjoyed a leisurely breakfast and two of the group returned to the Nuthatch site to find the adults still feeding young, and as they came away, they saw a Wryneck fly by. En route to the airport we had a short stop at the Col di Vergio and spotted a Golden Eagle cruising along the ridge, followed by two Alpine Choughs. Also on the hillside were Citril Finches and Serins. As we drove through the gorge, a blue Rock Thrush was seen, followed by a Red-backed Shrike and Woodlark at the orchid hillside. The final birds of the trip were Red Kite and Marsh Harrier, seen near the airport.

Altogether we had 84 birds on the list and 21 butterflies. Our flight was at 3.15pm and we arrived at Gatwick on time at 4.30pm to end both a relaxing and wildlife-filled holiday within the most stunning scenery and atmospheric island.

Species Lists

Plants

| Group/Species | English Name(if any) | Location |
|--|---|--|
| Pteridopsida | Ferns and their Allies | |
| Selaginellaceae <i>Selaginella denticulata</i> | Lesser Clubmoss Family Toothed Clubmoss | Spilonca Gorge |
| Adiantaceae <i>Adiantum capillus-veneris</i> | Maidenhair Ferns Maidenhair Fern | Spilonca Gorge |
| Aspleniaceae <i>Asplenium adiantum-nigrum</i> <i>Asplenium onopteris</i> <i>Asplenium trichomanes</i> <i>Ceterach officinarum</i> | Spleenwort Family Black Spleenwort Sharp-leaved Spleenwort Maidenhair Spleenwort Rusty-backed Fern | Walls in Evisa Spilonca Gorge Spilonca Gorge Walls in Evisa |
| Blechnaceae <i>Blechnum spicant</i> | Hard Fern Family Hard Fern | Foret d'Aitone |
| Dennstaedtiaceae <i>Pteridium aquilinum</i> | Bracken Family Bracken | Verghello Valley |
| Dryopteridaceae <i>Dryopteris filix-mas</i> <i>Polystichum setiferum</i> | Buckler Fern Family Male Fern Soft Shield Fern | Verghello Valley Verghello Valley |
| Osmundaceae <i>Osmunda regalis</i> | Royal Ferns Royal Fern | Spilonca Gorge |
| Polypodiaceae <i>Polypodium vulgare</i> | Polypody Family Common Polypody | Verghello Valley |
| Woodsiaceae <i>Athyrium filix-femina</i> | Lady-fern Family Lady-fern | Spilonca Gorge |
| Pinopsida (Gymnosperms) | Conifers | |
| Cupressaceae <i>Cupressus sempervirens</i> <i>Juniperus communis</i> | Cypress Family Italian Cypress Juniper | Planted Col de Vergio |
| Pinaceae <i>Picea abies</i> <i>Pinus nigra</i> subsp. <i>laricio</i> <i>Pinus pinaster</i> <i>Pinus pinea</i> | Pine Family Norway Spruce Corsican Pine Maritime Pine Umbrella Pine | Foret d'Aitone Spilonca gorge Forest of Vizzavona Near Bastia Airport |
| Magnoliidae (Dicotyledons) | Flowering Plants | |
| Aizoaceae <i>Carpobrotus edulis</i> | Dewplant Family Yellow Hottentot Fig | Sagone |

| Group/Species | English Name(if any) | Location |
|--|------------------------------|--------------------------|
| Aceraceae | Maple Family | |
| <i>Acer monspessulanum</i> | Montpelier Maple | Upper Spilonca Gorge |
| <i>Acer pseudoplatanus</i> | Sycamore | Evisa |
| Anacardiaceae | Sumache Family | |
| <i>Pistacia lentiscus</i> | Mastic Tree | Near Francardo |
| Apiaceae (Umbelliferae) | Carrot Family | |
| <i>Bunium alpinum subsp. corydaliium</i> | A Pignut | Restonica Valley |
| <i>Daucus carota</i> | Wild Carrot | Evisa |
| <i>Eryngium campestre</i> | Field Eryngo | Near Francardo |
| <i>Eryngium maritimum</i> | Sea Holly | Dunes - Biguglia |
| <i>Ferula communis</i> | Giant Fennel | Roadsides |
| <i>Foeniculum vulgare</i> | Fennel | Sagone Beach |
| <i>Oenanthe crocata</i> | Hemlock Water-dropwort | Biguglia |
| <i>Oenanthe silaifolia</i> | Narrow-leaved Water-dropwort | Meadow - Sagone |
| <i>Scandix pecten-veneris</i> | Shepherds Needles | Verge bank, Venaco |
| Apocynaceae | Oleander Family | |
| <i>Nerium oleander</i> | Oleander | Occasionally naturalised |
| Aquifoliaceae | Holly Family | |
| <i>Ilex aquifolium</i> | Holly | Foret d'Aitone |
| Araliaceae | Ivy Family | |
| <i>Hedera helix</i> | Ivy | Spilonca gorge |
| Asteraceae (Compositae) | Daisy Family | |
| <i>Anthemis maritimus</i> | Sea Chamomile | Biguglia |
| <i>Aster sedifolius</i> | An aster | Biguglia |
| <i>Aster trifolium</i> | Sea aster | Biguglia |
| <i>Bellis perennis</i> | Daisy | Restonica gorge. |
| <i>Bellis sylvestris</i> | Wood Daisy | Spilonca gorge |
| <i>Bellium bellidioides</i> | - | Spilonca gorge |
| <i>Calendula arvensis</i> | Field Marigold | Near Francardo |
| <i>Carduus tenuiflorus</i> | Seaside or Slender Thistle | Sagone Beach |
| <i>Centaurea sphaerocephala</i> | A Knapweed | Biguglia |
| <i>Chrysanthemum coronarium</i> | Crown Daisy | Roadside, Bastia |
| <i>Chicorium intybus</i> | Chicory | Roadside, Biguglia |
| <i>Filago minima</i> | Small Cudweed | Verge bank, Venaco |
| <i>Galactites tomentosa</i> | Galactites | Common |
| <i>Helichrysum italicum</i> | A Curry Plant | Spilonca gorge |
| <i>Helichrysum stoechus</i> | Curry Plant | Near Francardo |
| <i>Hieracium spp</i> | Hawkweeds | Spilonca gorge |
| <i>Hypochoeris glabra</i> | Smooth Cat's-ear | Spilonca gorge |
| <i>Hypochoeris radicata</i> | Common Cat's-ear | Biguglia |
| <i>Knautica integrifolius</i> | A scabious | Venaco vergeside |
| <i>Lapsana communis</i> | Nipplewort | Biguglia |
| <i>Santolina corsica</i> | Corsican Lavender-cotton | Verge bank, Venaco |
| <i>Senecio vulgaris</i> | Grousel | Roadside, Bastia |
| <i>Silybum marianum</i> | Milk Thistle | Roadside, Biguglia |
| <i>Sonchus asper</i> | Prickly Sow-thistle | Sagone |
| <i>Sonchus oleraceus</i> | Smooth Sow-thistle | Roadside, Bastia |

| Group/Species | English Name(if any) | Location |
|--|-----------------------------|------------------------|
| <i>Taraxacum spp</i> | Dandelions | Comon |
| <i>Urospermum dalechampii</i> | - | Sagone |
| <i>Urospermum picroides</i> | - | Spilonca gorge |
| Berberidaceae | | |
| <i>Berberis aetnensis</i> | A Barberry | Col de Vergio |
| Betulaceae | | |
| Birch Family | | |
| <i>Alnus alnobetula subsp. suaveolens</i> | Corsican Alder | Gorges de la Restonica |
| <i>Alnus cordata</i> | Italian Alder | Biguglia |
| <i>Alnus glutinosa</i> | Common Alder | Spilonca gorge |
| <i>Betula pendula</i> | Silver Birch | Verghello Valley |
| Boraginaceae | | |
| Borage Family | | |
| <i>Borago officinalis</i> | Borage | Verghello Valley |
| <i>Cynoglossum creticum</i> | Blue Hound's-tongue | Evisa |
| <i>Echium italicum</i> | Italian Viper's-bugloss | Verge near Venaco |
| Brassicaceae (Cruciferae) | | |
| Cabbage Family | | |
| <i>Arabidopsis thaliana</i> | Thale Cress | Evisa |
| <i>Arabis verna</i> | Spring Rock-cress | Spilonca gorge |
| <i>Arabis cf. alpina</i> | A rock cress | Restonica valley |
| <i>Barbarea vulgaris</i> | Common Wintercress | Spilonca gorge |
| <i>Brassica nigra</i> | Black Mustard | Biguglia |
| <i>Cakile maritima</i> | Sea Rocket | Sagone Beach |
| <i>Capsella bursa-pastoris</i> | Shepherds Purse | Evisa |
| <i>Cardamine hirsuta</i> | Hairy Bittercress | Evisa |
| <i>Hirschfeldia incarna</i> | Hoary Mustard | Biguglia |
| <i>Isatis tinctoria</i> | Woad | Roadside, everywhere! |
| <i>Lepidium draba</i> | Hoary Cress | Biguglia |
| <i>Lobularia maritima</i> | Sweet Alison | Biguglia |
| <i>Matthiola sinuata</i> | Sea Stock | Dunes, Biguglia |
| <i>Matthiola tricuspidata</i> | A Sea Stock | Sagone Beach |
| <i>Raphanus raphanistrum susp. maritimum</i> | Sea Raddish | Biguglia |
| <i>Rorippa nasturtium-aquaticum</i> | Watercress | - |
| <i>Sisymbrium officinale</i> | Hedge Mustard | Venaco vergside. |
| <i>Teesdalia coronopifolia</i> | A shepherd's-cress | Foret d'Aitone |
| Buxaceae | | |
| Box Family | | |
| <i>Buxus sempervirens</i> | Box | Spilonca gorge |
| Cactaceae | | |
| Cacti Family | | |
| <i>Opuntia ficus-indica</i> | Barberry Fig | Road side |
| Campanulaceae | | |
| Bellflower Family | | |
| <i>Campanula sp.</i> | A Bellflower | Biguglia |
| <i>Jasione montana</i> | Sheep's-bit | Sagone beach |
| Caprifoliaceae | | |
| Honeysuckle Family | | |
| <i>Lonicera implexa</i> | A Honeysuckle | Foret d'Aitone |
| <i>Sambucus nigra</i> | Elderberry | Spilonca gorge |
| Caryophyllaceae | | |
| Pink Family | | |

| Group/Species | English Name(if any) | Location |
|--|------------------------------|------------------------|
| <i>Arenaria serpyllifolia</i> | Thyme-leaved Sandwort | Near Francardo |
| <i>Cerastium diffusum</i> | Sea Mouse-ear | Sagone Beach |
| <i>Cerastium fontanum</i> | Mouse-eared Chickweed | Near Ota |
| <i>Paronychia argentea</i> | Silvery Paronychia | Sagone Beach |
| <i>Petrorhagia nanteulii</i> | Childing Pink | - |
| <i>Silene gallica</i> | Small-flowered Catchfly | Restonica gorge |
| <i>Silene latifolia</i> | White Champion | Evisa |
| <i>Silene sediodes</i> | A small red catchfly | Forest of Vizzavonia |
| <i>Silene vulgaris</i> | Bladder Champion | Near Ota |
| <i>Spergularia marina</i> | Lesser Sea Spurrey | Sagone Beach |
| <i>Stellaria media</i> | Chickweed | Spilonca gorge |
| Chenopodiaceae | Goosefoot Family | |
| <i>Arthrocnemum macrostachyum</i> | A perennial Glasswort | Biguglia |
| <i>Atriplex portulacoides (Halimione p.)</i> | Sea Purslane | Biguglia |
| <i>Chenopodium album</i> | Fat Hen | Biguglia |
| <i>Chenopodium bonus-henricus</i> | Good King Henry | Verghello Valley |
| <i>Beta vulgaris ssp.maritima</i> | Sea Beet | Biguglia |
| Cistaceae | Rockrose Family | |
| <i>Cistus creticus</i> | Cretian Cistus | Roadside, Sagone |
| <i>Cistus monspeliensis</i> | Narrow-leaved Cistus | Near Francardo |
| <i>Cistus salvifolius</i> | Sage-leaved Cistus | Evisa |
| <i>Helimium halimifolium</i> | A Halimium | Biguglia |
| <i>Tuberaria guttata</i> | A Spotted Rockrose | Road verge, Venaco |
| Clusiaceae | St.John's-wort Family | |
| <i>Hypericum perforatum</i> | Perforate St.John's-wort | Biguglia |
| <i>Hypericum pulchrum</i> | Slender St John's-wort | near Francardo |
| Convolvulaceae | Bindweed Family | |
| <i>Calystegia soldanella</i> | Sea Bindweed | Sagone beach |
| <i>Convolvulus arvensis</i> | Field Bindweed | Biguglia |
| <i>Convolvulus catabrica</i> | A Bindweed | Verge bank, Venaco |
| Crassulaceae | Stonecrop family | |
| <i>Sedum brevifolium</i> | Short-leaved Stonecrop | Gorges de la Restonica |
| <i>Sedum dasyphyllum</i> | Fat-leaved Stonecrop | Walls in Evisa |
| <i>Umbilicus rupestris</i> | Wall Pennywort | Evisa |
| Cuscutaceae | Dodder Family | |
| <i>Cuscuta epithymum</i> | Common Dodder | Col de Sevi |
| Ericaceae | Heather Family | |
| <i>Arbutus unedo</i> | Strawberry Tree | Spilonca gorge |
| <i>Erica arborea</i> | Tree Heather | Venaco |
| Euphorbiaceae | Spurge family | |
| <i>Euphorbia characias ssp.characias</i> | Large Mediterranean Spurge | Common |
| <i>Euphorbia exigua</i> | Dwarf Spurge | Verge bank, Venaco |
| <i>Euphorbia helioscopia</i> | Sun Spurge | Evisa |
| <i>Euphorbia peplus</i> | Petty Spurge | Roadside near Ota |

| Group/Species | English Name(if any) | Location |
|---|------------------------------|--------------------------|
| Fabaceae (Leguminosae) | Pea Family | |
| <i>Calycotome villosa</i> | Hairy Thorny Broom | Spilonca gorge |
| <i>Cercis siliquastrum</i> | Judas Tree | Venaco village (planted) |
| <i>Cytisus scorparius</i> | Broom | Verghello Valley |
| <i>Cytisus villosus</i> | Hairy Broom | Spilonca gorge |
| <i>Dorycnium hirsutum</i> | Dorycnium | Verge bank, Venaco |
| <i>Dorycnium pentaphyllum</i> | Dorycnium | Near Francardo |
| <i>Lathyrus sphaericus</i> | A Pea | Verghello Valley |
| <i>Lathyrus hirsutus</i> | Hairy Pea | Verge bank, Venaco |
| <i>Lathyrus latifolius</i> | Broad-leaved Everlasting Pea | Biguglia |
| <i>Lathyrus pratensis</i> | Meadow vetchling | Verghello Valley |
| <i>Lathyrus nissolia</i> | Grass vetchling | Verghello Valley |
| <i>Lathyrus setifolius (Orange/Red)</i> | A Pea | Near Francardo |
| <i>Lotus corniculatus</i> | Common Bird's-foot-trefoil | Near Francardo |
| <i>Lupinus angustifolius</i> | Narrow-Leaved Lupin | Forest Vizzavona |
| <i>Medicago arabica</i> | Spotted Medick | Verge side Biguglia |
| <i>Medicago lupulina</i> | Black Medick | Verge side Biguglia |
| <i>Medicago marina</i> | Sea Medick | Sagone Beach |
| <i>Medicago minima</i> | Bur Medick | Verge side Biguglia |
| <i>Medicago orbicularis</i> | Round-fruited Medick | Verge side Biguglia |
| <i>Ononis repens</i> | Rest Harrow | Verge bank, Venaco |
| <i>Ornithopus compressus</i> | Bird's-foot | Evisa |
| <i>Psoralea bituminosa</i> | Pitch Trefoil | Biguglia |
| <i>Robinia pseudacacia</i> | False Acacia | Planted |
| <i>Scoparius muricatus</i> | Scorpion vetch | Biguglia |
| <i>Spartium junceum</i> | Spanish Broom | Common on roadsides |
| <i>Trifolium arvense</i> | Hare's-foot Clover | Verghello Valley |
| <i>Trifolium campestre</i> | Hop Trefoil | Spilonca gorge |
| <i>Trifolium dubium</i> | Lesser Yellow Trefoil | Spilonca gorge |
| <i>Trifolium repens</i> | White Clover | Verge bank, Venaco |
| <i>Trifolium stellatum</i> | Starry Clover | Sagone beach |
| <i>Vicia cracca</i> | Tufted Vetch | Verge bank, Venaco |
| <i>Vicia hirsuta</i> | Hairy Tare | Verge bank, Venaco |
| <i>Vicia laxiflora</i> | Slender tare | Forest Vizzavona |
| <i>Vicia lutea</i> | Yellow Vetch | Verghello Valley |
| <i>Vicia villosa</i> | Fodder vetch | Roadside |
| Fagaceae | Oak Family | |
| <i>Castanea sativa</i> | Sweet Chestnut | Foret de Aitone |
| <i>Fagus sylvatica</i> | Beech | Col de Vergio |
| <i>Quercus coccifera</i> | Kermes Oak | Near Francardo |
| <i>Quercus ilex</i> | Holm Oak | Spilonca gorge |
| <i>Quercus pubescens</i> | Downy Oak | Verge bank, Venaco |
| <i>Quercus suber</i> | Cork Oak | Verghello Valley |
| Fumariaceae | Fumitory Family | |
| <i>Fumaria capreolata</i> | White Rampling Fumitory | Evisa |
| <i>Fumaria officinalis</i> | Common Fumitory | Verge bank, Venaco |
| Geraniaceae | Geranium Family | |
| <i>Erodium cicutarium</i> | Common Stork's-bill | Biguglia |
| <i>Geranium lucidum</i> | Shining Crane's-bill | Spilonca Gorge |
| <i>Geranium molle</i> | Dove's-foot Crane's-bill | Sagone beach |

| Group/Species | English Name(if any) | Location |
|---------------------------------|------------------------------------|------------------------|
| <i>Geranium purpureum</i> | Little Robin | Forest of Vizzavona |
| <i>Geranium pyrenaicum</i> | Hedgerow Crane's-bill | Forest of Vizzavona |
| <i>Geranium robertianum</i> | Herb Robert | Verghello Valley |
| <i>Geranium rotundifolium</i> | Round-leaved Crane's-bill | Evisa |
| Lamiaceae (Labiatae) | Dead-nettle Family | |
| <i>Lamium amplexicaule</i> | Henbit Dead-nettle | Evisa |
| <i>Lamium maculatum</i> | Spotted Dead-nettle | - |
| <i>Lavendula stoechas</i> | French Lavender | Near Francardo |
| <i>Mentha aquatica</i> | Water Mint | Forest of Vizzavona |
| <i>Phlomis purpurea</i> | - | Near Francardo |
| <i>Salvia officinalis</i> | Sage | Forest of Vizzavona |
| <i>Salvia verbenaca</i> | Wild Clary | Near Francardo |
| <i>Stachys glutinosa</i> | A Woundwort | Spilonca Gorge |
| <i>Teucrium scorodonia</i> | Wood Sage | Near Francardo |
| <i>Thymus herba-barona</i> | A Thyme | Near Francardo |
| Lentibulariaceae | Butterwort Family | |
| <i>Pinguicula corsica</i> | Corsican Butterwort | Gorges de la Restonica |
| Linaceae | Flax Family | |
| <i>Linum bienne</i> | Pale Flax | Spilonca gorge |
| <i>Linum catharticum</i> | Fairy Flax | Verge bank, Venaco |
| Loranthaceae | Mistletoe Family | |
| <i>Viscum spp.</i> | Mistletoe | Foret de Aitone |
| Lythraceae | Loosestrife Family | |
| <i>Lythrum salicaria</i> | Purple Loosestrife | Biguglia |
| Malvaceae | Mallow Family | |
| <i>Lavatera arborea</i> | Tree Mallow | Biguglia |
| <i>Malva cretica</i> | Cretian Mallow | Biguglia |
| <i>Malva sylvestris</i> | Common Mallow | Biguglia |
| Mimosaceae | Australian Blackwood Family | |
| <i>Acacia dealbata</i> | Silver Wattle | Biguglia |
| Moraceae | Fig Family | |
| <i>Ficus carica</i> | Fig | Biguglia |
| Myrtaceae | Myrtle Family | |
| <i>Eucalyptus camaldulensis</i> | River Red Gum | Biguglia |
| <i>Eucalyptus globulus</i> | Tasmanian Blue Gum | Biguglia |
| Oleaceae | Olive Family | |
| <i>Fraxinus excelsior</i> | Ash | Foret de Aitone |
| <i>Fraxinus ornus</i> | Manna Ash | Spilonca gorge |
| <i>Olea europaea</i> | Olive | Spilonca gorge |
| Orobanchaceae | Broomrape Family | |
| <i>Orobanche spp.</i> | - | Venaco |
| <i>Orobanche minor</i> | Lesser Broomrape | Spilonca gorge |

| Group/Species | English Name(if any) | Location |
|---|-----------------------------|-------------------------------|
| Oxalidaceae | Wood-Sorrels | |
| <i>Oxalis articulata</i> | Pink Sorrel | Venaco |
| <i>Oxalis pes-caprae</i> | Bermuda Buttercup | Biguglia |
| Papaveraceae | Poppy Family | |
| <i>Glaucium flavum</i> | Yellow Horned Poppy | Sagone beach |
| <i>Papaver dubium ssp. dubium</i> | Long-headed Poppy | Evisa |
| <i>Papaver rhoeas</i> | Common Poppy | Evisa, roadsides |
| <i>Papaver somniferum</i> | Opium Poppy | Biguglia |
| Plantaginaceae | Plantain Family | |
| <i>Plantago coronopus</i> | Buck's-horn Plantain | Biguglia |
| <i>Plantago lanceolata</i> | Ribwort Plantain | Evisa |
| <i>Plantago major</i> | Greater Plantain | Biguglia |
| Platanaceae | Plane Family | |
| <i>Platanus x hispanica</i> | Plane | Commonly Planted |
| Plumbaginaceae | Thrift Family | |
| <i>Armeria leucocephala</i> | A Thrift | Scala di S. Regina |
| <i>Limonium sp.</i> | Sea Lavender | Biguglia |
| Polygalaceae | Milkwort Family | |
| <i>Polygala nicaeensis subsp. corsica</i> | Corsican Milkwort | Gorges de la Restonica |
| Polygonaceae | Dock Family | |
| <i>Polygonum aviculare</i> | Knotgrass | Biguglia |
| <i>Rumex acetosella pyrenaicus</i> | Sheep's Sorrel | Foret d'Aitone |
| <i>Rumex conglomeratus</i> | Clustered Dock | Biguglia |
| <i>Rumex crispus</i> | Curled Dock | Biguglia |
| Portulacaceae | Blinks Family | |
| <i>Montia fontana agg</i> | Blinks | Restonica gorge |
| Primulaceae | Primrose Family | |
| <i>Anagallis arvensis (Red and Blue)</i> | Scarlet Pimpernel | Biguglia |
| <i>Anagallis arvensis ssp. foemina</i> | Blue Pimpernel | Spilonca gorge |
| <i>Cyclamen repandum</i> | Spring Sowbread | Spilonca gorge |
| <i>Lysimacha vulgaris</i> | Yellow loosestrife | Forest of Vizzavona |
| Rafflesiaceae | Rafflesia Family | |
| <i>Cytinus hypocistus</i> | Cytinus | near Francardo |
| Ranunculaceae | Buttercup family | |
| <i>Aquilegia sp</i> | A mountain columbine | Gorges de la Restonica |
| <i>Clematis vitalba</i> | Traveller's Joy | Roadside |
| <i>Clematis cirrhosa</i> | Virgin's bower | near Francardo |
| <i>Helleborus argutifolius</i> | Corsican Hellebore | Verghello Valley, everywhere! |
| <i>Ranunculus bulbosus</i> | Bulbous Buttercup | Verghello Valley |
| <i>Ranunculus ficaria</i> | Lesser Celandine | Foret de Aitone |
| <i>Ranunculus repens</i> | Creeping Buttercup | Biguglia |
| <i>Ranunculus muricatus</i> | A buttercup | Gorges de la Restonica |

| Group/Species | English Name(if any) | Location |
|--|---|--|
| Resedaceae <i>Reseda lutea</i> | Mignonette Family Mignonette | Biguglia |
| Rhamnaceae <i>Rhamnus alaternus</i> | Buckthorn Family Mediterranean Buckthorn | - |
| Rosaceae <i>Crataegus monogyna</i> <i>Fragaria vesca</i> <i>Potentilla hirta</i> <i>Potentilla reptans</i> <i>Potentilla sterilis</i> <i>Prunus avium</i> <i>Prunus spinosa</i> <i>Sanguisorba minor</i> <i>Sorbus aucuparia praemorsa</i> | Rose Family Hawthorn Wild Strawberry Hairy Cinquefoil Creeping Cinqufoil False strawberry Wild Cherry Blackthorn Salad Burnet Corsican Mountain Ash | Spilonca gorge Verghello Valley Near Francardo Spilonca gorge Verghello Valley Spilonca gorge Roadside west of Evisa Spilonca Gorge Gorges de la Restonica |
| Rubiaceae <i>Cruciata laevipes</i> <i>Galium aparine</i> <i>Galium mollugo</i> <i>Galium odoratum</i> <i>Galium verum</i> <i>Rubia perigrina</i> | Bedstraw family Crosswort Cleavers Hedge Bedstraw Sweet Woodruff Ladies Bedstraw Wild Madder | Corte Evisa Evisa Verghello Valley Near Francardo Spilonca gorge |
| Salicaceae <i>Populus alba</i> <i>Populus nigra</i> <i>Salix sp</i> | Poplar/Willow Family White Poplar Black Poplar Willow | - - - |
| Santalaceae <i>Osyris alba</i> | Sandalwood Family Osyris | Verge bank, Venaco |
| Saxifragaceae <i>Saxifraga granulata subsp.corsica</i> <i>Saxifraga pedemontana subsp.cervicornus</i> <i>Saxifraga rotundifolia subsp. insularis</i> <i>Saxifraga tridactylites</i> | Saxifrage Family Corsican Saxifrage Peadmont Saxifrage Round-leaved Saxifrage Rue-leaved Saxifrage | Roadside rocks west of Evisa Verghello Valley Verghello Valley Spilonca gorge |
| Scrophulariaceae <i>Cymbalaria muralis</i> <i>Digitalis purpurea</i> <i>Parentucellia viscosa</i> <i>Verbascum spp.</i> <i>Veronica arvensis</i> <i>Veronica officinalis</i> <i>Veronica persica</i> <i>Veronica spicata</i> | Figwort Family Ivy-leaved Toadflax Foxglove Yellow Bartsia Mullein Wall Speedwell Heath Speedwell Common Speedwell Spiked Speedwell | Evisa Evisa Forest of Vizzavona Veronica roadside Evisa Foret de Aitone Evisa Forest of Vizzavona |
| Thymelaeaceae <i>Daphne gnidium</i> | Daphne Family Mediterranium Mezereon | Verghello Valley |

| Group/Species | English Name(if any) | Location |
|--------------------------------------|-----------------------------|------------------------------|
| Urticaceae | Nettle Family | |
| <i>Parietaria officinalis</i> | Large Pellitory-of-the-Wall | Spilonca gorge |
| <i>Urtica atrovirens</i> | A Nettle | Evisa |
| <i>Urtica dioica</i> | Common Nettle | Biguglia |
| Valerianaceae | Valerian family | |
| <i>Centranthus ruber</i> | Red Valerian | Evisa |
| <i>Centranthus calcitrapae</i> | Small Red Valerian | Spilonca Gorge |
| <i>Valerianella locusta</i> | Common Cornsalad | Near Francardo |
| Violaceae | Violet Family | |
| <i>Viola arvensis</i> | Field Pansy | Verghello Valley |
| <i>Viola riviniana</i> | Common Dog Violet | Verghello Valley |
| <i>Viola</i> sp. | A yellow pansy | Foret d'Aitone |
| Liliidae (Monocotyledons) | | |
| Agavaceae | Agaves | |
| <i>Agave americana</i> | Century Plant | Biguglia |
| Alismataceae | Water Plantains | |
| <i>Alisma plantago-aquatica</i> | Water Plantain | Foret d'Aitone (Leaves only) |
| <i>Baldellia ranunculoides</i> | Lesser Water Plantain | - |
| Araceae | Arums | |
| <i>Arisarum vulgare</i> | Friar's Cowl | Spilonca gorge (Leaves only) |
| Areaceae (Palmae) | Palms | |
| <i>Chamaerops humilis</i> | Dwarf Fan Palm | - |
| Cyperaceae | Sedges | |
| <i>Bolboschoenus maritimus</i> | Sea Club-rush | Biguglia |
| <i>Carex divulsa</i> | Grey Sedge | Verge bank, Venaco |
| <i>Carex flacca</i> | Glaucous Sedge | Col de Verghio |
| <i>Carex otrubae</i> | False Fox Sedge | Biguglia |
| <i>Carex pendula</i> | Pendulous Sedge | Verghello Valley |
| <i>Cyperus longus</i> | Galingale | - |
| <i>Scirpoides holoschoenus</i> | Round-headed Club-rush | Biguglia |
| Dioscoriaceae | Yams | |
| <i>Tamus communis</i> | Black Bryony | Spilonca gorge |
| Iridaceae | Irises | |
| <i>Crocus corsicus</i> | Corsican Crocus | Gorges de la Restonica |
| <i>Gladiolus italica (G.segetum)</i> | A Wild Gladiolus | Biguglia |
| <i>Iris pseudacorus</i> | Yellow Flag | Sagone |
| Juncaceae | Rushes | |
| <i>Juncus acutus</i> | Sharp Rush | Dunes - Biguglia |
| <i>Juncus bufonius</i> | Toad Rush | Biguglia |
| <i>Luzula luzulina</i> | a Woodrush | Restonica Gorge |
| <i>Luzula nivea</i> | Snowy Woodrush | Foret de Aitone |

| Group/Species | English Name(if any) | Location |
|--|------------------------------|--------------------------|
| Liliaceae | Lilies | |
| <i>Allium pendulinum</i> | Pendulous Leek | Verghello Valley |
| <i>Allium roseum</i> | Rosy Garlic | Roadsides |
| <i>Allium triquetrum</i> | Three-cornered Leek | Spilonca gorge |
| <i>Asparagus acutifolius</i> | Spiny Asparagus | Biguglia |
| <i>Asphodelus aestivus</i> | Common Asphodel | Spilonca gorge |
| <i>Asphodelus ramosus</i> | Branched Asphodel | Roadsides |
| <i>Brimeura fastigiata</i> | Brimeura | Col de Vergio |
| <i>Gagea soleirolii</i> | A Yellow star-of-Bethlehem | Col de Vergio |
| <i>Leucojum longifolia</i> | A Snowflake | Spilonca gorge |
| <i>Muscari comosum</i> | Tassel Hyacinth | Near Francardo |
| <i>Pancratium illyricum</i> | Illyrian Sea Daffodill | Spilonca gorge |
| <i>Pancratium maritimum</i> (Leaves only) | Sea Daffodill | Dunes, Biguglia |
| <i>Ruscus aculeatus</i> | Butcher's Broom | Spilonca Gorge |
| Orchidaceae | Orchids | |
| <i>Aceras anthropophorum</i> | Man Orchid | Verge bank, Venaco |
| <i>Cephalanthera longifolia</i> | Sword-leaved Helleborine | Verghello Valley |
| <i>Dactylorhiza insularis</i> | | Forest of Vizzavona |
| <i>Dactylorhiza maculata</i> | Heath spotted Orchid | Forest of Vizzavona |
| <i>Limodora abortivum</i> | Violet Bird's-nest Orchid | Venaco |
| <i>Neotinea maculata</i> | Dense-flowered Orchid | Verghello Valley |
| <i>O.shegodes subsp.alata</i> (<i>O.incubacea</i>) | An Early Spider Orchid | Near Francardo |
| <i>Orchis laxiflora</i> | Lax-flowered Orchid | Meadow near Sagone Beach |
| <i>Orchis morio</i> | Green-winged Orchid | Near Francardo |
| <i>O.papilionacea subsp.papilionacea</i> | Pink Butterfly Orchid | Near Francardo |
| <i>Orchis provincialis</i> | Provence Orchid | Near Francardo |
| <i>Serapias cordigera</i> | Heart-flowered Tongue Orchid | Spilonca Gorge |
| <i>Serapias lingua</i> | Tongue Orchid | Forest de Vizzavona |
| <i>Serapias neglecta</i> | Scarce Tongue Orchid | Forest de Vizzavona |
| <i>Serapias parviflora</i> | Small-flowered Tongue Orchid | Verghello Valley |
| <i>Serapias vomeracea</i> | Long-lipped Tongue Orchid | Verge bank, Venaco |
| Poaceae (Gramineae) | Grasses | |
| <i>Aegilops geniculata</i> | Aegilops | Verge bank, Venaco |
| <i>Aira caryophyllea</i> | Silver Hair-grass | Verge bank, Venaco |
| <i>Ammophila arenaria</i> | Marram | Sagone Beach |
| <i>Anisantha diandra</i> | Great Brome | Sagone Beach |
| <i>Anisantha sterilis</i> | Barren Brome | Evisa |
| <i>Anthoxanthum odoratum</i> | Sweet Vernal Grass | Spilonca Gorge |
| <i>Arrhenathrum elatius</i> | False Oat-grass | Biguglia |
| <i>Arundo donax</i> | Giant Reed | Biguglia |
| <i>Avena barbata</i> | Bristle Oat | Evisa |
| <i>Avena sterilis</i> | Barren Oat | Evisa |
| <i>Briza maxima</i> | Large Quaking Grass | Spilonca Gorge |
| <i>Bromus hordeaceus</i> | Soft Brome | Evisa |
| <i>Catapodium rigidum</i> | Fern Grass | Verge bank, Venaco |
| <i>Cynodon dactylon</i> | Burmuda Grass | Biguglia |
| <i>Cynosurus echinatus</i> | Rough Dog's-tail | Biguglia |
| <i>Elytrigia pycnanthes</i> | Sand Couch | Biguglia |
| <i>Festuca vivipara</i> | Viviparous Fescue | Gorges de la Restonica |
| <i>Holchus lanatus</i> | Yorkshire Fog | Biguglia |

| Group/Species | English Name(if any) | Location |
|---|-----------------------------|-----------------|
| <i>Hordeum murinum</i> | Wall Barley | Biguglia |
| <i>Lagurus ovatus</i> | Hare's-tail Grass | Spilonca Gorge |
| <i>Phragmites australis</i> | Common Reed | Biguglia |
| <i>Poa annua</i> | Annual Meadow-grass | Evisa |
| <i>Poa bulbosa</i> | Bulbous Meadow-grass | Spilonca Gorge |
| <i>Poa trivialis</i> | Rough Meadow-grass | Biguglia |
| <i>Vulpia bromoides</i> | Squirrel-tail Fescue | Sagone beach |
| Posidoniaceae | | |
| <i>Posidonia oceanica</i> (Fruits only) | Posidonia or "sea-balls" | Sagone beach |

Birds

| Common name | Scientific name | TL | May | | | | | | | |
|----------------------|----------------------------------|----|-----|----|----|------|----|----|----|----|
| | | | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| Great Crested Grebe | <i>Podiceps cristatus</i> | # | | | | 2 | | | | |
| Little Grebe | <i>Tachybaptus ruficollis</i> | # | | | | | | | 2 | |
| Black-necked Grebe | <i>Podiceps nigricollis</i> | | | | | | | | | |
| Cory's Shearwater | <i>Calonectris diomedea</i> | | | | | | | | | |
| Cormorant | <i>Phalacrocorax carbo</i> | # | | | | | | | 1 | |
| Shag | <i>Phalacrocorax aristotelis</i> | | | | | | | | | |
| Night Heron | <i>Nycticorax nycticorax</i> | | | | | | | | | |
| Squacco Heron | <i>Ardeola ralloides</i> | | | | | | | | | |
| Little Egret | <i>Egretta garzetta</i> | # | | | | 5 | | | | |
| Grey Heron | <i>Ardea cinerea</i> | | | | | | | | | |
| Purple Heron | <i>Ardea purpurea</i> | | | | | | | | | |
| White Stork | <i>Ciconia ciconia</i> | | | | | | | | | |
| Spoonbill | <i>Platalea leucorodia</i> | | | | | | | | | |
| Mallard | <i>Anas platyrhynchos</i> | # | | | | 1 | | | | |
| Teal | <i>Anas crecca</i> | | | | | | | | | |
| Garganey | <i>Anus querquedula</i> | | | | | | | | | |
| Red-crested Pochard | <i>Netta rufina</i> | | | | | | | | | |
| Pochard | <i>Aythya ferina</i> | | | | | | | | | |
| Black Kite | <i>Milvus migrans</i> | # | | | | | | 1 | | |
| Red Kite | <i>Milvus milvus</i> | # | 2 | 5 | 2 | 5 | 7 | 1 | 2 | 2 |
| Lammergeier | <i>Gypaetus barbatus</i> | # | | 1 | | | | | | |
| Montagu's Harrier | <i>Circus pygargus</i> | | | | | | | | | |
| Marsh Harrier | <i>Circus aeruginosus</i> | # | | | | 4 | | | | 1 |
| Sparrowhawk | <i>Accipiter nisus</i> | # | | | | | 1 | | | |
| Goshawk | <i>Accipiter gentilis</i> | | | | | | | | | |
| Honey Buzzard | <i>Pernis apivorus</i> | # | | | | 3 | | | | |
| Buzzard | <i>Buteo buteo</i> | # | | | | 2 | H | 2 | 1 | |
| Golden Eagle | <i>Aquila chrysaetos</i> | # | 2 | | | | 1 | | 1 | 1 |
| Osprey | <i>Pandion haliaetus</i> | | | | | | | | | |
| Peregrine | <i>Falco peregrinus</i> | # | | 1 | | | 1 | | | |
| Red-footed Falcon | <i>Falco verspertinus</i> | | | | | | | | | |
| Kestrel | <i>Falco tinnunculus</i> | # | 1 | | 1 | 2 | 1 | 1 | 1 | |
| Hobby | <i>Falco subbuteo</i> | # | | | | 2 | | | | |
| Red-legged Partridge | <i>Alectoris rufa</i> | # | | 2 | | | 4 | | | |
| Pheasant | <i>Phasianus colchicus</i> | | | | | | | | | |
| Quail | <i>Coturnix coturnix</i> | | | | | | | | | |
| Little Crake | <i>Poranza parva</i> | | | | | | | | | |
| Water Rail | <i>Rallus aquaticus</i> | | | | | | | | | |
| Moorhen | <i>Gallinula chloropus</i> | | | | | | | | | |
| Purple Gallinule | <i>Porphyrio porphyrio</i> | | | | | | | | | |
| Coot | <i>Fulica atra</i> | # | | | | 100+ | | | | |
| Oystercatcher | <i>Haematopus ostralegus</i> | | | | | | | | | |
| Black-winged Stilt | <i>Himantopus himantopus</i> | | | | | | | | | |
| Ringed Plover | <i>Charadrius hiaticula</i> | | | | | | | | | |
| Little Ringed Plover | <i>Charadrius dubius</i> | # | | | | | | | 2 | |
| Kentish Plover | <i>Charadrius alexandrinus</i> | # | | | | | | | 2 | |
| Grey Plover | <i>Pluvialis squatarola</i> | | | | | | | | | |
| Sanderling | <i>Calidris alba</i> | | | | | | | | | |
| Curlew Sandpiper | <i>Calidris ferruginea</i> | | | | | | | | | |

| | | | | | | | | | | |
|------------------------------|----------------------------------|---|---|----|---|---|---|---|---|---|
| Dunlin | <i>Calidris alpina</i> | # | | | | | | | 1 | |
| Little Stint | <i>Calidris minuta</i> | | | | | | | | | |
| Temminck's Stint | <i>Calidris temminckii</i> | | | | | | | | | |
| Ruff | <i>Philomachus pugnax</i> | | | | | | | | | |
| Snipe | <i>Gallinago gallinago</i> | | | | | | | | | |
| Whimbrel | <i>Numenius phaeopus</i> | | | | | | | | | |
| Redshank | <i>Tringa totanus</i> | | | | | | | | | |
| Greenshank | <i>Tringa nebularia</i> | | | | | | | | | |
| Wood Sandpiper | <i>Tringa glareola</i> | | | | | | | | | |
| Common Sandpiper | <i>Actitis hypoleucos</i> | # | | | | 3 | | | | |
| Marsh Sandpiper | <i>Tringa stagnatilis</i> | | | | | | | | | |
| Mediterranean Gull | <i>Larus melanocephalus</i> | | | | | | | | | |
| Black-headed Gull | <i>Larus ridibundus</i> | | | | | | | | | |
| Audouin's Gull | <i>Larus audouinii</i> | | | | | | | | | |
| Yellow-legged Gull | <i>Larus cachinnans</i> | # | √ | | | √ | √ | √ | √ | √ |
| Little Tern | <i>Sterna albifrons</i> | | | | | | | | | |
| Black Tern | <i>Chlidonias niger</i> | | | | | | | | | |
| White-winged Black Tern | <i>Chlidonias leucopterus</i> | | | | | | | | | |
| Whiskered Tern | <i>Chlidonias hybridus</i> | | | | | | | | | |
| Wood Pigeon | <i>Columba palumbus</i> | # | √ | √ | √ | √ | √ | √ | √ | |
| Feral Pigeon / Rock Dove | <i>Columba livia</i> | # | √ | √ | √ | √ | √ | | √ | √ |
| Collared Dove | <i>Streptopelia decaocto</i> | # | √ | √ | √ | √ | √ | √ | √ | √ |
| Turtle Dove | <i>Streptopelia turtur</i> | # | | | | 1 | | | 2 | |
| Cuckoo | <i>Cuculus canorus</i> | # | H | H | | H | H | H | 1 | |
| Scops Owl | <i>Otus scops</i> | # | | | | | H | 1 | 2 | |
| Nightjar | <i>Caprimulgus europaeus</i> | | | | | | | | | |
| Alpine Swift | <i>Apus melba</i> | | | | | | | | | |
| Pallid Swift | <i>Apus pallidus</i> | | | | | | | | | |
| Swift | <i>Apus apus</i> | # | √ | √ | √ | √ | √ | √ | √ | √ |
| Kingfisher | <i>Alcedo atthis</i> | | | | | | | | | |
| Bee-eater | <i>Merops apiaster</i> | # | | 12 | | 3 | | | 3 | |
| Hoopoe | <i>Upupa epops</i> | # | 1 | | | | | H | H | |
| Wryneck | <i>Jynx torquilla</i> | # | | | | | | H | H | 1 |
| Great-spotted Woodpecker | <i>Dendrocopus major</i> | # | H | 4 | 3 | 1 | 2 | 2 | 2 | 1 |
| Skylark | <i>Alauda arvensis</i> | | | | | | | | | |
| Woodlark | <i>Lullula arborea</i> | # | | 1 | | | H | | 1 | 1 |
| Short-toed Lark | <i>Calandrella brachydactyla</i> | | | | | | | | | |
| Crag Martin | <i>Ptyonoprogne rupestris</i> | # | | | 4 | | 2 | 4 | | 2 |
| Sand Martin | <i>Riparia riparia</i> | | | | | | | | | |
| Red-rumped Swallow | <i>Hirundo daurica</i> | | | | | | | | | |
| Swallow | <i>Hirundo rustica</i> | # | √ | √ | √ | √ | √ | | √ | |
| House Martin | <i>Delichon urbica</i> | # | √ | √ | √ | √ | √ | √ | √ | √ |
| Water Pipit | <i>Anthus spinoletta</i> | # | | | H | | 4 | | | |
| Tree Pipit | <i>Anthus trivialis</i> | | | | | | | | | |
| Tawny Pipit | <i>Anthus campestris</i> | # | | | | 1 | | | 1 | |
| White Wagtail | <i>Motacilla alba</i> | | | | | | | | | |
| Grey Wagtail | <i>Motacilla cinerea</i> | # | | 2 | 1 | | | 1 | 1 | |
| Yellow (Blue-headed) Wagtail | <i>Motacilla flava (flava)</i> | | | | | | | | | |
| Dipper | <i>Cinclus cinclus</i> | # | | | | | | 2 | | |
| Wren | <i>Troglodytes troglodytes</i> | # | | 1 | H | H | 1 | H | 1 | 1 |
| Alpine Accentor | <i>Prunella collaris</i> | | | | | | | | | |
| Robin | <i>Erithacus rubecula</i> | # | | H | H | 1 | 1 | 1 | H | |
| Nightingale | <i>Luscinia megarhynchos</i> | # | | | | H | H | | H | |

| | | | | | | | | | | |
|-------------------------------|--------------------------------------|---|---|---|----|---|---|----|----|---|
| Redstart | <i>Phoenicurus phoenicurus</i> | # | | | | | | 1 | | |
| Black Redstart | <i>Phoenicurus ochrurus</i> | | | | | | | | | |
| Whinchat | <i>Saxicola rubetra</i> | | | | | | | | | |
| Stonechat | <i>Saxicola torquata</i> | # | | | | 2 | 3 | | 2 | |
| Northern Wheatear | <i>Oenanthe oenanthe</i> | | | | | | | | | |
| Rock Thrush | <i>Monticola saxatilis</i> | | | | | | | | | |
| Blue Rock Thrush | <i>Monticola solitarius</i> | # | | | | | 1 | 2 | | 1 |
| Blackbird | <i>Turdus merula</i> | # | √ | √ | √ | √ | √ | √ | √ | √ |
| Mistle Thrush | <i>Turdus viscivorus</i> | # | | 1 | | | | | 1 | |
| Fan-tailed Warbler | <i>Cisticola juncidis</i> | # | | | | 6 | | | 1 | H |
| Cetti's Warbler | <i>Cettia cetti</i> | # | | | | H | | | H | |
| Moustached Warbler | <i>Acrocephalus melanopogon</i> | | | | | | | | | |
| Great Reed Warbler | <i>Acrocephalus arundinaceus</i> | | | | | | | | | |
| Sedge Warbler | <i>Acrocephalus schoenobaenus</i> | # | | | | H | | | | |
| Reed Warbler | <i>Acrocephalus scirpaceus</i> | | | | | | | | | |
| Olivaceous Warbler | <i>Hippolais pallida</i> | | | | | | | | | |
| Melodious Warbler | <i>Hippolais polyglotta</i> | | | | | | | | | |
| Dartford Warbler | <i>Sylvia undata</i> | | | | | | | | | |
| Marmora's Warbler | <i>Sylvia sarda</i> | # | 1 | | | | H | | 2 | |
| Subalpine Warbler | <i>Sylvia cantillans</i> | # | | | | 1 | 2 | | | |
| Garden Warbler | <i>Sylvia borin</i> | | | | | | | | | |
| Whitethroat | <i>Sylvia communis</i> | # | | 1 | | H | 1 | | | |
| Blackcap | <i>Sylvia atricapilla</i> | # | | 1 | 1 | 1 | | 6 | 2 | |
| Orphean Warbler | <i>Sylvia hortensis</i> | | | | | | | | | |
| Sardinian Warbler | <i>Sylvia melanocephala</i> | # | 1 | | | 1 | 1 | | | |
| Bonelli's Warbler | <i>Phylloscopus bonelli</i> | | | | | | | | | |
| Wood Warbler | <i>Phylloscopus sibilatrix</i> | | | | | | | | | |
| Willow Warbler | <i>Phylloscopus trochilus</i> | | | | | | | | | |
| Chiffchaff | <i>Phylloscopus collybita</i> | # | | 1 | | | | | | |
| Goldcrest | <i>Regulus regulus</i> | # | | 1 | H | H | | H | H | |
| Firecrest | <i>Regulus ignicapillus</i> | # | | 1 | | | | H | | |
| Spotted Flycatcher | <i>Muscicapa striata</i> | # | | | 10 | | 4 | 8 | 12 | |
| Pied Flycatcher | <i>Ficedula hypoleuca</i> | | | | | | | | | |
| Blue Tit | <i>Parus caeruleus</i> | # | | √ | √ | √ | √ | √ | √ | |
| Great Tit | <i>Parus major</i> | # | | √ | √ | √ | √ | √ | √ | |
| Coal Tit | <i>Parus ater</i> | # | | √ | √ | √ | √ | √ | √ | |
| Long-tailed Tit | <i>Aegithalos caudatus</i> | | | | | | | | | |
| CORSICAN NUTHATCH | <i>Sitta whiteheadi</i> | # | | 1 | | | | 2 | 2 | 2 |
| Treecreeper | <i>Certhia familiaris</i> | | | | | | | | | |
| Red-backed Shrike | <i>Lanius collurio</i> | # | 1 | | | 2 | 2 | | 2 | 1 |
| Woodchat Shrike | <i>Lanius senator</i> | | | | | | | | | |
| Spotless Starling | <i>Sturnus unicolor</i> | # | √ | | | √ | √ | | √ | √ |
| Golden Oriole | <i>Oriolus oriolus</i> | | | | | | | | | |
| Jay | <i>Garrulus glandarius</i> | # | 4 | 6 | 10 | √ | √ | √ | √ | |
| Alpine Chough | <i>Pyrrhocorax graculus</i> | # | | | | | | | | 2 |
| Raven | <i>Corvus corax</i> | # | 1 | 1 | 2 | 2 | 2 | 3 | 1 | |
| Hooded Crow | <i>Corvus corone cornix</i> | # | √ | | √ | √ | √ | | √ | √ |
| Tree Sparrow | <i>Passer montanus</i> | # | | | | 4 | | | | |
| House (Italian) Sparrow | <i>Passer domesticus (italiae)</i> | # | √ | √ | √ | √ | √ | √ | √ | √ |
| Chaffinch | <i>Fringilla coelebs</i> | # | √ | √ | √ | √ | √ | √ | √ | √ |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | | | | | | | | | |
| Citril Finch (Corsican Finch) | <i>Serinus citrinella corsicanus</i> | # | H | 2 | | | | 15 | 4 | 2 |

| | | | | | | | | | | |
|------------------|--------------------------------------|---|---|---|---|----|---|---|---|---|
| Serin | <i>Serinus serinus</i> | # | | 1 | 2 | 4 | | 2 | 8 | 1 |
| Greenfinch | <i>Carduelis chloris</i> | # | √ | √ | √ | √ | √ | | √ | |
| Goldfinch | <i>Carduelis carduelis</i> | # | √ | √ | √ | √ | √ | | √ | √ |
| Linnet | <i>Acanthis cannabina</i> | # | | | | | | | 3 | |
| Crossbill | <i>Loxia curvirostra (corsicana)</i> | # | | | 1 | | | | | |
| Corn Bunting | <i>Miliaria calandra</i> | # | | | | 10 | | | 2 | |
| Cirl Bunting | <i>Emberiza cirlus</i> | # | | 4 | | 1 | 4 | 3 | 6 | |
| Ortolan Bunting | <i>Emberiza hortulana</i> | | | | | | | | | |
| | | | | | | | | | | |
| Addition to List | | | | | | | | | | |
| Short-toed Eagle | <i>Circaetus gallicus</i> | # | | | | | | 1 | | |

Other Invertebrate

Whip Snake
 Grass Snake
 Wall Lizard
 Tree Frog
 Carpenter Bee

Oil Beetle
 Stick Insect
 Broad bodied Chaser
 Dung Beetle

Bibliography

Arnold, E.N. & Burton, J.A. (1980). *A Field Guide to the Reptiles and Amphibians of Britain and Europe*. Reprinted. Collins

Blamey, M. & Grey-Wilson, C. (1993). *Mediterranean Wild Flowers*. Harper Collins.

Bournerias, M. et.al. (1998) *Les Orchidees De France, Belgique et Luxembourg*. Parthenope

Chinery, M. (1993). *Field Guide to the Insects of Britain and Northern Europe*. 3rd Ed. Harper Collins.

Chinery, M. (2000). *Pocket Guide to Insects of Britain and Western Europe*. Reprinted. Collins.

Fitter, R., Fitter, A & Farrer, A. (1984). *Guide to the Grasses, Sedges, Rushes and Ferns of Britain and Northern Europe*. Collins

Gamisans, J. (1999) *La Vegetation de la Corse*. Edisud

Gamisans, J. & Marzocchi, J-F. (1996) *La Flore endemique de la Corse*. Edisud

MacDonald, D. & Barrett, P. (1993). *Field Guide to Mammals of Britain and Europe*. Harper Collins.

Mullarney, K., Svensson, L., Zetterstrom, D. & Grant, P.J. (1999). *Bird Guide*. Collins.

Polunin, O. & Huxley, A. (1987). *Flowers of The Mediterranean*. 2nd Impression. Chatto and Windus.

Tolman, T. (1997). *Field Guide to Butterflies of Britain and Europe*. Harper Collins.

Tutin, T.G.et.al (1964). *Flora Europaea* – Various Vols. Cambridge University Press.