

The French Pyrenees

Naturetrek Tour Report

7 – 14 June 2014



Androsace laggeri



Cirque d'Estaubé



Pinguicula longifolia



Viola cornuta

Report & images by David Tattersfield



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

| | | |
|---------------|---|---------------------------|
| Tour Leader: | David Tattersfield Andrew Bray | Botanist Ornithologist |
| Participants: | Elizabeth Gray Robert Page Jenny Page Colin Hall Elaine Gillingham John Holland Sue Levings Sonia Hubbard Pam Cranmer John Cranmer | |

Day 1

Saturday 7th June

An early arrival in Lourdes gave us a good part of the day to begin our exploration of the Pyrenees. Shortly after leaving the airport, we stopped by arable fields to watch a number of Red Kites, a Black Kite, several Honey Buzzards and a Short-toed Eagle. After a half-hour stop in Luz-St-Sauveur to allow shopping for lunch, we drove through the old spa resort to the Pont Napoleon. Crag Martins wheeled below the bridge and the silver rosettes of Pyrenean Saxifrage *Saxifraga longifolia* and the endemic *Ramonda myconi* could be seen on the cliffs.

At the hotel we were met by our amiable hosts, Odile and Philippe, and after a quick change, set off up the valley for lunch by the river. Here we found Pyrenean Lily *Lilium pyrenaicum* in bud, lots of Early Purple Orchid *Orchis mascula*, Fragrant Orchid *Gymnadenia conopsea*, both the purple and yellow forms of Elder-flowered Orchid *Dactylorhiza sambucina* scattered in the turf, and the attractive orange flowers of *Lathyrus laevigatus*. A short distance along the road Forked Spleenwort *Asplenium septentrionale* was growing on boulders and in the shade of Hazel woodland there was Baneberry *Actaea spicata*, Bird's Nest Orchid *Neottia nidus-avis*, Sword-leaved Helleborine *Cephalanthera longifolia* and the three-lobed leaves of *Hepatica nobilis*. The adjacent meadows contained Globeflower *Trollius europaeus*, Burnt Orchid *Neotinea ustulata* and the delicate pale-blue *Hyacinthus amethystinus*. It is the close proximity of this rich variety of habitats that makes any visit to this region such a treat.

We moved on up the valley to the little hamlet of Heas where, to our pleasant surprise, the cafe was open. The hot sunny weather and a strong wind from the south were causing rapid melting of the winter's snow, and were to continue for the next two days. As we relaxed and enjoyed the grandeur and solitude of the valley we saw our first Griffon Vulture, four Lammergeier (Bearded Vulture) drifted overhead and distant Isard were observed grazing on the slopes above. We returned to our hotel around 6.30pm and after our evening meal, discussed our plans for the week ahead.

Day 2

Sunday 8th June

We awoke to another beautiful sunny day and headed back up the Heas Valley. We made roadside stops to familiarise ourselves with many of the more common and widespread species and then took the road towards the Barrage des Gloriettes, walking along a section of it underneath the damp cliffs. Narcissus-flowered

Anemone *Anemone narcissiflora* and Alpine Pasqueflower *Pulsatilla alpina* subsp. *alpina* were flowering on steep shady banks with a variety of ferns and primroses, especially the early-flowering Hairy Primrose *Primula hirsuta*.

After parking the vehicles and distributing the lunch, we crossed the dam wall. Bold spires of White Asphodel *Asphodelus albus* were scattered across the hillsides and in a damp area we located a few pendant bells of Pyrenean Snakeshead *Fritillaria pyrenaica*, attractively chequered on their inside. Interestingly, several plants were attended by Lily Beetle, a major world pest of Fritillaries and Lilies. Overhead were the usual Griffon Vulture, Chough, Alpine Chough, Raven, a couple of Lammergeier, and a Short-toed Eagle, making use of the updrafts from the high cliffs. Everywhere, there were Black Redstart and Water Pipit, with their distinctive call and gliding flight. At the end of the dam we reached the limestone where we encountered a very different flora, with exquisite little rock gardens on every boulder. *Daphne laureola* was in full flower around the rocks and in wet flushes there were attractive combinations of pink *Primula farinosa*, deep purple *Pinguicula grandiflora* and yellow Marsh Marigold *Caltha palustris*.

A large boulder by the river afforded shade while we ate our lunch, before we continued up the valley and into the National Park. We followed a delightful path towards the broad Cirque d'Estaube passing clumps of *Narcissus bicolor*, Trumpet Gentian *Gentiana acaulis* and Spring Gentian *Gentiana verna*. It was an idyllic scene, with flocks of grazing sheep and Marmots scampering away across the short turf as we approached. We returned and crossed a bridge that led to a path on the other side of the dam, where rocky knolls supported magnificent plants of Garland Flower *Daphne cneorum*. We were soon back at our minibus after a varied and rewarding day, and returned to the hotel around 7pm.

Day 3

Monday 9th June

With the good weather holding, it made sense to head for the Cirque de Gavarnie. After our usual birdwatching from the hotel, where we regularly saw Griffon Vulture, and occasionally Lammergeier, we set off around 9.15am. We parked in the village and walked along the river, passing colourful meadows alive with insects. Yellow Rattle *Rhinanthus minor*, the attractive endemic Horned Pansy *Viola cornuta* and Dusky Crane's-bill *Geranium phaeum* were just a few of the botanical highlights. A gently rising trail led us to a viewpoint where we had panoramic views of the magnificent scenery surrounding the Cirque. Among the smaller birds were Tree Pipit, Citril Finch, Bullfinch and Yellowhammer. We paused to see a rich plant assemblage on a crag, which included *Lilium martagon*, *Lilium pyrenaicum*, a number of gentians and familiar garden plants, such as the blue Mountain Cornflower *Centaurea montana*, Welsh Poppy *Meconopsis cambrica* and Shrubby Cinquefoil *Potentilla fruticosa*. Onwards, a delightful path led us through meadows and forest towards our goal. An interesting ground flora included Irish Spurge *Euphorbia hyberna*, Herb Paris *Paris quadrifolia*, Whorled Solomon's Seal *Polygonatum verticillatum* and the dainty One-flowered Wintergreen *Moneses uniflora*. As we climbed we were able to observe, with a little patience, some of the special inhabitants of the pine forest, including Goldcrest and Crested Tit. During lunch in the Cirque we watched Alpine Chough and Common Chough circling overhead and 14 Isard around the snow patches.

We adjourned to the hotel for refreshments before the second half of the day's adventures. We followed an airy path, high above the valley, which threaded its way below the cliffs. Highlights of the walk included Long-leaved Butterwort *Pinguicula longifolia*, its long sticky fly-paper leaves covered in the remains of insects, the trailing shoots of Pyrenean Yam *Dioscorea pyrenaica*, the curious leaves of Thore's Buttercup *Ranunculus thora* and the pristine

white flowers of *Pulsatilla alpina*. The path ascended through forest and emerged in a green meadow at the Auberge de Pailla, our highest point at 1,800 metres. After a short rest in this beautiful location, we followed the long zigzag path down into the valley. I went ahead and brought the minibus to the end of the walk, much to the relief of the stragglers, and we returned to the hotel, after a very rewarding day.

Day 4

Tuesday 10th June

The hot weather had gone and we had a day with sunny spells and variable cloud, a temperature inversion filling the lower valleys with mist. The Ossoue Valley has much to offer with massive limestone cliffs rising above screes, woodland and meadows. We stopped first by the river and made a short circular walk on an old trail, crossing the river over a deep gorge, where silver rosettes of Pyrenean Saxifrage *Saxifraga longifolia* and Ramonda *Ramonda myconi* adorned the boulders. Griffon Vultures started to appear, making use of rising thermals above the cliffs. A little further on, many Rush-leaved Daffodil *Narcissus assoanus* made an eye-catching display, alongside Mountain Kidney Vetch *Anthyllis montana*. We descended a track towards the river, where there was still much evidence of the previous year's avalanche. As the day warmed up, a Lammergeier and a Golden Eagle glided overhead and Alpine Chough played over the cliffs. A number of butterflies included Swallowtail, Little, Adonis and Osiris Blues, Orange Tip, Brimstone and a much-photographed Clouded Apollo.

Lunch beckoned and we moved up the valley to a grassy knoll, below the cliffs. For the second year in a row, further progress was barred by the remnants of huge avalanches. It was easy to understand why there are few trees on this side of the valley. After a relaxing time, we returned to Gavarnie for drinks. Rather than return to the hotel, we had time for a diversion up to the Plateau de Sauge, which offers splendid views towards the cirque de Gavarnie. A colony of Field Gentian *Gentianella campestris* was a nice find, as were the many Broad-leaved Marsh Orchids that lined the streams. Birds were interesting too, with Stonechat, Whinchat, Rock Bunting and Corn Bunting to add to our records. We were back at the hotel for 7pm and another splendid dinner.

Day 5

Wednesday 11th June

For a change of scenery and geology, we travelled west to the immense glaciated valleys north of the high peak of Vignemale. We set off down the valley, in sunshine once again, stopping to see the rare *Ononis rotundifolia* and St Bernard's Lily *Anthericum liliago* along the roadside, and made a short diversion in Luz-St-Sauveur to see the devastating effects of the previous spring's floods. We drove down the valley and up through the spa town of Cauterets and the steep, forested, Val de Jeret, past thundering waterfalls, to Pont d'Espagne, where we enjoyed a drink, as we took in the spectacle of the waterfalls that funnel into a narrow gorge. To maximise our time in the upper valley and to save our legs, we took the chairlift, above the treetops, leaving only a short, level walk to Lac de Gaube.

The area is composed of granite and consequently has a very different flora from that of the limestone. Forests of Pine and Silver Fir dominate a landscape scarred by avalanche chutes and boulder screes. We found a suitable picnic spot on the shore of the lake and then enjoyed a pleasant walk to its head. Superb specimens of Hairy Primrose *Primula hirsuta* were found on the rocks and Grey Wagtail and Water Pipit were much in evidence. In pools, among the braided channels of the stream, were many tadpoles of Common Frog and Palmate Newt. We had time for a drink at the cafe before leaving to catch the return chair lift down to the lower valley. By late afternoon the weather had become increasingly cloudy, with a little light rain.

We made a short walk in the Marcadeau Valley before returning to the vehicles. Herb Paris was growing in the shade of the Pine trees and the pink-flowered Radish-leaved Bittercress *Cardamine raphanifolia*, endemic to the region, formed large, luxuriant patches, alongside bubbling springs in the valley floor. Dipper and Grey Wagtail were busy along the river and Crested Tit, Crossbill and Firecrest were seen in the trees. We were back in our hotel around 7pm after another rewarding day.

Day 6

Thursday 12th June

Today our objective was the most easterly of the three cirques, the Cirque de Troumouse. We stopped on the way to find Pyramidal Saxifrage *Saxifraga cotyledon* on acidic cliffs and both species of Butterfly Orchid, growing side by side for easy comparison. A short stroll around Heas village took us over the delightful packhorse bridge and past the historic church, where meadows are still managed in the time-honoured fashion.

Climbing up past banks of Alpenrose *Rhododendron ferrugineum* and pastures dotted with pink *Daphne cneorum*, we reached the Auberge du Maillet at 1,837 metres. Over coffee, we watched Griffon Vultures and a patrolling Lammergeier before we set off for the Cirque. The road ahead was closed, due to snow, and a sign informed us that closure was to be permanent to preserve the solitude of the National Park. Walking up the road and cutting a few corners, we came across carpets of the endemic Pyrenean Buttercup *Ranunculus pyrenaicus*, a special feature of the acid turf of the region. We ate lunch on a dry, grassy knoll, with the whole panorama of the cirque before us. Pink tufts of *Androsace laggeri* and deep-blue trumpets of *Gentiana alpina* studded the turf around us, as we relaxed in the warm sunshine.

A search of one of the cold streams, draining the vast areas of wet grasslands, revealed Pyrenean Brook Newt, and a Lammergeier soared effortlessly overhead. Towards the snowy cliffs and scree at the headwall of the enormous amphitheatre, we entered a complex landscape of rocky knolls and limestone boulders, with a rich flora of dwarf shrubs and little alpine gems such as *Daphne mezereum*, Alpine Snowbell *Soldanella alpina*, Purple Saxifrage *Saxifraga oppositifolia* and Yellow Whitlowgrass *Draba aizoides*. After some patient searching, we were eventually rewarded with good views of Alpine Accentor and had a fleeting glimpse of Snowfinch. We made a short circular walk back to the main path and returned to the vehicles, arriving back at the hotel for 6.30pm. The evening meal was a speciality of the hotel - local sheep, expertly barbecued by Philippe on the open fire.

Day 7

Friday 13th June

We had been fortunate with the weather all week and our final day was to be no exception. We took the road above Gavarnie, past the ski resort, to the Col des Tentes. From here we followed the road, thankfully never completed, to the Spanish border at the Col de Boucharo. The silver-leaved Pyrenean Thistle *Carduus carlinoides* was especially common here on the scree, and bright splashes of colour were provided by the Primrose relative *Vitaliana primuliflora*, Alpine Toadflax *Linaria alpina*, Spring Gentian *Gentiana verna* and Alpine Moon Daisy *Leucanthemopsis alpina*. The final few metres to the border were over steep snow and therefore not attempted by most of the group but the views were, nevertheless, spectacular. We retraced our steps and had lunch by the car-park, after which we shuffled the minibuses, leaving one in Gavarnie and the other back at the Col. This allowed us all to do the magnificent walk down the Vallee des Pouey Aspe. Early Yellow Star of Bethlehem *Gagea fistulosa*, Ashy Cranesbill *Geranium cinereum*, and wet flushes with Bird's-eye Primrose *Primula farinosa*, *Caltha palustris* and Large-flowered Butterwort *Pinguicula grandiflora* were just some of the botanical treats that we encountered as we

followed the easy track. A limestone cliff had showy plants of the endemic Rock Snapdragon *Antirrhinum sempervirens* and the Pyrenean Treacle-mustard *Erysimum duriaei* subsp. *pyrenaicum*.

The Plateau de Bellevue lived up to its name, with a magnificent view of the Cirque de Gavarnie, and we could pick out all the features of some of our previous days' walks. From here a couple of steep descents brought us into Gavarnie where we relaxed over drinks, while the minibus was retrieved from the Col des Tentes. The day had provided a fitting climax to a marvellous week, exploring the delights of the High Pyrenees, and we returned to the hotel well satisfied with our achievements.

Day 8

Saturday 14th June

Our week had been greatly enhanced by the comfort of the hotel and the hospitality of our hosts. Thanks to Odile, we had an early breakfast, before leaving for our 9.40am flight from Lourdes back to Stansted.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Plants (• = endemic to the Pyrenees, † = cultivated or naturalised)

| Scientific name | Common name | Notes |
|----------------------------------|-------------------------------|-------------------------|
| LYCOPODIOPSIDA | CLUBMOSES | |
| Lycopodiaceae | Clubmoss Family | |
| <i>Huperzia selago</i> | Fir Clubmoss | Acidic mountain pasture |
| Selaginellaceae | Lesser Clubmoss Family | |
| <i>Selaginella selaginoides</i> | Lesser Clubmoss | Damp turf. Troumouse |
| EQUISETOPSIDA | HORSETAILS | |
| Equisetaceae | Horsetail Family | |
| <i>Equisetum arvense</i> | Field Horsetail | Common |
| <i>Equisetum hiemale</i> | Rough Horsetail | Occasional. Wet places |
| <i>Equisetum palustre</i> | Marsh Horsetail | Wet acidic pasture |
| <i>Equisetum telmateia</i> | Giant Horsetail | Occasional |
| <i>Equisetum variegatum</i> | Variiegated Horsetail | Wet flushes |
| PTEROPSIDA | FERNS | |
| Aspleniaceae | Spleenwort Family | |
| <i>Asplenium adiantum-nigrum</i> | Black Spleenwort | Rocks |
| <i>Asplenium ceterach</i> | Rusty-back Fern | Occasional on rocks |
| <i>Asplenium fontanum</i> | Smooth Spleenwort | Pont Napoleon |
| <i>Asplenium ruta-muraria</i> | Wall-rue | Rocks and walls |
| <i>Asplenium septentrionale</i> | Forked Spleenwort | Boulders and scree |
| <i>Asplenium trichomanes</i> | Maidenhair Spleenwort | Rocks and walls |
| <i>Asplenium viride</i> | Green Spleenwort | Shaded mountain rocks |
| Blechnaceae | Hard-fern Family | |
| <i>Blechnum spicant</i> | Hard-fern | Acidic soils |
| Dennstaedtiaceae | Bracken Family | |
| <i>Pteridium aquilinum</i> | Bracken | Widespread |
| Dryopteridaceae | Buckler-fern Family | |
| <i>Dryopteris affinis</i> | Scaly Male-fern | Woods |
| <i>Dryopteris dilatata</i> | Broad Buckler-fern | Forest. Pont d'Espagne |
| <i>Dryopteris expansa</i> | Northern Buckler-fern | Acidic scree |
| <i>Dryopteris filix-mas</i> | Male-fern | Forest and shady places |
| <i>Dryopteris oreades</i> | Mountain Male-fern | Acidic scree |
| <i>Dryopteris submontana</i> | Rigid Buckler-fern | Limestone fissures |
| <i>Polystichum aculeatum</i> | Hard Shield-fern | Common. Woods |
| <i>Polystichum lonchitis</i> | Holly Fern | Limestone rocks |
| <i>Polystichum setiferum</i> | Soft Shield-fern | Occasional. Woods |
| Ophioglossaceae | Adder's-tongue Family | |
| <i>Botrychium lunaria</i> | Moonwort | Common. Mountain turf |

| Scientific name | Common name | Notes |
|--|-------------------------------|-----------------------------|
| Polypodiaceae | Polypody Family | |
| <i>Polypodium cambricum</i> | Southern Polypody | Rocks. Pont Napoleon |
| <i>Polypodium vulgare</i> | Common Polypody | Occasional. Rocks |
| Pteridaceae | Maidenhair Fern Family | |
| <i>Cryptogramma crispa</i> | Parsley Fern | Acidic boulder scree |
| Thelypteridaceae | Thelypteris Family | |
| <i>Gymnocarpium dryopteris</i> | Oak Fern | Common in shade |
| <i>Gymnocarpium robertianum</i> | Limestone Fern | Limestone scree |
| <i>Phegopteris connectilis</i> | Beech Fern | Frequent in shade |
| Woodsiaceae | Lady-fern Family | |
| <i>Athyrium distentifolium</i> | Alpine Lady-fern | Mountain rocks |
| <i>Athyrium felix-femina</i> | Lady-fern | Common |
| <i>Cystopteris fragilis</i> | Brittle Bladder-fern | Rocks and walls |
| PINOPSIDA | CONIFERS | |
| Cupressaceae | Cypress Family | |
| <i>Juniperus communis</i> subsp. <i>alpina</i> | Juniper | Mountains |
| <i>Juniperus communis</i> subsp. <i>communis</i> | Juniper | Mountains |
| Pinaceae | Pine Family | |
| <i>Abies alba</i> | Silver Fir | Mountain forests |
| <i>Picea abies</i> † | Norway Spruce | Cultivated |
| <i>Pinus sylvestris</i> | Scots Pine | Montane forests |
| <i>Pinus uncinata</i> | Mountain Pine | Subalpine slopes |
| Taxaceae | Yew Family | |
| <i>Taxus baccata</i> | Yew | St. Savin's Wood |
| MAGNOLIOPSIDA | FLOWERING PLANTS | |
| MAGNOLIIDAE | DICOTYLEDONS | |
| Aceraceae | Maple Family | |
| <i>Acer campestre</i> | Field Maple | Common |
| <i>Acer pseudoplatanus</i> | Sycamore | Common |
| Apiaceae | Carrot Family | |
| <i>Aegopodium podagraria</i> | Ground Elder | Occasional |
| <i>Angelica razulii</i> • | Pyrenean Angelica | Rocky places |
| <i>Angelica sylvestris</i> | Wild Angelica | Occasional. Wet places |
| <i>Anthriscus sylvestris</i> | Cow Parsley | Common |
| <i>Astrantia major</i> | Astrantia | Frequent |
| <i>Astrantia minor</i> | Lesser Astrantia | Acidic rocks |
| <i>Bupleurum angulosum</i> • | Angular Hare's-ear | Occasional. Limestone rocks |
| <i>Bupleurum falcatum</i> | Sickle Hare's-ear | Dry rocky places |
| <i>Bupleurum ranunculoides</i> | Buttercup-leaved Hare's-ear | Rocky places |
| <i>Chaerophyllum aureum</i> | Golden Chervil | Occasional |
| <i>Chaerophyllum hirsutum</i> | Hairy Chervil | Damp places |
| <i>Conopodium majus</i> | Pignut | Meadows |

| Scientific name | Common name | Notes |
|---|---------------------------|------------------------------|
| <i>Conopodium pyrenaicum</i> • | Pyrenean Pignut | Meadow |
| <i>Daucus carota</i> | Wild Carrot | Roadsides |
| <i>Eryngium bourgati</i> • | Pyrenean Eryngo | Common |
| <i>Eryngium campestre</i> | Field Eryngo | Stony places |
| <i>Heracleum sphondylium</i> subsp. <i>pyrenaicum</i> • | Pyrenean Hogweed | Frequent |
| <i>Laserpitium gallicum</i> | French Sermountain | Screes |
| <i>Laserpitium latifolium</i> | Broad-leaved Sermountain | Screes |
| <i>Laserpitium siler</i> | Narrow-leaved Sermountain | Screes and meadows |
| <i>Ligusticum lucidum</i> • | Pyrenean Lovage | Occasional |
| <i>Meum athamanticum</i> | Spignel | Occasional. Screes |
| <i>Myrrhis odorata</i> | Sweet Cicely | Common |
| <i>Pastinaca sativa</i> | Wild Parsnip | Occasional |
| <i>Peucedanum ostruthium</i> | Masterwort | Streamsides |
| <i>Pimpinella major</i> | Greater Burnet Saxifrage | Meadows |
| <i>Pimpinella saxifraga</i> | Burnet Saxifrage | Meadows |
| <i>Seseli libanotis</i> | Moon Carrot | Rocky banks |
| <i>Seseli nanum</i> • | Pyrenean Seseli | Rock crevices and screes |
| Apocyanaceae | Periwinkle Family | |
| <i>Vinca minor</i> † | Lesser Periwinkle | Shaded banks |
| Aquifoliaceae | Holly Family | |
| <i>Ilex aquifolium</i> | Holly | Occasional in forest |
| Araliaceae | Ivy Family | |
| <i>Hedera helix</i> | Ivy | Common |
| Asclepiadaceae | Milkweed Family | |
| <i>Vincetoxicum hirundinaria</i> | Swallow-wort | Rocky pasture |
| Asteraceae | Daisy Family | |
| <i>Achillea millefolium</i> | Yarrow | Common in meadows |
| <i>Adenostyles alliariae</i> | Adenostyles | Occasional. Damp places |
| <i>Antennaria dioica</i> | Mountain Everlasting | Mountain turf |
| <i>Anthemis cretica</i> | Mountain Dog-daisy | Rocky places |
| <i>Arctium minus</i> | Lesser Burdock | Roadsides |
| <i>Arnica montana</i> | Arnica | Acidic turf. Frequent |
| <i>Aster alpinus</i> | Alpine Aster | Occasional. Screes |
| <i>Bellis perennis</i> | Daisy | Widespread |
| <i>Carduus carlinoides</i> • | Pyrenean Thistle | Mountains and screes |
| <i>Carduus defloratus</i> | Alpine Thistle | Pasture and screes |
| <i>Carduus nutans</i> | Nodding Thistle | Waste places |
| <i>Carlina acaulis</i> | Stemless Carlina Thistle | Mountain turf |
| <i>Carlina acanthifolia</i> subsp. <i>cynara</i> | Acanthus-leaved Thistle | Pasture |
| <i>Carlina vulgaris</i> | Common Carlina Thistle | Mountain turf |
| <i>Centaurea montana</i> | Mountain Cornflower | Occasional in meadows |
| <i>Centaurea nigra</i> | Knapweed | Meadows and roadsides |
| <i>Centaurea scabiosa</i> | Greater Knapweed | Occasional |
| <i>Cicerbita alpina</i> | Alpine Sow-thistle | Forests and screes |
| <i>Cichorium intybus</i> | Chicory | Roadsides. Val de Jeret |
| <i>Cirsium eriophorum</i> | Woolly Thistle | Grazed turf and waste places |
| <i>Cirsium heterophyllum</i> | Melancholy Thistle | Damp meadows |

| Scientific name | Common name | Notes |
|-----------------------------------|--------------------------|-------------------------------------|
| <i>Cirsium palustre</i> | Marsh Thistle | Wet streamsides |
| <i>Cirsium rivulare</i> | Brook Thistle | Damp acidic pasture |
| <i>Cirsium vulgare</i> | Spear Thistle | Wet pasture |
| <i>Crepis albida</i> | A Hawksbeard | Dry, sunny places |
| <i>Crepis paludosa</i> | Marsh Hawksbeard | Wet pasture |
| <i>Crepis pygmaea</i> | Pygmy Hawksbeard | Mountain rocks and screes |
| <i>Crepis pyrenaica</i> | Pyrenean Hawksbeard | Damp places |
| <i>Doronicum austriacum</i> | Austrian Leopardsbane | Open forest. Val de Jeret |
| <i>Erigeron alpinus</i> | Alpine Fleabane | Stony places |
| <i>Erigeron uniflorus</i> | Single-flowered Fleabane | Stony places |
| <i>Eupatorium cannabinum</i> | Hemp Agrimony | Roadsides |
| <i>Gnaphalium norvegicum</i> | Norwegian Cudweed | Mountain turf |
| <i>Gnaphalium supinum</i> | Dwarf Cudweed | Mountain turf |
| <i>Hieracium lactucella</i> | A Hawkweed | Acidic rocks and mountain turf |
| <i>Hieracium pilosella</i> | Mouse-ear Hawkweed | Rocks and screes |
| <i>Homogyne alpina</i> | Alpine Colt's-foot | Mountain turf |
| <i>Lactuca perennis</i> | Blue Lettuce | Gedre |
| <i>Leontodon pyrenaicus</i> | Pyrenean Hawkbit | Acidic pasture |
| <i>Leucanthemum vulgare</i> | Ox-eye Daisy | Meadows |
| <i>Leucanthemopsis alpina</i> | Alpine Moon Daisy | Mountain rocks |
| <i>Mycelis muralis</i> | Wall Lettuce | Walls and waste places |
| <i>Petasites paradoxus</i> | Alpine Butterbur | Streamsides |
| <i>Picris hieracioides</i> | Hawkweed Oxtongue | Waste places |
| <i>Prenanthes purpurea</i> | Purple Lettuce | Woods and forests |
| <i>Santolina chamaecyparissus</i> | Lavender Cotton | Dry hillsides |
| <i>Saussurea alpina</i> | Alpine Saussurea | Mountain turf. Barrage d'Ossoue |
| <i>Scorzonera aristata</i> | Bearded Viper's-grass | Occasional. Meadows |
| <i>Senecio adonidifolius</i> | Adonis-leaved Ragwort | Occasional. Pine forest |
| <i>Senecio jacobea</i> | Ragwort | Occasional. Roadsides |
| <i>Senecio viscosus</i> | Sticky Groundsel | Occasional. Waste places |
| <i>Senecio vulgaris</i> | Common Groundsel | Occasional. Waste places |
| <i>Solidago virgaurea</i> | Goldenrod | Pont d'Espagne |
| <i>Sonchus asper</i> | Prickly Sow-thistle | Waste places |
| <i>Sonchus arvensis</i> | Perennial Sow-thistle | Waste places |
| <i>Tanacetum corymbosum</i> | Scentless Feverfew | Roadside banks above Luz-St-Sauveur |
| <i>Taraxacum alpinum</i> | Alpine Dandelion | Mountains |
| <i>Taraxacum dissectum</i> | Cut-leaved Dandelion | Mountains |
| <i>Taraxacum officinale</i> | Dandelion | Common |
| <i>Tragopogon dubius</i> | A Goatsbeard | Occasional |
| <i>Tragopogon pratensis</i> | Goatsbeard | Meadows and roadsides |
| <i>Tussilago farfara</i> | Colt's-foot | Streamsides |
| Berberidaceae | Barberry Family | |
| <i>Berberis vulgaris</i> | Common Barberry | Rocky hillsides |
| Betulaceae | Birch Family | |
| <i>Alnus glutinosa</i> | Common Alder | Riversides |
| <i>Betula pendula</i> | Silver Birch | Forests |
| <i>Betula pubescens</i> | Downy Birch | Mountains |
| Boraginaceae | Borage Family | |
| <i>Echium vulgare</i> | Viper's Bugloss | Roadsides |

| Scientific name | Common name | Notes |
|--|------------------------------|---------------------------------------|
| <i>Myosotis alpestris</i> | Alpine Forget-me-not | Mountain meadows |
| <i>Myosotis arvensis</i> | Field Forget-me-not | Waste places |
| <i>Myosotis laxa</i> | Tufted Forget-me-not | Damp places |
| <i>Myosotis sylvatica</i> | Wood Forget-me-not | Grassland and woods |
| <i>Pulmonaria affinis</i> | A Lungwort | Common in woods |
| Brassicaceae | Cabbage Family | |
| <i>Arabidopsis thaliana</i> | Thale Cress | Common |
| <i>Arabis alpina</i> | Alpine Rockcress | Damp alpine rocks |
| <i>Arabis corymbiflora</i> | Corymbose Rockcress | Rocky places |
| <i>Arabis hirsuta</i> | Hairy Rockcress | Dry rocky places |
| <i>Arabis pauciflora</i> | Few-flowered Rockcress | Rocky places |
| <i>Arabis turrata</i> | Tower Cress | Rocky places |
| <i>Barbarea vulgaris</i> | Common Wintercress | Damp roadsides |
| <i>Biscutella laevigata</i> | Buckler Mustard | Mountain rocks |
| <i>Capsella bursa-pastoris</i> | Shepherd's-purse | Waste places |
| <i>Cardamine amara</i> | Large Bittercress | Wet flushes. Val de Jeret |
| <i>Cardamine bellidifolia</i> subsp. <i>alpina</i> | Alpine Bittercress | Acidic snowbeds. Troumouse |
| <i>Cardamine flexuosa</i> | Wood Bittercress | Woods |
| <i>Cardamine hirsuta</i> | Hairy Bittercress | Waste places |
| <i>Cardamine impatiens</i> | Narrow-leaved Bittercress | Damp shady places |
| <i>Cardamine pratensis</i> | Cuckoo Flower | Damp places |
| <i>Cardamine raphanifolia</i> • | Radish-leaved Bittercress | Streamsides |
| <i>Cardamine resedifolia</i> | Reseda-leaved Bittercress | Mountain turf and rocks |
| <i>Descurainia sophia</i> | Flixweed | Ruderal |
| <i>Draba aizoides</i> | Yellow Whitlowgrass | Mountain rocks |
| <i>Draba dubia</i> | Austrian Whitlowgrass | Occasional. Mountain rocks |
| <i>Draba muralis</i> | Wall Whitlowgrass | Frequent |
| <i>Erophila verna</i> | Common Whilowgrass | Common |
| <i>Erysimum decumbens</i> | Decumbent Treacle-mustard | Rocks. Barrage des Gloriettes |
| <i>Erysimum duriaei</i> subsp. <i>pyrenaicum</i> • | Pyrenean Treacle-mustard | Rocks. Heas Valley and above Gavarnie |
| <i>Hesperis matronalis</i> | Dame's Violet | Roadsides |
| <i>Hutchinsia alpina</i> | Chamois Cress | Alpine rocks and scree |
| <i>Iberis amara</i> | Wild Candytuft | Occasional. Gavarnie, Ossoue |
| <i>Iberis spathulata</i> • | Spoon-leaved Candytuft | Occasional. Rocks and gravels |
| <i>Kernera saxatilis</i> | Rock Kerneria | Limestone rocks |
| <i>Murbeckiella pinnatifida</i> | Murbeckiella | Silicious rocks |
| <i>Rhynchosinapsis cheiranthos</i> | Wallflower Cabbage | Lac des Gloriettes |
| <i>Sisymbrium austriacum</i> | Pyrenean Rocket | Waste places |
| <i>Thlaspi perfoliatum</i> | Perfoliate Pennycress | Waste places |
| Buddlejaceae | Butterfly-bush Family | |
| <i>Buddleja davidii</i> † | Butterfly-bush | Waste places at lower altitudes |
| Buxaceae | Box Family | |
| <i>Buxus sempervirens</i> | Box | Locally common at lower altitudes |
| Callitrichaceae | Water-starwort Family | |
| <i>Callitriche stagnalis</i> | Common Water-starwort | Occasional in pools. Troumouse |
| Campanulaceae | Bellflower Family | |
| <i>Campanula cochlearifolia</i> | Fairy's Thimble | Mountain rocks |
| <i>Campanula rotundifolia</i> | Harebell | Mountain rocks |

| Scientific name | Common name | Notes |
|--|---------------------------|---|
| <i>Campanula scheuchzeri</i> | Scheuchzer's Bellflower | Mountain rocks and turf |
| <i>Campanula trachelium</i> | Nettle-leaved Bellflower | Shady banks |
| <i>Jasione laevis</i> | A Sheep's-bit | Acidic screes |
| <i>Phyteuma charmelii</i> | Charmeil's Rampion | Ossoue valley |
| <i>Phyteuma globularifolium</i> | Rosette-leaved Rampion | Acidic rocks. Troumouse |
| <i>Phyteuma hemisphericum</i> | Globe-headed Rampion | Acidic meadows |
| <i>Phyteuma orbiculare</i> | Round-headed Rampion | Meadows and rocks |
| <i>Phyteuma pyrenaicum</i> • | Pyrenean Rampion | Meadows |
| <i>Phyteuma spicatum</i> | Spiked Rampion | Woods |
| Caprifoliaceae | Honeysuckle Family | |
| <i>Lonicera periclymenum</i> | Common Honeysuckle | Frequent |
| <i>Lonicera pyrenaica</i> | Pyrenean Honeysuckle | Rocky habitats |
| <i>Lonicera xylostium</i> | Fly Honeysuckle | Woods |
| <i>Sambucus ebulus</i> | Dwarf Elder | Streamsides. Lowland |
| <i>Sambucus nigra</i> | Common Elder | Woods |
| <i>Sambucus racemosa</i> | Alpine Elder | Mountains |
| <i>Viburnum lantana</i> | Wayfaring Tree | Woods. Occasional |
| <i>Viburnum opulus</i> | Guelder Rose | Woods. Occasional |
| Caryophyllaceae | Pink Family | |
| <i>Cerastium alpinum</i> | Alpine Mouse-ear | Exposed rocks |
| <i>Cerastium cerastoides</i> | Starwort Mouse-ear | Rocky pasture |
| <i>Cerastium fontanum</i> | Common Mouse-ear | Common |
| <i>Cerastium tomentosum</i> ‡ | Snow-in-summer | Garden escape |
| <i>Dianthus armeria</i> | Deptford Pink | Roasides in lowlands |
| <i>Dianthus barbatus</i> ‡ | Sweet William | Garden escape |
| <i>Dianthus carthusianorum</i> | Cathusian Pink | Occasional. Dry places |
| <i>Dianthus deltoides</i> | Maiden Pink | Occasional. Dry places |
| <i>Gypsophila repens</i> | Alpine Gypsophila | Screes and rocky turf |
| <i>Minuartia verna</i> | Vernal Sandwort | Rocky places |
| <i>Minuartia sedoides</i> | Mossy Cyphel | Alpine rocks |
| <i>Paronychia kapela</i> subsp. <i>serpyllifolia</i> | A Paronychia | Mountain rocks and turf |
| <i>Paronychia polygonifolia</i> | A Paronychia | Acidic boulders and scree |
| <i>Sagina saginoides</i> | Alpine Pearlwort | Mountain rocks and turf |
| <i>Saponaria bellidifolia</i> | Spoon-leaved Soapwort | Limestone rocks. Ossoue valley |
| <i>Saponaria caespitosa</i> • | Tufted Soapwort | Rare. Limestone rocks |
| <i>Saponaria officinalis</i> | Soapwort | Occasional. Roadsides |
| <i>Scleranthus perennis</i> | Knawel | Frequent. Dry rocky places |
| <i>Silene acaulis</i> | Moss Champion | Alpine turf |
| <i>Silene alba</i> | White Champion | Roadsides |
| <i>Silene dioica</i> | Red Champion | Common |
| <i>Silene nutans</i> | Nottingham Catchfly | Locally common. Open woods and dry places |
| <i>Silene rupestris</i> | Rock Champion | Acidic rocks and screes |
| <i>Silene suecica</i> | Alpine Catchfly | Open acidic turf. Cirque de Troumouse |
| <i>Silene vulgaris</i> | Bladder Champion | Meadows |
| <i>Stellaria graminea</i> | Lesser Stitchwort | Shady places |
| <i>Stellaria holostea</i> | Greater Stitchwort | Woods and ditches |
| <i>Stellaria media</i> | Common Chickweed | Common |
| <i>Stellaria nemorum</i> | Wood Stitchwort | Woods |

| Scientific name | Common name | Notes |
|--|---|--|
| Chenopodiaceae <i>Chenopodium bonus-henricus</i> | Goosefoot Family Good King Henry | Disturbed places |
| Cistaceae <i>Helianthemum appeninum</i> <i>Helianthemum canum</i> <i>Helianthemum nummularium</i> subsp. <i>grandiflorum</i> <i>Helianthemum nummularium</i> subsp. <i>pyrenaicum</i> • <i>Helianthemum oelandicum</i> subsp. <i>alpestre</i> | Rockrose Family White Rockrose Hoary Rockrose Common Rockrose Pyrenean Rockrose Alpine Rockrose | Limestone scree. Ossoue Valley Screes Common. Rocky places Occasional. Rocky places Limestone rocks |
| Convolvulaceae <i>Convolvulus arvensis</i> <i>Cuscuta epithymum</i> | Bindweed Family Field Bindweed Common Dodder | Waste places and roadsides Common |
| Cornaceae <i>Cornus sanguinea</i> | Dogwood Family Common Dogwood | Lowland woodland |
| Corylaceae <i>Corylus avellana</i> | Hazel Family Hazel | Woodland |
| Crassulaceae <i>Sedum acre</i> <i>Sedum album</i> <i>Sedum alpestre</i> <i>Sedum anglicum</i> <i>Sedum atratum</i> <i>Sedum brevifolium</i> <i>Sedum dasyphyllum</i> <i>Sedum hirsutum</i> <i>Sedum telephium</i> subsp. <i>fabaria</i> <i>Sempervivum arachnoideum</i> <i>Sempervivum montanum</i> <i>Sempervivum tectorum</i> <i>Umbilicus rupestris</i> | Stonecrop Family Biting Stonecrop White Stonecrop Alpine Stonecrop English Stonecrop Dark Stonecrop Short-leaved Stonecrop Thick-leaved Stonecrop Hairy Stonecrop Orpine Cobweb Houseleek Mountain Houseleek Common Houseleek Navelwort | Rocks and walls Silicious rocks and walls Acid snowbeds Silicious rocks Limestone rocks Silicious rocks Rocks and walls Siicious rocks Heas Valley Occasional. Rocks Limestone rocks Occasional. Rocks Rocks and walls |
| Dioscoreaceae <i>Dioscorea pyrenaica</i> • | Yam Family Pyrenean Yam | Screes. Gavarnie |
| Dipsacaceae <i>Knautia arvensis</i> <i>Knautia dipsacifolia</i> <i>Scabiosa cinerea</i> • <i>Scabiosa columbaria</i> <i>Succisa pratensis</i> | Teasel Family Field Scabious Wood Scabious Pyrenean Scabious Small Scabious Devil's-bit Scabious | Frequent Shady places Meadows Frequent Damp pasture |
| Empetraceae <i>Empetrum nigrum</i> subsp. <i>hermaphroditum</i> | Crowberry Family Hermaphrodite Crowberry | Acidic turf |
| Ericaceae <i>Arctostaphylos uva-ursi</i> <i>Calluna vulgaris</i> <i>Erica arborea</i> | Heather Family Bearberry Ling Tree Heath | Locally common Acidic turf Common. Low altitudes |

| Scientific name | Common name | Notes |
|---|-------------------------------|------------------------------|
| <i>Erica tetralix</i> | Cross-leaved Heath | Bogs. Val de Jeret |
| <i>Rhododendron ferrugineum</i> | Alpenrose | Acidic pasture |
| <i>Vaccinium myrtillus</i> | Bilberry | Woods and mountains |
| <i>Vaccinium uliginosum</i> | Bog Whortleberry | Acidic pasture |
| Euphorbiaceae | Spurge Family | |
| <i>Euphorbia amygdaloides</i> | Wood Spurge | Forest |
| <i>Euphorbia cyparissias</i> | Cypress Spurge | Occasional. Rocky places |
| <i>Euphorbia hyberna</i> | Irish Spurge | Woodland |
| <i>Mercurialis perennis</i> | Dog's Mercury | Woodland |
| Fabaceae | Pea Family | |
| <i>Anthyllis montana</i> | Mountain Kidney Vetch | Limestone rocks |
| <i>Anthyllis vulneraria</i> subsp. <i>pyrenaica</i> • | Pyrenean Kidney Vetch | Rocky places |
| <i>Astragalus alpinus</i> | Alpine Milk-vetch | Stony pasture |
| <i>Astragalus glycyphyllos</i> | Wild Liquorice | Heas Valley |
| <i>Astragalus monspessulanus</i> | Montpellier Milk-vetch | Stony pasture |
| <i>Astragalus sempervirens</i> | Mountain Tragacanth | Limestone rocks. Gavarnie |
| <i>Cytisus scoparius</i> | Common Broom | Below Gedre |
| <i>Hippocrepis comosa</i> | Horseshoe Vetch | Common |
| <i>Lathyrus aphaca</i> | Yellow Vetchling | Grassy places. Low altitudes |
| <i>Lathyrus laevigatus</i> subsp. <i>occidentalis</i> | Yellow Pea | Heas Valley |
| <i>Lathyrus montanus</i> | Bitter Vetch | Acidic soils |
| <i>Lathyrus pratensis</i> | Meadow Vetchling | Meadows |
| <i>Lathyrus sylvestris</i> | Narrow-leaved Everlasting Pea | Heas Valley |
| <i>Lathyrus vernus</i> | Spring Vetch | Woods |
| <i>Lotus alpinus</i> | Alpine Bird's-foot Trefoil | Mountain pasture |
| <i>Lotus corniculatus</i> | Bird's-foot Trefoil | Grassy places |
| <i>Lotus uliginosus</i> | Greater Bird's-foot Trefoil | Damp pasture |
| <i>Medicago lupulina</i> | Black Medick | Weedy places |
| <i>Medicago suffruticosa</i> • | Sprawling Medick | Rocky pasture |
| <i>Ononis aragonensis</i> • | Spanish Restharrow | Damp pasture. Gavarnie |
| <i>Ononis fruticosa</i> | Shrubby Restharrow | Occasional |
| <i>Ononis natrix</i> | Large Yellow Restharrow | Occasional |
| <i>Ononis rotundifolia</i> | Round-leaved Restharrow | Rare. Below Gedre |
| <i>Ononis striata</i> | Yellow Restharrow | Occasional |
| <i>Oxytropis campestris</i> | Yellow Milk-vetch | Stony pasture |
| <i>Oxytropis pyrenaica</i> • | Pyrenean Milk-vetch | Occasional. Stony pasture |
| <i>Trifolium alpinum</i> | Alpine Clover | Mountain pasture |
| <i>Trifolium montanum</i> | Mountain Clover | Mountain pasture |
| <i>Trifolium ochroleucon</i> | Sulphur Clover | Occasional |
| <i>Trifolium pratense</i> | Red Clover | Meadows |
| <i>Trifolium repens</i> | White Clover | Meadows |
| <i>Trifolium rubens</i> | Red Trefoil | Occasional. Meadows |
| <i>Trifolium thalii</i> | Thal's Clover | Mountain pasture |
| <i>Vicia cracca</i> | Tufted Vetch | Common |
| <i>Vicia hirsuta</i> | Hairy Tare | Roadsides |
| <i>Vicia orobus</i> | Wood Bitter Vetch | Occasional |
| <i>Vicia pyrenaica</i> • | Pyrenean Vetch | Common |
| <i>Vicia sepium</i> | Bush Vetch | Frequent |
| <i>Vicia sylvatica</i> | Wood Vetch | Shady places |

| Scientific name | Common name | Notes |
|-------------------------------|-------------------------------|------------------------------|
| Fagaceae | Beech Family | |
| <i>Fagus sylvatica</i> | Beech | Woodland |
| <i>Quercus petraea</i> | Sessile Oak | Mountain woodland |
| <i>Quercus pyrenaica</i> | Pyrenean Oak | Common in valleys |
| <i>Quercus robur</i> | Common Oak | Frequent in valleys |
| Fumariaceae | Fumitory Family | |
| <i>Corydalis solida</i> | Solid-tubered Corydalis | Mountain pasture |
| <i>Fumaria officinalis</i> | Common Fumitory | Widespread |
| Gentianaceae | Gentian Family | |
| <i>Gentiana acaulis</i> | Trumpet Gentian | Mountain turf |
| <i>Gentiana alpina</i> | Alpine Gentian | Acidic mountain turf |
| <i>Gentiana burseri</i> • | Yellow Gentian | Local. Mountain turf |
| <i>Gentiana cruciata</i> | Cross Gentian | Mountain turf |
| <i>Gentiana lutea</i> | Large Yellow Gentian | Gavarnie |
| <i>Gentiana verna</i> | Spring Gentian | Mountain turf |
| <i>Gentianella campestris</i> | Field Gentian | Mountain turf |
| Geraniaceae | Geranium Family | |
| <i>Erodium cicutarium</i> | Common Stork's-bill | Dry rocky places |
| <i>Geranium cinereum</i> • | Ashy Crane's-bill | Rocky places. Mountains |
| <i>Geranium columbinum</i> | Long-stalked Crane's-bill | Occasional |
| <i>Geranium lucidum</i> | Shining Crane's-bill | Occasional. Lowland |
| <i>Geranium molle</i> | Dove's-foot Crane's-bill | Occasional |
| <i>Geranium phaeum</i> | Dusky Crane's-bill | Shady places |
| <i>Geranium pyrenaicum</i> | Pyrenean Crane's-bill | Common |
| <i>Geranium robertianum</i> | Herb Robert | Rocky places |
| <i>Geranium rotundifolium</i> | Round-leaved Crane's-bill | Occasional |
| <i>Geranium sanguineum</i> | Bloody Crane's-bill | Rocks and scree. Heas valley |
| <i>Geranium sylvaticum</i> | Wood Crane's-bill | Meadows |
| Gesneriaceae | Gloxinia Family | |
| <i>Ramonda myconi</i> • | Ramonda | Shady cliffs and boulders |
| Globulariaceae | Globularia Family | |
| <i>Globularia cordifolia</i> | Matted Globularia | Barrage d'Ossoue |
| <i>Globularia nudicaulis</i> | Leafless-stemmed Globularia | Frequent |
| <i>Globularia repens</i> | Creeping Globularia | Limestone fissures |
| Grossulariaceae | Gooseberry Family | |
| <i>Ribes petraeum</i> | Rock Redcurrant | Acidic rocks |
| Hypericaceae | St. John's Wort Family | |
| <i>Hypericum maculatum</i> | Imperforate St. John's-wort | Damp meadows |
| <i>Hypericum montanum</i> | Pale St. John's-wort | Occasional |
| <i>Hypericum nummularium</i> | Western St John's-wort | Damp rocks |
| <i>Hypericum perforatum</i> | Perforate St John's-wort | Occasional |
| <i>Hypericum richeri</i> | Alpine St. John's-wort | Damp rocks |
| Juglandaceae | Walnut Family | |
| <i>Juglans regia</i> † | Walnut | Cultivated |

| Scientific name | Common name | Notes |
|-------------------------------|---------------------------|--------------------------------|
| Lamiaceae | Dead-nettle Family | |
| <i>Acinos alpinus</i> | Alpine Basil Thyme | Rocks and screes |
| <i>Acinos arvensis</i> | Common Basil Thyme | Occasional |
| <i>Ajuga pyramidalis</i> | Pyramidal Bugle | Mountain pasture |
| <i>Ajuga reptans</i> | Common Bugle | Widespread |
| <i>Ballota nigra</i> | Black Horehound | Occasional |
| <i>Betonica officinalis</i> | Betony | Occasional. Meadows |
| <i>Clinopodium vulgare</i> | Wild Basil | Frequent |
| <i>Galeosis angustifolia</i> | Red Hemp-nettle | Occasional |
| <i>Galeopsis pyrenaica</i> • | Pyrenean Hemp-nettle | Mountain screes |
| <i>Galeopsis tetrahit</i> | Common Hemp-nettle | Waste places |
| <i>Glechoma hederacea</i> | Ground Ivy | Woods |
| <i>Horminum pyrenaicum</i> | Dragonmouth | Occasional. Damp turf |
| <i>Lamiastrum galeobdolon</i> | Yellow Archangel | Woods |
| <i>Lamium album</i> | White Deadnettle | Occasional |
| <i>Lamium maculatum</i> | Spotted Deadnettle | Roadsides |
| <i>Lamium purpureum</i> | Red Deadnettle | Occasional |
| <i>Marrubium vulgare</i> | White Horehound | Dry places |
| <i>Mentha aquatica</i> | Water Mint | Wet places |
| <i>Mentha longifolia</i> | Horse Mint | Damp places |
| <i>Origanum vulgare</i> | Marjoram | Occasional. Rocky turf |
| <i>Prunella vulgaris</i> | Self-heal | Common |
| <i>Salvia pratensis</i> | Meadow Clary | Occasional |
| <i>Salvia verbenaca</i> | Wild Clary | Frequent |
| <i>Satureja montana</i> | Winter Savory | Dry banks and scree |
| <i>Scutellaria alpina</i> | Alpine Skullcap | Rocky mountain turf |
| <i>Sideritis hyssopifolia</i> | Sideritis | Scree. Ossoue Valley |
| <i>Stachys alopecurus</i> | Yellow Betony | Meadows. Occasional |
| <i>Stachys recta</i> | Yellow Woundwort | Roadsides |
| <i>Stachys sylvatica</i> | Hedge Woundwort | Shady places |
| <i>Teucrium chamaedrys</i> | Wall Germander | Occasional |
| <i>Teucrium pyrenaicum</i> • | Pyrenean Germander | Rocks and scree |
| <i>Teucrium scorodonia</i> | Wood Sage | Woods |
| <i>Thymus polytrichus</i> | Wild Thyme | Dry places |
| <i>Thymus pulegiodes</i> | Large Thyme | Occasional. Sunny, dry places |
| Lentibulariaceae | Butterwort Family | |
| <i>Pinguicula alpina</i> | Alpine Butterwort | Damp mountain rocks |
| <i>Pinguicula grandiflora</i> | Large-flowered Butterwort | Wet flushes on limestone |
| <i>Pinguicula longifolia</i> | Long-leaved Butterwort | Wet limestone cliffs. Gavarnie |
| <i>Pinguicula vulgaris</i> | Common Butterwort | Occasional. Acidic flushes |
| Linaceae | Flax Family | |
| <i>Linum catharticum</i> | Fairy Flax | Frequent |
| Loranthaceae | Mistletoe Family | |
| <i>Viscum album</i> | Mistletoe | Common |
| Lythraceae | Loosestrife Family | |
| <i>Lythrum salicaria</i> | Purple Loosestrife | Wet ditches. Lowland |
| Malvaceae | Mallow Family | |
| <i>Malva alcea</i> | Cut-leaved Mallow | Roadsides |

| Scientific name | Common name | Notes |
|-----------------------------------|----------------------------------|-------------------------------------|
| <i>Malva moschata</i> | Musk Mallow | Waste places |
| <i>Malva neglecta</i> | Dwarf Mallow | Waste places |
| <i>Malva sylvestris</i> | Common Mallow | Waste places |
| Oleaceae | Ash Family | |
| <i>Fraxinus excelsior</i> | Ash | Woods |
| Onagraceae | Willowherb Family | |
| <i>Chamerion angustifolium</i> | Rosebay Willowherb | Occasional |
| <i>Epilobium alsinifolium</i> | Chickweed Willowherb | Wet mountain turf |
| <i>Epilobium anagallidifolium</i> | Alpine Willowherb | Wet mountain flushes |
| <i>Epilobium hirsutum</i> | Greater Willowherb | Streamsides. Val de Jeret |
| <i>Epilobium montanum</i> | Broad-leaved Willowherb | Widespread |
| Orobanchaceae | Broomrape Family | |
| <i>Orobanche alba</i> | Thyme Broomrape | Dry pasture |
| <i>Orobanche gracilis</i> | Slender Broomrape | Parasitic on legumes. Ossoue valley |
| <i>Orobanche minor</i> | Common Broomrape | Parasitic on Clovers |
| Oxalidaceae | Wood-sorrel Family | |
| <i>Oxalis acetosella</i> | Wood-sorrel | Woods and shaded rocks |
| Papaveraceae | Poppy Family | |
| <i>Chelidonium majus</i> | Greater Celandine | Frequent near habitation |
| <i>Meconopsis cambrica</i> | Welsh Poppy | Occasional. Gavarnie |
| <i>Papaver rhoeas</i> | Common Poppy | Lowland |
| Parnassiaceae | Grass of Parnassus Family | |
| <i>Parnassia palustris</i> | Grass of Parnassus | Frequent. Wet rocks and turf |
| Plantaginaceae | Plantain Family | |
| <i>Plantago alpina</i> | Alpine Plantain | Mountain turf |
| <i>Plantago lanceolata</i> | Ribwort Plantain | Widespread |
| <i>Plantago major</i> | Greater Plantain | Ruderal |
| <i>Plantago media</i> | Hoary Plantain | Widespread |
| Platanaceae | Plane Family | |
| <i>Platanus x hispanica</i> ‡ | London Plane | Cultivated |
| Plumbaginaceae | Thrift Family | |
| <i>Armeria alpina</i> | Mountain Thrift | Gedre and Lac de Gaube |
| Polygalaceae | Milkwort Family | |
| <i>Polygala alpestris</i> | Mountain Milkwort | Mountain pasture |
| <i>Polygala alpina</i> | Alpine Milkwort | Mountain pasture |
| <i>Polygala calcarea</i> | Chalk Milkwort | Limestone turf |
| <i>Polygala serpyllifolia</i> | Thyme-leaved Milkwort | Acidic pasture |
| <i>Polygala vulgaris</i> | Common Milkwort | Acidic pasture |
| Polygonaceae | Dock Family | |
| <i>Oxyria digyna</i> | Mountain Sorrel | Damp mountain rocks |
| <i>Polygonum bistorta</i> | Bistort | Occasional. Meadows |
| <i>Polygonum viviparum</i> | Mountain Bistort | Common. Mountain turf |

| Scientific name | Common name | Notes |
|---|----------------------------|------------------------------------|
| <i>Rumex acetosa</i> | Common Sorrel | Common |
| <i>Rumex acetosella</i> | Sheep's Sorrel | Common |
| <i>Rumex alpinus</i> | Monk's Rhubarb | Pont d'Espagne |
| <i>Rumex scutatus</i> | French Sorrel | Rocks and screes |
| Primulaceae | Primrose Family | |
| <i>Androsace laggeri</i> | Pink Rock-jasmine | Mountain turf. Cirque de Troumouse |
| <i>Androsace villosa</i> | Hairy Rock-jasmine | Limestone rocks and turf |
| <i>Lysimachia nemorum</i> | Yellow Pimpernel | Occasional |
| <i>Primula elatior</i> | Oxlip | Alpine pasture |
| <i>Primula farinosa</i> | Bird's-eye Primrose | Wet mountain turf |
| <i>Primula hirsuta</i> | Hairy Primrose | Damp acidic cliffs |
| <i>Primula integrifolia</i> | Entire-leaved Primrose | Wet acidic turf |
| <i>Primula veris</i> | Cowslip | Occasional. Meadows |
| <i>Soldanella alpina</i> | Alpine Snowbell | Alpine turf |
| <i>Vitaliana primuliflora</i> subsp. <i>canescens</i> | Vitaliana | Mountain rocks and turf |
| Pyrolaceae | Wintergreen Family | |
| <i>Moneses uniflora</i> | One-flowered Wintergreen | Local. Forest |
| <i>Orthilia secunda</i> | Serrated Wintergreen | Local. Forest |
| <i>Pyrola minor</i> | Lesser Wintergreen | Local. Forest |
| Ranunculaceae | Buttercup Family | |
| <i>Aconitum anthora</i> | Yellow Monkshood | Rocky limestone pasture |
| <i>Aconitum napellus</i> | Common Monkshood | Common. Mountain pasture |
| <i>Actaea spicata</i> | Baneberry | Woods |
| <i>Anemone narcissiflora</i> | Narcissus-flowered Anemone | Ossoue Valley |
| <i>Aquilegia pyrenaica</i> • | Pyrenean Columbine | Screes. Gavarnie |
| <i>Aquilegia vulgaris</i> | Common Columbine | Common |
| <i>Caltha palustris</i> | Marsh Marigold | Bogs and streamsides |
| <i>Clematis vitalba</i> | Old Man's Beard | Woods on limestone |
| <i>Ficaria verna</i> | Lesser Celandine | Occasional |
| <i>Helleborus foetidus</i> | Stinking Hellebore | Woods |
| <i>Helleborus viridis</i> | Green Hellebore | Woods and pasture |
| <i>Hepatica nobilis</i> | Hepatica | Woods and alpine turf |
| <i>Pulsatilla alpina</i> subsp. <i>alpina</i> | Alpine Pasqueflower | Local. Mountain pasture |
| <i>Ranunculus aconitifolius</i> | Aconite-leaved Buttercup | Woods and turf. Pont d'Espagne |
| <i>Ranunculus acris</i> | Meadow Buttercup | Meadows |
| <i>Ranunculus bulbosus</i> | Bulbous Buttercup | Occasional |
| <i>Ranunculus flammula</i> | Lesser Spearwort | Wet flushes and streamsides |
| <i>Ranunculus gouani</i> • | Gouan's Buttercup | Mountain meadows |
| <i>Ranunculus montanus</i> | Mountain Buttercup | Mountain turf. Frequent |
| <i>Ranunculus nemorosus</i> | Wood Buttercup | Woods |
| <i>Ranunculus pyrenaicus</i> • | Pyrenean Buttercup | Damp mountain turf |
| <i>Ranunculus repens</i> | Creeping Buttercup | Widespread |
| <i>Ranunculus thora</i> | Thore's Buttercup | Limestone scree. Gavarnie |
| <i>Thalictrum alpinum</i> | Alpine Meadow-rue | Alpine turf. Cirque de Troumouse |
| <i>Thalictrum aquilegifolium</i> | Great Meadow-rue | Damp mountain turf |
| <i>Thalictrum minus</i> | Lesser Meadow-rue | Occasional |
| <i>Trollius europaeus</i> | Globeflower | Damp meadows |
| Resedaceae | Mignonette Family | |
| <i>Reseda glauca</i> • | Pyrenean Mignonette | Screes. Ossoue |

| Scientific name | Common name | Notes |
|----------------------------------|------------------------------|-----------------------------------|
| <i>Reseda luteola</i> | Weld | Waste areas |
| <i>Sesamoides pygmaea</i> | Sesamoides | Occasional on screes |
| Rhamnaceae | Buckthorn Family | |
| <i>Rhamnus alpinus</i> | Alpine Buckthorn | Rocky places. Ossoue |
| <i>Rhamnus pumilus</i> | Dwarf Buckthorn | Frequent. Limestone rocks |
| Rosaceae | Rose Family | |
| <i>Agrimonia eupatoria</i> | Agrimony | Occasional |
| <i>Alchemilla alpina</i> | Alpine Lady's-mantle | Acidic rocks and turf. Widespread |
| <i>Alchemilla basaltica</i> | A Lady's-mantle | Silicious rocks |
| <i>Alchemilla glabra</i> | A Lady's-mantle | Wet streamsides |
| <i>Alchemilla plicatula</i> | A Lady's-mantle | Limestone rocks and screes |
| <i>Alchemilla saxatilis</i> | A Lady's-mantle | Acidic mountain rocks |
| <i>Alchemilla subsericea</i> | A Lady's-mantle | Silicious snowbeds |
| <i>Amelanchier ovalis</i> | Snowy Mespilus | Local. Lac des Gloriettes |
| <i>Aruncus dioicus</i> | Goat'sbeard Spiraea | Damp shade on acid soils |
| <i>Cotoneaster integerrimus</i> | Wild Cotoneaster | Rocky places |
| <i>Crataegus monogyna</i> | Hawthorn | Woods |
| <i>Dryas octopetala</i> | Mountain Avens | Local. Mountains |
| <i>Filipendula ulmaria</i> | Meadsweet | Wet places. Lowland |
| <i>Fragaria vesca</i> | Wild Strawberry | Common |
| <i>Geum montanum</i> | Alpine Avens | Mountain pasture |
| <i>Geum pyrenaicum</i> • | Pyrenean Avens | Mountain pasture |
| <i>Geum rivale</i> | Water Avens | Occasional. Wet places |
| <i>Geum urbanum</i> | Herb Bennet | Shady places |
| <i>Malus sylvestris</i> | Wild Apple | Occasional |
| <i>Potentilla alchemilloides</i> | Alchemilla-leaved Cinquefoil | Limestone cliffs |
| <i>Potentilla aurea</i> | Golden Cinquefoil | Mountain turf |
| <i>Potentilla erecta</i> | Tormentil | Common |
| <i>Potentilla crantzii</i> | Alpine Cinquefoil | Mountain pasture |
| <i>Potentilla fruticosa</i> | Shrubby Cinquefoil | Rare. Gavarnie |
| <i>Potentilla montana</i> | Mountain Cinquefoil | Frequent. Rocky places |
| <i>Potentilla reptans</i> | Creeping Cinquefoil | Waste places |
| <i>Potentilla rupestris</i> | Rock Cinquefoil | Local. Rocky places |
| <i>Potentilla sterilis</i> | Barren Strawberry | Common |
| <i>Poterium sanguisorba</i> | Salad Burnet | Common |
| <i>Prunus avium</i> | Wild Cherry | Frequent in woods |
| <i>Prunus spinosa</i> | Blackthorn | Occasional. Scrub |
| <i>Rubus caesius</i> | Dewberry | Frequent |
| <i>Rubus idaeus</i> | Raspberry | Common |
| <i>Rubus saxatilis</i> | Stone Bramble | Frequent |
| <i>Rubus ulmifolius</i> | A Bramble | Common in lowlands |
| <i>Rosa arvensis</i> | Field Rose | Widespread |
| <i>Rosa canina</i> | Dog Rose | Widespread |
| <i>Rosa glauca</i> | Blue-leaved Rose | Mountain scrub |
| <i>Rosa pendulina</i> | Alpine Rose | Mountain scrub |
| <i>Rosa pimpinellifolia</i> | Burnet Rose | Occasional |
| <i>Rosa rubiginosa</i> | Sweet Briar | Widespread |
| <i>Sanguisorba officinalis</i> | Great Burnet | Occasional. Streamsides |
| <i>Sibbaldia procumbens</i> | Sibbaldia | Acidic snowbeds |
| <i>Sorbus aria</i> | Whitebeam | Open woods |
| <i>Sorbus aucuparia</i> | Rowan | Mountains |

| Scientific name | Common name | Notes |
|--|----------------------------------|---|
| <i>Sorbus chamaemespilus</i> | False Medlar | Occasional. Rocky slopes |
| <i>Sorbus mougeotii</i> | Mougeot's Whitebeam | Frequent. Ossoue Valley |
| Rubiaceae | Bedstraw Family | |
| <i>Asperula cynanchica</i> | Squinancywort | Rocks and dry pasture |
| <i>Asperula pyrenaica</i> • | Pyrenean Woodruff | Rocky places |
| <i>Cruciata laevipes</i> | Crosswort | Pastures and roadsides |
| <i>Galium aparine</i> | Goosegrass | Scrub and waste places |
| <i>Galium caespitosum</i> • | A Bedstraw | Mountain rocks |
| <i>Galium mollugo</i> | Hedge Bedstraw | Scrub and meadows |
| <i>Galium odoratum</i> | Woodruff | Woods |
| <i>Galium pyrenaicum</i> • | Pyrenean Bedstraw | Alpine rocks |
| <i>Galium saxatile</i> | Heath Bedstraw | Mountain turf |
| <i>Galium verum</i> | Lady's Bedstraw | Meadows |
| <i>Rubia peregrina</i> | Wild Madder | Frequent in woods |
| Salicaceae | Willow Family | |
| <i>Populus alba</i> | White Poplar | Frequent |
| <i>Populus nigra</i> | Black Poplar | Occasional in valleys |
| <i>Populus tremula</i> | Aspen | Occasional in forests |
| <i>Salix aurita</i> | Eared Sallow | Widespread |
| <i>Salix caprea</i> | Goat Willow | Occasional |
| <i>Salix elaeagnos</i> | Hoary Willow | Streamsides |
| <i>Salix herbacea</i> | Least Willow | Alpine turf. Cirque de Troumouse |
| <i>Salix pyrenaica</i> • | Pyrenean Willow | Mountain rocks |
| <i>Salix reticulata</i> | Netted Willow | Limestone rocks. Cirque de Troumouse |
| <i>Salix retusa</i> | Retuse-leaved Willow | Alpine rocks and turf |
| <i>Salix viminalis</i> | Common Osier | Widespread in lowlands |
| Santalaceae | Bastard-toadflax Family | |
| <i>Thesium alpinum</i> | Alpine Bastard-toadflax | Frequent |
| <i>Thesium pyrenaicum</i> | Pyrenean Bastard-toadflax | Frequent |
| Saxifragaceae | Saxifrage Family | |
| <i>Chrysosplenium oppositifolium</i> | Opposite-leaved Golden Saxifrage | Wet acidic flushes |
| <i>Saxifraga aizoides</i> | Yellow Mountain Saxifrage | Wet flushes |
| <i>Saxifraga aretioides</i> • | Yellow Saxifrage | Rare. Limestone rocks |
| <i>Saxifraga bryoides</i> | Mossy Saxifrage | Acidic rocks. Lac de Gaube |
| <i>Saxifraga caesia</i> | Blue-leaved Saxifrage | Limestone rocks. Cirque de Troumouse |
| <i>Saxifraga cotyledon</i> | Pyramidal Saxifrage | Acidic rocks. Heas Valley |
| <i>Saxifraga exarata</i> subsp. <i>moschata</i> | Musky Saxifrage | Limestone rocks |
| <i>Saxifraga granulata</i> | Meadow Saxifrage | Common |
| <i>Saxifraga hirsuta</i> | Kidney Saxifrage | Shady streamsides |
| <i>Saxifraga intricata</i> • | Scented-leaved Saxifrage | Acidic rocks. Col des Tentés |
| <i>Saxifraga longifolia</i> subsp. <i>longifolia</i> | Pyrenean Saxifrage | Cliffs and boulders |
| <i>Saxifraga oppositifolia</i> | Purple Saxifrage | Alpine rocks |
| <i>Saxifraga paniculata</i> | Livelong Saxifrage | Common on rocks |
| <i>Saxifraga pubescens</i> • | Hairy Saxifrage | Acidic rocks |
| <i>Saxifraga stellaris</i> | Starry Saxifrage | Wet acidic flushes |
| <i>Saxifraga tridactylites</i> | Rue-leaved Saxifrage | Occasional. Rocks |
| <i>Saxifraga umbrosa</i> • | Wood Saxifrage | Woods |

| Scientific name | Common name | Notes |
|---|----------------------------|--------------------------------|
| Scrophulariaceae | Figwort Family | |
| <i>Antirrhinum sempervirens</i> • | Rock Snapdragon | Rocks |
| <i>Bartsia alpina</i> | Alpine Bartsia | Meadows and pasture |
| <i>Chaenorhinum origanifolium</i> • | Creeping Snapdragon | Scree |
| <i>Cymbalaria muralis</i> | Ivy-leaved Toadflax | Rocks and walls |
| <i>Digitalis lutea</i> | Small Yellow Foxglove | Roadside banks below Gedre |
| <i>Digitalis purpurea</i> | Purple Foxglove | Frequent. Acidic soils |
| <i>Erinus alpinus</i> | Fairy Foxglove | Common. Rocks and scree |
| <i>Euphrasia alpina</i> | Alpine Eyebright | Rocky turf. Ossoue |
| <i>Euphrasia minima</i> | Dwarf Eyebright | Short turf. Lac des Gloriettes |
| <i>Euphrasia nemorosa</i> | Wind Eyebright | Meadows |
| <i>Euphrasia rostkoviana</i> | Common Eyebright | Occasional |
| <i>Linaria alpina</i> | Alpine Toadflax | Alpine rocks |
| <i>Linaria supina</i> • | Dwarf Toadflax | Rocks and scree |
| <i>Linaria vulgaris</i> | Common Toadflax | Waste places. Lowland |
| <i>Melampyrum pratense</i> | Common Cow-wheat | Acidic turf |
| <i>Melampyrum sylvaticum</i> | Small Cow-wheat | Mountain woods |
| <i>Pedicularis foliosa</i> | Leafy Lousewort | Damp grassland. Ossoue valley |
| <i>Pedicularis sylvatica</i> | Common Lousewort | Wet flushes |
| <i>Pedicularis verticillata</i> | Whorled Lousewort | Damp pasture |
| <i>Rhinanthus angustifolius</i> | Narrow-leaved Rattle | Meadows |
| <i>Rhinanthus minor</i> | Yellow Rattle | Meadows |
| <i>Scrophularia alpestris</i> | Alpine Figwort | Wet places |
| <i>Scrophularia canina</i> subsp. <i>hoppii</i> | French Figwort | Frequent |
| <i>Scrophularia nodosa</i> | Common Figwort | Damp habitats |
| <i>Verbascum nigrum</i> | Dark Mullein | Occasional. |
| <i>Verbascum phlomoides</i> | Orange Mullein | Roadsides |
| <i>Verbascum pulverulentum</i> | Hoary Mullein | Rocky places |
| <i>Verbascum thapsus</i> | Common Mullein | Roadsides |
| <i>Veronica alpina</i> | Alpine Speedwell | Snowbeds. Troumouse |
| <i>Veronica aphylla</i> | Leafless-stemmed Speedwell | Snowbeds |
| <i>Veronica beccabunga</i> | Brooklime | Streams |
| <i>Veronica bellidioides</i> | Violet Speedwell | Frequent in pasture |
| <i>Veronica chamaedrys</i> | Germander Speedwell | Meadows |
| <i>Veronica fruticans</i> | Rock Speedwell | Mountain rocks |
| <i>Veronica fruticulosa</i> | Woody Speedwell | Mountain rocks |
| <i>Veronica officinalis</i> | Heath Speedwell | Occasional. Dry places |
| <i>Veronica ponae</i> • | Spiked Pyrenean Speedwell | Woods and shady places |
| <i>Veronica serpyllifolia</i> | Thyme-leaved Speedwell | Woods and pasture |
| <i>Veronica urticifolia</i> | Nettle-leaved Speedwell | Woods and shady places |
| Solanaceae | Nightshade Family | |
| <i>Atropa belladonna</i> | Deadly Nightshade | Local. Gedre |
| <i>Solanum nigrum</i> | Black Nightshade | Waste places |
| Thymelaeaceae | Mezereon Family | |
| <i>Daphne cneorum</i> | Garland Flower | Local. Mountain turf |
| <i>Daphne laureola</i> | Spurge Laurel | Frequent. Woods and rocks |
| <i>Daphne mezereum</i> | Mezereon | Forest and open pasture |
| <i>Thymelaea nivalis</i> • | Snow Thymelaea | Rocks and scree. Ossoue Valley |
| Tiliaceae | Lime Family | |
| <i>Tilia cordata</i> | Small-leaved Lime | Common |

| Scientific name | Common name | Notes |
|-----------------------------------|----------------------------|---|
| <i>Tilia platyphyllos</i> | Large-leaved Lime | Widely planted |
| Ulmaceae | Elm Family | |
| <i>Ulmus glabra</i> | Wych Elm | Gedre and Gavarnie |
| <i>Ulmus minor</i> | Smooth Elm | Occasional |
| <i>Ulmus procera</i> | English Elm | Widespread |
| Urticaceae | Nettle Family | |
| <i>Parietaria judaica</i> | Pellitory-of-the-wall | Walls |
| <i>Urtica dioica</i> | Nettle | Disturbed areas |
| Valerianaceae | Valerian Family | |
| <i>Centranthus ruber</i> † | Red Valerian | Walls |
| <i>Valeriana globularifolia</i> • | Globularia-leaved Valerian | Rocks and screes |
| <i>Valeriana officinalis</i> | Common Valerian | Meadows |
| <i>Valeriana pyrenaica</i> • | Pyrenean Valerian | Damp woodland |
| <i>Valeriana tripteris</i> | Three-leaved Valerian | Common. Woods and scrub |
| Verbenaceae | Vervain Family | |
| <i>Verbena officinalis</i> | Vervain | Tracksides. Ossoue valley |
| Violaceae | Violet Family | |
| <i>Viola biflora</i> | Yellow Wood-violet | Frequent. Shady places |
| <i>Viola canina</i> | Heath Dog-violet | Acidic soils |
| <i>Viola cornuta</i> • | Horned Pansy | Meadows |
| <i>Viola lutea</i> | Mountain Pansy | Mountain turf |
| <i>Viola palustris</i> | Bog Violet | Bogs |
| <i>Viola pyrenaica</i> | Pyrenean Violet | Rocky pasture |
| <i>Viola reichenbachiana</i> | Wood Dog-violet | Occasional |
| <i>Viola riviniana</i> | Common Dog-violet | Frequent. Grassy places |
| <i>Viola rupestris</i> | Teesdale Violet | Occasional |
| <i>Viola tricolor</i> | Wild Pansy | Occasional |
| LILIIDAE | MONOCOTYLEDONS | |
| Amaryllidaceae | Daffodil Family | |
| <i>Allium senescens</i> | Mountain Onion | Rocky places |
| <i>Allium sphaerocephalon</i> | Round-headed Leek | Frequent |
| <i>Allium victorialis</i> | Alpine Leek | Pont d'Espagne |
| <i>Allium vineale</i> | Crow Garlic | Occasional |
| <i>Narcissus assoanus</i> | Rush-leaved Daffodil | Locally common in pasture. Ossoue valley |
| <i>Narcissus bicolor</i> • | A Daffodil | Locally common in pasture. |
| Asparagaceae | Asparagus Family | |
| <i>Anthericum liliago</i> | St. Bernard's Lily | Frequent on rocky banks |
| <i>Convallaria majalis</i> | Lily of the Valley | Occasional in woods |
| <i>Dipcadi serotinum</i> | Dipcadi | Ossoue valley |
| <i>Hyacinthus amethystinus</i> • | Pyrenean Hyacinth | Meadows and rocks |
| <i>Muscari comosum</i> | Tassel Hyacinth | Local. Gavarnie |
| <i>Paradisea liliastrum</i> | St. Bruno's Lily | Local on screes |
| <i>Polygonatum verticillatum</i> | Whorled Solomon's Seal | Occasional in woods |
| <i>Scilla liliohyacinthus</i> • | Pyrenean Squill | Woods |

| Scientific name | Common name | Notes |
|---------------------------------|--------------------------------|----------------------------------|
| <i>Scilla verna</i> | Spring Squill | Locally common. Mountain pasture |
| Colchicaceae | Meadow Saffron Family | |
| <i>Colchicum montanum</i> • | Merendera | Mountain pasture |
| Cyperaceae | Sedge Family | |
| <i>Carex atrata</i> | Black Alpine Sedge | Mountain turf |
| <i>Carex capillaris</i> | Hair Sedge | Wet turf |
| <i>Carex caryophyllea</i> | Spring Sedge | Dry turf. Mountains |
| <i>Carex canescens</i> | White Sedge | Wet acidic soils |
| <i>Carex curvula</i> | Curved Sedge | Exposed acidic soils. Troumouse |
| <i>Carex davalliana</i> | Bath Sedge | Wet basic soils |
| <i>Carex demissa</i> | Common Yellow Sedge | Damp turf |
| <i>Carex dioica</i> | Dioecious Sedge | Bogs and flushes |
| <i>Carex echinata</i> | Star Sedge | Damp turf |
| <i>Carex ferruginea</i> | Rusty Sedge | Limestone turf. Ossoue |
| <i>Carex flacca</i> | Glaucous Sedge | Meadows |
| <i>Carex nigra</i> | Common Sedge | Acidic mountain turf |
| <i>Carex panicea</i> | Carnation Sedge | Damp soils on limestone |
| <i>Carex pulicaris</i> | Flea Sedge | Wet basic soils |
| <i>Carex pyrenaica</i> | Pyrenean Sedge | Snowbeds |
| <i>Carex rostrata</i> | Bottle Sedge | Bogs and slow-moving water |
| <i>Carex sylvatica</i> | Wood Sedge | Woods |
| <i>Eriophorum angustifolium</i> | Common Cottongrass | Acid bogs |
| Iridaceae | Iris Family | |
| <i>Iris latifolia</i> • | Pyrenean Iris | Common |
| Juncaceae | Rush Family | |
| <i>Juncus alpinus</i> | Alpine Rush | Bogs and streamsides |
| <i>Juncus articulatus</i> | Jointed Rush | Common |
| <i>Juncus conglomeratus</i> | Compact Rush | Common |
| <i>Juncus effusus</i> | Soft Rush | Common |
| <i>Juncus filiformis</i> | Thread Rush | Bogs and wet pasture |
| <i>Juncus inflexus</i> | Hard Rush | Common |
| <i>Juncus trifidus</i> | Three-leaved Rush | Acidic alpine turf |
| <i>Luzula lutea</i> | Yellow Wood-rush | Acidic mountain turf |
| <i>Luzula luzulooides</i> | White Wood-rush | Acidic soils |
| <i>Luzula pilosa</i> | Hairy Wood-rush | Woods and meadows |
| <i>Luzula spicata</i> | Spiked Wood-rush | Mountain turf |
| <i>Luzula sylvatica</i> | Great Woodrush | Woods and meadows |
| Liliaceae | Lily Family | |
| <i>Fritillaria pyrenaica</i> • | Pyrenean Snakeshead | Damp mountain pasture |
| <i>Gagea fistulosa</i> | Early Yellow Star-of-Bethlehem | Damp pasture |
| <i>Lilium martagon</i> | Martagon Lily | Woodland and meadows |
| <i>Lilium pyrenaicum</i> • | Pyrenean Lily | Local. Mountain woods |
| Melanthiaceae | Herb Paris Family | |
| <i>Paris quadrifolia</i> | Herb Paris | Woods. Local |
| <i>Veratrum album</i> | White False-helleborine | Occasional. Mountains |

| Scientific name | Common name | Notes |
|---|---------------------------|-------------------------------------|
| Orchidaceae | Orchid Family | |
| <i>Anacamptis pyramidalis</i> | Pyramidal Orchid | Local |
| <i>Coeloglossum viride</i> | Frog Orchid | Occasional. Meadows |
| <i>Cephalanthera longifolia</i> | Sword-leaved Helleborine | Frequent |
| <i>Dactylorhiza fuchsii</i> | Common Spotted Orchid | Damp grassland |
| <i>Dactylorhiza majalis</i> | Broad-leaved Marsh Orchid | Wet meadows and streamsides |
| <i>Dactylorhiza incarnata</i> | Early Marsh Orchid | Damp places |
| <i>Dactylorhiza maculata</i> | Heath Spotted Orchid | Acid bogs and heath |
| <i>Dactylorhiza sambucina</i> | Elder-flowered Orchid | Locally common. Heas Valley |
| <i>Epipactis atrorubens</i> | Dark Red Helleborine | Frequent. Woods |
| <i>Epipactis helleborine</i> | Broad-leaved Helleborine | Frequent. Woods |
| <i>Goodyera repens</i> | Creeping Lady's Tresses | Rare. Heas Valley |
| <i>Gymnadenia austriaca</i> subsp. <i>gallica</i> | A Vanilla Orchid | Local. Mountain pasture |
| <i>Gymnadenia conopsea</i> | Fragrant Orchid | Common. Meadows and banks |
| <i>Neotinea ustulata</i> | Burnt Orchid | Local. Meadows |
| <i>Neottia nidus-avis</i> | Bird's-nest Orchid | Woods |
| <i>Neottia ovata</i> | Twayblade | Meadows |
| <i>Orchis mascula</i> | Early Purple Orchid | Common. Meadows and banks |
| <i>Platanthera bifolia</i> | Lesser Butterfly Orchid | Woods and banks |
| <i>Platanthera chlorantha</i> | Greater Butterfly Orchid | Woods and banks |
| <i>Pseudorchis albida</i> | Small White Orchid | Frequent |
| Poaceae | Grass Family | |
| <i>Anthoxanthum odoratum</i> | Sweet Vernal Grass | Meadows |
| <i>Arrhenatherum elatius</i> | False Oat-grass | Common. Low altitudes |
| <i>Briza media</i> | Quaking-grass | Meadows |
| <i>Brachypodium pinnatum</i> | Tor Grass | Woods |
| <i>Bromus commutatus</i> | Meadow Brome | Meadows |
| <i>Bromus sterilis</i> | Barren Brome | Dry grassland |
| <i>Cynosurus cristatus</i> | Crested Dog's-tail | Common |
| <i>Dactylis glomerata</i> | Cocksfoot | Common |
| <i>Deschampsia cespitosa</i> | Tufted Hair-grass | Wet grassland |
| <i>Deschampsia flexuosa</i> | Wavy Hair-grass | Acidic mountain turf |
| <i>Festuca eskia</i> • | Gispet | Dominant. Acidic high-mountain turf |
| <i>Festuca gautieri</i> • | Spiky Fescue | Basic mountain turf |
| <i>Festuca glacialis</i> • | Glacier Fescue | Rocks and snowbeds |
| <i>Festuca paniculata</i> | Panicled Fescue | Common |
| <i>Festuca rubra</i> | Red Fescue | Common |
| <i>Glyceria fluitans</i> | Floating Sweet-grass | Acidic pools. Cirque de Troumouse |
| <i>Holcus lanatus</i> | Yorkshire Fog | Meadows |
| <i>Hordeum murale</i> | Wall Barley | Waste places |
| <i>Lolium perenne</i> | Perennial Rye-grass | Meadows |
| <i>Melica ciliata</i> | Ciliate Melick | Woods |
| <i>Melica nutans</i> | Mountain Melick | Woods |
| <i>Melica uniflora</i> | Wood Melick | Woods |
| <i>Molinia caerulea</i> | Purple Moor Grass | Damp acidic pasture |
| <i>Nardus stricta</i> | Mat Grass | Acidic pasture |
| <i>Phleum alpinum</i> | Alpine Cat's-tail | Mountain turf |
| <i>Phleum pratense</i> | Timothy | Meadows |
| <i>Poa alpina</i> | Alpine Meadow-grass | Alpine pasture |
| <i>Poa annua</i> | Annual Meadow-grass | Trackways |
| <i>Poa nemoralis</i> | Wood Meadow-grass | Woods |
| <i>Poa trivialis</i> | Rough Meadow-grass | Pasture |

| Scientific name | Common name | Notes |
|---------------------------------|---------------------------------|-----------------------------------|
| <i>Schedonorus pratensis</i> | Meadow Fescue | Meadows |
| <i>Sesleria albicans</i> | Blue Moor Grass | Limestone rocks |
| Tofieldiaceae | Scottish Asphodel Family | |
| <i>Tofieldia calyculata</i> | Tofield's Asphodel | Wet places in mountains |
| Typhaceae | Reedmace Family | |
| <i>Sparganium angustifolium</i> | Floating Bur-reed | Acidic pools. Cirque de Troumouse |
| Xanthorrhoeaceae | Asphodel Family | |
| <i>Asphodelus albus</i> | White Asphodel | Mountain pasture |

Birds (✓ = recorded but not counted; H = heard only)

| | Common name | Scientific name | June | | | | | | | |
|----|---------------------------|--------------------------------|------|----|---|----|----|----|----|----|
| | | | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 1 | Little Egret | <i>Egretta garzetta</i> | 1 | | | | | | | |
| 2 | Grey Heron | <i>Ardea cinerea</i> | 1 | | | | | | | |
| 3 | Common Pochard | <i>Aythya ferina</i> | 1 | | | | | | | |
| 4 | Black Kite | <i>Milvus migrans</i> | ✓ | | 1 | | | | 1 | |
| 5 | Red Kite | <i>Milvus milvus</i> | ✓ | | | | | 1 | | 1 |
| 6 | Bearded Vulture | <i>Gypaetus barbatus</i> | 4 | 2 | | 1 | | | 1 | 2 |
| 7 | Griffon Vulture | <i>Gyps fulvus</i> | ✓ | 13 | ✓ | | | 1 | 5 | 12 |
| 8 | European Honey Buzzard | <i>Pernis apivorus</i> | 5 | | | | | | | |
| 9 | Golden Eagle | <i>Aquila chrysaetos</i> | | | 3 | 1 | 1 | 1 | | |
| 10 | Booted Eagle | <i>Hieraaetus pennatus</i> | | | | | | | | 1 |
| 11 | Short-toed Snake Eagle | <i>Circaetus gallicus</i> | 1 | 1 | | | | | | |
| 12 | Common Kestrel | <i>Falco tinnunculus</i> | 2 | | 1 | 2 | | | 2 | 2 |
| 13 | Common Woodpigeon | <i>Columba palumbus</i> | | | | 1 | | | | |
| 14 | Eurasian Collared Dove | <i>Streptopelia decaocto</i> | ✓ | | | | | 1 | | |
| 15 | Common Cuckoo | <i>Cuculus canorus</i> | | | H | H | | | | |
| 16 | Common Swift | <i>Apus apus</i> | ✓ | | 2 | | | ✓ | | |
| 17 | European Green Woodpecker | <i>Picus viridis</i> | H | | | H | | | 1 | 2 |
| 18 | Great Spotted Woodpecker | <i>Dendrocopos major</i> | 1 | 1 | | 1 | 3 | 1 | 1 | 3 |
| 19 | Eurasian Skylark | <i>Alauda arvensis</i> | | | | 2 | | | | |
| 20 | Woodlark | <i>Lullula arborea</i> | | 1 | 1 | | | | | |
| 21 | Eurasian Crag Martin | <i>Ptyonoprogne rupestris</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 22 | Barn Swallow | <i>Hirundo rustica</i> | ✓ | | | | | 2 | | |
| 23 | Common House Martin | <i>Delichon urbica</i> | ✓ | 2 | ✓ | ✓ | ✓ | | | |
| 24 | Water Pipit | <i>Anthus spinoletta</i> | | | | 1 | 6 | ✓ | ✓ | |
| 25 | Tree Pipit | <i>Anthus trivialis</i> | | | 2 | 2 | | | | 1 |
| 26 | White Wagtail | <i>Motacilla alba</i> | 3 | 3 | 1 | 3 | | | | 1 |
| 27 | Grey Wagtail | <i>Motacilla cinerea</i> | 1 | 2 | 1 | | | 5 | 4 | 1 |
| 28 | White-throated Dipper | <i>Cinclus cinclus</i> | | 1 | 1 | 1 | 5 | 1 | | |
| 29 | Eurasian Wren | <i>Troglodytes troglodytes</i> | | | H | H | ✓ | H | | 7 |
| 30 | Dunnock | <i>Prunella modularis</i> | | H | 1 | 1 | 3 | 3 | ✓ | |
| 31 | Alpine Accentor | <i>Prunella collaris</i> | | | | | | | 2 | |
| 32 | European Robin | <i>Erithacus rubecula</i> | | H | H | H | 2 | H | | ✓ |
| 33 | Black Redstart | <i>Phoenicurus ochruros</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 34 | Whinchat | <i>Saxicola rubetra</i> | | | | 1 | | | | |
| 35 | European Stonechat | <i>Saxicola torquata</i> | | | | 2 | | | | |
| 36 | Northern Wheatear | <i>Oenanthe oenanthe</i> | | 3 | | 1 | | | 17 | 9 |

| | Common name | Scientific name | June | | | | | | | | |
|----|---------------------------|--------------------------------|------|---|---|----|----|----|----|----|---|
| | | | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | |
| 37 | Ring Ouzel | <i>Turdus torquatus</i> | | | | | | | 1 | | |
| 38 | Common Blackbird | <i>Turdus merula</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 39 | Song Thrush | <i>Turdus philomelos</i> | | H | | H | | | 1 | 2 | |
| 40 | Mistle Thrush | <i>Turdus viscivorus</i> | | | 2 | | | 1 | | | |
| 41 | Garden Warbler | <i>Sylvia borin</i> | | | 1 | 2 | H | | | | |
| 42 | Eurasian Blackcap | <i>Sylvia atricapilla</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 43 | Western Bonelli's Warbler | <i>Phylloscopus bonelli</i> | H | | | | | | | | |
| 44 | Common Chiffchaff | <i>Phylloscopus collybita</i> | ✓ | ✓ | H | H | H | | | H | |
| 45 | Goldcrest | <i>Regulus regulus</i> | | | 3 | 1 | 3 | | | H | |
| 46 | Common Firecrest | <i>Regulus ignicapillus</i> | ✓ | | H | | | | | | |
| 47 | Spotted Flycatcher | <i>Muscicapa striata</i> | | 1 | | | | | 1 | 1 | |
| 48 | European Crested Tit | <i>Lophophanes cristatus</i> | | | 1 | | ✓ | | | | |
| 49 | Long-tailed Tit | <i>Aegithalos caudatus</i> | ✓ | | | | | | | | |
| 50 | Coal Tit | <i>Parus ater</i> | | | ✓ | | ✓ | | | | |
| 51 | Great Tit | <i>Parus major</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 52 | Eurasian Blue Tit | <i>Cyanistes caeruleus</i> | ✓ | | | ✓ | | | | ✓ | |
| 53 | Eurasian Treecreeper | <i>Certhia familiaris</i> | | | 1 | | | | | | |
| 54 | Red-backed Shrike | <i>Lanius collurio</i> | | | 2 | | | | | 4 | |
| 55 | Common Starling | <i>Sturnus vulgaris</i> | ✓ | | | | | | | | |
| 56 | Eurasian Jay | <i>Garrulus glandarius</i> | | 2 | 3 | 5 | 3 | 1 | 2 | | |
| 57 | Eurasian Magpie | <i>Pica pica</i> | ✓ | | | | 2 | | | | |
| 58 | Alpine Chough | <i>Pyrrhocorax graculus</i> | | 2 | ✓ | ✓ | | ✓ | ✓ | | |
| 59 | Red-billed Chough | <i>Pyrrhocorax pyrrhocorax</i> | | 2 | ✓ | | | ✓ | ✓ | | |
| 60 | Northern Raven | <i>Corvus corax</i> | 1 | 2 | 4 | 2 | | 1 | 5 | | |
| 61 | Carrion Crow | <i>Corvus corone</i> | ✓ | | | 1 | | 2 | 3 | | |
| 62 | House Sparrow | <i>Passer domesticus</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 63 | White-winged Snowfinch | <i>Montifringilla nivalis</i> | | | | | | 1 | 3 | | |
| 64 | Common Chaffinch | <i>Fringilla coelebs</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 65 | Citril Finch | <i>Serinus citrinella</i> | | | 3 | H | | | | | |
| 66 | European Serin | <i>Serinus serinus</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 67 | European Goldfinch | <i>Carduelis carduelis</i> | | 3 | | | | | | | |
| 68 | Eurasian Bullfinch | <i>Pyrrhula pyrrhula</i> | 1 | | 2 | | 1 | 1 | 4 | | |
| 69 | Common Linnet | <i>Acanthis cannabina</i> | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | | |
| 70 | Red Crossbill | <i>Loxia curvirostra</i> | | | | | 15 | | | | |
| 71 | Corn Bunting | <i>Emberiza calandra</i> | | | | 2 | | | | | |
| 72 | Yellowhammer | <i>Emberiza citronella</i> | | 2 | 2 | 5 | | | | 1 | |
| 73 | Rock Bunting | <i>Emberiza cia</i> | | | | 1 | | | | | |

Mammals (• = endemic to the Pyrenees, E = evidence of)

| | | | | | | | | | | | |
|---|---------------|----------------------------|---|---|----|---|---|---|---|--|--|
| 1 | Mole | <i>Talpa europaea</i> | | E | E | E | | | | | |
| 2 | Red Squirrel | <i>Sciurus vulgaris</i> | | | ✓ | | | | | | |
| 3 | Alpine Marmot | <i>Marmota marmota</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| 4 | Isard• | <i>Rupicapra pyrenaica</i> | ✓ | ✓ | 14 | | | ✓ | | | |

Reptiles

| | | | | | | | | | | | |
|---|--------------------|-------------------------|---|---|---|---|---|---|---|--|--|
| 1 | Common Wall Lizard | <i>Podarcis muralis</i> | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | |
| 2 | Asp Viper | <i>Vipera aspis</i> | | | | | | ✓ | | | |

Amphibians

| | | | | | | | | | | | |
|---|----------------------|------------------------|--|--|--|--|--|--|---|--|--|
| 1 | Pyrenean Brook Newt• | <i>Euproctus asper</i> | | | | | | | ✓ | | |
|---|----------------------|------------------------|--|--|--|--|--|--|---|--|--|

| | Common name | Scientific name | June | | | | | | | |
|---|----------------|-------------------------------|------|---|---|----|----|----|----|----|
| | | | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 2 | Palmate Newt | <i>Lissotriton helveticus</i> | | | | | ✓ | | | |
| 3 | Common Frog | <i>Rana temporaria</i> | | | | ✓ | ✓ | ✓ | | |
| 4 | Pyrenean Frog• | <i>Rana pyrenaica</i> | | ✓ | | | | ✓ | | |

Butterflies

| | | | | | | | | | | |
|----|-----------------------------|---------------------------------|---|---|---|---|---|---|---|--|
| 1 | Swallowtail | <i>Papilio machaon</i> | ✓ | | ✓ | ✓ | | | | |
| 2 | Clouded Apollo | <i>Parnassius mnemosyne</i> | | | | ✓ | | ✓ | ✓ | |
| 3 | Black-veined White | <i>Aporia crataegi</i> | | ✓ | ✓ | | | ✓ | ✓ | |
| 4 | Large White | <i>Pieris brassicae</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 5 | Small White | <i>Pieris rapae</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 6 | Orange Tip | <i>Anthocharis cardamines</i> | ✓ | ✓ | ✓ | ✓ | | | ✓ | |
| 7 | Clouded Yellow | <i>Colias crocea</i> | ✓ | | | | | ✓ | ✓ | |
| 8 | Brimstone | <i>Gonepteryx rhamni</i> | ✓ | | ✓ | ✓ | | | | |
| 9 | Duke of Burgundy | <i>Hamaeris lucina</i> | | | | | | ✓ | | |
| 10 | Green Hairstreak | <i>Callophrys rubi</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| 11 | Little Blue | <i>Cupido minimus</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 12 | Osiris Blue | <i>Cupido osiris</i> | | | | ✓ | | | | |
| 13 | Common Blue | <i>Polyommatus icarus</i> | ✓ | | ✓ | | | | | |
| 14 | Adonis Blue | <i>Lysandra bellargus</i> | ✓ | ✓ | ✓ | ✓ | | ✓ | | |
| 15 | Brown Argus | <i>Aricia agestis</i> | ✓ | ✓ | | ✓ | | | | |
| 16 | Northern Wall Brown | <i>Lasiommata petropolitana</i> | | | ✓ | | ✓ | | ✓ | |
| 17 | Wall Brown | <i>Lasiommata megera</i> | | | | ✓ | | | | |
| 18 | Mountain Ringlet | <i>Erebia epiphron</i> | | | | | | | ✓ | |
| 19 | Piedmont Ringlet | <i>Erebia meolans</i> | | | | ✓ | | ✓ | | |
| 20 | Common Grayling | <i>Hipparchia semele</i> | | ✓ | ✓ | | | | | |
| 21 | Pearl-bordered Fritillary | <i>Boloria euphrosyne</i> | ✓ | | ✓ | ✓ | | | | |
| 22 | Small Tortoiseshell | <i>Aglais urticae</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 23 | Red Admiral | <i>Vanessa atalanta</i> | | | ✓ | | | | | |
| 24 | Heath Fritillary | <i>Mellicta athalia</i> | | | ✓ | ✓ | | | | |
| 25 | Dingy Skipper | <i>Erynnis tages</i> | | ✓ | | | | | | |
| 26 | Red-underwing Skipper | <i>Spialia sertorius</i> | ✓ | | | | | | | |
| 27 | Grizzled Skipper | <i>Pyrgus malvae</i> | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | |
| 28 | Oberthur's Grizzled Skipper | <i>Pyrgus armoricanus</i> | ✓ | ✓ | ✓ | | | ✓ | | |

Moths

| | | | | | | | | | | |
|---|-------------------------------|---------------------------------|--|---|---|---|--|---|---|--|
| 1 | Black-veined Moth | <i>Siona lineata</i> | | | ✓ | | | | | |
| 2 | Latticed Heath | <i>Chiasmia clathrata</i> | | | ✓ | | | | | |
| 3 | Chimney Sweeper | <i>Odezia atrata</i> | | | | | | ✓ | | |
| 4 | Hummingbird Hawk-moth | <i>Macroglossum stellatarum</i> | | ✓ | ✓ | ✓ | | | ✓ | |
| 5 | Narrow-bordered Bee Hawk-moth | <i>Hemaris tityus</i> | | | ✓ | | | | | |
| 6 | Argent and Sable | <i>Rheumaptera hastata</i> | | | ✓ | ✓ | | | | |
| 7 | Burnet Companion | <i>Euclidia glyphica</i> | | | | ✓ | | | | |

Other Insects

| | | | | | | | | | | |
|---|--------------------|--------------------------------|---|---|---|---|--|--|---|--|
| 1 | Italian Shield Bug | <i>Graphosoma italicum</i> | | | | ✓ | | | | |
| 2 | Fire Bug | <i>Pyrrhocorus apteris</i> | | | | ✓ | | | | |
| 3 | Sulphur Owl Fly | <i>Libelloides longicornis</i> | ✓ | ✓ | | ✓ | | | ✓ | |
| 4 | Field Cricket | <i>Gryllus campestris</i> | | | ✓ | | | | | |
| 5 | Ephipigger | <i>Ephipigger ephipigger</i> | | | ✓ | | | | | |
| 6 | Wood Ant | <i>Formica rufa</i> | | | ✓ | | | | | |

| | Common name | Scientific name | June | | | | | | | |
|----|---------------------|---------------------------------|------|---|---|----|----|----|----|----|
| | | | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 7 | Summer Chafer | <i>Amphimallon solstitialis</i> | | ✓ | | | | | | |
| 8 | Oil Beetle | <i>Meloe proscarabeus</i> | | | | ✓ | | | | |
| 9 | Scarlet Lily Beetle | <i>Lilioceris lili</i> | | ✓ | | | | | | |
| 10 | Paper Wasp | <i>Polistes gallica</i> | | | ✓ | | | | | |