

France - Vercors in Summer

Naturetrek Tour Report

6th -13th July 2022



Apollo and Epipogium aphyllum



Centaurea diffusa and Arran Brown

Tour report and images by Paul Harnes



Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

England

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Paul Harmes (leader) with five Naturetrek clients

Day 1

Wednesday 6th July

Travel London Heathrow - Lyon St.Exupery Airport – La Chapelle en Vercors

Three group members met Paul Heathrow's Terminal 3 for the 8.45am British Airways flight BA360 to Lyon St. Exupery. Upon our arrival, we soon completed passport control and baggage reclaim and made our way out to the arrivals area, where we met with the two remaining group members, who had arrived from other airports. Outside the terminal, we found the bus stop for the bus to the car-rental area, in order to collect the minibuses. Soon the luggage was stowed, and we boarded the vehicle for the journey to the Vercors region.

We drove south-westwards on the A43 and A48 Motorways, stopping to buy lunch and for a short comfort break at Aire L'Isle d'Abeau service area, before continuing south towards Grenoble. Along the way, we recorded Jackdaw, Carrion Crow, Common Blackbird, Rook, Grey Heron and Black Kite.

We stopped for our picnic at the Aire de Burcin rest area. Common Swift, Red Kite, Chaffinch and Blue Tit were added whilst we ate. Before moving on, we explored some rough grassland. Here we recorded *Centaurea scabiosa* (Greater Knapweed), *Linaria vulgaris* (Common Toadflax), *Pteridium aquilinum* (Bracken) and *Campanula rotundifolia* (Harebell), together with a good number of butterfly species, including Mazarine Blue, Southern Speckled Wood, Marbled White, Weaver's Fritillary, Queen of Spain Fritillary, Dingy Skipper, Red-underwing Skipper, Common Blue and Brown Argus. There was also Burnet Companion moth.

We now made our way to the area surrounding Grenoble Isère Airport, making two stops to explore. The first was beside a field of Sunflowers. *Ambrosia artemisiifolia* (Ragweed) and *Amaranthus retroflexus* (Common Amaranth) were weeds in the fields and we also saw Scarce Swallowtail. At the second stop by some Maize fields, we added Goldfinch and heard Greenfinch, as well as seeing Clouded Yellow, Peacock, Small Tortoiseshell and Weaver's Fritillary.

Continuing our journey via St. Marcellin, we made our way through Pont en Royans, the Petit Goulets and the Grand Goulets and on to La Chapelle en Vercors and the Hotel Bellier, our base for the week. After settling into our rooms, we met up again and Paul outlined the plan for the next day and the hotel logistics, before it was time for our evening meal.

Day 2

Thursday 7th July

Font d'Urle – St. Jean en Ryans

We started the day with a short excursion to Vassieux en Vercors, where we made a short stop at the cemetery where the victims of the Nazi massacre at that village, during the Second World War, are buried. Whilst we were here, Great Banded Grayling, Marbled White, Weaver's Fritillary, Queen of Spain Fritillary and Niobe Fritillary were recorded. Plants included *Carduus nutans* (Nodding Thistle), *Helianthemum nummularium* (Common Rock-rose), *Tragopogon pratense* (Goat's-beard) and *Asperula rupicola* (a Squinancywort). For the birds, there was Barn Swallow and Skylark. In addition, we also saw two species of Burnet Moth, *Zygaena carniolica* and *Zygaena transalpina* (Southern Six-spot Burnet) as well as several Forester Moths.

We now moved towards the Font d'Urle, an area of open limestone crags and meadows used for skiing in winter. Along the way we paused on the Col de la Chau. Here a small sun-trap produced Great Sooty Satyr, Blue-spot Hairstreak, Damon Blue, Scarce Copper, Carline Skipper, Apollo and Large Wall Brown. There was also a large plant of *Epilobium dodonaei* (a Willowherb).

Arriving at the Font d'Urle, we set off for a walk in a very stiff breeze. As we went, we recorded Alpine Chough, in some numbers, Black Redstart, Northern Wheatear, Water Pipit and Griffon Vulture, as well as a solitary Alpine Marmot. *Campanula rhomboidalis* (Broad-leaved Bellflower), *Veronica spicata* (Spiked Speedwell), *Dianthus monspessulanus* (Fringed Pink), *Gymnadenia austriaca* var. *gallica* (Black Vanilla Orchid), *Allium rotundum* (an Onion) and *Phyteuma orbiculare* (Round-headed Rampion) were also seen. Insects were difficult in the wind but Dark Green Fritillary and Apollo butterflies, Ochraceous Wave and Purple Treble-bar moths, and Green Mountain Grasshopper were all noted.

Returning to the vehicles, we made our way to the Forêt de Lente, where we set up our picnic lunch. Whilst eating, good numbers of Scarce Copper, Large White, Essex Skipper and High Brown Fritillary butterflies, and *Polygonatum verticillatum* (Whorled Solomon's-seal) and *Neottia nidus-avis* (Bird's-nest Orchid) were added. Blackcap was heard singing and Short-toed Eagle and Common Buzzard seen.

Following lunch, we moved on through the precipitous Route Combe Laval towards St. Jean en Royans, where we visited the Hypermarket, to do the week's picnic shopping. Whilst our leader was shopping, we explored a small, rough field, sometimes used to graze horses. Here we found Small Heath, Adonis Blue and Berger's Clouded Yellow butterflies, before setting off on the return journey to La Chapelle.

At a point above St. Jean en Royans we stopped to examine a low cliff. Here we saw *Asplenium ruta-muraria* (Wall Rue), *Asplenium fontanum*, *Polygonatum multiflorum* (Solomon's-seal), *Tilia platyphyllos* (Broad-leaved Lime) and *Linaria repens* (Striped Toadflax) as well as *Saponaria officinalis* (Soapwort), which was entertaining two Hummingbird Hawk-moths.

Our last stop of the day, before making our way back to our hotel, was on the Col de l'Echarasson, where we added three new butterfly species: from a sunny ride in woodland, Sloe Hairstreak and Heath Fritillary, and a wide grassy verge, a Purple Emperor, which took a liking to Hugh's jacket!

Day 3

Friday 8th July

Bois de Mures - Les Bruyeres – Les Merciers

Following a splendid breakfast, we made our way up to the northern end of the Vercors plateau, to the town of Lans en Vercors. Here, we made our way to the forest of the Bois de Mures, in search of the elusive *Epipogium aphyllum* (Ghost Orchid). After much searching, we managed to find a small group of six. We also added *Epipactis muelleri* (Mueller's Helleborine), *Luzula nivea* (Snowy Wood-rush), *Melampyrum nemorosum* (a Cow-wheat), *Galium rotundifolium* (Round-leaved Bedstraw) and *Epipactis leptochila* (Narrow-lipped Helleborine). There was Silver-washed Fritillary and High Brown Fritillary also.

Moving on, we made our way to the small hamlet of Les Merciers, where we had our picnic, before setting off to explore a steep path, rocky lane-sides and some meadows. It was a bright, sunny afternoon, and insects were active. As we left the minibus and walked up a steep wooded path, Scarce Copper, Provence Chalk-hill Blue, Meadow Brown, Marbled White, Large Wall Brown, Arran Brown, Woodland Grayling and Scotch Argus butterflies were all noted. *Dianthus sylvestris* (Wood Pink), *Epipactis atrorubens* (Dark-red Helleborine) and *Buphthalmum salicifolium* (Yellow Ox-eye) were all recorded, as well as two distant Common Buzzard, while Yellowhammer was heard. Some rocky meadows produced *Gentiana cruciata* (Cross Gentian), *Siler montanum* (Sermountain), *Teucrium chamaedrys* (Wall Germander) and *Lilium martagon* (Martagon Lily), in fruit. Silver-washed Fritillary, Comma Butterfly, Pearly Heath, Small Skipper, Darwin's Heath and Damon Blue butterflies were also added. Making our way back to the bus along a quiet rocky lane, we added *Cuscuta europaea* (Great Dodder), *Sedum dasyphyllum* (Fat-leaved Stonecrop) and *Rumex scutatus* (French Sorrel). Meanwhile some of the group saw a Large Tortoiseshell, Purple Emperor and Red Admiral.

We now made our way to the wet meadows at Les Bruyères, hoping to try and find Marsh Warbler. In fields beside the road a single Grey Heron was hunting. A small pond had a good stand of *Typha angustifolia* (Lesser Bullrush), Broad-bodied and Four-spotted Chaser dragonflies and a substantial population of the hybrid Edible Frog. Other plants included *Vicia cracca* (Tufted Vetch), *Trifolium hybridum* (Alsike Clover) and *Sanguisorba officinalis* (Great Burnet). Butterflies included Wood White, Marbled White and Pearly Heath. The elusive Marsh Warbler was heard but not seen.

We now made our way back to La Chapelle en Vercors, for dinner. After eating, Paul set a moth trap.

Day 4

Saturday 9th July

Presles – Forêt Communale des Coulmes – Pont en Royans

At 6.30am, we met in the hotel garden to examine the catch in the moth trap. Among the macros, there were Guernsey Underwing, Heart and Dart, Tawny Speckled Pug, Coronet, Clouded-bordered Brindle, Muslin Footman, Least Carpet, and the Noctuid *Hoplodrina respersa*. Micros included Orange-spotted Shoot (*Rhyacionia pinocolina*), Pearl Grass-veneer (*Catoptria pinella*), Codlin Moth (*Cydia promonella*) and the Chequered Grass-veneer (*Catoptria falsella*).

Following another excellent breakfast, we left the hotel and drove south once again through the Grand Goulets Tunnel, down to Ste. Eulalie en Royans and up through Pont en Royans to where we turned west and began to climb up towards the Route de Presles. This is a magnificent limestone cliff formation, overlooking the Commune de Châtelus and the valley of the River Bourne. We made our first stop about three-quarters of the way up, where we explored the banks and woodland and meadows beside a quiet lane. Here we found *Catanache caerulea* (Blue Catanache), *Quercus pubescens* (Downy Oak), *Epipactis muelleri* (Mueller's Helleborine) and *Anthericum ramosum* (Branched St. Bernard's Lily). Butterflies included Marbled White, Lulworth Skipper, Wall Brown, Woodland Grayling, Weaver's Fritillary, Berger's Clouded Yellow, Mazarine Blue and Swallowtail, together with the Cicada *Tibicen plebejus*.

We now moved on up to the higher cliffs of the Route de Presles, and on into the Forêt Domaniale des Coulmes to a picnic site at the Fontaine de Petouze. Before our picnic, we explored some large grassy clearings, finding. Marbled Fritillary, Large White, Woodland Grayling, Small Skipper, Wood White, Scarce Copper, Large Blue,

and High Brown Fritillary butterflies. For the plants, *Lilium martagon* (Martagon Lily), *Stachys alpina* (Alpine Woundwort) and *Sambucus ebulus* (Dwarf Elder) were also recorded. We also found Great Green Bush-cricket and Rose Chafer. Whilst eating our lunch, we had a fly over from a Black Woodpecker.

We now rejoined our vehicles and made our way back down through Presles to the grassy scarp-slope of the Rocher de Presles. Here we added Sooty Copper, Cleopatra, Small Copper and Scarce Swallowtail. We then continued down the Route de Presles, and on towards Pont en Royans, pausing to check the river-gorge bank, which had *Buddleja* vegetation, on which we found Pale Clouded Yellow and White Admiral, Hummingbird and Broad-bordered Bee Hawk-moths.

Parking on the outskirts of the town, we visited one of several artisan ice cream shops, for afternoon refreshments. Whilst enjoying them Swifts were racing around over the river.

Our final stop of the day was on the Grand Goulets where we examined the broad road margins and some rough scrub. There were no additional species added from here. It was then time to make our way back to our hotel for dinner.

Day 5

Sunday 10th July

Col de la Bataille – Gigors – Col de Bacchus – Forêt de Lente

Today, we made our way down towards Beaufort sur Gervanne, to an area of scrubby pine woodland and rough fields.

After an earlier breakfast, we set off in a south-west direction, through the Forêt de Lente, and up to the Col de la Bataille. As we drove, our attention was taken by a large flock of Common Swift, with a couple of Alpine Swift among them. There were also Raven, Red-backed Shrike and Kestrel. We paused briefly at the Col to admire the spectacular views, before dropping down the west side towards Leoncel. Here we saw, Alpine Cough, Blackcap and White Wagtail. There were also *Senecio ovatus* agg. (an Alpine Ragwort), *Rumex scutatus* (French Sorrel) and *Aconitum napellus* (Monk's-hood). There were also Marbled White, and Large Wall brown butterflies.

We now made our way south-east down towards Gigors, near Beaufort sur Gervanne, parking in some light pine, scrubby woodland. Here, we found Common Buzzard, Common Starling and Turtle Dove, as well as *Centaurea solstitialis* (Yellow Star Thistle), *Centaurea diffusa* (Diffuse Knapweed), *Dianthus gratianopolitanus* (Cheddar Pink) and *Bituminaria bituminosa* (Pitch Trefoil). In the hot sun, insects were very active. Knapweed Fritillary, Meadow Brown, Wood White, Great Banded Grayling, Gatekeeper and Clouded Yellow among the butterflies. There was also Red-winged Grashopper, Owl Fly and Metallic Wood-borer Beetle.

After lunch, we made a short hop to an area of arable margins. *Silene noctiflora* (Night-flowering Catchfly), *Euphorbia exigua* (Dwarf Spurge), *Ajuga chamaepitys* (Ground-pine), and *Agrostemma githago* (Corncockle) were recorded, together with Rock Sparrow and more Turtle Doves.

We now began to retrace our steps back towards La Chapelle, making our next stop on the Col de Bacchus, where we explored a very quiet country lane. Among the plants we found *Hypericum perforatum* (Perforate St. John's-wort), *Lonicera xylosteum* (Fly Honeysuckle), *Himantoglossum hircinum* (Lizard Orchid) and *Lavandula officinalis*

(Wild Lavaender). Butterflies included Chalk-hill Blue, Brown Argus, Large White and Lulworth Skipper. There were also Transparent Burnet, Six-spot Burnet and Burnet Companion moths.

After stopping in Leoncel for refreshments, we made our last stop in the Forêt de Lente, to examine a large stand of *Sambucus ebulus* (Dwarf Elder), a splendid nectar source for insects. Here we recorded, Dark Green Fritillary, Silver-washed Fritillary, including the female variant *forma valezina*, Queen of Spain Fritillary, Small Skipper and Pearly Heath butterflies, the Hornet and Pelucid Hoverflies, Hornet and Common Wasp.

We now continued back to our hotel for dinner.

Day 6

Monday 11th July

Réserve Naturelle des Hauts Plateaux du Vercors

This morning's moth trap produced, Buff Footman, Poplar Hawk-moth, Light Emerald, Black Arches, Spectacle and White Point for the macros. Micros included Common Yellow Conch (*Agapeta hammana*), Chequered Grass-veneer (*Catoptria falsella*) and Box-tree Moth (*Cydalima perspectalis*). Some group members took a pre-breakfast walk, reporting Garden Warbler, Serin, Coal Tit and Firecrest in the hotel gardens. A short walk away both Common and Black Redstart gave fine views. A Green Woodpecker flew over and perched briefly while an early Common Buzzard was just getting up into the sky and a male and female Red-backed Shrike were spotted at a field edge.

After breakfast, we made the short journey south through St. Agnan en Vercors, towards Rousset, before turning left and making our way up along the forest road to the Réserve Naturelle des Hauts Plateaux du Vercors, where we parked in the car park at La Coche. Along the way, we made a brief stop at a viewpoint for photos. The morning was sunny and warm as we set off to explore the forest tracks and woodland clearings, and it was not long, before we made our first sightings: *Polystichum aculeatum* (Hard Shield-fern) and *Rosa glauca* (Red-leaved Rose), quickly followed by Almond-eyed Ringlet, Apollo, Large Wall Brown, Heath Fritillary and Mazarine Blue butterflies. On the track, passing horses had left their droppings and these had small groups of Dingy and Large Grizzled Skippers on them. Moths were represented by Broad-bordered Bee Hawk-moth and Scarlet Tiger.

Moving through the woodland, we emerged into some large glades. Here we found *Bupleurum falcatum* subsp. *cernuum* (a Hare's-ear), *Polygonatum verticillatum* (Whorled Solomon's-seal), *Siler montanum* (Sermountain), *Dianthus sylvestris* (Wood Pink), *Sempervivum tectorum* (Common Houseleek), *Himantoglossum hircinum* (Lizard Orchid), *Veronica austriaca* (Large Speedwell) and *Phyteuma orbiculare* (Round-headed Rampion). This was quite a sun-trap and the butterflies were very numerous, with Large Skipper, False Heath Fritillary, Southern White Admiral, Titania's Fritillary, Painted Lady, Apollo and Silver-washed Fritillary all recorded.

In addition, we recorded a number of other insects, among which there were the Longhorn Beetle *Stenurella bifasciata*, Green Mountain Grasshopper, Hornet Hoverfly, Honey Bee, Rose Chafer and the Soldier Beetle *Tricodes apiarius*.

Birders in the group who were keen to try for Citril Finch, a mountain speciality, and had walked on ahead. On the way up they picked out Crested Tit and Ring Ouzel, though Citril Finch remained elusive. A low flying Honey Buzzard partly raised spirits again.

At La Coche, we took lunch in the shade of some trees to keep out of the sun, before moving on to explore the forest route around the rear of the plateau. We paused to take in the spectacular views of the Grand Veymont, before making our way down to the valley, where we stopped by a verge bank at Les Munières. Here we walked up into the trees, where Paul knew a colony of *Goodyera repens* (Creeping Ladies-tresses), growing with *Pyrola minor* (Common Wintergreen). On the verge we found *Neotinea ustulata* (Burnt Orchid) and *Epipactis atrorubens* (Dark-red Helleborine).

From here, we made our way back to our hotel for some well-earned refreshments before dinner.

Day 7

Tuesday 12th July

Pas de l'Ouille.

The principal objective for today was to make a walk up toward the Pas de l'Ouille, above Villard de Lans. After breakfast we drove up to the low-level cable-car station at Le Balcon Cote 2000, and caught the 9.15am cable car to L'Altitude 2000 upper station at 1,720 metres. From the cable-car station, we began to make our way up the well-signposted track. Along the way we recorded Mountain Clouded Yellow, Mazarine Blue, False Heath Fritillary, Silver-studded Blue and Small Tortoiseshell butterflies. As we progressed, we found *Hypericum richeri* subsp. *burseri* (an Alpine St. John's-wort), emerging *Saxifraga aizoides* (Yellow Mountain Saxifrage), *Sideritis hyssopifolia* and *Pinus uncinata* (Mountain Pine). We also had good views of Coal Tit, Alpine Chough, Raven and Black Redstart.

The path to the Pas de l'Ouille was uneven, but level, and as we went, we paused for water and to scan for Ibex. We encountered several whistling Alpine Marmots, one or two of which were basking in the sunshine. We also recorded Common Brassy Ringlet, Swallowtail, Geranium Argus, Heath Fritillary, False Heath Fritillary, Wall Brown and Small Heath. We stopped for lunch in an area of broken limestone boulders, enjoying our picnic with the addition of stunning views. In the distance we had intermittent views of Alpine Chamois, which kept moving behind trees and rocks, and fleeting, distant, glimpses of Alpine Ibex. After eating we continued a short distance to an area of sheltered rocks, where we found *Doronicum grandiflora* (Large-flowered Leopard's-bane), *Globularia cordifolia* (Matted Globularia), *Trausteinera globosa* (Round-headed Orchid), *Kerneria saxatilis* (Kerneria), *Hornungia (Pritzelago) alpina* (Chamois Cress) and *Allium nacsissiflorum* (Narcissus-flowered Onion), among numerous others. Some group members chose to go further towards the summit.

On our descent, we searched an area of alpine pasture. Here we found Mazarine Blue and Geranium Argus butterflies. We enjoyed refreshments at the Café Altitude Cote 2000, before catching the cable car back down to the vehicles.

On the return journey, we made a short stop in the Gorges de la Bourne, at the Pont Valchevrière bridge. Here, we set out to look for Dippers. Grey Wagtails were very much in evidence, but the only Dipper encountered was heard. Nevertheless, we did see Silver-washed Fritillary, White-letter Hairstreak and Small Skipper butterflies, and Bee Beetle. Among the trees there were *Ulmus glabra* (Wych Elm), *Fagus sylvatica* (Beech), *Salix viminalis* (Basket Willow) and *Fraxinus excelsior* (Ash).

On our way back to the hotel, we dropped into a local honey producer, before arriving back. After the evening meal, Paul set the moth trap.

Day 8

Wednesday 13th July

Bois de Mures - Lyon St. Exupery Airport, via Grenoble Isère Airport

Following a final splendid breakfast, we said goodbye to our host, Fabienne and her daughters, and began our journey back to Lyon, following the same route we came on, only in reverse. We made it to Lyon in good time for our various planes and trains home.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



www.facebook.com/naturetrekwildlifeholidays



www.twitter.com/naturetrektours



www.instagram.com/naturetrek_wildlife_holidays

Species lists

Birds (H = Heard)

		July 2022							
Common name	Scientific name	6	7	8	9	10	11	12	
Alpine Swift	<i>Tachymarptis melba</i>					✓			
Common Swift	<i>Apus apus</i>	✓	✓	✓	✓	✓	✓	✓	
Common Cuckoo	<i>Cuculus canorus</i>			H					
Rock Dove [Feral]	<i>Columba livia feral</i>	✓	✓	✓		✓	✓		
Common Wood Pigeon	<i>Columba palumbus</i>	✓	✓	✓	✓	✓	✓	✓	
European Turtle Dove	<i>Streptopelia turtur</i>	H				✓			
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓				✓			
Grey Heron	<i>Ardea cinerea</i>	✓		✓					
European Honey Buzzard	<i>Pernis apivorus</i>			✓			✓		
Griffon Vulture	<i>Gyps fulvus</i>		✓						
Short-toed Snake Eagle	<i>Circaetus gallicus</i>	✓	✓			✓			
Red Kite	<i>Milvus milvus</i>	✓	✓					✓	
Black Kite	<i>Milvus migrans</i>	✓		✓	✓				
Common Buzzard	<i>Buteo buteo</i>	✓	✓	✓	✓	✓	H		
Tawny Owl	<i>Strix aluco</i>			H					
Eurasian Hoopoe	<i>Upupa epops</i>					H			
European Bee-eater	<i>Merops apiaster</i>	✓							
Black Woodpecker	<i>Dryocopus martius</i>				✓				
European Green Woodpecker	<i>Picus viridis</i>			H	H	H			
Common Kestrel	<i>Falco tinnunculus</i>	✓	✓			✓			
Red-backed Shrike	<i>Lanius collurio</i>	✓	✓						
Eurasian Jay	<i>Garrulus glandarius</i>		✓	✓	✓	✓	✓		
Eurasian Magpie	<i>Pica pica</i>	✓	✓	✓	✓	✓	✓	✓	
Alpine Chough	<i>Pyrrhocorax graculus</i>		✓			✓		✓	
Western Jackdaw	<i>Corvus monedula</i>	✓							
Rook	<i>Corvus frugilegus</i>	✓							
Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓	✓	✓	
Northern Raven	<i>Corvus corax</i>	✓	H	✓		✓	✓	✓	
Coal Tit	<i>Pariparus ater</i>			✓	✓	✓	✓	✓	
European Crested Tit	<i>Lophophanes cristatus</i>	H		H	✓		H		
Eurasian Blue Tit	<i>Cyanistes caeruleus</i>	✓		✓	✓	✓			
Great Tit	<i>Parus major</i>		✓				✓		
Eurasian Skylark	<i>Alauda arvensis</i>		✓			H			
Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓		✓	✓	✓	
Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>				H				
Common House Martin	<i>Delichon urbicum</i>		✓	✓	✓	✓	✓	✓	
Long-tailed Tit	<i>Aegithalos caudatus</i>		H						
Common Chiffchaff	<i>Phylloscopus collybita</i>			✓					
Marsh Warbler	<i>Acrocephalus palustris</i>			H					
Eurasian Blackcap	<i>Sylvia atricapilla</i>	H	H	H	H	✓	✓	H	
Garden Warbler	<i>Sylvia borin</i>						H	✓	
Goldcrest	<i>Regulus regulus</i>			H					
Eurasian Wren	<i>Troglodytes troglodytes</i>							H	
Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓	✓	✓	
Mistle Thrush	<i>Turdus viscivorus</i>		✓			✓			
European Robin	<i>Erithacus rubecula</i>				H		✓		

		July 2022						
Common name	Scientific name	6	7	8	9	10	11	12
Black Redstart	<i>Phoenicurus ochruros</i>		✓	✓	✓	✓	✓	✓
Common Redstart	<i>Phoenicurus phoenicurus</i>				✓			
Northern Wheatear	<i>Oenanthe oenanthe</i>		✓			✓		✓
White-throated Dipper	<i>Cinclus cinclus</i>							✓
House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓
Rock Sparrow	<i>Petronia petronia</i>					✓		
Grey Wagtail	<i>Motacilla cinerea</i>							✓
White Wagtail	<i>Motacilla alba</i>	✓		✓	✓	✓	✓	✓
Meadow Pipit	<i>Anthus pratensis</i>		✓					
Water Pipit	<i>Anthus spinoletta</i>		✓					
Common Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓		✓	✓	✓
European Greenfinch	<i>Chloris chloris</i>	H			H			
European Goldfinch	<i>Carduelis carduelis</i>	✓	✓	✓	✓	✓	✓	✓
Citril Finch	<i>Carduelis citrinella</i>							✓
European Serin	<i>Serinus serinus</i>	✓			✓			
Yellowhammer	<i>Emberiza citrinella</i>			H		✓		

Other vertebrates (S = signs, D = Dead, H = Heard)

		July 2022						
		6	7	8	9	10	11	12
MAMMALS:								
Common Mole	<i>Talpa europaea</i>	S	S	S			S	
Eurasian Badger	<i>Meles meles</i>					D		
Red Squirrel	<i>Sciurus vulgaris</i>		✓				S	
Alpine Marmot	<i>Marmota marmota</i>		✓					H
Snow Vole	<i>Chionomys nivalis</i>							✓
Brown Hare	<i>Lepus capensis</i>	✓						

		July 2022						
		6	7	8	9	10	11	12
AMPHIBIANS & REPTILES:								
Edible Frog (Hybrid)	<i>Pelophylax kl. esculentus</i>		✓					
Western Green Lizard	<i>Lacerta bilineata</i>	✓						
Common Wall Lizard	<i>Podarcis muralis</i>		✓	✓		✓		

Others

Key – F = Field, T = Trap, LO = Leader only

Butterflies

N.B. (✓) = Woodland and Rock Graylings are not determinable in the field. However, enough individuals referring to both species were seen to suggest both were recorded.

		July 2022						
Common name	Scientific name	6	7	8	9	10	11	12
BUTTERFLIES:								
	<i>Papilionidae</i>							
Swallowtail	<i>Papilio machaon</i>				✓			

Common name	Scientific name	July 2022						
		6	7	8	9	10	11	12
Scarce Swallowtail	<i>Iphiclides podalirius</i>	✓	✓		✓	✓	✓	
Apollo	<i>Parnassius apollo</i>		✓	✓	✓		✓	✓
	Pieridae							
Black-veined White	<i>Aporia crataegi</i>						✓	
Large White	<i>Pieris brassicae</i>	✓	✓	✓	✓	✓	✓	✓
Small White	<i>Pieris rapae</i>	✓	✓	✓	✓	✓		
Mountain Clouded Yellow	<i>Colias phicomone</i>							✓
Clouded Yellow	<i>Colias crocea</i>	✓			✓	✓	✓	✓
Pale Clouded Yellow	<i>Colias hyale</i>				✓			
Berger's Clouded Yellow	<i>Colias alfajariensis</i>		✓		✓	✓	✓	
Brimstone	<i>Gonepteryx rhamni</i>		✓	✓		✓	✓	
Cleopatra	<i>Gonepteryx cleopatra</i>				✓	✓		
Wood White	<i>Leptidea sinapis</i>		✓	✓	✓	✓	✓	✓
	Lycaenidae							
Sloe Hairstreak	<i>Satyrium acaciae</i>		✓		✓		✓	
Blue-spot Hairstreak	<i>Satyrium spini</i>		✓	✓	✓		✓	
White Letter Hairstreak	<i>Satyrium w-album</i>							✓
Small Copper	<i>Lycaena phlaeas</i>				✓			
Scarce Copper	<i>Lycaena virgureae</i>		✓	✓	✓	✓	✓	✓
Sooty Copper	<i>Lycaena tityrus</i>				✓			✓
Purple-shot Copper	<i>Lycaena alciphron</i>		✓					
Purple-edged Copper	<i>Lycaena hippothoe</i>						✓	✓
Small Blue	<i>Cupido minimus</i>	✓				✓	✓	
Holly Blue	<i>Celastrina argiolus</i>			✓		✓	✓	
Large Blue	<i>Phengaris arion</i>		✓		✓		✓	
Silver-studded Blue	<i>Plebejus argus</i>						✓	✓
Geranium Argus	<i>Aricia eumedon</i>							✓
Brown Argus	<i>Aricia agrestis</i>	✓		✓	✓	✓	✓	✓
Mazarine Blue	<i>Cyaniris semiargus</i>	✓			✓	✓	✓	✓
Damon Blue	<i>Polyommatus damon</i>		✓	✓				
Chalk-hill Blue	<i>Polyommatus coridon</i>					✓		
Provence Chalk-hill Blue	<i>Polyommatus hispana</i>			✓		✓	✓	✓
Adonis Blue	<i>Polyommatus bellargus</i>		✓		✓			
Common Blue	<i>Polyommatus icarus</i>	✓			✓	✓		
	Nymphalidae							
Purple Emperor	<i>Apatura iris</i>		✓	✓	✓			
White Admiral	<i>Limenitis camilla</i>			✓	✓	✓		
Large Tortoiseshell	<i>Nymphalis polychloros</i>			✓				
Peacock Butterfly	<i>Aglais io</i>	✓						
Red Admiral	<i>Vanessa atalanta</i>			✓				
Painted Lady	<i>Vanessa cardui</i>	✓	✓	✓		✓	✓	✓
Small Tortoiseshell	<i>Aglais urticae</i>	✓		✓				✓
Comma Butterfly	<i>Polygonia c-album</i>			✓				
Silver-washed Fritillary	<i>Argynnis paphia</i>			✓	✓	✓	✓	
Silver-washed Fritillary	<i>Argynnis paphia f. valezina</i>					✓		
Dark Green Fritillary	<i>Speyeria aglaja</i>		✓		✓	✓	✓	✓
High Brown Fritillary	<i>Fabriciana adippe</i>		✓	✓	✓		✓	
Niobe Fritillary	<i>Fabriciana niobe</i>		✓	✓			✓	
Queen of Spain Fritillary	<i>Issoria lathonia</i>	✓	✓			✓	✓	
Marbled Fritillary	<i>Benthis daphnae</i>				✓		✓	
Lesser Marbled Fritillary	<i>Benthis ino</i>						✓	

Common name	Scientific name	July 2022						
		6	7	8	9	10	11	12
Titania's Fritillary	<i>Boloria titania</i>						✓	
Weaver's Fritillary	<i>Boloria dia</i>	✓	✓	✓	✓		✓	
Knapweed Fritillary	<i>Melitaea phoebe</i>	✓				✓		
Spotted Fritillary	<i>Melitaea didyma</i>					✓		
False Heath Fritillary	<i>Melitaea diamina</i>						✓	✓
Heath Fritillary	<i>Mellicta athalia</i>		✓	✓	✓	✓	✓	✓
Marbled White	<i>Melanargia galathea</i>	✓	✓	✓	✓	✓	✓	✓
Woodland Grayling	<i>Hipparchia fagi</i>			(✓)	(✓)	(✓)		(✓)
Rock Grayling	<i>Hipparchia alcyone</i>			(✓)	(✓)	(✓)		(✓)
Great Sooty Satyr	<i>Satyrus ferula</i>		✓	✓	✓	✓		
Great Banded Grayling	<i>Brintesia circe</i>	✓	✓	✓	✓	✓	✓	
Arran Brown	<i>Erebia ligea</i>			✓	✓	✓	✓	✓
Yellow-spotted Ringlet	<i>Erebia manto</i>							✓
Mountain Ringlet	<i>Erebia epiphron</i>							✓
Scotch Argus	<i>Erebia aethiops</i>			✓	✓		✓	✓
Almond-eyed Ringlet	<i>Erebia albertanus</i>		✓				✓	✓
Common Brassy Ringlet	<i>Erebia cassioides</i>							✓
Meadow Brown	<i>Maniola jurtina</i>		✓	✓	✓	✓	✓	✓
Ringlet	<i>Aphantopus hyperantus</i>	✓	✓		✓	✓	✓	
Gatekeeper	<i>Pyronia tithonus</i>				✓	✓		
Small Heath	<i>Coenonympha pamphilus</i>	✓	✓		✓		✓	✓
Pearly Heath	<i>Coenonympha arcania</i>			✓	✓	✓	✓	✓
Darwin's Heath	<i>Coenonympha darwiniana</i>			✓	✓			
Southern' Speckled Wood	<i>Pararge aegeria aegeria</i>	✓		✓	✓			
Speckled Wood	<i>Pararge aegeria tircis</i>				✓			
Wall Brown	<i>Lasiommata megera</i>	✓			✓	✓	✓	
Large Wall Brown	<i>Lasiommata maera</i>		✓	✓	✓	✓		✓
	Hesperiidae							
Southern Grizzled Skipper	<i>Pyrgus malvoides</i>	✓						
Large Grizzled Skipper	<i>Pyrgus alveus</i>						✓	
Oberthur's Grizzled Skipper	<i>Pyrgus armoricus</i>						✓	
Olive Skipper	<i>Pyrgus serratulae</i>			✓				
Carline Skipper	<i>Pyrgus carlinae</i>		✓					
Red-underwing Skipper	<i>Spialia sertorius</i>	✓					✓	✓
Dingy Skipper	<i>Erynnis tages</i>	✓	✓		✓	✓		
Lulworth Skipper	<i>Thymelicus acteon</i>				✓	✓	✓	
Essex Skipper	<i>Thymelicus lineolus</i>		✓				✓	
Small Skipper	<i>Thymelicus sylvestris</i>	✓	✓	✓	✓	✓	✓	✓
Large Skipper	<i>Ochlodes sylvanus</i>				✓	✓	✓	

Moths

Common name	Scientific name	July 2022						
		6	7	8	9	10	11	12
Micros.								
Bird-cherry Ermine	<i>Yponomeuta evonymella</i>						T	
Blastobasid	<i>Blastobasis phycidella</i>						T	
Dotted Ermine	<i>Ethmia dodeceia</i>				T			
Common Yellow Conch	<i>Agapeta hamana</i>						T	
White-bodied Conch	<i>Cochylis hydridella</i>						T	

Common name	Scientific name	July 2022						
		6	7	8	9	10	11	12
Brown-barred Tortrix	<i>Epagoge grotiana</i>				T			
Common Marble	<i>Celypha lucunana</i>				T			
Lettuce Tortrix	<i>Eucosma conterminana</i>						T	
Orange-spotted Shoot	<i>Rhyacionia pinicolana</i>				T			
Beech Moth	<i>Cydia fagiglandana</i>				T			
Chestnut Tortrix	<i>Cydia splendana</i>						T	
Codlin Moth	<i>Cydia pomonella</i>						T	
Summer Rose Bell	<i>Notocelia roborana</i>						T	
Sycamore Piercer	<i>Pammene aurita</i>						T	
Long-legged Tabby	<i>Synaphe punctalis</i>				T		T	
Large Tabby	<i>Aglossa pinguinalis</i>						T	
Dark Pine Knot-horn	<i>Dioryctria abietella</i>						T	
Spruce Knot-horn	<i>Dioryctria schuetzeella</i>						T	
Marbled Knot-horn	<i>Acrobasis marmorea</i>				T		T	
Dark Spruce Knot-horn	<i>Assara terebrella</i>						T	
Twin-barred Knot-horn	<i>Homoeosoma sinuella</i>						T	
Pied Grey	<i>Eudonia delunella</i>				T		T	
Little Grey	<i>Eudonia lacustrata</i>				T			
Straw Grass-veneer	<i>Agriphila staminella</i>						T	
Elbow-stripe Grass-veneer	<i>Agriphila geniculea</i>				T		T	
Pearl Grass-veneer	<i>Catoptria pinella</i>				T			
Chequered Grass-veneer	<i>Catoptria falsella</i>				T		T	
Small Magpie	<i>Anania hotulata</i>						T	
Golden-rod Pearl	<i>Anania terrealis</i>				T			
Rush Veneer	<i>Nomophila noctuella</i>				T			
Box Tree Moth [white form]	<i>Cydalima perspectalis</i>				T		T	
Box Tree Moth [dark form]	<i>Cydalima perspectalis</i>				T			
Macros.								
Forester	<i>Adscita statices</i>		F					
Six-spot Burnet Moth	<i>Zygaena filipendulae</i>	F	F		F	F		
Crepuscular Burnet Moth	<i>Zygaena carniolica</i>		F					
Southern Six-spot Burnet	<i>Zygaena transalpina</i>		F	F	F	F	F	
Lackey	<i>Malacosoma neustria</i>						T	
Ochraceous Wave	<i>Idaea serpentata</i>		F					F
Chequered Wave	<i>Idaea monilita</i>						T	
Least Carpet	<i>Idaea rusticata atrosignaria</i>				T		T	
Small Dusty Wave	<i>Idaea seriata</i>				T			
Riband Wave	<i>Idaea aversata f. remutata</i>				T			
Vestal	<i>Rhodometra sacraria</i>					F		
Rose-banded Wave	<i>Rhodostrophia vibicaria</i>						T	
Red Twin-spot Carpet	<i>Xanthorhoe spadicearia</i>				T		T	
Shaded Broad-bar	<i>Scotopteryx chenopodiata</i>	F						
Galium Carpet	<i>Epirrhoe galiata</i>				T			
Small Argent & Sable	<i>Epirrhoe rivata</i>				T			
Dark Umber	<i>Philereme transversata</i>				T			
Green Pug	<i>Pasiphila rectangulata</i>				T			
Tawney Speckled Pug	<i>Eupithecia icterata</i>				T			
Pug	<i>Eupithecia breviculata</i>						T	
Purple Treble-bar	<i>Aplocera praeformata</i>		F					
V-Moth	<i>Macaria wauaria</i>						T	

Common name	Scientific name	July 2022						
		6	7	8	9	10	11	12
Latticed Heath	<i>Chiasmia clathrata clathrata</i>			F	T		T	
Early Thorn	<i>Selenia dentaria</i>						T	
August Thorn	<i>Ennomos quercinaria</i>				T			
Peppered Moth	<i>Biston betularia</i>				T		T	
Willow Beauty	<i>Peribatodes rhomboidaria</i>				T		T	
Mottled Beauty	<i>Alcis repandata</i>				T		T	
Common Heath	<i>Ematurga atomaria atomaria</i>				F			
Light Emerald	<i>Campaea margaritaria</i>						T	
Poplar Hawk-moth	<i>Laothoe populi</i>						T	
Hummingbird Hawk-moth	<i>Macroglossum stellatarum</i>		F		F	F	F	
Broad-bordered Bee Hawk-moth	<i>Hemaris fuciformis</i>				F	F		
Pine Processionary Moth	<i>Thaumetopoea pityocampa</i>				T			
Oak Marbled Brown	<i>Dryonia querna</i>				T			
Buff-tip	<i>Phalera bucephala</i>				T			
Black Arches	<i>Lymantria monacha</i>						T	
Muslin Footman	<i>Nudaria mundana</i>				T			
Dingy Footman	<i>Eilema griseola</i>				T		T	
Scarce Footman	<i>Eilema complana</i>				T		T	
Common Footman	<i>Eilema lurideola</i>				T		T	
Four-spotted Footman	<i>Lithosia quadra</i>				T	F	T	
Buff Footman	<i>Eilema depressa</i>						T	
Scarlet Tiger	<i>Callimorpha dominula</i>			F	F	F	F	
Heart and Dart	<i>Agrotis exclamationis</i>				T		T	
Lesser Broad-bordered YU	<i>Noctua janthe</i>				T			
Bright-line, Brown Eye	<i>Lacanobia oleracea</i>				T			
Bordered Gothic	<i>Sideridis reticulata</i>				T			
Brown-line Bright-eye	<i>Mythimna conigera</i>				T		T	
White Point	<i>Mythimna albipuncta</i>						T	
Smoky Wainscot	<i>Mythimna impura</i>				T			
Blairs Shoulder-knot	<i>Lithophane leautieri hesperica</i>				T			
Knot Grass	<i>Acronicta rumicis</i>				T		T	
Coronet	<i>Craniophora ligustri</i>				T		T	
European Noctuid	<i>Calliergis ramosa</i>						T	
Guernsey Underwing	<i>Polyphaenis sericata</i>				T		T	
Clouded-bordered Brindle	<i>Apamea crenata</i>				T			
Cloaked Minor	<i>Mesoligia furuncula</i>						T	
Cloaked Minor	<i>Mesoligia furuncula f. bicoloria</i>				T		T	
Marbled Minor agg.	<i>Oligia strigilis</i>				T		T	
Nut-tree Tussock	<i>Colocasia coryi</i>				T			
Mottled Rustic	<i>Caradrina morpheus</i>				T			
Uncertain	<i>Hoplodrina alsines</i>				T			
Rustic agg.	<i>Hoplodrina blanda</i>						T	
European Noctuid	<i>Hoplodrina respersa</i>				T			
Spectacle	<i>Abrostola tripartita</i>						T	
Plain Golden Y	<i>Autographa jota</i>				T			
Burnet Companion	<i>Euclidia gylphica</i>	F	F		F	F	F	F
Beautiful Hook-tip	<i>Laspeyria flexula</i>						T	

Other invertebrates

		July 2022						
Common name	Scientific name	6	7	8	9	10	11	12
OTHER INVERTEBRATES:								
Beautiful Demoiselle	<i>Calopteryx virgo</i>						F	F
Common Bluet	<i>Enallagma cyathigerum</i>			F				
Blue Emperor	<i>Anax imperator</i>					F		
Lesser Emperor	<i>Anax parthenope</i>					F		
Common Goldenring	<i>Cordulegaster boltonii</i>						F	
Broad-bodied Chaser	<i>Libellula depressa</i>			F				
Four-spotted Chaser	<i>Libellula quadrimaculata</i>			F				
Common Darter	<i>Sympetrum striolatum</i>			F				
Green Mountain Grasshopper	<i>Miramella alpina</i>		F					
Blue-winged Grasshopper	<i>Oedipoda caerulea</i>		F					
Red-winged Grasshopper	<i>Oedipoda germanica</i>		F		F	F		
Red-legged Grasshopper	<i>Melanoplus femurrubrum</i>		F					
Great Green Bush-cricket	<i>Tettigonia viridissima</i>		F		F	F		
Green Bush-cricket	<i>Tettigonia cantans</i>				F			
a Shield Bug	<i>Graphosoma lineata</i>				F		F	
Fire Bug	<i>Pyrrhocoris apterus</i>		F					
Assassin Bug	<i>Rhinocoris iracundus</i>			F				
Common Pond Skater	<i>Gerris lacustris</i>		F	F	F	F	F	F
Common Backswimmer	<i>Notonecta glauca</i>		F	F	F	F	F	F
Cicada	<i>Tibicen plebejus</i>				F	H		
Leaf Hopper	<i>Ledra aurita</i>						T	
Ascalaphid or Owl Fly	<i>Libelloides coccajus</i>					LO		
Caddis Fly sp	<i>Trichoptera sp.</i>				T		T	
Spotted Cranefly	<i>Nephrotoma crocata</i>						T	
a Horse Fly	<i>Tabanus sp.</i>			F		F		
Cleg-fly	<i>Haematopota pluvialis</i>			F			F	
a Bee Fly	<i>Bombylius sp.</i>					F		
Marmalade Hover-fly	<i>Episyrphus balteatus</i>		F				F	
Drone-fly	<i>Eristalis tenax</i>		F			F	F	
Hornet Hover-fly	<i>Volucella zonaria</i>				F	F		
Pellucid Hover-fly	<i>Volucella pellucens</i>					F		
Ichneumon Wasp	<i>Ophion luteus</i>						T	
Wood Ant	<i>Formica rufa</i>		F		F	F	F	F
Hornet	<i>Vespa crabro</i>					F		F
European Paper Wasp	<i>Polistes gallicus</i>		F		T		T	
Carpenter Bee	<i>Xylocopa sp.</i>				F		F	
Honey Bee	<i>Apis mellifera</i>	F	F					
Red-tailed Bumblebee	<i>Bombus lapidarius</i>	F	F		F	F	F	
Common Carder Bee	<i>Bombus pascuorum</i>			F	F	F	F	
Summer Chafer	<i>Amphimallon solstitialis</i>				T		T	
Bee Beetle	<i>Trichius fasciatus</i>					F		
Rose Chafer	<i>Cetonia aurata</i>				F			
Peach Root or Metallic Wood-borer	<i>Capnodis tenebrionis</i>					F		
Soldier Beetle	<i>Cantharis rustica</i>					F	F	
Soldier Beetle	<i>Rhagonycha fulva</i>	F						
Soldier Beetle	<i>Trichodes alvearius</i>			F				
Seven Spot Ladybird	<i>Coccinella 7-punctata</i>					F		
Orange Ladybird	<i>Halyzia sedecimguttata</i>				T			
Harlequin Ladybird	<i>Harmonia axyridis</i>				T		T	

		July 2022						
Common name	Scientific name	6	7	8	9	10	11	12
a Yellow Beetle	<i>Cteniopus sulphureus</i>			F				
Longhorn Beetle	<i>Rutpela (Strangalia) maculata</i>				F			
a Leaf Beetle	<i>Clytra 4-punctata</i>				F			
Wasp Spider	<i>Agriope bruennichi</i>	F						
Crab Spider	<i>Misumena vatia</i>		F				F	
Harvestman sp.			F					
MOLLUSCS:								
Brown-lipped Banded Snail	<i>Cepaea nemoralis</i>		F					
LEECHES:								
Horse Leech	<i>Haemopsis sanguisuga</i>			F				

Plants

Please Note: Nomenclature contained within this list follows Plants of the World Online (POWO), An internationally accepted Atabase od vascular plant families published by The Royal Botanic Gardens, Kew

Scientific name	Common name	Location
* = Very localised distribution or endemic		
[] = Planted or Introduced		
Calamophytes	Horsetails	
Equisetaceae	Horsetail Family	
<i>Equisetum arvense</i>	Common Horsetail	Chabertiere
Eusporangiate Ferns	Adder's-tongues & Moonworts	
Ophioglossaceae	Adder's-tongue Family	
<i>Botrychium lunaria</i>	Moonwort	Pas de l'Oeille
Leptosporangiate Ferns	True Ferns	
Aspleniaceae	Spleenwort Family	Above St. Jean en Royans
<i>Asplenium fontanum</i>	Smooth Rock Spleenwort	Above St. Jean en Royans
<i>Asplenium ruta-muraria</i>	Wall Rue	Above St. Jean en Royans
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Above St. Jean en Royans
<i>Asplenium viride</i>	Green Spleenwort	Hauts Plateaux
<i>Cystopteris fragilis</i>	Brittle Bladder-fern	Above St. Jean en Royans
<i>Gymnocarpium dryopteris</i>	Oak Fern	Hauts Plateaux
<i>Gymnocarpium robertianum</i>	Limestone Fern	Hauts Plateaux
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Aire de Burcin
Dryopteridaceae	Buckler-fern Family	
<i>Dryopteris filix-mas</i>	Male-fern	Petrouze
<i>Dryopteris submontana</i>	Rigid Buckler-fern	Pas de l'Oeille
<i>Polystichum aculeatum</i>	Hard Shield-fern	Hauts Plateaux

Scientific name	Common name	Location
<i>Polystichum lonchitis</i>	Holly Fern	Pas de l'Oeille
Polypodiaceae	Polypody Family	
<i>Polypodium cambricum</i>	Southern Polypody	Above St. Jean en Royans
Gymnosperms	Conifers	
Cupressaceae	Juniper Family	
<i>Juniperus communis</i>	Juniper	Font d'Urle
<i>Juniperus oxycedrus</i>	Prickly Juniper	Gigors
<i>Juniperus thurifera</i>	French Alpine Juniper	Gorges de la Bourne
Pinaceae	Pine Family	
<i>Abies alba</i>	European Silver Fir	Petrouze
<i>Picea abies</i> subsp. <i>abies</i>	Spruce	Foret de Lente
<i>Pinus nigra</i>	Austrian or Black Pine	Gigors
<i>Pinus sylvestris</i>	Scots Pine	Les Meunieres
<i>Pinus uncinata</i>	Mountain Pine	Pas de l'Oeille
Angiosperms	Flowering Plants	
Pre-Dicots	Primitive Angiosperms	
Aristolochiaceae	Birthwort Family	
<i>Asarum europaeum</i>	Asarabacca	Chabertiere
Eu-Dicots	True Dicotyledons	
Adoxaceae	Moschatel family	
<i>Sambucus ebulus</i>	Dwarf Elder or Danewort	Roadsides
<i>Sambucus racemosus</i>	Red-berried Elder	Roadsides
<i>Sambucus nigra</i>	Elder	Hauts Plateaux
Amaranthaceae	Goosefoot Family	
<i>Amaranthus retroflexus</i>	Common Pigweed	Grenoble Isere Airport area
<i>Atriplex patula</i>	Common Orache	Grenoble Isere Airport area
<i>Chenopodium bonus-henricus</i>	Good King Henry	Font d'Urle
Anacardiaceae	Sumach Family	
<i>Cotinus coggygia</i>	Smoke Bush	Route Presles
Apiaceae	Carrot Family	
<i>Angelica sylvestris</i>	Wild Angelica	Les Bruyeres
<i>Astrantia major</i>	Great Masterwort	Hauts Plateaux
<i>Bupleurum falcatum</i> subsp. <i>cernuum</i>	Sickle-leaved Hare's-ear	Hauts Plateaux
<i>Bupleurum petraeum</i>	Rock Hare's-ear	Pas de l'Oeille
<i>Daucus carota</i>	Wild Carrot	Font d'Urle
<i>Eryngium campestre</i>	Field Eryngo	Route Presles
<i>Heracleum sphondylium</i>	Hogweed	Font d'Urle
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Font d'Urle
<i>Siler montanum</i> (<i>Laserpitium siler</i>)	A Sermountain	Les Merciers
<i>Meum athamanticum</i>	Spignel	Font d'Urle

Scientific name	Common name	Location
<i>Peucedanum venetum</i>	Southern Masterwort	Route Presles
<i>Pimpinella saxifraga</i>	Burnet-saxifrage	Font d'Urle
Apocynaceae	Periwinkle Family	
<i>Vinca minor</i>	Lesser Periwinkle	Les Meunieres
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	Vassieux
Aquifoliaceae	Holly Family	
<i>Ilex aquifolia</i>	Holly	Bois de Mures
Araliaceae	Ivy Family	
<i>Hedera helix</i> agg	Ivy	Foret de Lente
Betulaceae	Birch Family	
<i>Corylus avellana</i>	Hazel	Gorges de la Bourne
Boraginaceae	Forget-me-not Family	
<i>Cynoglossum officinalis</i>	Hound's-tongue	Col de la Bataille
<i>Echium vulgare</i>	Viper's-bugloss	Foret de Lente
<i>Pulmonaria officinalis</i>	Lungwort	Route Presles
Brassicaceae	Cabbage Family	
<i>Hornungia (Pritzelago) alpina</i>	Chamois Cress	Pas de l'Oeille
<i>Lunaria rediviva</i>	Perennial Honesty	Gorges de la Bourne (in fruit)
<i>Pseudoturritia (Arabis) turrata</i>	Tower-cress	Above St. Jean en Royans (in fruit)
Buddlejaceae	Butterfly-bush Family	
<i>Buddleja davidii</i>	Butterfly-bush	Chatelus
Buxaceae	Box Family	
<i>Buxus sempervirens</i>	Box	Route Presles
Campanulaceae	Bellflower Family	
<i>Campanula cochlearifolia</i>	Fairy's Thimbles	Pas de l'Oeille
<i>Campanula glomerata</i>	Clustered Bellflower	Bois de Mures
<i>Campanula rapunculoides</i>	Creeping Bellflower	Les Merciers
<i>Campanula rhomboidalis</i>	Broad-leaved Bellflower	Font d'Urle
<i>Campanula rotundifolia</i>	Harebell	Aire de Burcin
<i>Legousia speculum-veneris</i>	Large Venus's Looking-glass	Vassieux
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Font d'Urle
Caprifoliaceae	Honeysuckle Family	
<i>Centranthus angustifolius</i>	Narrow-leaved Red Valerian	Pas de l'Oeille
<i>Centranthus ruber</i>	Red Valerian	Pont en Royans
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Pas de l'Oeille
<i>Lonicera xylostium</i>	Fly Honeysuckle	Col de Bacchus
<i>Scabiosa columbaria</i>	Small Scabious	Font d'Urle
<i>Scabiosa lucida</i>	Shining Scabious	Les Merciers
<i>Valeriana tripteris</i>	Three-leaved Valerian	Hauts Plateaux
Caryophyllaceae	Pink Family	
<i>Agrostemma githago</i>	Corncockle	Les Muenieres (in fruit)

Scientific name	Common name	Location
<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Sandwort	Hauts Plateaux
<i>Cerastium tomentosum</i>	Snow-in-Summer	Above St. Jean en Royans
<i>Dianthus carthusianorum</i>	Carthusian Pink	Les Merciers
<i>Dianthus gratianopolitanus</i>	Cheddar Pink	Gigors
<i>Dianthus monspessulanus</i>	Fringed Pink	Font d'Urle
<i>Dianthus sylvestris</i>	Wood Pink	Les Merciers
<i>Gypsophila repens</i>	Gypsophila	Pas de l'Oeille
<i>Minuartia verna</i>	Spring Sandwort	Font d'Urle
<i>Moehringia muscosa</i>	a Sandwort	Les Merciers
<i>Petrorhagia dubia</i> (<i>P. velutina</i>)	a Pink	Les Merciers
<i>Saponaria officinalis</i>	Soapwort	Grenoble Isere Airport area
<i>Silene flos-cuculi</i>	Ragged Robin	Les Bruyeres
<i>Silene nutans</i>	Nottinham Catchfly	Font d'Urle
<i>Silene vulgaris</i>	Bladder Campion	Col de la Chau
<i>Stellaria graminea</i>	Lesser Stitchwort	Foret de Lente
<i>Stellaria nemorum</i>	Wood Stitchwort	Hauts Plateaux
Cistaceae	Rock-rose Family	
<i>Helianthemum canum</i>	Hoary Rock-rose	Gigors
<i>Helianthemum nummularium</i>	Common Rock-rose	Font d'Urle
<i>H.nummularium</i> subsp. <i>grandiflorum</i>	a Rock-rose	Pas de l'Oeille
Compositae (Asteraceae)	Daisy Family	
<i>Achillea millefolium</i>	Yarrow	Vassieux
<i>Adenostyles alpina</i> (<i>glabra</i>)	-	Pas de l'Oeille
<i>Ambrosia artemisiifolia</i>	Ragweed	Grenoble Isere Airport area
<i>Arctium minus</i>	Lesser Burdock	Grenoble Isere Airport area
<i>Arnica montana</i>	Arnica	Font d'Urle (over)
<i>Bellis perennis</i>	Daisy	La Chapelle en Vercors
<i>Bupththalmum salicifolium</i>	Yellow Ox-eye	Font d'Urle
<i>Carduus defloratus</i>	Alpine Thistle	Font d'Urle
<i>Carduus nutans</i>	Nodding Thistle	Vassieux
<i>Carlina acaulis</i>	Stemless Carlina Thistle	Chabertiere
<i>Catananche caerulea</i>	Catananche	Route Preles
<i>Centaurea cyanus</i>	Cornflower	Vassieux
<i>Centaurea diffusa</i>	Diffuse Knapweed	Gigors
<i>Centaurea montana</i>	Perennial Cornflower	Hauts Plateaux
<i>Centaurea scabiosa</i>	Greater Knapweed	Grenoble Isere Airport area
<i>Centaurea solstitialis</i>	Yellow Star-thistle	Gigors
<i>Cirsium acaule</i>	Stemless Thistle	Font d'Urle
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Font d'Urle
<i>Crepis pyrenaica</i>	-	Route Preles
<i>Erigeron alpina</i>	Alpine Fleabane	Pas de l'Oeille
<i>Erigeron annuus</i>	Annual Fleabane	Aire le Burcin
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Foret de Lente
<i>Filago vulgaris</i>	Common Cudweed	Gigors
<i>Helianthus annuus</i> (<i>Planted</i>)	Sunflower	Planted
<i>Lactuca serriola</i>	Prickly Lettuce	Villard de Lans
<i>Lactuca virosa</i>	Great Lettuce	Les Muenieres
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Font d'Urle
<i>Onopordum acanthium</i>	Cotton Thistle	Gigors

Scientific name	Common name	Location
<i>Petasites paradoxa</i>	Alpine Butterbur	Gorges de la Bourne
<i>Prenanthes purpurea</i>	Purple Lettuce	Access to Font d'Urle
<i>Rhaponticum coniferum</i>	Leuzia	Route Presles (over)
<i>Senecio doronicum</i>	Chamois Ragwort	Pas de l'Oeille (over)
<i>Senecio ovatus</i> subsp. <i>alpestris</i>	-	Col de la Bataille
<i>Solidago virgaurea</i>	Goldenrod	Col de Bacchus
<i>Taraxacum agg</i>	Dandelion	Font d'Urle
<i>Tussilago farfara</i>	Colt's-foot	Pas de l'Oeille
Convolvulaceae	Bindweed Family	
<i>Convolvulus arvensis</i>	Field Bindweed	Vassieux
<i>Cuscuta europaeum</i>	Greater Dodder	Les Merciers
Cornaceae	Dogwood Family	
<i>Cornus sanguinea</i>	Dogwood	Route Presles
Crassulaceae	Stonecrop Family	
<i>Sedum acre</i>	Biting Stonecrop	Vassieux
<i>Sedum album</i>	White Stonecrop	Font d'Urle
<i>Sedum dasyphyllum</i>	Fat-leaved Stonecrop	Font d'Urle
<i>Sedum forsterianum</i>	Rock Stonecrop	Vassieux
<i>Sedum sediforme</i>	-	Route Presles
<i>Sedum sexangulare</i>	Tasteless Stonecrop	Les Muenieres
<i>Sempervivum tectorum</i>	Common Houseleek	Hauts Plateaux
Ericaceae	Heath family	
<i>Arctostaphylos uva-ursi</i>	Bearberry	Hauts Plateaux
<i>Monotropa hypopitys</i>	Yellow Bird's-nest	Bois de Mures
<i>Pyrola minor</i>	Common Wintergreen	Bois de Mures (over)
<i>Vaccinium myrtillus</i>	Bilberry	Font d'Urle
<i>Vaccinium vitis-idaea</i>	Cowberry	Hauts Plateaux
Euphorbiaceae	Spurge Family	
<i>Euphorbia cyparissias</i>	Cypress Spurge	Foret de Lente
<i>Euphorbia exigua</i>	Dwarf Spurge	Gigors
<i>Euphorbia helioscopia</i>	Sun Spurge	Gigors
<i>Euphorbia verrucosa</i>	-	Grenoble Isere Airport area
<i>Mercurialis perennis</i>	Dog's Mercury	Foret de Lente
Fagaceae	Beech Family	
<i>Fagus sylvatica</i>	Beech	Col de l'Echarasson
<i>Quercus pubescens</i>	Downy Oak	Route Presles
Gentianaceae	Gentian Family	
<i>Blackstonia perfoliata</i>	Yellow-wort	Route Presles
<i>Centaureum erythraea</i>	Centaury	Les Bruyeres
<i>Gentiana clusii</i>	Clusius's Gentian	Col de la Bataille (over)
<i>Gentiana cruciata</i>	Cross Gentian	Les Merciers
<i>Gentiana lutea</i>	Great Yellow Gentian	Foret de Lente
Geraniaceae	Geranium Family	

Scientific name	Common name	Location
<i>Erodium cicutarium</i>	Common Stork's-bill	Font d'Urle
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	Pas de l'Oeille
<i>Geranium robertianum</i>	Herb Robert	Villard de Lans
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Font d'Urle
Grossulariaceae	Gooseberry Family	
<i>Ribes alpinum</i>	Mountain Currant	Foret de Lente
Hypericaceae	St. John's-wort Family	
<i>Hypericum maculatum</i>	Imperforate St. John's-wort	Bois de Mures
<i>Hypericum perforatum</i>	Perforate St. John's-wort	Petrouze
<i>Hypericum richeri</i> subsp. <i>burseri</i>	an Alpine St. John's-wort	Font d'Urle
Juglandaceae	Walnut Family	
[<i>Juglans regia</i>]	Walnut	Planted
Lamiaceae	Dead-nettle Family	
<i>Ajuga chamaepitys</i>	Ground-pine	Gigors
<i>Betonica officinalis</i>	Betony	Hauts Plateaux
<i>Calamintha grandiflora</i>	Large-flowered Calamint	Bois de Mures
<i>Clinopodium alpinum</i>	Alpine Basil-thyme	Font d'Urle
<i>Galeopsis tetrahit</i> agg	Common Hemp-nettle	Font d'Urle
<i>Lavandula officinalis</i>	Lavender	Col de Bacchus
<i>Mentha longifolia</i>	Horse Mint	Waste ground, Bois de Mures
<i>Origanum vulgare</i>	Marjoram	Col de l'Echarasson
<i>Prunella laciniata</i>	Cut-leaved Self-heal	Route Presles
<i>Prunella vulgaris</i>	Self-heal	Col de l'Echarasson
<i>Salvia verbanica</i>	Wild Clary	Gigors
<i>Sideritis hyssopifolia</i>	Sideritis	Font d'Urle
<i>Stachys alpina</i>	Alpine Woundwort	Petrouze
<i>Stachys sylvatica</i>	Hedge Woundwort	Hauts Plateaux
<i>Teucrium chamaedrys</i>	Wall Germander	Les Merciers
<i>Teucrium polium</i> agg	Felty Germander	Gigors
<i>Thymus drucei</i>	Wild Thyme	Les Merciers
<i>Thymus vulgaris</i>	A Thyme	Gigors (over)
Leguminosae (Fabaceae)	Pea Family	
<i>Anthyllis montana</i>	Mountain Kidney-vetch	Les Merciers (over)
<i>Anthyllis vulneraria</i> agg.	Kidney Vetch	Font d'Urle
<i>Bituminaria bituminosa</i>	Pitch Trefoil	Gigors
<i>Laburnum anagyroides</i>	Laburnum	Route Presles
<i>Lathyrus latifolius</i>	Broad-leaved everlasting Pea	Route Presles
<i>Lathyrus pratensis</i>	Meadow Vetchling	Les Merciers
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Font d'Urle
<i>Medicago sativa</i> subsp. <i>sativa</i>	Lucerne	Planted
<i>Melilotus albus</i>	White Melilot	Les Bruyeres
<i>Ononis repens</i>	Restharrow	Bois de Mures
[<i>Robinia pseudacacia</i>]	False Acacia	Roadsides
<i>Securigera varia</i>	Crown Vetch	Vassieux
<i>Trifolium hybridum</i>	Alsike	Grenoble Isere Airport area
<i>Trifolium incarnatum</i>	Crimson Clover	Gigors (in seed)
<i>Trifolium medium</i>	Zigzag Clover	Gigors

Scientific name	Common name	Location
<i>Trifolium pratense</i> subsp. <i>pratense</i>	Red Clover	Font d'Urle
<i>Trifolium repens</i>	White Clover	Font d'Urle
<i>Trifolium rubens</i>	Red Trefoil	Route Presles (in seed)
<i>Vicia cracca</i>	Tufted vetch	Waste ground, Bois de Mures
Linaceae	Flax Family	
<i>Linum suffruticosum</i> subsp. <i>salsoloides</i>	Pyrenean Flax	Gigors
Malvaceae	Mallow Family	
<i>Malva moschata</i>	Musk Mallow	Roadsides
<i>Tilia platyphyllos</i>	Broad-leaved Lime	Above ST. Jean en Royans
Oleaceae	Olive Family	
<i>Fraxinus excelsior</i>	Ash	Above St. Jean en Royans
<i>Ligustrum vulgare</i>	Wild Privet	Gigors
Onagraceae	Willowherb Family	
<i>Epilobium alpestre</i>	-	
<i>Epilobium (Chamerion) angustifolium</i>	Rosebay Willowherb	Font d'Urle
<i>Epilobium dodonaei</i>	Alpine Willowherb	Col de la Chau
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Pas de l'Oeille
Orobanchaceae	Broomrape Family	
<i>Melampyrum nemorosum</i>	a Cow-wheat	Col de l'Echarasson
<i>Orobanche gracilis</i>	Slender Broomrape	Font d'Urle (over)
<i>Rhinanthus aristatus</i>	Aristate Rattle	Les Merciers
<i>Rhinanthus minor</i> agg	Hay Rattle	Les Merciers
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Bois de Mures (in fruit)
Papaveraceae	Poppy Family	
<i>Papaver rhoeas</i>	Corn Poppy	Vassieux
Plantaginaceae	Plantain Family	
<i>Antirrhinum latifolium</i>	-	Roadside
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Grenoble Isere Airport area
<i>Digitalis grandiflora</i>	Large Yellow Foxglove	Les Merciers
<i>Digitalis lutea</i>	Small Yellow Foxglove	Les Merciers
<i>Erinus alpinus</i>	Fairy Foxglove	Hauts Plateaux
<i>Globularia nudicaulis</i>	Leafless-stemmed Globularia	Hauts Plateaux (in seed)
<i>Globularia punctata</i>	Common Globularia	Vassieux (in seed)
<i>Linaria repens</i>	Striped Toadflax	Above St. Jean en Royans
<i>Linaria supina</i>	Pyrenean Toadflax	Pas de l'Oeille
<i>Linaria vulgaris</i>	Common Toadflax	Aire de Burcin
<i>Plantago lanceolata</i>	Ribwort Plantain	Font d'Urle
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain	Foret de Lente
<i>Veronica beccabunga</i>	Brooklime	Les Bruyeres
<i>Veronica spicata</i>	Spiked Speedwell	Font d'Urle
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Gorges de la Bourne (in seed)

Scientific name	Common name	Location
Plumbaginaceae	Thrift Family	
<i>Armeria alpina</i>	Mountain Thrift	Font d'Urle (over)
Polygonaceae	Knotweed Family	
<i>Bistorta officinalis</i> (<i>Persicaria bistorta</i>)	Bistort	Font d'Urle
<i>Rumex scutatus</i>	French Sorrel	Les Merciers
Primulaceae	Primrose Family	
<i>Lysimachia nummularia</i>	Creeping Jenny	Les Bruyeres (leaves)
<i>Lysimachia vulgaris</i>	Yellow Loosestrife	Col de l'Echarasson
Ranunculaceae	Buttercup Family	
<i>Aconitum vulparia</i>	Wolf's-bane	Access to Font d'Urle
<i>Aconitum napellus</i>	Common Monk's-hood	Col de la Bataille
<i>Clematis vitalba</i>	Old Man's Beard	Grand Goulets
<i>Helleborus foetidus</i>	Stinking Hellebore	Les Merciers
<i>Nigella gallica</i>	French Love-in-a-Mist	Gigors
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Pas de l'Oeille
<i>Trollius europaeus</i>	Globeflower	Font d'Urle
Resedaceae	Mignonette Family	
<i>Reseda phyteuma</i>	Corn Mignonette	Route Presles
Rhamnaceae	Buckthorn Family	
<i>Frangula alnus</i>	Alder Buckthorn	Hauts Plateaux
Rosaceae	Rose Family	
<i>Agrimonia eupatorium</i>	Agrimony	Gigors
<i>Alchemilla conjuncta</i>	Silvery lady's-mantle	Font d'Urle
<i>Alchemilla glabra</i>	Smooth Lady's-mantle	Font d'Urle
<i>Aria edulis</i> (<i>Sorbus aria</i>)	Whitebeam	Col de Bacchus
<i>Aruncus dioicus</i>	Aruncus or Goatsbeard	Les Muenieres
<i>Cotoneaster tormentosus</i>	a Cotoneaster	Hauts Plateaux
<i>Crataegus monogyna</i>	Hawthorn	Les Muenieres
<i>Filipendula ulmaria</i>	Meadowsweet	Les Bruyeres
<i>Fragaria vesca</i>	Wild Strawberry	Les Merciers
<i>Potentilla argentea</i>	Hoary Cinquefoil	Les Merciers
<i>Potentilla caulescens</i>	Lax Potentilla	Route Combe Laval
<i>Prunus cerasifera</i>	Cherry Plum	Grenoble Isere Airport area
<i>Prunus spinosa</i>	Blackthorn	Gigors
<i>Rosa glauca</i>		Hauts Plateaux
<i>Rubus fruticosus</i> agg.	Bramble	Grenoble Isere Airport area
<i>Rubus saxatilis</i>	Stone Bramble	Bois de Mures
<i>Sanguisorba officinalis</i>	Greater Burnet	Les Bruyeres
<i>Sorbus aucuparia</i>	Rowan	Hauts Plateaux
Rubiaceae	Bedstraw Family	
<i>Asperula rupicola</i>	A Squinancywort	Vassieux
<i>Galium rotundifolium</i>	Round-leaved Bedstraw	Bois de Mures
<i>Galium verum</i>	Ladies Bedstraw	Gigors
<i>Rubia peregrina</i>	Wild Madder	Route Presles

Scientific name	Common name	Location
Salicaceae	Willow Family	
<i>Populus tremuloides</i>	Aspen	Foret de Lente
<i>Salix cinerea</i>	Grey Willow	Chabertiere
<i>Salix purpurea</i>	Purple Willow	Les Bruyeres
<i>Salix viminalis</i>	Basket Willow	Grand Goulets
Santalaceae	Sandalwood Family	
<i>Viscum album</i> subsp. <i>album</i>	Mistletoe	Col de l'Echarasson
Sapindaceae	Maple Family	
<i>Acer campestre</i>	Field Maple	Route Presles
<i>Acer opalus</i>	Italian Maple	Route Presles
<i>Acer platanoides</i>	Norway Maple	Hauts Plateaux
<i>Acer pseudoplatanus</i>	Sycamore	Foret de Lente
Saxifragaceae	Saxifrage Family	
<i>Saxifraga aizoides</i>	Yellow Saxifrage	Pas de l'Oeille
<i>Saxifraga exarata</i> subsp. <i>delphinensis</i>	a Musky Saxifrage	Font d'Urle
<i>Saxifraga paniculata</i>	Live-long Saxifrage	Font d'Urle
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage	Hauts Plateaux
Scrophulariaceae	Figwort Family	
<i>Scrophularia canina</i>	Dog Figwort	Pas de l'Oeille
<i>Scrophularia nodosa</i>	Common Figwort	Petrouze
<i>Verbascum nigrum</i>	Dark Mullein	Roadsides
<i>Verbascum pulverulentum</i>	Hoary Mullein	Roadsides
Thymelaeaceae	Mezereon Family	
<i>Daphne laureola</i>	Spurge Laurel	Above St. Jean en Royans
<i>Daphne mezereum</i>	Mezereon	Hauts Plateaux (in fruit)
Ulmaceae	Elm Family	
<i>Ulmus glabra</i>	Wych Elm	Gorges de la Bourne
Urticaceae	Nettle Family	
<i>Urtica dioica</i>	Common Nettle	Aire de Burcin
Verbenaceae	Vervain Family	
<i>Verbena officinalis</i>	Vervain	Grenoble Isere Airport area
Violaceae	Violet Family	
<i>Viola tricolor</i> subsp. <i>subalpina</i>	Alpine Heartsease	Vassieux
Monocots	Monocotyledons	
Amaryllidaceae	Onion Family	
<i>Allium narcissiflorum</i>	Narcissus-flowered Onion	Pas de l'Oeille
<i>Allium rotundum</i>	-	Font d'Urle
<i>Allium senescens</i> subsp. <i>montanum</i>	Mountain Onion	Hauts Plateaux
<i>Allium vineale</i>	Crow Garlic	Petrouze
Asparagaceae	Asparagus family	

Scientific name	Common name	Location
<i>Anthericum ramosum</i>	Branched St. Bernard's Lily	Route Presles
<i>Polygonatum multiflorum</i>	Common Solomon's-seal	Above St. Jean en Royans
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Foret de Lente
<i>Ruscus aculeatus</i>	Butcher's-broom	Gigors
Cyperaceae	Sedge Family	
<i>Carex disticha</i>	Brown Sedge	Les Bruyeres
<i>Carex flava</i>	Great Yellow Sedge	Les Bruyeres
<i>Carex ornithopoda</i>	Bird's-foot Sedge	Hauts Plateaux
<i>Carex spicata</i>	Spiked Sedge	Col de la Bataille
<i>Scirpus sylvaticus</i>	Wood Club-rush	Les Bruyeres
Juncaceae	Rush Family	
<i>Juncus inflexus</i>	Hard Rush	Les Bruyeres
<i>Luzula luzuloides</i>	White Woodrush	Bois de Mures
<i>Luzula nivea</i>	Snowy Woodrush	Bois de Mures
Liliaceae	Lily Family	
<i>Lilium martagon</i>	Martagon Lily	Les Merciers (in fruit)
Melanthiaceae	Herb-Paris family	
<i>Paris quadrifolia</i>	Herb-Paris	Bois de Mures
<i>Veratrum album</i>	White False-helleborine	Pas de l'Oeille
Orchidaceae	Orchid Family	
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	Bois de Mures
<i>Cephalanthera longifolia</i>	Sword-leaved Helleborine	Les Muenieres (in fruit)
<i>Cephalanthera rubra</i>	Red Helleborine	Les Muenieres (in fruit)
<i>Dactylorhiza (Coeloglossum) viridis</i>	Frog Orchid	Font d'Urle
<i>Epipactis atrorubens</i>	Dark-red Helleborine	Bois de Mures
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Bois de Mures
<i>Epipactis leptochila</i>	Narrow-lipped Helleborine	Bois de Mures
<i>Epipactis muelleri</i>	Mueller's Helleborine	Bois de Mures
<i>Epipogium aphyllum</i>	Ghost Orchid	Bois de Mures
<i>Goodyera repens</i>	Creeping Lady's-tresses	Les Muenieres
<i>Gymnadenia austriaca</i> (var. <i>gallica</i>)	a Vanilla Orchid	Font d'Urle
<i>Gymnadenia conopsea</i>	Fragrant Orchid	Bois de Mures
<i>Himantoglossum hircinum</i>	Lizard Ochid	La Chapelle en Vercors (over)
<i>Neotinea (Orchis) ustulata</i>	Burnt Orchid	Les Merciers
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Foret de Lente
<i>Traunsteinera globosa</i>	Round-headed Orchid	Bois de Mures (over)
Poaceae	Grass Family	
<i>Briza media</i>	Quaking Grass	Route Presles
<i>Cynodon dactylon</i>	Bermuda Grass	Grenoble Isere Airport area
<i>Deschampsia cespitosa</i>	Tufted hair-grass	Les Bruyeres
<i>Digitaria sanguinalis</i>	Hairy Finger-grass	Grenoble Isere Airport area
<i>Echinochloa crus-galli</i>	Barnyard Grass	Grenoble Isere Airport area
<i>Elymus athericus</i>	Sea Couch	Foret de Lente
<i>Elymus caninus</i>	Bearded Couch	Chabertiere
<i>Hordelymus europaeus</i>	Wood Barley	Petrouze
<i>Melica ciliata</i>	Soft Melick	Above St. Jean en Royans

Scientific name	Common name	Location
<i>Melica nutans</i>	Mountain Melick	Petrouze
<i>Panicum dichotomiflorum</i>	A Millet	Grenoble Isere Airport area
<i>Phleum pratense</i>	Timothy	Gorges de la Bourne
<i>Poa alpina</i>	Alpine Meadow-grass	Pas de l'Oeille
<i>Poa annua</i>	Annual Meadow-grass	La Chapelle en Vercors
<i>Poa nemoralis</i>	Wood Meadow-grass	Chabertiere
<i>Sesleria caerulea</i>	Blue Moor-grass	Hauts Plateaux
<i>Setaria italica</i>	Large Bristle-grass	Grenoble Isere Airport area
<i>Setaria pumila</i>	Yellow Bristle-grass	Grenoble Isere Airport area
<i>Setaria viridis</i>	Green Bristle-grass	Grenoble Isere Airport area
Typhaceae	Bulrush Family	
<i>Typha angustifolia</i>	Lesser Bulrush	Les Bruyeres