

France – The Vercors (by train)

Naturetrek Tour Report

15th – 22nd May 2022



Duke of Burgundy aberration



Napoleon Crab Spider



Ophrys fuciflora



Trifolium incarnatum

Tour report and images by Sophie Leguil and Paul Harmes



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Paul Harmes & Sophie Leguil (leaders) with 11 Naturetrek clients

Day 1

Sunday 15th May

London St. Pancras – Lille Europe – Lyon-Part-Dieu – La Chapelle en Vercors

Eleven tour participants met Paul at St. Pancras International Station for the 11.04am Eurostar service to Amsterdam, arriving at Lille Europe at 1.36pm local time. We then transferred to the 2.03pm Lille Europe to Marseilles St. Charles TGV service, arriving into Lyon-Part-Dieu at 5pm. Once we arrived at Lyon, we met with our second leader, Sophie and went to complete the vehicle hire formalities. We collected our minibuses for the final leg of the journey to the Vercors region, travelling towards Grenoble on the A43 and A48 motorways, and then onto the A49 Valence motorway which we left at St. Marcelin. Along the way we saw Black Kite, Rook, a fleeting glimpse of Great Spotted Woodpecker and Carrion Crow. We approached the Vercors plateau via Pont-en-Royans and continued to La Chapelle via the attractive Petit Goulets, arriving at the Bellier Hotel, our base for the week, at 8.30pm. We were met by Sandra and Sophie, who quickly allocated our rooms, before we assembled for dinner. We all then retired after a rather long day.

Day 2

Monday 16th May

Fonte d'Urle – Forêt de Lente – Col de la Machine – Route Combe Laval

We began the day with a short stop at the cemetery where the victims of the Nazi massacre at that village of Vassieux, during the Second World War, are buried. While we were there, Red-backed Shrike and a solitary Yellowhammer were seen, together with *Globularia punctata* (Common Globularia), *Cerastium arvense* (Field Mouse-ear) and *Tragopogon pratense* (Goat's-beard). Berger's Clouded Yellow and Small Heath butterflies, as well as Latticed Heath and Burnet Companion moths were also noted.

A brief roadside stop on the road up to the Col de Chau produced *Erinus alpinus* (Fairy Foxglove), *Saponaria ocymoides* (Rock Soapwort), *Amelanchier ovalis* (Juneberry) and *Acer opalus* (Italian Maple). Butterflies included Large Wall Brown, Scarce and Common Swallowtails and a solitary Apollo. A solitary Raven flew over us and a male Tau Emperor moth flew past in search of resting females.

We now made our way up to the Font d'Urle, an area of open limestone crags and meadows used for skiing in winter. As we arrived, a roadside bank was examined, and a small colony of *Soldanella alpina* (Alpine Snowbell) was found, together with *Daphne mezereum* (Mezereon) and *Ranunculus kuepferi* (Kuepfer's Buttercup). Parking the vehicles at the refuge, we set off to explore. *Crocus vernus* (Spring Crocus), in both purple and white colour forms, good numbers of *Erythronium dens-canis* (Dog's-tooth Violet) and *Narcissus poeticus* (Pheasant's-eye Daffodil) were seen. A flock of Alpine Chough were ever-present, and several Black Redstart, Water Pipit and Northern Wheatear were also recorded. As we moved on, we added *Gentiana verna* (Spring Gentian), *Draba aizoides* (Yellow Whitlow-grass) and *Nocca montana* (Mountain Penny-cress). Along the way we had clear, and close views of Alpine Marmot and added *Scilla bifolia* (Alpine Squill), *Pulmonaria montana* (Mountain Lungwort). Small Tortoiseshell and Small Blue were numerous, and we heard Skylark.

We now moved on into the Forêt de Lente, for our picnic lunch. At our chosen site, Blackcap was singing, and we saw Mistle Thrush. Also noted were *Cardamine heptaphylla* (Seven-leaflet Bitter-cress), *Abies alba* (European Silver

Fir), *Viola tricolor* subsp. *subalpina* (Alpine Heartsease), *Orchis mascula* (Early Purple Orchid, *Cardamine pentaphyllos* (Five-leaflet Bitter-cress) and a solitary, emerging *Orchis pallens* (Pale Orchid). Here, Orange Tip butterflies were in good numbers.

We continued by driving to the Col de la Machine and passing through the spectacular Route de Combe Laval, on our way to St-Jean-en-Royans to shop for the rest of the week's lunches. By now, at this lower altitude, the temperature was a good number of degrees higher. A rough meadow produced some nice butterflies: Green-underside Blue, Common Blue, Small Heath and Adonis Blue were all seen before we made our way back to the Col, where we stopped to enjoy the view. House Martin, Crag Martin and Common Swift were seen and *Hornungia petraea* (Hutchinsia), *Saxifraga tridactylites* (Rue-leaved Saxifrage), *Lamium garganicum* (Large Red Dead-nettle) and *Saxifraga paniculata* (Live-long Saxifrage) recorded.

It was now time to make our way back to the hotel for dinner.

Day 3

Tuesday 17th May

Herbouilly – Les Merciers – Les Bruyères – Gorges de la Bourne

It dawned another beautiful day and, following breakfast, we were soon on our way to the northern end of the Vercors Plateau. Passing through St. Martin en Vercors, we turned left up to the Herbouilly area, making our first stop of the day by a wooded verge, to admire a fine stand of *Cephalanthera longifolia* (Sword-leaved Helleborine) and two spikes of *Cephalanthera damasonium* (White Helleborine). Further exploration produced *Orchis anthropophora* (Man Orchid), *Neottia nidus-avis* (Bird's-nest Orchid), a white flowered form of *Ajuga genevensis* (Blue Bugle), *Daphne laureola* (Spurge Laurel), *Orchis pallens* (Pale Orchid) and *Orchis purpurea* (Lady Orchid). Chaffinch and Blackbird were also heard.

Moving on, we made a short stop at the abandoned village of Valchevrière, the site of another significant battle between the Resistance and the Germans in 1944, before making our way up to Lans en Vercors, and the tiny hamlet of Les Merciers, where we parked, in warm sunshine. Here we explored the rocky lane banks, tracks and fields. Early finds were *Primula elatior* (Oxlip), *Asplenium viride* (Green Spleenwort) and *Neotinea ustulata* (Burnt Orchid). Butterflies were also becoming active, and saw Orange Tip, Red Admiral, Adonis Blue, Dingy Skipper, Green Hairstreak, Berger's Clouded Yellow, Small Tortoiseshell and Large White. Birds included Chaffinch, Coal Tit, Barn Swallow, Alpine Swift and Common Buzzard. As we progressed, we added *Anthyllis montana* (Mountain Kidney-vetch) and *Rosa pendulina* (Alpine Rose). After this excellent morning, we returned to the vehicles for our picnic.

After eating, we began our return journey to La Chapelle, making our first stop at some damp meadows at Les Bruyères. Here a small pond had a good colony of the hybrid Edible Frog. Carrion Crow and Barn Swallow were all active, and we also found *Cardamine pratense* (Lady's Smock), *Valeriana dioica* (Marsh Valerian), the emerging leaves of *Filipendula ulmaria* (Meadowsweet), *Dactylorhiza majalis* (Broad-leaved Marsh Orchid) and two spikes of *Dactylorhiza incarnata* (Early Marsh Orchid). We now continued south through the spectacular Gorges de la Bourne, pausing briefly at the Pont Valchevrière to look for Dippers. Unfortunately, we did not find any, but we did see a solitary Grey Heron. Botanical finds included *Gymnocarpium robertianum* (Limestone Fern), *Actaea spicata* (Baneberry), *Saxifraga rotundifolia* (Round-leaved Saxifrage) and *Ulmus glabra* (Wych Elm).

We now returned to our hotel in good time for dinner.

Day 4

Wednesday 18th May

Col de la Bataille – Col de Bacchus – Gigors - Leoncel

Today we left La Chapelle and made our way towards Lente and up to the Col de la Bataille, where we made a brief stop to admire the spectacular views. *Salvia verbenaca* (Wild Clary), *Lotus alpinus* (Alpine Bird's-foot Trefoil) and *Cynoglossum officinalis* (Hound's-tongue).

Continuing south, we moved on down to Leoncel and south through La Vacharie to the Col de Bacchus. Here we stopped to explore a broad road verge, finding *Orchis mascula* (Early Purple Orchid), *Neotinea ustulata* (Burnt Orchid), *Dactylorhiza sambucina* (Elder-flowered Orchid) in its yellow and magenta colour forms, *Orchis simia* (Monkey Orchid), *Anacamptis morio* (Green-winged Orchid), *Silene italica* (Italian Catchfly) and many other species. Butterflies included Duke of Burgundy Fritillary, Small Blue, Berger's Clouded Yellow, Mazarine Blue, Green-underside Blue and Orange Tip. Both Song Thrush and Cuckoo were heard.

We now continued south through Plan-de-Baix to Beaufort sur Gervanne, where we turned west to an area of open scrubby land with marginal woodland, near Gigors. Our explorations produced *Limodorum abortivum* (Violet Bird's-nest Orchid), *Ophrys x flavicans* (Drome Orchid), Returning to the vehicles, our leaders prepared our picnic. After eating, we moved to an area of scrubby fields, we found *Thymus vulgaris* (Wild Thyme), *Helianthemum canum* (Hoary Rock-rose), *Quercus pubescens* (Downy Oak) and *Ophrys insectifera* (Fly Orchid). In addition, there was more *Ophrys x flavicans* (Drome Bee Orchid), *Ophrys fuciflora* subsp. *fuciflora* (Late Spider Orchid), *Helianthemum apenninum* (White Rock-rose) and several hybrid Orchids. Baton Blue was seen. Meanwhile, the birders heard Woodlark, Western Bonelli's Warbler and Common Cuckoo.

We set off to explore an adjacent area of arable margins. Here we heard and saw Turtle Dove feeding on the ground, as well as Hoopoe and Great Tit. In the arable margins we found *Trifolium incarnatum* subsp. *incarnatum* (Crimson Clover), *Gladiolus italicus* (Field Gladiolus), *Legousia speculum-veneris* (Greater Venus's Looking-glass) and *Vicia orobus* (Upright Vetch) among many more. From here, we moved back to Leoncel, where we took refreshments in a café.

It was now time to begin our journey north back to La Chapelle. Along the way, a short stop for the view produced a Clouded Apollo butterfly.

Day 5

Thursday 19th May

Reserve Naturelle des Hauts Plateaux du Vercors

For a change of routine, our leaders had set an overnight moth trap, in the hotel garden. A good number of group members assembled at the trap before breakfast. Some of the species caught included Small Elephant Hawk-moth, Small Lappet, Buff-tip, Iron Prominent, Red Twin-spot Carpet, Light and Pale shouldered Brocade, Beautiful Hook-tip, Scorched Wing, Gothic and Alchemist.

Today we visited the Hauts Plateaux. Leaving the hotel after our 8am breakfast, we made our way southwards, stopping to admire a wet hillside pasture, south of St. Agnan en Vercors, as we went. Here, we recorded *Orchis militaris* (Military Orchid), *Neotinea ustulata* (Burnt Orchid), *Phyteuma nigrum* (Black Rampion), *Dactylorhiza majalis* (Broad-leaved Marsh Orchid) and *Neottia ovata* (Twayblade). A male Field Cricket was seen as well as Sooty Copper butterfly and Song Thrush was heard.

Continuing on, we joined the plateau access road just north of Rousset and began to make our way up to the Reserve Naturelle des Hauts Plateaux. A short way up, we made a stop to admire the view northwards, towards St. Agnan en Vercors.

We parked at the car park at La Coche. As we were preparing to set off, Coal Tit and Chaffinch were seen. We now made our way up to the plateau along the roads and tracks through the forest, finding as we went, *Daphne mezereum* (Mezereum), *Ranunculus kuepferi* (Kuepfer's Buttercup), *Daphne cneorum* (Garland Flower), *Globularia nudicaulis* (Leafless-stemmed Globularia) and emerging *Dactylorhiza viridis* (Frog Orchid). Mistle Thrush, Raven and Crested Tit were added as we went. Along the way we saw Brimstone, Orange Tip, Amanda's Blue and Dingy Skipper and Grizzled Skipper butterflies. Further on, we found *Tulipa sylvestris* subsp. *sylvestris* (Wild Tulip), *Potentilla rupestris* (Rock Cinquefoil), *Ajuga pyramidalis* (Pyramidal Bugle) and *Polygala alpestris* (Mountain Milkwort). On the descent, we explored the mixed coniferous and deciduous woodland and found that *Abies alba* (Silver Fir), *Fagus sylvatica* (Beech) and *Picea abies* (Norway Spruce) were the predominant trees. Tree Pipit was seen, and Crested Tit heard, and we also had a fleeting glimpse of a large raptor, but too quick for an accurate ID. From here we made our way back down to the car park, where we found a picnic table for our lunch. Along the way three group members had excellent views of a Black Woodpecker, at rest and in flight.

After lunch, we travelled along the network of tracks passing over the back of the plateau, pausing as we went for a scenic photo opportunity.

The next stop was in the Hamlet of Les Meunières, where we explored verges. Plants here included *Orchis mascula* (Early Purple Orchid) and *Ophrys insectifera* (Fly Orchid), *Orchis anthropophora* (Man Orchid), *Cephalanthera longifolia* (Sword-leaved Helleborine) and emerging *Gymnadenia conopsea* (Fragrant Orchid). Common Swift and Chaffinch were seen, and Chiffchaff was heard.

We now returned to La Chapelle to freshen up before dinner.

Day 6

Friday 20th May

Chamaloc – Les Nonnières – Vallon de Combeau - Archiane

Our first planned stop of the day was at the head of the spectacular Col de Rousset, from which we had magnificent views from the top of the Col down towards the town of Die. Several Griffon Vultures were soaring as well as Raven. However, despite searching, we could find no Chamois.

Moving down the valley through Chamaloc and Die, we turned east through Pont-de-Quart and Châtillon-en-Diois, through Menée and up to a point above Les Nonnières, where we parked by some meadows. In the woods, we found a good number of plants of *Cypripedium calceolus* (Lady's Slipper Orchid). *Equisetum telmateia* (Great Horsetail) was emerging, together with *Gentiana angustifolia* (Narrow-leaved Gentian). On an adjacent verge bank,

we found *Lonicera xylosteum* (Fly Honeysuckle). The fine sunny morning meant that some insects were becoming active, with Wood White, Small Heath, Common Blue and Silver-studded Blue and Sooty Copper butterflies. Field Cricket could be heard, and we found an emerging nymph of a Cricket, as well as Latticed Heath and Burnet Companion moths. Birds reported were Chaffinch, Great Tit and a distant Cuckoo.

We now moved down to the Vallon de Combeau, where we made our way up to the head of the valley to a picnic site by a stream. During the meal, we noted Berger's Clouded Yellow and De Prunner's Ringlet butterflies. By a damp ditch, *Meum athamanticum* (Spiguel), *Pinguicula grandiflora* (Large-flowered Butterwort) and *Gymnadenia densiflora* (Marsh Fragrant Orchid) were added. We now moved back down the valley to admire *Orchis spitzelii* (Spitzel's Orchid) and enjoy a stroll down the valley, as well the wonderful scenery, especially the magnificent Rocher de Combau, and many of the group took the opportunity to take photos.

We now moved back to Les Nonnières, and down to Menée, where we turned up into the Cirque d'Archiane, a splendid amphitheater of towering rock faces and cliffs, so group members could take some pictures. Butterfly activity was good once again, with Small Blue, Berger's Clouded Yellow, Scarce Swallowtail, Brimstone, Dingy Skipper and Orange Tip all seen.

It was now time to retrace our steps back to La Chapelle en Vercors.

Day 7

Saturday 21st May

Presles – Petrouze - Pont-en-Royans

We began today by driving north and through the Grand Goulets Tunnel, and down to St. Eulalie en Royans. Here we turned up through Pont en Royans and up to a point on the Route de Presles, at Courtevoux, where we parked. We now set off to explore the small lane going to Courtevoux. Here, we found *Orchis simia* (Monkey Orchid), *Orchis anthropophora* (Man Orchid), *Orchis mascula* (Early Purple Orchid), *Cephalanthera damasonium* (White Helleborine), *Orchis anthropophora* x *Orchis simia* (Hybrid Man x Monkey Orchid) and *Melittis melissophyllum* (Bastard Balm). For the birders, Common Chiffchaff, Blackcap and Common Cuckoo were heard and Blue Tit, Magpie, Jay and a solitary Short-toed Snake Eagle seen. Butterflies were represented by Large Wall Brown, Speckled Wood, Marbled White, Spotted Fritillary, Green-underside Blue, Pearly Heath and Black-veined White.

Moving on, we drove through the magnificent Rocher de Presles, and on into the Forêt Dominiale des Coulmes, parking at the Fontaine de Petrouze, for our picnic lunch. Here we explored a nearby meadow, whilst our leaders set up our picnic. *Paris quadrifolia* (Herb-Paris), *Saxifraga rotundifolia* (Round-leaved Saxifrage) and *Orchis mascula* (Early Purple Orchid) were noted. As we were eating, Song Thrush was singing in the distance and Chiffchaff was heard. After lunch we walked up an adjacent track to a rough, grassy field in the woods. Here, emerging *Traunsteinera globosa* (Round-headed Orchid) was the highlight. Sheltered and sunny, this field was very good for insects, with Tau Emperor, Forester, Burnet Companion and Six-spot Burnet moths and Pearl-bordered Fritillary, Wall Brown, Heath Fritillary, Baton Blue, Orange Tip, Small Blue and Wood White butterflies. Song Thrush, Great Tit and Chiffchaff were all heard.

On our descent back to Pont en Royans, we made a short stop to admire the limestone cliff-faces overlooking the valley of the River Bourne. House Martins were nesting here, and the botanists found *Erinus alpinus* (Fairy

Foxglove), *Coronilla vaginalis* (a Scorpion Vetch), *Anthyllis montana* (Mountain Kidney Vetch) and *Cytisophyllum sessilifolium* (Sessile Broom).

Our descent took us back down the Route de Presles, towards Pont-en-Royans, where we parked on the outskirts and walked into the town, by the River Bourne. Mallard, Crag Martin together with White and Grey Wagtails were seen, but the highlight was a Dipper seen in the narrow gorge. We stopped in at a café for some splendid ice creams before returning to the vehicle. As we went, we saw *Asplenium scolopendrium* (Hart's-tongue Fern), *Asplenium ceterach* (Rustyback), *Humulus lupulus* (Hop) and Crag Martins. Leaving Pont-en-Royans, we made our way back to La Chapelle en Vercors, making a brief stop at a road verge near La Cabertiere to see a final array of Orchids, and the curious *Asarum europaeum* (Asarabacca).

It was now time to return to our hotel in time to pack for tomorrow's homeward journey.

Day 8

Sunday 22nd May

La Chapelle en Vercors – Lyon-Part-Dieu – Lille Europe - London St. Pancras

We left La Chapelle en Vercors at 9am, bidding farewell to Mme. Bellier, her daughters and her staff, and made our way via the Grand Goulets and Pont en Royans to the A49 Motorway to the outskirts of Grenoble, and onto the A48 Motorway. We then headed north to Lyon-Part-Dieu. En route, we had plenty of time to admire the scenery.

At Lyon-Part-Dieu Station, the group said farewell to Sophie, who was staying on to collect another Naturetrek group visiting the Vercors. The remainder of the group then caught the TGV back to Lille, and then the Eurostar to St. Pancras.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



www.facebook.com/naturetrekwildlifeholidays



www.twitter.com/naturetrektours



www.instagram.com/naturetrek_wildlife_holidays

Species lists

Birds (H = Heard only)

Common name	Scientific name	May 2022							
		15	16	17	18	19	20	21	22
Mallard	<i>Anas platyrhynchos</i>			✓				✓	
Alpine Swift	<i>Tachymarptis melba</i>			✓				✓	
Common Swift	<i>Apus apus</i>		✓	✓	✓	✓	✓	✓	
Common Cuckoo	<i>Cuculus canorus</i>		H	H	H	H	H	H	
Rock Dove (Feral)	<i>Columba livia</i>			✓	✓		✓	✓	
Common Wood Pigeon	<i>Columba palumbus</i>	✓	✓	✓	✓	✓	✓	✓	✓
European Turtle Dove	<i>Streptopelia turtur</i>				✓		✓		
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓					✓		
Grey Heron	<i>Ardea cinerea</i>			✓					
Griffon Vulture	<i>Gyps fulvus</i>		✓		✓		✓		
Short-toed Snake Eagle	<i>Circaetus gallicus</i>							✓	
Black Kite	<i>Milvus migrans</i>	✓							
Common Buzzard	<i>Buteo buteo</i>	✓	✓	✓	H	✓	✓	✓	
Western Barn Owl	<i>Tyto alba</i>					✓			
Eurasian Hoopoe	<i>Upupa epops</i>				✓				
Great Spotted Woodpecker	<i>Dendrocopos major</i>	✓							
Black Woodpecker	<i>Dryocopus martius</i>					✓			
European Green Woodpecker	<i>Picus viridis</i>					H	✓	H	
Common Kestrel	<i>Falco tinnunculus</i>			✓		✓	✓	✓	
Peregrine Falcon	<i>F. peregrinus</i> ssp. <i>brookei</i>						✓	✓	
Red-backed Shrike	<i>Lanius collurio</i>		✓						
Eurasian Jay	<i>Garrulus glandarius</i>		✓		✓	✓	✓	✓	
Eurasian Magpie	<i>Pica pica</i>	✓	✓	✓	✓	✓	✓	✓	
Alpine Chough	<i>Pyrrhocorax graculus</i>		✓						
Western Jackdaw	<i>Corvus monedula</i>		✓						
Rook	<i>Corvus frugilegus</i>	✓							
Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓	✓	✓	✓
Northern Raven	<i>Corvus corax</i>		✓	✓	✓	✓		✓	
Coal Tit	<i>Parus ater</i>		H	✓					
European Crested Tit	<i>Lophophanes cristatus</i>						H	H	
Eurasian Blue Tit	<i>Cyanistes caeruleus</i>		✓			✓	✓	✓	
Great Tit	<i>Parus major</i>		H	H			✓	✓	
Woodlark	<i>Lullula arborea</i>				H				
Eurasian Skylark	<i>Alauda arvensis</i>		✓		✓				
Barn Swallow	<i>Hirundo rustica</i>			✓	✓		✓	✓	
Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>		✓	✓				✓	
Common House Martin	<i>Delichon urbicum</i>		✓	✓	✓		✓	✓	
Western Bonelli's Warbler	<i>Phylloscopus bonelli</i>			H					
Common Chiffchaff	<i>Phylloscopus collybita</i>		H	H		H	H	✓	
Eurasian Blackcap	<i>Sylvia atricapilla</i>		H	H	H	H	H	H	H
Lesser Whitethroat	<i>Curruca curruca</i>					H			
Common Firecrest	<i>Regulus ignicapilla</i>				✓				
Eurasian Wren	<i>Troglodytes troglodytes</i>					H			
Common Starling	<i>Sturnus vulgaris</i>	✓							
Common Blackbird	<i>Turdus merula</i>		✓	✓	✓	✓	✓	✓	✓
Song Thrush	<i>Turdus philomelos</i>				H			✓	
Mistle Thrush	<i>Turdus viscivorus</i>		✓		✓	✓		✓	

Common name	Scientific name	May 2022							
		15	16	17	18	19	20	21	22
European Robin	<i>Erithacus rubecula</i>		✓	✓		✓			
Common Nightingale	<i>Luscinia megarhynchos</i>				H		H		
Black Redstart	<i>Phoenicurus ochruros</i>		✓	✓	✓	✓	✓	✓	
European Stonechat	<i>Saxicola rubicola</i>						✓		
Northern Wheatear	<i>Oenanthe oenanthe</i>		✓						
White-throated Dipper	<i>Cinclus cinclus</i>							✓	
House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓
Grey Wagtail	<i>Motacilla cinerea</i>							✓	
White Wagtail	<i>Motacilla alba</i>	✓	✓	✓	✓	✓	✓	✓	
Tree Pipit	<i>Anthus trivialis</i>					✓			
Water Pipit	<i>Anthus spinoletta</i>		✓						
Common Chaffinch	<i>Fringilla coelebs</i>		✓	H	✓	✓	✓	✓	
Common Linnet	<i>Linaria cannabina</i>		✓	✓				H	
European Goldfinch	<i>Carduelis carduelis</i>		✓	✓	✓				
European Serin	<i>Serinus serinus</i>		✓	✓					
Corn Bunting	<i>Emberiza calandra</i>				✓				
Yellowhammer	<i>Emberiza citrinella</i>		✓	✓				✓	

Invertebrates

		May 2022							
Common name	Scientific name	15	16	17	18	19	20	21	22
Key - B = Bivouac/larval web, C = Caterpillar, N = Nymph, T – Trap, LO = Leader only									
BUTTERFLIES:									
	Papilionidae								
Southern Festoon	<i>Zerynthia polyplexa</i>				✓				
Swallowtail	<i>Papilio machaon</i>		✓		✓	✓	✓	✓	
Scarce Swallowtail	<i>Iphiclides podalirius</i>		✓	✓	✓	✓	✓	✓	
Apollo	<i>Parnassius apollo</i>		✓	✓		✓	✓		
Clouded Apollo	<i>Parnassius mnemosyne</i>				✓				
	Pieridae								
Black-veined White	<i>Aporia crataegi</i>				✓		✓	✓	
Large White	<i>Pieris brassicae</i>			✓	✓			✓	
Small White	<i>Pieris rapae</i>		✓	✓	✓	✓		✓	
Orange Tip	<i>Anthocharis cardamines</i>		✓	✓	✓	✓	✓	✓	
Clouded Yellow	<i>Colias crocea</i>					✓	✓	✓	
Berger's Clouded Yellow	<i>Colias alfacariensis</i>		✓	✓	✓	✓	✓	✓	
Brimstone	<i>Gonepteryx rhamni</i>		✓	✓	✓	✓	✓	✓	
Cleopatra	<i>Gonepteryx cleopatra</i>							✓	
Wood White	<i>Leptidea sinapis</i>		✓	✓	✓	✓	✓	✓	
	Lycaenidae								
Green Hairstreak	<i>Callophrys rubi</i>		LO	✓		✓	✓	✓	
Small Copper	<i>Lycaena phlaeas</i>			✓					
Sooty Copper	<i>Lycaena tityrus</i>				✓	✓	✓	✓	
Small Blue	<i>Cupido minimus</i>		✓	✓	✓	✓	✓	✓	
Green-underside Blue	<i>Glaucopsyche alexis</i>				✓	✓	✓	✓	
Baton Blue	<i>Pseudophilotes baton</i>				✓		✓	✓	

Common name	Scientific name	May 2022							
		15	16	17	18	19	20	21	22
Silver-studded Blue	<i>Plebejus argus</i>						✓	✓	
Reverdin's Blue	<i>Plebejus argyrognomon</i>						✓		
Brown Argus	<i>Aricia agrestis</i>				✓		✓	✓	
Mazarine Blue	<i>Cyaniris semiargus</i>				✓				
Amanda's Blue	<i>Polyommatus amanda</i>					✓		✓	
Chalk-hill Blue	<i>Polyommatus coridon</i>					✓		✓	
Adonis Blue	<i>Polyommatus bellargus</i>		✓	✓	✓	✓	✓		
Common Blue	<i>Polyommatus icarus</i>		✓	✓	✓	✓	✓	✓	
	Riodinidae								
Duke of Burgundy Fritillary	<i>Hamearis lucina</i>								
Duke of Burgundy Fritillary	<i>Hamearis lucina</i> var. <i>lucodes</i>				✓		✓	✓	
	Nymphalidae								
Southern White Admiral	<i>Limenitis reducta</i>						✓		
Peacock Butterfly	<i>Inachis io</i>				✓				
Red Admiral	<i>Vanessa atalanta</i>		✓	✓	✓		✓		
Painted Lady	<i>Vanessa cardui</i>		✓	✓	✓	✓	✓	✓	
Small Tortoiseshell	<i>Aglais urticae</i>		✓	✓	✓	✓	✓		
Comma Butterfly	<i>Polygonia c-album</i>				✓			✓	
Queen of Spain Fritillary	<i>Issoria lathonia</i>		✓	✓	✓	✓			
Pearl-bordered Fritillary	<i>Boloria euphrosyne</i>			✓		✓	✓	✓	
Glanville Fritillary	<i>Melitaea cinxia</i>		✓		✓				
Knapweed Fritillary	<i>Melitaea phoebe</i>						✓		
Spotted Fritillary	<i>Melitaea didyma</i>						C	✓	
Heath Fritillary	<i>Melicta athalia</i>						✓	✓	
Marbled White	<i>Maelanargia galathea</i>							✓	
De Prunner's Ringlet	<i>Erebia triarius</i>					✓			
Small Heath	<i>Coenonympha pamphilus</i>		✓	✓	✓	✓	✓	✓	
Pearly Heath	<i>Coenonympha darwiniana</i>							✓	
Speckled Wood	<i>Pararge aegeria aegeria</i>							✓	
Speckled Wood	<i>Pararge aegeria tircis</i>		✓		✓	✓	✓		
Wall Brown	<i>Lasiommata megera</i>		✓	✓	✓	✓	✓	✓	
Large Wall Brown	<i>Lasiommata maera</i>		✓			✓		✓	
	Hesperidae								
Southern Grizzled Skipper	<i>Pyrgus malvoides</i>		✓			✓		✓	
Dingy Skipper	<i>Erynnis tages</i>		✓	✓	✓	✓	✓	✓	
MOTHS:									
Micros:									
White Plume Moth	<i>Pterophorus pentadactylus</i>					T			
Pyralid	<i>Assara terebrella</i>					T			
Small Magpie	<i>Anania hortulata</i>					T			
Macros:									
Forester	<i>Adscita statices</i>							✓	
Six Spot Burnet	<i>Zygaena filipendulae</i>						C	✓	
a Burnet	<i>Zygaena rhadamanthus</i>							✓	
Lackey	<i>Malacosoma neustria</i>		C					C	
Tau Emperor	<i>Aglaia tau</i>		✓	✓	✓	✓		✓	
a Small Lappet	<i>Phyllodesma tremulifolia</i>					T			
Chinese Character	<i>Cilix glaucata</i>					T			
Cream Wave	<i>Scopula floslacata</i>				✓				

Common name	Scientific name	May 2022							
		15	16	17	18	19	20	21	22
Garden Carpet	<i>Xanthorhoe fluctuata</i>					T			
Red Twin-spot Carpet	<i>Xanthorhoe spadicearia</i>					T			
Common Carpet	<i>Epirrhoe alternata</i>			✓		T			
Spruce Carpet	<i>Thera britannica</i>					T			
Lime-spec Pug	<i>Eupithecia centaureata</i>					T			
Treble-bar	<i>Aplocera plagiata</i>					T			
Clouded Border	<i>Lomaspilis marginata</i>					T			
Latticed Heath	<i>Semiothisa clathrata</i>		✓	✓		T	✓	✓	
Scorched Wing	<i>Plagodis dolabraria</i>					T			
Brimstone Moth	<i>Opisthograptis luteola</i>			✓		T			
Speckled Yellow	<i>Pseudopanthera macularia</i>			✓			✓	✓	
Lunar Thorn	<i>Selenia lunularia</i>					T			
Ringed Carpet	<i>Cleora cinctaria</i>					T			
Common Heath	<i>Ematurga atomaria</i>		✓	✓			✓		
Clouded Silver	<i>Lomographa temerata</i>					T			
Black Mountain Moth	<i>Glacies coracina</i>					✓			
Black-veined	<i>Siona lineata</i>			✓		T			
White Pinion-spotted	<i>Lomographa bimaculata</i>					T			
Hummingbird Hawk-moth	<i>Macroglossum stellatarum</i>						✓		
Narrow-bordered Bee Hawk-moth	<i>Hemaris tityus</i>				✓				
Small Elephant Hawk-moth	<i>Deilephila porcellus</i>					T			
Iron Prominent	<i>Notodonta dromedarius</i>					T			
Great Prominent	<i>Peridea anceps</i>					T			
Buff Tip	<i>Phalera bucephala</i>					T			
Pine Processionary	<i>Thaumetopoea pityocampa</i>			B		B	B		
Pale Tussock	<i>Calliteara pudibunda</i>					T			
Orange Footman	<i>Eilema sorocula</i>					T			
Cream Spot Tiger	<i>Arctia villica</i>				✓				
Clouded Buff	<i>Diacrisia sannio</i>					T			
White Ermine	<i>Spilosoma lubriciprda</i>					T			
Light Feathered Rustic	<i>Agrotis cinerea</i>					T			
Heart and Dart	<i>Agrotis exclamationis</i>					T			
Cousin German	<i>Protolampra sobrina</i>					T			
Gothic	<i>Naenia typica</i>					T			
Setaceous Hebrew Character	<i>Xestia c-nigrum</i>					T			
Light Brocade	<i>Lancanobia w-latinum</i>					T			
Pale-shouldered Brocade	<i>Lacanobia thalassina</i>					T			
Shears	<i>Hada plebja</i>					T			
Silver Cloud	<i>Egira conspiciellaris</i>					T			
Common Quaker	<i>Orthosia cerasi</i>					T			
White Point	<i>Mythimna albipuncta</i>					T			
Delicate	<i>Mythimna vitellina</i>					T			
Grey/Dark Dagger agg.	<i>Acronicta psi</i>					T			
Knot Grass	<i>Acronicta rimicis</i>					T			
Coronet	<i>Craniophora ligustri</i>					T			
Small Yellow Underwing	<i>Panemeria tenebrata</i>		LO						
Pale Mottled Willow	<i>Paradrina clavipalpis</i>					T			
Spectacle	<i>Abrostula tripartita</i>					T			

Common name	Scientific name	May 2022							
		15	16	17	18	19	20	21	22
Burnet Companion	<i>Euclidia glyphica</i>		✓	✓			✓	✓	
Mother Shipton	<i>Callistege mi</i>		✓	✓				✓	
Alchemist	<i>Catephia alchymista</i>					T			
OTHER INVERTEBRATES:									
Common Bluet	<i>Enallagma cyathigerum</i>			✓					
Large Red Damselfly	<i>Pyrrhosoma nymphula</i>			✓					
Lesser Emperor	<i>Anax parthenope</i>			✓					
Broad-bodied Chaser	<i>Libellula depressa</i>			✓					
Stonefly	<i>Dinocras cephalotes</i>						✓		
Bull Bush-cricket	<i>Polysarcus denticaudata</i>						✓		
Wart-biter Cricket	<i>Decticus verrucivorus</i>						✓		
Roesel's Bush-cricket	<i>Metrioptera brachyptera</i>			✓					
Field Cricket	<i>Gryllus campestris</i>		H	H		✓	H	H	
Scarce Tortoise Bug	<i>Eurygaster maura</i>			✓					
Ground Bug	<i>Spilostethus (Lygaeus) saxatilis</i>			✓		✓		✓	
Masked Hunter Bug	<i>Reduvius personata</i>					T			
Woolly Beech Aphid	<i>Phyllaphis fagi</i>							✓	
Common Pond Skater	<i>Gerris lacustris</i>		✓	✓	✓	✓	✓	✓	
Common Back-swimmer	<i>Notonecta glauca</i>		✓	✓	✓	✓	✓	✓	
Froghopper (Red & Black)	<i>Ceropsis vulnerata</i>		✓					✓	
Ascalaphid	<i>Libelloides coccajus</i>		✓	✓				✓	
Caddis Fly	<i>Trichoptera sp.</i>			N					
Marbled-winged Crane-fly	<i>Tipula maxima</i>			✓					
Bee-fly	<i>Bombylius sp.</i>		✓		✓				
Black Bee-fly	<i>Bombylius afra</i>							✓	
Marmalade Hover-fly	<i>Episyrphus balteatus</i>		✓						
Ichneumon	<i>Enicospilus sp.</i>					T			
Wood Ant	<i>Formica rufa</i>			✓					
Brown-black Carpenter Ant	<i>camponotus ligniperdus</i>					T			
European Paper Wasp	<i>Polistes gallicus</i>			✓					
Carpenter Bee	<i>Xylocopa sp.</i>		✓	✓					
Honey Bee	<i>Apis mellifera</i>		✓						
White-tailed Bumblebee	<i>Bombus lucorum</i>						✓		
Red-tailed Bumble Bee	<i>Bombus lapidarius</i>						✓		
Dung Beetle	<i>Onthophagus nuchicomis</i>		✓					✓	
Cock Chafer	<i>Melolontha melolontha</i>					T			
a Chafer	<i>Hoplia argentea</i>						✓		
Rose Chafer	<i>Cetonia aurata</i>		✓	✓					
Metalic Click Beetle	<i>Ctenicera pectinicornus</i>					✓			
Soldier Beetle	<i>Cantharis rustica</i>					T			
Striped Ladybird	<i>Myzia oblongoguttata</i>					✓			
Harlequin Ladybird	<i>Harmandia axyridis</i>					T			
Oil Beetle	<i>Meloe proscarabaeus</i>				✓				
Pine Longhorn Beetle	<i>Monochamus sartor</i>							✓	
Two-banded Longhorn Beetle	<i>Rhagium bifasciatum</i>						✓		
Leaf Beetle	<i>Clytra 4-punctata</i>							✓	
Poplar Leaf Beetle	<i>Chrysomela populi</i>							✓	
Bloody-nosed Beetle	<i>Timarcha tenebricosa</i>		✓						

Common name	Scientific name	May 2022							
		15	16	17	18	19	20	21	22
Cucumber Spider	<i>Micrommata virescens</i>					✓			
Napoleon Crab Spider	<i>Synema globosum</i>				✓				
Crab Spider (Yellow, Pink or White)	<i>Misumena vatia</i>					✓			
Gastropods & Molluscs:									
Garden Snail	<i>Cornu aspersum</i>					✓			
Door Snail	<i>Clucilid</i> sp.						✓		
Segmented Worms:									
Horse Leech	<i>Haemopsis sanguisuga</i>			✓					
Galls:									
<i>Aceria cephaloneus</i> (Nail Gall)	on Sycamore - (Mite)			✓					
<i>Aceria fraxinivora</i> - (Last years)	On Ash - (Mite)						✓		
<i>Andricus curvator</i> (Leaf curl)	on Downy Oak - (Wasp)				✓				
<i>Andricus kollari</i> (Marble Gall)	on Downy Oak - (Wasp)				✓				
<i>Cynips divisa</i> (Pea Gall)	on Downy Oak - (Wasp) (Asexual)				✓				
<i>Didymonia tiliacea</i> (Leaf)	on Lime - (Midge)							✓	
<i>Diplosis rosae</i> (Robin's Pincushion)	on Rose - (Wasp)							✓	
<i>Eriophyes laevis</i>	on Alder - (Mite)			✓					
<i>Eriophyes macrochelus</i> (Leaf)	on italian Maple - (Mite)							✓	
<i>Eriophyes pyri</i> (Leaf)	on Rowan - (Mite)					✓			
<i>Eriophyes tiliae</i> (Nail Gall)	on Lime - (Mite)			✓					
<i>Macrodiplosis pustularis</i> (Leaf tip curl)	on Downy Oak - (Midge)				✓				
<i>Mikiola fagi</i> - (Pointed Gall)	on Beech - (Midge)				✓				
<i>Neuroterus Quercusbaccarum</i>	on Downy Oak - (Wasp)				✓				
<i>Pemphigus spyrotheca</i> (Leaf stems)	on Balsam Poplar - (Aphid)							✓	
<i>Pontania bridgmanii</i> (Bean Gall)	on Willow - (Sawfly)						✓		
<i>Taphrinus pruni</i> (Galled Sloes)	on Blackthorn - (Fungus)				✓				
<i>Thecabrius affinis</i> (Leaf Baldes)	on Balsam Poplar - (Aphid)							✓	
<i>Uromyces pisi-sativi</i>	on Cyperus Spurge - (Fungus)			✓					

Others

		May 2022							
Common name	Scientific name	15	16	17	18	19	20	21	22
Key – S = signs, BD – Bat detector									
Mammals:									
European Mole	<i>Talpa europaea</i>		S			S			
Common Pipistrelle Bat	<i>Pipistrellus pipistrellus</i>		BD						
Red Fox	<i>Vulpes vulpes</i>	LO							
Eurasian Badger	<i>Meles meles</i>		S						
Wild Boar	<i>Sus scrofa</i>		S	S					
Red Squirrel	<i>Sciurus vulgaris</i>					S			
Alpine Marmot	<i>Marmota marmota</i>		✓						
Snow Vole	<i>Chionomys nivalis</i>		S			✓			
Amphibians & Reptiles:									
Edible Frog hybrid	<i>Pelophylax kl. esculentus</i> [complex]			✓					
Western Green Lizard	<i>Lacerta bilineata</i>		✓	✓					
Common Lizard	<i>Zootoca vivipara</i>		✓						
Common Wall Lizard	<i>Podarcis muralis</i>			✓			✓	✓	
Fish:									
Brown Trout	<i>Salmo trutta</i>			✓					

Flora

Please Note: Nomenclature contained within this list follows the taxonomic amendments, based on DNA analysis, made by the Royal Botanic Gardens, Kew and the Missouri Botanic Garden, and following The Plant List, an internationally accepted list of vascular plant families, published and maintained by these two Institutions.

Scientific name	Common name
* = Endemic or restricted distribution, [] = Introduced or planted	
PTERIDOPHYTES	FERNS & ALLIES
Calamophytes	Horsetails
Equisetaceae	Horsetail Family
<i>Equisetum arvense</i>	Common Horsetail
<i>Equisetum hyemale</i>	Dutch Rush
<i>Equisetum palustre</i>	Marsh Horsetail
<i>Equisetum ramosissimum</i>	Branched Horsetail
<i>Equisetum telmateia</i>	Great Horsetail
Eusporangiate Ferns	Adder's-tongues & Moonworts
Ophioglossaceae	Adder's-tongue family

Scientific name	Common name
<i>Botrychium lunaria</i>	Moonwort
Leptosporangiate Ferns	True Ferns
Aspleniaceae	Spleenwort Family
<i>Asplenium adiantum-nigrum</i>	Black Spleenwort
<i>Asplenium ceterach</i>	Rustyback
<i>Asplenium fontanum</i>	Smooth Rock Spleenwort
<i>Asplenium ruta-muraria</i>	Wall Rue
<i>Asplenium scolopendrium</i>	Hart's-tongue
<i>Asplenium trichomanes</i> subsp. <i>pachyrachis</i>	Maidenhair Spleenwort
<i>Asplenium trichomanes</i> subsp. <i>quadrivalens</i>	Maidenhair Spleenwort
<i>Asplenium viride</i>	Green Spleenwort
Athyriaceae	Lady-fern Family
<i>Athyrium filix-femina</i>	Lady-fern
Cystopteridaceae	Bladder-fern Family
<i>Cystopteris fragilis</i>	Brittle Bladder-fern
<i>Gymnocarpium dryopteris</i>	Oak Fern
<i>Gymnocarpium robertianum</i>	Limestone Fern
Dennstaedtiaceae	Bracken Family
<i>Pteridium aquilinum</i>	Bracken
Dryopteridaceae	Buckler-fern Family
<i>Dryopteris carthusiana</i>	Narrow Buckler-fern
<i>Dryopteris dilatata</i>	Broad Buckler-fern
<i>Dryopteris filix-mas</i>	Male-fern
<i>Polystichum aculeatum</i>	Hard Shield-fern
<i>Polystichum lonchitis</i>	Holly Fern
<i>Polystichum setiferum</i>	Soft Shield-fern
Polypodiaceae	Polypody Family
<i>Polypodium cambricum</i>	Southern Polypody
<i>Polypodium interjectum</i>	Intermediate Polypody
<i>Polypodium vulgare</i> agg.	Common Polypody
Thelypteridaceae	Marsh Fern Family
<i>Phegopteris connectilis</i>	Beech Fern
GYMNOSPERMS	CONIFERS
Cupressaceae	Juniper Family
<i>Juniperus communis</i> var. <i>communis</i>	Juniper
<i>Juniperus communis</i> var. <i>saxatilis</i>	-
<i>Juniperus oxycedrus</i>	Prickly Juniper
<i>Juniperus thurifera</i>	French Alpine Juniper
Pinaceae	Pine Family

Scientific name	Common name
<i>Abies alba</i>	European Silver Fir
<i>Larix decidua</i>	European Larch
<i>Larix kaempferi</i> (Planted)	Japanese Larch
<i>Picea abies</i> subsp. <i>abies</i>	Spruce
<i>Pinus mugo</i> (Introduced)	Dwarf Mountain Pine
<i>Pinus nigra</i> subsp. <i>nigra</i>	Austrian or Black Pine
<i>Pinus sylvestris</i>	Scots Pine
<i>Pinus uncinata</i>	Mountain Pine
Taxaceae	Yew Family
<i>Taxus baccata</i>	Yew
ANGIOSPERMS	FLOWERING PLANTS
Pre-Dicots	Primitive Angiosperms
Aristolochiaceae	Birthwort Family
<i>Asarum europaeum</i>	Asarabacca
Eu-Dicots	True Dicotyledons
Adoxaceae	Moschatel Family
<i>Adoxa moschatellina</i>	Moschatel
<i>Sambucus ebulus</i>	Dwarf Elder
<i>Sambucus nigra</i>	Elder
<i>Sambucus racemosus</i>	Red-berried Elder
<i>Viburnum lantana</i>	Wayfaring Tree
<i>Viburnum opulus</i>	Guelder Rose
Amaranthaceae	Pigweed Family
<i>Amaranthus retroflexus</i>	Common Amaranth
<i>Chenopodium album</i>	Fat Hen
<i>Chenopodium bonus-henricus</i>	Good King Henry
Anacardiaceae	Sumach Family
<i>Cotinus coggygria</i>	Smoke Bush
Apiaceae	Carrot Family
<i>Aegopodium podagraria</i>	Ground Elder
<i>Angelica sylvestris</i>	Wild Angelica
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Apium nodiflorum</i>	Fool's Watercress
<i>Astrantia major</i>	Great Masterwort
<i>Berula erecta</i>	Lesser Water-parsnip
<i>Bupleurum c.f. rigidum</i>	-
<i>Bupleurum rotundifolium</i>	Thorowax
<i>Chaerophyllum temulum</i>	Rough Chervil
<i>Eryngium campestre</i>	Field Eryngo
<i>Eryngium spina-alba</i>	Silver Eryngo
<i>Foeniculum vulgare</i>	Fennel
<i>Heracleum minimum</i>	-
<i>Heracleum sphondylium</i>	Hogweed

Scientific name	Common name
<i>Laser trilobum</i>	-
<i>Laserpitium c.f. gallicum</i>	A Sermountain
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain
<i>Laserpitium prutenicum</i>	a Sermountain
<i>Laserpitium siler</i>	a Sermountain
<i>Meum athamanticum</i>	Spignel
<i>Orlaya grandiflora</i>	Orlaya
<i>Peucedanum carvifolia</i>	-
<i>Peucedanum venetum</i>	Southern Masterwort
<i>Pimpinella major</i>	Greater Burnet Saxifrage
<i>Pimpinella saxifraga</i>	Burnet Saxifrage
<i>Sanicula europaea</i>	Sanicle
<i>Scandix pecten-veneris</i>	Shepherd's-needle
<i>Tordylium apulum</i>	Hartwort
<i>Torilis arvensis</i>	Spreading Hedge-parsley
<i>Torilis nodosa</i>	Bur-parsley
<i>Trinia glauca</i>	Honewort
<i>Trochiscanthes nodiflora</i>	Trochiscanthes
Apocynaceae	Periwinkle Family
<i>Vinca major</i>	Periwinkle
<i>Vinca minor</i>	Lesser Periwinkle
<i>Vincetoxicum hirundinaria</i>	Swallow-wort
Aquifoliaceae	Holly Family
<i>Ilex aquifolium</i>	Holly
Araliaceae	Ivy Family
<i>Hedera helix</i> agg.	Ivy
Balsaminaceae	Balsam Family
<i>Impatiens noli-tangere</i>	Touch-Me-Not
Betulaceae	Birch Family
<i>Betula pendula</i>	Silver Birch
<i>Betula pubescens</i>	Downy Birch
<i>Carpinus betulus</i>	Hornbeam
<i>Corylus avellana</i>	Hazel
Boraginaceae	Forget-me-not Family
<i>Anchusa arvensis</i>	Bugloss
<i>Anchusa azurea</i>	Large Blue Bugloss
<i>Borago officinalis</i>	Borage
<i>Buglossoides arvensis</i>	Corn Gromwell
<i>Buglossoides (Lithospermum) purpureocaerulea</i>	Blue Gromwell
<i>Cerinthe minor</i>	Lesser Honeywort
<i>Cynoglossum officinalis</i>	Hound's-tongue
<i>Echium plantagineum</i>	Purple Viper's-bugloss
<i>Echium vulgare</i>	Viper's-bugloss
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not
<i>Myosotis arvensis</i>	Field Forget-me-not
<i>Myosotis discolor</i>	Changing Forget-me-not

Scientific name	Common name
<i>Myosotis laxa</i>	Tufted Forget-me-not
<i>Myosotis ramosissima</i>	Early Forget-me-not
<i>Myosotis stricta</i>	A Forget-me-not
<i>Myosotis sylvatica</i>	Wood Forget-me-not
<i>Pulmonaria montana</i>	Mountain Lungwort
<i>Pulmonaria officinalis</i>	Common Lungwort
<i>Symphytum bulbosum</i>	Tuberous Comfrey
<i>Symphytum x uplandicum</i>	Russian Comfrey
Brassicaceae	Cabbage Family
<i>Aethionema saxatile</i>	Burnt Candytuft
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Alyssum cuneifolium</i>	an Alyssum
<i>Alyssum diffusum</i>	an Alyssum
<i>Alyssum montanum</i>	Mountain Alyssum
<i>Arabidopsis thaliana</i>	Thale Cress
<i>Arabis alpina</i>	Alpine Rock-cress
<i>Arabis glabra</i>	Smooth Rock-cress
<i>Arabis hirsuta</i>	Hairy Rock-cress
<i>Arabis turrita</i>	Tower-cress
<i>Barbarea intermedia</i>	Land Cress
<i>Barbarea vulgaris</i>	Common Winter-cress
<i>Biscutella brevicaulis</i>	a Buckler Mustard
<i>Bunias orientalis</i>	Warty Cabbage
<i>Capsella bursa-pastoris</i>	Shepherd's-purse
<i>Capsella rubella</i>	-
<i>Cardamine heptaphylla</i>	Seven-leaflet Bitter-cress
<i>Cardamine hirsuta</i>	Hairy Bitter-cress
<i>Cardamine impatiens</i>	Narrow-leaved Bitter-cress
<i>Cardamine pentaphyllos</i>	Five-leaved Bitter-cress
<i>Cardamine pratensis</i>	Lady's Smock
<i>Draba aizoides</i>	Yellow Whitlow-grass
<i>Draba muralis</i>	Wall Whitlow-grass
<i>Erophila verna</i>	Common Whitlow-grass
<i>Erysimum cheiri</i>	Wallflower
<i>Erysimum ochroleucum</i>	a Treacle-mustard
<i>Hesperis matronalis</i>	Dame's Violet
<i>Hornungia petraea</i>	Hutchinsia
<i>Iberis pinnata</i>	A Candytuft
<i>Kernera saxatilis</i>	Kernera
<i>Lepidium campestre</i>	Field Pepperwort
<i>Lepidium draba</i>	Hoary Cress
<i>Lunaria annua</i>	Honesty
<i>Lunaria rediviva</i>	Perennial Honesty
<i>Microthlaspi perfoliata</i>	Perfoliate Penny-cress
<i>Petrocallis pyrenaica</i>	Pyrenean Whitlow-grass
<i>Pritzelago alpina</i>	Chamois Cress
<i>Sinapis arvensis</i>	Charlock
<i>Sisymbrium officinale</i>	Hedge Mustard
<i>Thlaspi arvense</i>	Field Penny-cress
<i>Thlaspi montanum</i>	Mountain Penny-cress

Scientific name	Common name
Buxaceae	Box Family
<i>Buxus sempervirens</i>	Box
Campanulaceae	Bellflower Family
<i>Campanula cochlearifolia</i>	Fairy's Thimbles
<i>Campanula erinus</i>	Annual Bellflower
<i>Campanula persicifolia</i>	Peach-leaved Bellflower
<i>Campanula rapunculus</i>	Rampion Bellflower
<i>Campanula rhomboidalis</i>	a Bellflower
<i>Campanula rotundifolia</i>	Harebell
<i>Legousia speculum-veneris</i>	Large Venus's Looking-glass
<i>Phyteuma nigra</i>	Black Rampion
<i>Phyteuma orbiculare</i>	Round-headed Rampion
<i>Phyteuma scheuchzeri</i>	Horned Rampion
Cannabaceae	Hop Family
<i>Humulus lupulus</i>	Hop
Caprifoliaceae	Honeysuckle Family
<i>Agrostemma githago</i>	Corncockle
<i>Centranthus ruber</i>	Red Valerian
<i>Dipsacus fullonum</i>	Teasel
<i>Knautia arvensis</i>	Field Scabious
<i>Knautia dipsacifolia</i>	Wood Scabious
<i>Lonicera alpigena</i>	Alpine Honeysuckle
<i>Lonicera nigra</i>	Black-berried Honeysuckle
<i>Lonicera periclymenum</i>	Honeysuckle
<i>Lonicera xylosteum</i>	Fly Honeysuckle
<i>Valeriana dioica</i>	Marsh Valerian
<i>Valeriana montana</i>	Mountain Valerian
<i>Valeriana officinalis</i>	Common Valerian
<i>Valeriana tripteris</i>	Three-leaved Valerian
<i>Valeranella dentata</i>	Narrow-fruted Cornsalad
<i>Valerianella eriocarpa</i>	Hairy-fruted Corn-salad
<i>Valerianella locusta</i>	Common Cornsalad
Caryophyllaceae	Pink Family
<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Sandwort
<i>Cerastium arvense</i>	Field Mouse-ear
<i>Cerastium fontanum</i>	Common Mouse-ear
<i>Cerastium glomeratum</i>	Sticky Mouse-ear
<i>Cerastium tomentosum</i>	Snow-in-Summer
<i>Dianthus carthusianorum</i>	Carthusian Pink
<i>Dianthus sylvaticus</i>	Wood Pink
<i>Minuartia verna</i>	Spring Sandwort
<i>Minuartia c.f. villarsii</i>	A Sandwort
<i>Minuartia viscosa</i>	Sticky Sandwort
<i>Moehringia muscosa</i>	-
<i>Moehringia trinervia</i>	Three-nerved Sandwort
<i>Saponaria ocymoides</i>	Rock Soapwort
<i>Silene acaulis</i>	Moss Campion
<i>Silene dioica</i>	Red Campion

Scientific name	Common name
<i>Silene (Lychnis) flos-cuculi</i>	Ragged Robin
<i>Silene italica</i>	Italian Catchfly
<i>Silene latifolia</i>	White Campion
<i>Silene nutans</i>	Nottingham Catchfly
<i>Silene rupestris</i>	Rock Catchfly
<i>Silene vulgaris</i>	Bladder Campion
<i>Stellaria alsine</i>	Bog Stitchwort
<i>Stellaria holostea</i>	Greater Stitchwort
<i>Stellaria media</i>	Chickweed
<i>Stellaria nemorum</i>	Wood Stitchwort
<i>Telephium imperati</i>	-
Celastraceae	Spindle-tree Family
<i>Euonymus europaeus</i>	Spindle-tree
Cistaceae	Rock-rose Family
<i>Fumana procumbens</i>	Procumbent Fumana
<i>Fumana thymifolia</i>	Thyme-leaved Fumana
<i>Helianthemum apenninum</i>	White Rock-rose
<i>Helianthemum nummularium</i>	Common Rock-rose
<i>H.oelandicum</i> subsp. <i>incanum</i>	Hoary Rock-rose
Compositae (Asteraceae)	Daisy Family
<i>Achillea millefolium</i>	Yarrow
<i>Adenostyles alliariae</i>	Adenostyles
<i>Ambrosia artemisiifolia</i>	Ragweed
<i>Anthemis arvensis</i>	Corn Chamomile
<i>Anthemis triumphetti</i>	Southern Dog-daisy
<i>Aposeris radiata</i>	Aposeris
<i>Artemisia absinthium</i>	Wormwood
<i>Artemisia vulgaris</i>	Mugwort
<i>Aster alpinus</i>	Alpine Aster
<i>Bellidastrium michelii</i> (<i>Aster bellidastrium</i>)	False Aster
<i>Bellis perennis</i>	Daisy
<i>Bupththalmum salicifolium</i>	Yellow Ox-eye
<i>Carduus pycnocephalus</i>	Plymouth Thistle
<i>Centaurea jacea</i>	Brown Knapweed
<i>Centaurea solstitialis</i>	Yellow Star-thistle
<i>Cirsium eriophorum</i>	Woolly Thistle
<i>Cirsium montanum</i>	-
<i>Cirsium palustre</i>	Marsh Thistle
<i>Crepis vesicaria</i>	Beaked Hawksbeard
<i>Cyanus montanus</i> (<i>Centaurea montana</i>)	Perennial Cornflower
<i>Cyanus segetus</i> (<i>Centaurea cyanus</i>)	Cornflower
<i>Erigeron annuus</i>	-
<i>Erigeron c.f. acer</i>	Blue Fleabane
<i>Filago minima</i>	Small Cudweed
<i>Filago germanica</i> (<i>F. vulgaris</i>)	Common Cudweed
<i>Homogyne alpina</i>	Alpine Colts-foot
<i>Lactuca perennis</i>	Blue or Mountain Lettuce
<i>Lactuca serriola</i>	Prickly Lettuce
<i>Lactuca virosa</i>	Greater Lettuce

Scientific name	Common name
<i>Lapsana communis</i>	Nipplewort
<i>Leucanthemum vulgare</i>	Ox-eye Daisy
<i>Matricaria discoidea</i>	Pineapple Weed
<i>Mycelis muralis</i>	Wall Lettuce
<i>Onopordum acanthium</i>	Cotton Thistle
<i>Petasites albus</i>	White Butterbur
<i>Petasites paradoxa</i>	Alpine Butterbur
<i>Petasites hybridus</i>	Butterbur
<i>Pilosella officinarum</i>	Mouse-eared Hawkweed
<i>Rhaponticum coniferum</i>	Leuzia or Cone-flower
<i>Senecio vulgaris</i>	Groundsel
<i>Sonchus arvensis</i>	Field Sow-thistle
<i>Sonchus asper</i>	Prickly Sow-thistle
<i>Sonchus oleraceus</i>	Smooth Sow-thistle
<i>Taraxacum</i> agg.	Dandelion
<i>Tephrosieris helenitis</i>	Swiss Ragwort
<i>Tragopogon dubius</i>	a Goat's-beard
<i>Tragopogon porrifolius</i>	Salsify
<i>Tragopogon pratensis</i>	Goat's-beard
<i>Tripleurospermum inodorum</i>	Scentless Mayweed
<i>Tussilago farfara</i>	Colt's-foot
Convolvulaceae	Bindweed Family
<i>Convolvulus arvensis</i>	Field Bindweed
<i>Convolvulus cantabrica</i>	A Bindweed
<i>Cuscuta epithymum</i>	Dodder
<i>Cuscuta europaeum</i>	Greater Dodder
Cornaceae	Dogwood Family
<i>Cornus sanguinea</i>	Dogwood
Crassulaceae	Stonecrop Family
<i>Sedum acre</i>	Biting Stonecrop
<i>Sedum album</i>	White Stonecrop
<i>Sedum dasyphyllum</i>	Fat Stonecrop
<i>Sedum forsterianum</i>	Rock Stonecrop
<i>Sedum rupestre</i>	Large Yellow Stonecrop
<i>Sedum sediforme</i>	-
<i>Sedum sexangulare</i>	Tasteless Stonecrop
<i>Sedum telephium</i>	Orpine
<i>Sempervivum tectorum</i>	Common Houseleek
Cucurbitaceae	Cucumber Family
<i>Bryonia dioica</i>	White Bryony
Ericaceae	Heath family
<i>Arctostaphylos uva-ursi</i>	Bearberry
<i>Moneses uniflora</i>	One-flowered Wintergreen
<i>Orthilia secunda</i>	Nodding Wintergreen
<i>Pyrola chlorantha</i>	Pale-green Wintergreen
<i>Pyrola media</i>	Intermediate Wintergreen
<i>Pyrola minor</i>	Common Wintergreen

Scientific name	Common name
<i>Pyrola rotundifolia</i>	Round-leaved Wintergreen
<i>Vaccinium myrtillus</i>	Bilberry
<i>Vaccinium vitis-idaea</i>	Cowberry
Euphorbiaceae	Spurge Family
<i>Euphorbia amygdaloides</i>	Wood Spurge
<i>Euphorbia cyparissias</i>	Cypress Spurge
<i>Euphorbia dulcis</i>	Sweet Spurge
<i>Euphorbia exigua</i>	Dwarf Spurge
<i>Euphorbia graminifolia</i>	-
<i>Euphorbia helioscopia</i>	Sun Spurge
<i>Euphorbia lathyris</i>	Caper Spurge
<i>Euphorbia peplus</i>	Petty Spurge
<i>Euphorbia verrucosa</i>	-
<i>Mercurialis annuus</i>	Annual Mercury
<i>Mercurialis perennis</i>	Dog's Mercury
Fagaceae	Oak & Beech Family
<i>Fagus sylvatica</i>	Beech
<i>Quercus pubescens</i>	Downy Oak
Gentianaceae	Gentian Family
<i>Blackstonia perfoliata</i>	Yellow-wort
<i>Gentiana angustifolia</i>	Narrow-leaved Gentian
<i>Gentiana clusii</i>	Clusius' Gentian
<i>Gentiana cruciata</i>	Cross Gentian
<i>Gentiana lutea</i>	Yellow Gentian
<i>Gentiana verna</i>	Spring Gentian
<i>Gentianella campestris</i>	Field Gentian
Geraniaceae	Geranium Family
<i>Erodium cicutarium</i>	Common Stork's-bill
<i>Erodium moschatum</i>	Musk Stork's-bill
<i>Geranium columbinum</i>	Long-stalked Crane's-bill
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill
<i>Geranium lucidum</i>	Shining Crane's-bill
<i>Geranium molle</i>	Dove's-foot Crane's-bill
<i>Geranium nodosum</i>	Knotted Crane's-bill
<i>Geranium phaeum</i>	Dusky Crane's-bill
<i>Geranium purpureum</i>	Little Robin
<i>Geranium pusillum</i>	Small-flowered Crane's-bill
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill
<i>Geranium robertianum</i>	Herb Robert
<i>Geranium rotundifolium</i>	Round-leaved Crane's-bill
<i>Geranium sanguineum</i>	Bloody Crane's-bill
<i>Geranium sylvaticum</i>	Wood Crane's-bill
Grossulariaceae	Gooseberry Family
<i>Ribes alpinum</i>	Mountain Currant
<i>Ribes rubra</i>	Red Currant
<i>Ribes uva-crispa</i>	Wild Gooseberry

Scientific name	Common name
Hypericaceae	St. John's-wort Family
<i>Hypericum androsaemum</i>	Tutsan
<i>Hypericum hirsutum</i>	Hairy St. John's-wort
<i>Hypericum montanum</i>	Pale St. John's-wort
<i>Hypericum perforatum</i>	Perforate St. John's-wort
Juglandaceae	Walnut Family
[<i>Juglans regia</i>]	Walnut
Lamiaceae	Dead-nettle Family
<i>Ajuga chamaepitys</i>	Ground-pine
<i>Ajuga genevensis</i>	Blue Bugle
<i>Ajuga pyramidalis</i>	Pyramidal Bugle
<i>Ajuga reptans</i>	Bugle
<i>Ballota nigra</i>	Black Horehound
<i>Betonica officinalis</i>	Betony
<i>Calamintha grandifolia</i>	Large-flowered Calamint
<i>Clinopodium alpinum</i>	Alpine Basil-thyme
<i>Clinopodium vulgare</i>	Wild Basil
<i>Glechoma hederacea</i>	Ground Ivy
<i>Lamium galeobdolon</i> subsp. <i>montanum</i>	Yellow Archangel
<i>Lamium album</i>	White Dead-nettle
<i>Lamium amplexicaule</i>	Hen-bit
<i>Lamium garganicum</i>	Large Red Dead-nettle
<i>Lamium hybridum</i>	Cut-leaved Dead-nettle
<i>Lamium purpureum</i>	Red Dead-nettle
<i>Lavandula officinalis</i>	Lavender
<i>Marrubium vulgare</i>	White Horehound
<i>Melittis melissophyllum</i>	Bastard Balm
<i>Mentha aquatica</i>	Water Mint
<i>Mentha arvensis</i>	Corn Mint
<i>Mentha longifolia</i>	Horse Mint
<i>Mentha x villosa</i>	Apple Mint
<i>Origanum vulgare</i>	Wild Marjoram
<i>Prunella laciniata</i>	Cut-leaved Selfheal
<i>Prunella vulgaris</i>	Selfheal
<i>Salvia glutinosa</i>	Jupiter's Distaff
<i>Salvia pratensis</i>	Meadow Clary
<i>Salvia verbenaca</i>	Wild Clary
<i>Stachys alopecuroides</i>	Yellow Betony
<i>Stachys recta</i>	Yellow Woundwort
<i>Stachys romana</i>	-
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Satureja viscosa</i>	-
<i>Teucrium chamaedrys</i>	Wall Germander
<i>Teucrium montanum</i>	Mountain Germander
<i>Teucrium polium</i>	Felty Germander
<i>Thymus polytrichus</i>	Wild Thyme
<i>Thymus pulegioides</i>	Large Thyme
<i>Thymus serpyllum</i>	A Thyme
<i>Thymus vulgaris</i>	A Thyme

Scientific name	Common name
Lentibulariaceae	Bladderwort Family
<i>Pinguicula grandiflora</i>	Large-flowered Butterwort
Leguminosae (Fabaceae)	Pea Family
<i>Anthyllis montana</i>	Mountain Kidney-vetch
<i>Anthyllis vulneraria</i> agg.	Kidney-vetch
<i>Argyrobolium zanonii</i> (<i>Cytisus argenteus</i>)	-
<i>Astragalus depressus</i>	Sprawling Milk-vetch
<i>Astragalus glycyphyllos</i>	Wild Liquorice
<i>Astragalus monspessulanus</i>	Montpelier Milk-vetch
<i>Bituminaria bituminosa</i>	Pitch Trefoil
<i>Coronilla scorpioides</i>	Annual Scorpion-vetch
<i>Coronilla vaginalis</i>	A Scorpion-vetch
<i>Cytisophyllum sessilifolius</i>	Sessile Broom
<i>Cytisus villosus</i>	Hairy Broom
<i>Dorycnium hirsutum</i>	-
<i>Dorycnium pentaphyllum</i>	-
<i>Genista (Chamaespartium) sagittalis</i>	Winged Pea
<i>Genista sericea</i>	a Greenweed
<i>Hippocrepis comosa</i>	Horseshoe Vetch
<i>Hippocrepis emerus</i>	False Senna
<i>Laburnum alpinum</i>	Alpine Laburnum
<i>Laburnum anagyroides</i>	Laburnum
<i>Lathyrus aphaca</i>	Meadow Vetchling
<i>Lathyrus cicera</i>	-
<i>Lathyrus latifolius</i>	Broad-leaved Everlasting Pea
<i>Lathyrus pratensis</i>	Yellow Vetchling
<i>Lathyrus setifolius</i>	-
<i>Lathyrus vernus</i>	Spring Vetchling
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil
<i>Lotus corniculatus</i>	Bird's-foot Trefoil
<i>Lotus edulis</i>	Edible Lotus
<i>Lotus (Tetragonolobus) maritimus</i>	Dragon's-teeth
<i>Lotus subbiflorus</i>	Hairy Bird's-foot Trefoil
<i>Lotus pedunculatus</i>	Large Bird's-foot Trefoil
<i>Medicago arabica</i>	Spotted Medick
<i>Medicago lupulina</i>	Black Medick
<i>Medicago minima</i>	Bur Medick
<i>Medicago sativa</i>	Lucerne
<i>Melilotus altissima</i>	Tall Melilot
<i>Melilotus officinalis</i>	Ribbed Melilot
<i>Onobrychis arenaria</i>	a Sainfoin
<i>Onobrychis viciifolia</i>	Sainfoin
<i>Ononis cristata</i>	-
<i>Ononis fruticosa</i>	Shrubby Restharrow
<i>Ononis repens</i>	Restharrow
<i>Ononis striata</i>	Yellow Restharrow
<i>[Robinia pseudoacacia]</i>	False Acacia
<i>Securigera varia</i>	Crown Vetch
<i>Trifolium alpestris</i>	-
<i>Trifolium campestre</i>	Hop Trefoil
<i>Trifolium dubium</i>	Lesser Yellow Trefoil

Scientific name	Common name
<i>Trifolium hybridum</i>	Alsike Clover
<i>Trifolium incarnatum</i> subsp. <i>incarnatum</i>	Crimson Clover
<i>Trifolium incarnatum</i> subsp. <i>molinerii</i>	-
<i>Trifolium medium</i>	Zigzag Clover
<i>Trifolium montanum</i>	Mountain Clover
<i>Trifolium pratense</i>	Red Clover
<i>Trifolium repens</i>	White Clover
<i>Trifolium rubens</i>	Red Trefoil
<i>Trifolium stellatum</i>	Starry Clover
<i>Trifolium striatum</i>	Soft Clover
<i>Vicia cracca</i>	Tufted vetch
<i>Vicia hirsuta</i>	Hairy Vetchling
<i>Vicia orobus</i>	Upright Vetch
<i>Vicia sativa</i> subsp. <i>sativa</i>	Common Vetch
<i>Vicia sativa</i> subsp. <i>segetalis</i>	Common Vetch
<i>Vicia sepium</i>	Bush Vetch
<i>Vicia villosa</i>	Fodder Vetch
Linaceae	Flax Family
<i>Linum bienne</i>	Pale Flax
<i>Linum catharticum</i>	Purging or Fairy Flax
<i>Linum austriacum</i> subsp. <i>colinum</i>	Perennial Flax
<i>Linum suffruticosum</i> subsp. <i>salsoides</i>	Pyrenean Flax
Malvaceae	Mallow Family
<i>Malva neglecta</i>	Dwarf Mallow
<i>Malva setigera</i> (<i>Althaea hirsuta</i>)	Hairy Mallow
<i>Malva sylvestris</i>	Common Mallow
<i>Tilia cordata</i>	Small-leaved Lime
<i>Tilia platyphyllos</i>	Broad-leaved Lime
Moraceae	Mulberry Family
<i>Ficus carica</i>	Fig
Oleaceae	Olive Family
<i>Fraxinus excelsior</i>	Ash
<i>Jasminum fruticans</i>	Wild Jasmine
<i>Ligustrum vulgare</i>	Wild Privet
Onagraceae	Willowherb Family
<i>Epilobium</i> (<i>Chamerion</i>) <i>angustifolium</i>	Rosebay Willowherb
<i>Epilobium hirsutum</i>	Hairy Willowherb
<i>Epilobium montanum</i>	Broad-leaved Willowherb
Orobanchaceae	Broomrape Family
<i>Melampyrum arvense</i>	Field Cow-wheat
<i>Melampyrum nemorosum</i>	Cow-wheat
<i>Melampyrum pratense</i>	Common Cow-wheat
<i>Orobanche alba</i>	Thyme Broomrape
<i>Orobanche amethystea</i>	Amethyst Broomrape
<i>Orobanche caryophyllacea</i>	Clove-scented Broomrape
<i>Orobanche gracilis</i>	Slender Broomrape

Scientific name	Common name
<i>Orobanche ramosa</i>	Branched Broomrape
<i>Orobanche rapum-genistae</i>	Greater Broomrape
<i>Pedicularis gyroflexa</i>	Tufted Lousewort
<i>Rhinanthus angustifolius</i>	Great Yellow Rattle
<i>Rhinanthus aristatus</i>	a Yellow-rattle
<i>Rhinanthus minor</i> agg.	Yellow-rattle
Oxalidaceae	Wood-sorrel Family
<i>Oxalis acetosella</i>	Wood-sorrel
Papaveraceae	Poppy Family
<i>Chelidonium majus</i>	Greater Celandine
<i>Corydalis solida</i>	Bird-in -a-Bush
<i>Fumaria muralis</i>	-
<i>Fumaria officinalis</i> agg.	Common Fumitory
<i>Papaver argemone</i>	Long-headed Prickly Poppy
<i>Papaver dubium</i>	Long-headed Poppy
<i>Papaver lecoqii</i>	Yellow-juice Poppy
<i>Papaver rhoeas</i>	Corn Poppy
Plantaginaceae	Plantain Family
<i>Antirrhinum latifolium</i>	Broad-leaved Snapdragon
<i>Chaenorhinum minus</i>	Small Toadflax
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax
<i>Digitalis lutea</i>	Small Yellow Foxglove
<i>Digitalis purpurea</i>	Foxglove
<i>Erinus alpinus</i>	Fairy Foxglove
<i>Globularia cordifolia</i>	Matted Globularia
<i>Globularia nudicaulis</i>	Leafless-stemmed Globularia
<i>Globularia punctata</i>	Common Globularia
<i>Linaria alpestris</i>	Alpine Toadflax
<i>Linaria supina</i> (L.pyrenaica)	Pyrenean Toadflax
<i>Misopates orontium</i>	Weasel's-snout
<i>Plantago arenaria</i>	Branched Plantain
<i>Plantago coronopus</i>	Stag's-horn Plantain
<i>Plantago lanceolata</i>	Ribwort Plantain
<i>Plantago major</i>	Greater Plantain
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain
<i>Plantago sempervirens</i>	-
<i>Veronica arvensis</i>	Wall Speedwell
<i>Veronica austriaca</i> agg.	Large Speedwell
<i>Veronica beccabunga</i>	Brooklime
<i>Veronica chamaedrys</i>	Germander Speedwell
<i>Veronica hederifolia</i>	Ivy-leaved Speedwell
<i>Veronica persica</i>	Common Field Speedwell
<i>Veronica prostrata</i>	-
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell
Plumbaginaceae	Thrift Family
<i>Armeria alpina</i>	Mountain Thrift

Scientific name	Common name
Polygalaceae	Milkwort Family
<i>Polygala alpestris</i>	Mountain Milkwort
<i>Polygala nicaeensis</i>	Nice Milkwort
<i>Polygala vulgaris</i>	Common Milkwort
Polygonaceae	Knotweed Family
<i>Fallopia convolvulus</i>	Black Bindweed
<i>Persicaria bistorta</i>	Bistort
<i>Rumex acetosa</i>	Sorrel
<i>Rumex crispus</i>	Curled Dock
<i>Rumex obtusifolius</i>	Broad-leaved Dock
<i>Rumex pulcher</i>	Fiddle Dock
<i>Rumex scutatus</i>	French Sorrel
Primulaceae	Primrose Family
<i>Anagallis arvensis</i>	Scarlet Pimpernel
<i>Anagallis arvensis</i> var. <i>caerulea</i>	Blue Pimpernel
<i>Androsace villosa</i>	Woolly Rock-jasmine
<i>Lysimachia nummularia</i>	Creeping Jenny
<i>Primula auricula</i>	Bear's-ear Primrose
<i>Primula elatior</i>	Oxlip
<i>Primula elatior</i> x <i>P. veris</i>	Hybrid Oxlip
<i>Primula veris</i>	Cowslip
<i>Primula vulgaris</i>	Primrose
<i>Soldanella alpina</i>	Alpine Snowbell
Ranunculaceae	Buttercup Family
<i>Aconitum napellus</i>	Common Monkshood
<i>Actaea spicata</i>	Baneberry
<i>Adonis annua</i>	Pheasant's-eye
<i>Anemone (Pulsatilla) alpina</i>	Alpine Pasqueflower
<i>Anemone nemorosa</i>	Wood Anemone
<i>Anemone ranunculoides</i>	Yellow Anemone
<i>Aquilegia alpina</i>	Alpine Columbine
<i>Aquilegia atrata</i>	Dark-flowered Columbine
<i>Aquilegia vulgaris</i>	Columbine
<i>Caltha palustris</i>	Kingcups
<i>Clematis vitalba</i>	Old Man's Beard
<i>Ficaria verna</i> agg.	Lesser Celandine
<i>Helleborus foetidus</i>	Stinking Hellebore
<i>Helleborus viride</i>	Green Hellebore
<i>Hepatica nobilis</i>	Hepatica
<i>Isopyrum thalictroides</i>	Rue-leaved Isopyrum
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup
<i>Ranunculus acris</i>	Meadow Buttercup
<i>Ranunculus amplexicaulis</i>	Amplexicaule Buttercup
<i>Ranunculus arvensis</i>	Corn Buttercup
<i>Ranunculus auricomus</i>	Wood Goldilocks
<i>Ranunculus bulbosus</i>	Bulbous Buttercup
<i>Ranunculus kuepferi</i>	Kuepfer's Buttercup
<i>Ranunculus montanus</i>	Mountain Buttercup
<i>Ranunculus muricatus</i>	-

Scientific name	Common name
<i>Ranunculus platanifolius</i>	-
<i>Ranunculus repens</i>	Creeping Buttercup
<i>Ranunculus trichophyllus</i>	Thread-leaved Water-crowfoot
<i>Thalictrum aquilegifolium</i>	Great Meadow Rue
<i>Thalictrum minus</i>	Lesser Meadow Rue
<i>Trollius europaeus</i>	Globeflower
Resedaceae	Mignonette Family
<i>Reseda lutea</i>	Wild Mignonette
<i>Reseda luteola</i>	Weld
<i>Reseda phyteuma</i>	Corn Mignonette
Rhamnaceae	Buckthorn Family
<i>Hippophae rhamnoides</i>	Sea Buckthorn
<i>Rhamnus alpinus</i>	Alpine Buckthorn
<i>Rhamnus catharticus</i>	Buckthorn
Rosaceae	Rose Family
<i>Alchemilla alpina</i>	Alpine Lady's-mantle
<i>Alchemilla conjuncta</i>	-
<i>Alchemilla filicaulis</i> agg.	a Lady's-mantle
<i>Alchemilla glaucescens</i>	Silky Lady's-mantle
<i>Alchemilla glabra</i>	Smooth Lady's-mantle
<i>Alchemilla xanthochlora</i>	a Lady's-mantle
<i>Amelanchier ovalis</i>	Juneberry
<i>Aphanes arvensis</i> agg.	Parsley Piert
<i>Cotoneaster tomentosus</i>	Cotoneaster
<i>Crataegus laevigata</i>	Midland Hawthorn
<i>Crataegus x media</i>	Hybrid Hawthorn
<i>Crataegus monogyna</i>	Hawthorn
<i>Dryas octopetala</i>	Mountain Avens
<i>Duchesnia indica</i>	Yellow-flowered Strawberry
<i>Filipendula ulmaria</i>	Meadowsweet
<i>Fragaria moschata</i>	Hautbois Strawberry
<i>Fragaria vesca</i>	Wild Strawberry
<i>Geum montanum</i>	Alpine Avens
<i>Geum rivale</i>	Water Avens
<i>Geum urbanum</i>	Wood Avens or Herb Bennet
<i>Potentilla argentea</i>	Hoary Cinquefoil
<i>Potentilla aurea</i>	Golden Cinquefoil
<i>Potentilla crantzii</i>	Alpine Cinquefoil
<i>Potentilla erecta</i>	Tormentil
<i>Potentilla nivalis</i>	Snowy Cinquefoil
<i>Potentilla reptans</i>	Creeping Cinquefoil
<i>Potentilla rupestris</i>	Rock Cinquefoil
<i>Potentilla sterilis</i>	Barren Strawberry
<i>Prunus avium</i>	Wild Cherry
<i>Prunus mahaleb</i>	St. Lucie's Cherry
<i>Prunus spinosa</i>	Blackthorn
<i>Rosa canina</i> agg.	Dog Rose
<i>Rosa glauca</i> (<i>R. rubrifolia</i>)	Blue-leaved Rose
<i>Rosa pendulina</i>	Alpine Rose

Scientific name	Common name
<i>Rosa pimpinellifolia</i>	Burnet Rose
<i>Rosa tomentosa</i>	Downy Rose
<i>Rubus caesius</i>	Dewberry
<i>Rubus fruticosus</i> agg.	Bramble
<i>Rubus idaeus</i>	Raspberry
<i>Rubus saxatile</i>	Stone Bramble
<i>Sanguisorba minor</i> (<i>Poterium</i> s.) agg.	Salad Burnet
<i>Sanguisorba officinalis</i>	Great Burnet
<i>Sorbus aria</i> agg.	Whitebeam
<i>Sorbus aria</i> x <i>aucuparia</i>	Hybrid Whitebeam
<i>Sorbus aucuparia</i>	Rowan
<i>Sorbus chamaemespilus</i>	False Medlar
<i>Sorbus intermedia</i>	Swedish Whitebeam
Rubiaceae	Bedstraw Family
<i>Cruciata laevipes</i>	Crosswort
<i>Galium aparine</i>	Cleavers
<i>Galium mollugo</i>	Hedge Bedstraw
<i>Galium odoratum</i>	Sweet Woodruff
<i>Galium verum</i>	Lady's Bedstraw
<i>Rubia peregrina</i>	Wild Madder
<i>Sherardia arvensis</i>	Field Madder
Salicaceae	Willow & Poplar Family
<i>Populus tremula</i>	Aspen
<i>Salix cinerea</i>	Grey Willow
<i>Salix caprea</i>	Goat Willow
<i>Salix pentandra</i>	Bay Willow
<i>Salix purpurea</i>	Purple Willow
<i>Salix triandra</i>	Almond Willow
<i>Salix viminalis</i>	Basket Willow
Santalaceae	Sandalwood Family
<i>Thesium linophyllum</i>	Alpine Bastard Toadflax
<i>Viscum album</i> subsp. <i>album</i>	Mistletoe
<i>Viscum album</i> subsp. <i>abietis</i>	Mistletoe
Sapindaceae	Maple Family
<i>Acer campestre</i>	Field Maple
<i>Acer monspessulanus</i>	Montpelier Maple
<i>Acer opalus</i>	Italian Maple
<i>Acer platanoides</i>	Norway Maple
<i>Acer pseudoplatanus</i>	Sycamore
Saxifragaceae	Saxifrage Family
<i>Chrysosplenium alternifolium</i>	Alternate-leaved Golden Saxifrage
<i>Chrysosplenium oppositifolium</i>	Opposite-leaved Golden Saxifrage
<i>Saxifraga bulbifera</i>	Bulbous Saxifrage
<i>Saxifraga exarata</i> subsp. <i>delphinensis</i>	Musky Saxifrage
<i>Saxifraga granulata</i>	Meadow Saxifrage
<i>Saxifraga oppositifolia</i>	Purple Saxifrage
<i>Saxifraga paniculata</i>	Live-long Saxifrage

Scientific name	Common name
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage
<i>Saxifraga tridactylites</i>	Rue-leaved Saxifrage
Scrophulariaceae	Figwort Family
<i>Buddleja davidii</i>	Butterfly-bush
<i>Scrophularia auriculata</i>	Water Figwort
<i>Scrophularia canina</i> subsp. <i>hoppii</i>	Alpine Figwort
<i>Scrophularia nodosa</i>	Common Figwort
<i>Verbascum phlomoides</i>	Orange Mullein
<i>Verbascum pulverulentum</i>	Hoary Mullein
Solanaceae	Nightshade Family
<i>Solanum dulcamara</i>	Bittersweet
Thymelaeaceae	Mezereon Family
<i>Daphne cneorum</i>	Garland Flower
<i>Daphne laureola</i>	Spurge Laurel
<i>Daphne mezereum</i>	Mezereon
Ulmaceae	Elm Family
<i>Ulmus glabra</i>	Wych Elm
<i>Ulmus</i> sp	An Elm
Urticaceae	Nettle Family
<i>Parietaria judaica</i>	Pellitory-of-the-Wall
<i>Urtica dioica</i>	Common Nettle
Verbenaceae	Vervain Family
<i>Verbena officinalis</i>	Vervain
Violaceae	Violet Family
<i>Viola arvensis</i>	Field Pansy
<i>Viola calcarata</i>	Long-spurred Pansy
<i>Viola canina</i>	True Dog Violet
<i>Viola hirta</i>	Hairy Violet
<i>Viola reichenbachiana</i>	Early Dog Violet
<i>Viola riviniana</i>	Common Dog Violet
<i>Viola tricolor</i> subsp. <i>subalpina</i>	Alpine Heartsease
Vitaceae	Vine Family
<i>Vitis vinifera</i>	Common Vine
Monocots	Monocotyledons
Amaryllidaceae	Daffodil Family
<i>Allium schoenoprasum</i>	Chives
<i>Allium ursinum</i>	Ramsons
<i>Allium victorialis</i>	Alpine Leek
<i>Allium vineale</i>	Wild Onion
<i>Narcissus poeticus</i>	Pheasant's-eye Daffodil
<i>Narcissus pseudonarcissus</i>	Wild Daffodil

Scientific name	Common name
Araceae	Arum Family
<i>Arum italicum</i> subsp. <i>italicum</i>	Italian Lords-and-Ladies
<i>Arum maculatum</i>	Lords-and-Ladies
Asparagaceae	Asparagus Family
<i>Anthericum liliago</i>	St. Bernard's Lily
<i>Aphyllanthes monspeliensis</i>	Blue Aphyllanthes
<i>Convallaria majalis</i>	Lily-of-the -Valley
<i>Maianthemum bifolium</i>	May Lily
<i>Leopoldia (Muscari) comosa</i>	Tassel Hyacinth
<i>Muscari neglectum</i>	Grape Hyacinth
<i>Ornithogalum umbellatum</i>	Common Star of Bethlehem
<i>Ornithogalum narbonense</i>	Narbonne Star of Bethlehem
<i>Ornithogalum pyrenaicum</i>	Bath Asparagus
<i>Polygonatum odoratum</i>	Angular Solomon's-seal
<i>Polygonatum multiflorum</i>	Solomon's-seal
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal
<i>Ruscus aculeatus</i>	Butcher's-broom
<i>Scilla bifolia</i>	Alpine Squill
Colchicaceae	Meadow Saffron Family
<i>Colchicum autumnale</i>	Autumn Crocus
Cyperaceae	Sedge Family
<i>Carex acutiformis</i>	Lesser Pond Sedge
<i>Carex binervis</i>	Green-ribbed Sedge
<i>Carex brevicollis</i>	-
<i>Carex caryophyllea</i>	Spring Sedge
<i>Carex demissa</i>	Common Yellow Sedge
<i>Carex digitata</i>	Fingered Sedge
<i>Carex dioica</i>	Dioecious Sedge
<i>Carex disticha</i>	Brown Sedge
<i>Carex divulsa</i>	Grey Sedge
<i>Carex flacca</i>	Glaucous Sedge
<i>Carex hirta</i>	Hairy Sedge
<i>Carex leporina</i>	Oval Sedge
<i>Carex nigra</i>	Common Sedge
<i>Carex ornithopoda</i>	Bird's-foot Sedge
<i>Carex pallescens</i>	Pale Sedge
<i>Carex paniculata</i>	Great Tussock Sedge
<i>Carex pendula</i>	Pendulous Sedge
<i>Carex spicata</i>	Spiked Sedge
<i>Carex vesicaria</i>	Bladder Sedge
<i>Scirpus sylvaticus</i>	Wood Clubrush
Dioscoreaceae	Black Bryony Family
<i>Dioscorea (Tamus) communis</i>	Black Bryony
Iridaceae	Iris Family
<i>Crocus caeruleus</i> (vernus subsp. <i>albiflorus</i>)	White Crocus
<i>Gladiolus italicus</i>	Field Gladiolus
<i>Iris lutescens</i>	An Iris

Scientific name	Common name
<i>Iris pseudacorus</i>	Yellow Flag
Juncaceae	Rush Family
<i>Juncus acutiflorus</i>	Sharp-flowered Rush
<i>Juncus bufonius</i>	Toad Rush
<i>Juncus inflexus</i>	Hard Rush
<i>Luzula campestris</i>	Field Wood-rush
<i>Luzula forsteri</i>	Southern Wood-rush
<i>Luzula luzuloides</i>	White Wood-rush
<i>Luzula multiflora</i> agg.	Heath Wood-rush
<i>Luzula nivea</i>	Snowy Wood-rush
<i>Luzula pilosa</i>	Hairy Wood-rush
<i>Luzula sylvatica</i>	Great Wood-rush
Liliaceae	Lily Family
<i>Erythronium dens-canis</i>	Dog's-tooth Violet
<i>Gagea liotardii</i> (G. fragifera, G. fistulosa)	a Yellow Star of Bethlehem
<i>Gagea lutea</i>	Yellow Star of Bethlehem
<i>Lilium martagon</i>	Martagon Lily
<i>Tulipa sylvestris</i> subsp. <i>sylvestris</i>	Wild Tulip
Melanthiaceae	Herb-Paris Family
<i>Paris quadrifolia</i>	Herb-Paris
<i>Veratrum album</i>	White False Helleborine
Orchidaceae	Orchid Family
<i>Anacamptis morio</i>	Green-winged Orchid
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid
<i>Cephalanthera damasonium</i>	White Helleborine
<i>Cephalanthera longifolia</i>	Sword-leaved Helleborine
<i>Cephalanthera rubra</i>	Red Helleborine
<i>Corallorhiza trifida</i>	Coralroot Orchid
<i>Cypripedium calceolus</i>	Lady's Slipper Orchid
<i>Dactylorhiza alpestris</i>	Alpine Broad-leaved Marsh Orchid
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid
<i>Dactylorhiza incarnata</i>	Early Marsh Orchid
<i>Dactylorhiza maculata</i>	Heath Spotted Orchid
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh Orchid
<i>Dactylorhiza sambucina</i> (Pink)	Elder-flowered Orchid
<i>Dactylorhiza sambucina</i> (Yellow)	Elder-flowered Orchid
<i>Dactylorhiza sambucina</i> (Yellow x Pink)?	Hybrid Elder-flowered Orchid
<i>Dactylorhiza traunsteineri</i>	Narrow-leaved Marsh Orchid
<i>Dactylorhiza viridis</i> (Coeloglossum viride)	Frog Orchid
<i>Epipactis microphylla</i>	-
<i>Gymnadenia conopsea</i>	Fragrant Orchid
<i>Himantoglossum hircinum</i>	Lizard Orchid
<i>Limodorum abortivum</i>	Violet Bird's-nest Orchid
<i>Neottia nidus-avis</i>	Bird's-nest Orchid
<i>Neottia ovata</i>	Twayblade
<i>Neotinea tridentata</i>	Toothed Orchid
<i>Neotinea tridentata</i> x <i>Neotinea ustulata</i>	a Hybrid Orchid
<i>Neotinea ustulata</i>	Burnt Orchid

Scientific name	Common name
<i>Ophrys apifera</i>	Bee Orchid
<i>Ophrys x flavicans</i> (<i>O. drumana</i>)*	Drome Bee Orchid
<i>Ophrys fuciflora</i> subsp. <i>fuciflora</i> (<i>O. linearis</i>)	Late Spider Orchid
<i>Ophrys fuciflora</i> x (<i>Ophrys x flavicans</i>)*	Hybrid Ophrys
<i>Ophrys insectifera</i>	Fly Orchid
<i>Ophrys insectifera</i> x (<i>Ophrys x flavicans</i>)*	a Hybrid Ophrys
<i>Ophrys scolopax</i>	Woodcock Orchid
<i>Ophrys sphegodes</i> subsp. <i>sphegodes</i>	Early Spider Orchid
<i>Ophrys sphegodes</i> x <i>Ophrys insectifera</i>	a Hybrid Ophrys
<i>Orchis anthropophora</i>	Man Orchid
<i>Orchis anthropophora</i> x <i>Orchis militaris</i>	a Hybrid Orchid
<i>Orchis anthropophora</i> x <i>Orchis simia</i>	a Hybrid Orchid
<i>Orchis mascula</i>	Early Purple Orchid
<i>Orchis mascula</i> subsp. <i>speciosa</i> (<i>O. ovalis</i>)	an Early Purple Orchid
<i>Orchis militaris</i>	Military Orchid
<i>Orchis militaris</i> x <i>Orchis simia</i>	a Hybrid Orchid
<i>Orchis pallens</i>	Pale-flowered Orchid
<i>Orchis provincialis</i>	Provence Orchid
<i>Orchis purpurea</i>	Lady Orchid
<i>Orchis purpurea</i> x <i>Orchis militaris</i>	a Hybrid Orchid
<i>Orchis purpurea</i> x <i>Orchis simia</i>	a Hybrid Orchid
<i>Orchis simia</i>	Monkey Orchid
<i>Orchis spitzelii</i>	Spitzel's Orchid
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid
<i>Traunsteinera globosa</i>	Round-headed Orchid
Poaceae	Grass Family
<i>Aegilops ovata</i>	-
<i>Alopecurus aequalis</i>	Orange Foxtail
<i>Alopecurus myosuroides</i>	Black Twitch
<i>Alopecurus pratensis</i>	Meadow Foxtail
<i>Anisantha diandra</i>	Great Brome
<i>Anisantha sterilis</i>	Barren Brome
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass
<i>Arrhenatherum elatius</i>	False Oat-grass
<i>Avena sterilis</i>	Winter Wild Oat
<i>Avenula pratense</i>	Meadow Oat-grass
<i>Avenula pubescens</i>	Downy Oat-grass
<i>Brachypodium pinnatum</i>	Tor-grass
<i>Brachypodium sylvaticum</i>	False Brome
<i>Briza media</i>	Quaking Grass
<i>Bromopsis erectus</i>	Upright Brome
<i>Bromus hordeaceus</i>	Soft Brome
<i>Calamagrostis argentea</i>	-
<i>Calamagrostis epigejos</i>	Wood Small Reed
<i>Calamagrostis varia</i>	
<i>Catapodium rigidum</i>	Fern-grass
<i>Cynodon dactylon</i>	Bermuda Grass
<i>Cynosurus cristatus</i>	Crested Dog's-tail
<i>Dactylis glomerata</i>	Cock's-foot
<i>Festuca arundinacea</i>	Tall Fescue
<i>Festuca glauca</i>	Blue Fescue

Scientific name	Common name
<i>Festuca ovina</i> agg.	Sheep's Fescue
<i>Festuca rubra</i> agg.	Red Fescue
<i>Koeleria macrantha</i>	Crested Hair-grass
<i>Lolium perenne</i>	Perennial Rye-grass
<i>Melica ciliata</i>	Soft Melick
<i>Melica nutans</i>	Mountain Melick
<i>Melica uniflora</i>	Wood Melick
<i>Phalaris arundinacea</i>	Reed Sweet Grass
<i>Poa alpina</i>	Alpine Meadow-grass
<i>Poa annua</i>	Annual Meadow-grass
<i>Poa bulbosa</i> var. <i>vivipara</i>	Bulbous Meadow-grass
<i>Poa chaixii</i>	Broad-leaved Meadow-grass
<i>Poa nemoralis</i>	Wood Meadow-grass
<i>Poa pratensis</i>	Smooth Meadow-grass
<i>Poa trivialis</i>	Rough Meadow-grass
<i>Sesleria caerulea</i>	Blue Moor-grass
<i>Trisetum flavescens</i>	Golden Oat-grass
Potamogetonaceae	Pondweed Family
<i>Groenlandia densa</i>	Opposite-leaved Pondweed
Typhaceae	Bulrush Family
<i>Typha latifolia</i>	Bulrush
Xanthorrhoeaceae	Asphodel Family
<i>Asphodelus aestivus</i>	Common Asphodel
FUNGI:	
<i>Auricularia auricula-judae</i>	Jelly Ear
<i>Calocybe gambosa</i>	St. George's Mushroom
<i>Collybia peronata</i>	Wood Woollyfoot Mushroom
<i>Coprinus atramentarius</i>	Ink Mushroom
<i>Fomes fomentarius</i>	Hoof Fungus
<i>Fomitopsis pinicola</i>	Red-belted Bracket
<i>Ganoderma pfeifferi</i>	Bee's Wax Bracket
<i>Gloeophyllum sepiarium</i>	Conifer Mazegill
<i>Helvella</i> sp.	a Cup Fungus
<i>Morchella esculenta</i>	Common Morel
<i>Morchella rotunda</i>	a Morel
<i>Pezize veince</i>	-
<i>Pholiota marginata</i>	Marginate Pholiota or Funerel Bell
<i>Polyporus</i> sp.	-
<i>Pulveroboletus ravenelii</i>	Sulphur Bolete
<i>Pycnoporus cinnabarinus</i>	an Orange Bracket
<i>Sarcosphaera coronaria</i>	Violet Crown-cup
<i>Stropharia coronilla</i>	Garland Roundhead Mushroom
<i>Trametes versicolor</i>	Turkeytail Fungus
<i>Trichaptum abietinum</i>	Purplepore Bracket Fungus
<i>Tricholoma</i> sp.	-

Scientific name	Common name
LICHENS:	
<i>Bryoria fuscescens</i>	Dark threads'
<i>Lobaria pulmonaria</i>	Tree Lungwort
<i>Peltigera</i> sp.	-
<i>Pseudevernia furfuracea</i>	-
<i>Soloria</i> c.f. <i>saccata</i>	Chocolate-chip Lichen
<i>Usnea dasypoga</i>	-