France – The Vercors (by train)

Naturetrek Tour Report

12th - 19th May 2025



Drome Orchid - Ophrys x flavicans by Peter Ogden



Bee Beetle by Peter Ogden



Gentiana angustifolia by Peter Ogden



Duke of Burgundy by Paul Harmes

Report by Paul Harmes & Lizzie Cooke. Photos by Peter Ogden and Paul Harmes



Naturetrek Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Paul Harmes and Lizzie Cooke (Leaders) with twelve Naturetrek clients

Day 1 Monday 12th May

London St. Pancras - Lille Europe - Lyon-Part-Dieu - La Chapelle en Vercors

Ten tour participants met Paul and Lizzie at St. Pancras International Station for the 11.04am Eurostar service to Amsterdam, arriving at Lille Europe at 1.36pm local time. Here, we went to find some lunch, before transferring to the Marseille TGV service, arriving into Lyon-Part-Dieu at 5pm. Once we arrived, we met the final two group members and went to complete the vehicle hire formalities. We collected our minibuses for the final leg of the journey to the Vercors region. We travelled towards Grenoble and then onto the A49 Valence motorway which we left at St. Marcelin. We approached the Vercors plateau via Pont-en-Royans and continued to La Chapelle via the attractive Petit Goulets, arriving at the Bellier Hotel, our base for the week, at 8.30pm. Along the way we saw Grey Heron, Wood Pigeon, Blackbird, Starling and Common Buzzard. At the hotel, we were met by Sandra, who quickly allocated our rooms, before we assembled for dinner, during which Lizzie and Paul gave us an outline for the next day. We all then retired after a rather long day.

Day 2 Tuesday 13th May

Fonte d'Urle - Foret de Lente - Col de la Machine - Route Combe Laval

We began the day with a short stop at the cemetery where the victims of the Nazi massacre at that village of Vassieux, during the Second World War, are buried. While we were there, Barn Swallow, Stonechat and Carrion Crow were seen, as well as a Little Blue. Plants included *Globularia punctata* (Common Globularia), *Cerastium arvense* (Field Mouse-ear) *Arabis birsuta* (Hairy Rock-cress), *Viola tricolor* subsp. *subalpina* (Alpine Heartsease), and *Cruciata laevipes* (Crosswort).

A brief roadside stop on the way up to the Col de Chau produced *Erinus alpinus* (Fairy Foxglove), *Saponaria ocymoides* (Rock Soapwort), *Sedum album* (White Stonecrop) and *Hippocrepis comosa* (Horseshoe Vetch) were recorded. Butterflies included Berger's Clouded Yellow as well as a Tau Emperor Moth and pair Griffon Vultures flew over us.

We made our way up to the Font d'Urle, an area of open limestone crags and sub-alpine meadows used for skiing in winter. As we arrived, a roadside bank was examined, and a few spikes of *Soldanella alpina* (Alpine Snowbell) was found, together with *Daphne mezereum* (Mezereon), *Draba aizoides* (Yellow Whitlow-grass) and *Ranunculus kuepferi* (Kuepfer's Buttercup). Parking the vehicles at the refuge, we set off to explore. *Crocus vernus* (White Crocus), in both purple and white colour forms, *Erythronium dens-canis* (Dog's-tooth Violet), *Narcissus pseudo-narcissus* (Daffodil), passed its best and *Scilla bifolia* (Alpine Squill) were seen. A flock of Alpine Choughs were ever-present, together with a few Red-billed Choughs, Skylark, Water Pipit and Northern Wheatear. As we moved on, we added *Gentiana verna* (Spring Gentian), *Pulmonaria montana* (Mountain Lungwort) and *Thlaspi montana* (Mountain Penny-cress). Along the way we had fine views of Alpine Marmot and, as we were admiring *Anemone ranunculoides* (Yellow Anemone) and *Cardamine heptaphylla* (Seven-leaflet Bitter-cress), Cuckoo was heard in the distance.

We then moved on into the Forêt de Lente, for our picnic lunch. As we drove, a solitary Roe Deer crossed the road. At our chosen site, Blackcap, Song Thrush, Chiffchaff, Dunnock and Great Spotted and Green Woodpeckers

were all identified. Also noted were *Abies alba* (European Silver Fir), *Orchis mascula* (Early Purple Orchid, Here, Orange Tip, Brimstone and Dingy Skipper butterflies were also recorded.

After enjoying our picnic, we continued by driving to the Col de la Machine and passing through the spectacular Route de Combe Laval, making a stop on a roadside bank, overlooking the town of St-Jean-en-Royans. Here we recorded *Salvia pratensis* (Meadow Clary), *Melittis melissophyllum* (Bastard Balm), *Ophrys insectifera* (Fly Orchid), *Orchis purpurea* (Lady Orchid), *Orobanche caryophyllea* (Clove-scented Broomrape), Polygonatum odoratum (Angular Soloman's-seal), and *Asplenium fontanum* (Smooth Rock Spleenwort).

Moving back up to the Col de la Machine, we stopped to enjoy the view. House Martin and Crag Martin were seen, as were *Hornungia petraea* (Hutchinsia), *Saxifraga tridactylites* (Rue-leaved Saxifrage) and *Kernera saxatilis* (Kernera).

It was now time to make our way back to the hotel for dinner.

Day 3

Wednesday 14th May

Col de la Bataille - Col de Bacchus - Gigors - Leoncel

An early morning Bird walk produced Common Swift, Western House Martin, Black Redstart, House Sparrow, Blackbird, Blackcap, Common Chaffinch and Common Kestrel.

Today we left La Chapelle and made our way towards Lente and up to the Col de la Bataille, where we made a short stop. Here we added *Lotus alpinus* (Alpine Bird's-foot Trefoil) and *Globularia cordifolia* (Matted Globularia). For the birders, there were Alpine Chough and a pair of Short-toed Snake Eagles.

We now continued south, through Leoncel and south through La Vacherie to the Col de Bacchus. Here we stopped to explore a broad road verge, finding *Dactylorhiza sambucina* (Elder-flowered Orchid) in its yellow and magenta colour-forms, *Neotinea ustulata* (Burnt Orchid), *Orchis simia* (Monkey Orchid), *Anacamptis morio* (Green-winged Orchid), *Orchis militaris* (Military Orchid) *Silene italica* (Italian Catchfly) and many other species. Butterflies included Berger's Clouded Yellow and Orange Tip. Song Thrush, Western Bonelli's Warbler and Cuckoo were also heard. Two day-flying moths, Grass Rivulet and Mother Shipton, were also recorded.

We now continued south through Plan-de-Baix to Beaufort sur Gervanne, where we turned west to an area of open scrubby land with marginal woodland, near Gigors. Parking in a clearing, we set off to explore, finding Limodorum abortivum (Violet Bird's-nest Orchid) and Ophrys x flavicans (Drome Orchid), there were also Small Heath, Small White, Green-veined White and Green Hairstreak butterflies. Returning to the vehicles, our leaders prepared our picnic. After eating, we moved to an area of scrubby fields, where we found Thymus vulgaris (Wild Thyme), Helianthemum oelandicum subsp. incanum (Hoary Rockrose) and Muscari comosum (Tassel Hyacinth). In addition, there was more Ophrys x flavicans (Drome Bee Orchid), Ophrys holosericea subsp. holosericea (Late Spider Orchid), Orobanche alba (Thyme Broomrape) and Helianthemum apenninum (White Rock-rose). Southern Grizzled Skipper, Brimstone, Painted Lady and Spotted Fritillary Butterflies were seen, also. Meanwhile, the birders heard Cuckoo and Western Bonelli's Warbler, and over nearby hills Griffon Vulture and Black Kite were added.

We now set off back to a second location on the Col de Bacchus, to explore an area of scrubby grazing land, where we examined a colony of *Orchis provincialis* (Provence Orchid). In addition there was also *Neotinea ustulata* x N. *tridentata* (Hybrid Orchid), together with a solitary Raven, Berger's Clouded Yellow and Duke of Burgundy Fritillary butterflies.

It was now time to begin our journey north back to La Chapelle.

Day 4

Thursday 15th May

Herbouilly - Valchevriere - Les Merciers

Following breakfast, we were soon on our way to the northern end of the Vercors Plateau. Passing through St. Martin en Vercors, we turned right up to the Herbouilly area, making our first stop of the day by a wooded verge. The woodland here supports and good selection of orchids, and we began with *Neottia nidus-avis* (Bird's-nest Orchid), *Orchis pallens* (Pale Orchid) and *Neottia ovalis* (Twayblade). Further exploration produced *Daphne laureola* (Spurge Laurel). Chaffinch and Blackbird and Song Thrush were heard.

Our next stop was close to the abandoned village of Valchevriere, The site of a horrific, one-sided battle between the Resistance and the Germans. Although massively outnumbered, a small contingent of resistance fighters, managed to delay the inevitable, long enough for the comrades to escape to safer ground.

Cardamine pentaphyllos (Five-leaflet Bitter-cress), Erigeron andicola (False Aster), Sambucus racemosus (Red-berried Elder) and Asplenium trichomanes subsp. pachyrachis (a Maidenhair Spleenwort) were also recorded, and Robin and Coal Tit were heard.

We continued towards Lans en Vercors, and up to our chosen lunch spot at Les Merciers, where our leaders prepared our picnic. The warm sunshine meant that insects were very active. Titania's Fritillary, Pearl-bordered Fritillary, Northern Wall Brown, Orange Tip, Small Blue, Dingy Skipper and Green-veined White butterflies were all seen, together with Speckled Yellow and Common Carpet moths and a Two-banded Longhorn Bettle.

After lunch, we set off along a very quiet lane with rocky verges. Here we saw Sedum forsterianum (Rock Stonecrop), Asplenium fontanum (Rock Spleenwort), Astragalus depressus (Spreading Milkvetch) and Cuscuta europaeus (Greater Dodder). Common Buzzard was seen and Blackcap, Chaffinch and Chiffchaff were heard. We now walked out into an area of subalpine grassland and limestone outcrops. Here we added Anthyllis montana (Mountain Kidney Vetch), Gentiana clusii (Clusi's Gentian) and Centaurea montana (Perennial Cornflower, as well as a pair of Ortolan Buntings. Additional butterflies included Clouded Yellow, Adonis Blue, Southern Grizzled Skipper and Berger's Clouded Yellow.

A short stop at the damp meadows of Les Bruyeres produced *Valeriana dioica* (Marsh Valerian), *Silene flos-cuculi* (Ragged Robin), an extensive population of *Dactylorhiza majalis* (Broad-leaved Marsh Orchid) and a solitary spike of *Dactylorhiza incarnata* (Early Marsh Orchid). Barn Swallow and House Martin were plentiful, and an Azure Bluet Damselfly were also noted.

We now began our journey back to La Chapelle, only this time we took the route through the magnificent Gorges de la Bourne. As we entered the gorge, we disturbed a Grey Wagtail. Pausing by the Pont Valchevriere bridge, in

the hope of seeing White-throated Dipper. Unfortunately, only a single, fleeting glimpse was acheived. However, we did add *Tillia cordata* (Small-leaved Lime), *Ulmus glabra* (Wych Elm), *Angelica sylvestris* (Wild Angelica) and a distant view of a single *Juniperus thurifera* (French Alpine Juniper).

It was now time to complete our homeward journey. However, as we were driving pass Les Barques, a Black Woodpecker flew briefly alongside the vehicles, before vanishing into the forest.

Day 5 Friday 16th May

Die – Les Nonnières – Vallon de Combeau – Cirque d'Archiane

After an early breakfast, we were soon on the road south, towards the town of Die.

Our first planned stop of the day was at the head of the spectacular Col de Rousset, from which we had magnificent views from the top of the Col down towards the town of Die. The wind-chill was quite severe, so we only lingered for about five minutes. The now familiar Blackcap and Chiffchaff were both heard, and Lizzie spotted a small distant group of Chamois, which included several youngsters.

Moving down the valley through Chamaloc and Die, we turned east through Pont-de-Quart and Châtillon-en-Diois, through Menée and up to a point above Les Nonnières, where we parked by some meadows. In the woods, we found a good number of plants of *Cypripedium calceolus* (Lady's Slipper Orchid) but only in bud. There was also *Gentiana angustifolia* (Narrow-leaved Gentian). On an adjacent verge bank, we found *Genista sericea* (a Greenweed) and *Cytisophyllum sessilifolium* (Sessile Broom). A distant Cuckoo could be heard at the edge of a meadow, and two Griffon Vultures flew over. In the meadow, we found Field Cricket, Grass Rivulet, Common Carpet and Burnet Companion moths, and a single Western Green Lizard.

We now moved down to the Vallon de Combeau, where we made our way up to the head of the valley to a picnic site by a stream. As we went, we added the strange *Viscum album subsp, abietis* (Mistletoe) parasitizing European Fir, *Gentiana angustifolia* (Narrow-leaved Gentian) *and Orchis spitzelii* (Spitzel's Orchid). Our leaders set up our picnic lunch by a ford, in a small glade of trees. Marsh Tit and Goldcrest were heard, and Coal Tit seen.

After eating, we explored, finding *Pinguicula grandiflora* (Greater Butterwort) and *Meum athamanticum* (Spignel), before making our way further down the hill and into the Cirque d'Archiane, to admire the Magnificent Rocher d'Archiane

Here, butterflies began to appear. We noted Berger's Clouded Yellow, Small Heath, Dingy Skipper, Small Blue, Silver Studded, Blue and Reverdin's Blue. There were also Speckled Yellow and Grass Rivulet moths. Some verges had *Linum suffruticosum* subsp salsoloides (Pyrenean Flax)

It was now time to retrace our steps back to La Chapelle en Vercors.

Day 6

Saturday 17th May

Commune de Châtelus - Presles - Petrouze - Pont-en-Royans

We began today by driving north and though the Grand Goulets Tunnel, and down to St. Eulalie en Royans. Here we turned up through Pont en Royans and on to a point by the River Bourne, and made our way into the commune de Chatelus, where we parked in a layby, and explored the verge banks. Here we found *Platanthera bifolia* (Lesser Butterfly Orchid), *Cotinus coggygria* (Smoke Bush) and *Anacamptis pyramidalis* (Pyramidal Orchid). Brimstone, Small White and Orange Tip butterflies were also seen. Song Thrush, Chaffinch and Blackcap were singing, and a solitary Short-toed Snake Eagle was seen overhead.

Rejoining the main road, we turned onto the Route de Presles, and made our way up to Campeloud, where we parked. We now set off to explore the small, quiet lane going to Courtevoux. Here, we found *Orchis simia* (Monkey Orchid), *Orchis anthropophora* (Man Orchid), *Orchis mascula* (Early Purple Orchid), *Cephalanthera damasonium* (White Helleborine), *Orchis purpurea x Orchis simia* (Hybrid Lady x Monkey Orchid), *Orchis apifera* (Bee Orchid), *Ophrys sphegodes* subsp. *araneola* (Early Spider Orchid and *Melittis melissophyllum* (Bastard Balm). For the birders, Chiffchaff, Blackcap and Common Cuckoo were heard and Blue Tit, Magpie, Jay and a group of five Alpine Swift all seen. Butterflies were represented by Wall Brown, Small Blue, Green-veined White, Red Admiral, Spotted Fritillary, Pearly Heath and Green Hairstreak. Rose Chafer was also seen.

Moving on, we drove through the magnificent Rocher de Presles, and on into the Forêt Dominiale des Coulmes, parking at the Fontaine de Petrouze, for our picnic lunch. Here we explored a nearby meadow, whilst our leaders set up our picnic. *Paris quadrifolia* (Herb Paris), *Lilium martagon* (Martagon Lily) and *Orchis mascula* (Early Purple Orchid) were noted, and Pearl-bordered Fritillary and Chequered Skipper were seen. As we were eating, Song Thrush was singing, and a distant Black Woodpecker was heard calling. After lunch, we explored further, concentrating on the woodland and its margins. *Polygonatum verticillatum* (Whorled Soloman-seal), emerging *Sambucus ebulus* (Dwarf Elder) and *Stachys sylvatica* (Hedge Woundwort) were added, as well as Painted Lady, Wall Brown, Speckled Wood and Orange Tip butterflies. The curious Bee Beetle was also recorded

We now made our way back to Pont en Royans, where we parked on the outskirts and walked into the town, by the River Bourne. Mallard, Common Merganser, Crag Martin together with White and Grey Wagtails were seen. We stopped in at a café for some splendid ice-creams, before returning to the vehicle. Along the way we added *Cheiranthus cheiri* (Wallflower) and *Poa nemorosa* (Wood Meadow-grass), and in the gorge *Buddleja davidii* (Butterfly Bush).

Leaving Pont-en-Royans, we made our way back to La Chapelle en Vercors, pausing on a verge at Chabertiere, to the north of the Town. Here, we added a strange plant, *Asarum europaea* (Asarabacca) as well as Sooty Copper butterfly.

Day 6 Sunday 18th May

Reserve Naturelle des Hauts Plateaux du Vercors

Today, we left the hotel after our 8am breakfast. We made our way southwards and joined the plateau access road just north of Rousset en Vercors and began to make our way up to the Reserve Naturelle des Hauts Plateaux. A short way up, we made a stop to admire the view northwards, towards St. Agnan en Vercors. Here we found

Cardamine heptaphylla (Seven-leaflet Bitter-cress) and Cardamine pentaphyllos (Five-leaflet Bitter-cress, growing side by side.

Moving on, we parked at the car park at La Coche and set off for the High Plateau, Coal Tit, Crested Tit, Chaffinch and robin, all showed well as we left the car park. We made our way up to the plateau along the roads and tracks through the forest, finding as we went, *Daphne mezereum* (Mezereon), *Ranunculus kuepferi* (Kuepfer's Buttercup), *Daphne cneorum* (Garland Flower) and *Globularia nudicaulis* (Leafless-stemmed Globularia). Tree Pipit was added as we went. Along the way we saw Brimstone, Orange Tip, Dingy Skipper and Grizzled Skipper, Southern Grizzled Skipper and Swallowtail butterflies, as well as Tau Emperor, Mother Shipton and Common Heath Moth.

Further on, we found *Tulipa sylvestris* subsp. *sylvestris* (Wild Tulip), *Potentilla rupestris* (Rock Cinquefoil), *Ajuga pyramidalis* (Pyramidal Bugle and *Polygala alpestris* (Mountain Milkwort) were added. Alpine marmots were seen by their burrows. On the descent, we explored the mixed coniferous and deciduous woodland and found that *Abies alba* (Silver Fir), *Fagus sylvatica* (Beech) and *Picea abies* (Norway Spruce) were the predominant trees. Crested Tit, Coal Tit and Willow Warbler were heard. From here we made our way back down to the car park, where we had our picnic.

After lunch, we travelled along the network of tracks passing over the back of the plateau, pausing as we went for scenic photo opportunities, as well as wildlife. Lizzie spotted several emerging plants of *Pulsatilla alpina* (Alpine Pasqueflower), which we stopped to admire.

Slowly descending the Plateaux, we made our way through the tiny hamlet of Les Meunières, where we marvelled at the flower-strewn verges. Plants here included *Orchis mascula* (Early Purple Orchid) and *Orchis anthropophora* (Man Orchid) and *Cephalanthera longifolia* (Sword-leaved Helleborine).

We now returned to La Chapelle to begin our packing and freshen up before dinner.

Day 8 Monday 19th May

La Chapelle en Vercors – Lyon-Part-Dieu – Lille Europe - London St. Pancras

We left La Chapelle en Vercors at 10am, bidding farewell to Mme. Bellier, her daughters and her staff, and made our way via the Grand Goulets and Pont en Royans to the A49 Motorway to the outskirts of Grenoble, and onto the A48 Motorway. We then headed north to Lyon-Part-Dieu. On the way we picked out several birds including Common Buzzard, White Stork. Common Kestrel and Western Jackdaw.

At Lyon-Part-Dieu Station, the group caught the TGV back to Lille, and then the Eurostar to St. Pancras.



Owlfly by Peter Ogden

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.

facebook

www.facebook.com/naturetrekwildlifeholidays

twitter 🏏

www.twitter.com/naturetrektours

Instagram

www.instagram.com/naturetrek wildlife holidays

Species lists

Plants

| Scientific name | Common name | Day | Location |
|--|--|-----|--------------------------|
| * = Endemic or restricted distribution, [] = | Introduced or planted | | |
| | | | |
| PTERIDOPHYTES | FERNS & ALLIES | | |
| | | | |
| Calamophytes | Horsetails | | |
| | | | |
| Equisetaceae | Horsetail Family | | |
| Equisetum palustre | Marsh Horsetail | 6 | Comune de Chatelus |
| Equisetum telmateia | Great Horsetail | 5 | Above Les Nonnieres |
| | | | |
| Leptosporangiate Ferns | True Ferns | | |
| | | | |
| Aspleniaceae | Spleenwort Family | | |
| Asplenium fontanum | Smooth Rock Spleenwort | 2 | Col de la Machine |
| Asplenium ruta-muraria | Wall Rue | 2 | Above St. Jean en Royans |
| Asplenium trichomanes subsp. pachyrachis | Maidenhair Spleenwort | 4 | Valchevriere |
| Asplenium trichomanes subsp. quadrivalens | Maidenhair Spleenwort | 2 | Foret de Lente |
| Asplenium viride | Green Spleenwort | 2 | Foret de Lente |
| Overte mtovide e e e | Diaddor form Forette | | |
| Cystopteridaceae | Bladder-fern Family Brittle Bladder-fern | 2 | Font d'Urle |
| Cystopteris fragilis | | 2 | |
| Gymnocarpium robertianum | Limestone Fern | | Font d'Urle |
| Dennstaedtiaceae | Bracken Family | | |
| Pteridium aquilinum | Bracken | 6 | Route Presles |
| tondam aqaimam | Brackers | | Troute Fredios |
| Dryopteridaceae | Buckler-fern Family | | |
| Dryopteris filix-mas | Male-fern | 4 | Herbouilly |
| Polystichum aculeatum | Hard Shield-fern | 7 | Hauts Plateaux |
| Polystichum Ionchitis | Holly Fern | 2 | Font d'Urle |
| , | | | |
| GYMNOSPERMS | CONIFERS | | |
| | | | |
| Cupressaceae | Juniper Family | | |
| Juniperus communis var. saxatilis | - | 2 | Font d'Urle |
| Juniperus thurifera | French Alpine Juniper | 4 | Gorges de la Bourne |
| | | | |
| Pinaceae | Pine Family | | |
| Abies alba | European Silver Fir | 2 | Foret de Lente |
| Picea abies subsp. abies | Spruce | 2 | Foret de Lente |
| | | | |
| Pinus nigra subsp. nigra | Austrian or Black Pine | 3 | Gigors |
| Pinus sylvestris | Scots Pine | 3 | La Chapelle en Vercors |
| Pinus uncinata | Mountain Pine | 5 | Vallon du Combeau |
| | | | |
| ANGIOSPERMS | FLOWERING PLANTS | | |

| Scientific name | Common name | Day | Location |
|--|-----------------------|-----|-------------------------|
| * = Endemic or restricted distribution, [] | - | | |
| Pre-Dicots | Primitive Angiosperms | | |
| | | | |
| Aristolochiaceae | Birthwort Family | | |
| Asarum europaeum | Asarabacca | 6 | La Chabertiere |
| Eu-Dicots | True Dicotyledons | | |
| Adoxaceae | Moschatel Family | | |
| Sambucus ebulus | Dwarf Elder | 4 | Roadsides |
| Sambucus nigra | Elder | 6 | Roadsides |
| Sambucus racemosus | Red-berried Elder | 4 | Valchevriere |
| Viburnum lantana | Wayfaring Tree | 2 | Foret de Lente |
| Viburnum opulus | Guelder Rose | 5 | Above Les Nonnieres |
| Amaranthaceae | Pigweed Family | | |
| Blitum (Chenopodium) bonus-henricus | Good King Henry | 2 | Font d'Urle |
| | | _ | |
| Anacardiaceae | Sumach Family | | |
| Cotinus coggygria | Smoke Bush | 6 | Comune Chatelus |
| 33.5 | | | |
| Apiaceae | Carrot Family | | |
| Angelica sylvestris | Wild Angelica | 4 | Gorges de la Bourne |
| Anthriscus sylvestris | Cow Parsley | 6 | Petruze |
| Chaerophyllum aureum | Golden Chervil | 3 | Col de Bahccus |
| Daucus carota | Wild Carrot | 3 | Gigors |
| Eryngium campestre | Field Eryngo | 3 | Gigors |
| Heracleum sphondylium | Hogweed | 4 | Herbouilly |
| Meum athamanticum | Spignel | 5 | Vallon de Combeau |
| Orlaya grandiflora | Orlaya | 3 | Gigors |
| Pimpinella saxifraga | Burnet Saxifrage | 5 | Above Les Nonnieres |
| Sanicula europaea | Sanicle | 4 | Herbouilly |
| Siler montanum (Laserpitium siler) | a Sermountain | 2 | Font d'Urle |
| Tordylium apulum | Hartwort | 3 | Gigors |
| _ | | | |
| Apocynaceae | Periwinkle Family | | |
| Vincetoxicum hirundinaria | Swallow-wort | 2 | Vasseieux |
| Araliaceae | Ivy Family | | |
| Hedera helix agg. | lvy | 3 | Col de Bacchus |
| nous a nome agg. | | | Cor do Bacorido |
| Asteraceae | Daisy Family | _ | |
| Artemisia absinthium | Wormwood | 2 | Col de la Machine |
| Bellis perennis | Daisy | 3 | La Chapelle en Vercors |
| Carduus defloratus | Alpine thistle | 2 | Font d;'Urle |
| Cirsium eriophorum | Woolly Thistle | 2 | Vassieux |
| Cyanus montanus (Centaurea montana) | Perennial Cornflower | 4 | Les Merciers |
| Erigeron andicola (Aster bellidiastrum) | False Aster | 4 | Herbouilly |
| Homogyne alpina | Alpine Colts-foot | 7 | Hauts Plateaux (leaves) |
| Lapsana communis | Nipplewort | 4 | Herbouilly |
| Leucanthemum vulgare | Ox-eye Daisy | 3 | Col de Bacchus |

| Scientific name | Common name | Day | Location |
|--|----------------------------|-----|--------------------------|
| * = Endemic or restricted distribution, [] | = Introduced or planted | | |
| Petasites albus | White Butterbur | 3 | Roadsides |
| Pilosella officinarum | Mouse-eared Hawkweed | 2 | Font d'Urle |
| Rhaponticum coniferum | Leuzia or Cone-flower | 6 | Route Presles |
| Silybum marianum | Milk Thistle | 3 | Col de Bacchus |
| Sonchus oleraceus | Smooth Sow-thistle | 5 | Chatillion en Diois |
| Taraxacum agg. | Dandelion | 2 | Vassieux |
| Tragopogon pratensis | Goat's-beard | 6 | Commune Chatelus |
| Tussilago farfara | Colt's-foot | 2 | Font d;Urle |
| <u> </u> | | | |
| Betulaceae | Birch Family | | |
| Betula pendula | Silver Birch | 6 | Pertruze |
| Carpinus betulus | Hornbeam | 2 | Above St. Jean en Royans |
| Corylus avellana | Hazel | 6 | Commune Chatelus |
| | | + - | |
| Boraginaceae | Forget-me-not Family | | |
| Borago officinalis | Borage | 5 | Chatillion en Diois |
| Myosotis alpestris | Alpine Wood Forget-me-not | 2 | Font d'Urle |
| Myosotis ramosissima | Early Forget-me-not | 3 | Col de Bacchus |
| Myosotis sylvatica | Wood Forget-me-not | 2 | Foret de Lente |
| Pulmonaria montana | Mountain Lungwort | 2 | Font d'Urle |
| Pulmonaria officinalis | Common Lungwort | 6 | Route Presles |
| Alliaria petiolata | Garlic Mustard | 2 | Roadsides |
| Alyssum montanum | Mountain Alyssum | 4 | Les Merciers |
| Arabis alpina | Alpine Rock-cress | 2 | Fonte d'Urle |
| Arabis glabra | Smooth Rock-cress | 2 | Above St. Jean en Royans |
| Arabis glabia Arabis hirsuta | Hairy Rock-cress | 2 | Vassieux |
| Barbarea vulgaris | Common Winter-cress | 2 | Font d'Urle |
| Bunias orientalis | Warty Cabbage | 2 | La Capelle en Vercors |
| Capsella bursa-pastoris | Shepherd's-purse | 4 | Herbouilly |
| Cardamine flexuosa | Wavy Bitter-cress | 6 | Petruze |
| Cardamine hexuosa Cardamine heptaphylla | Seven-leaflet Bitter-cress | 2 | Foret de Lente |
| Cardamine hirsuta | | 6 | Petruze |
| | Hairy Bitter-cress | | |
| Cardamine pentaphyllos | Five-leaved Bitter-cress | 3 | Roadsides |
| Draba aizoides | Yellow Whitlow-grass | 2 | Fonte d'Urle |
| Erophila verna | Common Whitlow-grass | 2 | Font d'Urle |
| Erysimum cheiri | Wallflower | 6 | Pont en Royans |
| Erysimum ochroleucum | a Treacle-mustard | 2 | Vassieux |
| Hornungia petraea | Hutchinsia | 2 | Col de la Machine |
| Kernera saxatilis | Kernera | 2 | Col de la Machine |
| Lunaria redivida | Perennial Honesty | 4 | Gorges de la Bourne |
| Microthlaspi perfoliata | Perfoliate Penny-cress | 7 | Haut Plateaux |
| Pseudoturritus turrita (Arabis turrita) | Tower-cress | 2 | Above St. Jean en Royans |
| Thlaspi montanum | Mountain Penny-cress | 2 | Fonte d'U <u>rle</u> |
| | | | |
| Buxaceae | Box Family | | |
| Buxus sempervirens | Box | 2 | Above St. Jean en Royans |
| Campanulaceae | Bellflower Family | | |
| Phyteuma nigra | Black Rampion | 2 | Above St. Jean en Royans |
| , | | | |
| | | _ | |

| Scientific name | Common name | Day | Location |
|--|-------------------------------|-----|--------------------------|
| * = Endemic or restricted distribution | n, [] = Introduced or planted | | |
| Centranthus ruber | Red Valerian | 3 | Beaufort sur Gervanne |
| Knautia dipsacifolia | Wood Scabious | 6 | Route Presles |
| Lonicera alpigena | Alpine Honeysuckle | 7 | Haut Plateaux |
| Lonicera implexa | a Honeysuckle | 6 | Comune de Chatelus |
| Lonicera xylosteum | Fly Honeysuckle | 2 | Above St. Jean en Royans |
| Valeriana dioica | Marsh Valerian | 4 | les Bruyeres |
| Valeriana montana | Mountain Valerian | 7 | Hauts Plateaux |
| Valeriana officinalis | Common Valerian | 6 | Roadsides |
| Valeriana tripteris | Three-leaved Valerian | 2 | Col de la Machine |
| Valeranella dentata | Narrow-fruted Cornsalad | 5 | Above Les Nonnieres |
| Valerianella eriocarpa | Hairy-fruited Corn-salad | 3 | Gigors |
| Valerianella locusta | Common Cornsalad | 2 | Above St. Jean en Royans |
| Caryophyllaceae | Pink Family | | |
| Cerastium arvense | Field Mouse-ear | 2 | Vassieux |
| Cerastium fontanum | Common Mouse-ear | 4 | Col de Bacchus |
| Cerastium tomentosum | Snow-in-Summer | 2 | Foret de Lente |
| Dianthus sylvaticus | Wood Pink | 6 | Route Presles |
| Moehringia muscosa | - | 2 | Above St.Jean en Royans |
| Saponaria ocymoides | Rock Soapwort | 2 | Col de la Chau |
| Silene (Lychnis) flos-cuculi | Ragged Robin | 4 | Les Bruyeres |
| Silene italica | Italian Catchfly | 3 | Colo de Bacchus |
| Silene latifolia | White Campion | 6 | Route Presles |
| Silene vulgaris | Bladder Campion | 2 | Above St. Jean en Royans |
| Stellaria holostea | Greater Stitchwort | 3 | Gigors (over) |
| Cistaceae | Rock-rose Family | | |
| Fumana procumbens | Procumbent Fumana | 6 | Route Presles |
| Helianthemum apenninum | White Rock-rose | 3 | Gigors |
| Helianthemum nummularium | Common Rock-rose | 3 | Col de Bacchus |
| | | 3 | Gigors |
| H.oelandicum subsp. incanum | Hoary Rock-rose | 3 | Gigors |
| Convolvulaceae | Bindweed Family | | |
| Convolvulus arvensis | Field Bindweed | 3 | Gigors |
| Cuscuta europaeum | Greater Dodder | 4 | Les Merciers |
| Cornaceae | Dogwood Family | | |
| Cornus sanguinea | Dogwood | 3 | Col de Bacchus |
| Crassulaceae | Stonecrop Family | | |
| Sedum album | White Stonecrop | 2 | Col de la Chau |
| Sedum dasyphyllum | Fat Stonecrop | 2 | Above St.Jean en Royans |
| Sedum forsterianum | Rock Stonecrop | 4 | Les Merciers |
| Sedum rupestre | Large Yellow Stonecrop | 2 | Vassieux |
| Sedum sediforme | - | 6 | Route Presles |
| Sempervivum tectorum | Common Houseleek | 4 | Les Merciers |
| Ericaceae | Heath family | | |
| Arctostaphylos uva-ursi | Bearberry | 5 | Vallon de Combeau |
| Pyrola minor | Common Wintergreen | 7 | Hauts Plateaus |
| Vaccinium myrtillus | Bilberry | 2 | Fonte d'Urle |

| Scientific name | Common name | Day | Location |
|---|---|--------|-----------------------------------|
| * = Endemic or restricted distribution, [] | = Introduced or planted | | |
| | | | |
| Euphorbiaceae | Spurge Family | | |
| Euphorbia amygdaloides | Wood Spurge | 4 | Herbouilly |
| Euphorbia cyparissias | Cypress Spurge | 4 | Les Merciers |
| Euphorbia dulcis | Sweet Spurge | 2 | Foret de Lente |
| Eurphorbia exigua | Dwarf Spurge | 3 | Gigors |
| Euphorbia lathyris | Caper Spurge | 5 | Chatillion en Diois |
| Euphorbia verrucosa | - | 2 | Foret de Lente |
| Mercurialis perennis | Dog's Mercury | 6 | Petruze |
| Fabaceae | Pea Family | | |
| Anthyllis montana | | 4 | Les Merciers |
| Anthyllis vulneraria agg. | Mountain Kidney-vetch | 3 | Gigors |
| | Kidney-vetch | | |
| Astragalus depressus | Sprawling Milk-vetch | 2 | Font d'Urle |
| Astragalus monspessulanus | Montpelier Milk-vetch | 3 | Col de Bacchus |
| Bituminaria bituminosa | Pitch Trefoil Sessile Broom | 3 | Col de Bacchus (leaves) |
| Cytisophyllum sessilifolius .otus (Dorycnium) pentaphyllum | Sessile Broom | 5 6 | Above Les Nonnieres Route Presles |
| | | - | |
| Genista (Chamaespartium) sagittalis Genista sericea | Winged Pea a Greenweed | 6 5 | Route Presles Above Les Nonnieres |
| | Horseshoe Vetch | 2 | Font d'Urle |
| Hippocrepis comosa | False Senna | 2 | |
| dippocrepis emerus | | 1 | Above St.Jean en Royans |
| aburnum anagyroides | Laburnum | 3 | Roadsides Col de Bacchus |
| athyrus cicera | Valland Vatablia | | |
| athyrus pratensis | Yellow Vetchling | 6 | Commune Chatelus |
| Lathyrus setifolius | - Caring Votabling | 3 2 | Gigors Foret de Lente |
| athyrus vernus | Spring Vetchling Alpine Bird's-foot Trefoil | 3 | |
| otus alpinus otus edulis | Edible Lotus | 3 | Col de la Bataille |
| | Bur Medick | 3 | Gigors |
| Medicago minima | | | Gigors |
| Onobrychis arenaria | a Sainfoin | 2 | Vassieux Roadsides |
| Robinia pseudoacacia] | False Acacia | 1 | |
| Frifolium campestris | Hop Trefoil | 3 | Gigors |
| Trifolium incarnatum subsp. incarnatum | Crimson Clover | 4 | Field N of La Chapelle |
| Trifolium incarnatum subsp. molinerii | - Mayortain Clayer | 3 | Gigors Col de Bacchus |
| Trifolium montanum | Mountain Clover | 3 | |
| Trifolium pratense | Red Clover White Clover | 6 | Route Presles |
| Trifolium repens Trifolium rubens | | | Gigors |
| | Red Trefoil Bush Vetch | 6 | Route Presies |
| Vicia sepium | Duali Acitii | 2 | Above St. Jean en Royans |
| Fagaceae | Oak & Beech Family | | |
| Fagus sylvatica | Beech | 2 | Foret de Lente |
| Quercus pubescens | Downy Oak | 2 | Above St. Jean en Royans |
| • | | | , |
| Gentianaceae | Gentian Family | | |
| Blackstonia perfoliata | Yellow-wort | 6 | Route Presles |
| Gentiana angustifolia | Narrow-leaved Gentian | 5 | Vallon de Combeau |
| Gentiana clusii | Clusius' Gentian | 2 | Route Coomb Laval |
| Gentiana lutea | Yellow Gentian | 2 | Font d'Urle |
| Gentiana verna | Spring Gentian | 2 | Font d'Urle |

| Scientific name | Common name | Day | Location |
|--|---------------------------|-----|---------------------------|
| * = Endemic or restricted distribution, [] = | Introduced or planted | | |
| | | | |
| Geraniaceae | Geranium Family | | |
| Erodium moschatum | Musk Stork's-bill | 6 | Route Presles |
| Geranium columbinum | Long-stalked Crane's-bill | 6 | Route Presles |
| Geranium dissectum | Cut-leaved Crane's-bill | 4 | La Chapelle en Vercors |
| Geranium molle | Dove's-foot Crane's-bill | 4 | Les Merciers |
| Geranium pyrenaicum | Hedgerow Crane's-bill | 2 | Vassieux |
| Geranium robertianum | Herb Robert | 4 | Herbouilly |
| Geranium rotundifolium | Round-leaved Crane's-bill | 5 | Chatillion en Diois |
| Geranium sylvaticum | Wood Crane's-bill | 6 | Route Presles |
| Grossulariaceae | Gooseberry Family | | |
| Ribes alpinum | Mountain Currant | 7 | Hauts Plateaus |
| Нурегісаеае | St. John's-wort Family | | |
| Hypericum hirsutum | Hairy St.John's-wort | 4 | Herbouilly |
| | | | |
| Juglandaceae | Walnut Family | | |
| [Juglans regia] | Walnut | 1 | Planted |
| · - · · · · · · · · · · · · · · · · · · | | | |
| Lamiaceae | Dead-nettle Family | | |
| Ajuga genevensis | Blue Bugle | 2 | Vassieux |
| Ajuga pyramidalis | Pyramidal Bugle | 7 | Hauts Plateaus |
| Ajuga reptans | Bugle | 4 | Les Bruyeres |
| Clinopodium alpinum | Alpine Basil-thyme | 2 | Font d'Urle |
| Lamiastrum galeobdolon subsp. montanum | Yellow Archangel | 6 | Petruze |
| Lamium garganicum | Large Red Dead-nettle | 2 | Font d'Urle |
| Lavandula officinalis | Lavender | 6 | Vallon de Combeau |
| Melittis melissophyllum | Bastard Balm | 2 | Above St. Jean en Vercors |
| Mentha aquatica | Water Mint | 5 | Vallon de Combeau |
| | | | |
| Mentha x villosa | Apple Mint | | |
| Origanum vulgare | Wild Marjoram | 2 | Vassieux |
| Salvia pratensis | Meadow Clary | 2 | Above St. Jean en Royans |
| Salvia verbenaca | Wild Clary | 3 | Gigors |
| Stachys sylvatica | Hedge Woundwort | 6 | Petruze |
| Teucrium chamaedrys | Wall Germander | 6 | Route Presles (leaves) |
| Teucrium polium | Felty Germander | 3 | Gigors |
| Thymus (polytrichus) drucei | Wild Thyme | 3 | Col de Bacchus |
| Thymus (polytichus) uracei Thymus pulegioides | Large Thyme | 2 | Col de la Machine |
| Thymus pulegioldes Thymus vulgaris | A Thyme | 3 | Gigors |
| mymus vuigans | A HIYING | 3 | Giguia |
| Lentibulariaceae | Bladderwort Family | | |
| Pinguicula grandiflora | Large-flowered Butterwort | 5 | Vallon de Combeau |
| | | | |
| Linaceae | Flax Family | | |
| Linum bienne | Pale Flax | 6 | Route Presles |
| Linum catharticum | Purging or Fairy Flax | 6 | Route Presles |
| Linum austriacum subsp. colinum | Perennial Flax | 5 | Near Romans |
| Linum suffruticosum subsp. salsoloides | Pyrenean Flax | 5 | Cirque de Archiane |

| Scientific name | Common name | Day | Location |
|---|-------------------------------|-----|--------------------------|
| * = Endemic or restricted distribution, [| - | | I |
| Malvaceae | Mallow Family | | 0: |
| Malva setigera (Althaea hirsuta) | Hairy Mallow | 3 | Gigors |
| Tilia cordata | Small-leaved Lime | 4 | Col de Bacchus |
| Tilia platyphyllos | Broad-leaved Lime | 2 | Above St. Jean en Royans |
| Moraceae | Mulberry Family | | |
| Ficus carica | Fig | 3 | Roadside |
| Oleaceae | Olive Family | | |
| Fraxinus excelsior | Ash | 2 | Above St. Jean en Royans |
| Ligustrum vulgare | Wild Privet | 3 | Col de Bacchus |
| Ligustrum valgare | Wild Filed | 3 | Coi de Baconas |
| Onagraceae | Willowherb Family | | |
| Epilobium (Chamerion) angustifolium | Rosebay Willowherb | 2 | Foret de Lente |
| Orobanchaceae | Broomrape Family | | |
| Melampyrum pratense | Common Cow-wheat | 7 | Hauts Plateaux |
| Orobanche alba | Thyme Broomrape | 3 | Gigors |
| Orobanche caryophyllacea | Clove-scented Broomrape | 2 | Above St. Jean en Royans |
| Orobanche gracilis | Slender Broomrape | 6 | Commune Chatelus |
| Rhinanthus aristatus | a Yellow-rattle | 3 | Col de Bacchus |
| | | _ | |
| Oxalidaceae | Wood-sorrel Family | | |
| Oxalis acetosella | Wood-sorrel | 7 | Hauts Plateaux |
| Papaveraceae | Poppy Family | | |
| Chelidonium majus | Greater Celandine | 2 | La Chapellr en Vercors |
| Papaver rhoeas | Corn Poppy | 3 | Roadside fields |
| • | , | | |
| Plantaginaceae | Plantain Family | | |
| Antirrhinum latifolium | Broad-leaved Snapdragon | 5 | Menee |
| Cymbalaria muralis | Ivy-leaved Toadflax | | La Chapelle en Vercors |
| Digitalis lutea | Small Yellow Foxglove | 4 | Les Merciers (leaves) |
| Erinus alpinus | Fairy Foxglove | 2 | Col de la Chau |
| Globularia cordifolia | Matted Globularia | 2 | Col de la Machine |
| Globularia nudicaulis | Leafless-stemmed Globularia | 7 | Hauts Plateaux |
| Globularia punctata | Common Globularia | 2 | Vassieaux |
| Plantagio atrata | = | 2 | Font d'Urle |
| Plantago lanceolata | Ribwort Plantain | 3 | Col de Bacchus |
| Plantago media | Hoary or Lamb's-tail Plantain | 4 | Les Merciers |
| Veronica austriaca agg. | Large Speedwell | 6 | Chabertiere |
| Veronica chamaedrys | Germander Speedwell | 2 | Font d'Urle |
| Veronica persica | Common Field Speedwell | 4 | Les Merciers |
| Veronica serpyllifolia | Thyme-leaved Speedwell | 3 | Gigors |
| Plumbaginaceae | Thrift Family | | |
| Armeria alpina | Mountain Thrift | 2 | Font d'Urle |
| | | | |
| Polygalaceae | Milkwort Family | | |
| Polygala alpestris | Mountain Milkwort | 2 | Font d'Urle |
| Polygala nicaeensis | Nice Milkwort | 3 | Gigors |

| Scientific name | Common name | Day | Location |
|--|------------------------------|-----|-----------------------------|
| * = Endemic or restricted distribution | , [] = Introduced or planted | | |
| Polygala vulgaris | Common Milkwort | 2 | Vassieux |
| | | | |
| Polygonaceae | Knotweed Family | | |
| Persicaria bistorta | Bistort | 4 | Roadside fields |
| Rumex acetosa | Sorrel | 6 | Commune Chatelus |
| | | | |
| Primulaceae | Primrose Family | | |
| Lysimachia (Anagallis) arvensis | Scarlet Pimpernel | 6 | Route Presles |
| Lysimachia loeflingii | Blue Pimpernel | 6 | Route Presles |
| Primula veris | Cowslip | 2 | Font d'Urle |
| Soldanella alpina | Alpine Snowbell | 2 | Font d'Urle |
| Ranunculaceae | Buttercup Family | | |
| Aconitum napellus | Common Monkshood | 2 | Font d;Urle (leaves) |
| Pulsatilla alpina | Alpine Pasqueflower | 7 | Hauts Plateaux |
| Anemone ranunculoides | Yellow Anemone | 2 | Font d'Urle |
| Aquilegia atrata | Dark-flowered Columbine | 4 | N of La Chapelle en Vercors |
| Aquilegia vulgaris | Columbine | 2 | Above St.Jean en Royans |
| Caltha palustris | Kingcups | 4 | Les Bruyeres |
| Clematis vitalba | Old Man's Beard | 5 | Cirque d'Archiane |
| Helleborus foetidus | Stinking Hellebore | 2 | Vasseaux |
| Ranunculus aconitifolius | Aconite-leaved Buttercup | 4 | Les Merciers |
| Ranunculus acris | Meadow Buttercup | 2 | Above St.Jean en Royans |
| Ranunculus bulbosus | Bulbous Buttercup | 2 | Vasseaux |
| Ranunculus kuepferi | Kuepfer's Buttercup | 2 | Font d;Urle |
| Ranunculus montanus | Mountain Buttercup | 2 | Font d'Urle |
| Thalictrum minus | Lesser Meadow Rue | 4 | Les Merciers |
| Trollius europaeus | Globeflower | 2 | Font d;Urle |
| Resedaceae | Mignonette Family | | |
| Reseda lutea | - | 5 | Col de Rousset |
| Reseda lulea | Wild Mignonette | 3 | Coi de Roussei |
| Rhamnaceae | Buckthorn Family | | |
| Rhamnus alpinus | Alpine Buckthorn | 2 | Col de la Machine |
| | | | |
| Rosaceae | Rose Family | | |
| Alchemilla conjuncta | - | 2 | Font d'Urle |
| Alchemilla glabra | Smooth Lady's-mantle | 2 | Font d'Urle |
| Amelanchier ovalis | Juneberry | 2 | Route Coomb Laval |
| Cotoneaster tomentosus | Cotoneaster | 7 | Hauts Plateaux |
| Crataegus monogyna | Hawthorn | 3 | Gigors |
| Drymocallis (Potentilla) rupestris | Rock Cinquefoil | 7 | Hauts Plateaux |
| Filipendula ulmaria | Meadowsweet | 4 | Les Bruyeres |
| Fragaria moschata | Hautbois Strawberry | 2 | Forest de Lente |
| Geum montanum | Alpine Avens | 2 | Font d'Urle |
| Geum rivale | Water Avens | 4 | Les Bruyeres |
| Geum urbanum | Wood Avens or Herb Bennet | 5 | Chatillion en diois |
| Potentilla aurea | Golden Cinquefoil | 2 | Forest de Lente |
| Potentilla crantzii | Alpine Cinquefoil | 2 | Font d'Urle |
| Potentilla sterilis | Barren Strawberry | 2 | Forest de Lente |
| Prunus mahaleb | St. Lucie's Cherry | 2 | Vasseaux |

| Scientific name | Common name | Day | Location |
|--|-------------------------|-----|--------------------------|
| * = Endemic or restricted distribution, [] | = Introduced or planted | | |
| Rosa canina agg. | Dog Rose | 6 | Comune de Chatalus |
| Rosa glauca (R.rubrifolia) | Blue-leaved Rose | 2 | Forest de Lente |
| Rosa pendulina | Alpine Rose | 7 | Hauts Plateaux (in bud) |
| Rubus caesius | Dewberry | 5 | Cirque d'Archiane |
| Rubus fruticosus agg. | Bramble | 3 | Col de Bacchus |
| Rubus idaeus | Raspberry | 2 | Font d'Urle |
| Rubus saxatile | Stone Bramble | 7 | Hauts Plateaux |
| Sanguisorba minor (Poterium s.) agg. | Salad Burnet | 2 | Vasseaux |
| Sorbus aria agg. | Whitebeam | 2 | Above St.Jean en Royans |
| Sorbus aucuparia | Rowan | 4 | Herbouilly |
| Rubiaceae | Bedstraw Family | | |
| Cruciata laevipes | Crosswort | 2 | Vasseaux |
| Galium aparine | Cleavers | 4 | Herbouilly |
| Galium mollugo | Hedge Bedstraw | 2 | Above St.Jean en Royans |
| Galium odoratum | Sweet Woodruff | 6 | Petruze |
| Galium verum | Lady's Bedstraw | 6 | Comune de Chatalus |
| Rubia peregrina | Wild Madder | 3 | Gigors |
| Sherardia arvensis | Field Madder | 3 | Gigors |
| | | | - |
| Salicaceae | Willow & Poplar Family | | |
| Salix cinerea | Grey Willow | 7 | Hauts Plateaux |
| Salix purpurea | Purple Willow | 4 | Les Bruyeres |
| Santalaceae | Sandalwood Family | | |
| Thesium linophyllon | Alpine Bastard Toadflax | 6 | Route Presles |
| Viscum album subsp. album | Mistletoe | 2 | Route Combe Laval |
| Viscum album subsp. abietis | Mistletoe | 5 | Vallon de Combeau |
| Sapindaceae | Maple Family | | |
| Acer campestre | Field Maple | 2 | Above St. Jean en Royans |
| Acer opalus | Italian Maple | 2 | Above St. Jean en Royans |
| Acer platanoides | Norway Maple | 3 | La Chapelle en Vercors |
| Acer pseudoplatanus | Sycamore | 2 | Foret de Lente |
| | | | |
| Saxifragaceae | Saxifrage Family | | Cont d'Il Iric |
| Saxifraga exarata subsp. delphinensis | Musky Saxifrage | 2 | Font d'Urle |
| Saxifraga granulata | Meadow Saxifrage | 2 | Font d'Urle |
| Saxifraga paniculata | Live-long Saxifrage | 2 | Font d'Urle |
| Saxifraga rotundifolia | Round-leaved saxifrage | 2 | Font d'Urle |
| Saxifraga tridactylites | Rue-leaved Saxifrage | 2 | Font d'Urle |
| Scrophulariaceae | Figwort Family | | |
| Buddleja davidii | Butterfly-bush | 6 | Pont en Royans |
| Scrophularia canina subsp. hoppii | Alpine Figwort | 5 | Cirque d'Archiane |
| Scrophularia nodosa | Common Figwort | 6 | Petruze |
| Verbascum pulverulentum | Hoary Mullein | 2 | Vassieux |
| Thymelaeaceae | Mezereon Family | | |
| Daphne cneorum | Garland Flower | 7 | Hauts Plateaux |
| Dabillo ollogialli | Janana i iowei | 1 | ι ιαυιο ι ιαισαυλ |

| Scientific name | Common name | Day | Location |
|--|-------------------------|-----|--------------------------|
| * = Endemic or restricted distribution, [] = | | | |
| Daphne mezereum | Mezereon | 2 | Font d'Urle |
| | | | |
| Ulmaceae | Elm Family | | |
| Ulmus glabra | Wych Elm | 4 | Gorges de la Bourne |
| Urticacae | Nettle Family | | |
| Parietaria judaica | Pellitory-of-the-Wall | 6 | Pont en Royans |
| Urtica dioica | Common Nettle | 4 | Les Merciers |
| Violaceae | Violet Family | | |
| Viola calcarata | Long-spurred Pansy | 2 | Font d'Urle |
| Viola riviniana | Common Dog Violet | 2 | Foret de Lente |
| Viola tricolor subsp. subalpina | Alpine Heartsease | 2 | Font d;Urle |
| Vitaceae | Vine Family | | |
| Vitis vinifera | Common Vine | 3 | Planted |
| vido viimora | JOHNHOIT VIIIC | | 1 iditiod |
| Monocots | Monocotyledons | | |
| Amanullidacoao | Daffodil Family | | |
| Amaryllidaceae Narcissus poeticus | Pheasant's-eye Daffodil | 2 | Font d;Urle |
| · | Wild Daffodil | | · |
| Narcissus pseudonarcissus | vviid Daiiodii | 2 | Font d;Urle |
| Asparagaceae | Asparagus Family | | |
| Anthericum liliago | St. Bernard's Lily | 6 | Route Presles |
| Aphyllanthes monspeliensis | Blue Aphyllanthes | 3 | Gigors |
| Convallaria majalis | Lily-of-the -Valley | 7 | Hauts Plateaux |
| Muscari (Leopoldia) comosa | Tassel Hyacinth | 3 | Gigors |
| Muscari neglectum | Grape Hyacinth | 3 | Col de Bacchus |
| Ornithogalum pyrenaicum | Bath Asparagus | 6 | Route Presles |
| Polygonatum odoratum | Angular Solomon's-seal | 2 | Above St. Jean en Royans |
| Polygonatum multiflorum | Solomon's-seal | 2 | Above St. Jean en Royans |
| Polygonatum verticillatum | Whorled Solomon's-seal | 6 | Petrouze |
| Ruscus aculeatus | Butcher's-broom | 3 | Gigors |
| Scilla bifolia | Alpine Squill | 2 | Font d;Urle |
| Colchicaceae | Meadow Saffron Family | | |
| Colchicum autumnale | Autumn Crocus | 4 | Herbouilly (in fruit) |
| Cyperaceae | Sedge Family | | |
| Carex caryophyllea | Spring Sedge | 2 | Font d;Urle |
| Carex divulsa | Grey Sedge | 5 | Chatillion en Diois |
| Carex flacca | Glaucous Sedge | 2 | Font d;Urle |
| Carex hirta | Hairy Sedge | 6 | La Chapelle en Vercors |
| leidanna | Iria Camil·· | | |
| Iridaceae | Iris Family | | Faut diller- |
| Crocus caeruleus (vernus subsp. albiflorus) | White Crocus | 2 | Font d;Urle |
| Juncaceae | Rush Family | | |
| Luzula campestris | Field Wood-rush | 2 | Font d;Urle |
| Luzula forsteri | Southern Wood-rush | 6 | Chabertiere |

| Scientific name | Common name | Day | Location |
|---|---------------------------------------|-----|------------------------------|
| * = Endemic or restricted distribution, [] = | · · · · · · · · · · · · · · · · · · · | | |
| Luzula luzuloides | White Wood-rush | 4 | Herbouilly |
| Liliaceae | Lily Family | | |
| Erythronium dens-canis | Dog's-tooth Violet | 2 | Font d;Urle |
| Lilium martagon | Martagon Lily | 4 | Petrouze (leaves) |
| Tulipa sylvestris subsp. australis | Wild Tulip | 7 | Hauts Plateaux |
| Tunpa syrvesine sabsp. austrans | vviid Tulip | , | riduto i latedax |
| Melanthiaceae | Herb-Paris Family | | |
| Paris quadrifolia | Herb-Paris | 6 | Petruze |
| Veratrum album | White False Helleborine | 2 | Foret de Lente (leaves) |
| Orchidaceae | Orchid Family | | |
| Anacamptis morio | Green-winged Orchid | 3 | Col de Bacchus |
| Anacamptis pyramidalis | Pyramidal Orchid | 6 | Commune Chatelus |
| Cephalanthera damasonium | White Helleborine | 6 | Route Presles |
| Cephalanthera longifolia | Sword-leaved Helleborine | 2 | Above St. Jean en Royans |
| Cypripedium calceolus | Lady's Slipper Orchid | 5 | Above Les Nonnieres (in bud) |
| Dactylorhiza fuchsii | Common Spotted Orchid | 5 | Vallon de Combeau |
| Dactylorhiza incarnata | Early Marsh Orchid | 4 | Les Bruyeres |
| Dactylorhiza majalis | Broad-leaved Marsh Orchid | 4 | Les Bruyeres |
| | Elder-flowered Orchid | | - |
| Dactylorhiza sambucina (Pink) | | 2 | Font d;Urle |
| Dactylorhiza sambucina (Yellow) | Elder-flowered Orchid | 2 | Font d;Urle |
| Epipactis microphylla | - | 4 | Herbouilly (7.1.1.1) |
| Gymnadenia conopsea | Fragrant Orchid | 6 | Commune Chatelus (in bud) |
| Himantoglossum hircinum | Lizard Orchid | 6 | Route Presles (in bud) |
| Limodorum abortivum | Violet Bird's-nest Orchid | 3 | Gigors |
| Neottia nidus-avis | Bird's-nest Orchid | 4 | Herbouilly |
| Neottia ovata | Twayblade | 4 | Herbouilly |
| Neotinea tridentata | Toothed Orchid | 3 | Gigors |
| Neotinea tridentata x Neotinea ustulata | a Hybrid Orchis | 3 | Col de Bacchus |
| Neotinea ustulata | Burnt Orchid | 3 | Col de Bacchus |
| Ophrys apifera | Bee Orchid | 6 | Route Presles |
| Ophrys x flavicans (O. drumana)* | Drome Bee Orchid | 3 | Gigors |
| Ophrys holosericea subsp. holosericea (O. linearis) | Late Spider Orchid | 3 | Gigors |
| Ophrys insectifera | Fly Orchid | 2 | Above St. Jean en Royans |
| Ophrys sphegodes subsp. sphegodes | Early Spider Orchid | 3 | Gigors (over) |
| Orchis anthropophora | Man Orchid | 3 | Gigors |
| Orchis anthroporphora x Orchis simia | a Hybrid Orchis | 3 | Gigors |
| Orchis mascula | Early Purple Orchid | 3 | Col de Bacchus |
| Orchis mascula subsp. speciosa (O. ovalis) | an Early Purple Orchid | 2 | Foret de Lente |
| Orchis militaris | Military Orchid | 3 | Col de Bacchus |
| Orchis pallens | Pale-flowered Orchid | 4 | Herbouilly |
| Orchis provincialis | Provence Orchid | 3 | Col de Bacchus |
| Orchis purpurea | Lady Orchid | 5 | Above Les Nonnieres |
| Orchis x angusticruris (O. purpurea x Orchis simia) | a Hybrid Orchis | 6 | Route Presles |
| Orchis simia | Monkey Orchid | 3 | Col de Bacchus |
| Orchis spitzelii | Spitzel's Orchid | 5 | Vallon de Combeau |
| Platanthera bifolia | Lesser Butterfly Orchid | 6 | Commune Chatelus |
| | 0 | | |
| Poaceae | Grass Family | | |

| Scientific name | Common name | Day | Location |
|-------------------------------------|----------------------------------|-----|------------------------|
| * = Endemic or restricted distribut | tion, [] = Introduced or planted | | |
| Arrhenatherum elatius | False Oat-grass | 6 | Route Presles |
| Brachypodium pinnatum | Tor-grass | 6 | Commune Chatelus |
| Briza media | Quaking Grass | 6 | Commune Chatelus |
| Bromopsis erectus | Upright Brome | 3 | Roadsides |
| Dactylis glomerata | Cock's-foot | 6 | Commune Chatelus |
| Poa annua | Annual Meadow-grass | 7 | Hauts Plateaux |
| Poa bulbosa var. vivipara | Bulbous Meadow-grass | 2 | La Chapelle en Vercors |
| Poa nemoralis | Wood Meadow-grass | 6 | Pont en Royans |
| Poa pratensis | Smooth Meadow-grass | 6 | Route Presles |
| Sesleria caerulea | Blue Moor-grass | 7 | Hauts Plateaux |
| Potamogetonaceae | Pondweed Family | | |
| Groenlania densa | Opposite-leaved Pondweed | 4 | Les Bruyeres |

Birds (H = Heard only)

| | | May 2025 | | | | | | | | | |
|------------------------------|-------------------------|----------|----------|----------|----------|----------|----------|----------|----------|--|--|
| Common name | Scientific name | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | | |
| Common Pheasant | Phasianus colchicus | | Н | | | | | | | | |
| Mallard | Anas platyrhynchos | | | | | | ✓ | | | | |
| Goosander | Mergus merganser | | | | | | ✓ | | | | |
| Alpine Swift | Tachymarptis melba | | | | | | ✓ | | | | |
| Common Swift | Apus apus | ✓ | √ | √ | √ | ✓ | √ | √ | √ | | |
| Common Cuckoo | Cuculus canorus | | Н | Н | Н | Н | Н | Н | | | |
| Rock Dove (Feral) | Columba livia | ✓ | | √ | √ | ✓ | √ | | | | |
| Common Wood Pigeon | Columba palumbus | √ | | √ | | √ | √ | | | | |
| Eurasian Collared Dove | Streptopelia decaocto | | | √ | | √ | | | | | |
| White Stork | Ciconia ciconia | | | | | | | | √ | | |
| Grey Heron | Ardea cinerea | √ | | | | | | | | | |
| Griffon Vulture | Gyps fulvus | | √ | √ | | √ | | √ | | | |
| Short-toed Snake Eagle | Circaetus gallicus | | | √ | | | √ | | | | |
| Eurasian Sparrowhawk | Accipiter nisus | | | | | √ | √ | | | | |
| Red Kite | Milvus milvus | | | | √ | √ | | | | | |
| Black Kite | Milvus migrans | | | √ | | √ | | | | | |
| Common Buzzard | Buteo buteo | √ | √ | √ | √ | √ | √ | | | | |
| Great-spotted Woodpecker | Dendrocopos major | | Н | | | | | | | | |
| Black Woodpecker | Dryocopus martius | | | | √ | | Н | | | | |
| European Green Woodpecker | Picus viridis | | Н | Н | | | Н | Н | | | |
| Common Kestrel | Falco tinnunculus | | ✓ | √ | ✓ | ✓ | ✓ | ✓ | | | |
| Red-backed Shrike | Lanius collurio | | | | Н | | √ | | | | |
| Eurasian Golden Oriole | Oriolus oriolus | | | | | | Н | | | | |
| Eurasian Jay | Garrulus glandarius | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | |
| Eurasian Magpie | Pica pica | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | √ | | |
| Red-billed Chough | Pyrrhocorax pyrrhocorax | | √ | | | | | | | | |
| Alpine Chough | Pyrrhocorax graculus | | √ | √ | | √ | | | | | |
| Western Jackdaw | Corvus monedula | | | | | | | | √ | | |
| Carrion Crow | Corvus corone | √ | | |
| Northern Raven | Corvus corax | | √ | √ | Н | √ | √ | | | | |
| Coal Tit | Periparus ater | | | | Н | √ | √ | √ | | | |

| | | May 2025 | | | | | | | | |
|---------------------------|-------------------------|----------|----------|----------|----------|----------|----------|----------|----------|--|
| Common name | Scientific name | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | |
| European Crested Tit | Lophophanes cristatus | | | | | | Н | ✓ | | |
| Marsh Tit | Poecile palustris | | | | | Н | | | | |
| Eurasian Blue Tit | Cyanistes caeruleus | | | | Н | | √ | √ | | |
| Great Tit | Parus major | | √ | ✓ | Н | Н | √ | √ | | |
| Eurasian Skylark | Alauda arvensis | | Н | √ | | | | | | |
| Barn Swallow | Hirundo rustica | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | √ | |
| Eurasian Crag Martin | Ptyonoprogne rupestris | | ✓ | ✓ | | ✓ | ✓ | | | |
| House Martin | Delichon urbicum | √ | √ | √ | √ | ✓ | ✓ | √ | | |
| Western Bonelli's Warbler | Phylloscopus bonelli | | Н | Н | Н | Н | Н | | | |
| Willow Warbler | Phylloscopus trochilus | | | | | | | √ | | |
| Common Chiffchaff | Phylloscopus collybita | | Н | Н | Н | Н | Н | Н | | |
| Eurasian Blackcap | Sylvia atricapilla | | Н | Н | Н | Н | Н | Н | | |
| Garden Warbler | Sylvia borin | | | | | | Н | | | |
| Common Firecrest | Regulus ignicapilla | | | | | | Н | | | |
| Goldcrest | Regulus regulus | | | | Н | Н | Н | | | |
| Eurasian Wren | Troglodytes troglodytes | | | | | | Н | Н | | |
| Short-toed Treecreeper | Certhia brachydactyla | | | √ | | | | | | |
| Common Starling | Sturnus vulgaris | √ | | √ | | √ | | | | |
| Golden Oriole | Oriolus oriolus | | | | | | √ | | | |
| Common Blackbird | Turdus merula | √ | |
| Song Thrush | Turdus philomelos | | Н | Н | Н | Н | Н | | | |
| Mistle Thrush | Turdus viscivorus | | | √ | Н | | Н | | | |
| European Robin | Erithacus rubecula | | √ | √ | Н | √ | √ | √ | | |
| Common Nightingale | Luscinia megarhynchos | | | Н | | | | | | |
| Black Redstart | Phoenicurus ochruros | | √ | √ | √ | √ | √ | √ | | |
| Common Redstart | Phoenicurus phoenicurus | | | | | | | √ | | |
| European Stonechat | Saxicola rubicola | | √ | | | | | | | |
| Northern Wheatear | Oenanthe oenanthe | | ✓ | | | | | | | |
| White-throated Dipper | Cinclus cinclus | | | | ✓ | | | | | |
| House Sparrow | Passer domesticus | √ | | ✓ | ✓ | ✓ | √ | ✓ | √ | |
| Dunnock | Prunella modularis | | Н | | Н | Н | | | | |
| Grey Wagtail | Motacilla cinerea | | √ | | √ | | √ | | | |
| White Wagtail | Motacilla alba | | | ✓ | √ | √ | | √ | | |
| Tree Pipit | Anthus trivialis | | | | | | | √ | | |
| Water Pipit | Anthus spinoletta | | √ | | | | | | | |
| Common Chaffinch | Fringilla coelebs | | Н | √ | Н | Н | √ | √ | | |
| Eurasian Bullfinch | Pyrrhula pyrrhula | | | √ | | | | | | |
| European Goldfinch | Carduelis carduelis | | √ | | √ | | √ | | | |
| European Serin | Serinus serinus | | | √ | | | | | | |
| Ortolan Bunting | Emberiza hortulana | | | | √ | | | | | |
| Cirl Bunting | Emberiza cirlus | | | | | | √ | | | |

Other vertebrates

| Common name | | May 2025 | | | | | | | | | |
|-----------------------|-----------------------|----------|----|----|----|----|----|----|----|--|--|
| | Scientific name | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | | |
| S = Signs of, BD = Ba | t Detector, H = Heard | | | | | | | | | | |
| | | | | | | | | | | | |
| Mammals: | | | | | | | | | | | |
| European Mole | Talpa europaea | | S | | | | S | S | | | |

| | | | | | May | 2025 | | | |
|---------------------------|-------------------------------------|----|----------|----|----------|----------|----------|----------|----|
| Common name | Scientific name | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| S = Signs of, BD = Bat De | tector, H = Heard | | | | | | | | |
| Common Pipistrelle Bat | Pipistrellus pipistrellus | | | | | BD | | | |
| Red Fox | Vulpes vulpes | | S | | | | | | |
| Wild Boar | Sus scofa | | | S | | | S | S | |
| Red Deer | Cervus elaphus | | | | S | | | S | |
| European Roe Deer | Capreolus capreolus | | √ | | | | | | |
| Alpine Chamois | Rupicapra rupicapra | | | | | √ | | | |
| Red Squirrel | Sciurus vulgaris | | | | √ | | √ | | |
| Alpine Marmot | Marmota marmota | | √ | | | | | √ | |
| Common Vole | Microtis arvalis | | | | | S | S | | |
| European Snow Vole | Chionomys nivalis | | S | | | | | S | |
| Amphibians & Reptiles: | | | | | | | | | |
| Edible Frog hybrid | Pelophylax kl. esculentus [complex] | | ✓ | Н | ✓ | Н | √ | Н | |
| Western Green Lizard | Lacerta bilineata | | | LO | √ | √ | | | |
| Common Wall Lizard | Podarcis muralis | | | ✓ | ✓ | √ | √ | | |
| Fish: | | | | | | | | | |
| Brown Trout | Salmo trutta | | | | | √ | √ | | |

Invertebrates

| | | May 2025 | | | | | | | | |
|-------------------------------------|---------------------------------|----------|----------|----------|----------|----------|----------|----------|----|--|
| Common name | Scientific name | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | |
| B = Bivouac, C = Caterpillar, D = D | ead, P = Pupa, LO = Leader only | | | | | | | | | |
| BUTTERFLIES: | | | | | | | | | | |
| | Papilionidae | | | | | | | | | |
| Swallowtail | Papilio machaon | | | | √ | √ | | √ | | |
| Scarce Swallowtail | Iphiclides podalirius | | | √ | √ | | √ | | | |
| | Pieridae | | | | | | | | | |
| Small White | Pieris rapae | | | √ | √ | √ | √ | | | |
| Green-veined White | Pieris napi | | | √ | √ | √ | √ | √ | | |
| Orange Tip | Anthocharis cardamines | | √ | √ | √ | √ | √ | √ | | |
| Clouded Yellow | Colias crocea | | | | √ | | | | | |
| Berger's Clouded Yellow | Colias alfacariensis | | √ | √ | √ | √ | √ | √ | | |
| Brimstone | Gonepteryx rhamni | | √ | √ | √ | √ | √ | √ | | |
| Wood White | Leptidea sinapis | | | √ | √ | √ | √ | √ | | |
| | Lycaenidae | | | | | | | | | |
| Green Hairstreak | Callophrys rubi | | √ | √ | | | √ | √ | | |
| Sooty Copper | Lycaena tityrus | | | | | | √ | | | |
| Small Blue | Cupido minimus | | √ | √ | √ | √ | √ | √ | | |
| Holly Blue | Celastrina argiolus | | | √ | | | | | | |
| Silver-studded Blue | Plebejus argus | | | | | √ | | | | |
| Reverdin's Blue | Plebejus argyrognomon | | | | | √ | | | | |
| Brown Argus | Aricia agrestis | | | | √ | | | | | |
| Adonis Blue | Polyommatus bellargus | | | | √ | | | | | |
| Common Blue | Polyommatus icarus | | | √ | | | | | | |

| | | | | | May 2025 | | | | | |
|---|-------------------------------|----|----------|----------|-------------|----------|----------|---------------------------------------|----|--|
| Common name | Scientific name | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | |
| B = Bivouac, C = Caterpillar, D = Dead, P = | = Pupa, LO = Leader only | | | | | | | | | |
| | Riodinidae | | | | | | | | | |
| Duke of Burgundy Fritillary | Hamearis lucina | | | √ | | | | | | |
| <u> </u> | Nymphalidae | | | | | | | | | |
| Red Admiral | Vanessa atalanta | | | | √ | | √ | | | |
| Painted Lady | Vanessa cardui | | | √ | \ \ \ | | √ | / | | |
| Small Tortoiseshell | Aglais urticae | | | √ | √ | | √ | √ | | |
| Marbled Fritillary | Brenthis daphne | | | V | V | С | V | V | | |
| Pearl-bordered Fritillary | Boloria euphrosyne | | | | √ | ✓ | √ | / | | |
| Titania's Fritillary | Boloria titania | | | | √ | V | V | V | - | |
| Spotted Fritillary | Melitaea didyma | | | / | V | | / | | - | |
| Spotted i Ittiliary | Melitaea sp. | | | V | | | V | Р | - | |
| Marbled White | · | | | | | | , | Г | - | |
| | Maelanargia galathea | | | | | | √ | | - | |
| Small Heath | Coenonympha pamphilus | | | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Pearly Heath | Coenonympha | | | | | | / | | | |
| • | darwiniana | | | | | | , | | | |
| Speckled Wood | Pararge aegeria aegeria | | | ✓ | | ✓ | ✓ | | | |
| Wall Brown | Lasiommata megera | | | ✓ | ✓ | | ✓ | ✓ | | |
| Large Wall Brown | Lasiommata maera | | | | ✓ | | ✓ | | | |
| Northern Wall Brown | Lasiommata | | | | √ | | | | | |
| | petropolitana | | | | | | | | | |
| | Hesperidae | | | | | | | | | |
| Southern Grizzled Skipper | Pyrgus malvoides | | ✓ | ✓ | ✓ | | | ✓ | | |
| Copmmon Grizzled Skipper | Pyrgus malvae | | | | | | | ✓ | | |
| Dingy Skipper | Erynnis tages | | ✓ | | ✓ | ✓ | ✓ | ✓ | | |
| Chequered Skipper | Carterocephalus palaemon | | | | | | ✓ | | | |
| Large Skipper | Ochlodes venatus | | | | | | ✓ | | | |
| MOTHS: | | | | | | | | | | |
| Micros: | | | | | | | | | | |
| Thyme Plume Moth | Merrifieldia leucodactyla | | | ✓ | | | | | | |
| Lesser Marbled Straw | Aethes hartmanniana | | | | | | √ | | | |
| Beautiful Crescent | Graphiolita jungiella | | √ | | | | | | | |
| a Crambid | Metaxmeste phrygialis | | | | | | | √ | | |
| White-spotted Black | Eurrhypis pollinalis | | | | | | | ✓ | | |
| Macros: | | | | | | | | | | |
| a Burnet | Zygaena rhadamanthus | | | √ | | | √ | | | |
| Ground Lackey | Malacosoma castrense | | С | | | | | С | | |
| The Lackey | Malacosoma neustria | | С | | | | | | | |
| Tau Emperor | Aglia tau | | √ | √ | √ | √ | √ | | | |
| Broad-bordered Bee Hawk-moth | Hemaris fuciformis | | 7 | 7 | , v | V | 7 | √ | | |
| Small Dusty Wave | Idaea seriata | | | / | | | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | |
| Lead Belle | Scotopteryx mucronata | | | V | | | / | | | |
| Load Bollo | umbrifera | | | | | | \ \ \ | | | |
| Small Argent & Sable | Epirrhoe tristata | | | | | | √ | √ | | |
| Common Carpet | Epirrhoe alternata | | √ | | √ | √ | | | | |
| Grass Rivulet | Perizoma albulata | | √ | √ | , · | √ | 1 | | | |
| Latticed Heath | Semiothisa clathrata | | <u> </u> | √ | | √ | <u> </u> | | | |
| Speckled Yellow | Pseudopanthera Pseudopanthera | | √ | √ | 1 | √ | √ | / | | |
| -p-511104 1011011 | macularia | | ' | \ \ \ | \ \ \ | \ \ | \ \ | ' | | |

| | | | | | May | 2025 | | | |
|---|----------------------------|----|----------|----------|----------|----------|----------|----------|----|
| Common name | Scientific name | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| B = Bivouac, C = Caterpillar, D = Dead, | P = Pupa, LO = Leader only | | | | | | | | |
| Common Heath | Ematurga atomaria | | √ | √ | | | √ | √ | |
| Common Wave | Cabera exanthemata | | | | LO | | | | |
| Pine Processionary | Thaumetopoea | | | В | | В | В | В | |
| · | pityocampa | | | | | | | | |
| Cream Spot Tiger | Arctia villica | | | | | | D | | |
| Orange Footman | Eilema sorocula | | | | | | ✓ | | |
| Burnet Companion | Euclidia glyphica | | | | | ✓ | ✓ | | |
| Mother Shipton | Callistege mi | | | ✓ | | | | ✓ | |
| Silver Y | Autographa gamma | | | | | ✓ | | | |
| Small Yellow Underwing | Panemeria tenebrata | | | | | | | ✓ | |
| OTHER INVERTEBRATES: | | | | | | | | | |
| Mayfly | Ephemeroptera sp | | | | | √ | √ | | |
| Beautiful Demoiselle | Calopteryx virgo | | | | | √ | √ | | |
| Azure Bluet | Coenagrion puella | | | | V | • | - | | |
| Dark Bush-cricket | Pholidoptera | | √ | | , | | | | |
| | griseoaptera | | | | | | | | |
| Field Cricket | Gryllus campestris | | Н | Н | Н | ✓ | Н | | |
| Wood Cricket | Nemobius sylvestris | | | √ | | | | | |
| Broad Green-winged Grasshopper | Aiolopus stirpens | | | | | ✓ | | | |
| Birch Shield Bug | Elasmostethus | | | | √ | | | | |
| 2o 2c.a 2.ag | interstinctus | | | | v | | | | |
| Bishop's Mitre Bug | Aelia acuminata | | | √ | | | | | |
| Shield Bug | Graphosoma italicum | | | √ | | | | | |
| Forest Bug | Pentatoma rufipes | | √ | | | | | | |
| Box Bug | Gonocerus | | | | ✓ | | | | |
| | acuteangulatus | | | | | | | | |
| Fire Bug | Pyrrhocoris apterus | | ✓ | | | | ✓ | | |
| Gendarme Ground Bug | Spilostethus equestris | | | | | | ✓ | ✓ | |
| Assasin Bug | Rhynocoris annulatus | | | | ✓ | | | | |
| Common Back-swimmer | Notonecta glauca | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Froghopper (Red & Black) | Ceropis vulnerata | | ✓ | | | ✓ | ✓ | | |
| Froghopper (Red & Black) | Cercopis sanguinalenta | | | | ✓ | | | | |
| Froghopper | Haematoloma dorsata | | ✓ | | | | | | |
| Ascalaphid or Owl Fly | Libelloides coccajus | | | √ | | √ | | | |
| Alder Fly | Sialis lutaria | | | | | √ | | | |
| Caddis Fly | Trichoptera sp. | | | | | √ | | | |
| Common Crane-fly | Tipula paludosa | | | | | √ | √ | | |
| St. Mark's Fly | Bibio marci | | √ | √ | √ | √ | | | |
| Dark-edged Bee-fly | Bombylius major | | | | √ | | | | |
| Black Bee-fly | Bombylius afra | | | √ | | √ | | | |
| Down-looker Snipe-fly | Rhagio scolopzceeus | | | _ | | _ | √ | | |
| Marmalade Hover-fly | Episyrphus balteatus | | | | √ | √ | √ | | |
| Large Spearthorn Hoverfly | Chrysotoxum cautum | | | | · | √ | - | | |
| Pine Hoverfly | Blera fallax | | | | | • | √ | | |
| Ichneumon | Echthrus relutator | | | | | | √ | | |
| Wood Ant | Formica rufa | | | | √ | √ | √ | | |
| Hornet | Vespa crabro | | | | V | V | ✓ ✓ | | |
| European Paper Wasp | Polistes pandurus | | | , | | | V | | |
| Potter Wasp | Ancistrocerus sp. | | | ✓ | | | | , | |
| Carpenter Bee | Xylocopa sp. | | √ | | | | | √ | |

| | | May 2025 | | | | | | | | |
|---------------------------------------|-------------------------------|----------|----------|----------|----------|----------|----------|----------|----|--|
| Common name | Scientific name | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | |
| B = Bivouac, C = Caterpillar, D = Dea | d, P = Pupa, LO = Leader only | | | | | | | | | |
| Longhorn Bee | Eucera longicornis | | √ | | | | | | | |
| Honey Bee | Apis millifera | | | √ | √ | | √ | | | |
| Hairy-footed Flower-Bee | Anthophora plumipes | | | | | | | √ | | |
| Buff-tailed Bumblebee | Bombus terrestris | | √ | | | | √ | | | |
| Red-tailed Bumble Bee | Bombus lapidarius | | √ | | | | | √ | | |
| Common Carder Bee | Bombus pascuorum | | √ | | | √ | √ | | | |
| Mining Bee | Andrena curvungula | | | | | | √ | | | |
| Green Ground Beetle | Carabus monolis | | √ | | | | | | | |
| Black Snail Beetle | Phosphuga atrata | | | | √ | | | | | |
| Rove Beetle | Staphylinus caesareus | | | | | | | √ | | |
| Dor Beetle | Geotrupes stercorarius | | | | | | / | | | |
| Bee Beetle | Trichius fasciatus | | | | | | √ | | | |
| Chafer | Oxythyea funesta | | √ | | | | | | | |
| Rose Chafer | Cetonia aurata | | | | | | / | | | |
| Click Beetle (Black) | Cerophytum elateroides | | | √ | | | | | | |
| Soldier Beetle | Cantharis rustica | | √ | | √ | | | | | |
| Soldier Beetle | Cantharis fusca | | ✓ | | | | | | | |
| Glow Worm | Lampyris noctiluca | | √ | | | √ | | | | |
| Comb-claw Beetle | Omophlus sp. | | | | | | √ | | | |
| Cardinal Beetle | Pyrochroa coccinea | | | √ | | | | | | |
| Two-banded Longhorn Beetle | Rhagium bifasciatum | | √ | | √ | | | | | |
| Leaf Beetle | Clytra 4-punctata | | | | | | √ | | | |
| Leaf Beetle (Metallic Green) | Chrysomelidae sp. | | √ | | | | | | | |
| Bloody-nosed Beetle | Timarcha tenebricosa | | √ | | | | | | | |
| • | | | | | | | | | | |
| Common Centipede | Cryptops hortensis | | √ | | | | | | | |
| | | | | | | | | | | |
| Cucumber Spider | Micrommata virescens | | | | | | √ | | | |
| Nursery-web Spider | Lycosidae sp | | √ | | | | | | | |
| Zebra Spider | Salticus scenicus | | √ | | | | | | | |
| | | | | | | | | | | |
| Gastropods & Molluscs: | | | | | | | | | | |
| Large Black/Orange Slug | Arion ater | | | | √ | | | | | |
| Great Grey Slug | Limax maximus | | | | ✓ | | | | | |
| Roman Snail | Helix pomatia | | √ | | · / | | | | | |
| Brown-lipped Banded Snail | Cepaea nemoralis | | , | √ | | | | | | |
| White-lipped Banded Snail | Cepaea hortensis | | | <u> </u> | | √ | | | | |