

# Flora of the Hampshire Downs

Naturetrek Tour Report

19 - 21 June 2009

---



Knapweed Broomrape



Greater Butterfly Orchid



Marbled White Butterfly



Fly Orchid

Report and images compiled by Jon Stokes



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour Leader:	Jon Stokes
Tour Participants:	George Gardner Ann Gardner Colin Metherell John Turner Janice Turner Richard Dinsdale Elizabeth Dinsdale Richard Bradley Eunah Lee Rosemary Clarke Glyn Edwards Elizabeth Taylor Duncan Colville Susan Colville Colm Treacy

## Day 1

**Friday 19th June**

First night of the Naturetrek tour and we gathered for dinner at the hotel in Alton. After dinner we drove a few miles north towards Odiham, spotting roe deer, black poplar trees and finally arriving at Mapledurwell Fen where we located large quantities of marsh orchids. There were southern marsh, early marsh, common spotted and one or two Pugley's Marsh Orchid. Also present were large numbers of Marsh Helleborines in both white and green forms.

Then we drove the short distance back to the River Whitewater to look for bats. There was a brief sighting of a barn owl on the river, and we also had four species of bat calling, long eared bats feeding alongside the hedge, pipistrelles overhead, daubentons bats feeding over the river whilst natterers bats fed over our heads.

One final stop at the canal lock, produced better views of the various bat species, particularly the daubenton's which were flying over the water. All in all a fantastic evening!

## Day 2

**Saturday 20th June**

We started the day by driving south, to avoid the possibility of rain. En route we stopped at Farringdon Yew a 3000 year old yew tree. This magnificent tree was much discussed and enjoyed by the group.

We then drove on to Portsdown for a taste of the chalk downs. Here we had all the common chalk flora, but there are some specialities - the Belgarum form of bee orchid, a wasp orchid, the very rare Field Cow- wheat, an unusual yellow form of Ivy broomrape and thousands of pyramid orchids.

After a trip to the guides back garden, where there were hundreds of pyramid orchids, and lots of marbled white caterpillars, we walked along the crest of Portsdown where the more usual downland plants grow in profusion including yellow rattle, mignonette, salad burnet and rockrose.

Lunch was in Exton, and then we went to a woodland which is rich in orchids. Here there were large numbers of birds nest orchids, non flowering spikes of green flowered and purple helleborines plus one white helleborine which was still in flower amongst hundreds that weren't.

Then because the weather was good, we went to Noar Hill in the warm afternoon sunshine. Noar Hill is perhaps one of the finest chalk flower assemblages in southern England and is covered in a variety of orchids. During the course of the walk we found common spotted, fragrant, musk, frog, fly orchids and common twayblade interspersed with vetches and thymes. There was also a superb knapweed broomrape and a small patch of the rare vetch - Dragons teeth, plus one clustered bellflower plant. Then back to Alton for dinner and a well earned drink at the bar.

## Day 3

## Sunday 21st June

We started by calling in at a National Nature Reserve - The Warren, and had white helleborines growing under the dense shade of the yews. Here there was also greater butterfly orchid, deadly nightshade, herb paris and more helleborines to enliven the morning.

Then we had a stop to look at a wood near East Meon where there was a good display of the rare sword leaved helleborine, although they had finished flowering. There were also several broad leaved helleborines, some about to flower and a small green flowered helleborine.

Next we went via the home of cricket – Hambledon where the first cricket match was played, to Catherington Down to search for round headed rampion. Unfortunately we couldn't find any, but the down was a classic example of the common chalk flora which the group could now identify most of.

Our final stop of the morning was to look at a wood in Horndean where Wild Service tree, rowan and whitebeam have been crossing for centuries. This has led to the creation of a new hybrid *Sorbus x vagensis*, which is a cross between Wild Service and Whitebeam and the possibility of a hybrid between Wild service and Rowan.

Lunch in Selborne was followed by our final visit of the weekend, to the army training ranges at Woolmer. This visit was in total contrast to the rest of the weekend which had all been chalk, as we stopped on the dry acid heath of the ranges. Here heather and bell heather were growing and a couple of woodlarks and dartford warbler were calling. In the ponds the extremely rare Spangled Diving Beetle could be seen, which is only found at Woolmer. We couldn't find any of the normal natterjack tadpoles, and indeed found two dead snakes, leading us to the thought that the toad population had crashed this year and that the snakes were starving to death.

We then in the last dying minutes of the trip found our last orchid – the heath spotted orchid bringing the tally to 22 species for the weekend, plus four slow worms and the nationally scarce moth – the grass wave, closing out an excellent weekend in Hampshire!

## Species Lists

### Plants

<i>Group/Species</i>	<i>English Name(if any)</i>
<b>PTERIDOPHYTES</b>	<b>FERNS &amp; ALLIES</b>
<b>Equisetaceae</b>	<b>Horsetail Family</b>
<i>Equisetum arvense</i>	Common Horsetail
<i>Equisetum telmatia</i>	Great Horsetail
<b>Dennstaedtiaceae</b>	<b>Bracken Family</b>
<i>Pteridium aquilinum</i>	Bracken
<b>Dryopteridaceae</b>	<b>Buckler Fern Family</b>
<i>Dryopteris felix-mas</i>	Male Fern
<b>Polypodiaceae</b>	<b>Polypody Family</b>
<i>Polypodium vulgare</i>	Common Polypody
<b>Woodsiaceae (Athyriaceae)</b>	<b>Lady Fern Family</b>
<i>Anthyrium felix-femina</i>	Lady Fern
<b>PINOPSIDA (GYMNOSPERMS)</b>	<b>CONIFERS</b>
<b>Cupressaceae</b>	<b>Juniper Family</b>
<i>Juniperus communis</i>	Juniper
<b>Pinaceae</b>	<b>Pine Family</b>
<i>Larix decidua</i>	European Larch
<i>Picea abies ssp. abies</i>	Spruce
<i>Pinus sylvestris</i>	Scot's Pine
<b>Taxaceae</b>	<b>Yew Family</b>
<i>Taxus baccata</i>	Yew
<b>MAGNOLIOPSIDA (ANGIOSPERMS)</b>	<b>FLOWERING PLANTS</b>
<b>Magnoliidae (Dicotyledons)</b>	
<b>Aceraceae</b>	<b>Maple Family</b>
<i>Acer pseudoplatanus</i>	Sycamore
<b>Apiaceae (Umbelliferae)</b>	<b>Carrot Family</b>
<i>Aegipodium podagaria</i>	Ground Elder
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Heracleum sphondylium</i>	Hogweed
<i>Sanicula europaea</i>	Sanicle
<b>Aquifoliaceae</b>	<b>Holly Family</b>
<i>Ilex aquifolia</i>	Holly
<b>Araliaceae</b>	<b>Ivy Family</b>
<i>Hedera helix agg</i>	Ivy

<b>Group/Species</b>	<b>English Name(if any)</b>
<b>Asteraceae (Compositae)</b>	<b>Daisy Family</b>
<i>Achillea millefolium</i>	Yarrow
<i>Bellis perennis</i>	Daisy
<i>Centaurea nigra</i>	Knapweed
<i>Centaurea scabiosa</i>	Greater Knapweed
<i>Cirsium palustre</i>	Marsh Thistle
<i>Inula conyzae</i>	Ploughman's Spikenard
<i>Lapsana communis</i>	Nipplewort
<i>Leucanthimum vulgare</i>	Ox-eye Daisy
<i>Matricaria discoidea</i>	Pineapple Weed
<i>Mycelis muralis</i>	Wall Lettuce
<i>Pilosella officinarum</i>	Mouse-eared Hawkweed
<i>Senecio erucifolius</i>	Hoary Ragwort
<i>Senecio jacobae</i>	Ragwort
<i>Senecio vulgaris</i>	Groundsel
<i>Sonchus asper</i>	Prickly Sow-thistle
<i>Sonchus oleraceus</i>	Smooth Sowthistle
<i>Taraxacum agg</i>	Dandelion
<i>Tragapogon pratensis</i>	Goatsbeard
<b>Betulaceae (Corylaceae)</b>	<b>Birch Family</b>
<i>Betula pendula</i>	Silver Birch
<b>Boraginaceae</b>	<b>Forget-me-not Family</b>
<i>Anchusa arvensis</i>	Bugloss
<i>Echium vulgare</i>	Viper's Bugloss
<i>Myosotis arvensis</i>	Field Forget-me-not
<b>Brassicaceae (Cruciferae)</b>	<b>Cabbage Family</b>
<i>Alliaria petiolata</i>	Garlic Mustard
<i>Arabidopsis thaliana</i>	Thale Cress
<i>Capsella bursa-pastoris</i>	Shepherd's Purse
<i>Sinapis arvensis</i>	Charlock
<b>Campanulaceae</b>	<b>Bellflower Family</b>
<i>Campanula glomerata</i>	Clustered Bellflower
<i>Campanula rotundifolia</i>	Harebell
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>
<i>Lonicera periclymenum</i>	Honeysuckle
<i>Sambucus nigra</i>	Elder
<i>Viburnum lantana</i>	Wayfaring Tree
<i>Viburnum opulus</i>	Guelder Rose
<b>Caryophyllaceae</b>	<b>Pink Family</b>
<i>A. serpyllifolia ssp. serpyllifolia</i>	Thyme-leaved Sandwort
<i>Cerastium fontanum</i>	Common Mouse-ear
<i>Gerastium glomeratum</i>	Sticky Mouse-ear
<i>Lychnis flos-cuculi</i>	Ragged Robin
<i>Silene dioica</i>	Red Campion
<i>Silene latifolia (S. alba)</i>	White Campion
<i>Silene vulgaris</i>	Bladder Campion

<b>Group/Species</b>	<b>English Name(if any)</b>
<b>Celastraceae</b> <i>Euonymus europaeus</i>	<b>Spindle-tree Family</b> Spindle-tree
<b>Cistaceae</b> <i>Helianthemum nummularium</i>	<b>Rock-rose Family</b> Common Rockrose
<b>Clusiaceae (Guttiferae, Hypericaceae)</b>  <i>Hypericum hirsutum</i> <i>Hypericum perforatum</i>	<b>St. John's-wort Family</b>  Hairy St. John's-wort Perforate St. John's-wort
<b>Convolvulaceae</b> <i>Calystegia sepium</i> <i>Convolvulus arvensis</i>	<b>Bindweed Family</b> Hedge Bindweed Field Bindweed
<b>Cornaceae</b> <i>Cornus sanguinea</i>	<b>Dogwood Family</b> Dogwood
<b>Corylaceae</b> <i>Corylus avellana</i>	<b>Hazel Family</b> Hazel
<b>Crassulaceae</b> <i>Sedum acre</i>	<b>Stonecrop Family</b> Biting Stonecrop
<b>Cucurbitaceae</b> <i>Bryonia dioica</i>	<b>Cucumber Family</b> White Bryony
<b>Dipsacaceae</b> <i>Dipsacus fullonum</i> <i>Knautia arvensis</i>	<b>Teasel Family</b> Teasel Field Scabious
<b>Ericaceae</b> <i>Calluna vulgaris</i> <i>Erica tetralix</i> <i>Vaccinium myrtillus</i>	<b>Heath family</b> Heather Bell Heather Bilberry
<b>Euphorbiaceae</b> <i>Euphorbia amygdaloides</i> <i>Euphorbia peplus</i> <i>Mercurialis perennis</i>	<b>Spurge Family</b> Wood Spurge Petty Spurge Dog's Mercury
<b>Fabaceae (Leguminosae)</b> <i>Anthyllis vulneraria</i> <i>Clinopodium vulgare</i> <i>Hippocrepis comosa</i> <i>Lathyrus pratensis</i> <i>Lotus corniculatus</i> <i>Lotus uliginosa</i> <i>Medicago arabica</i> <i>Medicago lupulina</i> <i>Melilotus altissimus</i> <i>Ononis repens</i> <i>Trifolium campestre</i>	<b>Pea Family</b> Kidney Vetch Wild basil Horseshoe Vetch Yellow Vetchling Bird's-foot Trefoil Large Bird's-foot Trefoil Spotted Medick Black Medick Ribbed Melilot Restharrow Hop Trefoil

<b>Group/Species</b>	<b>English Name(if any)</b>
<i>Trifolium dubium</i>	Lesser Yellow Trefoil
<i>Trifolium pratense</i>	Red Clover
<i>Trifolium repens</i>	White Clover
<i>Vicia cracca</i>	Tufted vetch
<i>Vicia sativa</i> ssp. <i>segetalis</i>	Common Vetch
<i>Vicia sepium</i>	Bush Vetch
<i>Tetragonolobus maritimus</i>	Dragons teeth
<b>Fagaceae</b>	<b>Oak &amp; Beech Family</b>
<i>Carpinus betulus</i>	Hornbeam
<i>Fagus sylvatica</i>	Beech
<i>Quercus robur</i>	Downy Oak
<b>Geraniaceae</b>	<b>Geranium Family</b>
<i>Erodium cicutarium</i>	Common Stork's-bill
<i>Geranium columbinum</i>	Long-stalked Crane's-bill
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill
<i>Geranium molle</i>	Dove's-foot Crane's-bill
<i>Geranium robertianum</i>	Herb Robert
<b>Lamiaceae (Labiatae)</b>	<b>Dead-nettle Family</b>
<i>Clinopodium acinos</i>	Basil Thyme
<i>Ballota nigra</i>	Black Horehound
<i>Clinopodium vulgare</i>	Wild basil
<i>Lamium album</i>	White Deadnettle
<i>Lamium purpureum</i>	Red Deadnettle
<i>Oregano officinalis</i>	Marjoram
<i>Prunella vulgaris</i>	Selfheal
<i>Salvia pratensis</i>	Meadow Clary
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Teucrium scorodonium</i>	Wood Sage
<i>Thymus polytrichis</i>	Wild Thyme
<i>Clinopodium acinos</i>	Basil thyme
<b>Linaceae</b>	<b>Flax Family</b>
<i>Linum catharticum</i>	Purging or Fairy Flax
<b>Oleaceae</b>	<b>Olive Family</b>
<i>Fraxinus excelsior</i>	Ash
<i>Ligustrum vulgare</i>	Wild Privet
<b>Onagraceae</b>	<b>Willowherb Family</b>
<i>Chamerion angustifolium</i>	Rosebay Willowherb
<i>Epilobium hirsutum</i>	Hairy Willowherb
<b>Orobanchaceae</b>	<b>Broomrape Family</b>
<i>Orobanche Hederae</i> var. <i>monochroma</i>	Ivy Broomrape
<i>Orobanche elatior</i>	Knapweed Broomrape
<b>Oxalidaceae</b>	<b>Wood-sorrel Family</b>
<i>Oxalis acetosella</i>	Wood-sorrel

<b>Group/Species</b>	<b>English Name(if any)</b>
<b>Papaveraceae</b>	<b>Poppy Family</b>
<i>Papaver dubium</i> subsp. <i>dubium</i>	Long-headed Poppy
<i>Papaver rhoeas</i>	Corn Poppy
<b>Plantaginaceae</b>	<b>Plantain Family</b>
<i>Plantago lanceolata</i>	Ribwort Plantain
<i>Plantago major</i>	Greater Plantain
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain
<b>Polygalaceae</b>	<b>Milkwort Family</b>
<i>Polygala serpyllifolia</i>	Heath Milkwort
<i>Polygala vulgaris</i>	Common Milkwort
<b>Polygonaceae</b>	<b>Knotweed Family</b>
<i>Rumex acetosa</i>	Sorrel
<i>Rumex crispus</i>	Curled Dock
<i>Rumex obtusifolius</i>	Broad-leaved Dock
<i>Rumex acetosella</i>	French Sorrel
<b>Primulaceae</b>	<b>Primrose Family</b>
<i>Primula veris</i>	Cowslip
<b>Ranunculaceae</b>	<b>Buttercup Family</b>
<i>Caltha palustris</i>	Kingcups
<i>Clematis vitalba</i>	Old man's-beard
<i>Ranunculus acris</i>	Meadow Buttercup
<i>Ranunculus bulbosus</i>	Bulbous Buttercup
<i>Ranunculus repens</i>	Creeping Buttercup
<b>Resedaceae</b>	<b>Mignonette Family</b>
<i>Reseda lutea</i>	Wild Mignonette
<i>Reseda luteola</i>	Weld
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>
<i>Rhamnus catharticus</i>	Buckthorn
<b>Rosaceae</b>	<b>Rose Family</b>
<i>Crataegus monogyna</i>	Hawthorn
<i>Fragaria vesca</i>	Wild Strawberry
<i>Filipendula ulmaria</i>	Meadowsweet
<i>Filipendula vulgaris</i>	Dropwort
<i>Geum urbanum</i>	Wood Avens or Herb Bennet
<i>Potentilla anserina</i>	Silverweed
<i>Potentilla erecta</i>	Tormentil
<i>Potentilla reptans</i>	Creeping Cinquefoil
<i>Prunus avium</i>	Wild Cherry
<i>Prunus spinosa</i>	Blackthorn
<i>Rosa canina</i> agg	Dog Rose
<i>Rubus caesius</i>	Dewberry
<i>Rubus fruticosus</i> agg	Bramble
<i>Sanguisorba minor</i> agg	Salad Burnet
<i>Sorbus aria</i> agg	Whitebeam
<i>Sorbus aucuparia</i>	Rowen



<b>Group/Species</b>	<b>English Name(if any)</b>
<b>Rubiaceae</b>	<b>Bedstraw Family</b>
<i>Cruciata laevipes</i>	Crosswort
<i>Galium aparine</i>	Clevers
<i>Galium mollugo</i>	Hedge Bedstraw
<i>Galium verum</i>	Ladies bedstraw
<i>Galium saxatile</i>	Heath Bedstraw
<i>Sheradia arvensis</i>	Field Maddar
<b>Scrophulariaceae</b>	<b>Figwort Family</b>
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax
<i>Digitalis lutea</i>	Small Yellow Foxglove
<i>Digitalis purpurea</i>	Foxglove
<i>Melampyrum arvense</i>	Field Cow-wheat
<i>Odontites verna</i>	Red Bartsia
<i>Rhinanthus minor agg</i>	Hay Rattle
<i>Scrophularia auriculata</i>	Water Figwort
<i>Verbascum nigrum</i>	Dark Mullien
<i>Veronica chamaedrys</i>	Germander Speedwell
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell
<b>Solanaceae</b>	<b>Nightshade Family</b>
<i>Solanum dulcamara</i>	Bittersweet
<b>Urticaceae</b>	<b>Nettle Family</b>
<i>Parietaria judaica</i>	Pelitory of the Wall
<i>Urtica dioica</i>	Common Nettle
<b>Valerianaceae</b>	<b>Valerian Family</b>
<i>Centranthus ruber</i>	Red Valerian
<i>Valeriana dioica</i>	Marsh Valerian
<b>Verbenaceae</b>	<b>Vervain Family</b>
<i>Verbena officinalis</i>	Vervain
<b>Violaceae</b>	<b>Violet Family</b>
<i>Viola riviniana</i>	Common Dog Violet
<b>Liliidae (Monocotyledons)</b>	
<b>Araceae</b>	<b>Arum Family</b>
<i>Arum maculatum</i>	Lords and Ladies
<b>Dioscoreaceae</b>	<b>Black Bryony Family</b>
<i>Tamus communis</i>	Black Bryony
<b>Iridaceae</b>	<b>Iris Family</b>
<i>Iris psuedocorus</i>	Yellow Flag
<b>Liliaceae</b>	<b>Lily Family</b>
<i>Allium ursinum</i>	Ramsons
<i>Allium vineale</i>	Wild Onion
<i>Ruscus aculeatus</i>	Butcher's-broom

<b>Group/Species</b>	<b>English Name(if any)</b>
<b>Orchidaceae</b>	<b>Orchid Family</b>
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid
<i>Cephalanthera damasonium</i>	White Helleborine
<i>Cephalanthera longifolia</i>	Narrow-leaved Helleborine
<i>Coeloglossum viride</i>	Frog Orchid
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid
<i>Dactylorhiza maculata</i>	Heath Spotted Orchid
<i>Dactylorhiza praetermissa</i>	Southern Marsh Orchid
<i>Dactylorhiza traunsteineri</i>	Narrow-leaved Marsh Orchid
<i>Epipactis helleborine</i>	Broad-leaved Helleborine
<i>Epipactus phyllanthes</i>	Green flowered Helleborine
<i>Epipactus purpurata</i>	Violet Helleborine
<i>Epipactis palustris</i>	Marsh Helleborine
<i>Gymnadenia conopsea</i>	Fragrant Orchid
<i>Herminium monorchis</i>	Musk Orchid
<i>Listera ovata</i>	Twayblade
<i>Neottia nidus-avis</i>	Birdsnest Orchid
<i>Ophrys apifera</i> var. <i>apifera</i>	Bee Orchid
<i>Ophrys apifera</i> var. <i>bulgarum</i>	Bee Orchid
<i>Ophrys apifera</i> var. <i>trolli</i>	Wasp orchid
<i>Plantanthera chlorantha</i>	Greater Butterfly Orchid
<i>Ophrys insectifera</i>	Fly orchid
<b>Poaceae (Gramineae)</b>	<b>Grass Family</b>
<i>Anisantha sterilis</i>	Barren Brome
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass
<i>Arrhenatherum elatius</i>	False Oar-grass
<i>Brachypodium sylvaticum</i>	False Brome
<i>Bromopsis erectus</i>	Upright Brome
<i>Bromus hordeaceus</i>	Soft Brome
<i>Briza media</i>	Quaking Grass
<i>Cynosurus cristatus</i>	Crested Dog's-tail
<i>Dactylis glomerata</i>	Cock's-foot
<i>Festuca arundinacea</i>	Tall Fescue
<i>Festuca ovina</i> agg	Sheep's Fescue
<i>Festuca rubra</i> agg	Red Fescue
<i>Koeleria macrantha</i>	Crested Hair-grass
<i>Lolium perenne</i>	Perennial Rye-grass
<i>Melica uniflora</i>	Wood Melick
<i>Molinia caerulea</i>	Purple Moor-grass
<i>Poa annua</i>	Annual Meadow-grass
<i>Poa nemoralis</i>	Wood Meadow-grass
<i>Poa trivialis</i>	Rough Meadow-grass
<i>Trisetum flavescens</i>	Golden Oat

## Birds (H = heard only)

	Common Name	Scientific Name	JUNE		
			22	23	24
1	Mallard	<i>Anas platyrhynchos</i>		•	
2	Red Kite	<i>Milvus milvus</i>		•	
3	Common Buzzard	<i>Buteo buteo</i>		•	
4	Common Kestrel	<i>Falco tinnunculus</i>		•	•
5	Red-legged Partridge	<i>Alectoris rufa</i>			•
6	Pheasant	<i>Phasianus colchicus</i>			•
7	Moorhen	<i>Gallinula chloropus</i>	•	•	
8	Wood Pigeon	<i>Columba palumbus</i>	•	•	•
9	Feral Pigeon / Rock Dove	<i>Columba livia</i>	•	•	•
10	Collared Dove	<i>Streptopelia decaocto</i>		•	•
11	Cuckoo	<i>Cuculus canorus</i>		H	
12	Common Swift	<i>Apus apus</i>	•	•	•
13	Great-spotted Woodpecker	<i>Dendrocopus major</i>			H
14	Skylark	<i>Alauda arvensis</i>		•	•
15	Barn Swallow	<i>Hirundo rustica</i>	•	•	•
16	House Martin	<i>Delichon urbica</i>		•	•
17	Pied Wagtail	<i>Motacilla alba</i>	•	•	•
18	Wren	<i>Troglodytes troglodytes</i>			H
19	Duncock	<i>Prunella modularis</i>		•	•
20	Robin	<i>Erithacus rubecula</i>		•	•
21	Song Thrush	<i>Turdus philomelos</i>		•	
22	Mistle Thrush	<i>Turdus viscivorus</i>			•
23	Blackbird	<i>Turdus merula</i>	•	•	•
24	Blackcap	<i>Sylvia atricapilla</i>			
25	Whitethroat	<i>Sylvia communis</i>			•
26	Chiffchaff	<i>Phylloscopus collybita</i>			
27	Great Tit	<i>Parus major</i>	•	•	•
28	Coal Tit	<i>Parus ater</i>			•
29	Blue Tit	<i>Parus caeruleus</i>	•	H	H
30	Long-tailed Tit	<i>Aegithalos caudatus</i>		LO	
31	Magpie	<i>Pica pica</i>		•	•
32	Jay	<i>Garrulus glandarius</i>		•	
33	Jackdaw	<i>Corvus monedula</i>		•	•
34	Carrion Crow	<i>Corvus corone</i>	•	•	•
35	Rook	<i>Corvus frugilegus</i>	•	•	•
36	Starling	<i>Sturnus vulgaris</i>	•	•	•
37	House Sparrow	<i>Passer domesticus</i>	•	•	•
38	Chaffinch	<i>Fringilla coelebs</i>	•	•	•
39	Linnet	<i>Acanthis cannabina</i>			•
40	Goldfinch	<i>Carduelis carduelis</i>	•	•	•
41	Greenfinch	<i>Carduelis chloris</i>	H		H
42	Yellowhammer	<i>Emberiza citrinella</i>		•	•

## Butterflies

Large White	<i>Pieris brassicae</i>	Common
Small White	<i>Artogeia rapae</i>	Portchester Hill
Holly Blue	<i>Celastrina argiolus</i>	Portchester Hill
Common Blue	<i>Polyommatus icarus</i>	Chappetts copse
Red Admiral	<i>Vanessa atalanta</i>	Beacon Hill

Small Tortoiseshell	<i>Aglais urticae</i>	Beacon Hill
Marbled White	<i>Melanargia galathea</i>	Noar Hill
Meadow Brown	<i>Maniola jurtina</i>	Noar Hill
Ringlet	<i>Aphantopus hyperanthus</i>	Noar Hill
Speckled Wood	<i>Pararge aegeria</i>	Track to Noar Hill

### Other Insects and Arachnids

Two Spot Ladybird	<i>Adalia bipunctata</i>	Woolmer Forest
Seven Spot Ladybird	<i>Coccinella 7-punctata</i>	Beacon Hill
Hawthorn Shieldbug	<i>Acanthosoma haemorrhoidale</i>	Beacon Hill
Large Yellow Underwing	<i>Noctua pronuba</i>	Galley Down

### Mammals

Rabbit	<i>Oryctolagus cuniculus</i>	Noar Hill
Grey Squirrel	<i>Sciurus carolinensis</i>	Alton
Fox	<i>Vulpes vulpes</i>	Near Alton
Roe Deer	<i>Capreolus capreolus</i>	Roadside in arable field

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at [www.facebook.com](http://www.facebook.com) is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!