

The Wild Flowers & Gardens of the Isles of Scilly

Naturetrek Tour Report

4 - 11 May 2016



Western Clover (*Trifolium occidentale*)



Clients on the Garrison



View from Periglis, St. Agnes

Report and images by Dawn Nelson



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Dawn Nelson (leader) with a group of Naturetrek clients

Day 1

Wednesday 4th May

St Mary's

Brilliant sunshine welcomed the group to Scilly, also known as the Fortunate Isles. On the way to our accommodation we noted Cineraria (*Pericallis hybrida*) and Aeoniums (*Aeonium arboreum*, *A. cuneatum*). After settling in, we headed into town via the beautiful Porthcressa bay. After refreshments, we reconvened and went through the Sally Port up onto The Garrison, where we soon found some Early Meadow-grass (*Poa infirma*) and Blinks (*Montia fontana*); we also noted the shiny undersides of the leaves of Western Clover (*Trifolium occidentale*) and found a particularly beautiful patch of Subterranean Clover (*Trifolium subterraneum*), with intricate leaf patterns.

Overlooking the stunning views towards St Agnes, it was hard to keep our attention on the plants but Wild Madder (*Rubia peregrina*), Small-flowered Catchfly (*Silene gallica*), Sea Spleenwort (*Asplenium marinum*) and Sea Mouse-ear (*Cerastium diffusum*) were all admired. At Morning Point Battery we saw Sickle-leaved Dewplant (*Lampranthus falciiformis*). Back at our B&B, after a short rest, we met up to do our first day's lists and then headed off for our delicious meal.

Day 2

Thursday 5th May

St Agnes

Sunny and warm, light breeze. Scilly is greatly influenced by the sea; our destination today was St Agnes and, due to the extreme spring tides, we had an early breakfast and caught the boat at 9am. Our first sighting of the day was a Razorbill swimming near our boat as we left the harbour. On our arrival, we found Purple Dewplant (*Disphyma crassifolium*) and Deltoid-leaved Dewplant (*Oscularia deltoides*) as well as *Nolana humifusa*. Linnets and the calls of Kittiwakes grabbed our attention as we headed up the road.

We then visited some bulb fields, for their arable weeds, and found showy Corn Marigolds (*Glebionis segetum*), Eastern Gladiolus (*Gladiolus communis*) and Red Corn-lily (*Ixia campanulata*), as well as more subdued plants such as Squirrel-tail Fescue (*Vulpia bromoides*) and Four-leaved Allseed (*Polycarpon tetraphyllum*). Along the lane towards Pool Green we found German Ivy (*Delairea odorata*) and Chasmanthe (*Chasmanthe bicolor*). But our attention was taken by the world-famous Scilly policeman, who was happy to fill us in on lots of local information, including the newly acquired status of St. Agnes as being free of rats, which will have a very beneficial impact on the nesting birds. David T. revealed one of his many skills, as he sketched at almost every opportunity obviously enthralled by the visual effects of this stunning location.

Lunch was enjoyed at The Coastguard Café overlooking the Western Rocks, with the Bishop Rock lighthouse as a backdrop. After spending the afternoon on Wingletang Down, searching for Adder's-tongue Ferns (*Ophioglossum lusitanicum* and *O. azoricum*) on the heathland and 17th Century beads at Beady Pool, we headed back to the quay and St Mary's.

Day 3

Friday 6th May

Tresco

Overcast, cool and still. Today we visited the subtropical Tresco Abbey Gardens, noting Primroses (*Primula vulgaris*) amongst the Marram (*Ammophila arenaria*), and more exotic species such as the bromeliad *Fasicularia bicolor* (*pitcairniifolia*), Tree Lupin (*Lupinus arboreus*) and a rather splendid Black Minotaur Beetle along the road from Carn Near. At the entrance we all admired the unreal quality of the Silver Trees (*Leucadendron argenteum*).

After refreshments, we split into smaller groups and set off to explore the gardens. Among other delights, we noted the strange reptilian *Beschorneria yuccoides* and pretty pink-flowered Woad-leaved Ragwort (*Senecio glastifolius*). It is easy to see how Lobster Claw (*Cliantbus puniceus*) gets its common name, but it is even more exotic and beautiful than it sounds and was much admired by us all. One of the resident Golden Pheasants kept us amused by seemingly posing for photos to be taken. But despite (or perhaps because of) the huge display of exotics, we found ourselves in the kitchen garden discovering tiny native treasures such as Changing Forget-me-not (*Myosotis discolor*) and Dog Lichen (*Peltigera* sp.) with fertile fronds. Angela, Ann R. and Barbara were lucky enough to come across the head gardener Mike Nelhams and get some interesting information about the gardens as well as plant indent. We also explored the Valhalla figure-head display, and finally returned to the cafe to be treated with some wonderful close up views of a Red Squirrel. Here, we met up and took the coastal road to Old Grimsby Quay seeing Balm-leaved Figwort (*Scrophularia scorodonia*) in flower and lots of Sea Campion (*Silene uniflora*) as well as a few Wild Daffodils (*Narcissus pseudonarsissus*). Our last stop was a visit to the excellent Tresco Gallery before our return boat trip.

Day 4

Saturday 7th May

Bryher via Tresco

Overcast, occasional drizzle. The tides were extremely low again this morning, so we decided to get to Bryher by taking the boat to Tresco and joining several other people on the walk across the sand flats to Bryher. This is an opportunity that only occurs a few days a year, and it enabled us to find a variety of interesting seaweeds including a wonderful, huge and undamaged specimen of Furbelows (*Saccorbiza polyschides*), with its big bulgy holdfast and flat stipe, plus other marine species such as Sea Anemones and Common Starfish. We then headed across the Island, spotting a Great Tit and some Common Scurvygrass (*Cochlearia officinalis*). We had lunch at the famous Hell Bay Hotel before exploring the area around Great Pool, where we spotted a special Scilly form of White Clover (*Trifolium repens* var. *townsendii*) that has dark red marking on the leaves and pink flushed flowers. Then we took the coastal path, enabling us to get some fantastic views of the Norrard Rocks, showing especially well due to the low water and hazy silvery light. Our quest was to find the delightful Dwarf Pansy (*Viola kaitabeliana*), which was discovered almost immediately by Ros. Other good records today were four Grey Seals in Stony Porth; then, further round, we found Spring Squill (*Scilla verna*) scattered on the coastal track. Bunch-flowered Daffodil (*Narcissus tazetta*) and Poet's Narcissus (*N. poeticus*) looked very picturesque intermingled with Eastern Gladiolus (*Gladiolus communis*), Red Campion (*Silene dioica*) and Gorse (*Ulex europaeus*) in the abandoned bulb fields.

Having arrived back at the coast overlooking the channel between Bryher and Tresco, it seemed impossible that only three and a half hours before we had been strolling and exploring, where now a wide expanse of deep water was supporting various boats plying their trades. The last plants of interest seen today were Sea Fern-grass

(*Catapodium marinum*) and Common Ramping-fumitory (*Fumaria muralis* subsp. *boraeti*), before we sailed back across the silvery sea.

Day 5

Sunday 8th May

St Martin's

Cool, cloudy, light rain. It was showery as we set off, but by the time we alighted at Lower Town quay the rain had stopped and we headed up the lane. The first plant of note was the white form of Ivy-leaved Toadflax (*Cymbalaria muralis* f. *alba*) looking delightful on a lane-side wall, this was closely followed by a Fig (*Ficus carica*). A little further along we spotted a delightful selection of arable weeds in a bulb field; these included, Bur Chervil (*Anthriscus caucalis*), Small Nettle (*Urtica urens*), two species of Quaking-grass (*Briža maxima* and *B. minor*) and Shepherds Needle (*Scandix pecten-veneris*), amongst others. Filling a hedge bottom along the lane was a large quantity of Altar-lily (*Zantedeschia aethiopica*), looking magnificent.

At Middle Town, we headed up a track, taking pictures back across the intricate mosaic of neatly hedged bulb fields. We soon found ourselves on the northern and much wilder side of the island, known as The Plains. The area consists of heathland dominated by heather and gorse and criss-crossed by wide paths of very short turf that is home to one of Scilly's very special plants Orange Bird's-foot (*Ornithopus pinnatus*) as well as the more numerous Common Bird's-foot (*O. perpusillus*). Back on the sunny side of the island, and the lane, we found Rosy Garlic (*Allium roseum*) in flower. Our next stop was Church Farm, to find the famous eponymous St Martin's Buttercup (*Ranunculus marginatus* var. *trachycarpus*), and in the same field was found Corn Spurrey (*Spergula arvensis*), Field Pansy (*Viola arvensis*) and Common Cornsalad (*Valerianella locusta*).

We had our lunch on Pool Green which was dominated by Chamomile (*Chamaemelum nobile*) and Daisies (*Bellis perennis*), then we admired the pretty Brackish Water-crowfoot (*Ranunculus baudotii*) in the pool, and found a Frog. The return boat was going back from the same quay we had started from, so we strolled back along the road. On our way, we met up with a former manager of Church Farm who kindly gave us a guided tour, showing us many aspects of the flower-farming trade.

On the way to The Seven Stones for tea, we saw Greenfinches and Linnets. Duly refreshed, we continued down to the quay, noting Annual Wall Rocket (*Diplotaxis muralis*) in flower, before exploring the beach for more seaweeds and finding a large Common Starfish. Drizzle began again on our return, but we had been lucky to have had our time on this most beautiful island rain-free.

Day 6

Monday 9th May

Tresco

Overcast, occasional showers. Tresco was our destination again, this time to explore the wilder areas, outside the gardens. Landing at New Grimsby, we set off along the northern side of Great Pool, visiting the hides along the way. Grey Sedge (*Carex dimulsa*) and Goat Willow (*Salix caprea*) were both new additions to our plant list, as were Bulrush (*Typha latifolia*) and Gypsywort (*Lycopus europaeus*). Further along a Green Woodpecker was seen, as well as a Song Thrush collecting lichen for its nest. We studied the mixture of features we found in the Grey Poplar (*Populus x canescens*), a hybrid between Aspen (*Populus tremula*) and White Poplar (*P. alba*). Further along Bugle-lily

(*Watsonia borbonica*) was in flower. Rain sent us into the cafe for lunch; then we headed for Appletree Bay and Rushy Bank, where we found a good selection of early beach colonisers such as Sea Kale (*Crambe maritima*) and Sea Bindweed (*Calystegia soldanella*), as well plants of more established dunes. In a widening area of the path we paused, Dawn suggesting that we might if we looked carefully, we might find some more (*Viola kitaibeliana*) or some Small Adder's-tongue Fern (*Ophioglossum azoricum*). Looking down, we realised we were standing in the middle of about 100-200 plants of the latter, many with fertile fronds! Photos duly taken, we headed along The Abbey Drive, admiring again the beautiful African Hemp (*Sparmannia africana*), and then across the island where we explored Old Grimsby Harbour for seaweeds and other marine life, adding Serrated Wrack (*Fucus serratus*) to our steadily growing list, as well as the tiny coils of Tubeworm (*Spirorbis spirorbis*); sadly, when washed up on the tideline, the worms die but the chalky white tubes remain.

Back again to the western side, we stopped for tea at the New Inn and met up with three of the group who had set off earlier to explore the wilder northern end of the Island with its windswept heathland, castle ruins and dramatic views.

Day 7

Tuesday 10th May

St Mary's

Mild, overcast clearing later. Catching the community bus, we soon arrived at Maypole, where our first new plant seen was Mexican Stonecrop (*Sedum confusum*). A little further on, we admired Tasmanian Fuchsia (*Correa backhouseana*), a huge specimen of Angel's Trumpets (*Brugmansia sanguinea*), a naturalised Spider Plant (*Chlorophytum comosum*) and Sicilian Chamomile (*Anthemis punctata*). Lots of other new finds were added to our list as we headed down the track towards Higher Moors; along the raised path we admired the impressive growth of all the plants due to the lush moist conditions and sheltered location. Further on, the huge specimens of Greater Tussock-sedge (*Carex paniculata*) were seen, Yellow Flag (*Iris pseudacorus*) was putting on a fine show, and we heard a Cuckoo.

Once through the nature reserve, we arrived at Porth Hellick, where a few of us took a short detour to visit the established wild population of Chilean Hard-fern (*Blechnum cordataum*) whilst others beachcombed. We soon returned and joined them; David G. had spotted a Little Egret. The fog was thick enough for there to be the constant boom of a fog horn echoing through the mist. Angela, Barbara and Ann decided to go ahead, and we met up with them later where waved heath, consisting mainly of heathers and Western Gorse (*Ulex gallii*), has been formed, and is maintained, by the wind burning off its windward buds. We had our picnic overlooking stunning rock formations; under several outcrops we found many large fronds of Sea Spleenwort (*Asplenium marinum*) in perfect condition, due to the shelter the rocks provided. More Cuckoos were heard, and here we saw them too. The Thrift (*Armeria maritima*) was now flowering beautifully as was the Lousewort (*Pedicularis sylvatica*), and the first of the Greater Sea-spurrey (*Spergularia media*) was adding to the pink theme.

Our next stop was Porth Minnick where we saw Sea Pea (*Lathyrus japonicus* subsp. *maritimus*) and Toothed Medick (*Medicago polymorpha*), as well as some more of the shoreline plants found yesterday on Tresco. Cornish Cream Teas were enjoyed by most of the group at Old Town, and then we continued down the lane to Lower Moors Nature Reserve where we found Royal Fern (*Osmunda regalis*) and Marsh Bedstraw (*Galium palustre*), as well as flowering Lesser Spearwort (*Ranunculus flammula*); we also noted a Green-veined White Butterfly.

Back on the road, we took a quick look into one of the bulb fields, being careful, as ever, to stay close to the edges. This one proved very floriferous, giving us more Annual Quaking-grass (*Briza minor*), Small-flowered Catchfly (*Silene gallica*), Great Brome (*Anisantha diandra*) and lots of Corn Marigold (*Glebionis segetum*). We visited Thomas Porth, finding more seaweeds and enjoying the view, with the sun managing to peep through.

Our last meal together as a group was at The Atlantic Inn, as it had proved to be a favourite this week, and it did not disappoint.

Day 8

Wednesday 11th May

St .Mary's and return to Penzance

Foggy, calm sea. Today Gwen chose to explore on her own and took advantage of the Island Explorer bus. The rest of us strolled along the road to Old Town Churchyard, where we visited Harold Wilson's grave and searched for Stick Insects, which seemed to revive memories of childhood and collecting Privet for them to eat, though there was only one Privet bush in sight. Circling Old Town Bay, we noticed the medieval harbour. We walked up Town Road, visited a pottery and an artist's studio, and found some Intermediate Periwinkle (*Vinca difformis*) on a garden wall and one small patch of Suffocated Clover (*Trifolium suffocatum*).

Carreg Dhu Garden had good specimens of many of the plants seen in Tresco Abbey Gardens, as well as other interesting ones such as Cut-leaved Beech (*Fagus sylvatica f. laciniata*), Henkel's Yellowwood (*Podocarpus henkelii*), and the Historic Narcissus collection. The plants that really fascinated us however were huge specimens of *Furcraea longaeva* rising like trifids and bearing ready formed bulbils. Our next plant of note was a new colony of Scilly Pigmyweed (*Crassula decumbens*), and from here we set off for Juliet's Garden Restaurant for lunch.

David and Gill decided to take the short cut back to Hugh Town and meet us later. The rest of us enjoyed a delightful lunch overlooking a misty view that gradually revealed Newfound Island, then St Mary's Harbour and finally St Agnes in the distance, before the cloud came down again. Ann, Angela and Barbara lingered a while at Juliet's, whilst the remaining five took the coast path back to Hugh Town, indulging in a little more present buying, before meeting up with everyone else on the quay to board the Scillonian for our journey back to Penzance, which was calm but foggy most of the way. However, the sun came up as we sailed into Penzance, brightening our fond farewells.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Plants

Group/Species	English Name (if any)	Location
PTERIDOPSIDA	FERNS & ALLIES	
Aspleniaceae	Spleenwort family	
<i>Asplenium adiantum-nigrum</i>	Black Spleenwort	Common
<i>Asplenium marinum</i>	Sea Spleenwort	St Mary's
<i>Asplenium obovatum</i> subsp. <i>lanceolatum</i>	Lanceolate Spleenwort	St Agnes
<i>Asplenium trichomanes</i> subsp. <i>quadrivalens</i>	Maidenhair Spleenwort	St Mary's
<i>Ceterach officinarum</i>	Rustyback	The Garrison
<i>Phyllitis scolopendrium</i>	Hart's-tongue	Occasional
Blechnaceae	Hard-fern Family	
<i>Blechnum cordatum</i>	Chilean Hard-fern	Tresco, St Mary's
<i>Woodwardia radicans</i>	Chain Fern	Tresco Abbey Gardens
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Common
Dryopteridaceae	Buckler-fern Family	
<i>Cyrtomium falcatum</i>	House Holly-fern	Tresco Abbey Gardens
<i>Dryopteris dilatata</i>	Broad Buckler-fern	Tresco, St Mary's
<i>Dryopteris filix-mas</i>	Male-fern	Tresco
Ophioglossaceae	Adder's-tongue Fern Family	
<i>Ophioglossum azoricum</i>	Lesser Adder's-tongue	Tresco
Osmundaceae	Royal Fern Family	
<i>Osmunda regalis</i>	Royal Fern	St Mary's
Polypodiaceae	Polypody Family	
<i>Polypodium interjectum</i>	Intermediate Polypody	Occasional
<i>Polypodium vulgare</i>	Common Polypody	Occasional
Pteridaceae	Ribbon Fern Family	
<i>Pteris cretica</i>	Ribbon Fern	Tresco Abbey Gardens
Woodsiaceae	Lady-fern Family	
<i>Athyrium filix-femina</i>	Lady-fern	Tresco Abbey Gardens
PINOPSIDA	CONIFERS	
Araucariaceae	Monkey-puzzle Family	
<i>Araucaria araucana</i>	Monkey-puzzle	Tresco Abbey Gardens, Carreg Dhu
<i>Araucaria heterophylla</i>	Norfolk Island Pine	St Mary's, Tresco Abbey Gardens
<i>Wollemia nobilis</i>	Wollemi pine	Tresco Abbey Gardens
Cupressaceae	Juniper Family	
<i>Cupressus macrocarpa</i>	Monterey Cypress	Common

Group/Species	English Name (if any)	Location
Pinaceae	Pine Family	
<i>Pinus contorta</i>	Lodgepole Pine	St Mary's
<i>Pinus radiata</i>	Monterey Pine	Common
Podocarpaceae	Podocarpus Family	
<i>Podocarpus henkelii</i>	Henkel's Yellowwood	Carreg Dhu Garden
MAGNOLIOPSIDA	FLOWERING PLANTS	
Acanthaceae	Bear's-breech Family	
<i>Acanthus mollis</i>	Bear's-breech	Occasional
Aceraceae	Maple Family	
<i>Acer pseudoplatanus</i>	Sycamore	Occasional
Aizoaceae	Dewplant Family	
<i>Caprobotus edulis</i>	Hottentot Fig	Common
<i>Disphyma crassifolium</i>	Purple Dewplant	St Agnes, St Mary's
<i>Drosanthemum floribundum</i>	Pale Dewplant	St Agnes, Tresco, St Mary's
<i>Lampranthus falciformis</i>	Sickle-leaved Dewplant	The Garrison
<i>Oscularia deltoides</i>	Deltoid-leaved Dewplant	Common
Apiaceae	Carrot Family	
<i>Apium nodiflorum</i>	Fool's Water-cress	Tresco
<i>Angelica sylvestris</i>	Wild Angelica	St Martin's
<i>Anthriscus caucalis</i>	Bur Chervil	St Martin's, St Mary's
<i>Anthriscus sylvestris</i>	Cow Parsley	St Mary's
<i>Berula erecta</i>	Lesser Water-parsnip	St Mary's
<i>Crithmum maritimum</i>	Rock Samphire	The Garrison
<i>Daucus carota</i> subsp. <i>gummifera</i>	Sea Carrot	Common
<i>Foeniculum vulgare</i>	Fennel	Common
<i>Heracleum sphondylium</i>	Hogweed	Common
<i>Hydrocotyle vulgare</i>	Marsh Pennywort	St Agnes, Tresco
<i>Oenanthe crocata</i>	Hemlock Water-dropwort	St Martin's, St Mary's
<i>Scandix pecten-veneris</i>	Shepherd's-needle	St Martin's
<i>Smyrnium olusatrum</i>	Alexanders	Common
Apocynaceae	Periwinkle Family	
<i>Vinca major</i>	Greater Periwinkle	Common
<i>Vinca difformis</i>	Intermediate Periwinkle	St Mary's
Aquifoliaceae	Holly Family	
<i>Ilex aquifolium</i>	Holly	St Agnes, Tresco
Araliaceae	Ivy Family	
<i>Fatsia japonica</i>	Fatsia	Tresco
<i>Hedera helix</i>	Common Ivy	Common
<i>Hedera hibernica</i>	Irish Ivy	Common
Asteraceae	Daisy Family	
<i>Achillea millefolium</i>	Yarrow	Common
<i>Anthemis punctata</i>	Sicilian Chamomile	St Mary's

Group/Species	English Name (if any)	Location
<i>Arctium minus</i> agg.	Lesser Burdock	St Martin's, Tresco
<i>Bellis perennis</i>	Daisy	Common
<i>Brachyglottis repanda</i>	Hedge Ragwort	Tresco Abbey Gardens
<i>Calendula officinalis</i>	Pot Marigold	Occasional
<i>Centaurea nigra</i>	Common Knapweed	St Mary's
<i>Chamaemelum nobile</i>	Chamomile	St Agnes, St Martins
<i>Cirsium vulgare</i>	Spear Thistle	St Agnes
<i>Cotula coronopifolia</i>	Buttonweed	Tresco
<i>Delairea odorata</i>	German Ivy	St Agnes, St Mary's
<i>Erigeron glaucus</i>	Seaside Daisy	Occasional
<i>Erigeron karvinskianus</i>	Mexican Fleabane	Occasional
<i>Gazania rigens</i>	Treasureflower or Gazania	Common
<i>Glebionis (Chrysanthemum) segetum</i>	Corn Marigold	Common
<i>Helichrysum petiolare</i>	Silver-bush Everlasting Flower	Tresco, St Mary's
<i>Helminthotheca (Picris) echioides</i>	Bristly Oxtongue	St Mary's
<i>Hypochaeris radiata</i>	Cat's-ear	Common
<i>Lapsana communis</i>	Nipplewort	St Agnes
<i>Leucanthemum vulgare</i>	Oxeye Daisy	Bryher
<i>Matricaria discoidea</i>	Pinappleweed	St Agnes, Bryher, St Martin's
<i>Olearia x haastii</i>	Daisy Bush	St Mary's
<i>Osteospermum ecklonis</i>	Cape Daisy	Occasional
<i>Osteospermum 'Tresco Peggy'</i>	a Cape Daisy	Common
<i>Pericallis hybrida</i>	Cineraria	Common
<i>Petasites fragrans</i>	Winter Heliotrope	Tresco Abbey Gardens
<i>Senecio glastifolius</i>	Woad-leaved Ragwort	Tresco Abbey Gardens
<i>Senecio sylvaticus</i>	Heath Groundsel	St Mary's
<i>Senecio vulgaris</i>	Groundsel	Common
<i>Sonchus asper</i>	Prickly Sow-thistle	Common
<i>Sonchus oleraceus</i>	Smooth Sow-thistle	Common
<i>Taraxacum</i> agg.	Dandelion	Occasional
<i>Triplurospermum inodorum</i>	Scentless Mayweed	St Martin's, Tresco
<i>Tripleurospermum maritimum</i>	Sea Mayweed	St Agnes, Tresco
Betulaceae	Betulaceae	
<i>Betula pubescens</i>	Downy Birch	St Mary's
Boraginaceae	Borage Family	
<i>Anchusa arvensis</i>	Bugloss	Tresco, St Mary's
<i>Borago officinalis</i>	Borage	St Agnes, St Martin's, St Mary's
<i>Echium candicans</i>	Pride of Madeira	Occasional
<i>Echium pininana</i>	Giant Viper's-bugloss	Occasional
<i>Echium x scillonensis</i>	E. canadensis x pininana	Occasional
<i>Lithospermum purpeocaeruleum</i>	Purple Gromwell	St Mary's
<i>Myosotis discolor</i>	Changing Forget-me-not	Occasional
<i>Myosotis ramossissima</i>	Early Forget-me-not	The Garrison
Brassicaceae	Cabbage Family	
<i>Arabidopsis thaliana</i>	Thale Cress	St Agnes, Tresco
<i>Brassica napus</i> subsp. <i>oleifera</i>	Oilseed Rape	Tresco
<i>Cardamine flexuosa</i>	Wavy Bittercress	Occasional
<i>Cardamine hirsuta</i>	Hairy Bittercress	Occasional
<i>Cardamine pratensis</i>	Lady's Smock	Tresco, St Mary's
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	Occasional

Group/Species	English Name (if any)	Location
<i>Cochlearia danica</i>	Danish Scurvygrass	Common
<i>Cochlearia officinalis</i>	Common Scurvygrass	Occasional
<i>Crambe maritima</i>	Sea Kale	Tresco, St Mary's
<i>Diplotaxis muralis</i>	Annual Wall-rocket	St Martin's
<i>Erysium cheiri</i>	Wallflower	Occasional
<i>Lepidium (Coronopus) didymus</i>	Lesser Swine-cress	Occasional
<i>Lobularia maritima</i>	Sweet Alyssum	Occasional
<i>Lunaria annua</i>	Honesty	St Agnes, Tresco, St Martin's
<i>Nasturtium anagallis-aquaticum</i>	Water-cress	St Mary's
<i>Raphanes raphanistrum</i> subsp. <i>maritimum</i>	Sea Radish	St Mary's
<i>Raphanes raphanistrum</i> subsp. <i>raphanistrum</i>	Wild Radish	St Agnes, St Martin's
<i>Raphanes sativus</i>	Garden Radish	Tresco
<i>Sisymbrium officinale</i>	Hedge Mustard	St Martin's, St Mary's
Buddlejaceae	Butterfly-bush Family	
<i>Buddleja davidii</i>	Butterfly-bush	St Mary's
<i>Buddleja globosa</i>	Orange-ball Tree	St Mary's
Buxaceae	Box Family	
<i>Buxus sempervirens</i>	Box	Tresco, Bryher, St Martin's
Callitrichaceae	Water-starwort Family	
<i>Callitriche</i> agg.	Water-starwort	St Mary's
Campanulaceae	Bellflower Family	
<i>Campanula portenschlagiana</i>	Adria Bellflower	St Mary's
Caprifoliaceae	Honeysuckle Family	
<i>Lonicera periclymenum</i>	Honeysuckle	Common
<i>Sambucus nigra</i>	Elderberry	St Agnes
<i>Viburnum tinus</i>	Laurustinus	Tresco
Caryophyllaceae	Pink Family	
<i>Arenaria serpyllifolia</i> agg.	Thyme-leaved Sandwort	
<i>Cerastium diffusum</i>	Sea Mouse-ear	St Mary's, St Agnes
<i>Cerastium glomeratum</i>	Sticky Mouse-ear	Common
<i>Honkenya peploides</i>	Sea Sandwort	St Agnes, Tresco, St Mary's
<i>Polycarpon tetraphyllum</i>	Four-leaved Allseed	Common
<i>Sagina procumbens</i>	Procumbent Pearlwort	Common
<i>Silene (Lychnis) flos-cuculi</i>	Ragged Robin	
<i>Silene gallica</i>	Small-flowered Catchfly	The Garrison, St Martin's, St Mary's
<i>Silene uniflora</i>	Sea Champion	Occasional
<i>Silene x hampeana</i> = <i>S. dioica</i> x <i>latifolia</i>	Hybrid Champion	Tresco
<i>Spergula arvensis</i>	Corn Spurrey	St Martin's
<i>Spergularia media</i>	Greater Sea-spurrey	St Mary's
<i>Spergularia rupicola</i>	Rock Sea-spurrey	Tresco
<i>Stellaria media</i>	Common Chickweed	Occasional
Celastraceae	Spindle Family	
<i>Euonymus japonicus</i>	Evergreen Spindle	Bryher, St Martin's, St Mary's
Chenopodiaceae	Goosefoot Family	
<i>Atriplex prostrata</i>	Spear-leaved Orache	St Mary's

Group/Species	English Name (if any)	Location
<i>Beta vulgaris</i> subsp. <i>maritima</i>	Sea Beet	Common
<i>Chenopodium album</i>	Fat-hen	Bryher
Clusiaceae	St. John's-wort Family	
<i>Hypericum androsaemum</i>	Tutsan	Bryher
Convolvulaceae	Bindweed Family	
<i>Calystegia sepium</i>	Hedge Bindweed	Occasional
<i>Calystegia sepium</i> subsp. <i>roseata</i>	a Hedge Bindweed	
<i>Calystegia silvatica</i>	Large Bindweed	St Martin's
<i>Calystegia soldanella</i>	Sea Bindweed	Tresco, St Mary's
<i>Convolvulus arvensis</i>	Field Bindweed	
Cornaceae	Dogwood Family	
<i>Griselelinia littoralis</i>	New Zealand Broadleaf	Tresco
Crassulaceae	Stonecrop Family	
<i>Aeonium arboreum</i>	Tree Aeonium	Common
<i>Aeonium cuneatum</i>	Aeonium	Common
<i>Achryson laxum</i>	Achryson	Tresco
<i>Crassula decumbens</i>	Scilly Pigmyweed	St Mary's
<i>Crassula multicava</i>	Fairy Crassula	St Mary's
<i>Sedum acre</i>	Biting Stonecrop	St Agnes
<i>Sedum album</i>	White Stonecrop	Common
<i>Sedum confusum</i>	Lesser Mexican-stonecrop	St Mary's
<i>Umbilicus rupestris</i>	Navelwort	Common
Ericaceae	Heather Family	
<i>Calluna vulgaris</i>	Ling	Common
<i>Erica arborea</i>	Tree Heather	Tresco
<i>Erica cinerea</i>	Bell Heather	St Martin's, St Mary's
<i>Rhododendron ponticum</i>	Rhododendron	Tresco, St Mary's
Euphorbiaceae	Spurge Family	
<i>Euphorbia amygdaloides</i>	Wood spurge	Tresco, Bryher
<i>Euphorbia cyparissias</i>	Cypress Spurge	St Mary's
<i>Euphorbia mellifera</i>	Honey Spurge	Common
<i>Euphorbia paralias</i>	Sea Spurge	Common
<i>Euphorbia peplus</i>	Petty Spurge	St Mary's
Fabaceae	Pea Family	
<i>Clianthus puniceus</i>	Lobster Claw	Tresco Abbey Gardens
<i>Cytisus scoparius</i>	Broom	St Mary's
<i>Lathyrus japonicus</i> subsp. <i>maritimus</i>	Sea Pea	St Mary's
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Common
<i>Lotus pedunculatus</i>	Greater Bird's-foot Trefoil	St Mary's
<i>Lotus subbiflorus</i>	Hairy Bird's-foot Trefoil	Bryher
<i>Lupinus arboreus</i>	Tree Lupin	Tresco
<i>Medicago arabica</i>	Spotted Medick	Common
<i>Medicago polymorpha</i>	Toothed Medick	St Mary's
<i>Ornithopus perpusillus</i>	Common Bird's-foot	St Agnes, St Martin's
<i>Ornithopus pinnatus</i>	Orange Bird's-foot	St Martin's
<i>Trifolium campestre</i>	Hop Trefoil	St Martin's

Group/Species	English Name (if any)	Location
<i>Trifolium dubium</i>	Lesser Trefoil	St Mary's, Tresco
<i>Trifolium occidentale</i>	Western Clover	St Agnes, St Mary's
<i>Trifolium pratense</i>	Red Clover	Bryher
<i>Trifolium repens</i>	White Clover	Bryher
<i>Trifolium repens</i> var. <i>townsendii</i>	a White Clover	Bryher
<i>Trifolium subterraneum</i>	Subterranean Clover	St Mary's, Tresco, Bryher
<i>Trifolium suffocatum</i>	Suffocated Clover	St Mary's
<i>Ulex europaeus</i>	Gorse	Common
<i>Ulex gallii</i>	Western Gorse	St Mary's
<i>Vicia sativa</i> subsp. <i>nigra</i>	Common Vetch	Common
<i>Vicia sativa</i> subsp. <i>segetalis</i>	Common Vetch	St Mary's
Fagaceae	Beech Family	
<i>Fagus sylvatica</i> f. <i>laciniata</i>	Cut-leaved Beech	Carreg Dhu Garden
<i>Quercus cerris</i>	Turkey Oak	Tresco Abbey Gardens
<i>Quercus ilex</i>	Holm Oak	Tresco Abbey Gardens
<i>Quercus robur</i>	Pendunculate Oak	St Mary's
Gentianaceae	Gentian Family	
<i>Centaurium erythraea</i>	Common Centaury	Tresco
Geraniaceae	Crane's-bill Family	
<i>Erodium cicutarium</i>	Common Stork's-bill	Common
<i>Erodium maritimum</i>	Sea Stork's-bill	Common
<i>Erodium moschatum</i>	Musk Stork's-bill	Common
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill	St Agnes
<i>Geranium maderense</i>	Giant Herb-Robert	Common
<i>Geranium molle</i>	Dove's-foot Crane's-bill	Occasional
<i>Pelargonium tomentosum</i>	Peppermint-scented Geranium	Common
<i>Pelargonium x hybridum</i>	Geranium/Zonal Pelargonium	St Mary's
Gunneraceae	Gunnera Family	
<i>Gunnera tinctoria</i>	Giant Rhubarb	Tresco
Hydrangeaceae	Hydrangea Family	
<i>Hydrangea macrophylla</i>	Hydrangea	St Mary's
Lamiaceae	Dead-nettle Family	
<i>Glechoma hederacea</i>	Ground Ivy	St Mary's, Tresco
<i>Lamium purpureum</i>	Red Dead-nettle	The Garrison
<i>Lycopus europaeus</i>	Gypsywort	Tresco
<i>Mellissa officinalis</i>	Lemon Balm	St Mary's
<i>Mentha aquatica</i>	Water Mint	St Mary's
<i>Mentha x villosa</i>	Apple-mint	St Agnes, St Martin's
<i>Prunella vulgaris</i>	Self-heal	Tresco
<i>Salvia officinalis</i>	Sage	St Martin's
<i>Teucrium scorodonia</i>	Wood Sage	Occasional
Lemnaceae	Duckweed Family	
<i>Lemna minor</i>	Common Duckweed	St Mary's
<i>Lemna minuta</i>	Least Duckweed	St Mary's
Lythraceae	Purple Loosestrife Family	

Group/Species	English Name (if any)	Location
<i>Lythrum salicaria</i>	Purple Loosestrife	Tresco, St Mary's
Malvaceae	Mallow Family	
<i>Fremontodendron californicum</i>	Californian Flannelbush	St Mary's
<i>Lavatera arborea</i>	Tree Mallow	Common
<i>Malva sylvestris</i>	Common Mallow	St Mary's
<i>Sparmannia africana</i>	African Hemp	Tresco
Melanthaceae	Honeyflower Family	
<i>Melianthus major</i>	Honeyflower	St Martin's, St Mary's
Moraceae	Mulberry Family	
<i>Ficus carica</i>	Fig	St Martin's
Myrtaceae	Myrtle Family	
<i>Leptospermum lanigerum</i>	Woolly Tea-tree	Tresco Abbey Gardens
<i>Leptospermum scoparium</i>	Broom Tea-tree	Tresco Abbey Gardens
<i>Luma apiculata</i>	Chilean Myrtle	Tresco
Onagraceae	Willowherb Family	
<i>Epilobium montanum</i>	Broad-leaved Willowherb	St Agnes
<i>Epilobium tetragonum</i>	Square-stalked Willowherb	Tresco Abbey Gardens
Orobanchaceae	Broomrape Family	
<i>Orobanche minor</i>	Common Broomrape	Tresco
<i>Pedicularis sylvatica</i>	Lousewort	Common
Oxalidaceae	Wood Sorrel Family	
<i>Oxalis articulata</i>	Pink-sorrel	Occasional
<i>Oxalis megalorrhiza</i>	Fleshy Yellow-sorrel	Occasional
<i>Oxalis pes-caprae</i>	Bermuda Buttercup	Common
Papaveraceae	Poppy Family	
<i>Fumaria bastardii</i>	Tall Ramping-fumitory	St Agnes, Tresco, St Martin's
<i>Fumaria capreolata</i> subsp. <i>babingtonii</i>	White Ramping-fumitory	St Agnes, Tresco, St Martin's, St Mary's
<i>Fumaria occidentalis</i>	Western Ramping-fumitory	St Mary's
<i>Fumaria muralis</i> subsp. <i>boraei</i>	Common Ramping-fumitory	Occasional
<i>Papaver commutatum</i> 'Ladybird'	Ladybird Poppy	St Martin's
Pittosporaceae	Pittosporum Family	
<i>Pittosporum crassifolium</i>	Karo	Common
<i>Pittosporum tenuifolium</i>	Kohuhu	Tresco
Plantaginaceae	Plantain Family	
<i>Plantago coronopus</i>	Stag's-horn Plantain	Common
<i>Plantago lanceolata</i>	Ribwort Plantain	Common
<i>Plantago major</i>	Greater Plantain	Occasional
Plumbaginaceae	Thrift Family	
<i>Armeria maritima</i>	Thrift	Common
Polygalaceae	Milkwort Family	
<i>Polygala serpyllifolia</i>	Heath Milkwort	Common

Group/Species	English Name (if any)	Location
Polygonaceae	Knotweed Family	
<i>Fallopia japonica</i>	Japanese Knotweed	St Mary's
<i>Muehlenbeckia complexa</i>	Wireplant	Common
<i>Persicaria amphibia</i>	Amphibious Bistort	Tresco
<i>Rumex acetosa</i>	Common Sorrel	Common
<i>Rumex acetosella</i>	Sheep's Sorrel	Common
<i>Rumex obtusifolius</i>	Broad-leaved Dock	Common
Portulacaceae	Blinks Family	
<i>Claytonia perfoliata</i>	Spring Beauty	St Martin's
<i>Montia fontana</i> agg.	Blinks	The Garrison, St Agnes
Primulaceae	Primrose Family	
<i>Anagallis arvensis</i> subsp. <i>arvensis</i>	Scarlet Pimpernel	Occasional
<i>Anagallis arvensis</i> subsp. <i>foemina</i>	Blue Pimpernel	St Agnes
<i>Primula vulgaris</i>	Primrose	Tresco
Proteaceae	Protea Family	
<i>Leucadendron argenteum</i>	Silver Tree	Tresco Abbey Gardens
<i>Protea cynaroides</i>	King Protea	Tresco Abbey Gardens
Ranunculaceae	Buttercup Family	
<i>Clematis vitalba</i>	Traveller's Joy	St Martin's
<i>Ficaria verna</i> ssp. <i>fertilis</i> (<i>Ran. fic.</i> ssp. <i>ficaria</i>)	Lesser Celandine	Common
<i>Ranunculus baudotii</i>	Brackish Water-crowfoot	St Martin's
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	Common
<i>Ranunculus flammula</i>	Lesser Spearwort	Tresco, St Mary's
<i>Ranunculus marginatus</i> var. <i>trachycarpus</i>	St Martin's Buttercup	St Martins
<i>Ranunculus muricatus</i>	Rough-fruited Buttercup	St Mary's
<i>Ranunculus repens</i>	Creeping Buttercup	Occasional
Rosaceae	Rose Family	
<i>Aphanes arvensis</i>	Parsley-piert	Tresco, St Martin's, St Mary's
<i>Cotoneaster horizontalis</i>	Wall Cotoneaster	St Martin's
<i>Crataegus monogyna</i>	Hawthorn	St Martin's, St Mary's
<i>Geum urbanum</i>	Wood Avens	Tresco
<i>Malus pumila</i>	Apple	Tresco, St Martin's, St Mary's
<i>Potentilla anserina</i>	Silverweed	St Agnes, Bryher
<i>Potentilla erecta</i>	Tormentil	Common
<i>Rosa canina</i>	Dog Rose	St Mary's
<i>Rosa rugosa</i>	Japanese Rose	St Agnes, Bryher
<i>Rubus fruticosus</i> agg.	Bramble	Common
Rubiaceae	Bedstraw Family	
<i>Coprosma repens</i>	Tree Bedstraw	Tresco, St Mary's
<i>Galium aparine</i>	Goosegrass	Occasional
<i>Galium palustre</i> agg.	Marsh Bedstraw	St Mary's
<i>Rubia peregrina</i>	Wild Madder	Occasional
<i>Sherardia arvensis</i>	Field Madder	St Martin's
Rutaceae	Rue Family	
<i>Correa backhouseana</i>	Tasmanian Fuchsia	Tresco Abbey Gardens, St Mary's

Group/Species	English Name (if any)	Location
Salicaceae	Willow Family	
<i>Populus alba</i>	White Poplar	Tresco
<i>Populus x canescens</i>	Grey Willow	Tresco
<i>Salix caprea</i>	Goat Willow	Tresco
<i>Salix cinerea</i> subsp. <i>oleifolia</i>	Grey Willow	Tresco
Scrophulariaceae	Figwort Family	
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Common
<i>Cymbalaria muralis</i> forma. <i>alba</i>	White Ivy-leaved Toadflax	St Martin's
<i>Digitaria purpurea</i>	Foxglove	Occasional
<i>Scrophularia scorodonia</i>	Balm-leaved Figwort	The Garrison, Tresco
<i>Verbascum thapsus</i>	Great Mullein	St Martin's
Solanaceae	Nightshade Family	
<i>Brugmansia sanguinea</i>	Angel's Trumpets	Tresco Abbey Gardens, St Mary's
<i>Nolana humifusum</i>	Nolana	Occasional
<i>Solanum dulcamara</i>	Bittersweet	Tresco, St Mary's
<i>Solanum dulcamara</i> var. <i>maritimum</i>	Sea Bittersweet	Tresco
<i>Solanum nigrum</i>	Black Nightshade	Tresco
<i>Solanum tuberosum</i>	Potato	St Mary's, St Agnes
Tamaricaceae	Tamarisk Family	
<i>Tamarix gallica</i>	Tamarisk	St Agnes
Tropaeolaceae	Nasturtium Family	
<i>Tropaeolum majus</i>	Nasturtium	Occasional
Ulmaceae	Elm Family	
<i>Ulmus glabra</i>	Wych Elm	Tresco
<i>Ulmus minor</i>	Elm	Common
Urticaceae	Nettle Family	
<i>Parietaria judaica</i>	Pellitory-of-the-wall	Common
<i>Soleirolia soleirolii</i>	Mind-your-own-business	Common
<i>Urtica dioica</i>	Common Nettle	Common
<i>Urtica urens</i>	Small Nettle	St Martin's
Valerianaceae	Valerian Family	
<i>Centranthus ruber</i>	Red Valerian	Common
<i>Valeriana officinalis</i>	Common Valerian	
<i>Valerianella locusta</i>	Common Cornsalad	St Agnes, St Mary's
Veronicaceae	Speedwell family	
<i>Veronica arvensis</i>	Wall Speedwell	The Garrison
<i>Veronica chamaedrys</i>	Germander Speedwell	Tresco, St Martin's
<i>Veronica hederifolia</i> subsp. <i>hederifolia</i>	Ivy-leaved Speedwell	St Martin's
<i>Veronica persica</i>	Common Field-speedwell	St Agnes
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Tresco
<i>Veronica (Hebe) x franciscana</i>	Hedge Veronica	Common
Violaceae	Violet Family	
<i>Viola arvensis</i>	Field Pansy	St Martin's, Tresco
<i>Viola kitaibeliana</i>	Dwarf Pansy	Bryher

Group/Species	English Name (if any)	Location
<i>Viola odorata</i>	Sweet Violet	Occasional
<i>Viola riviniana</i>	Common Dog-violet	Common
Liliidae - Monocotyledons		
Agavaceae	Centuryplant family	
<i>Agave americana</i>	Centuryplant	Tresco Abbey Gardens, St Mary's
<i>Beschorneria yuccoides</i>	Mexican Lily	Tresco Abbey Gardens
Araceae	Arum Family	
<i>Arum italicum</i> subsp. <i>italicum</i>	Large Cuckoo Pint	Occasional
<i>Zantedeschia aethiopica</i>	Altar-lily	St Martin's, Tresco
Asparagaceae	Asparagus Family	
<i>Chlorophytum comosum</i>	Spider Plant	St Mary's
<i>Furcraea longaeava</i>	Furcraea	Carreg Dhu
<i>Scilla peruviana</i>	Peruvian Squill	St Agnes, Tresco Abbey Gardens
<i>Scilla verna</i>	Spring Squill	Bryher
Bromeliaceae	Rhodostachys Family	
<i>Fascicularia bicolor</i>	Rhodostachys	Tresco
<i>Ochagavia camea</i>	Tresco Rhodostachys	Tresco
Iridaceae	Iris Family	
<i>Aristea ecklonii</i>	Blue Corn-lily	Tresco
<i>Chasmanthe bicolor</i>	Chasmanthe	St Agnes, Tresco, St Mary's
<i>Crocasmia x crocosmiiflora</i>	Montbretia	Occasional
<i>Gladiolus communis</i>	Eastern Gladiolus	Occasional
<i>Homeria collina</i>	Cape Tulip	Occasional
<i>Iris foetidissima</i>	Stinking Iris	Occasional
<i>Iris pseudacorus</i>	Yellow Iris	St Mary's
<i>Ixia campanulata</i>	Red Corn-lily	Occasional
<i>Ixia paniculata</i>	Tubular Corn-lily	St Martin's
<i>Libertia formosa</i>	Chilean-iris	St Mary's
<i>Sparaxis grandiflora</i>	Plain Harlequinflower	St Mary's
<i>Watsonia borbonica</i>	Bugle-lily	Tresco
Liliaceae	Lily Family	
<i>Agapanthus praecox</i> subsp. <i>orientalis</i>	African Lily	Frequent
<i>Allium ampeloprasum</i> var. <i>ampeloprasum</i>	Wild Leek	
<i>Allium ampeloprasum</i> var. <i>babingtonii</i>	Babington's Leek	St Mary's, Tresco, St Martin's
<i>Allium neapolitanum</i>	Neapolitan Garlic	St. Mary's
<i>Allium roseum</i>	Rosy Garlic	St Martins, St Mary's
<i>Allium triquetrum</i>	Tree-cornered Leek	Common
<i>Hyacinthoides hispanica</i>	Spanish Bluebell	Occasional
<i>Hyacinthoides non-scripta</i>	Bluebell	Common
<i>H. hispanica</i> x <i>H. non-scripta</i>	Hybrid Bluebell	Common
<i>Narcissus poeticus</i>	Pheasant's-eye	Bryher, St Mary's
<i>Narcissus pseudonarcissus</i>	Wild Daffodill	Tresco
<i>Narcissus tazetta</i>	Bunch-flowered narcissi	Bryher
Ruscaceae	Butcher's-broom Family	
<i>Semele androgyna</i>	Climbing Butcher's-broom	Tresco Abbey Gardens

Group/Species	English Name (if any)	Location
Xanthorrhoeaceae	Asphodel Family	
<i>Phormium cookianum</i>	Lesser New Zealand Flax	Tresco Abbey Gardens
<i>Phormium tenax</i>	New Zealand Flax	Common
Cyperaceae	Sedge Family	
<i>Carex arenaria</i>	Sand Sedge	Common
<i>Carex divulsa</i>	Grey Sedge	Tresco
<i>Carex paniculata</i>	Greater Tussock Sedge	St Mary's
<i>Carex pendula</i>	Penuduus Sedge	Tresco
<i>Cyperus</i> sp.	Galingale	St Martin's, St Mary's
<i>Eleocharis palustris</i>	Spike-rush	St Agnes
Juncaceae	Rush Family	
<i>Juncus bufonis</i>	Toad Rush	St Agnes, Tresco
<i>Juncus effusus</i>	Soft Rush	St Mary's
<i>Juncus gerardii</i>	Saltmarsh Rush	St Agnes, Bryher
<i>Juncus maritimus</i> var. <i>atlanticus</i>	Sea Rush	St Mary's
<i>Luzula campestris</i>	Field Wood-rush	Common
Poaceae	Grass Family	
<i>Agrostis stolonifera</i>	Creeping Bent	Common
<i>Aira praecox</i>	Early Hair-grass	Common
<i>Ammophila arenaria</i>	Marram	Common
<i>Anisantha diandra</i>	Great Brome	Common
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass	Common
<i>Brachypodium sylvaticum</i>	False Brome	Common
<i>Briza maxima</i>	Greater Quaking-grass	St Martin's
<i>Briza minor</i>	Annual Quaking-grass	St Martin's, St Mary's
<i>Bromus hordeaceus</i> agg.	Soft Brome	Occasional
<i>Catapodium marinum</i>	Sea Fern-grass	Bryher, St Martin's
<i>Ceratochloa cathartica</i>	Rescue Brome	St Martin's
<i>Cortaderia selloana</i>	Pampas-grass	St Martin's, Tresco
<i>Dactylis glomerata</i>	Cock's-foot	Common
<i>Festuca ovina</i> agg.	Sheep's Fescue	Common
<i>Holcus lanatus</i>	Yorkshire Fog	Occasional
<i>Lolium perenne</i>	Perennial Rye-grass	Occasional
<i>Molinia caerulea</i>	Purple Moor-grass	Tresco, St Mary's
<i>Phragmites australis</i>	Common Reed	Tresco, St Mary's
<i>Poa annua</i>	Annual Meadow-grass	Common
<i>Poa infirma</i>	Early Meadow-grass	Common
<i>Poa trivialis</i>	Rough Meadow-grass	St Martin's
<i>Vulpia bromoides</i>	Squirrel-tail Fescue	St Agnes
Typhaceae	Bulrush Family	
<i>Typha latifolia</i>	Bulrush	Tresco, St Mary's
	Lichens	
<i>Cladonia portentosa</i>	Reindeer lichen	The Garrison
<i>Peltigera</i> sp.	Dog Lichen	Tresco Abbey Gardens
	Seaweeds	
Brown Seaweeds		
<i>Ascophyllum nodosum</i>	Egg Wrack	Common

Group/Species	English Name (if any)	Location
<i>Fucus serratus</i>	Serrated Wrack	Tresco
<i>Fucus vesiculosus</i>	Bladder Wrack	Common
<i>Laminaria saccharinum</i>	Sugar Kelp	Between Tresco and Bryher
<i>Saccorhiza polyschides</i>	Furbelows	Between Tresco and Bryher
<i>Sargassum muticum</i>	Wireweed	Between Tresco and Bryher
Red Seaweeds		
<i>Chondrus crispus</i>	Irish Moss	St Martins
Green Seaweeds		
<i>Ulva intestinalis</i>	Gut Weed	Common
<i>Ulva lactuca</i>	Sea Lettuce	Occasional

Birds (✓=recorded but not counted; H = heard only)

	Common name	Scientific name	May							
			4	5	6	7	8	9	10	11
1	Red-legged Partridge	<i>Alectoris rufa</i>				✓	✓	✓		
2	Common Pheasant	<i>Phasianus colchicus</i>			✓	✓	H	✓	H	
3	Golden Pheasant	<i>Chrysolophus pictus</i>			✓	✓				
4	Canada Goose	<i>Branta canadensis</i>				✓	✓	✓		
5	Mute Swan	<i>Cygnus olor</i>			✓	✓		✓		
6	Common Shelduck	<i>Tadorna tadorna</i>		✓		✓		✓		
7	Gadwall	<i>Anas strepera</i>			✓	✓		✓		
8	Mallard	<i>Anas platyrhynchos</i>		✓	✓	✓	✓	✓	✓	
9	Common Pochard	<i>Aythya ferina</i>						✓		
10	Little Egret	<i>Egretta garzetta</i>							✓	
11	Northern Gannet	<i>Morus bassanus</i>	✓			✓		✓		
12	European Shag	<i>Phalacrocorax aristotelis</i>			✓		✓	✓		
13	Great Cormorant	<i>Phalacrocorax carbo</i>	✓	✓		✓		✓		
14	Common Moorhen	<i>Gallinula chloropus</i>				✓		✓		
15	Eurasian Coot	<i>Fulica atra</i>			✓	✓		✓	✓	
16	Eurasian Oystercatcher	<i>Haematopus ostralegus</i>		✓		✓		✓	✓	
17	Common Ringed Plover	<i>Charadrius hiaticula</i>		✓		✓				
18	Black-tailed Godwit	<i>Limosa limosa</i>			✓					
19	Black-legged Kittiwake	<i>Rissa tridactyla</i>		H						
20	Great Black-backed Gull	<i>Larus marinus</i>			✓			✓		
21	European Herring Gull	<i>Larus argentatus</i>	✓					✓	✓	✓
22	Lesser Black-backed Gull	<i>Larus fuscus</i>				✓		✓		
23	Razorbill	<i>Alca torda</i>		✓		✓	✓	✓		
24	Atlantic Puffin	<i>Fratercula arctica</i>			✓					
25	Common Wood Pigeon	<i>Columba palumbus</i>	✓			✓	✓	✓	✓	
26	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓	✓		✓	✓	✓	✓	✓
27	Common Cuckoo	<i>Cuculus canorus</i>							2	
28	Green Woodpecker	<i>Picus viridus</i>							✓	
29	Carrion Crow	<i>Corvus corone</i>				✓	✓	✓	✓	
30	Great Tit	<i>Parus major</i>		✓		✓				
31	Barn Swallow	<i>Hirundo rustica</i>		✓	✓	✓	✓	✓	✓	✓
32	Common House Martin	<i>Delichon urbicum</i>		✓	✓	✓	✓	✓	✓	✓
33	Common Chiffchaff	<i>Phylloscopus collybita</i>								H
34	European Reed Warbler	<i>Acrocephalus scirpaceus</i>						✓		
35	Blackcap	<i>Sylvia atricapilla</i>							✓	

	Common name	Scientific name	May								
			4	5	6	7	8	9	10	11	
36	Eurasian Wren	<i>Troglodytes troglodytes</i>		✓	✓				✓	✓	
37	Common Starling	<i>Sturnus vulgaris</i>	✓	✓		✓	✓	✓	✓	✓	
38	Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
39	Song Thrush	<i>Turdus philomelos</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
40	European Robin	<i>Erithacus rubecula</i>			✓	✓			✓	✓	✓
41	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
42	Dunnock	<i>Prunella modularis</i>			✓						
43	Pied Wagtail	<i>Motacilla alba yarrelli</i>				✓			✓		
44	Eurasian Rock Pipit	<i>Anthus petrosus</i>	2								
45	Common Chaffinch	<i>Fringilla coelebs</i>			H					✓	
46	European Greenfinch	<i>Chloris chloris</i>		✓	✓			✓		✓	
47	European Goldfinch	<i>Carduelis carduelis</i>									
48	Common Linnet	<i>Linaria cannabina</i>		✓				✓			✓

Butterflies

1	Large White	<i>Pieris brassicae</i>	✓								
2	Green-veined White	<i>Pieris napi</i>								✓	
3	Small Tortoiseshell	<i>Aglais urticae</i>	✓								
4	Red Admiral	<i>Vanessa atalanta</i>		✓	✓						
5	Speckled Wood	<i>Pararge aegeria</i>		✓							

Moths

1	A Moth Catterpillar									✓	
---	---------------------	--	--	--	--	--	--	--	--	---	--

Other Invertebrates

1	Buff-tailed Bumble Bee	<i>Bombus terrestris</i>	✓	✓	✓			✓		✓	✓
2	Honey Bee	<i>Apis mellifera</i>		✓	✓			✓			✓
3	Bluebottle Fly	<i>Calliphora vomitoria</i>									
4	Green Shield-bug	<i>Palomena prasina</i>		✓					✓		
5	Brown Shield-bug	<i>Palomena sp.</i>						✓			
6	Minotaur Beetle	<i>Geotrupes sp.</i>			✓						
7	Earthworm	<i>Lumbricus terrestris</i>	✓								
8	Woodlouse	<i>Oniscidea sp.</i>						✓		✓	
9	Garden Snail	<i>Helix aspersa</i>								✓	

Marine Invertebrates

1	Daisy Anemone	<i>Ceres pedunculatus</i>				✓					
2	Red Sea Anemone	<i>Actinia equina</i>				✓					
3	Scallop	<i>Pecten maximus</i>				✓					
4	Shrimp	<i>Palaemon sp.</i>				✓					
5	Common Starfish (small)	<i>Luuda ciliaris</i>				✓					
6	Common Starfish (large)	<i>Asterias rubens</i>						✓			
7	Clam					✓					
8	Common Limpet	<i>Patella vulgata</i>				✓					
9	Periwinkle	<i>Littorina sp.</i>				✓					

Mammals

1	Grey Seal	<i>Halichoerus grypus</i>	✓			4					
2	Rabbit	<i>Oryctolagus cuniculus</i>		✓							

	Common name	Scientific name	May							
			4	5	6	7	8	9	10	11
3	Red Squirrel	<i>Sciurus vulgaris</i>			✓					
4	Bat (larger than Pipistrelle)								2	

Amphibians

1	Frog	<i>Rana temporaria</i>					2		✓	
---	------	------------------------	--	--	--	--	---	--	---	--



Client Photographing Small-flowered Catchfly (*Silene gallica*)