

Alderney - Wildlife by e-Bike

Naturetrek Tour Report

7th – 14th June 2026



Rock Spurry



Sharp-tailed Bee



Yellow Shell



'Blonde' Hedgehog

Tour report by Matt Scragg



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Matt Scragg (leader) with six Naturetrek clients

Summary

At just one and a half miles wide and three and a half miles long, Alderney is the most northerly of the Channel Islands, and has a broad diversity of habitats. We discovered wildflowers, wildlife and military history around every corner. The holiday included an evening looking for the iconic Alderney 'blonde' Hedgehogs, and a boat trip to view offshore seabird colonies.

Day 1

Sunday 7th June

The clients travelling by air arrived in the afternoon, while those coming by sea arrived in the evening. Once settled, there was a meet and greet on the hotel terrace to discuss the key activities scheduled for the tour. We also ventured to the Douglas Quay, just outside the hotel, for an introduction to the history of the harbour and to look for plants in the immediate area. While we were looking at Sea Holly, Sea-fern Grass, Sea Spurge and Saltwort growing in the sand and shingle, we discovered several Wharf Beetles. They are blister beetles, and this was the first time this species has been recorded on Alderney! Our evening meal was at The Moorings.

Day 2

Monday 8th June

After a delayed start due to rain, we collected our e-bikes from Cycle and Surf. On our way to the town of St Anne, we observed both Bee and Pyramidal Orchids in a nature garden. We then stopped at The Butes car park, where the locally infamous "Battle of the Butes" (a fight over furniture redistribution!) took place following 'the homecoming', after the occupation of the Second World War.

Following a coffee break at Jack's, we collected our e-bikes. After adjusting the e-bikes to suit each rider, and tuition on their operation from the experienced staff, ensuring everyone was familiar with their new steeds, we set off for a gentle ride to our first location.

The Standing Stone walk is a section of path on the west coast, overlooking Coque Lihou. There were plenty of wild flowers in this Gorse-dominated habitat, with flower spikes of Navelwort standing tall, and Bell Heather coming into flower. With a backdrop of views of France and the other Channel Islands, Common Whitethroat and Wren were contact calling to recently fledged broods as we followed the path. There was suddenly a burst of a rapid scratchy call, and a Dartford Warbler appeared from the Gorse. There were at least two birds, and their behaviour was typically very active, flicking between low vantage points among the Gorse and only perching briefly in prominent positions.

We continued along the path and settled in a sheltered spot on the cliff for our packed lunch, surrounded by Ox-eye Daisy and Sheep's Bit. After our picnic, we cycled south along the track, arriving at the gates of the former concentration camp, Lager Sylt. We discussed the role of this camp during the occupation, which is a sombre period in the history of the occupation, taking a moment to think of the individuals who were interned there.

As we continued south, the Napoleonic Signal Tower stood tall: it is open to the public following completion of recent renovations. The functions of the tower throughout its history are illustrated over three floors. We

continued on to the headland of Telegraph Bay. There were many spikes of Great Broomrape growing around Prostrate Broom, and a carpet of Thrift covered the cliff top on the route to one of the Gannet colony viewpoints.

It was an easy return to the hotel in the late afternoon: it was downhill most of the way back. Our evening meal was at a French restaurant, Le Pesked.

Day 3

Tuesday 9th June

We crossed Braye Common to start the morning: this coastal meadow hosted Purple Broomrape, Dodder and Wild Clary. At the north end of Braye Bay there was a section of sand and shingle, where Sea Sandwort was quite prolific.

Heading up Longis Road, we explored some more military history, and that was the underlying theme for the morning. The German hospital bunker, complete with artifacts and interpretation boards, was our first stop. There were a few insects visiting the flowers outside the bunker: basking on a bramble leaf was a Flavous Nomad Bee, which was a notable addition to our list.



Fairy Flax



Biting Stonecrop



Flavous Nomad Bee



Field Madder

We continued to the bottom of Longis Road, where we entered the German-built tunnel under Essex Hill. Outside the tunnel we added Hedge Cranesbill, Rusty Conopid Fly, Bumblebee Hoverfly and Holly Blue butterflies.

We stopped for lunch overlooking Longis Baye, next to The Nunnery, a Roman signal fort. There were three Hummingbird Hawk-moths on the sheltered wall of The Nunnery while we were having lunch. Following lunch we explored The Nunnery: it was packed with information boards and illustrations of the physical changes to the

structure through the various periods of its history. During this time, a pheromone lure had been deployed, and a Lunar Hornet Clearwing responded: this species is not recorded annually on Alderney.

There was a mixed flock of shearwaters off the north end of Alderney, so we made our way around the coast and set up a scope at Chateau L'Etoc to view Manx and Balearic Shearwaters feeding with Gannet and gulls a little way offshore.

There is never a wrong time to take advantage of the availability of cake. 'Blooming Alderney' is an open garden event, which was conveniently taking place during the week of our tour. As Warden of Alderney Bird Observatory, Matt was a guest speaker at Wells House. This sheltered garden, with plenty of native flowers, was busy with hoverflies, bees and butterflies. We saw Wool Carder, and Green-eyed Flower Bees, Slender-bodied Digger Wasp, Striped Flower Beetle and Small Copper butterfly, and enjoyed a selection of delicious home-made cakes! Our evening meal was at Georgian House.

Day 4

Wednesday 10th June

We made an earlier start to the day, with a moth trap at Well's House before breakfast. The stand-out species in the trap were Lappet, Shark, Cypress-tip Moth and Broad-barred White.

On the way into St Anne after breakfast, we stopped at Crabby Bay to observe the gull roost. The first Black-headed Gulls of the 'autumn' were on the shoreline, with Lesser Black-backed and Herring Gulls. The Black-headed Gulls are only seen outside the breeding season on Alderney, and they were still in their breeding plumage.

We enjoyed a visit to the museum, which really helped bring the history of Alderney together. It is packed with information and relics from different eras of Alderney's history, including first-hand accounts from residents who were the first to return to Alderney following the German occupation. There was even a little time to wander around St. Anne's, before lunch at Jack's.

We took a ride to the north of the island in the afternoon, to visit the Odeon, a German range-finding tower, which is open to the public. There were a few interesting flowers growing around the Odeon, such as the tiny blooms of Field Madder, the citrus-scented Wild Thyme and the bright yellow flowers of Biting Stonecrop.

The Odeon was a good starting point for a circular walk around the north-east section of the coast path, overlooking Fort Houmet Herbe. This section of coast is the home of Alderney Sea Lavender: it is only found in one other location on Earth. In the same vicinity we found Rock Lavender and Sea Milkwort. There were also a few rosettes of Sand Crocus remaining in the short turf, near a German trench system on the coast. As we walked along the path, a family of Dartford Warblers fed near the path. They perched a little more prominently than the ones at the Standing Stone earlier in the week! Our evening meal was at the hotel.

Day 5

Thursday 11th June

The forecast and rain radar indicated that it was going to be a really wet morning. There is a cinema in the hotel, and we enjoyed a series of short documentaries, covering the evacuation, the occupation and the homecoming during the war years, with personal accounts from residents who lived through those traumatic times.


Following lunch at the hotel, we cycled along the west coast to the renovated water mill, the oldest structure on Alderney. We then explored the many levels of Fort Torgis, and also detoured to a small Neolithic dolmen. Growing in the sand and shingle at the edge of Platte Saline beach were Yellow-horned Poppy and Sea Kale in flower.

Our evening meal was at Sal's Pizzeria on Saye Bay Campsite. This was all a prelude to another Alderney highlight, the 'blonde' Hedgehog! Although the weather was not quite as good as we had hoped, we were joined by local Hedgehog expert Suzy Weir. Suzy has been studying the Hedgehogs on Alderney for over twenty years, and has spent uncountable hours observing and documenting their behaviour. As the light fell away, the search commenced: we found a total of eight!

Day 6

Friday 12th June

We had a quiet morning, with the option to relax following the late night yesterday. After lunch at the hotel, we went out to the Giffoine headland. We parked our e-bikes by the Alderney pig farm, home to Oxford Sandy and Black pigs: there was a family of young piglets in the paddock next to the path. Having followed the footpath out to the headland, we came to a vantage point to see the cliff face where Fulmars nest. The headland also overlooked the Les Etac Gannet colony. A stiff westerly wind was coming in off the sea.



Five-spot Burnet



Wharf Borer

We next went to Kiln Farm, home to dairy cows and the recently opened Dairy Hut, which was perfect for tea and ice cream. The gates to the Borkum labour camp stood at the entrance of Kiln farm. Most of the German structures on this site were made from wood, and were cleared following the liberation, but a couple of the concrete personnel bunkers do still remain. The only breeding colony of House Martins on Alderney is here on the farmhouse: there were fourteen birds flying around the buildings. Our evening meal was at the hotel.

Day 7

Saturday 13th June

A moth trap at Wells House was a prelude to breakfast: highlights among the thirty-nine species in the trap included Figure of Eighty, Heart and Dart, Peach Blossom and Small Elephant Hawk-moth.

After breakfast we rode to the Naturetrek bird hide on the Longis nature reserve. Two Glanville Fritillary butterflies were basking on the path leading to the hide, Reed Warblers could be heard singing around the pond, a Little Grebe was seen from the hide, and a Coot family was being very territorial.

We cycled up to the viewpoint on Fort Albert. There were many spikes of Ivy Broomrape alongside the track, and once at the top we enjoyed views across to Braye Bay to the south, and Saye Bay to the north. As we descended, a Clouded Yellow butterfly flew along one of the side tracks.

The campsite was the perfect venue for lunch on this sunny day. The campsite links conveniently with Saye and Arch Bay: Lady's Bedstraw and Sea Holly were growing on the bank as we accessed the beach through the Norman arch. A pheromone lure was deployed among some Thrift in a sheltered area next to the beach, and two Thrift Clearwing moths responded.

Further along the north coast, we went into Corblets quarry, where there is a deep, freshwater pond. There was an abundance of Common Bluet damselflies at the water's edge, and Black-tailed Skimmers and Blue Emperors were also hawking along the edge of the water. In the short vegetation were the small flowers of Fairy Flax and Hairy Bird's-foot Trefoil, and Striped Flower Beetles were feeding on Common Mouse-ear Hawkweed flowers.

The last stop of the afternoon was also the last stop for the Alderney railway. The trains are housed in Mannez quarry, where we found Yellow Bartsia and Orange Bird's-foot Trefoil. We loaded the e-bikes onto the 1960s London Underground carriages, and returned to Braye by train. Our evening meal was at The Quarterdeck, overlooking the inner harbour.

Day 8

Sunday 14th June

We had an early start for the final excursion of the tour: a round-island boat trip! The sky was clear and blue, and we had calm waters as we left the harbour, heading towards Ortac, part of the Gannet colony. There were a few Puffin rafts as we passed around the north and back of Burhou, and we spotted a Grey Seal close to the island.

The Alderney colony is home to about fourteen thousand Gannets, which nest on Ortac and Les Etac. As we approached the islet of Ortac, many Gannets were overhead, increasing in density as we got closer to the islet. There is a small colony of Guillemots on Ortac too, and we spotted about sixty along the upper ledges, among the nesting Gannets.

We also went to Burhou, home to the Puffin colony. They were rafting in the calm water off Burhou, and some were carrying small fish to take back to their burrows. A few flew past quite close to the boat.

We continued south to Les Etac, where the rest of the Gannet colony is located. A few of the larger chicks could be viewed with their parents. Further north, on the east coast, we came to Coque Lihou, where Guillemots, Razorbills and Shags nest: there were several rafts of auks around this islet. As we followed the coast, two Peregrines flew over and came in to perch on the rock stack under Essex Castle. They were an adult and a recently fledged youngster.

As we passed Quenard Lighthouse, a feeding flock of seabirds could be seen a little way offshore. The skipper drifted the boat close in, and we watched Gannets diving, with a mix of Lesser, Great Black-backed and Herring Gulls feeding too. A mixed flock of approximately a hundred Balearic and Manx Shearwaters were also feeding in the flock.

As soon as we were ashore, it was time to check out, and the taxis for the airport were soon arriving for the fliers' departure to the airport. We had had a fantastic week exploring the landscapes and wildlife of the lovely island of Alderney.

Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

naturetrek.co.uk/e-newsletter-signup

Scan to
sign up!



Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek_wildlife_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



[facebook.com/naturetrekwildlifeholidays](https://www.facebook.com/naturetrekwildlifeholidays)



naturetrek.bsky.social



x.com/naturetrektours (formerly Twitter)

Species lists

Birds

I=Introduced		June 2026							
Common name	Scientific name	7	8	9	10	11	12	13	14
Common Shelduck	<i>Tadorna tadorna</i>			2	2		2		
Mallard	<i>Anas platyrhynchos</i>	1			2	4	✓	8	
Common Pheasant - I	<i>Phasianus colchicus</i>		✓	✓	✓	✓	✓	✓	
Common Swift	<i>Apus apus</i>		3		1		2	1	
Feral Rock Dove - I	<i>Columba livia 'domestica'</i>	1			3	✓	✓	✓	✓
Stock Dove	<i>Columba oenas</i>				1		2		
Common Wood Pigeon	<i>Columba palumbus</i>	4	12	✓	✓		✓	✓	
Common Moorhen	<i>Gallinula chloropus</i>							1	
Eurasian Coot	<i>Fulica atra</i>							3	
Little Grebe	<i>Tachybaptus ruficollis</i>							1	
Eurasian Oystercatcher	<i>Haematopus ostralegus</i>	6		20	✓	30	✓	✓	
Black-headed Gull	<i>Chroicocephalus ridibundus</i>				2		1		
European Herring Gull	<i>Larus argentatus</i>	✓	✓	✓	✓	✓	✓	✓	✓
Great Black-backed Gull	<i>Larus marinus</i>	1	3	2	4	1	2	2	✓
Lesser Black-backed Gull	<i>Larus fuscus</i>	✓	✓		✓	✓	✓	✓	✓
Atlantic Puffin	<i>Fratercula arctica</i>								178
Razorbill	<i>Alca torda</i>		✓	1					40
Common Guillemot	<i>Uria aalge</i>		✓					3	60
Northern Fulmar	<i>Fulmarus glacialis</i>							20	8
Manx Shearwater	<i>Puffinus puffinus</i>			150	180				30
Balearic Shearwater	<i>Puffinus mauretanicus</i>			20	20				10
Northern Gannet	<i>Morus bassanus</i>	✓	✓	✓	✓	✓	✓	✓	✓
Great Cormorant	<i>Phalacrocorax carbo</i>	1						1	4
European Shag	<i>Gulosus aristotelis</i>		✓	2	12	2	4	4	48
Common Buzzard	<i>Buteo buteo</i>		1	1	3		2	2	
Common Kestrel	<i>Falco tinnunculus</i>		2						
Peregrine Falcon	<i>Falco peregrinus</i>								2
Western Jackdaw	<i>Coloeus monedula</i>			1	6			5	
Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓	✓	✓	✓
Northern Raven	<i>Corvus corax</i>		6				2		
Eurasian Blue Tit	<i>Cyanistes caeruleus</i>				2		1	2	
Great Tit	<i>Parus major</i>				4			2	
Barn Swallow	<i>Hirundo rustica</i>		16	2	8	4	10	8	
Western House Martin	<i>Delichon urbicum</i>		5				14		
Cetti's Warbler	<i>Cettia cetti</i>							1	
Common Chiffchaff	<i>Phylloscopus collybita</i>			2	6	4	✓	10	
Common Reed Warbler	<i>Acrocephalus scirpaceus</i>		1					8	
Eurasian Blackcap	<i>Sylvia atricapilla</i>				2			1	
Common Whitethroat	<i>Curruca communis</i>		10	2	4		✓	6	
Dartford Warbler	<i>Curruca undata</i>		2		4				
Common Firecrest	<i>Regulus ignicapilla</i>		1	1	1			1	
Eurasian Wren	<i>Troglodytes troglodytes</i>	✓	✓	✓	✓	✓	✓	✓	✓
Common Starling	<i>Sturnus vulgaris</i>						2		
Common Blackbird	<i>Turdus merula</i>		4	✓	4	2	6	2	
European Robin	<i>Erithacus rubecula</i>				1			4	
European Stonechat	<i>Saxicola rubicola</i>			1	8		2	10	
House Sparrow	<i>Passer domesticus</i>						✓	✓	

I=Introduced		June 2026							
Common name	Scientific name	7	8	9	10	11	12	13	14
Dunnock	<i>Prunella modularis</i>		✓	✓			✓	✓	
White Wagtail	<i>Motacilla alba</i>	1		4	2	1	2	4	2
Meadow Pipit	<i>Anthus pratensis</i>	✓	✓	✓	✓	✓	✓	✓	✓
European Rock Pipit	<i>Anthus petrosus</i>	1	2	2	2	2	2	2	2
Eurasian Chaffinch	<i>Fringilla coelebs</i>		2		4				
European Greenfinch	<i>Chloris chloris</i>		1				1	1	
Common Linnet	<i>Linaria cannabina</i>		4	6	4		4	8	
European Goldfinch	<i>Carduelis carduelis</i>			2			✓	4	

Mammals

		June 2026							
Common name	Scientific name	7	8	9	10	11	12	13	14
European Rabbit	<i>Oryctolagus cuniculus</i>	✓	✓	✓	✓	✓	✓	✓	
Western Hedgehog	<i>Erinaceus europaeus</i>					6			
Grey Seal	<i>Halichoerus grypus</i>								1

Butterflies

		June 2026							
Common name	Scientific name	7	8	9	10	11	12	13	14
Clouded Yellow	<i>Colias croceus</i>							2	
Large White	<i>Pieris brassicae</i>			1				3	
Small White	<i>Pieris rapae</i>			2	1			2	
Small Copper	<i>Lycaena phlaeas</i>								
Holly Blue	<i>Celastrina argiolus</i>			3				2	
Common Blue	<i>Polyommatus icarus</i>		1					3	
Painted Lady	<i>Vanessa cardui</i>		3	2	10			6	
Red Admiral	<i>Vanessa atalanta</i>		4	2	1			1	
Glanville Fritillary	<i>Melitaea cinxia</i>		1		1			2	
Small Heath	<i>Coenonympha pamphilus</i>				1			4	
Speckled Wood	<i>Pararge aegeria</i>			4	2			2	
Meadow Brown	<i>Maniola jurtina</i>		10	12	30	6	2	✓	

Moths

L=larva		June 2026							
Common name	Scientific name	7	8	9	10	11	12	13	14
Cypress-tip Moth	<i>Argyresthia cupressella</i>				3				
Bordered Ermel	<i>Ethmia bipunctella</i>				1				
Orange Pine Tortrix	<i>Lozotaeniodes formosana</i>							2	
Plum Tortrix	<i>Hedya pruniana</i>							1	
Lunar Hornet Moth	<i>Sesia bembeciformis</i>			1					
Thrift Clearwing	<i>Pyropteron muscaeformis</i>							2	
Five-spot Burnet	<i>Zygaena trifolii</i>		1					1	
Straw-barred Pearl	<i>Pyrausta Despicata</i>				2			2	
Common Purple & Gold	<i>Pyrausta purpuralis</i>				1				
Rusty-dot Pearl	<i>Udea ferrugalis</i>				1				
Starry Pearl	<i>Cynaeda dentalis</i>				1				
Garden Pebble	<i>Evergestis forficalis</i>				1				
Meadow Grey	<i>Scoparia pyraella</i>							1	

L=larva		June 2026							
Common name	Scientific name	7	8	9	10	11	12	13	14
Garden Grass-veneer	<i>Chrysoteuchia culmella</i>				2			12	
Waste Grass-veneer	<i>Pediasia contaminella</i>				1				
Peach Blossom	<i>Thyatira batis</i>							1	
Figure of Eighty	<i>Tethea ocularis</i>							1	
Lackey	<i>Malacosoma neustria</i>				8	1		18	
Drinker	<i>Euthrix potatoria</i>				2			5	
Lappet	<i>Gastropacha quercifolia</i>				1			1	
Emperor Moth	<i>Saturnia pavonia</i>					L			
Poplar Hawk-moth	<i>Laothoe populi</i>				2			2	
Hummingbird Hawk-moth	<i>Macroglossum stellatarum</i>			3	1			1	
Small Elephant Hawk-moth	<i>Deilephila porcellus</i>							2	
Yellow Shell	<i>Camptogramma bilineata</i>		3						
Grey Pine Carpet	<i>Thera obeliscata</i>				1				
Barred Yellow	<i>Cidaria fulvata</i>							1	
Double-striped Pug	<i>Gymnoscelis rufifasciata</i>							1	
Seraphim	<i>Lobophora halterata</i>							1	
Scalloped Oak	<i>Crocallis elinguaris</i>							1	
Willow Beauty	<i>Peribatodes rhomboidaria</i>							1	
Brussels Lace	<i>Cleorodes lichenaria</i>				3				
Common Emerald	<i>Hemithea aestivaria</i>				1				
Swallow Prominent	<i>Pheosia tremula</i>							1	
Snout	<i>Hypena proboscidalis</i>							1	
White Satin	<i>Leucoma salicis</i>				5				
Brown-tail	<i>Euproctis chrysorrhoea</i>							L	
Buff Ermine	<i>Spilosoma lutea</i>				6			3	
White Ermine	<i>Spilosoma lubricipeda</i>							2	
Buff Footman	<i>Eilema depressa</i>							1	
Silver Y	<i>Autographa gamma</i>		3						
Knot Grass	<i>Acronicta rumicis</i>				L				
Shark	<i>Cucullia umbratica</i>				1				
Mottled Rustic	<i>Caradrina morpheus</i>							1	
Vine's Rustic	<i>Hoplodrina ambigua</i>				12			5	
Brown Rustic	<i>Rusina ferruginea</i>				4			4	
Dark Arches	<i>Apamea monoglypha</i>				4			11	
Cloaked Minor	<i>Mesoligia furuncula</i>							1	
Marbled Minor	<i>Oligia strigilis</i>				2			6	
Grey Arches	<i>Polia nebulosa</i>				1			5	
Bright-line Brown-eye	<i>Lacanobia oleracea</i>				4			2	
Broad-barred White	<i>Hecatera bicolorata</i>				1				
Marbled Coronet	<i>Hadena confusa</i>				1				
Smoky Wainscot	<i>Mythimna impura</i>				1				
Delicate	<i>Mythimna vitellina</i>							2	
White-point	<i>Mythimna albipuncta</i>				1			1	
L-album Wainscot	<i>Mythimna l-album</i>							2	
Shoulder-striped Wainscot	<i>Leucania comma</i>				6			4	
Heart and Dart	<i>Agrotis exclamationis</i>				6			5	
Heart and Club	<i>Agrotis clavis</i>				1			1	
Ingrailed Clay	<i>Diarsia mendica</i>							1	
Small Square-spot	<i>Diarsia rubi</i>				1				
True Lover's Knot	<i>Lycophotia porphyrea</i>							1	
Large Yellow Underwing	<i>Noctua pronuba</i>				6			13	

Damselflies & dragonflies

Common name	Scientific name	June 2026							
		7	8	9	10	11	12	13	14
Common Bluetail	<i>Ischnura elegans</i>			1				1	
Common Bluet	<i>Enallagma cyathigerum</i>							30	
Blue Emperor	<i>Anax imperator</i>				1			5	
Black-tailed Skimmer	<i>Orthetrum cancellatum</i>				1			1	

Other invertebrates

		June 2026							
Common name	Scientific name	7	8	9	10	11	12	13	14
Grasshoppers									
Great Green Bush-cricket	<i>Tettigonia viridissima</i>			✓	1				
Field Grasshopper	<i>Chorthippus brunneus</i>		✓						
Leafhoppers									
Black-and-yellow Leafhopper	<i>Evacanthus interruptus</i>								
Bugs									
Potato Capsid	<i>Closterotomus norwegicus</i>			2					
Dock Shieldbug	<i>Coreus marginatus</i>		✓						
Hairy Shieldbug	<i>Dolycoris baccarum</i>			✓					
Brassica Shieldbug	<i>Eurydema oleracea</i>							2	
Box Bug	<i>Gonocerus acuteangulatus</i>		✓						
Bees and wasps									
Cliff Mining Bee	<i>Andrena thoracica</i>			✓					
Yellow-legged Mining Bee	<i>Andrena flavipes</i>			✓					
Wool Carder Bee	<i>Anthidium manicatum</i>			✓					
Large Sharp-tailed Bee	<i>Coelioxys conoidea</i>							1	
Flavous Nomad Bee	<i>Nomada flava</i>			1					
Green-eyed Flower Bee	<i>Anthrophora bimaculata</i>			✓					
Red-tailed Bumblebee	<i>Bombus lapidarius</i>		1	✓			1		
Buff-tailed Bumblebee	<i>Bombus terrestris</i>		2	✓					
Moss Carder Bee	<i>Bombus muscorum</i>			1					
Ornate-tailed Digger Wasp	<i>Cerceris rybyensis</i>							1	
Sand Tailed Digger Wasp	<i>Cerceris arenaria</i>			✓					
Slender Bodied Digger Wasp	<i>Crabro cribrarius</i>			✓					
Sawflies									
Bramble Sawfly	<i>Arge cyanocrocea</i>								
Beetles									
Brown Chafer	<i>Serica brunnea</i>			✓					
Thick-legged Flower Beetle	<i>Oedemera nobilis</i>		1	✓	✓		✓		
Wharf Borer	<i>Nacerdes melanura</i>	6							
Striped Flower Beetle	<i>Cryptocephalus vittatus</i>			6					
Seven-spot Ladybird	<i>Coccinella septempunctata</i>			✓	✓			6	
Flies									
Migrant Hoverfly	<i>Eupeodes corollae</i>		✓	✓	✓		1	4	
Marmalade Hoverfly	<i>Episyrphus balteatus</i>		✓	✓	✓				
Long Hoverfly	<i>Sphaerophoria scripta</i>			✓					
Common Drone Fly	<i>Eristalis tenax</i>								
Bumblebee Hoverfly	<i>Volucella bombylans</i>			1					
Broad Centurion	<i>Chloromyia formosa</i>			2					
Rusty Conopid Fly	<i>Sicus ferrugineus</i>			1					

a tachinid fly	<i>Ectophasia crassipennis</i>								
Spiders									
European Garden Spider	<i>Araneus diadematus</i>								
Woodlice									
Striped Woodlouse	<i>Philoscia muscorum</i>							1	

Plants

Scientific name	Common name
Dennstaedtiaceae	Bracken Family
<i>Pteridium aquilinum</i>	Common Bracken
Aspleniaceae	Spleenwort Family
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort
<i>Asplenium ruta-muraria</i>	Wall-rue
<i>Asplenium scolopendrium</i>	Common Hart's-tongue
Dryopteridaceae	Buckler Fern Family
<i>Dryopteris filix-mas</i>	Common Male Fern
Polypodiaceae	Polypody Family
<i>Polypodium vulgare</i>	Common Polypody
Pinaceae	Pine Family
<i>Pinus radiata</i>	Monterey Pine
<i>Pinus nigra subsp. laricio</i>	Corsican Pine
Araceae	Arum Family
<i>Arum maculatum</i>	Common Lords-and-ladies
Orchidaceae	Orchid Family
<i>Ophrys apifera</i>	Bee Orchid
<i>Anacamptis pyramidalis</i>	Pyramidal orchid
Iridaceae	Iris Family
<i>Iris pseudacorus</i>	Yellow Flag
<i>Iris foetidissima</i>	Stinking Iris
<i>Romulea columnae</i>	Sand Crocus
Asparagaceae	Asparagus Family
<i>Ruscus aculeatus</i>	Common Butcher's-broom
Adoxaceae	Moschatel Family
<i>Sambucus sp.</i>	Elderflower
Poaceae	Grass Family
<i>Calamagrostis arenaria</i>	European Marram
<i>Phragmites australis</i>	Common Reed
<i>Catapodium maritimum</i>	Sea-fern Grass
<i>Hordeum murinum</i>	Wall Barley
<i>Bromus hordeaceus subsp. thominei</i>	Sand Soft-brome
<i>Lagurus ovatus</i>	Hare's-tail Grass
<i>Holcus lanatus</i>	Yorkshire Fog
<i>Dactylis glomerata</i>	Cock's foot Grass
<i>Cynosurus cristatus</i>	Crested Dog's-tail Grass
Cyperaceae	Sedge Family
<i>Carex extensa</i>	Long-bracted Sedge
<i>Carex arenaria</i>	Sand Sedge
Typhaceae	Cattail Family
<i>Typha angustifolia</i>	Lesser Bulrush
Papaveraceae	Poppy Family
<i>Papaver rhoeas</i>	Common Poppy

Scientific name	Common name
<i>Glaucium flavum</i>	Yellow Horned-poppy
<i>Fumaria muralis</i>	Common Ramping-fumitory
Ranunculaceae	Buttercup Family
<i>Ranunculus acris</i>	Meadow Buttercup
Crassulaceae	Stonecrop Family
<i>Crassula helmsii</i>	New Zealand Pigmyweed
<i>Umbilicus rupestris</i>	Common Navelwort
<i>Sedum album</i>	White Stonecrop
<i>Sedum acre</i>	Biting Stonecrop
Fabaceae	Pea Family
<i>Cytisus scoparius</i> subsp. <i>maritimus</i>	Prostrate Broom
<i>Ulex europaeus</i>	Common Gorse
<i>Lotus subbiflorus</i>	Hairy Bird's-foot Trefoil
<i>Ornithopus pinnatus</i>	Orange Bird's-foot Trefoil
<i>Lotus corniculatus</i>	Common Bird's-foot-trefoil
<i>Lotus pedunculatus</i>	Greater Bird's-foot-trefoil
<i>Vicia sativa</i>	Common Vetch
<i>Vicia hirsuta</i>	Hairy Tare
<i>Ononis spinosa</i> subsp. <i>procurrens</i>	Common Restharrow
<i>Melilotus officinalis</i>	Ribbed Melilot
<i>Medicago lupulina</i>	Black Medick
<i>Medicago sativa</i>	Common Lucerne
<i>Trifolium repens</i>	White Clover
<i>Trifolium pratense</i>	Red Clover
<i>Anthyllis vulneraria</i>	Kidney Vetch
Polygalaceae	Milkwort Family
<i>Polygala vulgaris</i>	Common Milkwort
Rosaceae	Rose Family
<i>Prunus spinosa</i>	Blackthorn
<i>Crataegus monogyna</i>	Common Hawthorn
<i>Rubus fruticosus</i> agg.	Bramble
<i>Potentilla erecta</i>	Common Tormentil
<i>Potentilla reptans</i>	Creeping Cinquefoil
<i>Rosa canina</i> agg.	Dog Rose
<i>Geum urbanum</i>	Wood Avens
Urticaceae	Nettle Family
<i>Urtica dioica</i>	Common Nettle
<i>Parietaria judaica</i>	Pellitory-of-the-wall
<i>Soleirolia soleirolia</i>	Mind-your-own-business
Fagaceae	Beech Family
<i>Castanea sativa</i>	Sweet Chestnut
Oxalidaceae	Wood-sorrel Family
<i>Oxalis articulata</i>	Common Pink Sorrel
Salicaceae	Willow Family
<i>Populus alba</i>	White Poplar
Euphorbiaceae	Spurge Family
<i>Euphorbia helioscopia</i>	Sun Spurge
<i>Euphorbia peplus</i>	Petty Spurge
<i>Euphorbia portlandica</i>	Portland Spurge
<i>Euphorbia paralias</i>	Sea Spurge

Scientific name	Common name
Linaceae	Flax Family
<i>Linum catharticum</i>	Fairy Flax
Geraniaceae	Crane's-bill Family
<i>Geranium molle</i>	Dove's-foot Cran'es-bill
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill
<i>Geranium pyrenaicum</i>	Hedge Crane's-bill
<i>Erodium cicutarium</i>	Common Stork's-bill
Onagraceae	Willowherb Family
<i>Epilobium angustifolium</i>	Rosebay Willowherb
<i>Oenothera glazioviana</i>	Large-flowered Evening-primrose
Sapindaceae	Soapberry Family
<i>Aesculus hippocastanum</i>	Common Horse-chestnut
<i>Acer pseudoplatanus</i>	Common Sycamore
Malvaceae	Mallow Family
<i>Malva sylvestris</i>	Common Mallow
<i>Malva arborea</i>	Tree Mallow
Brassicaceae	Cabbage Family
<i>Matthiola incana</i>	Hoary Stock
<i>Lobularia maritima</i>	Sweet Alison
<i>Cakile maritima</i>	Sea Rocket
<i>Diplotaxis muralis</i>	Annual Wall Rocket
<i>Crambe maritima</i>	Common Sea Kale
<i>Raphanus raphanistrum</i> subsp. <i>landra</i>	Sea Radish
<i>Sisymbrium officinale</i>	Hedge Mustard
<i>Sinapis arvensis</i>	Field Mustard
Plumbaginaceae	Leadwort Family
<i>Limonium binervosum</i>	Rock Sea-lavender
<i>Limonium normannicum</i>	Alderney Sea-lavender
<i>Armeria maritima</i>	Common Thrift
Polygonaceae	Knotgrass Family
<i>Persicaria maculosa</i>	Redshank
<i>Persicaria amphibia</i>	Amphibious Bistort
<i>Rumex patientia</i>	Patience Dock
Caryophyllaceae	Campion Family
<i>Silene gallica</i>	Small-flowered Catchfly
<i>Polycarpon tetraphyllum</i>	Four-leaved Allseed
<i>Spergularia rupicola</i>	Rock Sea-spurrey
<i>Honckenya peploides</i>	Sea Sandwort
<i>Stellaria graminea</i>	Lesser Stitchwort
<i>Cerastium fontanum</i>	Common Mouse-ear
<i>Silene uniflora</i>	Sea Campion
<i>Silene latifolia</i>	White Campion
<i>Silene dioica</i>	Red Campion
<i>Silene vulgaris</i>	Bladder Campion
Amaranthaceae	Amaranth Family
<i>Beta vulgaris</i> subsp. <i>maritima</i>	Sea Beet
<i>Chenopodium album</i>	Fat-hen
<i>Salsola kali</i>	Prickly Saltwort
Aizoaceae	Iceplant Family
<i>Carpobrotus edulis</i>	Hottentot-fig

Scientific name	Common name
Primulaceae	Primrose Family
<i>Lysimachia maritima</i>	Sea Milkwort
<i>Lysimachia arvensis</i>	Scarlet Pimpernel
Ericaceae	Heath Family
<i>Erica cinerea</i>	Bell Heather
<i>Calluna vulgaris</i>	Common Heather
Rubiaceae	Bedstraw Family
<i>Galium verum</i>	Lady's Bedstraw
<i>Galium mollugo</i>	Hedge Bedstraw
<i>Galium aparine</i>	Common Cleavers
<i>Sherardia arvensis</i>	Field Madder
Gentianaceae	Gentian Family
<i>Centaurium erythraea</i>	Common Centaury
Boraginaceae	Borage Family
<i>Echium vulgare</i>	Common Viper's-bugloss
Convolvulaceae	Bindweed Family
<i>Calystegia soldanella</i>	Sea Bindweed
<i>Calystegia sepium</i>	Hedge Bindweed
<i>Cuscuta europaea</i>	Common Dodder
Solanaceae	Nightshade Family
<i>Solanum dulcamara</i>	Bittersweet
<i>Lycium barbarum</i>	Duke of Argyll's Teaplat
Oleaceae	Olive Family
<i>Ligustrum vulgare</i>	European Privet
<i>Fraxinus excelsior</i>	European Ash
Plantaginaceae	Plantain Family
<i>Cymbalaria muralis</i>	Common Ivy-leaved Toadflax
<i>Plantago coronopus</i>	Buck's-horn Plantain
<i>Plantago lanceolata</i>	Ribwort Plantain
<i>Veronica chamaedrys</i>	Germander Speedwell
<i>Veronica persica</i>	Common Field Speedwell
Scrophulariaceae	Figwort Family
<i>Buddleja davidii</i>	Common Butterfly Bush
<i>Scrophularia auriculata</i>	Water Figwort
Lamiaceae	Dead-nettle Family
<i>Thymus praecox</i>	Wild Thyme
<i>Mentha suaveolens</i>	Round-leaved Mint
<i>Teucrium scorodonia</i>	Wood Sage
<i>Salvia verbenaca</i>	Wild Clary
Orobanchaceae	Broomrape Family
<i>Phelipanche purpurea</i>	Purple Broomrape
<i>Orobanche hederæ</i>	Ivy Broomrape
<i>Orobanche rapum-genistae</i>	Greater Broomrape
<i>Euphrasia</i> agg.	Eyebright sp.
<i>Rhinanthus minor</i>	Yellow Rattle
<i>Parentucellia viscosa</i>	Yellow Bartsia
Campanulaceae	Bellflower Family
<i>Jasione montana</i>	Common Sheep's-bit
Asteraceae	Daisy Family
<i>Bellis perennis</i>	Common Daisy
<i>Cirsium vulgare</i>	Spear Thistle
<i>Carduus tenuiflorus</i>	Slender Thistle

Scientific name	Common name
<i>Arctium lappa</i>	Greater Burdock
<i>Sonchus asper</i>	Prickly Sow-thistle
<i>Sonchus oleraceus</i>	Smooth Sow-thistle
<i>Taraxacum agg.</i>	Dandelion
<i>Helminthotheca echioides</i>	Bristly Oxtongue
<i>Hypochaeris radicata</i>	Common Cat's-ear
<i>Pilosella officinarum</i>	Common Mouse-ear Hawkweed
<i>Leontodon saxatilis</i>	Lesser Hawksbit
<i>Senecio vulgaris</i>	Common Groundsel
<i>Jacobaea maritima</i>	Silver Ragwort
<i>Jacobaea vulgaris</i>	Common Ragwort
<i>Achillea millefolium</i>	European Yarrow
<i>Tripleurospermum inodorum</i>	Scentless Mayweed
<i>Leucanthemum vulgare</i>	Oxeye Daisy
<i>Limbarda crithmoides</i>	Golden-samphire
Caprifoliaceae	Honeysuckle Family
<i>Lonicera periclymenum</i>	Common Honeysuckle
<i>Valeriana rubra</i>	Red Valerian
Araliaceae	Aralia Family
<i>Hedera helix</i>	Common Ivy
Apiaceae	Umbellifer Family
<i>Eryngium maritimum</i>	Sea-holly
<i>Daucus carota</i>	Common Carrot
<i>Crithmum maritimum</i>	Rock Samphire
<i>Heracleum sphondylium</i>	Common Hogweed
<i>Anthriscus sylvestris</i>	Cow Parsley
<i>Foeniculum vulgare</i>	Common Fennel
Amaryllidaceae	Allium Family
<i>Allium triquetrum</i>	Three-cornered Leek