

# Go Slow... in Hampshire

Naturetrek Tour Report

9 - 12 July 2019

---

Report by Jonathan Mycock



Naturetrek    Mingledown Barn    Wolf's Lane    Chawton    Alton    Hampshire    GU34 3HJ    UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour participants: Jonathan Mycock (Leader) with seven Naturetrek clients

## Day 1

**Tuesday 9th July**

The group met at Champneys Forest Mere hotel, where we had dinner and discussed the forthcoming tour with Jonathan.

## Day 2

**Wednesday 10th July**

After a healthy breakfast at Champneys Forest Mere, we headed to Thursley Common in Surrey. This National Nature Reserve (NNR) is one of the premier locations in the UK for Dragonflies and Damselflies. We spent much of the morning looking for these aerial jewels from a boardwalk which crosses the impressive valley mire and pools. This also allowed us to get up close to a range of plants, including the yellow spikes of Bog Asphodel, a few splendid Southern Marsh Orchids, and a variety of sphagnum mosses and sedges, including Cotton Grass. Of particular interest were the carnivorous Round-leaved Sundews, which obtain their nitrogen (lacking in the acidic, peaty soil), from insects which they trap on sticky hairs fringing their leaves! The boardwalk itself provided an elevated basking spot for several confiding Common Lizards.

Eight species of the family Odonata were observed, from the Small Red Damselfly, to the mighty Emperor Dragonfly, including many Four-spotted Chasers, Black-tailed Skimmer and Ruddy Darter. Several Linnets were seen well in the scrub bordering the heath, while scattered scrub held a family of Stonechats. As we followed the edge of the Moat Pond, Jonathan noticed a thin ripple moving across the water, which on closer inspection turned out to be a rather large Grass Snake swimming to the shore!

We then headed to the Three Horseshoes Inn at Thursley for an enjoyable lunch. This was followed by a drive towards Selborne in east Hampshire, to spend the afternoon at Noar Hill, a reserve managed by the Hampshire and Isle of Wight Wildlife Trust (HIOWWT). An area of former chalk pits, this small site contains a mixture of species-rich chalk grassland, scrub and woodland, and is particularly renowned for orchids. We managed to locate many Pyramidal Orchids, a few Common Spotted Orchids and the paired leaves of Twayblade, but the warm summer had resulted in other species 'going over' earlier than expected.

However, a wide variety of chalk grassland plants were recorded, including Chalk Milkwort, Wild Marjoram, Thyme, Basil, and Knapweed Broomrape, which is parasitic on Greater Knapweed. A supporting cast of Lepidoptera included many Marbled Whites, Speckled Wood, Brimstone and Small Skipper butterflies, together with Six-spotted Burnet and Cinnabar Moths. Birds included Red Kite, a fine male Bullfinch and several Whitethroats and Yellowhammers. In fact, so rich was the flora and fauna that we found it hard to pull ourselves away in order to return to Forest Mere for our dinner!

However, the day wasn't yet finished, as an optional after-dinner walk to try and see or hear Nightjars proved popular with the whole group! A short walk from our accommodation took us through mixed woodland to the lower slopes of Weavers Down, a fine area of lowland heath straddling the border between Hampshire and West Sussex. Within ten minutes of our arrival, at a suitable heathy clearing among birch scrub, first one, then a second Nightjar began the strange churring song of this crepuscular species. We then heard the loud "kewip" call, and a nightjar flew close by on slow, stiff wing beats. It re-appeared soon afterwards, carrying out its wing-

clapping display, and we became rather dizzy, watching it circle around us, giving very close views! Fully sated by our close encounter with the Nightjar, we headed back through the falling light, accompanied by the distant calls of Tawny Owls in the woodland ahead. Before reaching the spa, one of the group found a Glow Worm on the edge of the lawn, and we gave this small beetle a close inspection before releasing it.

## Day 3

Thursday 11th July

In the morning, we headed south towards the Hampshire coast, stopping off en-route at Havant Thicket, a Forestry Commission woodland near the village of Rowlands Castle. The site has a good network of wide, level rides which are fringed with wildflowers such as Common Knapweed, Sneezewort and Bramble, providing sheltered, sunny nectar stations for a wide range of butterflies. We had very close views of Silver-washed Fritillaries, Gatekeepers, Ringlets, Marbled Whites, with a few Purple Hairstreaks high on the edge of the oaks, though sadly no Purple Emperors, which do occur here.

We then moved south to the edge of Langstone Harbour, exploring the shoreline, which produced Curlew and Oystercatcher feeding on the mudflats, together with Common and Sandwich Terns fishing along the creek. After a leisurely lunch at the Ship Inn, we carried on to Hayling Island and visited an area of old oyster beds, now a nature reserve, where oysters were produced and sent by train along the 'Hayling Billy Line' (now a popular cycle route) during the Victorian era.

A circular walk produced a good selection of plants, birds and butterflies e.g. Meadow Browns and Holly Blue. The tide was quite a long way out, so birds e.g. Oystercatchers were rather distant. The tern rafts provided by the RSPB held breeding Common Tern and Black-headed Gulls, and two Mediterranean Gulls were spotted amongst them. The mudflats held a few Black-tailed Godwits, 30 Redshank and a Curlew. Plants included Sea Plantain, Great Mullein, Sea Lavender and Sea Purslane. Just before returning to the car park we had very close views of a Kestrel, hovering next to the path.

## Day 4

Friday 12th July

Two members of the group joined Jonathan for a pre-breakfast walk onto Weavers Down. Luckily, we spotted two Grayling butterflies, this being one of only two sites in Sussex where this very localised species occurs. We also had good views of a juvenile Green Woodpecker ahead of us on the track, where it was busy foraging for ants, and heard several others calling nearby.

After breakfast we checked out of the health spa and then went on a circular walk around the lake, known as Folly Pond. The mixed woodland of birch, oak, pine and larch held a range of woodland birds, including Great-spotted Woodpecker, Nuthatch, Long-tailed Tit and Song Thrush. Adjacent fields held a large flock of Goldfinches, feeding on thistle seeds, and a smaller number of Linnets, which we admired through the 'scope.

The lake itself held a variety of waterfowl, including Great Crested and Little Grebes, Canada, Greylag and Egyptian Geese, Tufted Duck, Pochard, Coot and Moorhen, many of which had young. A Common Sandpiper was seen flying low over the water, landing on a rowing boat near the hotel. The 'scope revealed that there were in fact three of these handsome waders perching on the boat, bobbing their tails up and down in characteristic fashion! A family of Buzzards with very noisy youngsters rounded off our walk, as we returned to the health spa.

After a substantial buffet lunch, the group said their goodbyes to one another and departed on their onward journeys.

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



[www.facebook.com/naturetrekwildlifeholidays](http://www.facebook.com/naturetrekwildlifeholidays)



[www.twitter.com/naturetrektours](http://www.twitter.com/naturetrektours)



[www.instagram.com/naturetrek\\_wildlife\\_holidays](http://www.instagram.com/naturetrek_wildlife_holidays)

## Species Lists

### Plants

KEY: Forest Mere = FM; Hayling Island = HI; Havant Thicket = HT; Thursley Common = TC; Weavers Down = WD

Group/Species	English Name (if any)	Location:
<b>PTERIDOPHYTES</b>	<b>FERNS &amp; ALLIES</b>	
<b>Equisetaceae</b>	<b>Horsetail Family</b>	
<i>Equisetum arvense</i>	Common Horsetail	
<b>Dennstaedtiaceae</b>	<b>Bracken Family</b>	
<i>Pteridium aquilinum</i>	Bracken	FM, TC
<b>PINOPSIDA (GYMNOSPERMS)</b>	<b>CONIFERS</b>	
<b>Cupressaceae</b>	<b>Juniper Family</b>	
<i>Juniperus communis</i>	Juniper	NH
<b>Pinaceae</b>	<b>Pine Family</b>	
<i>Larix decidua</i>	European Larch	FM
<i>Picea abies</i> ssp. <i>abies</i>	Spruce	
<i>Pinus sylvestris</i>	Scot's Pine	TC, FM
<b>Taxaceae</b>	<b>Yew Family</b>	
<i>Taxus baccata</i>	Yew	NH
<b>MAGNOLIOPSIDA (ANGIOSPERMS)</b>	<b>FLOWERING PLANTS</b>	
<b>Magnoliidae (Dicotyledons)</b>		
<b>Aceraceae</b>	<b>Maple Family</b>	
<i>Acer pseudoplatanus</i>	Sycamore	FM
<i>Acer campestre</i>	Field Maple	NH
<b>Apiaceae (Umbelliferae)</b>	<b>Carrot Family</b>	
<i>Aegipodium podagaria</i>	Ground Elder	FM
<i>Anthriscus sylvestris</i>	Cow Parsley	NH
<i>Heracleum sphondylium</i>	Hogweed	NH
<b>Aquifoliaceae</b>	<b>Holly Family</b>	
<i>Ilex aquifolia</i>	Holly	FM, FM
<b>Araliaceae</b>	<b>Ivy Family</b>	
<i>Hedera helix</i> agg	Ivy	All
<b>Asteraceae (Compositae)</b>	<b>Daisy Family</b>	
<i>Achillea millefolium</i>	Yarrow	NH
<i>Bellis perennis</i>	Daisy	NH, FM
<i>Centaurea nigra</i>	Knapweed	NH
<i>Centaurea scabiosa</i>	Greater Knapweed	NH
<i>Cirsium palustre</i>	Marsh Thistle	FM
<i>Leucanthimum vulgare</i>	Ox-eye Daisy	NH
<i>Matricaria discoidea</i>	Pinapple Weed	NH
<i>Pilosella officinarum</i>	Mouse-eared Hawkweed	NH

KEY: Forest Mere = FM; Hayling Island = HI; Havant Thicket = HT; Thursley Common = TC; Weavers Down = WD

Group/Species	English Name (if any)	Location:
<i>Senecio jacobae</i>	Ragwort	FM, TC
<i>Senecio vulgaris</i>	Groundsel	HI, FM
<i>Silybum marianum</i>	Milk Thistle	HI
<i>Taraxacum agg</i>	Dandelion	NH
<b>Betulaceae (Corylaceae)</b>	<b>Birch Family</b>	
<i>Betula pendula</i>	Silver Birch	TC, FM
<b>Boraginaceae</b>	<b>Forget-me-not Family</b>	
<i>Echium vulgare</i>	Viper's Bugloss	HI
<i>Myosotis arvensis</i>	Field Forget-me-not	BH
<b>Brassicaceae (Cruciferae)</b>	<b>Cabbage Family</b>	
<i>Alliaria petiolata</i>	Garlic Mustard	HI
<i>Reseda lutea</i>	Weld	HI
<b>Campanulaceae</b>	<b>Bellflower Family</b>	
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	
<i>Campanula rotundifolia</i>	Harebell	
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>	
<i>Lonicera periclymenum</i>	Honeysuckle	HT
<i>Sambucus nigra</i>	Elder	NH
<i>Viburnum opulus</i>	Guelder Rose	NH
<b>Caryophyllaceae</b>	<b>Pink Family</b>	
<i>Silene latifolia (S.alba)</i>	White Campion	TC
<b>Chenopodiaceae</b>	<b>Goosefoot Family</b>	
<i>Halimione portulacoides</i>	Sea Purslane	HI
<b>Cistaceae</b>	<b>Rock-rose Family</b>	
<i>Helianthum nummularium</i>	Common Rockrose	FM
<b>Clusiaceae (Guttiferae, Hypericaceae)</b>	<b>St. John's-wort Family</b>	
<i>Hypericum hirsutum</i>	Hairy St. John's-wort	NH
<i>Hypericum perforatum</i>	Perforate St. John's-wort	HI
<i>Arctium minus</i>	Lesser Burdock	HI
<b>Convolvulaceae</b>	<b>Bindweed Family</b>	
<i>Calystegia sepium</i>	Hedge Bindweed	FM, HI
<b>Cornaceae</b>	<b>Dogwood Family</b>	
<i>Cornus sanguinea</i>	Dogwood	NH
<b>Corylaceae</b>	<b>Hazel Family</b>	
<i>Corylus avellana</i>	Hazel	NH
<b>Cucurbitaceae</b>	<b>Cucumber Family</b>	
<i>Tamus communis</i>	Black Bryony	NH

KEY: Forest Mere = FM; Hayling Island = HI; Havant Thicket = HT; Thursley Common = TC; Weavers Down = WD

Group/Species	English Name (if any)	Location:
<b>Dipsacaceae</b>	<b>Teasel Family</b>	
<i>Dipsacus fullonum</i>	Teasel	NH
<i>Knautia arvensis</i>	Field Scabious	NH
<b>Ericaceae</b>	<b>Heath family</b>	
<i>Calluna vulgaris</i>	Heather	TC, FM, WD
<i>Erica cinerea</i>	Bell Heather	TC, FM, WD
<i>Erica tetralix</i>	Cross-leaved Heath	TC, FM
<i>Vaccinium myrtillus</i>	Bilberry	FM, WD
<b>Plumbaginaceae</b>	<b>Sea-Lavender</b>	
<i>Limonium vulgare</i>	Common Sea-Lavender	HI
<b>Euphorbiaceae</b>	<b>Spurge Family</b>	
<i>Mercurialis perennis</i>	Dog's Mercury	NH
<b>Fabaceae (Leguminosae)</b>	<b>Pea Family</b>	
<i>Anthyllis vulneraria</i>	Kidney Vetch	NH
<i>Clinopodium vulgare</i>	Wild basil	NH
<i>Hippocrepis comosa</i>	Horseshoe Vetch	NH
<i>Lathyrus latifolius</i>	Everlasting Pea	HI
<i>Lathyrus pratensis</i>	Yellow Vetchling	HI
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	NH
<i>Medicago lupulina</i>	Black Medick	NH
<i>Ononis repens</i>	Restharrow	HI
<i>Trifolium pratense</i>	Red Clover	NH
<i>Trifolium repens</i>	White Clover	NH
<i>Vicia cracca</i>	Tufted vetch	HI
<i>Vicia sepium</i>	Bush Vetch	NH
<i>Tetragonolobus maritimus</i>	Dragon's Teeth	NH
<b>Fagaceae</b>	<b>Oak &amp; Beech Family</b>	
<i>Fagus sylvatica</i>	Beech	FM
<i>Quercus robur</i>	Pedunculate Oak	FM
<i>Quercus petraea</i>	Sessile Oak	FM
<b>Geraniaceae</b>	<b>Geranium Family</b>	
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill	FM
<i>Geranium robertianum</i>	Herb Robert	NH
<b>Gentianaceae</b>	<b>Gentian Family</b>	
<i>Blackstonia perfoliata</i>	Yellow-wort	NH
<b>Lamiaceae (Labiatae)</b>	<b>Dead-nettle Family</b>	
<i>Clinopodium vulgare</i>	Wild basil	NH
<i>Lamium album</i>	White Deadnettle	FM
<i>Oregano officinalis</i>	Marjoram	NH
<i>Prunella vulgaris</i>	Selfheal	NH
<i>Stachys sylvatica</i>	Hedge Woundwort	FM
<i>Teucrium scorodonium</i>	Wood Sage	FM
<i>Thymus polytrichis</i>	Wild Thyme	NH

KEY: Forest Mere = FM; Hayling Island = HI; Havant Thicket = HT; Thursley Common = TC; Weavers Down = WD

Group/Species	English Name (if any)	Location:
<b>Oleaceae</b>	<b>Olive Family</b>	
<i>Fraxinus excelsior</i>	Ash	NH
<b>Onagraceae</b>	<b>Willowherb Family</b>	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	FM
<i>Epilobium hirsutum</i>	Great Willowherb	HI
<b>Orobanchaceae</b>	<b>Broomrape Family</b>	
<i>Orobanche elatior</i>	Knapweed Broomrape	NH
<b>Plantaginaceae</b>	<b>Plantain Family</b>	
<i>Plantago lanceolata</i>	Ribwort Plantain	NH
<i>Plantago major</i>	Greater Plantain	FA
<b>Polygalaceae</b>	<b>Milkwort Family</b>	
<i>Polygala serpyllifolia</i>	Heath Milkwort	TC
<i>Polygala vulgaris</i>	Common Milkwort	NH
<b>Polygonaceae</b>	<b>Knotweed Family</b>	
<i>Rumex acetosa</i>	Sorrel	NH
<i>Rumex obtusifolius</i>	Broad-leaved Dock	NH
<b>Primulaceae</b>	<b>Primrose Family</b>	
<i>Primula veris</i>	Cowslip	NH
<b>Ranunculaceae</b>	<b>Buttercup Family</b>	
<i>Caltha palustris</i>	Kingcups	FM
<i>Clematis vitalba</i>	Old man's-beard	HI, HT
<i>Ranunculus acris</i>	Meadow Buttercup	NH
<i>Ranunculus repens</i>	Creeping Buttercup	NH
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>	
<i>Rhamnus catharticus</i>	Buckthorn	NH
<b>Rosaceae</b>	<b>Rose Family</b>	
<i>Crataegus monogyna</i>	Hawthorn	HI, NH
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	FM
<i>Malus sylvestris</i>	Crab Apple	NH
<i>Potentilla anserina</i>	Silverweed	FA
<i>Potentilla erecta</i>	Tormentil	TC
<i>Potentilla reptans</i>	Creeping Cinquefoil	FM
<i>Prunus avium</i>	Wild Cherry	BSM
<i>Prunus spinosa</i>	Blackthorn	NH
<i>Rosa canina</i> agg	Dog Rose	NH
<i>Rubus fruticosus</i> agg	Bramble	NH
<i>Sanguisorba minor</i> agg	Salad Burnet	NH
<i>Sorbus aria</i> agg	Whitebeam	NH
<i>Sorbus aucuparia</i>	Rowan	FM
<b>Droseraceae</b>	<b>Sundews</b>	
<i>Drosera rotundifolia</i>	Round-leaved Sundew	TC

KEY: Forest Mere = FM; Hayling Island = HI; Havant Thicket = HT; Thursley Common = TC; Weavers Down = WD

Group/Species	English Name (if any)	Location:
<b>Rubiaceae</b>	<b>Bedstraw Family</b>	
<i>Cruciata laevipes</i>	Crosswort	NH
<i>Galium aparine</i>	Cleavers	NH
<i>Galium verum</i>	Ladies bedstraw	NH
<i>Galium saxatile</i>	Heath Bedstraw	TC
<b>Scrophulariaceae</b>	<b>Figwort Family</b>	
<i>Digitalis purpurea</i>	Foxglove	HT
<i>Rhinanthus minor agg</i>	Hay Rattle	NH
<i>Verbascum nigrum</i>	Great Mullien	FM
<i>Linaria vulgaris</i>	Common Toadflax	HI
<i>Euphrasia nemorosa</i>	Common Eyebright	NH
<b>Urticaceae</b>	<b>Nettle Family</b>	
<i>Urtica dioica</i>	Common Nettle	NH
<b>Valerianaceae</b>	<b>Valerian Family</b>	
<i>Centranthus ruber</i>	Red Valerian	NH
<b>Violaceae</b>	<b>Violet Family</b>	
<i>Viola riviniana</i>	Common Dog Violet	NH
<b>Liliidae (Monocotyledons)</b>		
<b>Araceae</b>	<b>Arum Family</b>	
<i>Arum maculatum</i>	Lords and Ladies	FM
<b>Iridaceae</b>	<b>Iris Family</b>	
<i>Iris psuedocorus</i>	Yellow Flag	FM
<b>Orchidaceae</b>	<b>Orchid Family</b>	
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	NH
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	NH
<i>Dactylorhiza praetermissa</i>	Southern Marsh Orchid	TC
<i>Gymnadenia conopsea</i>	Fragrant Orchid	NH
<i>Herminium monorchis</i>	Musk Orchid	NH
<i>Listera ovata</i>	Twayblade	NH
<b>Poaceae (Gramineae)</b>	<b>Grass Family</b>	
<i>Dactylis glomerata</i>	Cock's-foot	NH
<i>Holcus lanatus</i>	Yorkshire Fog	•
<i>Festuca ovina agg</i>	Sheep's Fescue	WD
<i>Festuca rubra agg</i>	Red Fescue	TC
<i>Lolium perenne</i>	Perennial Rye-grass	NH
<i>Molinia caerulea</i>	Purple Moor-grass	TC
<i>Poa annua</i>	Annual Meadow-grass	NH
<i>Phleum pratense</i>	Timothy	•
<i>Phragmites australis</i>	Common Reed	FM
<b>Butterflies</b>		
Large White	<i>Pieris brassicae</i>	NH, HI, FM
Small White	<i>Pieris rapae</i>	HT, HI

KEY: Forest Mere = FM; Hayling Island = HI; Havant Thicket = HT; Thursley Common = TC; Weavers Down = WD

Group/Species	English Name (if any)	Location:
Green-veined White	<i>Pieris napi</i>	FM
Holly Blue	<i>Celastrina argiolus</i>	HT
Red Admiral	<i>Vanessa atalanta</i>	NH
Peacock	<i>Inachis io</i>	HT
Marbled White	<i>Melanargia galathea</i>	NH, HT, HI, FM
Meadow Brown	<i>Maniola jurtina</i>	TC, NH, HT, HI, FM
Ringlet	<i>Aphantopus hyperanthus</i>	NH, HT
Speckled Wood	<i>Pararge aegeria</i>	NH, HI
Small Skipper	<i>Thymelicus sylvestris</i>	NH, BSM
Essex Skipper	<i>Thymelicus lineola</i>	NH
Large Skipper	<i>Ochlodes sylvanus</i>	TC
Small Heath	<i>Coenonympha pamphilus</i>	HI
Comma	<i>Polygonum c-album</i>	HI
Gatekeeper	<i>Pyronia tithonus</i>	HT, HI
Purple Hairstreak	<i>Neozephyrus quercus</i>	HT
Silver-washed Fritillary	<i>Argynnis paphia</i>	HT, FM
Grayling	<i>Hipparchia semele</i>	WD

### Moths

Cinnabar moth	<i>Tyria jacobaeae</i>	NH
Six-spot Burnet	<i>Zygaena filipendulae stephensi</i>	BH
Scarlet Tiger	<i>Callimorpha dominula</i>	NH
Brown Silver Line	<i>Petrophora chlorosata</i>	TC

### Odonata

Small Red Damselfly	<i>Ceriagrion tenellum</i>	TC
Common Blue Damselfly	<i>Enallagma cyathigerum</i>	TC
Emeror Dragonfly	<i>Anax imperator</i>	TC, FM
Broad-bodied Chaser	<i>Libellula depressa</i>	TC
Four-spotted Chaser	<i>Libellula quadrimaculata</i>	TC
Black-tailed Skimmer	<i>Orthetrum cancellatum</i>	TC, FM
Keeled Skimmer	<i>Orthetrum coerulescens</i>	TC
Black Darter	<i>Sympetrum danae</i>	TC
Ruddy Darter	<i>Sympetrum sanguinum</i>	TC

### Other Invertebrates

Soldier Beetle	<i>Cantharis fusca</i>	NH
Wood Ant	<i>Formica rufa</i>	TC, WD
Longhorn Beetle	<i>Cerambycidae</i>	HT
Glow Worm	<i>Lampyris noctiluca</i>	FM

### Mammals:

Rabbit	<i>Oryctolagus cuniculus</i>	NH
Badger	<i>Meles meles</i>	
Roe Deer	<i>Capreolus capreolus</i>	
Grey Squirrel	<i>Sciurus carolinensis</i>	FM
Harbour Seal	<i>Phoca vitulina</i>	HI

### Reptiles & Amphibians:

Common Lizard	<i>Lacerta vivipara</i>	TC
Grass Snake	<i>Natrix natrix</i>	TC

## Birds (✓=recorded but not counted; H = heard only)

	Common name	Scientific name	July		
			10	11	12
1	Common Pheasant	<i>Phasianus colchicus</i>		✓	
2	Canada Goose	<i>Branta canadensis</i>	✓	✓	✓
3	Greylag Goose	<i>Anser anser</i>	✓	✓	✓
4	Shelduck	<i>Tadorna tadorna</i>		6	
5	Mute Swan	<i>Cygnus olor</i>		✓	
6	Egyptian Goose	<i>Alopochen aegyptiaca</i>			1
7	Mandarin Duck	<i>Aix galericulata</i>			1F
8	Mallard	<i>Anas platyrhynchos</i>	✓	✓	✓
9	Shoveler	<i>Spatula clypeata</i>		5	
10	Tufted Duck	<i>Aythya fuligula</i>	3	✓	
11	Little Grebe	<i>Tachybaptus ruficollis</i>			1
12	Great Crested Grebe	<i>Podiceps cristatus</i>	✓	✓	✓
13	Cormorant	<i>Phalacrocorax carbo</i>	2	✓	2
14	Grey Heron	<i>Ardea cinerea</i>			1
15	Little Egret	<i>Egretta garzetta</i>	1	✓	
16	Red Kite	<i>Milvus milvus</i>	1		
17	Common Buzzard	<i>Buteo buteo</i>	5	2	1
18	Common Kestrel	<i>Falco tinnunculus</i>	1	1	1
19	Eurasian Hobby	<i>Falco subbuteo</i>	1		
20	Coot	<i>Fulica atra</i>	✓	✓	✓
21	Common Moorhen	<i>Gallinula chloropus</i>		1	1
22	Avocet	<i>Recurvirostra avosetta</i>		8	
23	Oystercatcher	<i>Haematopus ostralegus</i>		✓	
24	Curlew	<i>Numenius torquata</i>		✓	
25	Black-tailed Godwit	<i>Limosa limosa</i>		20	
26	Common Sandpiper	<i>Actitis hypoleucos</i>			3
27	Redshank	<i>Tringa totanus</i>		✓	
28	Greenshank	<i>Tringa nebularia</i>		2	
29	Black-headed Gull	<i>Chroicocephalus ridibundus</i>	✓	✓	✓
30	Mediterranean Gull	<i>Ichthyaetus melanocephalus</i>		12	
31	European Herring Gull	<i>Larus argentatus</i>		✓	1
32	Common Tern	<i>Sterna hirundo</i>		4	
33	Sandwich Tern	<i>Thalasseus sandvicensis</i>		2	
34	Feral Pigeon	<i>Columba livia feral</i>		✓	
35	Common Wood Pigeon	<i>Columba palumbus</i>	✓	✓	✓
36	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓	✓	✓
37	Nightjar	<i>Caprimulgus europaea</i>	2 (+2H)		
38	Tawny Owl	<i>Srix aluco</i>	H		
39	Common Swift	<i>Apus apus</i>			2
40	Great Spotted Woodpecker	<i>Dendrocopos major</i>			H
41	European Green Woodpecker	<i>Picus viridis</i>	H	H	3
42	Eurasian Magpie	<i>Pica pica</i>	✓	✓	✓
43	Western Jackdaw	<i>Coloeus monedula</i>	✓	✓	✓
44	Rook	<i>Corvus frugilegus</i>	✓	✓	
45	Carrion Crow	<i>Corvus corone</i>	✓	✓	✓
46	Coal Tit	<i>Periparus ater</i>	6	✓	✓
47	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>	1	✓	✓
48	Great Tit	<i>Parus major</i>	5	✓	✓
49	Eurasian Skylark	<i>Alauda arvensis</i>	1	✓	

	Common name	Scientific name	July		
			10	11	12
50	Barn Swallow	<i>Hirundo rustica</i>	2	✓	2
51	Common House Martin	<i>Delichon urbicum</i>		✓	✓
52	Long-tailed Tit	<i>Aegithalos caudatus</i>	✓	✓	10
53	Reed Warbler	<i>Acrocephalus scirpaceus</i>		3	1H
54	Common Chiffchaff	<i>Phylloscopus collybita</i>	✓	✓	✓
55	Eurasian Blackcap	<i>Sylvia atricapilla</i>	1	1	1
56	Common Whitethroat	<i>Sylvia communis</i>	3		
57	Goldcrest	<i>Regulus regulus</i>	2	✓	✓
58	Eurasian Wren	<i>Troglodytes troglodytes</i>	2	✓	✓
59	Eurasian Nuthatch	<i>Sitta europaea</i>	H	1	2
60	Common Starling	<i>Sturnus vulgaris</i>		✓	✓
61	Common Blackbird	<i>Turdus merula</i>	1	✓	✓
62	Song Thrush	<i>Turdus philomelos</i>		1	
63	Mistle Thrush	<i>Turdus viscivorus</i>			✓
64	European Robin	<i>Erithacus rubecula</i>	✓	✓	✓
65	European Stonechat	<i>Saxicola rubicola</i>	3		
66	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓
67	Dunnock	<i>Prunella modularis</i>			H
68	Pied Wagtail	<i>Motacilla alba yarrellii</i>		1	2
69	Common Chaffinch	<i>Fringilla coelebs</i>	1		✓
70	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>	3		2
71	European Greenfinch	<i>Chloris chloris</i>		1	H
72	Common Linnet	<i>Linaria cannabina</i>	6	✓	10
73	European Goldfinch	<i>Carduelis carduelis</i>	✓	✓	✓
74	Eurasian Siskin	<i>Spinus spinus</i>	1		
75	Yellowhammer	<i>Emberiza citrinella</i>	5		
76	Common Reed Bunting	<i>Emberiza schoeniclus</i>	1		