

# Go Slow ... In Northern Greece

Naturetrek Tour Report

16 - 23 May 2018

---

Report compiled by Chris Murphy



Naturetrek    Minglestone Barn    Wolf's Lane    Chawton    Alton    Hampshire    GU34 3HJ    UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour participants: Chris Murphy & Barrie Cooper (Leaders) with 12 Naturetrek clients

## Day 1

Wednesday 16th May

Thessaloniki before moving on to our base for the week at Lake Kerkini in Greece's Macedonia. On the south side of the country's second city there is a fascinating new wetland, inadvertently created by subsidence, that has gained a reputation for being a magnet for migrant shorebirds, and so it proved. As a picnic lunch was prepared our scopes were focussed on a superb variety of plovers, stilts, stints and sandpipers, some of them local, others bound for the Arctic. We were soon picking out Terek Sandpipers and Turnstones in full summer plumage amongst a throng of Little Stints and terracotta-coloured Curlew Sandpipers, while nearby some of Europe's most southerly breeding Oystercatchers and Redshanks nested alongside Black-winged Stilts, Avocets and Kentish Plovers. Dalmatian Pelicans and Pygmy Cormorants along with Black Tern, Stone Curlew and Slender-billed Gull and clouds of butterflies ensured the trip was off to a flying start!

From Thessaloniki we drove north for approximately one hour arriving, at Lake Kerkini by 6 p.m. in time to settle in and begin acquainting ourselves with the hotel and its surroundings before meeting again on the restaurant terrace. Below us stretched Lake Kerkini set in verdant countryside, backed by Mt Belles and the snow-capped Rhodope Mountains marking the border with Bulgaria. It would be hard to imagine a more beautiful location than our regular meeting place for pre-dinner drinks.

## Day 2

Thursday 17th May

Each day began with breakfast at 8 a.m. prior to departure at 9:30 a.m. allowing personal time to discover the avian richness immediately around us: Nightingales, Golden Orioles, Cirl Buntings, Tree Sparrows and four species of shrike could all be seen and heard singing within the well-proportioned hotel grounds. A real surprise was the constant stream of Rose-coloured Starlings that passed over each day in search of ripening Mulberry Trees; an unexpected and memorable feature of our week's holiday. This morning's first birding stop was an impromptu exploration of a small, roadside pond which caught our eye. Over the next hour or so we enjoyed close views of many species that would all become wonderfully familiar to us: Cuckoo, Hoopoe, Bee-eater, Eastern Olivaceous, and Great Reed Warblers. In the water and adjacent ditches Black-tailed Skimmers, Scarlet Darters, Pond Terrapins and a Grass Snake delighted while overhead the raptor count got off to a flying start. Overhead we watched Hobby, Red-footed Falcon, Short-toed Snake Eagle, Black Kite and a superb Honey Buzzard.

On the east embankment of the lake proper we stopped again to investigate the thin, penetrating calls of a diminutive Penduline Tit, a common enough species around Kerkini. After a collective effort we found the mite, the colour and pattern of a miniature Red-backed Shrike complete with smart black mask. He was busy weaving a beautiful, bottle-shaped nest made from hair-like fibres which we watched him strip from the bark of a White Poplar. He will offer his mate several near-complete nests from which she will choose the one in which she feels most secure, before helping him to finish it off by adding a collapsible entrance tunnel designed to deter predators. Here we also encountered our first Kingfisher and Little Bittern, a female, as well as a host of sunbathing butterflies: Small Skipper, Clouded Yellow and Knapweed, Spotted and Queen of Spain Fritillaries; beetles, crickets and grasshoppers. Compared to home the insect life here is quite magnificent! Moving slowly along we passed Red-backed Shrikes and Spotted Flycatchers, a small herd of wild (!) Mute Swans and a large

herd of Water Buffalos before crossing the Strymonas River to have lunch at a historic railway station which has been converted into a characterful taverna. Returning to the hotel just after 4 p.m. gave everyone time to relax and rest before pre-dinner drinks overlooking the lake.

## Day 3

Friday 18th May

Prior to departure new sightings from the hotel included Booted Eagle, Raven and European Serin. Our first stop was in a wooded valley where Subalpine Warbler and Hawfinch were new together with Lesser Spotted Eagle and Black Stork. As the morning warmed up a rich assortment of butterflies provided a bit of an ID-challenge. Among new species we identified Cardinal, Comma, Large Tortoiseshell, Southern White Admiral, Little Tiger Blue, Oberthur's Grizzled Skipper and Ilex Hairstreak. Also of interest here were Spur-thighed Tortoise, Green Lizard and Marsh Frog.

Beneath riverside trees we enjoyed a picnic before returning to Lake Kerkini and making our first leisurely exploration of the west side between Lithotopus and Korifoudi Bay. A rather large Four-lined Snake and an Eastern Hedgehog were among the highlights of the afternoon, while in the fields Turtle Doves, Black-headed and Corn Buntings and yet more fascinating insects including Marbled Fritillary, Clouded Yellow, Eastern Dappled White, and an assortment of day-flying moths, grasshoppers and delicate praying mantids. Numerous pairs of Great Crested Grebes had nests among the Yellow Water Lilies from which Little Egrets and Grey, Night and Squacco Herons hunted. Some distant, immature gulls were tentatively identified as Caspian. White Storks were to be found nesting on village rooftops and telegraph poles all around the lake with both House and Spanish Sparrows as frequent tenants of the basement.

## Day 4

Saturday 19th May

It rained all night and continued to do so after breakfast though by mid-morning normal service had resumed and it remained warm and sunny for the rest of the day. Purely by chance, our first stop (to watch hundreds of Rose-coloured Starlings passing over the Mavrouni Hills) just happened to be where a male Syrian Woodpecker was busily excavating a hole in a dead tree. Through the telescopes we enjoyed a prolonged close observation of all the subtle distinguishing features to enable safe identification from Great Spotted, which we had already seen.

A Green Woodpecker called and both Masked and Woodchat Shrikes were singing from treetops, as was a Whitethroat, all allowing scope views. Interesting observations here also included a stunning back and yellow Owl Fly Moth and the scat of a large carnivore, possibly wolf, which judging by the contents had been dining on Wild Boar. Yesterday we came across tracks which we also thought might have been that of a wolf, a species rarely seen but nevertheless still widespread in Greece and believed to be expanding in both number and range - apparently it is reaching the suburbs of Athens.

In the village of Kerkini we admired more Rose-coloured Starlings and White Storks while being amused by a Hoopoe singing from a church roof, before seeking out a late morning coffee in a taverna which also served up another Penduline Tit and nest as well as Golden Orioles, Spotted Flycatchers, Marbled Fritillaries and a friendly Coypu! We had trout for lunch in a streamside taverna above a steep village on a wooded hillside below Mount Belles, where a mass emergence of Nettle-tree Butterflies was underway with many thousands in the trees and on the ground. Being higher up we encountered several more temperate species here including Nuthatch, Mistle Thrush and Robin.

After lunch we had a short walk around a hilltop church with open views for raptor watching allowing us our first sighting of a Levant Sparrowhawk, albeit distant. Much closer was a large, smooth-shelled Hermann's Tortoise, which we positively identified by the lack of spurs on its thighs and the 'nail on the tail'. It was getting hot so one bus returned to the hotel (with brief stops to admire a pair of Lesser Grey Shrikes and watch a Dice Snake safely across the road) while the other bus returned to Lake Kerkini where among a throng of waterbirds an eastern race Greylag Goose – a scarce resident – was the standout addition.

## Day 5

Sunday 20th May

The highlight over breakfast was Pat's discovery of a tree full of Rose-coloured Starlings reflected in a window whereupon everyone stared into the restaurant before turning to experience the real thing. After a short drive through the Greek countryside, always a pleasure, our first stop was close the border with Bulgaria near an old lookout tower, perhaps a reminder of a less peaceful times? We were looking forward to seeing some woodpeckers and though we could often hear and briefly see some, including a newly fledged Great Spotted Woodpecker making its first tentative climb - it lost its grip - our way was soon blocked by flooding from the recent heavy rain although not before we enjoyed some good sightings. Roller was new and another Black Stork flew over, while lower down there were Song Thrushes, Long-tailed and Marsh Tits, Short-toed Treecreepers, Nuthatch and Wren all singing or calling. A Comma was attracted to the salt or pheromones on Chris's hand while some less welcome insects were making a beeline for David, prompting his hasty retreat. Six species of dragonfly included a handsome, Sombre Goldenwing and several Green-eyed Hawkets. Lesser Spotted and Green Woodpecker were heard but not seen while a calling Grey-headed Woodpecker was observed in flight by just a few of us – woodpeckers can be like that!

We stopped for coffee down the road where Kate treated us to ice creams as we watched a Booted Eagle and a Peregrine and observed the distinctive gliding flight of Red-rumped Swallows. Above Sidirokasto a Byzantine castle dating from AD 527 provided welcome shade for our picnic while around us were Black-eared Wheatears, Masked and Woodchat Shrikes, and singing Serins. Before leaving Sidirokasto we stopped by an impressive cliff-face where a male Blue Rock Thrush was busy bringing food to his offspring, which looked big enough to fledge. On our way back to the hotel we made a detour to see a pair of Rollers earlier discovered by Chris together with two pairs of Lesser Grey Shrikes, a Black-headed Bunting and plenty of Turtle Doves, another of those species, like the Cuckoo and Corn Bunting, that was once familiar in our own countryside. Before dinner flocks of Rose-coloured Starlings continued to pass over the hotel, - at least 1,000 in total.

## Day 6

Monday 21st May

On the lakeside drive we encountered yet more glorious Rose-coloured Starlings, probably the bird of the week. Stopping to watch them a Peregrine came into view while Spoonbills sifted the shallow margins for their aquatic prey. In Kerkini harbour we met up with Nikos, our knowledgeable and obliging boatman, before setting off on board 'St Nicholas' (patron saint of sailors as well as Christmas) over the still waters of Lake Kerkini. As we left the harbour a host of egrets and herons of many species lined the shore. By 9:45 we were out in the open picking out our first White-winged and Whiskered Terns and comparing the two species of pelican side by side. In 2017 110 pairs of 'Dalis' and 11 pairs of Great Whites nested on a purpose-built island. This year it looks like there will be many more pairs of both species, especially the latter.

Yet it was the flooded forest of willows, home to many thousands of nesting birds, that was our primary destination and with Nikos' skill and sharp eyes we enjoyed super close views of them all: Great and Pygmy Cormorants, Cattle, Grey, Night and Squacco Herons, Glossy Ibis and Spoonbill. Nikos told us the lake's guardians make an annual count of the nests. Last year there were over 3,000 pairs of Great and more than 1,000 pairs of Pygmy Cormorants. So far there are only a very few pairs of Cattle Egrets; this globe-trotter, no doubt first attracted by the presence of so many water buffalos is still a relative new comer to Kerkini. Watching over them all were three Lesser Spotted Eagles. Many hundreds of nest holes in what little was showing of the Strymonas riverbank belonged to Sand Martins. Nikos explained this was their second attempt at nesting this year, previous holes being flooded by rising water levels, which are highest in early summer. They may have to try again somewhere else. We also found another of those beautifully constructed Penduline Tit nests, and watched the male calling to his mate, perhaps hoping it would come up to her expectations? Gadwall was a new species for us while at the mouth of the river so too was a pair of ruby-eyed Black-necked Grebes.

Yesterday was the first day of the commercial fishing season after spawning. There are 17 species of fish in Kerkini and another 14 in the rivers and streams, which feed it, Carp being the principal catch. We had lunch in one of the tavernas in Kerkini before moving on to explore another part of the lake where we counted a staggering 340 nests of Great Crested Grebe – does anyone know of a bigger colony of this normally solitary grebe? A male Little Bittern called from the reeds before making a short flight. Pochard and Ferruginous Ducks were also on view as well as our first Stripe-necked Terrapins and the now familiar sight of Rose-coloured Starlings jostling for position. One party then returned to the hotel arriving at 4.30 pm with a Little Owl stop en route while the rest ventured up into the hills where alongside a pair of Black-eared, a Northern Wheatear was a surprising find.

## Day 7

Tuesday 22nd May

Some of the party opted to join Chris and Barrie on a pre-breakfast drive into the Mavrouni Hills where Hoopoe, all four species of shrike, three species of bunting and a few Woodlarks were found, albeit the latter playing hard to see in the blue sky. After breakfast we returned to the east Embankment, which had been so productive earlier in the week. En route we stopped to watch a mixed party of pelicans as they effortlessly gained height on the day's first thermal allowing us to compare the different wing patterns of two species side by side. Taking advantage of the warm air a female Red-footed Falcon joined the 'kettle'. Warmed by the morning sun the flower-rich embankment was again alive with butterflies, dragonflies and lizards, the latter hunting bush crickets in the shrubbery as well as on the ground. Lang's Short-tailed Blue, Holly Blue and Wall Brown were all new. The ringing call of a Lesser Spotted Woodpecker could again be heard without its maker breaking cover. Pity! Dalmatian Pelicans glided serenely through the water lillies, while Whiskered Terns and Night Herons kept passing by. The real stars of the morning were four beautifully patterned Purple Herons, three adults and an immature, which we all enjoyed watching as they hunted fish and frogs in the extensive marshes. Glossy Ibis, Spoonbills, Great Egrets, Squacco Herons and Little Grebes were all there, too.

We picnicked among trees close to where golden Tree Froglets climbed among umbellifers and then we carried on to hills above Vyronia where we found Crag Martins, masses more butterflies, particularly Nettle-trees, and a pair of Golden Eagles surveying the hillside for their staple diet here, tortoise. Elated by our eagle sightings we retired to the railway taverna for refreshments before returning to the hotel at 5.45pm which gave us two hours

to relax and unwind before meeting again for drinks and dinner as hundreds of Rose-coloured Starlings descended upon a Mulberry Tree, our sighting of the day.

## Day 8

Wednesday 23rd May

Breakfast at 7 a.m. and departure by 8 a.m. saw us arrive at Thessaloniki Airport by 9:15 a.m. in good time for our 11:50 a.m. flight to Gatwick.

We had enjoyed a week of almost unbroken sunshine in a very unspoilt and naturally rich corner of Europe, where much of the countryside is awash still with butterflies and where the songs of Corn Bunting, Cuckoo and Turtle Dove can be heard all day, along with Bee-eaters, Hoopoes, Nightingales, Golden Orioles and Eastern Olivaceous Warblers. Wild and beautiful, the hills and mountains that frame Kerkini are home to an amazing variety of fauna and flora. This gentle exploration of its shores and hinterland provided us with many memorable sightings, one of the stand out experiences for all being our time in the flooded forest in the expert company of Nikos.

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



[www.facebook.com/naturetrekwildlifeholidays](http://www.facebook.com/naturetrekwildlifeholidays)



[www.twitter.com/naturetrektours](http://www.twitter.com/naturetrektours)



[www.instagram.com/naturetrek\\_wildlife\\_holidays](http://www.instagram.com/naturetrek_wildlife_holidays)

## Species Lists

Birds (✓=recorded but not counted; H = heard only)

	Common name	Scientific name	May						
			16	17	18	19	20	21	22
1	Greylag Goose	<i>Anser anser</i>					✓		
2	Mute Swan	<i>Cygnus olor</i>		✓					
3	Common Shelduck	<i>Tadorna tadorna</i>	✓						✓
4	Gadwall	<i>Mareca strepera</i>						✓	
5	Mallard	<i>Anas platyrhynchos</i>	✓	✓	✓	✓		✓	✓
6	Common Pochard	<i>Aythya ferina</i>							✓
7	Ferruginous Duck	<i>Aythya nyroca</i>							✓
8	Little Grebe	<i>Tachybaptus ruficollis</i>							✓
9	Great Crested Grebe	<i>Podiceps cristatus</i>		✓	✓	✓		✓	✓
10	Black-necked Grebe	<i>Podiceps nigricollis</i>						✓	✓
11	Black Stork	<i>Ciconia nigra</i>			✓	✓	✓	✓	
12	White Stork	<i>Ciconia ciconia</i>	✓	✓	✓	✓	✓	✓	✓
13	Glossy Ibis	<i>Plegadis falcinellus</i>						✓	✓
14	Eurasian Spoonbill	<i>Platalea leucorodia</i>		✓	✓	✓		✓	✓
15	Little Bittern	<i>Ixobrychus minutus</i>		✓				✓	
16	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>		✓	✓	✓		✓	✓
17	Squacco Heron	<i>Ardeola ralloides</i>		✓	✓	✓		✓	✓
18	Great Egret	<i>Ardea alba</i>		✓					✓
19	Grey Heron	<i>Ardea cinerea</i>	✓	✓	✓	✓	✓	✓	✓
20	Purple Heron	<i>Ardea purpurea</i>							✓
21	Little Egret	<i>Egretta garzetta</i>	✓	✓	✓	✓	✓	✓	✓
22	Western Cattle Egret	<i>Bubulcus ibis</i>							✓
23	Greater Flamingo	<i>Phoenicopterus roseus</i>	✓						
24	Great White Pelican	<i>Pelecanus onocrotalus</i>			✓	✓		✓	✓
25	Dalmatian Pelican	<i>Pelecanus crispus</i>	✓	✓	✓	✓	✓	✓	✓
26	Pygmy Cormorant	<i>Phalacrocorax pygmeus</i>	✓	✓	✓	✓	✓	✓	✓
27	Great Cormorant	<i>Phalacrocorax carbo</i>	✓	✓	✓	✓	✓	✓	✓
28	Black Kite	<i>Milvus migrans</i>		✓	✓	✓			
29	Short-toed Snake Eagle	<i>Circaetus gallicus</i>		✓	✓	✓			
30	Western Marsh Harrier	<i>Circus aeruginosus</i>	✓		✓			✓	✓
31	Levant Sparrowhawk	<i>Accipiter brevipes</i>				✓			
32	Eurasian Sparrowhawk	<i>Accipiter nisus</i>						✓	
33	Common Buzzard	<i>Buteo buteo</i>	✓	✓	✓	✓	✓	✓	✓
34	Honey Buzzard	<i>Pernis apivoris</i>		✓					
35	Lesser Spotted Eagle	<i>Aquila pomarina</i>			✓			✓	
36	Golden Eagle	<i>Aquila chrysaetos</i>						✓	
37	Booted Eagle	<i>Aquila pennata</i>			✓				
38	Lesser Kestrel	<i>Falco naumanni</i>	✓						✓
39	Common Kestrel	<i>Falco tinnunculus</i>	✓	✓					
40	Eurasian Hobby	<i>Falco subbuteo</i>						✓	
41	Red-footed Falcon	<i>Falco vespertinus</i>	✓						✓
42	Peregrine Falcon	<i>Falco peregrinus</i>					✓	✓	
43	Common Moorhen	<i>Gallinula chloropus</i>		✓		✓		✓	✓
44	Eurasian Coot	<i>Fulica atra</i>		✓	✓	✓		✓	✓
45	Eurasian Stone-Curlew	<i>Burhinus oedicephalus</i>	✓						
46	Black-winged Stilt	<i>Himantopus himantopus</i>	✓						
47	Pied Avocet	<i>Recurvirostra avosetta</i>	✓						

	Common name	Scientific name	May							
			16	17	18	19	20	21	22	
48	Eurasian Oystercatcher	<i>Haematopus ostralegus</i>	✓							
49	Little Ringed Plover	<i>Charadrius dubius</i>	✓		✓					✓
50	Kentish Plover	<i>Charadrius alexandrinus</i>	✓							
51	Curlew Sandpiper	<i>Calidris ferruginea</i>	✓							
52	Ruddy Turnstone	<i>Arenaaria interpres</i>	✓							
53	Terek Sandpiper	<i>Xenus cinereus</i>	✓							
54	Common Redshank	<i>Tringa totanus</i>	✓							
55	Little Stint	<i>Calidris minuta</i>	✓							
56	Little Gull	<i>Hydrocoloeus minutus</i>							✓	
57	Black-headed Gull	<i>Chroicocephalus ridibundus</i>		✓					✓	✓
58	Slender-billed Gull	<i>Chroicocephalus genei</i>	✓							
59	Yellow-legged Gull	<i>Larus michahellis</i>	✓					✓	✓	✓
60	Caspian Gull	<i>Larus cachinnans</i>			✓	✓	✓			
61	Little Tern	<i>Sternula albifrons</i>	✓							
62	Common Tern	<i>Sterna hirundo</i>	✓	✓	✓	✓			✓	✓
63	Whiskered Tern	<i>Chlidonias hybrida</i>							✓	✓
64	White-winged Tern	<i>Chlidonias leucopterus</i>							✓	
65	Black Tern	<i>Chlidonias niger</i>	✓						✓	✓
66	Rock Dove/Feral Pigeon	<i>Columba livia</i>	✓	✓	✓	✓	✓	✓	✓	✓
67	Common Wood Pigeon	<i>Columba palumbus</i>								
68	European Turtle Dove	<i>Streptopelia turtur</i>		✓	✓	✓	✓	✓	✓	✓
69	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓	✓	✓	✓	✓	✓	✓	✓
70	Common Cuckoo	<i>Cuculus canorus</i>		✓	✓	✓	✓	✓	✓	✓
71	Eurasian Eagle-Owl	<i>Bubo bubo</i>							H	
72	Little Owl	<i>Athene noctua</i>				✓			✓	
73	Common Swift	<i>Apus apus</i>			✓	✓	✓			✓
74	Pallid Swift	<i>Apus pallidus</i>	✓							
75	Common Kingfisher	<i>Alcedo atthis</i>		✓						✓
76	European Bee-Eater	<i>Merops apiaster</i>	✓	✓		✓	✓	✓	✓	✓
77	Eurasian Hoopoe	<i>Upupa epops</i>	✓	✓	✓	✓	✓	✓	✓	✓
78	Lesser Spotted Woodpecker	<i>Dryobates minor</i>				H	H	H		
79	Middle Spotted Woodpecker	<i>Dendrocoptes medius</i>				✓	✓			
80	Syrian Woodpecker	<i>Dendrocopos syriacus</i>		✓		✓	✓			
81	Great Spotted Woodpecker	<i>Dendrocopos major</i>		✓			✓			
82	European Green Woodpecker	<i>Picus viridis</i>				✓	✓			
83	Grey-headed Woodpecker	<i>Picus canus</i>					H			
84	Red-backed Shrike	<i>Lanius collurio</i>		✓	✓	✓	✓	✓	✓	✓
85	Lesser Grey Shrike	<i>Lanius minor</i>				✓	✓			✓
86	Woodchat Shrike	<i>Lanius senator</i>			✓	✓	✓	✓	✓	✓
87	Masked Shrike	<i>Lanius nubicus</i>		✓	✓	✓	✓	✓	✓	✓
88	Eurasian Golden Oriole	<i>Oriolus oriolus</i>	✓	✓	✓	✓	✓	✓	✓	✓
89	Eurasian Jay	<i>Garrulus glandarius</i>			✓		✓			✓
90	Eurasian Magpie	<i>Pica pica</i>	✓	✓	✓	✓	✓	✓	✓	✓
91	Northern Raven	<i>Corvus corax</i>		✓	✓		✓	✓	✓	✓
92	Hooded Crow	<i>Corvus cornix</i>	✓	✓	✓	✓	✓	✓	✓	✓
93	Western Jackdaw	<i>Coloeus monedula</i>	✓			✓				✓
94	Marsh Tit	<i>Poecile palustris</i>					H			
95	Great Tit	<i>Parus major</i>		✓	✓	✓	✓	✓	✓	✓
96	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>				✓				
97	Long-tailed Tit	<i>Aegithalos caudatus</i>					H			
98	Eurasian Penduline Tit	<i>Remiz pendulinus</i>		✓		✓			✓	✓



	Common name	Scientific name	May						
			16	17	18	19	20	21	22
99	Crested Lark	<i>Galerida cristata</i>	✓	✓	✓	✓	✓	✓	✓
100	Woodlark	<i>Lullula arborea</i>							H
101	Sand Martin	<i>Riparia riparia</i>						✓	✓
102	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓	✓	✓
103	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>					✓	✓	✓
104	Common House Martin	<i>Delichon urbicum</i>	✓	✓	✓	✓	✓	✓	✓
105	Red-rumped Swallow	<i>Cecropis daurica</i>	✓		✓	✓	✓	✓	✓
106	Cetti's Warbler	<i>Cettia cetti</i>		H		H		H	H
107	Great Reed Warbler	<i>Acrocephalus arundinaceus</i>	H	✓	H	✓	H	✓	✓
108	Eastern Olivaceous Warbler	<i>Iduna pallida</i>	✓	✓	✓	✓	✓	✓	✓
109	Eurasian Blackcap	<i>Sylvia atricapilla</i>				H	H		
110	Eastern Orphean Warbler	<i>Sylvia crassirostris</i>				H			H
111	Common Whitethroat	<i>Sylvia communis</i>			H	✓	✓	✓	H
112	Subalpine Warbler	<i>Sylvia cantillans</i>			✓				H
113	Eurasian Wren	<i>Troglodytes troglodytes</i>					✓		
114	Eurasian Nuthatch	<i>Sitta europaea</i>				✓	✓		
115	Short-toed Treecreeper	<i>Certhia brachydactyla</i>					H		
116	Rose-coloured Starling	<i>Sturnus roseus</i>			✓	300	1000	1000	✓
117	Common Starling	<i>Sturnus vulgaris</i>	✓	✓	✓	✓	✓	✓	✓
118	Common Blackbird	<i>Turdus merula</i>		✓	✓	✓	✓	✓	✓
119	Song Thrush	<i>Turdus philomelus</i>					✓		✓
120	Mistle Thrush	<i>Turdus viscivorus</i>				✓			
121	European Robin	<i>Erithacus rubecula</i>				H			
122	Common Nightingale	<i>Luscinia megarhynchos</i>	H	✓	H	✓	✓	✓	✓
123	Northern Wheatear	<i>Oenanthe oenanthe</i>						✓	
124	Black-eared Wheatear	<i>Oenanthe hispanica</i>			✓	✓	✓	✓	✓
125	Blue Rock Thrush	<i>Monticola solitarius</i>					✓	✓	✓
126	Spotted Flycatcher	<i>Muscicapa striata</i>			✓	✓	✓	✓	✓
127	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓
128	Spanish Sparrow	<i>Passer hispaniolensis</i>			✓	✓	✓	✓	✓
129	Eurasian Tree Sparrow	<i>Passer montanus</i>	✓	✓	✓	✓	✓	✓	✓
130	Black-headed Yellow Wagtail	<i>Motacilla flava feldegg</i>	✓	✓		✓			✓
131	White Wagtail	<i>Motacilla alba</i>		✓		✓	✓	✓	
132	Common Chaffinch	<i>Fringilla coelebs</i>			✓	✓	✓	✓	
133	European Serin	<i>Serinus serinus</i>			✓		✓		
134	European Greenfinch	<i>Chloris chloris</i>			✓		✓	✓	✓
135	European Goldfinch	<i>Carduelis carduelis</i>		✓	✓	✓	✓	✓	✓
136	Hawfinch	<i>Coccothraustes coccothraustes</i>			H				
137	Cirl Bunting	<i>Emberiza cirius</i>			✓	✓	✓	✓	✓
138	Black-headed Bunting	<i>Emberiza melanocephala</i>			✓	✓		✓	✓
139	Corn Bunting	<i>Emberiza calandra</i>		✓	✓	✓	✓	✓	✓

## Amphibians & Reptiles

Common Toad, *Bufo bufo*

Greek Marsh Frog, *Rana balcanica*

Hermann's Tortoise, *Testudo hermanni*

European Pond Terrapin, *Emys orbicularis*

Common Green Lizard, *Lacerta viridis*

Grass Snake, *Natrix natrix*

Horn-nosed Viper, *Vipera ammodytes*

Green Toad, *Bufo viridis*

Tree Frog, *Hyla arborea*

Spur-thighed Tortoise, *Testudo graeca*

Stripe-necked Terrapin, *Mauremys caspica*

European Glass Snake, *Ophisaurus apodus*

Dice Snake, *Natrix tessellata*

## Mammals

Eastern Hedgehog, *Erinaceus concolor*

Red Fox, *Vulpes vulpes*

## Butterflies

Scarce Swallowtail, *Iphiclides podalirius*

Swallowtail, *Papilio machaon*

Black-veined White, *Aporia crataegi*

Large White, *Pieris brassicae*

Small White, *Artogeia rapae*

Green-veined White, *Artogeia napi*

Eastern Bath White, *Pontia edusa*

Eastern Dappled White, *Euchloe ausonia*

Orange Tip, *Anthocharis cardamines*

Gruner's Orange Tip, *Anthocharis gruneri*

Clouded Yellow, *Colias crocea*

Berger's Clouded Yellow, *Colias alfacariensis*

Brimstone, *Gonopteryx rhamni*

Cleopatra, *Gonopteryx cleopatra*

Ilex Hairstreak, *Satyrium ilicis*

Small Copper, *Lycaena phlaeas*

Lang's Short-tailed Blue, *Leptotes pirithous*

Little Blue, *Cupido minimus*

Holly Blue, *Celastrina argiolus*

Common Blue, *Polyommatus icarus*

Nettle-tree Butterfly, *Libythea celtis*

Southern White Admiral, *Limenitis reducta*

Camberwell Beauty, *Nymphalis antiopa*

Large Tortoiseshell, *Nymphalis polychloros*

Small Tortoiseshell, *Aglais urticae*

Red Admiral, *Vanessa atalanta*

Painted Lady, *Vanessa cardui*

Comma Butterfly, *Polygonia c-album*

Knapweed Fritillary, *Melitaea phoebe*

Spotted Fritillary, *Melitaea didyma*

Lesser Spotted Fritillary, *Melitaea trivia*

Cardinal, *Argynnis pandora*

Queen of Spain Fritillary, *Issoria lathonia*

Marbled Fritillary, *Brenthis daphne*

Small Heath, *Coenonympha pamphilus*

Pearly Heath, *Coenonympha arcania*

Meadow Brown, *Maniola jurtina*

Wall Brown, *Lasiommata megera*

Large Wall Brown, *Lasiommata maera*

Lattice Brown, *Kirinia roxelana*

Oberthur's Grizzled Skipper, *Pyrgus armoricanus*

Mallow Skipper, *Carcharodus alceae*

Small Skipper, *Thymelicus sylvestris*

## Moths

Hummingbird Hawkmoth

## Plants

### Scientific Name

### Common Name

#### PTERIDOPHYTES

#### FERNS & ALLIES

#### **Equisetaceae**

*Equisetum arvense*

*Equisetum telmateia*

#### **Horsetail Family**

Field Horsetail

Great Horsetail

#### **Aspleniaceae**

*Asplenium onopteris*

*Asplenium trichomanes*

*Ceterach officinalis*

#### **Spleenwort Family**

Irish Spleenwort

Maidenhair Spleenwort

Rustyback

#### **Dennstaediaceae**

*Pteridium aquilinum*

#### **Bracken Family**

Bracken

#### **Dryopteridaceae**

*Dryopteris filix-mas*

*Polystichum setiferum*

#### **Buckler Fern Family**

Male Fern

Soft Shield Fern

**Scientific Name****Common Name****Polypodiaceae***Polypodium vulgare* agg**Polypody Family**

Common Polypody

**Woodsiaceae***Athyrium filix-femina**Cystopteris fragilis***Lady Fern Family**

Lady Fern

Brittle Bladder Fern

**PINOPSIDA****CONIFERS****Cupressaceae***Cupressus sempervirens**Juniperus communis**Juniperus oxycedrus* subsp. *oxycedrus***Juniper Family**

Italian Cypress

Common Juniper

Prickly Juniper

**Pinaceae***Abies x borisii-regis**Pinus brutia**Pinus nigra* agg*Pinus sylvestris***Pine Family**

Turkish Pine

Black Pine

Scots Pine

**MAGNOLIOPSIDA****FLOWERING PLANTS****Magnoliidae****Aceraceae***Acer campestre**Acer hyrcanum**Acer monspessulanum**Acer negundo**Acer platanoides***Maple Family**

Field Maple

Balkan Maple

Montpelier Maple

Box-elder

Norway Maple

**Amaranthaceae***Amaranthus albus**Amaranthus blitum**Amaranthus deflexus**Amaranthus retroflexus***Pigweed Family**

White Pigweed

Guernsey Pigweed

Perennial Pigweed

Common Amaranth

**Anacardiaceae***Cotinus coggyria**Pistacia terebinthus***Sumach Family**

Smoke-tree

Turpentine Tree

**Apiaceae***Aegopodium podagraria**Angelica sylvestris**Anthriscus caucalis**Anthriscus cerefolium**Berula erecta**Bunium ferulaceum**Chaerophyllum temulum**Conium maculatum**Daucus carota* subsp. *maximus**Eryngium campestre**Ferulago sylvatica***Carrot Family**

Ground Elder

Wild Angelica

Bur Chervil

a Chervil

Lesser Water-parsnip

Balkan Pignut

Rough Chervil

Hemlock

a Wild Carrot

Field Eryngo

a Ferulago

<b>Scientific Name</b>	<b>Common Name</b>
<i>Geocaryum capillifolium</i>	-
<i>Heracleum sphondylium</i>	Hogweed
<i>Myrrhoides nodosa</i>	-
<i>Oenanthe aquatica</i>	Fine-leaved Water Dropwort
<i>Orlaya daucoides</i>	an Orlaya
<i>Peucedanum longifolium</i>	-
<i>Peucedanum officinale</i>	Hog's Fennel
<i>Physospermum cornubiense</i>	Bladder Nut
<i>Pimpinella saxifraga</i>	Burnet Saxifrage
<i>Smyrniium perfoliata</i>	Perfoliate Alexanders
<i>Stefanoffia daucoides</i>	-
<i>Tordylium officinale</i>	-
<i>Torilis arvensis subsp. purpurea</i>	a Spreading Hedge Parsley
<i>Torilis japonica</i>	Upright Hedge Parsley
<i>Torilis nodosa</i>	Knotted Hedge Parsley
<i>Torilis ucranica</i>	
<b>Aquifoliaceae</b>	<b>Holly Family</b>
<i>Ilex aquifolium</i>	Holly
<b>Araliaceae</b>	<b>Ivy Family</b>
<i>Hedera helix</i>	Ivy
<b>Aristolochiaceae</b>	<b>Birthwort Family</b>
<i>Aristolochia clematitis</i>	Common Birthwort
<i>Aristolochia rotunda</i>	Round-leaved Birthwort
<b>Asclepiadaceae</b>	<b>Milkweed Family</b>
<i>Cynanchum acutum</i>	Stranglewort
<i>Periploca graeca</i>	Silk-vine
<i>Vincetoxicum fuscatum</i>	-
<i>Vincetoxicum speciosum</i>	-
<b>Asteraceae</b>	<b>Daisy Family</b>
<i>Achillea clypeolata</i>	a Milfoil
<i>Achillea crithmifolia</i>	a Milfoil
<i>Achillea millefolium</i>	Yarrow
<i>Achillea tomentosum</i>	a Milfoil
<i>Adenostyles alliariae</i>	Adenostyles
<i>Anthemis arvensis</i>	Corn Chamomile
<i>Anthemis cotula</i>	Stinking Mayweed
<i>Anthemis tinctoria subsp. austalis</i>	Yellow Chamomile
<i>Arctium minus</i>	Lesser Burdock
<i>Artemisia campestris</i>	Field Wormwood
<i>Artemisia scoparia</i>	-
<i>Artemisia vulgaris</i>	Mugwort
<i>Bellis perennis</i>	Daisy Family
<i>Bidens tripartita</i>	Trifid Bur-marigold
<i>Calendula arvensis</i>	Field Marigold
<i>Carduus nutans</i>	Musk Thistle
<i>Carduus pycnocephalus</i>	Plymouth Thistle
<i>Carlina vulgaris</i>	Carlina Thistle
<i>Carthamus lanatus</i>	Saffron Thistle

<b>Scientific Name</b>	<b>Common Name</b>
<i>Centaurea affinis</i>	a Knapweed
<i>Centaurea napulifera</i>	a Knapweed
<i>Centaurea solstitialis</i>	St. Barnaby's Thistle
<i>Chamaemelum nobile</i>	Chamomile
<i>Chrodrilla juncea</i>	Chrodrilla
<i>Cichorium intybus</i>	Chicory
<i>Cirsium appendiculatum</i>	-
<i>Cirsium arvense</i>	Creeping Thistle
<i>Cirsium creticum</i>	-
<i>Cirsium palustre</i>	Marsh Thistle
<i>Cirsium vulgare</i>	Spear Thistle
<i>Cnicus benedictus</i>	Blessed Thistle
<i>Conyza bonariensis</i>	Argentine Fleabane
<i>Conyza canadensis</i>	Canadian Fleabane
<i>Crepis conyzifolia</i>	-
<i>Crepis foetida</i>	Stinking Hawksbeard
<i>Crepis sancta</i>	a Hawksbeard
<i>Dittrichia viscosa</i>	Stink Aster
<i>Doronicum columnae</i>	Heart-leaved Leopard's-bane
<i>Doronicum orientale</i>	a Leopard's-bane
<i>Echinops graecus</i>	a Globe Thistle
<i>Erigeron acer</i>	Blue Fleabane
<i>Eupatorium cannabinum</i>	Hemp Agrimony
<i>Filago vulgaris</i>	Common Cudweed
<i>Hedypnois cretica</i>	Hedypnois
<i>Hieracium bauhini</i>	a Hawkweed
<i>Hieracium c.f. marchesettianum</i>	a Hawkweed
<i>Hieracium cretensis</i>	a Hawkweed
<i>Hieracium cymosum</i>	a Hawkweed
<i>Hieracium hoppeanum</i>	a Hawkweed
<i>Hieracium lactucella</i>	a Hawkweed
<i>Hieracium murorum</i>	a Hawkweed
<i>Hieracium piloselloides</i>	a Mouse-eared Hawkweed
<i>Hieracium praeleatum</i>	a Hawkweed
<i>Hieracium racemosum</i>	a Hawkweed
<i>Hieracium rechingeriorum</i>	a Hawkweed
<i>Hieracium umbellatum</i>	a Hawkweed
<i>Hieracium umbrosum</i>	a Hawkweed
<i>Inula hirta</i>	-
<i>Lactuca saligna</i>	Least Lettuce
<i>Lactuca serriola</i>	Prickly Lettuce
<i>Lactuca viminea</i>	Pliant Lettuce
<i>Lapsana communis</i>	Nipplewort
<i>Leontodon cichoraceus</i>	a Hawkbit
<i>Leontodon crispus</i>	a Hawkbit
<i>Matricaria recutita</i>	Scented Mayweed
<i>Mycelis muralis</i>	Wall Lettuce
<i>Onopordum illyricum</i>	Illyrian Scotch Thistle
<i>Onopordum tauricum</i>	-
<i>Pallenis spinosa</i>	Pallenis
<i>Picnomon acarna</i>	Picnomon
<i>Picris echioides</i>	Bristly Oxtongue
<i>Pulicaria dysenterica</i>	Fleabane

<b>Scientific Name</b>	<b>Common Name</b>
<i>Pulicaria vulgaris</i>	Small Fleabane
<i>Rhagadiolus stellatus</i>	Star Hawkbit
<i>Senecio nemorensis</i>	a Ragwort
<i>Senecio vernalis</i>	Spring Groudsel
<i>Silybum marianum</i>	Milk Thistle
<i>Solidago virgaurea</i>	Golden-rod
<i>Sonchus asper</i>	Pickly Sowthistle
<i>Tanacetum parthenium</i>	Feverfew
<i>Tanacetum vulgare</i>	Tansy
<i>Taraxacum officinale</i>	Dandelion
<i>Tragopogon dubius</i>	a Goats-beard
<i>Tragopogon porrifolius</i>	Salsify
<i>Tragopogon pratensis</i>	Goat's-beard
<i>Tussilago farfara</i>	Colt's-foot
<i>Xanthium spinosum</i>	Spiny Cocklebur
<i>Xanthium strumarium</i>	Rough Cocklebur

**Betulaceae**

<i>Alnus glutinosa</i>	Alder
<i>Carpinus betulus</i>	Hornbeam
<i>Carpinus orientalis</i>	Oriental Hornbeam
<i>Corylus avellana</i>	Hazel
<i>Ostrya carpinifolia</i>	Hop Hornbeam

**Boraginaceae**

<i>Anchusa arvensis</i>	Small Bugloss
<i>Anchusa officinalis</i>	Alkanet
<i>Cynoglossum creticum</i>	Blue Hound's-tongue
<i>Cynoglossum officinale</i>	Hound's-tongue
<i>Echium italicum</i>	Pale Bugloss
<i>Echium vulgare</i>	Viper's Bugloss
<i>Heliotropium europaeum</i>	Heliotrope
<i>Lithospermum purpureocaeruleum</i>	Purple Gromwell
<i>Myosotis incrassata</i>	-
<i>Myosotis ramosissima</i>	Early Forget-me-not
<i>Myosotis scorpioides</i>	Water Forget-me-not
<i>Myosotis sicula</i>	-
<i>Myosotis sylvatica</i>	Wood Forget-me-not
<i>Neatostema apulum</i>	Yellow Gromwell
<i>Onosma taurica</i>	Golden Drops
<i>Pulmonaria mollis</i>	a Lungwort
<i>Symphytum bulbosum</i>	Bulbous Comfrey
<i>Symphytum ottomanum</i>	a Comfrey

**Brassicaceae**

<i>Alliaria petiolata</i>	Garlic Mustard
<i>Alyssum minus</i>	an Alyssum
<i>Alyssum muralis</i>	an Alyssum
<i>Alyssum turkestanicum</i>	an Alyssum
<i>Arabidopsis thaliana</i>	Thale Cress
<i>Arabis laxa</i>	-
<i>Arabis sagittata</i>	-
<i>Arabis turrita</i>	Towercress

**Birch Family****Borage Family****Cabbage Family**

<b>Scientific Name</b>	<b>Common Name</b>
<i>Aurinia saxatilis</i>	Basket of Gold
<i>Barbarea sicula</i>	a Wintercress
<i>Berteroa obliqua</i>	an Alison
<i>Calepina irregularis</i>	White Ball Mustard
<i>Capsella bursa-pastoris</i>	Shepherd's Purse
<i>Cardamine bulbifera</i>	Coral-root Bitter-cress
<i>Cardamine graeca</i>	-
<i>Cardamine hirsuta</i>	Hairy Bitter-cress
<i>Clypeola jonthlaspi</i>	Clypeola
<i>Draba muralis</i>	Wall Whitlow-grass
<i>Erysimum cuspidatum</i>	a Treacle Mustard
<i>Erysimum diffusum</i>	a Treacle Mustard
<i>Erysimum drenowski</i>	a Treacle Mustard
<i>Hesperis sylvestris</i>	-
<i>Lepidium ruderales</i>	Narrow-leaved Pepperwort
<i>Lunaria annua subsp. pachyrhiza</i>	Honesty
<i>Moricandia arvensis</i>	Moricandia
<i>Raphanus raphanistrum</i>	Wild Raddish
<i>Rorippa amphibia</i>	Great Yellow-cress
<i>Rorippa nasturtium-aquaticum</i>	Watercress
<i>Rorippa prolifera</i>	-
<i>Rorippa sylvestris</i>	Creeping Yellow-cress
<i>Rorippa thracica</i>	-
<i>Sinapis alba</i>	White Mustard
<i>Sinapis arvensis</i>	Charlock
<i>Sisymbrium irio</i>	London Rocket
<i>Sisymbrium officinale</i>	Hedge Mustard
<i>Sisymbrium orientale</i>	Eastern Rocket
<b>Callitrichaceae</b>	<b>Water-starwort Family</b>
<i>Callitriche obtusangula</i>	Blunt-fruited Water-starwort
<b>Campanulaceae</b>	<b>Bellflower Family</b>
<i>Campanula anchusiflora</i>	
<i>Campanula glomerata</i>	Clustered Bellflower
<i>Campanula persicifolia</i>	Peach-leaved Bellflower
<i>Campanula ramosissima</i>	-
<i>Campanula rotundifolia</i>	Harebell
<i>Campanula sparsa</i>	-
<i>Campanula spathulata</i>	-
<i>Campanula trachelium</i>	Nettle-leaved Bellflower
<i>Campanula velebica</i>	-
<i>Legousia speculum-veneris</i>	Large Venus's Looking-glass
<b>Cannabaceae</b>	<b>Hop Family</b>
<i>Cannabis sativa</i>	Cannabis
<i>Humulus lupulus</i>	Hop
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>
<i>Lonicera caprifolium</i>	Perfoliate Honeysuckle
<i>Lonicera etrusca</i>	Etruscan Honeysuckle
<i>Lonicera implexa</i>	-
<i>Sambucus ebulus</i>	Dwarf Elder

<b>Scientific Name</b>	<b>Common Name</b>
<i>Sambucus nigra</i>	Elderberry
<b>Caryophyllaceae</b>	<b>Pink Family</b>
<i>Arenaria serpyllifolia</i> subsp. <i>leptoclados</i>	Thyme-leaved Sandwort
<i>Cerastium brachypetalum</i>	Grey Mouse-ear
<i>Cerastium decalvens</i>	-
<i>Cerastium glomeratum</i>	Sticky Mouse-ear
<i>Cerastium pumilum</i>	Dwarf Mouse-ear
<i>Cerastium semidecandrum</i>	Little Mouse-ear
<i>Dianthus carthusianorum</i>	Carthusian Pink
<i>Dianthus cruentus</i>	-
<i>Dianthus deltoides</i>	Maiden Pink
<i>Dianthus pretraeus</i> subsp. <i>orbelicus</i>	-
<i>Kohlruschia glumacea</i>	-
<i>Minuartia saxifraga</i>	-
<i>Moehringia trinervia</i>	Three-nerved Sandwort
<i>Moenchia mantica</i>	-
<i>Petrorhagia illyrica</i>	-
<i>Petrorhagia obcordata</i>	-
<i>Petrorhagia prolifera</i>	Proliferous Pink
<i>Petrorhagia velutina</i>	-
<i>Saponaria officinalis</i>	Soapwort
<i>Silene asterias</i>	-
<i>Silene atropurpurea</i>	-
<i>Silene compacta</i>	-
<i>Silene conica</i>	Sand Catchfly
<i>Silene coronaria</i>	-
<i>Silene italica</i>	Italian Catchfly
<i>Silene latifolia</i>	White Campion
<i>Silene roemerii</i>	-
<i>Silene saxifraga</i>	-
<i>Silene viridiflora</i>	-
<i>Silene vulgaris</i>	Bladder Campion
<i>Silene waldsteinii</i>	-
<i>Stellaria aquatica</i>	-
<i>Stellaria graminea</i>	Lesser Stitchwort
<i>Stellaria media</i>	Chickweed
<i>Stellaria nemorum</i>	Wood Stitchwort
<b>Celastraceae</b>	<b>Spindle Family</b>
<i>Euonymus europaeus</i>	Spindle Tree
<b>Ceratophyllaceae</b>	<b>Hornwort Family</b>
<i>Ceratophyllum demersum</i>	Rigid Hornwort
<i>Ceratophyllum submersum</i>	Soft Hornwort
<b>Chenopodiaceae</b>	<b>Goosefoot Family</b>
<i>Atriplex prostrata</i>	Spear-leaved Orache
<i>Chenopodium album</i>	Fat Hen
<i>Chenopodium botrys</i>	Sticky Goosefoot
<i>Chenopodium murale</i>	Nettle-leaved Goosefoot
<i>Salsola kali</i>	Prickly Saltwort



<b>Scientific Name</b>	<b>Common Name</b>
<b>Cistaceae</b>	
<i>Cistus creticus</i>	-
<i>Cistus incanus</i>	-
<i>Cistus monspeliensis</i>	Narrow-leaved Cistus
<i>Fumana parviflora</i>	-
<i>Fumana thymifolia</i>	Thyme-leaved Fumana
<b>Clusiaceae</b>	
<i>Hypericum maculatum</i>	Imperforate St. John's-wort
<i>Hypericum monbretii</i>	
<i>Hypericum perforatum</i>	Perforate St. John's-wort
<b>Convolvulaceae</b>	
<i>Calystegia sepium</i>	Hedge Bindweed
<i>Calystegia silvatica</i>	Large Bindweed
<i>Convolvulus althaeoides</i>	Mallow-leaved Bindweed
<i>Convolvulus arvensis</i>	Field Bindweed
<i>Convolvulus boissieri</i>	-
<i>Cuscuta epithymum</i>	Dodder
<b>Cornaceae</b>	
<i>Cornus mas</i>	Cornelian Cherry
<i>Cornus sanguinea</i>	Dogwood
<b>Crassulaceae</b>	
<i>Sedum capaea</i>	-
<i>Sedum hispanicum</i>	-
<i>Sepervivum heuffelii</i>	-
<i>Sempervivum marmoreum</i>	-
<i>Umbilicus luteus</i>	-
<i>Umbilicus rupestris</i>	Navelwort
<b>Dipsacaceae</b>	
<i>Dipsacus fullonum</i>	Teasel
<i>Knautia ambigua</i>	-
<i>Knautia arvensis</i>	Field Scabious
<i>Knautia macedonica</i>	-
<b>Euphorbiaceae</b>	
<i>Euphorbia amygdaloides</i>	Wood Spurge
<i>Euphorbia barrelieri</i>	-
<i>Euphorbia cyparissias</i>	Cypress Spurge
<i>Euphorbia epithymoides</i>	-
<i>Euphorbia helioscopia</i>	Sun Spurge
<i>Euphorbia myrsinites</i>	Broad-leaved Glaucous Spurge
<i>Euphorbia taurinensis</i>	-
<i>Euphorbia villosa</i>	-
<b>Fabaceae</b>	
<i>Amorpha fruticosa</i>	Desert False Indigo
<i>Anthyllis hermanniae</i>	a Kidney Vetch
<i>Astragalus glycyphyllos</i>	Wild Liquorice
<i>Astragalus monspessulanus</i>	False Vetch

<b>Scientific Name</b>	<b>Common Name</b>
<i>Calicotome villosa</i>	Hairy Thorny Broom
<i>Chamaecytisus hirsutus</i>	Hairy Broom
<i>Chamaecytisus supinus</i>	a Broom
<i>Chamaecytisus triflorus</i>	a Broom
<i>Colutea arborescens</i>	Bladder Senna
<i>Dorycnium herbaceum</i>	-
<i>Dorycnium pentaphyllum</i>	-
<i>Galega officinalis</i>	Goat's Rue
<i>Genista carinalis</i>	-
<i>Genista tinctoria</i>	Dyer's Greenweed
<i>Gleditsia triacanthos</i>	Honey Locust
<i>Hippocrepis emerus</i>	False Senna
<i>Lathyrus aphaca</i>	Yellow Vetchling
<i>Lathyrus laxiflorus</i>	-
<i>Lathyrus niger</i>	Black Pea
<i>Lathyrus nissolia</i>	Grass Vetchling
<i>Lathyrus pratensis</i>	Meadow Vetchling
<i>Lathyrus sphaericus</i>	-
<i>Lathyrus venetus</i>	-
<i>Lotus corniculatus</i>	Bird's-foot Trefoil
<i>Lotus glaber</i>	Narrow-leaved Bird's-foot trefoil
<i>Medicago arabica</i>	Spotted Medick
<i>Medicago lupulina</i>	Black Medick
<i>Medicago minima</i>	Bur Medick
<i>Medicago polymorpha</i>	Toothed Medick
<i>Medicago rigidula</i>	-
<i>Melilotus albus</i>	White Melilot
<i>Melilotus indicus</i>	Small Melilot
<i>Melilotus officinalis</i>	Ribbed Melilot
<i>Onobrychis gracilis</i>	a Sainfoin
<i>Ononis spinosa</i>	Spiny Restharrow
<i>Ornithopus compressus</i>	Compressed Bird's-foot
<i>Pisum sativum</i>	Wild Pea
<i>Robinia pseudacacia</i>	False Acacia
<i>Spartium junceum</i>	Spanish Broom
<i>Trifolium apestre</i>	Mountain Zig-zag Clover
<i>Trifolium angustifolium</i>	Narrow-leaved Clover
<i>Trifolium arvense</i>	Hare's-foot Clover
<i>Trifolium campestre</i>	Hop Trefoil
<i>Trifolium fragiferum</i>	Strawberry Clover
<i>Trifolium hirtum</i>	Hairy Trefoil
<i>Trifolium nigrescens</i>	-
<i>Trifolium ochroleucon</i>	Sulphur Clover
<i>Trifolium patens</i>	-
<i>Trifolium pignanii</i>	-
<i>Trifolium purpureum</i>	-
<i>Trifolium repens</i>	White Clover
<i>Trifolium sebastianii</i>	-
<i>Trifolium striatum</i>	Soft Clover
<i>Trifolium subterraneum</i>	Burrowing Clover
<i>Vicia cassubica</i>	-
<i>Vicia grandiflora</i>	-
<i>Vicia hirsuta</i>	Hairy Tare

<b>Scientific Name</b>	<b>Common Name</b>
<i>Vicia lathyroides</i>	Spring Vetch
<i>Vicia tenuifolia</i>	Fine-leaved Vetch
<i>Vicia tetrasperma</i>	Smooth Tare
<i>Vicia villosa</i>	Fodder vetch
<b>Fagaceae</b>	<b>Beech Family</b>
<i>Castanea sativa</i>	Sweet Chestnut
<i>Fagus sylvatica</i>	Beech
<i>Quercus cerris</i>	Turkey Oak
<i>Quercus coccifera</i>	Kermes Oak
<i>Quercus conferta</i>	
<i>Quercus frainetto</i>	Hungarian Oak
<i>Quercus ilex</i>	Holm Oak
<i>Quercus petraea</i>	Sessile Oak
<i>Quercus pubescens</i>	Downy Oak
<b>Fumariaceae</b>	<b>Fumitory Family</b>
<i>Corydalis solida</i>	Bird-in-bush
<i>Fumaria capreolata</i>	White Ramping Fumitory
<i>Pseudofumaria alba</i>	Pale Corydalis
<b>Gentianaceae</b>	<b>Gentian family</b>
<i>Centaurium erythraea</i>	Common Centaury
<i>Centaurium socatum</i>	-
<i>Gentiana verna subsp. balcanica</i>	Spring Gentian
<b>Geraniaceae</b>	<b>Geranium family</b>
<i>Erodium cicutarium</i>	Common Stork's-bill
<i>Erodium malacoides</i>	Mallow-leaved Stork's-bill
<i>Geranium columbinum</i>	Long-stalked Crane's-bill
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill
<i>Geranium lucidum</i>	Shining Crane's-bill
<i>Geranium macrorrhizum</i>	Rock Crane's-bill
<i>Geranium molle</i>	Dove's-foot Cranes's-bill
<i>Geranium robertianum</i>	Herb Robert
<i>Geranium rotundifolium</i>	Round-leaved Crane's-bill
<i>Geranium sanguineum</i>	Bloody Crane's-bill
<b>Haloragaceae</b>	<b>Water Milfoil Family</b>
<i>Myriophyllum spicatum</i>	Spiked Water Milfoil
<i>Myriophyllum verticillatum</i>	Whorled Water Milfoil
<b>Juglandaceae</b>	<b>Walnut Family</b>
<i>Juglans regia</i>	Walnut
<b>Lamiaceae</b>	<b>Dead-nettle Family</b>
<i>Ajuga genevensis</i>	Blue Bugle
<i>Ajuga reptans</i>	Bugle
<i>Ballota nigra</i>	Black Horehound
<i>Calamintha sylvatica</i>	Wood Calamint
<i>Clinopodium vulgare</i>	Wild Basil
<i>Glechoma hirsuta</i>	-
<i>Lamiastrum galeobdolon</i>	Yellow Archangel

<b>Scientific Name</b>	<b>Common Name</b>
<i>Lamium amplexicaule</i>	Henbit
<i>Lamium maculatum</i>	Spotted Dead-nettle
<i>Leonurus cardiaca</i>	Motherwort
<i>Lycopus europaeus</i>	Gipsywort
<i>Lycopus exaltus</i>	-
<i>Marrubium peregrinum</i>	Branched Horehound
<i>Melissa officinalis</i>	Balm
<i>Melittis melissophyllum</i>	Bastard Balm
<i>Mentha aquatica</i>	Water Mint
<i>Mentha longifolia</i>	Horse Mint
<i>Mentha microphylla</i>	-
<i>Mentha pulegium</i>	Penny-royal
<i>Mentha spicata</i>	Spearmint
<i>Micromeria juliana</i>	-
<i>Origanum vulgare</i>	Marjoram
<i>Prunella laciniata</i>	Cut-leaved Selfheal
<i>Prunella vulgaris</i>	Selfheal
<i>Salvia argentea</i>	Silver Sage
<i>Salvia glutinosa</i>	Jupiter's Distaff
<i>Salvia sclarea</i>	Clary
<i>Satureja menthifolia</i>	a Savory
<i>Satureja meridionalis</i>	a Savory
<i>Scutellaria columne</i>	Large Skullcap
<i>Stachys cassia</i>	-
<i>Stachys cretica</i>	Mediterranean Woundwort
<i>Stachys officinalis</i>	Betony
<i>Stachys palustris</i>	Marsh Woundwort
<i>Stachys plumosa</i>	-
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Teucrium capitatum</i>	-
<i>Teucrium chamaedrys</i>	Wall Germander
<i>Teucrium polium</i>	Felty Germander
<i>Thymus degenii</i>	-
<i>Thymus longicaulis</i>	-
<i>Thymus pulegioides</i>	Large Thyme
<i>Thymus sibthorpii</i>	-
<i>Thymus thracicus</i>	-
<b>Lentibulariaceae</b>	<b>Bladderwort Family</b>
<i>Utricularia vulgaris</i>	Greater Bladderwort
<b>Lythraceae</b>	<b>Loosestrife Family</b>
<i>Lythrum salicaria</i>	Purple Loosestrife
<i>Trapa natans</i>	Water Chestnut
<b>Malvaceae</b>	<b>Mallow family</b>
<i>Abutilon theophrasti</i>	Velvetleaf
<i>Alcea pallida</i>	Eastern Hollyhock
<i>Althaea officinalis</i>	Marsh Mallow
<i>Malva sylvestris</i>	Common Mallow
<b>Menyanthaceae</b>	<b>Bogbean family</b>
<i>Nymphoides peltata</i>	Fringed Water-lily

<b>Scientific Name</b>	<b>Common Name</b>
<b>Moraceae</b>	<b>Mulberry Family</b>
<i>Ficus carica</i>	Fig
<i>Morus alba</i>	White Mulberry
<b>Nymphaeaceae</b>	<b>Water-lily Family</b>
<i>Nymphaea alba</i>	White Water-lily
<b>Oleaceae</b>	<b>Olive Family</b>
<i>Fraxinus ornus</i>	Flowering Ash
<i>Jasminum fruticans</i>	Wild Jasmine
<i>Ligustrum vulgare</i>	Privet
<i>Phillyrea latifolia</i>	Phillyrea
<b>Onagraceae</b>	<b>Willow-herb Family</b>
<i>Circaea lutetiana</i>	Enchanter's Nightshade
<i>Chamerion angustifolium</i>	Rosebay Willow-herb
<i>Epilobium hirsutum</i>	Great Willow-herb
<i>Epilobium lanceolatum</i>	Spear-leaved Willow-herb
<i>Epilobium tetragonum</i>	Square-stalked Willow-herb
<i>Ludwigia palustris</i>	Hampshire-purslane
<b>Oxalidaceae</b>	<b>Wood-sorrel Family</b>
<i>Oxalis acetosella</i>	Wood-sorrel
<b>Papaveraceae</b>	<b>Poppy Family</b>
<i>Chelidonium majus</i>	Greater Celandine
<i>Hypericum imberbe</i>	-
<i>Papaver rhoeas</i>	Common Poppy
<b>Phytolaccaceae</b>	<b>Pokeweed Family</b>
<i>Phytolacca americana</i>	Virginian Pokeweed
<b>Plantaginaceae</b>	<b>Plantain Family</b>
<i>Plantago arenaria</i>	Branched Plantain
<i>Plantago coronopus</i>	Buck's-horn Plantain
<i>plantago lagopus</i>	Hare's-tail Plantain
<i>Plantago lanceolata</i>	Ribwort Plantain
<i>Plantago major</i>	Greater Plantain
<b>Platanaceae</b>	<b>Plane Tree Family</b>
<i>Platanus orientalis</i>	Oriental Plane
<b>Polygalaceae</b>	<b>Milkwort Family</b>
<i>Polygala nicaeensis</i>	Nice Milkwort
<b>Polygonaceae</b>	<b>Knotweed Family</b>
<i>Fallopia convolvulus</i>	Black Bindweed
<i>Persicaria amphibia</i>	Amphibious Bistort
<i>Persicaria hydropiper</i>	Water-pepper
<i>Persicaria lapathifolia</i>	Pale Persicaria
<i>Persicaria maculosa</i>	Redshank
<i>Persicaria mitis</i>	Tasteless Water-pepper
<i>Polygonum arenarium</i>	Lesser Red-knotgrass

<b>Scientific Name</b>	<b>Common Name</b>
<i>Polygonum aviculare</i>	Knotgrass
<i>Rumex acetosella</i>	Sheep's Sorrel
<i>Rumex conglomeratus</i>	Clustered Dock
<i>Rumex crispus</i>	Curled Dock
<i>Rumex palustris</i>	Marsh Dock
<i>Rumex pulcher</i>	Fiddle Dock
<i>Rumex sanguineus</i>	Wood Dock
<b>Portulacaceae</b>	<b>Blinks Family</b>
<i>Portulaca oleracea</i>	Purslane
<b>Primulaceae</b>	<b>Primrose Family</b>
<i>Cyclamen hederifolium</i>	Ivy-leaved Cyclamen
<i>Lysimachia nummularia</i>	Creeping Jenny
<i>Lysimachia punctata</i>	Dotted Loosestrife
<i>Primula acaulis</i>	-
<i>Primula veris</i>	Cowslip
<i>Primula vulgaris</i>	Primrose
<b>Pyrolaceae</b>	<b>Wintergreen Family</b>
<i>Monotropa hypopitys</i>	Yellow Bird's-nest
<b>Ranunculaceae</b>	<b>Buttercup Family</b>
<i>Anemone blanda</i>	Balkan Anemone
<i>Anemone hortensis</i>	-
<i>Anemone nemorosa</i>	Wood Anemone
<i>Anemone pavonina</i>	Peacock Anemone
<i>Anemone ranunculoides</i>	Yellow Anemone
<i>Clematis flammula</i>	Fragrant Clematis
<i>Clematis vitalba</i>	Traveller's Joy
<i>Helleborus odoratus</i> subsp. <i>cyclophyllus</i>	-
<i>Myosurus minimus</i>	Mousetail
<i>Nigella damascena</i>	Love-in-a-Mist
<i>Ranunculuschius</i>	-
<i>Ranunculus ficaria</i> subsp. <i>ficariformis</i>	Lesser Celendine
<i>Ranunculus muricatus</i>	Rough-fruited Buttercup
<i>Ranunculus neapolitanus</i>	-
<i>Ranunculus pencillatus</i>	Stream Water-crowfoot
<i>Ranunculus repens</i>	Creeping Buttercup
<i>Ranunculus sardous</i>	Hairy Buttercup
<i>Ranunculus sceleratus</i>	Celery-leaved Buttercup
<i>Ranunculus trichophyllus</i>	Thread-leaved Water-crowfoot
<i>Thalictrum aquilegifolium</i>	Greater Meadow Rue
<b>Resedaceae</b>	<b>Mignonette Family</b>
<i>Reseda lutea</i>	Wild Mignonette
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>
<i>Paliuris spina-christi</i>	Christ's Thorn
<b>Roseaceae</b>	<b>Rose Family</b>
<i>Agrimonia eupatoria</i>	Agrimony
<i>Alchemilla cinerea</i>	a Lady's-mantle

<b>Scientific Name</b>	<b>Common Name</b>
<i>Aremonia agrimonioides</i>	Bastard Agrimony
<i>Crataegus monogyna</i>	Hawthorn
<i>Filipendula vulgaris</i>	Dropwort
<i>Fragaria vesca</i>	Wild Strawberry
<i>Geum rivale</i>	Water Avens
<i>Geum urbanum</i>	Herb Bennet
<i>Malus sylvestris</i>	Crab Apple
<i>Potentilla argentea</i>	Hoary Cinquefoil
<i>Potentilla micrantha</i>	-
<i>Potentilla recta</i>	Sulphur Cinquefoil
<i>Potentilla reptans</i>	Creeping Cinquefoil
<i>Prunus avium</i>	Wild Cherry
<i>Prunus cerasifera</i>	Cherry-plum
<i>Prunus domestica</i>	Bullace
<i>Prunus spinosa</i>	Blackthorn
<i>Pyrus amygdaliformis</i>	Almond-leaved Pear
<i>Pyrus communis</i>	Pear
<i>Pyrus pyraster</i>	Wild Pear
<i>Rosa arvensis</i>	Field Rose
<i>Rosa canina</i>	Dog Rose
<i>Rosa gallica</i>	Red Rose of Lancaster
<i>Rubus caesius</i>	Dewberry
<i>Rubus candicans</i>	-
<i>Rubus canescens</i>	-
<i>Rubus fruticosus</i> agg.	Bramble
<i>Rubus hirtus</i>	-
<i>Rubus sanctus</i>	-
<i>Rubus saxatilis</i>	Stone Bramble
<i>Rubus ulmifolius</i>	-
<i>Sanguisorba minor</i>	Salad Burnet
<i>Sorbus domestica</i>	Service Tree
<i>Sorbus torminalis</i>	Wild Service Tree
<b>Rubiaceae</b>	<b>Bedstraw Family</b>
<i>Asperula aristata</i> subsp. <i>condensata</i>	-
<i>Cruciata laevipes</i>	Crosswort
<i>Cruciata pedimontana</i>	-
<i>Galium aparine</i>	Cleavers
<i>Galium divaricatum</i>	-
<i>Galium exaltatum</i>	-
<i>Galium hellenicum</i>	-
<i>Galium odoratum</i>	Woodruff
<i>Galium palustre</i>	Marsh Bedstraw
<i>Galium pseudaristatum</i>	-
<i>Galium pycnotrichium</i>	-
<i>Galium verum</i>	Lady's Bedstraw
<i>Sherardia arvensis</i>	Field Madder
<b>Salicaceae</b>	<b>Willow Family</b>
<i>Populus alba</i>	White Poplar
<i>Populus nigra</i>	Black Poplar
<i>Populus tremula</i>	Aspen
<i>Populus x canadensis</i>	Italian Black Poplar

<b>Scientific Name</b>	<b>Common Name</b>
<i>Salix alba</i>	White Willow
<i>Salix amplexicaulis</i>	-
<i>Salix babylonica</i>	Weeping Willow
<i>Salix caprea</i>	Goat Willow
<i>Salix cinerea</i>	Grey Willow
<i>Salix fragilis</i>	Crack Willow
<i>Salix purpurea</i>	Purple Willow
<i>Salix triandra</i>	Almond Willow
<b>Saxifragaceae</b>	<b>Saxifrage Family</b>
<i>Saxifraga bulbifera</i>	Bulbous Saxifrage
<i>Saxifraga carpetana subsp. graeca</i>	
<i>Saxifraga rotundifolia</i>	Round-leaved Saxifrage
<i>Saxifraga stellaris</i>	Starry Saxifrage
<b>Scrophulariaceae</b>	<b>Figwort Family</b>
<i>Digitalis ferruginea</i>	Rusty Foxglove
<i>Digitalis grandiflora</i>	Yellow Foxglove
<i>Digitalis lanata</i>	Grecian Foxglove
<i>Digitalis lutea</i>	Straw Foxglove
<i>Digitalis viridiflora</i>	Green-flowered Foxglove
<i>Linaria genistifolia</i>	-
<i>Linaria pelisseriana</i>	Jersey Toadflax
<i>Linaria vulgaris</i>	Common Toadflax
<i>Parentucellia latifolia</i>	-
<i>Pedicularis brachyodonta</i>	a Lousewort
<i>Scrophularia aestivalis</i>	-
<i>Scrophularia nodosa</i>	Figwort
<i>Scrophularia scopoli</i>	Italian Figwort
<i>Verbascum blattaria</i>	Moth Mullein
<i>Verbascum densiflora</i>	Dense-flowered Mullein
<i>Verbascum graecum</i>	a Mullein
<i>Verbascum longifolium</i>	a Mullein
<i>Verbascum nigrum</i>	Dark Mullein
<i>Verbascum phlomoides</i>	Orange Mullein
<i>Verbascum phoeniceum</i>	Purple Mullein
<i>Verbascum pulverulentum</i>	Hoary Mullein
<i>Verbascum sinuatum</i>	a Mullein
<i>Verbascum thapsus</i>	Aaron's Rod
<i>Veronica anagallis-aquatica</i>	Blue Water Speedwell
<i>Veronica arvensis</i>	Wall Speedwell
<i>Veronica beccabunga</i>	Brooklime
<i>Veronica chamaedrys</i>	Germander Speedwell
<i>Veronica hederifolia</i>	Ivy-leaved Speedwell
<i>Veronica spicata</i>	Spiked Speedwell
<i>Veronica verna</i>	Spring Speedwell
<b>Solanaceae</b>	<b>Nightshade Family</b>
<i>Atropa bella-donna</i>	Deadly Nightshade
<i>Datura metel</i>	-
<i>Datura stramonium</i>	Thorn-apple
<i>Physalis alkekengi</i>	Chinese Lantern
<i>Solanum dulcamara</i>	Bittersweet



<b>Scientific Name</b>	<b>Common Name</b>
<i>Solanum elaeagnifolium</i>	-
<i>Solanum nigrum</i>	Black Nightshade
<b>Tamaricaceae</b>	<b>Tamarisk Family</b>
<i>Tamarix parviflora</i>	
<i>Tamarix smyrnensis</i>	
<b>Tiliaceae</b>	<b>Lime Tree Family</b>
<i>Tilia tomentosa</i>	Silver Lime
<b>Ulmaceae</b>	<b>Elm Family</b>
<i>Celtis australis</i>	Nettle Tree
<i>Ulmus minor</i>	Small-leaved Elm
<i>Ulmus procera</i>	English Elm
<b>Urticaceae</b>	<b>Nettle Family</b>
<i>Parietaria officinalis</i>	Large Pellitory of the Wall
<i>Urtica dioica</i>	Common Nettle
<i>Urtica pilulifera</i>	Roman Nettle
<i>Urtica urens</i>	Small Nettle
<b>Valerianaceae</b>	<b>Valerian Family</b>
<i>Valeriana italica</i>	-
<i>Vanerienella locusta</i>	Common Cornsalad
<i>Valerianella pumila</i>	-
<b>Verbenaceae</b>	<b>Vervain Family</b>
<i>Verbena officinalis</i>	Vervain
<i>Vitex agnus-castus</i>	Chaste Tree
<b>Violaceae</b>	<b>Violet Family</b>
<i>Viola alba</i> subsp. <i>dehnhardtii</i>	
<i>Viola arvensis</i>	Field Pansy
<i>Viola canina</i>	Heath Dog Violet
<i>Viola hirta</i>	Hairy Violet
<i>Viola odorata</i>	Sweet Vioolet
<i>Viola reichenbachiana</i>	Early Dog Violet
<i>Viola stojanowii</i>	-
<i>Viola tricolor</i> agg.	Heartsease
<b>Vitaceae</b>	<b>Grape-vine Family</b>
<i>Vitis vinifera</i> subsp. <i>sylvestris</i>	Grape-vine

**Liliidae**

<b>Araceae</b>	<b>Arum family</b>
<i>Arum italicum</i> subsp. <i>italicum</i>	Italian Arum
<i>Arum maculatum</i>	Lords and Ladies
<i>Dracunculus vulgaris</i>	Dragon Arum
<b>Butomaceae</b>	<b>Flowering Rush family</b>
<i>Butomus umbellatus</i>	Flowering Rush

<b>Scientific Name</b>	<b>Common Name</b>
<b>Dioscoreaceae</b> <i>Tamus communis</i>	<b>Yam Family</b> Black Bryony
<b>Hydrocharitaceae</b> <i>Hydrocharis morsus-ranae</i>	<b>Frogbit Family</b> Frogbit
<b>Iridaceae</b> <i>Crocus chrysanthus</i> <i>Crocus flavus</i> <i>Crocus pulchellus</i> <i>Gladiolus sp.</i> <i>Iris pseudacorus</i> <i>Iris pseudopumila</i>	<b>Iris family</b> Golden Crocus Dutch Yellow Crocus Hairy Crocus a Gladiolus Yellow Flag An Iris
<b>Lemnaceae</b> <i>Lemna gibba</i> <i>Lemna minor</i> <i>Spirodela polyrhiza</i>	<b>Duckweed Family</b> Fat Duckweed Lesser Duckweed Great Duckweed
<b>Liliaceae</b> <i>Allium sphaerocephalon</i> <i>Allium ursinum</i> <i>Asparagus acutifolius</i> <i>Asphodeline lutea</i> <i>Asphodelus aestivus</i> <i>Colchicum autumnale</i> <i>Fritillaria messanensis subsp. gracilis</i> <i>Fritillaria pontica</i> <i>Gagea pratensis</i> <i>Lilium albanicum</i> <i>Lilium martagon</i> <i>Muscari comosum</i> <i>Ornithogalum boucheanum</i> <i>Ornithogalum montanum</i> <i>Ornithogalum nutans</i> <i>Ornithogalum orthophyllum</i> <i>Polygonatum latifolium</i> <i>Polygonatum odoratum</i> <i>Ruscus aculeatus</i> <i>Scilla nivalis</i>	<b>Lily Family</b> Round-headed Leek Ramsons Prickly Asparagus Yellow Asphodel Common Asphodel Autumn Crocus - - a Yellow Star of Bethlehem - Martagon Lily Tassel Hyacinth - - Drooping Star of Bethlehem - Broad-leaved Solomon's Seal Angular Solomon's Seal Butcher's Broom -
<b>Najadaceae</b> <i>Najas gracillima</i> <i>Najas minor</i>	<b>Naiad Family</b> - Lesser Naiad
<b>Orchidaceae</b> <i>Anacamptis pyramidalis</i> <i>Cephalanthera longifolia</i> <i>Cephalanthera rubra</i> <i>Dactylorhiza sulphurea</i> <i>Epipactis atrorubens</i> <i>Himantoglossum caprinum</i> <i>Neottia ovata</i>	<b>Orchid Family</b> Pyramidal Orchid Sword-leaved Helleborine Red Helleborine  Dark Red Helleborine a Lizard Orchid Twayblade

**Scientific Name****Common Name***Neottia nidus-avis*

Bird's-nest Orchid

*Ophrys mammosa**Ophrys sphegodes*

Early Spider Orchid

*Orchis morio*

Green-winged Orchid

*Orchis papilionacea*

Pink Butterfly Orchid

*Orchis purpurea*

Lady Orchid

*Orchis ustulata*

Burnt Orchid

*Platanthera chlorantha*

Greater Butterfly Orchid

*Serapias vomeracea*

Ploughshare Tongue Orchid

**Potamogetonaceae****Pondweed Family***Potamogeton crispus*

Curled Pondweed

*Potamogeton gramineus*

Various-leaved Pondweed

*Potamogeton nodosus*

Loddon Pondweed

*Potamogeton pectinatus*

Fennel Pondweed

*Potamogeton perfoliatus*

Perfoliate Pondweed

**Zannichelliaceae****Horned Pondweed Family***Zannichellia palustris*

Horned Pondweed