

Guyana - A Timeless Paradise

Naturetrek Tour Report

15 - 31 March 2006



Giant River Otter

Image courtesy of Peter Price

Report compiled by Peter Dunn



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour leaders: Peter Dunn (Naturetrek)
Xavier Muñoz (local guide)

Tour participants: Malcolm Peaker
Stephanie Peaker
Chris Farman
Mandy Farman
David Cornner
Peter Jenkins
Fiona Grant
David Spilsbury
Brian Moorhead
Eileen Turnham-Jones
Ruth James

Day 1

Wednesday 15th March

We all gathered at Gatwick in good time to do last minute shopping before boarding our Virgin flight to Barbados which left on time. The flight was very comfortable with a half full plane and with the advantage of in-flight movies and meals we were soon in Grantley Adams Airport in Barbados sampling our first stint of Caribbean birding. Around the perimeter of the airport we saw Eared Doves, Shiny Cowbirds and Carib Crackles in good numbers and a strange little finch which was later identified as lesser Antillean Bullfinch. The connection flight was a four hour wait but the BWIA stage of the journey only took one hour and the doors of the aircraft opened at Ogle International to a warm blast of air even in the darkness. The journey to our first accommodation at Cara Lodge took an hour and we settled down to a delicious al-a-carte meal before much needed sleep.

Day 2

Thursday 16th March

A few early risers were starting the Guyanan list with the grounds of the hotel, with Yellow-bellied Elaenia, Fork-tailed Woodnymph and Social Flycatcher being amongst the first to be seen. Following breakfast we transferred to the local airport for our flight to Kaieteur Falls. The group was split into two small Islander planes and we were soon heading south-east over expanses of rain forest as far as the eye could see. The forest cover was only broken by the huge Demerara and Essequibo rivers and the occasional gold or diamond mine. Skillfully weaving between the clouds the pilot took the plane up the ravine to the approach of the falls and suddenly the splendor of the worlds highest single-drop falls was in front of us. We made two passes of the falls enabling photos from both the left and right sides of the plane before landing on the flat topped plateau which inspired Conan-Doyle's Lost Planet.

Cheeco our guide lead us past the huge giant bromeliads which held the famous Golden Frogs that spends all its life in the micro habitat, before heading into the jungle. Virtually the first birds were a pair of magnificent Red and Green Macaws which flew noisily before us then began feeding in the fruiting trees. However these were overshadowed by an excellent male Guianan Cock of the Rock, voted by most as the bird of the day. Our first viewpoint was splendid as the brown waters cascaded over the lip of the falls and descended 822 feet into the

gorge forming clouds of spray. Over us were clouds of White-chinned Swifts with the occasional huge White-collared Swift above them and a marauding Bat Falcon scattering the flocks. We then headed to another view point for more photos. After all this excitement we made our way back to the airfield for a delightful lunch of pasta, chicken, fish and 'banana fizzy pot'!

After lunch we took to the skies again for our flight back to Ogle international Airport where we transferred by taxi to Sand Hills pier and a slow boat along the Pokerero Creek to Timberhead Resort on the edge of the lowland forest. There were some memorable sights from the boat with both Green and Green and Rufous Kingfishers sighted, a White-browed Purple Tuft was new to many and a huge Lineated Woodpecker showed well. However the best sighting was not of a bird but a Three-toed Sloth slowly moving under a branch.

Arrival at Timberheads brought more new birds for the trip as dusk rain began to fall. Red-shouldered and Red-bellied Macaws argued over roost sites in the Moriche Palms, occasionally upset by Yellow-headed Caracaras. A Moriche Oriole called loudly from the top of a tree showing off its yellow capped head and a Black-throated Aracari sat above the tree above the restaurant ready to roost. The evening meal was a hearty selection of fish, beef, vegetables and potato, washed down with an excellent local Banks beer. A brief log call was made before we headed to out rustic accommodation to sleep with the sounds of Pauraque and Whip-poor-wills calling.

Day 3

Friday 17th March

Alarms set, we met at 5.30am for coffee and toast before heading up stream to a forest reserve where we enjoyed some superb early morning birding on the forest edge. Woodpeckers were abundant, mainly Yellow-tufted but also Lineated and Crimson Crested sat together for comparison. Sharp eyes found two roosting Blackish Nightjars while overhead both Black-throated and Green Aracaris moved from tree to tree. We became so enthralled by birds that breakfast was forgotten about but eventually after more new species for the list we boarded the boat back to Timberhead and a breakfast of eggs, sausage and toast.

After breakfast and a short rest we headed off onto one the forest trails which was quiet with the heat rising, but as we got to the forest edge we found a few new species such as Blue Dacnis, Brown-crested Flycatcher and Turquoise Tanager. We returned back towards the resort for a rest out of the sun before a lunch.

As the heat began to subside in the afternoon, we took a boat upstream to walk the forest trail back to 'camp'. En route we flushed Wilson's Snipe and had good views of Least Bittern on the edge of the river. Again the walk in the forest was quiet with Undulated Tinamou calling and a 'sprite' refusing to show itself but calling loudly in the tree tops. However a Violaceous Trogon pair did not escape the sharp eyes of the group. Back at base camp we found a Masked Yellowthroat close to the dining room before the light faded and we settled down to a refreshing local Bank's beer and dinner.

After dinner our guides took us back onto the river to successfully lamp Spectacled Cayman and also back on dry land we had excellent views of a sitting Pauraque, a huge Wolf Spider and a 'small' Marine Toad. With another early start promised we retired to bed after coffee to the sounds of Whip-poor-wills and Common Potoos.

Day 4

Saturday 18th March

We gathered again at 5.30am for toast and coffee before heading upstream to the previous days morning walk. This time we hardly moved away from the boat when we found a fruiting tree which seemed to be attracting all the birds of the area. New birds came thick and fast, Barred Antshrike eventually seen, Pink-throated Becard and White-bearded Manakins to mention but a few. We also had excellent views of species we had already recorded such as Paradise Jacamar, White-throated Toucan and Red-fanned Parrot. We had to drag ourselves away for breakfast as we were due to move on from Timberhead to Shanklands Resort.

The boat trip away produced good flight views of both Green and Green and Rufous Kingfisher again and also new species in the form of Black-capped Donacobius and a huge Great Potoo asleep on a tree. Turning out of the creek we entered the wide waters of the Demerara to the landing stage at Sand Hills. We had a little time to spare as we waited for the 4x4 vehicles and added a pair of Black-crested Antshrikes and Dusky Antbirds to the list.

The 4x4 journey took us through both sand forest and rain forest for about 20 miles and some of the roughest tracks we had seen. Unfortunately those in the following vehicle were showered in dust which, by the time we had arrived at Shanklands made them look as if they had just emerged from a shift 'down t'pit! Rain showers had been the order of the day and we arrived slightly damp and dirty to a well deserved lunch of fish, vegetables, rice and bananas, washed down with fresh lemonade.

We met up with our guide Leonard after lunch and walked around the grounds in between rain showers. The only fruiting fig tree on the resort hosted a number of species, some new for the trip. Yellow and Blackpoll Warblers fed on the fruits as did a pair of Bay-headed Tanagers. Squawking groups of parrots flew overhead and diminutive Green-rumped Parrotlets were new. As the light began to fade and the rain set in a superb Sunbittern fed on the grass lawn, hunting like a wader, and bringing the entire group out from their shelters. Finally before lunch a Fork-tailed Flycatcher made sallying flights into the air for insects, this migrant proving to be new for the local guide.

After a dinner of pork chops and vegetables we tried unsuccessfully to entice any owls into our spotlight, the night being strangely silent compared to the noises at Timberhead.

Day 5

Sunday 19th March

We gathered at 6am with clouds obliterating the sunrise and spent some time watching the fruiting fig tree. The orange on the Golden-winged Parakeets proved hard to see but a noisy Red-throated Caracara was a good sighting, chased off by the resident Plumbeous Kite. Two Spix's Guans fed briefly in the fig tree before we set off on a walk around the grounds with Leonard. A small resident Spectacled Cayman was confiding on a small pond within the grounds and both White-necked Jacobin and White-tipped Sabrewing fed on the flowers of a Mimosa close by. Another Slatey Antbird appeared in the forest edge as we made our way to a larger pool close to the river. Surprisingly there was only a Striated Heron in the pool vegetation but some got good 'scope views of Scaled Pigeon. As we returned for breakfast the rain started but this did not deter two Blue and yellow Macaws flying over as we enjoyed our fruit and bacon with scrambled eggs.

After breakfast some regrouped to follow Leonard on a jungle trail walk. As with our previous experiences this was relatively quiet although we got good views of both Golden and White-capped Manakins and Leonard showed us a small scorpion in the middle of the path. As the day heated up we returned to the resort, finding the Sunbittern again, for a cooling drink before lunch.

We were very fortunate with the weather as the skies darkened over lunch and we had a short, sharp downfall with thunder. By the time we were ready for our afternoon walk with Leonard, the weather had improved. We walked the trail back through the local village and along the track we had driven in on. This proved to be very rewarding as we had great views of the forest edge and added amongst others, two Channel-billed Toucans and two Bran-coloured Flycatchers, a female Pompadour Cotinga, Chestnut Woodpecker, Golden-sided Euphonia and a flock of Yellow-green Grosbeaks.

We returned as dusk fell for an excellent evening meal of chicken, rice and vegetables. A small group tried again unsuccessfully in the evening to lure owls from the forest although dancing fireflies kept us entertained. We retired for an early night ready for our move the next day to Karanambu.

Day 6

Monday 20th March

We rose to an early breakfast before heading for the 'speedboat' at 6am to travel down the mighty Essequibo River to meet up with our transport to the airport. We weighed our luggage at the airport with fingers crossed and after having our details taken in the 'high-tec' immigration ledger we were heading out SW over miles of forest and into cloud. After a short 1.5 hour trip the clouds parted to reveal a great expanse of savannah and three 4x4 vehicles waiting by our dirt landing strip. We were greeted by Edward McTurk and his staff and whipped off to Karanambu where Diane McTurk awaited with cool drinks and lunch. Even while chatting over drinks we added Burnish-buff Tanager and Red-capped Cardinal. Following lunch Edward took us on a familiarisation tour to the river where an incredibly tame Jabiru marched about and Pied Plover fed on the sand bar.

Our organised trip on the river was at 4pm so the group decided to relax or swim.

At four 4pm we gathered down by the river where we were greeted by rescued Giant River Otters and then boarded three small boats for a journey down river to Rupununi River and its accompanying lake. This was an excellent way to see wildlife and more new species were added to the list. Cocoli or White-neck Herons were everywhere as were Ringed and Amazon Kingfishers. We successfully stalked juvenile and adult Agami Herons and drifted up to a roost of huge billed Boat-billed Herons. As the light faded a group of Brown-bearded Sakis settled down to sleep in the trees as both Lesser Nighthawk and Band-tailed Nighthawks hunted over the water. A gaudy looking Roseate Spoonbill flew over with a pair of Wood Storks and we stopped at the end of the second lake to watch the flowers of the giant *Victoria amazonica* water lilies opening at dusk while drinking rum punch and eating nut biscuits.

Just as we finished photographing the lilies, the heavens open and we donned our yellow 'Disneyland' type ponchos and headed back using a spotlight to find Amazon Tree Boas, Black Cayman and swimming Capybara. We eventually arrived back at Karanambu wet but highly satisfied and after a change of clothing settled down to a hearty meal followed by the day's log.

Day 7

Tuesday 21st March

We had a lie in today and coffee was ready for 6am before set off on a 3 mile walk through scrub, rain forest eventually arriving at a hidden lake covered in Victoria lilies. En route we manage to see many species some new for the trip such as Blue-backed Manakin, Helmeted Pygmy Tyrant, also managing to see the secretive Screaming Piha. As we approached the lake we flushed both Lesser Nighthawk and White-tailed Nightjar from their daytime roosts and the lake produce Wattled Jacana, American Purple Gallinule but best of all three wild Giant River Otters hunting amongst the lily pads.

Following a late breakfast the group had time to relax either birding or making good use of the outside hammocks followed by a late lunch. As the afternoon cooled down we headed off up river to Crane Pond in much better weather than the previous evening. Kingfishers of all shapes and sizes flashed by and we had good views of Black Nunbird as they sallied from tree tops bordering the river. Crane pond, named because of its shape, had dozens of Wattled Jacana, Great White, Snowy Egrets and Little Blue Herons, Black-capped Donacobius fed on the edge of water vegetation and a huge Black Cayman lingered offshore. Yet another wild Giant River Otter watched us inquisitively offshore and as dusk fell a party of 21 Black-crowned Night Herons edged out of their daytime roosts in the trees.

We spent the next hour drifting back down river, drinking rum punch and nibbling biscuits as we spot-lighted Cayman, Great Bulldog Bats and a superbly coloured Capped Heron. We arrived back at Karanambu for drinks and dinner before completing the daily log.

Day 8

Wednesday 22nd March

We spent our last morning at Karanambu back on the river heading up stream to some more ponds. From the boat we added Yellow-breasted and Plumbeous Seedeater and Grey Hawk and saw many wild Muscovy Ducks flying around. The weather was pleasantly overcast with a cooling breeze and we relaxed in the boats as we headed back for breakfast. Before lunch we had time to pack and do some last minute birding then had to reluctantly say goodbye to Diane, Edward and Melanie as we headed out over the savannah to Rock View.

The two 4x4's headed out over the stony track across the savannah with Fork-tailed Flycatchers seen around every turn. Our first stop overlooking a flooded pond produced Savannah Hawk and Eastern Meadowlark and both Ruddy-breaded and Grey Seedeaters. Moving a little further we flushed a wader from the track which proved to be an Upland Sandpiper. This rare migrant to the area was the first record for the savannah according to Kenneth.

Our next scheduled stop at a small muddy pond was short lived as we disturbed a colony of vicious African Bees, which promptly stung three of the group (including one of the leaders) causing a hasty departure, not before ticking off a Pale-legged Hornero feeding along the shore. We continued towards the hills we had seen in the distance and as we approached the 'main road' (a dirt cover track) a bright orange and black bird crossed on front of the vehicles and settled in a tree. The proved to be a male Orange-backed Troupial. Further along the road we stopped two further times to watch a displaying male Vermillion Flycatcher, Blue-tailed Emeralds and Blue Ground Dove.

Our overnight stop was Rock View, more luxurious than the recent accommodation but not quite the same atmosphere - however the pool was inviting to many. Following dinner a small group went out 'owling' and this time successfully enticed a Tropical Screech Owl out of hiding to blink at us.

Day 9

Thursday 23rd March

We did our usual early morning walk with our guide Hendrix to the foothill forest of the Rock View nature trail. Initially apart from calls all seemed quiet but locating a fruiting tree, birds began to arrive thick and fast, and from our high viewpoint we were able to get some good views. Squabbling parties of Palm Tanagers were in the majority but we also saw both White-lored and Southern Beardless Tyrannulets, Black-tailed Tityra, Cayenne Jay and a strange black and yellow Icterus, which turned out to be an Epaulet Oriole. Following a brief rest we slowly made our way back down the hill and found a small green and yellow flycatcher building a hanging nest over the path. The type of nest clinched the ID of the Ochre-lored Flatbill, only to be confused with the Yellow Tyrannulet which has a cupped nest. Alongside the track a pair of Guianan Slaty Antshrikes foraged in the bushes and also a pair of White-bellied Antbirds hunted in the leaf litter.

We arrived back for breakfast around 9.15 following which the group had free time to explore the grounds and surrounding area, just relax as the sun broke through or catch up with civilisation via emails! It was incredibly hot, some the group spent some R&R around the site, relaxing in the shade or in the pool.

As it began to cool some went off site in the only available transport to walk along the forest edge and the savannah whilst others wondered around the wooded hill alongside the runway. The off-site group added Green Oropendula and Lesser Swallow-tailed Swift to the list while those who remained watched four large Nacunda Nighthawks and a Least Nighthawk set off on their feeding forays over the savannah. Dinner was taken under the mango tree followed by an unsuccessful search for yesterdays Tropical Screech-owl (although some found it near to the dining site later).

Day 10

Friday 24th March

Another transfer day, to Irowkrama Research Station, via the canopy walkway in the Irowkrama reserve. We set off just before 5am in two 4x4 pickups, the lead one having a raised 'air conditioned' hunting seat above the cab accommodating the leaders and David. We arrived at the new buildings at the walkway just after 6am and set off up the steep hill to the suspended bridges. The group divided onto the two best viewing platforms high in the canopy and initially things seemed quiet as there no fruiting trees nearby. Two screaming Red-throated Caracaras kept us entertained with noisy Painted Parakeets heard (only two seen in flight). Some of the group saw a gaudy male Spangled Cotinga and Band-rumped Swifts hunted over the trees. After about an hour birds began to move through the forest and pass by the walkway. First a Guianan Toucanet showed well followed by a procession of tanagers, best being two each of Bay-headed and Spotted and a superb Paradise male. Both Red-legged and Purple Honeycreepers were seen together with our first Long-tailed Woodcreeper and an aptly named Waved Woodpecker. This turned out to be a great experience and we reluctantly returned to the buildings where our packed breakfast had been laid out.

Having been suitably refreshed we rejoined our transport to continue our journey to the research centre. The 'hunting seat' spotters had earned their keep by banging on the cab roof when anything out of the ordinary was

seen. This method gave us good views of both Scarlet and Red and Green Macaws and Short-tailed Hawk, as well as two elegant Swallow-tailed Kites and abundant Plumbeous Kites. We arrived at the River Essequibo where our boats quickly got us to the field station to settle into the well appointed cabins before lunch. Following our usual post-lunch siesta, we met our guides Albert and Lewis who took us along the Bushmaster and Screaming Piha trails (the second aptly named, the former only one ever recorded). Unfortunately the heavens opened as we started and for about 2/3rds of the trail we saw nothing but as the rain stopped and the sun came out we found a pair of Slaty Antbirds and Buff-throated Woodcreeper. As we emerged from the forest all the activity seemed to centre on the research station with Red and Green Macaws, Blue-headed Parrots, Bat Falcons and Plumbeous Kites sat in the trees with Yellow-throated and numerous 'common' tanagers feeding on the edge of the forest. Following our 6.30pm dinner most of the group went 'lamping' Caiman on the river, but the rain shortened the trip with only two Caiman seen.

Day 11

Saturday 25th March

Coffee was ready at 5.30am and we were heading around the offshore island by boat at 6.15. The first birds we saw were a group of Red and Green Macaws flying across the river, then three Black Skimmers and a Large-billed Tern. As we cruised up the far side of the island a pair of Waved Woodpeckers crossed the river and both Blue-headed and Orange-winged Parrots called from the forest. We came across a small gathering of familiar Bank Swallows (Sand Martins) and also added Black-collared Swallow to the list. It had been a pleasant morning cruising on the tranquil Essequibo as we returned for breakfast.

The group gathered again at 8.30 and we headed by boat, this time upstream to walk the trail that led to Turtle Mountain. This 2.5km trail gently rose from the river for 2km then there was a steep climb for 0.5m to the top, passing through some lush rain forest. The birders started to be left behind as new species were found. A ghostly Cream-coloured Woodpecker chiseled into a tree and a sleeping Rufescent Tiger-heron was found by the small pond. A little further we sheltered from a sudden downpour at Turtle Mountain Camp, a satellite camp of the research centre. We continued after the rain to find a small feeding flock of birds including Cinereous Antshrike, Barred and Straight-billed Woodpecker and a diminutive Gold-spangled Piculet. The lead group reached the summit to be rewarded with stunning views over the rain forest and the Essequibo river and were joined by some of the birders to have juice and sandwiches. What was thought to be a dark phase Crested Eagle soared over the forest then it was time to descend for lunch back at base.

Following lunch we sailed downstream to the close-by Amerindian village to look for parrots. However this was short-lived due to a spectacular thunder storm, although we did see a pair of Blue and Yellow Macaws and Grey-breasted Sabrewing.

The rain continued on and off for the rest of daylight hours so we took the opportunity to shower and rest before dinner.

Day 12

Sunday 26th March

Change over day to Surama, we breakfasted at 6pm and were loaded into our boats at 6.45 for the short trip to meet up with our better appointed 4x4's.

We traveled the road back through the Irowkrama reserve stopping at many places to watch Red and Green Macaws, Swallow-tailed and Plumbeous Kites. A little way along the road we came across a freshly dead Grey-winged Trumpeter which we stopped to examine and promptly found the rest of the flock just inside the wood. Further stops produced brief views of Black Curassow and a splendid Marail Guan in a tree.

As we approached the furthest gate we were met by a guide who took us to a Guianan Cock-of-the-Rock lek but we were unfortunately too late but managed to see a black female. Another good find here was a fully grown Yellow-footed Tortoise foraging in the rocks.

We continued our journey to arrive at Surama Eco Lodges, slightly less luxurious than our previous venues where lunch was waiting for us.

Following lunch and a siesta we were joined by Lionel James from the village council who took on a three mile circular walk through the forest. As with all the forests this time of day it appeared very quiet and our quest for the Capuchin bird failed. We did however add Blue-crowned Motmot, Grassland Sparrow and Wedge-tailed Grass-finch to the list. The sight of the lodges as we turned a corner was most welcome in the heat as were the cooling showers after a 'beef stew' dinner. With the lack of electricity the log was done under torchlight before early retirement to bed.

Day 13

Monday 27th March

Coffee was ready at 5.30am and as the day dawned we were met by Milner our guide for the day. Straight away he was given a list of target birds, top two being Capuchin Bird and Blue-cheeked Parrot (for David). He smiled at the first but frowned at the latter. We set off across the savannah heading for a different stretch of forest. On route we saw amongst other species Black-headed Parrot and Mealy Amazons. As we walked into the forest, after short while Milner grinned and indicated Capuchin bird then promptly lead us off the path through what seemed uncharted forest. After 10 minutes we were staring up into the canopy at these strange rusty brown, bared necked cotingas giving excellent 'scope views. Smiles appeared on every face and we then headed towards the Burro Burro River camp for packed breakfast.

This was followed by a peaceful cruise up river in traditional dug out canoes powered by our guides. From the boats we saw White-banded Swallows, King Vulture, Blue-crowned Motmot, Pygmy Antwren and heard Buff-breasted Wren, and also disturbed a large red snake from the bank, known locally as 'fire snake' by the Amerindians. Drifting back with the current Red-rumped Caciques, Black Nunbirds and Silver-beaked Tanagers feed in the bank side vegetation whilst myriads of red and green tiny damselflies fed over the water. Arriving back at the river camp we rested then started the three mile walk back to base stopping to see a Pearl Kite eating a lizard, also a pair of Variegated Flycatchers and an Golden-winged Parakeet.

After a good morning, lunch was enjoyed back at base followed by a siesta before our next excursion at 3pm. Part of the group went out in the afternoon with Milner and we walked across some dusty burnt savannah which was infested with flies so we soon made our way back through forest to avoid the insects. We got glimpses of Dusky-capped Flycatcher, Long-tailed Grass-finch, the ever present Swallow-tailed Kite and found a Common Ground Dove nest with two eggs. We returned for much cherished tepid showers, drink and dinner.

Day 14

Tuesday 28th March

An early coffee preceded our 6.15 walk across the savannah heading back into the forest towards Burro Burro River camp. Mealy Parrots, Painted Parakeets and Red and Green Macaws were seen before we entered the trees and a Bright-rumped Attila was calling in the distant trees. As we walked the double-rutted track a large bird crossed in front followed by a second in 'road-runner' style. Milner said Rufous-winged Ground-cuckoo which excited Xavier as this is a very rare and hard to see species. Milner lead us onto the forest where they went and we could hear movement and the occasional 'clicking' calls but no sighting. We rejoined the track and Milner started to imitate their call and suddenly one crossed the track behind giving another fleeting glimpse of this ground dweller. Everyone had seen a bit of the bird and with this we continued our trip towards the river. Where a dried up stream crossed the track a pair of Great Jacamar were found enabling those who missed out at Irowkrama an opportunity to appreciate the size of this species. We continued to the camp listening to Capuchin birds and Screaming Pihas to have our packed breakfast.

Our 'oarsmen' then took us on a trip down the Burro Burro river, skillfully avoiding the sunken logs and exposed rocks where we saw three species of kingfisher, White-banded Swallows, Rufescent Tiger Heron and Yellow-throated Woodpecker, to name a few. With the heat rising the return walk to our base was quiet and following lunch we rested until the heat subsided.

The group had different ideas on what they wanted to do, some returning to the forest at 3pm, some at 3.30 and other staying in the vicinity of base. The log call in the evening proved that the afternoon forest walk had been beneficial with Double-toothed Kite on a nest, Guianan Slaty Antshrike, and Dusky Parrot all seen but the star must have been the Giant Anteater seen to walk out of the forest onto the track and back into the forest, by a lucky few. This encouraged a few to turn out after dinner with a spotlight onto the savannah in hope but only hearing a Tropical Screech Owl.

Day 15

Wednesday 29th March

The day started with an early breakfast before our transfer back to Georgetown, although some ventured out onto the savannah before dawn. Our transfer back to Rock View airstrip was carried out by two 4x4 pickups with three of the group acting as spotters on the high 'shooting seat'. On route we made a few stops where birds were feeding and added Rufous-throated Sapphire to the list as well as good views of Purple-throated Fruitcrow and Grey-winged Trumpeter.

On arrival at Rock View our luggage and 'persons' were weighed for the flight and we then relaxed in the grounds with the first cold beer of the week followed by lunch.

The plane arrived early and we left bang on time in our 12 seater Islander and in 80 minutes we were landing at Ogle domestic airport and headed to our luxurious hotel Le Meridian Pegasus to freshen up.

A quick turn-round was required to go to the Botanical Gardens and zoo where we added another three species. A pair of Spotted Tody-flycatchers fed in a tree above us and a Little Cuckoo hunted insects in the grass. The prize was however the sought-after Blood-coloured Woodpecker seen by a fortunate few, its small size bright chestnut back and yellowish cheeks diagnostic. While some wondered through the adjacent zoo housing many species found in Guyana, others viewed the large heronry of Cattle and Great Egrets, Tri-coloured and Black-

crowned Night Herons, before we returned to the hotel to sample the Italian pizzas and pasta at the poolside restaurant, where we said our fond farewells to Xavier who was not leaving until 31st.

Day 16

Thursday 30th March

A very early start found us gathered at 2.30am in the hotel lobby waiting for our transport to the airport to start the long journey home. Unfortunately the coach had a problem and we filled three taxis to arrive in plenty of time for checking to Barbados. We landed at Grantley Adams on Barbados to be collected by Steve from Johnsons tours for a whistle stop tour of the island which included a hearty breakfast and lunch. We also added a number of new birds including Black-faced Grassquit, Scale-necked Pigeon and even Moorhen, with a troop of African Green Monkeys crossing the road in front of us. We continued our journey home on our Virgin Atlantic flight, delayed an hour by two unruly passengers who had to be removed.

Arriving safely at 7.10am we collected our luggage and said our farewells after a long and eventful trip.

Bird list

Grantley Adams Airport (Barbados) 15/03/2006

32c sunny with light breeze

Waiting for connection - house mouse type running around in the departure lounge

Cattle Egret (<i>Bubulcus ibis</i>)	c.6
Eared Dove (<i>Zenaida auriculata</i>)	3
Plain-breasted Ground-dove (<i>Columbina minuta</i>)	1
Grey Kingbird (<i>Tyrannus dominicensis</i>)	1
Bananaquit (<i>Coereba flaveola</i>)	1
Lesser Antillean Bullfinch [<i>barbadensis</i>] (<i>Loxigilla noctis barbadensis</i>)	Common
Carib Grackle (<i>Quiscalus lugubris</i>)	Common
Shiny Cowbird (<i>Molothrus bonariensis</i>)	3

Guyana (Guyana) 16/03/2006

Broken sunshine rain in the evening

Kaieteur Falls am, Timberhead pm. Overnight at Timberhead

Little Tinamou (<i>Crypturellus soui</i>)	0
Cattle Egret (<i>Bubulcus ibis</i>)	0
Striated Heron (<i>Butorides striata</i>)	3
Lesser Yellow-headed Vulture (<i>Cathartes burrovianus</i>)	2
King Vulture (<i>Sarcoramphus papa</i>)	c.3
Snail Kite (<i>Rostrhamus sociabilis</i>)	c.8
Plumbeous Kite (<i>Ictinia plumbea</i>)	1
Roadside Hawk (<i>Buteo magnirostris</i>)	2
Black Caracara (<i>Daptrius ater</i>)	1
Yellow-headed Caracara (<i>Milvago chimachima</i>)	c.5
Bat Falcon (<i>Falco ruficularis</i>)	2
Solitary Sandpiper (<i>Tringa solitaria</i>)	1
Plumbeous Pigeon (<i>Patagioenas plumbea</i>)	Common
Eared Dove (<i>Zenaida auriculata</i>)	1
Ruddy Ground-dove (<i>Columbina talpacoti</i>)	Common
Red-and-green Macaw (<i>Ara chloropterus</i>)	2
Red-bellied Macaw (<i>Orthopsittica manilata</i>)	c.6
Red-shouldered Macaw (<i>Diopsittica nobilis</i>)	1
Orange-winged Parrot (<i>Amazona amazonica</i>)	Common
Red-fan Parrot (<i>Deroptyus accipitrinus</i>)	1
Greater Ani (<i>Crotophaga major</i>)	c.5
Pauraque (<i>Nyctidromus albicollis</i>)	1
White-chinned Swift (<i>Cypseloides cryptus</i>)	Very Common
White-collared Swift (<i>Streptoprocne zonaris</i>)	1
Fork-tailed Palm-swift (<i>Tachornis squamata</i>)	Common
Fork-tailed Woodnymph (<i>Thalurania furcata</i>)	1
Green Kingfisher (<i>Chloroceryle americana</i>)	1
Green-and-rufous Kingfisher (<i>Chloroceryle inda</i>)	1
White-necked Puffbird (<i>Notharchus macrorhynchos</i>)	0
Black-necked Aracari (<i>Pteroglossus aracari</i>)	1
Lineated Woodpecker (<i>Dryocopus lineatus</i>)	1
White-browed Purpleuft (<i>Iodopleura isabellae</i>)	1
Guianan Cock-of-the-rock (<i>Rupicola rupicola</i>)	1
Yellow-bellied Elaenia (<i>Elaenia flavogaster</i>)	2
Helmeted Pygmy-tyrant (<i>Lophotriccus galeatus</i>)	1
Great Kiskadee (<i>Pitangus sulphuratus</i>)	Common
Social Flycatcher (<i>Myiozetetes similis</i>)	c.6
Piratic Flycatcher (<i>Legatus leucophaeus</i>)	0

Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common
Grey Kingbird (<i>Tyrannus dominicensis</i>)	2
Grey-breasted Martin (<i>Progne chalybea</i>)	Common
Southern Rough-winged Swallow (<i>Stelgidopteryx ruficollis</i>)	6
Southern House-wren (<i>Troglodytes aedon musculus</i>)	2
Tropical Mockingbird (<i>Mimus gilvus</i>)	1
Pale-breasted Thrush (<i>Turdus leucomelas</i>)	2
Cayenne Jay (<i>Cyanocorax cayanus</i>)	c.5
Bananaquit (<i>Coereba flaveola</i>)	3
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	Common
Blue-grey Tanager (<i>Thraupis episcopus</i>)	Common
Palm Tanager (<i>Thraupis palmarum</i>)	Common
Violaceous Euphonia (<i>Euphonia violacea</i>)	1
Carib Grackle (<i>Quiscalus lugubris</i>)	0
Shiny Cowbird (<i>Molothrus bonariensis</i>)	c.2
Moriche Oriole (<i>Icterus chryscephalus</i>)	1
Yellow-rumped Cacique (<i>Cacicus cela</i>)	4
Crested Oropendola (<i>Psarocolius decumanus</i>)	1

Timberhead Resort (Guyana) 17/03/2006

Sunny and hot

Am walk pre breakfast, forest trail before lunch, forest trail from boat after lunch

Little Tinamou (<i>Crypturellus soui</i>)	0
Undulated Tinamou (<i>Crypturellus undulatus</i>)	0
Striated Heron (<i>Butorides striata</i>)	3
Least Bittern (<i>Ixobrychus exilis</i>)	1
Black Vulture (<i>Coragyps atratus</i>)	2
Turkey Vulture (<i>Cathartes aura</i>)	1
Lesser Yellow-headed Vulture (<i>Cathartes burrovianus</i>)	1
Greater Yellow-headed Vulture (<i>Cathartes melambrotus</i>)	c.6
Swallow-tailed Kite (<i>Elanoides forficatus</i>)	2
Plumbeous Kite (<i>Ictinia plumbea</i>)	1
Roadside Hawk (<i>Buteo magnirostris</i>)	1
Black Caracara (<i>Daptrius ater</i>)	4
Yellow-headed Caracara (<i>Milvago chimachima</i>)	2
Bat Falcon (<i>Falco ruficularis</i>)	1
Little Chachalaca (<i>Ortalis motmot</i>)	0
Wilson's Snipe (<i>Gallinago delicata</i>)	1
Plumbeous Pigeon (<i>Patagioenas plumbea</i>)	Common
Common Ground-dove (<i>Columbina passerina</i>)	Common
Ruddy Ground-dove (<i>Columbina talpacoti</i>)	0
Red-bellied Macaw (<i>Orthopsittica manilata</i>)	c.8
Red-shouldered Macaw (<i>Diopsittica nobilis</i>)	2
Brown-throated Parakeet (<i>Aratinga pertinax</i>)	2
Orange-winged Parrot (<i>Amazona amazonica</i>)	Common
Red-fan Parrot (<i>Deroptyus accipitrinus</i>)	1
Squirrel Cuckoo (<i>Piaya cayana</i>)	1
Smooth-billed Ani (<i>Crotophaga ani</i>)	c.10
Tropical Screech-owl (<i>Megascops choliba</i>)	0
Common Potoo (<i>Nyctibius griseus</i>)	0
Pauraque (<i>Nyctidromus albicollis</i>)	4
Whip-poor-will (<i>Caprimulgus vociferus</i>)	0
Blackish Nightjar (<i>Caprimulgus nigrescens</i>)	2
Fork-tailed Palm-swift (<i>Tachornis squamata</i>)	Common
White-chested Emerald (<i>Agyrtria brevirostris</i>)	c.3
White-tailed Trogon (<i>Trogon viridis</i>)	c.2
Violaceous Trogon (<i>Trogon violaceus</i>)	2
Green Kingfisher (<i>Chloroceryle americana</i>)	2

Paradise Jacamar (<i>Galbula dea</i>)	2	Roadside Hawk (<i>Buteo magnirostris</i>)	1
Swallow-wing (<i>Chelidoptera tenebrosa</i>)	c.10	Yellow-headed Caracara (<i>Milvago chimachima</i>)	3
Black-spotted Barbet (<i>Capito niger</i>)	1	Laughing Falcon (<i>Herpetotheres cachinnans</i>)	1
Green Aracari (<i>Pteroglossus viridis</i>)	2	Bat Falcon (<i>Falco ruficularis</i>)	1
Black-necked Aracari (<i>Pteroglossus aracari</i>)	c.6	Little Chachalaca (<i>Ortalis motmot</i>)	0
White-throated Toucan (<i>Ramphastos tucanus</i>)	0	Sunbittern (<i>Eurypyga helias</i>)	1
Yellow-tufted Woodpecker (<i>Melanerpes cruentatus</i>)	c.4	Large-billed Tern (<i>Phaetusa simplex</i>)	1
Lineated Woodpecker (<i>Dryocopus lineatus</i>)	3	Plumbeous Pigeon (<i>Patagioenas plumbea</i>)	Common
Crimson-crested Woodpecker (<i>Campephilus melanoleucos</i>)	1	Common Ground-dove (<i>Columbina passerina</i>)	Common
Wedge-billed Woodcreeper (<i>Glyphorhynchus spirurus</i>)	2	Ruddy Ground-dove (<i>Columbina talpacoti</i>)	Common
Straight-billed Woodcreeper (<i>Dendroplex picus</i>)	0	White-tipped Dove (<i>Leptotila verreauxi</i>)	3
Fasciated Antshrike (<i>Cymbilaimus lineatus</i>)	1	Red-bellied Macaw (<i>Orthopsittica manilata</i>)	6
Great Antshrike (<i>Taraba major</i>)	0	Red-shouldered Macaw (<i>Diopsittica nobilis</i>)	2
Barred Antshrike (<i>Thamnophilus doliatus</i>)	0	Green-rumped Parrotlet (<i>Forpus passerinus</i>)	6
Golden-headed Manakin (<i>Pipra erythrocephala</i>)	0	Blue-headed Parrot (<i>Pionus menstruus</i>)	4
Yellow-bellied Elaenia (<i>Elaenia flavogaster</i>)	1	Orange-winged Parrot (<i>Amazona amazonica</i>)	Common
White-headed Marsh-tyrant (<i>Arundinicola leucocephala</i>)	2	Red-fan Parrot (<i>Deroptyus accipitrinus</i>)	1
Long-tailed Tyrant (<i>Colonia colonus</i>)	1	Squirrel Cuckoo (<i>Piaya cayana</i>)	2
Brown-crested Flycatcher (<i>Myiarchus tyrannulus</i>)	3	Greater Ani (<i>Crotophaga major</i>)	c.6
Lesser Kiskadee (<i>Philohydor lictor</i>)	1	Smooth-billed Ani (<i>Crotophaga ani</i>)	Common
Great Kiskadee (<i>Pitangus sulphuratus</i>)	Very Common	Great Potoo (<i>Nyctibius grandis</i>)	1
Social Flycatcher (<i>Myiozetetes similis</i>)	Common	Blackish Nightjar (<i>Caprimulgus nigrescens</i>)	2(0)
Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common	Short-tailed Swift (<i>Chaetura brachyura</i>)	0
Masked Tityra (<i>Tityra semifasciata</i>)	c.4	Fork-tailed Palm-swift (<i>Tachornis squamata</i>)	0
Grey-breasted Martin (<i>Progne chalybea</i>)	0	Eastern Long-tailed Hermit (<i>Phaethornis superciliosus</i>)	1
Southern House-wren (<i>Troglodytes aedon musculus</i>)	0	Reddish Hermit (<i>Phaethornis ruber</i>)	1
Tropical Mockingbird (<i>Mimus gilvus</i>)	1	Fork-tailed Woodnymph (<i>Thalurania furcata</i>)	1
Pale-breasted Thrush (<i>Turdus leucomelas</i>)	c.4	White-chested Emerald (<i>Agyrtria brevirostris</i>)	2(0)
Cayenne Jay (<i>Cyanocorax cayanus</i>)	0	White-tailed Trogon (<i>Trogon viridis</i>)	2
Masked Yellowthroat (<i>Geothlypis aequinoctialis</i>)	1	Ringed Kingfisher (<i>Ceryle torquatus</i>)	1
Bananaquit (<i>Coereba flaveola</i>)	0	Green Kingfisher (<i>Chloroceryle americana</i>)	2
White-lined Tanager (<i>Tachyphonus rufus</i>)	Common	Green-and-rufous Kingfisher (<i>Chloroceryle inda</i>)	1
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	Common	Paradise Jacamar (<i>Galbula dea</i>)	1(0)
Blue-grey Tanager (<i>Thraupis episcopus</i>)	Common	Swallow-wing (<i>Chelidoptera tenebrosa</i>)	c.4
Palm Tanager (<i>Thraupis palmarum</i>)	Common	Black-spotted Barbet (<i>Capito niger</i>)	4
Violaceous Euphonia (<i>Euphonia violacea</i>)	3	Black-necked Aracari (<i>Pteroglossus aracari</i>)	Common
Turquoise Tanager (<i>Tangara mexicana</i>)	c.6	White-throated Toucan (<i>Ramphastos tucanus</i>)	1
Blue Dacnis (<i>Dacnis cayana</i>)	1	Yellow-tufted Woodpecker (<i>Melanerpes cruentatus</i>)	2(0)
Lined Seedeater (<i>Sporophila lineola</i>)	1	Lineated Woodpecker (<i>Dryocopus lineatus</i>)	4(0)
Buff-throated Saltator (<i>Saltator maximus</i>)	2	Crimson-crested Woodpecker (<i>Campephilus melanoleucos</i>)	1(0)
Red-breasted Blackbird (<i>Sturnella militaris</i>)	1	Black-crested Antshrike (<i>Sakesphorus canadensis</i>)	2
Shiny Cowbird (<i>Molothrus bonariensis</i>)	0	Barred Antshrike (<i>Thamnophilus doliatus</i>)	3
Giant Cowbird (<i>Molothrus oryzivorus</i>)	1	Dusky Antbird (<i>Cercomacra tyrannina</i>)	2
Moriche Oriole (<i>Icterus chryscephalus</i>)	1	Screaming Piha (<i>Lipaugus vociferans</i>)	0
Yellow-rumped Cacique (<i>Cacicus cela</i>)	Common	White-bearded Manakin (<i>Manacus manacus</i>)	6
Red-rumped Cacique (<i>Cacicus haemorrhous</i>)	1	Golden-headed Manakin (<i>Pipra erythrocephala</i>)	1
Crested Oropendola (<i>Psarocolius decumanus</i>)	2	Yellow-bellied Elaenia (<i>Elaenia flavogaster</i>)	4
Guyana (Guyana)	18/03/2006	Common Tody-flycatcher (<i>Todirostrum cinereum</i>)	2
Heavy rain showers warm		Grey-crowned Flycatcher (<i>Tolmomyias poliocephalus</i>)	1
Transfer day from Timberhead to Shanklands resort.		Brown-crested Flycatcher (<i>Myiarchus tyrannulus</i>)	2
Little Tinamou (<i>Crypturellus soui</i>)	0	Lesser Kiskadee (<i>Philohydor lictor</i>)	0
Undulated Tinamou (<i>Crypturellus undulatus</i>)	0	Great Kiskadee (<i>Pitangus sulphuratus</i>)	Common
Striated Heron (<i>Butorides striata</i>)	1	Social Flycatcher (<i>Myiozetetes similis</i>)	Common
Black Vulture (<i>Coragyps atratus</i>)	1	Piratic Flycatcher (<i>Legatus leucophaeus</i>)	Common
Turkey Vulture (<i>Cathartes aura</i>)	1	Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common
Lesser Yellow-headed Vulture (<i>Cathartes burrovianus</i>)	c.3	Fork-tailed Flycatcher (<i>Tyrannus savana</i>)	1
Swallow-tailed Kite (<i>Elanoides forficatus</i>)	1	Pink-throated Becard (<i>Pachyrhamphus minor</i>)	1
Plumbeous Kite (<i>Ictinia plumbea</i>)	1	Black-tailed Tityra (<i>Tityra cayana</i>)	1
		Grey-breasted Martin (<i>Progne chalybea</i>)	Common
		White-winged Swallow (<i>Tachycineta albiventer</i>)	4

Black-capped Donacobius (<i>Donacobius atricapilla</i>)	1	Blackish Nightjar (<i>Caprimulgus nigrescens</i>)	1
Southern House-wren (<i>Troglodytes aedon musculus</i>)	Common	Short-tailed Swift (<i>Chaetura brachyura</i>)	Common
Tropical Mockingbird (<i>Mimus gilvus</i>)	c.6	Fork-tailed Palm-swift (<i>Tachornis squamata</i>)	Common
Pale-breasted Thrush (<i>Turdus leucomelas</i>)	Common	White-necked Jacobin (<i>Florisuga mellivora</i>)	1
Tropical Gnatcatcher (<i>Poliottila plumbea</i>)	2	Fork-tailed Woodnymph (<i>Thalurania furcata</i>)	1
Yellow Warbler (<i>Dendroica petechia aestiva</i>)	1	White-chested Emerald (<i>Agyrtria brevirostris</i>)	1
Blackpoll Warbler (<i>Dendroica striata</i>)	1	Black-eared Fairy (<i>Heliophryx aurita</i>)	1
Bananaquit (<i>Coereba flaveola</i>)	Common	White-tailed Trogon (<i>Trogon viridis</i>)	2
White-lined Tanager (<i>Tachyphonus rufus</i>)	Common	Ringed Kingfisher (<i>Ceryle torquatus</i>)	2
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	Common	Amazon Kingfisher (<i>Chloroceryle amazona</i>)	1
Blue-grey Tanager (<i>Thraupis episcopus</i>)	Common	Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common
Palm Tanager (<i>Thraupis palmarum</i>)	Common	Black-spotted Barbet (<i>Capito niger</i>)	2(0)
Plumbeous Euphonia (<i>Euphonia plumbea</i>)	1	Channel-billed Toucan (<i>Ramphastos vitellinus</i>)	2
Violaceous Euphonia (<i>Euphonia violacea</i>)	2	White-throated Toucan (<i>Ramphastos tucanus</i>)	2
Turquoise Tanager (<i>Tangara mexicana</i>)	2	Chestnut Woodpecker (<i>Celeus elegans</i>)	1
Bay-headed Tanager (<i>Tangara gyrola</i>)	2	Lineated Woodpecker (<i>Dryocopus lineatus</i>)	2(0)
Blue Dacnis (<i>Dacnis cayana</i>)	1	Crimson-crested Woodpecker (<i>Campephilus melanoleucos</i>)	1(0)
Green Honeycreeper (<i>Chlorophanes spiza</i>)	1	Plain-brown Woodcreeper (<i>Dendrocincla fuliginosa</i>)	1
Blue-black Grassquit (<i>Volatinia jacarina</i>)	1	Amazonian Barred-woodcreeper (<i>Dendrocolaptes certhia</i>)	1
Lined Seedeater (<i>Sporophila lineola</i>)	1	Pompadour Cotinga (<i>Xipholena punicea</i>)	1
Ruddy-breasted Seedeater (<i>Sporophila minuta</i>)	1	White-crowned Manakin (<i>Dixiphia pipra</i>)	1
Shiny Cowbird (<i>Molothrus bonariensis</i>)	0	Golden-headed Manakin (<i>Pipra erythrocephala</i>)	c.5
Giant Cowbird (<i>Molothrus oryzivorus</i>)	1	Yellow-bellied Elaenia (<i>Elaenia flavogaster</i>)	2(0)
Moriche Oriole (<i>Icterus chryscephalus</i>)	2	Common Tody-flycatcher (<i>Todirostrum cinereum</i>)	2(0)
Yellow-rumped Cacique (<i>Cacicus cela</i>)	Common	Bran-coloured Flycatcher (<i>Myiophobus fasciatus</i>)	2
Red-rumped Cacique (<i>Cacicus haemorrhous</i>)	1	Great Kiskadee (<i>Pitangus sulphuratus</i>)	Common
Crested Oropendola (<i>Psarocolius decumanus</i>)	2	Boat-billed Flycatcher (<i>Megarynchus pitangua</i>)	1
		Yellow-throated Flycatcher (<i>Conopias parvus</i>)	1
Shanklands Resort (Guyana) 9/03/2006 to 20/03/2006		Piratic Flycatcher (<i>Legatus leucophaeus</i>)	0
Overcast, occasional sun and heavy thundery shower		Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common
Grounds, forest trail and forest edge		Black-tailed Tityra (<i>Tityra cayana</i>)	c.4
		Grey-breasted Martin (<i>Progne chalybea</i>)	Common
		Coraya Wren (<i>Thryothorus coraya</i>)	0
		Southern House-wren (<i>Troglodytes aedon musculus</i>)	Common
		Pale-breasted Thrush (<i>Turdus leucomelas</i>)	Common
Striated Heron (<i>Butorides striata</i>)	2	Yellow Warbler (<i>Dendroica petechia aestiva</i>)	1
Plumbeous Kite (<i>Ictinia plumbea</i>)	1(0)	Blackpoll Warbler (<i>Dendroica striata</i>)	1
Red-throated Caracara (<i>Ibycter americanus</i>)	1	Northern Waterthrush (<i>Seiurus noveboracensis</i>)	1
Yellow-headed Caracara (<i>Milvago chimachima</i>)	1	White-lined Tanager (<i>Tachyphonus rufus</i>)	Common
Laughing Falcon (<i>Herpetotheres cachinnans</i>)	0	Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	Very Common
Little Chachalaca (<i>Ortalis motmot</i>)	2	Blue-grey Tanager (<i>Thraupis episcopus</i>)	Common
Spix's Guan (<i>Penelope jacquacu</i>)	2	Palm Tanager (<i>Thraupis palmarum</i>)	Very Common
Sunbittern (<i>Eurypyga helias</i>)	1(0)	Finsch's Euphonia (<i>Euphonia finschi</i>)	1
Spotted Sandpiper (<i>Actitis macularia</i>)	1	Violaceous Euphonia (<i>Euphonia violacea</i>)	2
Scaled Pigeon (<i>Patagioenas speciosa</i>)	3	Golden-sided Euphonia (<i>Euphonia cayennensis</i>)	1
Pale-vented Pigeon (<i>Patagioenas cayennensis</i>)	2	Turquoise Tanager (<i>Tangara mexicana</i>)	4
Plumbeous Pigeon (<i>Patagioenas plumbea</i>)	0	Bay-headed Tanager (<i>Tangara gyrola</i>)	2
Eared Dove (<i>Zenaida auriculata</i>)	1	Opal-rumped Tanager (<i>Tangara velia</i>)	1
Common Ground-dove (<i>Columbina passerina</i>)	Common	Blue Dacnis (<i>Dacnis cayana</i>)	c.4
Ruddy Ground-dove (<i>Columbina talpacoti</i>)	Common	Green Honeycreeper (<i>Chlorophanes spiza</i>)	2
White-tipped Dove (<i>Leptotila verreauxi</i>)	2	Purple Honeycreeper (<i>Cyanerpes caeruleus</i>)	1
Blue-and-yellow Macaw (<i>Ara ararauna</i>)	2	Yellow-green Grosbeak (<i>Caryothraustes canadensis</i>)	c.12
Red-bellied Macaw (<i>Orthopsittica manilata</i>)	0	Shiny Cowbird (<i>Molothrus bonariensis</i>)	2
Red-shouldered Macaw (<i>Diopsittaca nobilis</i>)	0	Giant Cowbird (<i>Molothrus oryzivorus</i>)	1
Green-rumped Parrotlet (<i>Forpus passerinus</i>)	6(0)	Moriche Oriole (<i>Icterus chryscephalus</i>)	1
Golden-winged Parakeet (<i>Brotogeris chrysopterus</i>)	Common	Yellow-rumped Cacique (<i>Cacicus cela</i>)	Common
Blue-headed Parrot (<i>Pionus menstruus</i>)	1	Red-rumped Cacique (<i>Cacicus haemorrhous</i>)	1
Dusky Parrot (<i>Pionus fuscus</i>)	1	Crested Oropendola (<i>Psarocolius decumanus</i>)	c.2(0)
Mealy Parrot (<i>Amazona farinosa</i>)	0		
Greater Ani (<i>Crotophaga major</i>)	1		
Smooth-billed Ani (<i>Crotophaga ani</i>)	Common		
Pauraque (<i>Nyctidromus albicollis</i>)	1		
Whip-poor-will (<i>Caprimulgus vociferus</i>)	0		

Guyana (Guyana) 20/03/2006 to 1/03/2006

Cloud & sun

Transfer from Shanklands to Karanamabu

Undulated Tinamou (<i>Crypturellus undulatus</i>)	0
Neotropic Cormorant (<i>Phalacrocorax brasilianus</i>)	Common
Anhinga (<i>Anhinga anhinga</i>)	1
Capped Heron (<i>Pilherodius pileatus</i>)	1
Cocoi Heron (<i>Ardea cocoi</i>)	Common
Great Egret (<i>Ardea alba</i>)	1
Tricoloured Heron (<i>Egretta tricolor</i>)	1
Little Blue Heron (<i>Egretta caerulea</i>)	1
Snowy Egret (<i>Egretta thula</i>)	8
Cattle Egret (<i>Bubulcus ibis</i>)	Common
Striated Heron (<i>Butorides striata</i>)	Common
Agami Heron (<i>Agamia agami</i>)	2
Black-crowned Night Heron (<i>Nycticorax nycticorax</i>)	1
Boat-billed Heron (<i>Cochlearius cochlearia</i>)	c.6
Jabiru (<i>Jabiru mycteria</i>)	1
Green Ibis (<i>Mesembrinibis cayennensis</i>)	2
Roseate Spoonbill (<i>Platalea ajaja</i>)	2
Muscovy Duck (<i>Cairina moschata</i>)	c.6
Black Vulture (<i>Coragyps atratus</i>)	0
Turkey Vulture (<i>Cathartes aura</i>)	0
Osprey (<i>Pandion haliaetus</i>)	2
Plumbeous Kite (<i>Ictinia plumbea</i>)	1(0)
Black-collared Hawk (<i>Busarellus nigricollis</i>)	1
Roadside Hawk (<i>Buteo magnirostris</i>)	1
Crested Caracara (<i>Caracara cheriway</i>)	3
Yellow-headed Caracara (<i>Milvago chimachima</i>)	1
Aplomado Falcon (<i>Falco femoralis</i>)	1
Bat Falcon (<i>Falco ruficularis</i>)	1
Little Chachalaca (<i>Ortalis motmot</i>)	2
Limpkin (<i>Aramus guarana</i>)	1
Wattled Jacana (<i>Jacana jacana</i>)	c.5
Pied Lapwing (<i>Vanellus cayanus</i>)	c.6
Southern Lapwing (<i>Vanellus chilensis</i>)	2
Solitary Sandpiper (<i>Tringa solitaria</i>)	1
Spotted Sandpiper (<i>Actitis macularia</i>)	2
Large-billed Tern (<i>Phaetusa simplex</i>)	1
Feral Pigeon (<i>Columba livia</i> 'feral')	0
Pale-vented Pigeon (<i>Patagioenas cayennensis</i>)	Common
Plumbeous Pigeon (<i>Patagioenas plumbea</i>)	Common
Common Ground-dove (<i>Columbina passerina</i>)	0
Ruddy Ground-dove (<i>Columbina talpacoti</i>)	0
Red-shouldered Macaw (<i>Diopsittaca nobilis</i>)	2
Golden-winged Parakeet (<i>Brotogeris chrysopterus</i>)	0
Yellow-crowned Parrot (<i>Amazona ochrocephala</i>)	4
Greater Ani (<i>Crotophaga major</i>)	1
Smooth-billed Ani (<i>Crotophaga ani</i>)	Common
Lesser Nighthawk (<i>Chordeiles acutipennis</i>)	c.6
Band-tailed Nighthawk (<i>Nyctiprogne leucopyga</i>)	1
Short-tailed Swift (<i>Chaetura brachyura</i>)	0
Glittering-throated Emerald (<i>Polyerata fimbriata</i>)	1
Ringed Kingfisher (<i>Ceryle torquatus</i>)	Common
Amazon Kingfisher (<i>Chloroceryle amazona</i>)	c.4
Green Kingfisher (<i>Chloroceryle americana</i>)	3
Green-tailed Jacamar (<i>Galbula galbula</i>)	1
Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common
Pale-legged Hornero (<i>Furnarius leucopus</i>)	1
Pied Water-tyrant (<i>Fluvicola pica</i>)	2

White-headed Marsh-tyrant (<i>Arundinicola leucocephala</i>)	1
Brown-crested Flycatcher (<i>Myiarchus tyrannulus</i>)	1
Lesser Kiskadee (<i>Philohydor lictor</i>)	Common
Great Kiskadee (<i>Pitangus sulphuratus</i>)	Common
Rusty-margined Flycatcher (<i>Myiozetetes cayanensis</i>)	4
Black-tailed Tityra (<i>Tityra cayana</i>)	1
Grey-breasted Martin (<i>Progne chalybea</i>)	Common
White-winged Swallow (<i>Tachycineta albiventer</i>)	c.6
Southern Rough-winged Swallow (<i>Stelgidopteryx ruficollis</i>)	Common
Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	3
Southern House-wren (<i>Troglodytes aedon musculus</i>)	0
Tropical Mockingbird (<i>Mimus gilvus</i>)	0
Pale-breasted Thrush (<i>Turdus leucomelas</i>)	1
Tropical Gnatcatcher (<i>Polioptila plumbea</i>)	1
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	Common
Blue-grey Tanager (<i>Thraupis episcopus</i>)	Common
Palm Tanager (<i>Thraupis palmarum</i>)	Common
Burnished-buff Tanager (<i>Tangara cayana</i>)	1
Ruddy-breasted Seedeater (<i>Sporophila minuta</i>)	2
Red-capped Cardinal (<i>Paroaria gularis</i>)	Common
Red-breasted Blackbird (<i>Sturnella militaris</i>)	4
Yellow Oriole (<i>Icterus nigrogularis</i>)	2
Yellow-rumped Cacique (<i>Cacicus cela</i>)	Common
Crested Oropendola (<i>Psarocolius decumanus</i>)	Common

Karanambu (Guyana) 21/03/2006 to 21/03/2006

Early light rain then hot and sunny

AM 3 mile walk through Savannah & forest. PM river trip and crane pond

Undulated Tinamou (<i>Crypturellus undulatus</i>)	1
Neotropic Cormorant (<i>Phalacrocorax brasilianus</i>)	4
Anhinga (<i>Anhinga anhinga</i>)	2
Capped Heron (<i>Pilherodius pileatus</i>)	1
Cocoi Heron (<i>Ardea cocoi</i>)	Common
Great Egret (<i>Ardea alba</i>)	c.5
Tricoloured Heron (<i>Egretta tricolor</i>)	1
Little Blue Heron (<i>Egretta caerulea</i>)	6
Snowy Egret (<i>Egretta thula</i>)	3
Striated Heron (<i>Butorides striata</i>)	4
Black-crowned Night Heron (<i>Nycticorax nycticorax</i>)	21
Rufescent Tiger-heron (<i>Tigrisoma lineatum</i>)	1
Wood Stork (<i>Mycteria americana</i>)	c.6
Jabiru (<i>Jabiru mycteria</i>)	2
Green Ibis (<i>Mesembrinibis cayennensis</i>)	1
Muscovy Duck (<i>Cairina moschata</i>)	c.6
Black Vulture (<i>Coragyps atratus</i>)	Common
Turkey Vulture (<i>Cathartes aura</i>)	2
Osprey (<i>Pandion haliaetus</i>)	1
Grey-headed Kite (<i>Leptodon cayanensis</i>)	1
Pearl Kite (<i>Gampsonyx swainsonii</i>)	1
Great Black-hawk (<i>Buteogallus urubitinga</i>)	1
Black-collared Hawk (<i>Busarellus nigricollis</i>)	1
Grey Hawk (<i>Asturina nitida plagiata</i>)	0
Roadside Hawk (<i>Buteo magnirostris</i>)	1
White-tailed Hawk (<i>Buteo albicaudatus</i>)	2
Crested Caracara (<i>Caracara cheriway</i>)	1
Yellow-headed Caracara (<i>Milvago chimachima</i>)	2
Limpkin (<i>Aramus guarana</i>)	1
Grey-necked Wood-rail (<i>Aramides cajanea</i>)	1

American Purple Gallinule (<i>Porphyrio martinicus</i>)	c.6	Pale-breasted Thrush (<i>Turdus leucomelas</i>)	2
Sunbittern (<i>Eurypyga helias</i>)	2	Red-eyed Vireo (<i>Vireo olivaceus</i>)	4
Wattled Jacana (<i>Jacana jacana</i>)	Common	Lemon-chested Greenlet (<i>Hylophilus thoracicus</i> <i>griseiventris</i>)	3
Pied Lapwing (<i>Vanellus cayanus</i>)	2	Ashy-headed Greenlet (<i>Hylophilus pectoralis</i>)	2
Spotted Sandpiper (<i>Actitis macularia</i>)	1	Rufous-browed Peppershrike (<i>Cyclarhis gujanensis</i>)	1
Plumbeous Pigeon (<i>Patagioenas plumbea</i>)	0	Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0
Ruddy Pigeon (<i>Patagioenas subvinacea</i>)	3	Blue-grey Tanager (<i>Thraupis episcopus</i>)	0
Common Ground-dove (<i>Columbina passerina</i>)	1	Palm Tanager (<i>Thraupis palmarum</i>)	0
Grey-fronted Dove (<i>Leptotila rufaxilla</i>)	2	Finsch's Euphonia (<i>Euphonia finschi</i>)	1
Red-and-green Macaw (<i>Ara chloropterus</i>)	2	Burnished-buff Tanager (<i>Tangara cayana</i>)	c.3
Brown-throated Parakeet (<i>Aratinga pertinax</i>)	4	Blue Dacnis (<i>Dacnis cayana</i>)	2
Yellow-crowned Parrot (<i>Amazona ochrocephala</i>)	2	Plumbeous Seedeater (<i>Sporophila plumbea</i>)	1
Greater Ani (<i>Crotophaga major</i>)	1	Grey Seedeater (<i>Sporophila intermedia</i>)	1
Smooth-billed Ani (<i>Crotophaga ani</i>)	Common	Red-capped Cardinal (<i>Paroaria gularis</i>)	Common
Short-tailed Nighthawk (<i>Lurocalis semitorquatus</i>)	c.8	Buff-throated Saltator (<i>Saltator maximus</i>)	1
Lesser Nighthawk (<i>Chordeiles acutipennis</i>)	2	Shiny Cowbird (<i>Molothrus bonariensis</i>)	0
Short-tailed Swift (<i>Chaetura brachyura</i>)	0	Yellow Oriole (<i>Icterus nigrogularis</i>)	2
Black-throated Mango (<i>Anthracothonax nigricollis</i>)	1	Yellow-rumped Cacique (<i>Cacicus cela</i>)	Very Common
Versicoloured Emerald (<i>Agyrtria versicolor</i>)	0	Crested Oropendola (<i>Psarocolius decumanus</i>)	Common
Glittering-throated Emerald (<i>Polyerata fimbriata</i>)	1		
White-tailed Trogon (<i>Trogon viridis</i>)	1		
Violaceous Trogon (<i>Trogon violaceus</i>)	1		
Ringed Kingfisher (<i>Ceryle torquatus</i>)	Common		
Amazon Kingfisher (<i>Chloroceryle amazona</i>)	2		
Green Kingfisher (<i>Chloroceryle americana</i>)	1		
Green-tailed Jacamar (<i>Galbula galbula</i>)	1		
Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common		
Crimson-crested Woodpecker (<i>Campephilus melanoleucos</i>)	3		
Pale-legged Hornero (<i>Furnarius leucopus</i>)	0		
Yellow-chinned Spinetail (<i>Certhiaxis cinnamomea</i>)	c.3		
Straight-billed Woodcreeper (<i>Dendroplex picus</i>)	1		
Great Antshrike (<i>Taraba major</i>)	0		
Black-crested Antshrike (<i>Sakesphorus canadensis</i>)	c.2		
Barred Antshrike (<i>Thamnophilus doliatus</i>)	1		
Pygmy Antwren (<i>Myrmotherula brachyura</i>)	2		
White-flanked Antwren (<i>Myrmotherula axillaris</i>)	2		
White-fringed Antwren (<i>Formicivora grisea</i>)	1		
Grey Antbird (<i>Cercomacra cinerascens</i>)	1		
White-bellied Antbird (<i>Myrmeciza longipes</i>)	2		
Screaming Piha (<i>Lipaugus vociferans</i>)	2		
Capuchinbird (<i>Perissocephalus tricolor</i>)	3		
Blue-backed Manakin (<i>Chiroxiphia pareola</i>)	c.4		
Yellow-breasted Flycatcher (<i>Tolmomyias flaviventris</i>)	1		
Pied Water-tyrant (<i>Fluvicola pica</i>)	c.3		
White-headed Marsh-tyrant (<i>Arundinicola leucocephala</i>)	2		
Short-crested Flycatcher (<i>Myiarchus ferox</i>)	c.2		
Lesser Kiskadee (<i>Philohydor lictor</i>)	Common		
Great Kiskadee (<i>Pitangus sulphuratus</i>)	Common		
Rusty-margined Flycatcher (<i>Myiozetetes cayanensis</i>)	2		
Streaked Flycatcher (<i>Myiodynastes maculatus</i>)	2		
Piratic Flycatcher (<i>Legatus leucophaeus</i>)	1		
Tropical Kingbird (<i>Tyrannus melancholicus</i>)	0		
Black-capped Becard (<i>Pachyrhamphus marginatus</i>)	2		
Brown-chested Martin (<i>Progne tapera</i>)	1		
White-winged Swallow (<i>Tachycineta albiventer</i>)	4		
Southern Rough-winged Swallow (<i>Stelgidopteryx ruficollis</i>)	Common		
Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	c.6		
Black-capped Donacobius (<i>Donacobius atricapilla</i>)	2		
Bicoloured Wren (<i>Campylorhynchus griseus</i>)	1		
		Guyana (Guyana)	22/03/2006 to 22/03/2006
		Overcast with sunny intervals. Cooling breeze	
		Karanambu AM with morning trip to two ponds, Transfer PM to Rock View via savannah	
		Undulated Tinamou (<i>Crypturellus undulatus</i>)	0
		Neotropic Cormorant (<i>Phalacrocorax brasilianus</i>)	Common
		Anhinga (<i>Anhinga anhinga</i>)	c.8
		Cocoi Heron (<i>Ardea cocoi</i>)	Common
		Great Egret (<i>Ardea alba</i>)	6
		Little Blue Heron (<i>Egretta caerulea</i>)	4
		Snowy Egret (<i>Egretta thula</i>)	1
		Cattle Egret (<i>Bubulcus ibis</i>)	4
		Striated Heron (<i>Butorides striata</i>)	1
		Black-crowned Night Heron (<i>Nycticorax nycticorax</i>)	1
		Wood Stork (<i>Mycteria americana</i>)	c.30
		Jabiru (<i>Jabiru mycteria</i>)	3
		Buff-necked Ibis (<i>Theristicus caudatus</i>)	2
		Green Ibis (<i>Mesembrinibis cayennensis</i>)	1
		Muscovy Duck (<i>Cairina moschata</i>)	Common
		Black Vulture (<i>Coragyps atratus</i>)	0
		Turkey Vulture (<i>Cathartes aura</i>)	0
		Osprey (<i>Pandion haliaetus</i>)	2(0)
		Pearl Kite (<i>Gampsonyx swainsonii</i>)	1
		Snail Kite (<i>Rostrhamus sociabilis</i>)	1
		Plumbeous Kite (<i>Ictinia plumbea</i>)	3
		Common Black-hawk (<i>Buteogallus anthracinus</i>)	1
		Black-collared Hawk (<i>Busarellus nigricollis</i>)	1
		Grey Hawk (<i>Asturina nitida plagiata</i>)	1
		Roadside Hawk (<i>Buteo magnirostris</i>)	1
		White-tailed Hawk (<i>Buteo albicaudatus</i>)	2
		Black Caracara (<i>Daptrius ater</i>)	1
		Crested Caracara (<i>Caracara cheriway</i>)	1
		Yellow-headed Caracara (<i>Milvago chimachima</i>)	2(0)
		American Purple Gallinule (<i>Porphyrio martinicus</i>)	c.8
		Wattled Jacana (<i>Jacana jacana</i>)	Common
		Pied Lapwing (<i>Vanellus cayanus</i>)	4(0)
		Southern Lapwing (<i>Vanellus chilensis</i>)	1
		Upland Sandpiper (<i>Bartramia longicauda</i>)	1

Spotted Sandpiper (<i>Actitis macularia</i>)	1	Red-capped Cardinal (<i>Paroaria gularis</i>)	Common
Pale-vented Pigeon (<i>Patagioenas cayennensis</i>)	0	Red-breasted Blackbird (<i>Sturnella militaris</i>)	1
Common Ground-dove (<i>Columbina passerina</i>)	Common	Eastern Meadowlark (<i>Sturnella magna</i>)	3
Ruddy Ground-dove (<i>Columbina talpacoti</i>)	Common	Shiny Cowbird (<i>Molothrus bonariensis</i>)	0
Blue Ground-dove (<i>Claravis pretiosa</i>)	3	Giant Cowbird (<i>Molothrus oryzivorus</i>)	3
White-tipped Dove (<i>Leptotila verreauxi</i>)	2	Orange-backed Troupial (<i>Icterus croconotus</i>)	1
Brown-throated Parakeet (<i>Aratinga pertinax</i>)	c.10	Yellow-rumped Cacique (<i>Cacicus cela</i>)	Common
Yellow-crowned Parrot (<i>Amazona ochrocephala</i>)	c.4	Crested Oropendola (<i>Psarocolius decumanus</i>)	Common
Smooth-billed Ani (<i>Crotophaga ani</i>)	Common		
Tropical Screech-owl (<i>Megascops choliba</i>)	1	Rock View Lodge (Guyana) 23/03/2006 to 23/03/2006	
Least Nighthawk (<i>Chordeiles pusillus</i>)	1	Early cloud then strong hot sunshine	
Nacunda Nighthawk (<i>Podager nacunda</i>)	1	Pre-breakfast walk on local nature trail - around area followed by pm venture to savannah	
Short-tailed Swift (<i>Chaetura brachyura</i>)	Common	Undulated Tinamou (<i>Crypturellus undulatus</i>)	0
Blue-tailed Emerald (<i>Chlorostilbon mellisugus</i>)	2	Great Egret (<i>Ardea alba</i>)	1
White-tailed Goldenthrout (<i>Polytmus guainumbi</i>)	1	Jabiru (<i>Jabiru mycteria</i>)	2
Long-billed Starthroat (<i>Helimaster longirostris</i>)	1	Black Vulture (<i>Coragyps atratus</i>)	0
White-tailed Trogon (<i>Trogon viridis</i>)	0	Turkey Vulture (<i>Cathartes aura</i>)	0
Ringed Kingfisher (<i>Ceryle torquatus</i>)	Common	King Vulture (<i>Sarcoramphus papa</i>)	1
Amazon Kingfisher (<i>Chloroceryle amazona</i>)	4	Common Black-hawk (<i>Buteogallus anthracinus</i>)	1
Green Kingfisher (<i>Chloroceryle americana</i>)	2	Roadside Hawk (<i>Buteo magnirostris</i>)	1
Green-tailed Jacamar (<i>Galbula galbula</i>)	3	White-tailed Hawk (<i>Buteo albicaudatus</i>)	1
Black Nunbird (<i>Monasa atra</i>)	c.4	Crested Caracara (<i>Caracara cheriway</i>)	2
Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common	Little Chachalaca (<i>Ortalis motmot</i>)	0
Lineated Woodpecker (<i>Dryocopus lineatus</i>)	2	Crested Bobwhite (<i>Colinus cristatus</i>)	c.12
Pale-legged Hornero (<i>Furnarius leucopus</i>)	1	Southern Lapwing (<i>Vanellus chilensis</i>)	c.8
Yellow-chinned Spinetail (<i>Certhiaxis cinnamomea</i>)	3	Scaled Pigeon (<i>Patagioenas speciosa</i>)	1
Black-throated Antshrike (<i>Frederickena viridis</i>)	2	Pale-vented Pigeon (<i>Patagioenas cayennensis</i>)	0
White-bellied Antbird (<i>Myrmeciza longipes</i>)	0	Common Ground-dove (<i>Columbina passerina</i>)	0
Blue-backed Manakin (<i>Chiroxiphia pareola</i>)	1	Blue Ground-dove (<i>Claravis pretiosa</i>)	2
White-lored Tyrannulet (<i>Ornithion inermis</i>)	1	Red-and-green Macaw (<i>Ara chloropterus</i>)	2
Plain-crested Elaenia (<i>Elaenia cristata</i>)	2	Brown-throated Parakeet (<i>Aratinga pertinax</i>)	0
Ringed Antpiper (<i>Corythopis torquata</i>)	1	Smooth-billed Ani (<i>Crotophaga ani</i>)	Common
Yellow-breasted Flycatcher (<i>Tolmomyias flaviventris</i>)	1	Tropical Screech-owl (<i>Megascops choliba</i>)	0
Vermilion Flycatcher (<i>Pyrocephalus rubinus</i>)	2	Least Nighthawk (<i>Chordeiles pusillus</i>)	1
Pied Water-tyrant (<i>Fluvicola pica</i>)	2	Nacunda Nighthawk (<i>Podager nacunda</i>)	4
White-headed Marsh-tyrant (<i>Arundinicola leucocephala</i>)	4	Pauraque (<i>Nyctidromus albicollis</i>)	0
Short-crested Flycatcher (<i>Myiarchus ferox</i>)	2(0)	Grey-rumped Swift (<i>Chaetura cinereiventris cinereiventris</i>)	0
Lesser Kiskadee (<i>Philohydor lictor</i>)	Common	Lesser Swallow-tailed Swift (<i>Panyptila cayennensis</i>)	1
Great Kiskadee (<i>Pitangus sulphuratus</i>)	Common	Blue-tailed Emerald (<i>Chlorostilbon mellisugus</i>)	1
Rusty-margined Flycatcher (<i>Myiozetetes cayanensis</i>)	2	Green-tailed Jacamar (<i>Galbula galbula</i>)	1
Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common	Spotted Puffbird (<i>Bucco tamatia</i>)	1
Cinereous Becard (<i>Pachyrhamphus rufus</i>)	3	Black Nunbird (<i>Monasa atra</i>)	0
Brown-chested Martin (<i>Progne tapera</i>)	2	Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common
White-winged Swallow (<i>Tachycineta albiventer</i>)	Common	Green Aracari (<i>Pteroglossus viridis</i>)	1
Southern Rough-winged Swallow (<i>Stelgidopteryx ruficollis</i>)	Common	Black-necked Aracari (<i>Pteroglossus aracari</i>)	1
Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	c.4	Yellow-tufted Woodpecker (<i>Melanerpes cruentatus</i>)	1
Bicoloured Wren (<i>Campylorhynchus griseus</i>)	1	Black-crested Antshrike (<i>Sakesphorus canadensis</i>)	2
Southern House-wren (<i>Troglodytes aedon musculus</i>)	1	Northern Slaty-antshrike (<i>Thamnophilus punctatus</i>)	2
Pale-breasted Thrush (<i>Turdus leucomelas</i>)	2	Pygmy Antwren (<i>Myrmotherula brachyura</i>)	1
Tropical Gnatcatcher (<i>Poliotilta plumbea</i>)	1	White-flanked Antwren (<i>Myrmotherula axillaris</i>)	1
Bananaquit (<i>Coereba flaveola</i>)	1	White-bellied Antbird (<i>Myrmeciza longipes</i>)	2
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0	Screaming Piha (<i>Lipaugus vociferans</i>)	0
Blue-grey Tanager (<i>Thraupis episcopus</i>)	0	White-lored Tyrannulet (<i>Ornithion inermis</i>)	2
Palm Tanager (<i>Thraupis palmarum</i>)	0	Southern Beardless-tyrannulet (<i>Camptostoma obsoletum</i>)	2
Burnished-buff Tanager (<i>Tangara cayana</i>)	1	Yellow-bellied Elaenia (<i>Elaenia flavogaster</i>)	2
Blue-black Grassquit (<i>Volatinia jacarina</i>)	3	Plain-crested Elaenia (<i>Elaenia cristata</i>)	1
Grey Seedeater (<i>Sporophila intermedia</i>)	1	Yellow-breasted Flycatcher (<i>Tolmomyias flaviventris</i>)	1
Yellow-bellied Seedeater (<i>Sporophila nigricollis</i>)	1	Vermilion Flycatcher (<i>Pyrocephalus rubinus</i>)	3
Ruddy-breasted Seedeater (<i>Sporophila minuta</i>)	3	Brown-crested Flycatcher (<i>Myiarchus tyrannulus</i>)	2
Chestnut-bellied Seedeater (<i>Sporophila castaneiventris</i>)	1		

Great Kiskadee (<i>Pitangus sulphuratus</i>)	Common	Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common
Piratic Flycatcher (<i>Legatus leucophaeus</i>)	2	Guianan Toucanet (<i>Selenidera culik</i>)	1
Black-tailed Tityra (<i>Tityra cayana</i>)	1	White-throated Toucan (<i>Ramphastos tucanus</i>)	c.5
Brown-chested Martin (<i>Progne tapera</i>)	0	Yellow-throated Woodpecker (<i>Piculus flavigula</i>)	1
Grey-breasted Martin (<i>Progne chalybea</i>)	0	Waved Woodpecker (<i>Celeus undatus</i>)	1
White-winged Swallow (<i>Tachycineta albiventer</i>)	1	Lineated Woodpecker (<i>Dryocopus lineatus</i>)	c.2
Blue-and-white Swallow (<i>Notiochelidon cyanoleuca</i>)	1	Long-tailed Woodcreeper (<i>Deconychura longicauda</i>)	1
Southern Rough-winged Swallow (<i>Stelgidopteryx ruficollis</i>)	0	Wedge-billed Woodcreeper (<i>Glyphorhynchus spirurus</i>)	1
Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	2	Buff-throated Woodcreeper (<i>Xiphorhynchus guttatus</i>)	1
Tropical Mockingbird (<i>Mimus gilvus</i>)	0	Barred Antshrike (<i>Thamnophilus doliatus</i>)	0
Pale-breasted Thrush (<i>Turdus leucomelas</i>)	c.8	Pygmy Antwren (<i>Myrmotherula brachyura</i>)	2
Tropical Gnatcatcher (<i>Polioptila plumbea</i>)	1	Todd's Antwren (<i>Herpsilochmus stictocephalus</i>)	1
Cayenne Jay (<i>Cyanocorax cayanus</i>)	3	Screaming Piha (<i>Lipaugus vociferans</i>)	Common
Red-eyed Vireo (<i>Vireo olivaceus</i>)	2	Spangled Cotinga (<i>Cotinga cayana</i>)	1
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0	Capuchinbird (<i>Perissocephalus tricolor</i>)	0
Blue-grey Tanager (<i>Thraupis episcopus</i>)	0	Great Kiskadee (<i>Pitangus sulphuratus</i>)	0
Palm Tanager (<i>Thraupis palmarum</i>)	0	Yellow-throated Flycatcher (<i>Conopias parvus</i>)	2
Finsch's Euphonia (<i>Euphonia finschi</i>)	1	Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common
Turquoise Tanager (<i>Tangara mexicana</i>)	1	White-winged Swallow (<i>Tachycineta albiventer</i>)	1
Burnished-buff Tanager (<i>Tangara cayana</i>)	2	Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	1
Blue-black Grassquit (<i>Volatinia jacarina</i>)	1	Tropical Mockingbird (<i>Mimus gilvus</i>)	c.4
Grey Seedeater (<i>Sporophila intermedia</i>)	2	Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0
Ruddy-breasted Seedeater (<i>Sporophila minuta</i>)	2	Blue-grey Tanager (<i>Thraupis episcopus</i>)	0
Buff-throated Saltator (<i>Saltator maximus</i>)	1	Palm Tanager (<i>Thraupis palmarum</i>)	0
Eastern Meadowlark (<i>Sturnella magna</i>)	c.8	Turquoise Tanager (<i>Tangara mexicana</i>)	2
Moriche Oriole (<i>Icterus chryscephalus</i>)	1	Paradise Tanager (<i>Tangara chilensis</i>)	1
Epaulet Oriole (<i>Icterus cayanensis</i>)	1	Spotted Tanager (<i>Tangara punctata</i>)	2
Yellow Oriole (<i>Icterus nigrogularis</i>)	2	Bay-headed Tanager (<i>Tangara gyrola</i>)	2
Orange-backed Troupial (<i>Icterus croconotus</i>)	2	Purple Honeycreeper (<i>Cyanerpes caeruleus</i>)	1
Yellow-rumped Cacique (<i>Cacicus cela</i>)	Common	Red-legged Honeycreeper (<i>Cyanerpes cyaneus</i>)	2
Red-rumped Cacique (<i>Cacicus haemorrhous</i>)	1	Slate-coloured Grosbeak (<i>Saltator grossus</i>)	0
Green Oropendola (<i>Psarocolius viridis</i>)	2	Shiny Cowbird (<i>Molothrus bonariensis</i>)	1

Guyana (Guyana) 24/03/2006 to 24/03/2006

Overcast then sun and heavy showers pm

Transfer from Rock View to Irowkrama field station, taking in Canopy Walkway at dawn

Anhinga (<i>Anhinga anhinga</i>)	1
Cocoi Heron (<i>Ardea cocoi</i>)	1
Great Egret (<i>Ardea alba</i>)	1
Black Vulture (<i>Coragyps atratus</i>)	0
Turkey Vulture (<i>Cathartes aura</i>)	0
Lesser Yellow-headed Vulture (<i>Cathartes burrovianus</i>)	4
Swallow-tailed Kite (<i>Elanoides forficatus</i>)	2
Plumbeous Kite (<i>Ictinia plumbea</i>)	Common
Short-tailed Hawk (<i>Buteo brachyurus</i>)	1
Red-throated Caracara (<i>Ibycter americanus</i>)	c.5
Crested Caracara (<i>Caracara cheriway</i>)	1
Lined Forest-falcon (<i>Micrastur gilvicolis</i>)	0
Bat Falcon (<i>Falco ruficularis</i>)	2
Little Chachalaca (<i>Ortalis motmot</i>)	2
Blue-and-yellow Macaw (<i>Ara ararauna</i>)	2
Scarlet Macaw (<i>Ara macao</i>)	4
Red-and-green Macaw (<i>Ara chloropterus</i>)	Common
Painted Parakeet (<i>Pyrrhura picta</i>)	2
Blue-headed Parrot (<i>Pionus menstruus</i>)	4
Orange-winged Parrot (<i>Amazona amazonica</i>)	Common
Band-rumped Swift (<i>Chaetura spinicaudus</i>)	Common
White-tailed Trogon (<i>Trogon viridis</i>)	0
Black Nunbird (<i>Monasa atra</i>)	2

Irowkrama Forest (Guyana) 25/03/2006 to 27/03/2006

Sunny after a cloudy start with heavy thunderstorm in the afternoon

Turtle Mountain and kocal village

Great Tinamou (<i>Tinamus major</i>)	0
Neotropic Cormorant (<i>Phalacrocorax brasilianus</i>)	1
Cocoi Heron (<i>Ardea cocoi</i>)	1
Rufescent Tiger-heron (<i>Tigrisoma lineatum</i>)	1
Muscovy Duck (<i>Cairina moschata</i>)	1
Black Vulture (<i>Coragyps atratus</i>)	0
Swallow-tailed Kite (<i>Elanoides forficatus</i>)	4
Plumbeous Kite (<i>Ictinia plumbea</i>)	2
Grey Hawk (<i>Asturina nitida plagiata</i>)	1
Short-tailed Hawk (<i>Buteo brachyurus</i>)	1
Crested Eagle (<i>Morphnus guianensis</i>)	0
Red-throated Caracara (<i>Ibycter americanus</i>)	1
Bat Falcon (<i>Falco ruficularis</i>)	1
Pied Lapwing (<i>Vanellus cayanus</i>)	2
Yellow-billed Tern (<i>Sterna superciliaris</i>)	1
Large-billed Tern (<i>Phaetusa simplex</i>)	1
Black Skimmer (<i>Rynchops niger</i>)	2

Ruddy Pigeon (<i>Patagioenas subvinacea</i>)	0	King Vulture (<i>Sarcoramphus papa</i>)	1
Blue-and-yellow Macaw (<i>Ara ararauna</i>)	2	Grey-headed Kite (<i>Leptodon cayanensis</i>)	1
Red-and-green Macaw (<i>Ara chloropterus</i>)	c.6	Swallow-tailed Kite (<i>Elanoides forficatus</i>)	4
Blue-headed Parrot (<i>Pionus menstruus</i>)	c.6	Plumbeous Kite (<i>Ictinia plumbea</i>)	Common
Orange-winged Parrot (<i>Amazona amazonica</i>)	0	Common Black-hawk (<i>Buteogallus anthracinus</i>)	1
Mealy Parrot (<i>Amazona farinosa</i>)	1	Savanna Hawk (<i>Buteogallus meridionalis</i>)	3
Squirrel Cuckoo (<i>Piaya cayana</i>)	1	Short-tailed Hawk (<i>Buteo brachyurus</i>)	1
Band-rumped Swift (<i>Chaetura spinicaudus</i>)	Common	Yellow-headed Caracara (<i>Milvago chimachima</i>)	1
Eastern Long-tailed Hermit (<i>Phaethornis superciliosus</i>)	1	Marail Guan (<i>Penelope marail</i>)	2
Reddish Hermit (<i>Phaethornis ruber</i>)	1	Black Curassow (<i>Crax alector</i>)	1
Grey-breasted Sabrewing (<i>Campylopterus largipennis</i>)	2	Marbled Wood-quail (<i>Odontophorus gujanensis</i>)	0
Blue-tailed Emerald (<i>Chlorostilbon mellisugus</i>)	2	Grey-winged Trumpeter (<i>Psophia crepitans</i>)	c.6
White-tailed Trogon (<i>Trogon viridis</i>)	0	Large-billed Tern (<i>Phaetusa simplex</i>)	1(0)
Black-throated Trogon (<i>Trogon rufus</i>)	0	Black Skimmer (<i>Rynchops niger</i>)	1
Ringed Kingfisher (<i>Ceryle torquatus</i>)	1	Scaled Pigeon (<i>Patagioenas speciosa</i>)	1
Amazon Kingfisher (<i>Chloroceryle amazona</i>)	1	Ruddy Pigeon (<i>Patagioenas subvinacea</i>)	0
Great Jacamar (<i>Jacamerops aureus</i>)	1	Ruddy Ground-dove (<i>Columbina talpacoti</i>)	1
Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common	Red-and-green Macaw (<i>Ara chloropterus</i>)	c.8
Black-spotted Barbet (<i>Capito niger</i>)	2	Blue-headed Parrot (<i>Pionus menstruus</i>)	c.2
White-throated Toucan (<i>Ramphastos tucanus</i>)	c.2	Orange-winged Parrot (<i>Amazona amazonica</i>)	Common
Golden-spangled Piculet (<i>Picumnus exilis</i>)	1	Mealy Parrot (<i>Amazona farinosa</i>)	4
Yellow-throated Woodpecker (<i>Piculus flavigula</i>)	2	Red-fan Parrot (<i>Deropteryx accipitrinus</i>)	2
Waved Woodpecker (<i>Ceuleus undatus</i>)	1	Squirrel Cuckoo (<i>Piaya cayana</i>)	1
Cream-coloured Woodpecker (<i>Ceuleus flavus</i>)	1	Smooth-billed Ani (<i>Crotophaga ani</i>)	Common
Lineated Woodpecker (<i>Dryocopus lineatus</i>)	c.3	Tropical Screech-owl (<i>Megascops choliba</i>)	0
Red-necked Woodpecker (<i>Campephilus rubricollis</i>)	1	Lesser Nighthawk (<i>Chordeiles acutipennis</i>)	1
Plain Xenops (<i>Xenops minutus</i>)	1	Band-rumped Swift (<i>Chaetura spinicaudus</i>)	Common
Wedge-billed Woodcreeper (<i>Glyphorhynchus spirurus</i>)	2	Short-tailed Swift (<i>Chaetura brachyura</i>)	2
Amazonian Barred-woodcreeper (<i>Dendrocolaptes certhia</i>)	1	Lesser Swallow-tailed Swift (<i>Panyptila cayennensis</i>)	1
Buff-throated Woodcreeper (<i>Xiphorhynchus guttatus</i>)	0	Eastern Long-tailed Hermit (<i>Phaethornis superciliosus</i>)	1
Straight-billed Woodcreeper (<i>Dendroplex picus</i>)	1	Grey-breasted Sabrewing (<i>Campylopterus largipennis</i>)	1
Barred Antshrike (<i>Thamnophilus doliatus</i>)	1	White-tailed Trogon (<i>Trogon viridis</i>)	c.2
Cinereous Antshrike (<i>Thamnomanes caesius</i>)	2	Ringed Kingfisher (<i>Ceryle torquatus</i>)	1
Pygmy Antwren (<i>Myrmotherula brachyura</i>)	2	Green Kingfisher (<i>Chloroceryle americana</i>)	1
Screaming Piha (<i>Lipaugus vociferans</i>)	c.3	Blue-crowned Motmot (<i>Momotus momota</i>)	1
Pale-eyed Pygmy-tyrant (<i>Atalotriccus pilaris</i>)	c.3	Green-tailed Jacamar (<i>Galbula galbula</i>)	1
Common Tody-flycatcher (<i>Todirostrum cinereum</i>)	1	Black Nunbird (<i>Monasa atra</i>)	1
Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common	Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common
White-winged Swallow (<i>Tachycineta albiventer</i>)	c.6	Black-necked Aracari (<i>Pteroglossus aracari</i>)	2
White-banded Swallow (<i>Atticora fasciata</i>)	c.4	Guianan Toucanet (<i>Selenidera culik</i>)	1
Sand Martin (<i>Riparia riparia</i>)	c.12	Channel-billed Toucan (<i>Ramphastos vitellinus</i>)	2
Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	2	White-throated Toucan (<i>Ramphastos tucanus</i>)	2
Long-billed Gnatwren (<i>Ramphocaenus melanurus</i>)	1	Yellow-tufted Woodpecker (<i>Melanerpes cruentatus</i>)	1
Red-eyed Vireo (<i>Vireo olivaceus</i>)	1	Chestnut Woodpecker (<i>Ceuleus elegans</i>)	1
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0	Lineated Woodpecker (<i>Dryocopus lineatus</i>)	2
Blue-grey Tanager (<i>Thraupis episcopus</i>)	0	Red-necked Woodpecker (<i>Campephilus rubricollis</i>)	1
Palm Tanager (<i>Thraupis palmarum</i>)	0	Olivaceous Woodcreeper (<i>Sittasomus griseicapillus</i>)	1
Slate-coloured Grosbeak (<i>Saltator grossus</i>)	0	Wedge-billed Woodcreeper (<i>Glyphorhynchus spirurus</i>)	1
Giant Cowbird (<i>Molothrus oryzivorus</i>)	4	Buff-throated Woodcreeper (<i>Xiphorhynchus guttatus</i>)	0
Yellow-rumped Cacique (<i>Cacicus cela</i>)	0	Cinereous Antshrike (<i>Thamnomanes caesius</i>)	1
Crested Oropendola (<i>Psarocolius decumanus</i>)	0	Warbling Antbird (<i>Hypocnemis cantator</i>)	0
		White-bellied Antbird (<i>Myrmeciza longipes</i>)	0
Guyana (Guyana) 26/03/2006 to 27/03/2006		Screaming Piha (<i>Lipaugus vociferans</i>)	0
Hot, humid and cloudy in forest, sunny at Surama		Purple-throated Fruitcrow (<i>Querula purpurata</i>)	c.4
Leave Irowkrama and drive to Surama		Guianan Cock-of-the-rock (<i>Rupicola rupicola</i>)	1
		Blue-backed Manakin (<i>Chiroxiphia pareola</i>)	2
Great Tinamou (<i>Tinamus major</i>)	1	White-crowned Manakin (<i>Dixiphia pipra</i>)	1
Little Tinamou (<i>Crypturellus soui</i>)	0	Golden-headed Manakin (<i>Pipra erythrocephala</i>)	1
Black Vulture (<i>Coragyps atratus</i>)	0	Pale-eyed Pygmy-tyrant (<i>Atalotriccus pilaris</i>)	1
Turkey Vulture (<i>Cathartes aura</i>)	0	Brown-crested Flycatcher (<i>Myiarchus tyrannulus</i>)	2
Greater Yellow-headed Vulture (<i>Cathartes melambrotus</i>)	1	Lesser Kiskadee (<i>Philohydor lictor</i>)	4

Great Kiskadee (<i>Pitangus sulphuratus</i>)	4	Eastern Long-tailed Hermit (<i>Phaethornis superciliosus</i>)	1
Piratic Flycatcher (<i>Legatus leucophaeus</i>)	3	Black-throated Mango (<i>Anthracothorax nigricollis</i>)	2
Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common	Blue-tailed Emerald (<i>Chlorostilbon mellisugus</i>)	1
Grey-breasted Martin (<i>Progne chalybea</i>)	3	Black-eared Fairy (<i>Heliodytes aurita</i>)	1
White-winged Swallow (<i>Tachycineta albiventer</i>)	4	Long-billed Starthroat (<i>Heliomaster longirostris</i>)	1
Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	2	White-tailed Trogon (<i>Trogon viridis</i>)	2
Bicoloured Wren (<i>Campylorhynchus griseus</i>)	0	Ringed Kingfisher (<i>Ceryle torquatus</i>)	2
Cayenne Jay (<i>Cyanocorax cayanus</i>)	2	Amazon Kingfisher (<i>Chloroceryle amazona</i>)	2
White-lined Tanager (<i>Tachyphonus rufus</i>)	c.6	Blue-crowned Motmot (<i>Momotus momota</i>)	3
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0	Green-tailed Jacamar (<i>Galbula galbula</i>)	c.4
Blue-grey Tanager (<i>Thraupis episcopus</i>)	0	Black Nunbird (<i>Monasa atra</i>)	4
Palm Tanager (<i>Thraupis palmarum</i>)	0	Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common
Bay-headed Tanager (<i>Tangara gyrola</i>)	2	Black-necked Aracari (<i>Pteroglossus aracari</i>)	2
Wedge-tailed Grass-finch (<i>Emberizoides herbicola</i>)	1	Channel-billed Toucan (<i>Ramphastos vitellinus</i>)	c.6
Grassland Sparrow (<i>Ammodramus humeralis</i>)	2	Lineated Woodpecker (<i>Dryocopus lineatus</i>)	1
Yellow-rumped Cacique (<i>Cacicus cela</i>)	0	Crimson-crested Woodpecker (<i>Campephilus melanoleucos</i>)	1
Red-rumped Cacique (<i>Cacicus haemorrhous</i>)	1	Buff-throated Woodcreeper (<i>Xiphorhynchus guttatus</i>)	0
Crested Oropendola (<i>Psarocolius decumanus</i>)	0	Black-crested Antshrike (<i>Sakesphorus canadensis</i>)	0
Green Oropendola (<i>Psarocolius viridis</i>)	2	Pygmy Antwren (<i>Myrmotherula brachyura</i>)	2
		Dusky Antbird (<i>Cercomacra tyrannina</i>)	0
Surama (Guyana)	27/03/2006 to 27/03/2006	Screaming Piha (<i>Lipaugus vociferans</i>)	0
Hot and sunny		Purple-throated Fruitcrow (<i>Querula purpurata</i>)	c.4
Walk to Burro Burro camp am then boat trip up river. Walk forest edge in the afternoon		Capuchinbird (<i>Perissocephalus tricolor</i>)	c.4
		Golden-headed Manakin (<i>Pipra erythrocephala</i>)	c.8
Little Tinamou (<i>Crypturellus soui</i>)	0	Yellow-bellied Elaenia (<i>Elaenia flavogaster</i>)	3
Anhinga (<i>Anhinga anhinga</i>)	1	Small-billed Elaenia (<i>Elaenia parvirostris</i>)	1
Cocoi Heron (<i>Ardea cocoi</i>)	1	Dusky-capped Flycatcher (<i>Myiarchus tuberculifer</i>)	1
Black Vulture (<i>Coragyps atratus</i>)	0	Brown-crested Flycatcher (<i>Myiarchus tyrannulus</i>)	2
Turkey Vulture (<i>Cathartes aura</i>)	0	Great Kiskadee (<i>Pitangus sulphuratus</i>)	4
King Vulture (<i>Sarcoramphus papa</i>)	1	Piratic Flycatcher (<i>Legatus leucophaeus</i>)	c.4
Swallow-tailed Kite (<i>Elanoides forficatus</i>)	c.6	Variiegated Flycatcher (<i>Empidonomus varius</i>)	2
Pearl Kite (<i>Gampsonyx swainsonii</i>)	1	Tropical Kingbird (<i>Tyrannus melancholicus</i>)	Common
Plumbeous Kite (<i>Ictinia plumbea</i>)	4	Grey-breasted Martin (<i>Progne chalybea</i>)	4
Crane Hawk (<i>Geranospiza caerulescens</i>)	1	White-banded Swallow (<i>Atticora fasciata</i>)	c.15
Savanna Hawk (<i>Buteogallus meridionalis</i>)	2(0)	Southern Rough-winged Swallow (<i>Stelgidopteryx ruficollis</i>)	2
Zone-tailed Hawk (<i>Buteo albonotatus</i>)	1	Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	3
Red-throated Caracara (<i>Ibycter americanus</i>)	2	Buff-breasted Wren (<i>Thryothorus leucotis</i>)	2
Yellow-headed Caracara (<i>Milvago chimachima</i>)	2(0)	Tropical Mockingbird (<i>Mimus gilvus</i>)	1
Little Chachalaca (<i>Ortalis motmot</i>)	0	Pale-breasted Thrush (<i>Turdus leucomelas</i>)	2
Spix's Guan (<i>Penelope jacquacu</i>)	1	White-necked Thrush (<i>Turdus albicollis</i>)	0
Black Curassow (<i>Crax alector</i>)	1	Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0
Ruddy Pigeon (<i>Patagioenas subvinacea</i>)	0	Blue-grey Tanager (<i>Thraupis episcopus</i>)	0
Common Ground-dove (<i>Columbina passerina</i>)	c.6	Palm Tanager (<i>Thraupis palmarum</i>)	0
Ruddy Ground-dove (<i>Columbina talpacoti</i>)	1	Finsch's Euphonia (<i>Euphonia finschi</i>)	1
Scaled Dove (<i>Columbina squammata</i>)	2	Blue Dacnis (<i>Dacnis cayana</i>)	1
Red-and-green Macaw (<i>Ara chloropterus</i>)	c.8	Wedge-tailed Grass-finch (<i>Emberizoides herbicola</i>)	1
Painted Parakeet (<i>Pyrrhura picta</i>)	c.20	Grassland Sparrow (<i>Ammodramus humeralis</i>)	2
Green-rumped Parrotlet (<i>Forpus passerinus</i>)	1	Giant Cowbird (<i>Molothrus oryzivorus</i>)	c.8
Golden-winged Parakeet (<i>Brotogeris chrysopterus</i>)	1	Yellow-rumped Cacique (<i>Cacicus cela</i>)	Common
Black-headed Parrot (<i>Pionites melanocephala</i>)	1	Red-rumped Cacique (<i>Cacicus haemorrhous</i>)	c.8
Blue-headed Parrot (<i>Pionus menstruus</i>)	2	Crested Oropendola (<i>Psarocolius decumanus</i>)	c.5
Orange-winged Parrot (<i>Amazona amazonica</i>)	c.6		
Mealy Parrot (<i>Amazona farinosa</i>)	c.4	Surama (Guyana)	28/03/2006 to 28/03/2006
Squirrel Cuckoo (<i>Piaya cayana</i>)	3	Hot and sunny	
Smooth-billed Ani (<i>Crotophaga ani</i>)	Common	AM walk to Burro Burro River and boat trip PM walk on forest trail	
Tropical Screech-owl (<i>Megascops choliba</i>)	2	Red-legged Tinamou (<i>Crypturellus erythropus</i>)	0
Least Nighthawk (<i>Chordeiles pusillus</i>)	2	Anhinga (<i>Anhinga anhinga</i>)	1
White-collared Swift (<i>Streptoprocne zonaris</i>)	c.15	Rufescent Tiger-heron (<i>Tigrisoma lineatum</i>)	1
Short-tailed Swift (<i>Chaetura brachyura</i>)	0	Black Vulture (<i>Coragyps atratus</i>)	0
Lesser Swallow-tailed Swift (<i>Panyptila cayennensis</i>)	2	Turkey Vulture (<i>Cathartes aura</i>)	0

Greater Yellow-headed Vulture (<i>Cathartes melambrotus</i>)	2	White-crowned Manakin (<i>Dixiphia pipra</i>)	1
Swallow-tailed Kite (<i>Elanoides forficatus</i>)	c.3	Golden-headed Manakin (<i>Pipra erythrocephala</i>)	c.6
Double-toothed Kite (<i>Harpagus bidentatus</i>)	1	Yellow-bellied Elaenia (<i>Elaenia flavogaster</i>)	2
Plumbeous Kite (<i>Ictinia plumbea</i>)	3	Bright-rumped Attila (<i>Attila spadiceus</i>)	0
Great Black-hawk (<i>Buteogallus urubitinga</i>)	1	Brown-crested Flycatcher (<i>Myiarchus tyrannulus</i>)	2
Savanna Hawk (<i>Buteogallus meridionalis</i>)	2	Great Kiskadee (<i>Pitangus sulphuratus</i>)	0
Black-collared Hawk (<i>Busarellus nigricollis</i>)	1	Streaked Flycatcher (<i>Myiodynastes maculatus</i>)	2
Roadside Hawk (<i>Buteo magnirostris</i>)	1	Piratic Flycatcher (<i>Legatus leucophaeus</i>)	0
Black Caracara (<i>Daptrius ater</i>)	1	Tropical Kingbird (<i>Tyrannus melancholicus</i>)	0
Red-throated Caracara (<i>Ibycter americanus</i>)	2	Fork-tailed Flycatcher (<i>Tyrannus savana</i>)	1
Yellow-headed Caracara (<i>Milvago chimachima</i>)	2	Black-tailed Tityra (<i>Tityra cayana</i>)	2
Lined Forest-falcon (<i>Micrastur gilvicolis</i>)	0	Grey-breasted Martin (<i>Progne chalybea</i>)	2
Bat Falcon (<i>Falco ruficularis</i>)	1	White-banded Swallow (<i>Atticora fasciata</i>)	c.15(0)
Spix's Guan (<i>Penelope jacquacu</i>)	1	Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	2
Pale-vented Pigeon (<i>Patagioenas cayennensis</i>)	2	Buff-breasted Wren (<i>Thryothorus leucotis</i>)	0
Ruddy Pigeon (<i>Patagioenas subvinacea</i>)	c.3	Tropical Mockingbird (<i>Mimus gilvus</i>)	1
Common Ground-dove (<i>Columbina passerina</i>)	c.4	Pale-breasted Thrush (<i>Turdus leucomelas</i>)	2
White-tipped Dove (<i>Leptotila verreauxi</i>)	2	White-necked Thrush (<i>Turdus albicollis</i>)	0
Red-and-green Macaw (<i>Ara chloropterus</i>)	c.5(0)	Cayenne Jay (<i>Cyanocorax cayanus</i>)	2
Painted Parakeet (<i>Pyrrhura picta</i>)	c.20	Lemon-chested Greenlet (<i>Hylophilus thoracicus griseiventris</i>)	1
Blue-headed Parrot (<i>Pionus menstruus</i>)	4	Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0
Dusky Parrot (<i>Pionus fuscus</i>)	1	Blue-grey Tanager (<i>Thraupis episcopus</i>)	0
Orange-winged Parrot (<i>Amazona amazonica</i>)	0	Palm Tanager (<i>Thraupis palmarum</i>)	0
Mealy Parrot (<i>Amazona farinosa</i>)	c.8	Finsch's Euphonia (<i>Euphonia finschi</i>)	2
Squirrel Cuckoo (<i>Piaya cayana</i>)	3	Turquoise Tanager (<i>Tangara mexicana</i>)	1
Smooth-billed Ani (<i>Crotophaga ani</i>)	0	Blue Dacnis (<i>Dacnis cayana</i>)	1
Rufous-winged Ground-cuckoo (<i>Neomorphus rufipennis</i>)	2	Wedge-tailed Grass-finch (<i>Emberizoides herbicola</i>)	1
Tropical Screech-owl (<i>Megascops choliba</i>)	0	Grassland Sparrow (<i>Ammodramus humeralis</i>)	2
Least Nighthawk (<i>Chordeiles pusillus</i>)	4	Yellow-rumped Cacique (<i>Cacicus cela</i>)	Common
Lesser Nighthawk (<i>Chordeiles acutipennis</i>)	2	Crested Oropendola (<i>Psarocolius decumanus</i>)	Common
Short-tailed Swift (<i>Chaetura brachyura</i>)	c.6		
Eastern Long-tailed Hermit (<i>Phaethornis superciliosus</i>)	1	Guyana (Guyana) 29/03/2006 to 29/03/2006	
Reddish Hermit (<i>Phaethornis ruber</i>)	1	Hot and sunny	
Fork-tailed Woodnymph (<i>Thalurania furcata</i>)	1	Leave Surama to Rock View and then flight to Georgetown.	
Black-eared Fairy (<i>Heliothryx aurita</i>)	1(0)	Afternoon visit to Botanical gardens and zoo	
Long-billed Starthroat (<i>Helimaster longirostris</i>)	1	Red-legged Tinamou (<i>Crypturellus erythropus</i>)	0
White-tailed Trogon (<i>Trogon viridis</i>)	2	Magnificent Frigatebird (<i>Fregata magnificens</i>)	1
Black-throated Trogon (<i>Trogon rufus</i>)	0	Great Egret (<i>Ardea alba</i>)	8
Ringed Kingfisher (<i>Ceryle torquatus</i>)	3(0)	Tricoloured Heron (<i>Egretta tricolor</i>)	c.12
Amazon Kingfisher (<i>Chloroceryle amazona</i>)	2(0)	Little Blue Heron (<i>Egretta caerulea</i>)	1
Green-and-rufous Kingfisher (<i>Chloroceryle inda</i>)	1	Snowy Egret (<i>Egretta thula</i>)	5
Green-tailed Jacamar (<i>Galbula galbula</i>)	3	Cattle Egret (<i>Bubulcus ibis</i>)	Common
Paradise Jacamar (<i>Galbula dea</i>)	1	Striated Heron (<i>Butorides striata</i>)	2
Great Jacamar (<i>Jacamerops aureus</i>)	2	Black-crowned Night Heron (<i>Nycticorax nycticorax</i>)	c.10
Black Nunbird (<i>Monasa atra</i>)	c.4	Black Vulture (<i>Coragyps atratus</i>)	0
Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common	Turkey Vulture (<i>Cathartes aura</i>)	0
Green Aracari (<i>Pteroglossus viridis</i>)	1	Lesser Yellow-headed Vulture (<i>Cathartes burrovianus</i>)	4
Channel-billed Toucan (<i>Ramphastos vitellinus</i>)	c.6	King Vulture (<i>Sarcoramphus papa</i>)	1
White-throated Toucan (<i>Ramphastos tucanus</i>)	2(0)	Swallow-tailed Kite (<i>Elanoides forficatus</i>)	1
Golden-spangled Piculet (<i>Picumnus exilis</i>)	1	Plumbeous Kite (<i>Ictinia plumbea</i>)	4
Yellow-throated Woodpecker (<i>Piculus flavigula</i>)	1	Common Black-hawk (<i>Buteogallus anthracinus</i>)	1
Red-necked Woodpecker (<i>Campephilus rubricollis</i>)	2	Savanna Hawk (<i>Buteogallus meridionalis</i>)	2
Buff-throated Woodcreeper (<i>Xiphorhynchus guttatus</i>)	1	Roadside Hawk (<i>Buteo magnirostris</i>)	1
Black-crested Antshrike (<i>Sakesphorus canadensis</i>)	0	Crested Caracara (<i>Caracara cheriway</i>)	1
Cinereous Antshrike (<i>Thamnomanes caesius</i>)	1	Yellow-headed Caracara (<i>Milvago chimachima</i>)	2
Pygmy Antwren (<i>Myrmotherula brachyura</i>)	2	Laughing Falcon (<i>Herpetotheres cachinnans</i>)	1
Dusky Antbird (<i>Cercomacra tyrannina</i>)	1	Grey-winged Trumpeter (<i>Psophia crepitans</i>)	c.6
Screaming Piha (<i>Lipaugus vociferans</i>)	0	Wattled Jacana (<i>Jacana jacana</i>)	c.4
Spangled Cotinga (<i>Cotinga cayana</i>)	2	Spotted Sandpiper (<i>Actitis macularia</i>)	1
Purple-throated Fruitcrow (<i>Querula purpurata</i>)	0	Pale-vented Pigeon (<i>Patagioenas cayennensis</i>)	0
Capuchinbird (<i>Perissocephalus tricolor</i>)	0		

Ruddy Pigeon (<i>Patagioenas subvinacea</i>)	0	Carib Grackle (<i>Quiscalus lugubris</i>)	0
Eared Dove (<i>Zenaida auriculata</i>)	1	Giant Cowbird (<i>Molothrus oryzivorus</i>)	2
Common Ground-dove (<i>Columbina passerina</i>)	0	Yellow Oriole (<i>Icterus nigrogularis</i>)	2
Blue Ground-dove (<i>Claravis pretiosa</i>)	1	Yellow-rumped Cacique (<i>Cacicus cela</i>)	0
White-tipped Dove (<i>Leptotila verreauxi</i>)	4	Crested Oropendola (<i>Psarocolius decumanus</i>)	0
Red-and-green Macaw (<i>Ara chloropterus</i>)	2		
Red-bellied Macaw (<i>Orthopsittica manilata</i>)	Common	Barbados area (Barbados)	30/03/2006 to 30/03/2006
Red-shouldered Macaw (<i>Diopsittaca nobilis</i>)	c.4	Hot and sunny	
Orange-winged Parrot (<i>Amazona amazonica</i>)	0	Tour around north of island	
Mealy Parrot (<i>Amazona farinosa</i>)	2		
Little Cuckoo (<i>Piaya minuta</i>)	1	Common Moorhen (<i>Gallinula chloropus</i>)	2
Smooth-billed Ani (<i>Crotophaga ani</i>)	0	Feral Pigeon (<i>Columba livia</i> 'feral')	Common
Least Nighthawk (<i>Chordeiles pusillus</i>)	2	Scaly-naped Pigeon (<i>Patagioenas squamosa</i>)	c.12
Short-tailed Swift (<i>Chaetura brachyura</i>)	c.4	Eared Dove (<i>Zenaida auriculata</i>)	3
Fork-tailed Palm-swift (<i>Tachornis squamata</i>)	1	Common Ground-dove (<i>Columbina passerina</i>)	Common
Grey-breasted Sabrewing (<i>Campylopterus largipennis</i>)	1	Grey Kingbird (<i>Tyrannus dominicensis</i>)	Common
Fork-tailed Woodnymph (<i>Thalurania furcata</i>)	2	Bananaquit (<i>Coereba flaveola</i>)	5
Rufous-throated Sapphire (<i>Hylocharis sapphirina</i>)	1	Black-faced Grassquit (<i>Tiaris bicolor</i>)	4
White-chested Emerald (<i>Agyrtia brevirostris</i>)	2	Lesser Antillean Bullfinch [barbadensis] (<i>Loxigilla noctis barbadensis</i>)	Common
White-tailed Trogon (<i>Trogon viridis</i>)	1	Carib Grackle (<i>Quiscalus lugubris</i>)	Very Common
Ringed Kingfisher (<i>Ceryle torquatus</i>)	1		
Black Nunbird (<i>Monasa atra</i>)	2		
Swallow-wing (<i>Chelidoptera tenebrosa</i>)	Common		
Channel-billed Toucan (<i>Ramphastos vitellinus</i>)	3		
Blood-coloured Woodpecker (<i>Veniliornis sanguineus</i>)	1		
Lineated Woodpecker (<i>Dryocopus lineatus</i>)	1		
Crimson-crested Woodpecker (<i>Campephilus melanoleucos</i>)	1		
Wedge-billed Woodcreeper (<i>Glyphorhynchus spirurus</i>)	2		
Buff-throated Woodcreeper (<i>Xiphorhynchus guttatus</i>)	1		
Screaming Piha (<i>Lipaugus vociferans</i>)	0		
Purple-throated Fruitcrow (<i>Querula purpurata</i>)	c.10		
White-crowned Manakin (<i>Dixiphia pipra</i>)	1		
Golden-headed Manakin (<i>Pipra erythrocephala</i>)	c.4		
Yellow-bellied Elaenia (<i>Elaenia flavogaster</i>)	1		
Spotted Tody-flycatcher (<i>Todirostrum maculatum</i>)	2		
Pied Water-tyrant (<i>Fluvicola pica</i>)	1		
Bright-rumped Attila (<i>Attila spadiceus</i>)	0		
Dusky-capped Flycatcher (<i>Myiarchus tuberculifer</i>)	2		
Brown-crested Flycatcher (<i>Myiarchus tyrannulus</i>)	1		
Lesser Kiskadee (<i>Philohydor lictor</i>)	0		
Great Kiskadee (<i>Pitangus sulphuratus</i>)	0		
Social Flycatcher (<i>Myiozetetes similis</i>)	1		
Yellow-throated Flycatcher (<i>Conopias parvus</i>)	2		
Tropical Kingbird (<i>Tyrannus melancholicus</i>)	0		
Grey Kingbird (<i>Tyrannus dominicensis</i>)	c.6		
Fork-tailed Flycatcher (<i>Tyrannus savana</i>)	1		
Grey-breasted Martin (<i>Progne chalybea</i>)	2		
White-winged Swallow (<i>Tachycineta albiventer</i>)	c.12		
Barn Swallow (<i>Hirundo rustica erythrogaster</i>)	2		
Southern House-wren (<i>Troglodytes aedon musculus</i>)	2		
Tropical Mockingbird (<i>Mimus gilvus</i>)	0		
Pale-breasted Thrush (<i>Turdus leucomelas</i>)	2		
Cayenne Jay (<i>Cyanocorax cayanus</i>)	2		
Yellow Warbler (<i>Dendroica petechia aestiva</i>)	3		
White-lined Tanager (<i>Tachyphonus rufus</i>)	2		
Silver-beaked Tanager (<i>Ramphocelus carbo</i>)	0		
Blue-grey Tanager (<i>Thraupis episcopus</i>)	0		
Palm Tanager (<i>Thraupis palmarum</i>)	0		
Green Honeycreeper (<i>Chlorophanes spiza</i>)	1		
Grassland Sparrow (<i>Ammodramus humeralis</i>)	2		
Eastern Meadowlark (<i>Sturnella magna</i>)	1		

Other species seen

Red Howler Monkey

Guianan Brown-bearded Saki

Wedge-capped Capuchin

Black Spider Monkey

Golden-handed Tamarin

Three-toed Sloth

Tayra

Red-rumped Agouti

Capybara

Giant Anteater

Giant Otter

Bull Dog Bat spp.

Sac-winged Bat spp.

Long-nosed Bat spp

Golden Frog

Marine Toad

Tegu Lizard

Spectacled Cayman

Black Cayman

Basilisk Lizard

Anole Lizard

Gecko spp

Amazon Tree Boa

'Fire Snake'

Yellow-footed Tortoise

Pink-footed Tarantula

Wolf Spider

Preying Mantis

Various Hawk-moth species

Blue Morpho

Scorpion spp