

Guyana – A Timeless Paradise

Naturetrek Tour Report

2nd – 16th February 2022




Hoatzin



Giant Anteater



Jabiru



Guianan Cock-of-the-Rock

Tour report and images by Wally Prince



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Participants: Waldyke Prince “Wally” (leader) with nine Naturetrek clients

Local guides: Wally: Kaiteur Falls
 Wally & Zorba Edwards: Rock View Lodge
 Tichie & Delan: Atta Rainforest Lodge; Canopy Walkway
 Neil Allicock: Surama Village
 Kenneth Mandook & team: Karanambu Lodge and environs

Hosts: Wally & Colin Edwards: Rock View Lodge
 Wally & Tichie Roberts: Atta Rainforest Lodge - Canopy Walkway
 Wally, Neil & Jackie Allicock: Surama Village
 Edward McTurk & Manuel Mandook: Karanambu Lodge

Summary

This Naturetrek group only had nine people and the trip started with the visit to the mighty Kaiteur Falls. It was a really nice flight in to Kaiteur, with clear skies that allowed the group to see and appreciate the vast greenery of nearly unbroken forest landscapes for hundreds of kilometres... a ‘Sea of Broccoli’. We saw six male Cock-of-the-Rock birds in their splendour at Kaiteur and two at the CoTR site in Iwokrama, which included a female on the nest.

The group liked Atta Lodge and Karanambu Lodge the best, with the settings of the lodges and the variety of habitats within the environment of Karanambu Lodge. We did not see any Sloths on this trip, which was a disappointment for many members of the group, but we did see monkeys and enjoyed close views of Red Howlers on the Mahaica Birding Tour (the last morning’s activity on the coast). At Karanambu Lodge, we were able to see two sets of Giant River Otters; a family of six (three juveniles & three adults) and a single adult, and three Giant Anteaters, comprising of a single male followed by a female with cub on her back. No orphaned Giant Otters were being rehabilitating at the lodge during our visit.

The last day’s activities on the coast went well with the Mahaica Birding Tour and many species were sighted: shorebirds, mangrove specialists and the Hoatzin. And several groups of Red Howler Monkeys on the Mahaica River! We did not get to complete the afternoon birding activity in the Botanical Gardens, due to a Covid-related situation.

Overall, the Naturetrek trip went well and ended well, without any health issues or incidents... and generally we had cool mornings (with cloud covers) and hot sunny afternoons.

Highlights

- Our visit to Kaiteur was the highlight of our first day and having incredible views of the Fall, and the Golden Frog, 100s of White-collared Swifts, and six male CoTR birds, exhibiting courtship displays. The falls were medium in volume and still provided a nice display of water.
- Seeing several large macaws, parrots, toucans and Black Hawk-Eagle on the trip to Atta Lodge and the Ornate Hawk-Eagle on the Burro Burro boat trip.

- Sightings of many groups of Grey-winged Trumpeters (the no.1 bird on David's list), Black Curassow and Red Howler Monkeys, Spider Monkeys and many birds at Atta Lodge.
- The boat transfer to Karanambu Lodge from Genip Landing, with all the bird-life and caimans along the way.
- The boat trips on the river and lakes near the Karanambu Lodge, with lots of wildlife observations, including the family of otters in Taraqua Pond, and the Giant Anteaters out in the savanna.
- Experiencing the Cashew-nut roasting at Rockview Lodge
- The many photographic opportunities during the trip for capturing 'moments in nature'

Day 1

Wednesday 2nd February

Arrive Cheddi Jagan International Airport

In the afternoon Sugrim, the Wildex driver departed for CJIA (Timehri) Airport to pick up most of the group at 10:35pm and transported them to be checked in at Cara Lodge, Georgetown..

Day 2

Thursday 3rd February

Georgetown

The group was led by Carlos to do some afternoon birding within the city and onwards to the Demerara River for an evening birding session that included watching the Scarlet Ibis as they flew in to roost in the mangroves on the riverside.

Wally Prince met the group at Cara Lodge upon their return from the Demerara River trip evening birding. Another group member arrived on the 10:35pm flight and was transported by Sugrim to Cara Lodge

Day 3

Friday 4th February

Cara Lodge – Rock View Lodge via Kaiteur Falls

We were at the Ogle Airstrip at 8.30am and departed by TGA Airlines for Kaiteur Falls. We saw Swifts, Golden-frogs, and six male Cock-of-the-Rocks. The volume of the falls was medium volume. We had the very delicious Roti-wraps for lunch, a popular Guyanese dish.

We continued our flight to Annai airstrip and was received by the Edwards family of Rock View Lodge, where we spent the night. We had an orientation of the lodge grounds and did a short afternoon birding.

We were well hosted by Colin Edwards, owner of the Rock View Lodge, with evening drinks and stories of the Rupununis.

Day 4

Saturday 5th February

Rock View Lodge – Atta

After a 6am Tea/Coffee, we departed for the Panoramic Nature Trail to look for birdlife/wildlife. The group couldn't make the climb and the trail is badly need of repairs (no handrails etc). So, we came back down and birded on the flats, and returned to the lodge for breakfast.

After breakfast, the group was treated to a cashew-nut roasting experience; whereby they saw how the nut is extracted from the toxic shell, and they were able to taste freshly roasted nuts We departed the lodge soon after.

Vitor (our driver throughout the trip), took us to do birding up to the Mora Bridge, en route to Pakaraima Inn & Organic Farm, where we stopped to have lunch and was well hosted by Aunty Veronica Stephens. We saw Black Spider-Monkeys and several species of great birds for the savanna environment.

We continued in the afternoon towards Atta Rainforest Lodge, birding along the way and were able to have great views of a Black Hawk-Eagle at Mushiparu Bridge near Atta Lodge.

Day 5

Sunday 6th February

Atta Lodge

We went back up to the Canopy Walkway before breakfast, and after breakfast we did a trail walk along the access road. It was a very overcast morning, so very little bird activity was seen from the canopy (birds were more heard than seen).

After lunch, we went via vehicle to the white sand forest, to find some of the specialist species there, and returned in the dark, spotlighting on the way back to the lodge.

Day 6 & 7

Monday 7th & Tuesday 8th February

Atta Lodge

Our time here included pre-breakfast trips, pre-lunch hikes and evening drives along the main road (in some instances over 15 kilometre drives), to look for birdlife and wildlife – including spotlighting on the way back to the lodge. Our final group member who had been delayed by health issues, joined us here.

These evening excursions allowed us to find White-winged Potoo, Long-tailed Potoo and the Common Potoo.

Day 8

Wednesday 9th February

Atta Lodge – Surama

We did another trip to Mushiparu bridge before breakfast Afterwards, we left Atta Lodge for Surama, stopping at the CoTR site. We observed one male, and a female nesting.

We arrived in Surama had lunch, were shown to our rooms, and relaxed until 4pm.

Neil Allicock and I had discussed with the guests about the difficulty of climbing the Surama Mountain (no handrails and boulders to cross over) and proposed the alternative to visit the Harpy Eagle nest site on the Burro Burro, for tomorrow morning activity.

In the afternoon, we were transported to the village centre, and did birding on our hike back to the lodge, which included the village tour. After dinner, we did a night walk on a nearby trail.

Day 9

Thursday 10th February

Surama

We departed on our hike with a packed breakfast for the Burro Burro River, and we ate our breakfast at the hammock lodge at the riverside. We headed downstream in two boats for the nesting site and saw a Ornate Hawk-Eagle on the way. We did not see any Harpy, but we had a very brief sighting of a Crested Eagle flying across the river (normal colour morph).

In the hike down to the river, Neil called in a Rufous-winged Ground Cuckoo... a very very rare sighting!

In the afternoon, we went to the Great Potoo area and found two birds.

Day 10

Friday 11th February

Surama – Karanambu Lodge

We did a pre-breakfast walk across the savanna to the forest and departed for Genip landing, stopping at the White-naped Xenopsaris spot. We continued birding en route to Genip Landing and saw; Yellow-hooded Blackbird, Red-breasted Meadowlark, Great Black Hawk, Savanna Hawk, White-naped Xenopsaris, Pied Water Tyrant, White-headed Marsh Tyrant, Vermillion Flycatcher, Jabiru Stork, and many other species, as well as Black Spider Monkeys.

After a three-hour boat journey, we arrived at Karanambu Lodge, went through the usual covid protocols, shown to our rooms and came back for lunch.

In the afternoon (4.30pm), we departed downriver for Taraqua Pond to look for Giant Otters, and we found a family of six: three adults and three juveniles. There was a sighting of Squirrel Monkeys. We saw many birds, Anhingas, egrets, parrots, Band-tailed Nighthawks and Boat-billed Herons, as well as the Giant Otters, and spotlighted our way back to the lodge.

The Lodge had no young orphan Giant Otters.

Day 11

Saturday 12th February

Karanambu Lodge

At 6am, we departed to look for the Giant Anteater. Uncle Cecil, the Vacquero (cow-boy), was able to find two for us: a mother with the cub on her back. But en route to him, we saw another individual, a male, galloping off in the distance. The group was surprised to see this, because it is never shown on TV that these animals run... it's always a anteater walking slowly and/or foraging. So, three individuals in total! We returned to the lodge for breakfast, and after breakfast, we walked to the Honey Pond 1, where we startled a small group of Collared Peccaries.

In the afternoon, we went Mobay Pond upriver to view the *Victoria amazonica* Lilies; this is the least number of lilies I've ever observed in Mobay Pond. There were large open spaces of water, which I consider very unusual. On the way back to the lodge, spotlighting for night-hawks and nightjars concluded the day.

Day 12

Sunday 13th February

Karanambu Lodge

At 6am, we departed downriver for Semoni Creek & lakes for bird and wildlife spotting, and in the afternoon, we returned there and saw Brown Capuchins and Squirrel Monkeys, and had a brief glimpse of a lone male Giant Otter as well as many species of birds.

Day 13

Monday 14th February

Karanambu Lodge – Georgetown

At 6am we departed for Capuchin Bird trail but did not see the birds; they had moved to another spot. After breakfast we departed for Lethem and boarded the plane at 1pm for Georgetown, where the group went immediately to the medical facility to do their PCR tests and onwards to check in at Cara Lodge.

We did our usual evening bird listing before dinner and retired for the night after dinner.

Day 14

Tuesday 15th February

Coastal tours – Mahaica River

At 4.45am, we departed in the rain for the Mahaica River. It was quite a rainy morning, so we had our packed breakfast while waiting on the rains to ease/stop. We were met by Naresh at the riverside, and we immediately proceeded on the boat trip to do birding and wildlife spotting. We saw many of the species we were targeting for the Mahaica: Hoatzin, Long-winged Harrier, Little Cuckoo and White-bellied Piculet, and several other species, including several sightings of Red Howler Monkeys. On the trip back to Georgetown it was still raining, so we were unable to get the main mangrove specific species, Rufous Crab-Hawk, but we did stop at the sea side and were able to see Scarlet Ibis and Yellow-legs.

We headed back to Cara Lodge, and en route I was told that two group members were both tested positive for Covid, so, we had to stop at the Wildex office, where the group was briefed on the Covid protocols and processes. Everyone had to return and isolate (the lunches from the Singing Chef were packed and collected). After everyone had settled in, I had to do a PCR test and in the evening I received a negative result.

Day 15

Wednesday 16th February

Georgetown – CJI Airport and onwards

A 4.30am pickup was arranged for most of the group, with Sugrim taking them to the airport to check in for their flights to Trinidad and the UK.

After doing a Lateral Flow test and a 2nd PCR test which showed a negative result, the other two group members departed Guyana on Friday 18th February. What a relief!

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



www.facebook.com/naturetrekwildlifeholidays



www.twitter.com/naturetrektours



www.instagram.com/naturetrek_wildlife_holidays

Species lists

Birds

Common name	Scientific name	Trip
Great Tinamou	<i>Tinamus major</i>	H
Undulated Tinamou	<i>Crypturellus undulatus</i>	✓
Variegated Tinamou	<i>Crypturellus variegatus</i>	H
White-faced Whistling Duck	<i>Dendrocygna viduata</i>	✓
Muscovy Duck	<i>Cairina moschata</i>	✓
Little Chachalaca	<i>Ortalis motmot</i>	✓
Spix's Guan	<i>Penelope jacquacu</i>	✓
Marail Guan	<i>Penelope marail</i>	✓
Black Curassow	<i>Crax alector</i>	✓
Magnificent Frigatebird	<i>Fregata magnificens</i>	✓
Neotropic Cormorant	<i>Phalacrocorax brasilianum</i>	✓
Anhinga	<i>Anhinga anhinga</i>	✓
Pinnated Bittern	<i>Botaurus pinnatus</i>	✓
Little Blue Heron	<i>Egretta caerulea</i>	✓
Tricoloured Heron	<i>Egretta tricolor</i>	✓
Cocoi Heron	<i>Ardea cocoi</i>	✓
Snowy Egret	<i>Egretta thula</i>	✓
Great Egret	<i>Ardea alba</i>	✓
Capped Heron	<i>Pilherodius pileatus</i>	✓
Western Cattle Egret	<i>Bululcus ibis</i>	✓
Striated Heron	<i>Butorides striata</i>	✓
Boat-billed Heron	<i>Cachlearius cochlearius</i>	✓
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	✓
Yellow-crowned Night Heron	<i>Nyctanassa violacea</i>	✓
Rufescent Tiger Heron	<i>Tigrisoma lineatum</i>	✓
Green Ibis	<i>Mesembrinibis cayennensis</i>	✓
Scarlet Ibis	<i>Eudocimus ruber</i>	✓
Jabiru	<i>Jabiru mycteria</i>	✓
Maguari Stork	<i>Ciconia maguari</i>	✓
Wood Stork	<i>Mycteria americana</i>	✓
Black Vulture	<i>Coragyps atratus</i>	✓
Turkey Vulture	<i>Cathartes aura</i>	✓
Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>	✓
Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	✓
King Vulture	<i>Sarcoromohus papa</i>	✓
Western Osprey	<i>Pandion haliaetus</i>	✓
Snail Kite	<i>Rastrhamus sociabilis</i>	✓
Swallow-tailed Kite	<i>Elanoides forficatus</i>	✓
Plumbeous Kite	<i>Ictinia plumbea</i>	✓
Black-faced Hawk	<i>Leucopternis melanops</i>	✓
Grey-lined Hawk	<i>Buteo nitidus</i>	✓
Great Black Hawk	<i>Buteogallus urubitinga</i>	✓
Savanna Hawk	<i>Buteogallus meridionalis</i>	✓
Black-collared Hawk	<i>Busarellus nigricollis</i>	✓
Roadside Hawk	<i>Rupornis magnirostris</i>	✓
White-tailed Hawk	<i>Geranoaetus albicaudatus</i>	✓
Ornate Hawk-Eagle	<i>Spizaetus ornatus</i>	✓
Black Hawk-Eagle	<i>Spizaetus tyrannus</i>	✓

Common name	Scientific name	Trip
Crested Eagle	<i>Morphnus guianensis</i>	✓
Long-winged Harrier	<i>Circus buffoni</i>	✓
Black Caracara	<i>Daptrius ater</i>	✓
Red-throated Caracara	<i>Ibycter americanus</i>	✓
Northern Crested Caracara	<i>Caracara plancus cheriway</i>	✓
Yellow-headed Caracara	<i>Milvago chimachima</i>	✓
Peregrine Falcon	<i>Falco peregrinus</i>	✓
Aplomado Falcon	<i>Falco femoralis</i>	✓
Bat Falcon	<i>Falco ruficularis</i>	✓
American Kestrel	<i>Falco sparverius</i>	✓
Grey-necked Wood Rail	<i>Aramides cajaneus</i>	✓
Purple Gallinule	<i>Porphyrio martinica</i>	✓
Grey-winged Trumpeter	<i>Psophia crepitans</i>	✓
Sunbittern	<i>Eurypyga helias</i>	✓
Limpkin	<i>Aramus guarauna</i>	✓
Pied Plover	<i>Hoploxypterus cayanus</i>	✓
Southern Lapwing	<i>Vanellus chilensis</i>	✓
Wattled Jacana	<i>Jacana jacana</i>	✓
Spotted Sandpiper	<i>Actitis macularius</i>	✓
Solitary Sandpiper	<i>Tringa solitaria</i>	✓
Greater Yellowlegs	<i>Tringa melanoleuca</i>	✓
Large-billed Tern	<i>Phaetusa simplex</i>	✓
Crested Bobwhite	<i>Colinus cristatus</i>	✓
Black Skimmer	<i>Rynchops niger</i>	✓
Scaled Pigeon	<i>Patagioenas speciosa</i>	✓
Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	✓
Ruddy Pigeon	<i>Patagioenas subvinacea</i>	✓
Plumbeous Pigeon	<i>Patagioenas plumbea</i>	✓
Eared Dove	<i>Zenaida auriculata</i>	✓
Common Ground Dove	<i>Columbina passerina</i>	✓
Ruddy Ground Dove	<i>Columbina talpacoti</i>	✓
White-tipped Dove	<i>Leptotila verreauxi</i>	✓
Grey-fronted Dove	<i>Leptotila rufaxilla</i>	H
Rock Dove	<i>Columba livia</i>	✓
Red-and-green Macaw	<i>Ara chloropterus</i>	✓
Scarlet Macaw	<i>Ara macao</i>	✓
Red-shouldered Macaw	<i>Diopsittaca nobilis</i>	✓
Brown-throated Parakeet	<i>Eupsittula pertinax</i>	✓
Painted Parakeet	<i>Pyrrhura picta</i>	✓
Golden-winged Parakeet	<i>Brotogeris chrysoptera</i>	✓
Caica Parrot	<i>Pyrilia caica</i>	✓
Black-headed Parrot	<i>Pionites melanocephalus</i>	✓
Blue-headed Parrot	<i>Pionus menstruus</i>	✓
Dusky Parrot	<i>Pionus fuscus</i>	✓
Yellow-crowned Amazon	<i>Amazona ochrocephala</i>	✓
Orange-winged Amazon	<i>Amazona amazonica</i>	✓
Mealy Amazon	<i>Amazona farinosa</i>	✓
Red-fan Parrot	<i>Deroptyus accipitrinus</i>	✓
Blue-cheeked Amazon	<i>Amazona dufresniana</i>	✓
Hoatzin	<i>Opisthocomus hoazin</i>	✓
Squirrel Cuckoo	<i>Piaya cayana</i>	✓
Little Cuckoo	<i>Coccyzina minuta</i>	✓

Common name	Scientific name	Trip
Rufous-winged Ground Cuckoo	<i>Neomorphus rufipennis</i>	✓
Smooth-billed Ani	<i>Crotophaga ani</i>	✓
Greater Ani	<i>Crotophaga major</i>	✓
Ferruginous Pygmy Owl	<i>Glaucidium brasilianum</i>	H
Tawny-bellied Screech Owl	<i>Megascops watsonii</i>	H
Tropical Screech Owl	<i>Megascops choliba</i>	guide
Least Nighthawk	<i>Chordeiles pusillus</i>	✓
Lesser Nighthawk	<i>Chordeiles acutpennis</i>	✓
Band-tailed Nighthawk	<i>Nyctiprogne leucopyga</i>	✓
Nacunda Nighthawk	<i>Chordeiles nacunda</i>	✓
Great Potoo	<i>Nyctibius grandis</i>	✓
Common Potoo	<i>Nyctibius griseus</i>	✓
Long-tailed Potoo	<i>Nyctibius aethereus</i>	✓
White-winged Potoo	<i>Nyctibius leucopterus</i>	✓
Pauraque	<i>Nyctidromus albicollis</i>	✓
White-tailed Nightjar	<i>Hydropsalis cayennensis</i>	✓
White-collared Swift	<i>Streptoprocne zonaris</i>	✓
White-tipped Swift	<i>Aeronautes montivagus</i>	✓
Short-tailed Swift	<i>Chaetura brachyura</i>	✓
Grey-rumped Swift	<i>Chaetura cinereiventris</i>	✓
Band-rumped Swift	<i>Chaetura spinicaudus</i>	✓
Neotropical Palm Swift	<i>Tachornis squamata</i>	✓
Reddish Hermit	<i>Phaethronis ruber</i>	✓
Black-eared Fairy	<i>Heliothryx auritus</i>	✓
Black-throated Mango	<i>Anthracothonax nigricollis</i>	✓
Blue-tailed Emerald	<i>Chlorostilbon mellisugus</i>	✓
Fork-tailed Woodnymph	<i>Thalurania furcata</i>	✓
White-tailed Goldenthrout	<i>Polytmus guainumbi</i>	✓
Glittering-throated Emerald	<i>Chionomesa fimbriata</i>	✓
White-chinned Sapphire	<i>Hylocharis cyanus</i>	✓
White-chested Emerald	<i>Chrysuronia brevirostris</i>	✓
Long-billed Starthroat	<i>Helimaster longirostris</i>	✓
Long-tailed Hermit	<i>Phaethornis superciliosus</i>	✓
Green-backed Trogon	<i>Trogon viridis</i>	✓
Black-tailed Trogon	<i>Trogon melanurus</i>	H
Black-throated Trogon	<i>Trogon rufus</i>	H
Ringed Kingfisher	<i>Megaceryle torquata</i>	✓
Green Kingfisher	<i>Chloroceryle americana</i>	✓
Amazon Kingfisher	<i>Chloroceryle amazona</i>	✓
Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>	✓
Paradise Jacamar	<i>Galbula dea</i>	✓
Green-tailed Jacamar	<i>Galbula galbula</i>	✓
Great Jacamar	<i>Jacamerosops aureus</i>	H
Bronzy Jacamar	<i>Galbula leucogastra</i>	✓
Spotted Puffbird	<i>Bucco tamatia</i>	✓
Black Nunbird	<i>Monasa atra</i>	✓
Swallow-winged Puffbird	<i>Chelidoptera tenebrosa</i>	✓
Black-spotted Barbet	<i>Capito niger</i>	✓
Guianan Toucanet	<i>Selenidera piperivora</i>	✓
Black-necked Aracari	<i>Pteroglossus aracari</i>	✓
Green Aracari	<i>Pteroglossus viridis</i>	✓
Channel-billed Toucan	<i>Ramphastos vitellinus</i>	✓

Common name	Scientific name	Trip
Red-billed Toucan	<i>Ramphastos tucanus</i>	✓
Toco Toucan	<i>Ramphastos toco</i>	✓
White-bellied Piculet	<i>Picumus spilogaster</i>	H
Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	✓
Golden-collared Woodpecker	<i>Veniliornis cassini</i>	✓
Waved Woodpecker	<i>Celeus undatus</i>	✓
Lineated Woodpecker	<i>Dryocopus lineatus</i>	✓
Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>	✓
Red-necked Woodpecker	<i>Campephilus rubicollis</i>	✓
Golden-green Woodpecker	<i>Piculus chrysochloros</i>	✓
Chestnut Woodpecker	<i>Celeus elegans</i>	✓
Cream-colored Woodpecker	<i>Celeus flavus</i>	✓
Ringed Woodpecker	<i>Celeus torquatus</i>	✓
Pale-legged Hornero	<i>Furnarius leucopus</i>	H
Yellow-chinned Spinetail	<i>Certhiaxis cinnamomeus</i>	✓
Plain-crowned Spinetail	<i>Synallaxis gujanensis</i>	✓
Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>	✓
Buff-throated Woodcreeper	<i>xiphorhynchus guttatus</i>	✓
Striped Woodcreeper	<i>xiphorhynchus obsoletus</i>	✓
Chestnut-rumped Woodcreeper	<i>xiphorhynchus pardalotus</i>	✓
Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>	✓
Amazonian Barred Woodcreeper	<i>Dendrocolaptes certhia</i>	✓
Black-crested Antshrike	<i>Sakesphorus canadensis</i>	✓
Mouse-coloured Antshrike	<i>Thamnophilus murinus</i>	✓
Fasciated Antshrike	<i>Cymbilaimus lineatus</i>	✓
Dusky-throated Antshrike	<i>Thamnomanes ardesiacus</i>	✓
Northern Slaty Antshrike	<i>Thamnophilus punctatus</i>	✓
Guianan Streaked Antwren	<i>Myrmotherula surinamensis</i>	✓
Southern White-fringed Antwren	<i>Formicivora grisea</i>	✓
White-flanked Antwren	<i>Myrmotherula axillaris</i>	✓
Rufous-bellied Antwren	<i>Isleria guttata</i>	✓
Spot-tailed Antwren	<i>Herpsilochmus sticturus</i>	✓
Todd's Antwren	<i>Herpsilochmus stictocephalus</i>	✓
Grey Antbird	<i>Cercomacra cinerascens</i>	✓
Dusky Antbird	<i>Cercomacra tyrannina</i>	✓
Guianan Warbling Antbird	<i>Hypocnemis cantator</i>	✓
White-browed Antbird	<i>Myrmoborus leucophrys</i>	H
White-bellied Antbird	<i>Myrmeciza longipes</i>	H
Silvered Antbird	<i>Sclateria naevia</i>	✓
White-plumed Antbird	<i>Pithys albifrons</i>	✓
Rufous-throated Antbird	<i>Gymnopithys rufigula</i>	✓
Common Tody-Flycatcher	<i>Todirostrum cinereum</i>	✓
Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>	H
Mouse-colored Tyrannulet	<i>Phaeomyias murina</i>	✓
Southern-beardless Tyrannulet	<i>Camptostoma obsoletum</i>	✓
Guianan Tyrannulet	<i>Zimmerius gracilipes</i>	✓
Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>	✓
Plain-crested Elaenia	<i>Elaenia cristata</i>	✓
Pale-eyed Pygmy Tyrant	<i>Atalotriccus pilaris</i>	✓
Helmeted Pygmy Tyrant	<i>Lophotriccus galeatus</i>	✓
Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>	✓
Pied Water Tyrant	<i>Fluvicola pica</i>	✓

Common name	Scientific name	Trip
White-headed Marsh Tyrant	<i>Arundinicola leucocephala</i>	✓
Short-crested Flycatcher	<i>Myiarchus ferox</i>	✓
Tropical Kingbird	<i>Tyrannus melancholicus</i>	✓
Fork-tailed Flycatcher	<i>Tyrannus savana</i>	✓
Great Kiskadee	<i>Pitangus sulphuratus</i>	✓
Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>	✓
Lesser Kiskadee	<i>Philohydor licotr</i>	✓
Yellow-throated Flycatcher	<i>Conopias parvus</i>	H
Streaked Flycatcher	<i>Myiodynastes maculatus</i>	✓
Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	✓
Sulphury Flycatcher	<i>Tyrannopsis sulphurea</i>	✓
Zimmer's Flatbill	<i>Tolmomyias assimilis</i>	✓
Ochre-ored Flatbill	<i>Tolmomyias flaviventris</i>	✓
Pompadour Cotinga	<i>xipholena punicea</i>	✓
Screaming Piha	<i>Liopugus vociferans</i>	✓
Purple-breasted Cotinga	<i>Cotinga cotinga</i>	✓
Spangled Cotinga	<i>Cotinga cayana</i>	✓
Guianan Red-Cotinga	<i>Phoenicircus carnifex</i>	✓
Purple-throated Fruitcrow	<i>Querula purpurata</i>	✓
Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>	✓
Guianan Cock-of-the-Rock	<i>Rupicola rupicola</i>	✓
Dusky Purpletuft	<i>Iodopleura fusca</i>	✓
Golden-headed Manakin	<i>Pipra erythrocephala</i>	✓
White-crowned Manakin	<i>Dixiphia pipra</i>	✓
Blue-backed Manakin	<i>Chiroxiphia pareola</i>	✓
Black Manakin	<i>xenopipo atronitens</i>	✓
Saffron-crested Tyrant-Manakin	<i>Neopelma pallescens</i>	✓
Tiny Tyrant-Manakin	<i>Tyranneutes virescens</i>	H
Lemon-chested Greenlet	<i>Hylophilus thoracicus</i>	H
Ashy-headed Greenlet	<i>Hylophilus pectoralis</i>	H
Buff-cheeked Greenlet	<i>Pachysylvia muscicapina</i>	H
Cayenne Jay	<i>Cayanocorax cayanus</i>	✓
White-winged Swallow	<i>Tachycineta albiventer</i>	✓
Grey-breasted martin	<i>Progne chalybea</i>	✓
White-banded Swallow	<i>Atticora fasciata</i>	✓
Barn Swallow	<i>Hirundo rustica</i>	✓
Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	✓
Southern House Wren	<i>Troglodytes musculus</i>	✓
Buff-breasted Wren	<i>Thryothorus leucotis</i>	H
Coraya Wren	<i>Pheugopedius coraya</i>	✓
Bicolored Wren	<i>Campylorhynchus griseus</i>	✓
Tropical Gnatcatcher	<i>Poliophtila plumbea</i>	✓
Long-billed Gnatwren	<i>Ramphocaenus melanarus</i>	H
Pale-breasted Thrush	<i>Turdus leucomelas</i>	✓
Tropical Mockingbird	<i>Mimus gilvus</i>	✓
Silver-beaked Tanager	<i>Ramphocelus carbo</i>	✓
Blue-grey Tanager	<i>Thraupis episcopus</i>	✓
Palm Tanager	<i>Thraupis palmarum</i>	✓
Blue-backed Tanager	<i>Cyanicterus cyanicterus</i>	✓
Burnish-buff Tanager	<i>Tangara cayana</i>	✓
Bananaquit	<i>Coereba flaveola</i>	✓
Blue Dacnis	<i>Dacnis cayana</i>	✓

Common name	Scientific name	Trip
Black-faced Dacnis	<i>Dacnis lineata</i>	✓
Purple Honeycreeper	<i>Cyanerpes caeruleus</i>	✓
Grassland Sparrow	<i>Ammodramus aurifrons</i>	✓
Plumbeous Seedeater	<i>Sporophila plumbea</i>	✓
Wing-barred Seedeater	<i>Sporophila americana</i>	✓
Chestnut-bellied Seedeater	<i>Sporophila castaneiventris</i>	✓
Ruddy-breasted Seedeater	<i>Sporophila minuta</i>	✓
Red-capped Cardinal	<i>Paroaria gularis</i>	✓
Olivaceous Saltator	<i>Saltator coerulescens</i>	✓
Blue-black Grassquit	<i>Volatinia jacarina</i>	✓
Yellow Warbler	<i>Dendroica petechia</i>	✓
Crested Oropendola	<i>Psarocolius decumanus</i>	✓
Green Oropendola	<i>Psarocolius virdis</i>	✓
Red-rumped Cacique	<i>Cacicus haemorrhous</i>	✓
Yellow-rumped Cacique	<i>Cacicus cela</i>	✓
Epaulet Oriole	<i>Icterus cayanensis</i>	✓
Yellow Oriole	<i>Icterus nigrogularis</i>	✓
Orange-backed Troupial	<i>Icterus croconotus</i>	✓
Shiny Cowbird	<i>Molothrus bonariensis</i>	✓
Giant Cowbird	<i>Scaphidura oryzivora</i>	✓
Carib Grackle	<i>Quiscalus lugubris</i>	✓
Red-breasted Meadowlark	<i>Sturnella militaris</i>	✓
Yellow-hooded Blackbird	<i>Chrysomus icterocephalus</i>	✓
Violaceous Euphonia	<i>Euphonia violacea</i>	✓
Finch's Euphonia	<i>Euphonia finschi</i>	✓
Mammals		
Tufted/Brown Capuchin	<i>Cebus apella</i>	✓
Weeper Capuchin	<i>Cebus olivaceus</i>	✓
Guyanese Red Howler	<i>Alouatta macconnelli</i>	✓
Black Spider Monkey	<i>Ateles paniscus</i>	✓
Squirrel Monkey	<i>Saimiri sciureus</i>	✓
Silky Short-tailed Bat	<i>Carollia brevicauda</i>	✓
Lesser Bulldog Bat	<i>Noctilio albiventris</i>	✓
Greater Bulldog Bat	<i>Noctilio leporinus</i>	✓
Pallas's Mastiff Bat	<i>Molossus molossus</i>	✓
Artibeus fruit Bat	<i>Artibeus spp.</i>	✓
Proboscis Bat	<i>Rhynchonycteris naso</i>	✓
Red-rumped Agouti	<i>Dasyprocta leporine</i>	✓
Tapir (tracks)	<i>Tapirus terrestris</i>	✓
Giant Otter	<i>Pteronura braziliensis</i>	✓
Giant Anteater	<i>Myrmecophaga tridactyla</i>	✓
Jaguar (tracks)	<i>Panthera onca</i>	✓
Ocelot (tracks)	<i>Felis pardalis</i>	✓
Reptiles & Amphibians		
Black Caiman	<i>Melanosuchus niger</i>	✓
Spectacled Caiman	<i>Caiman crocodilus</i>	✓
Dwarf Caiman	<i>Paleosuchus sp.</i>	✓
Amazonian Tree Boa	<i>Corallus hortulanus</i>	✓
Marine Toad	<i>Rhinella murinus</i>	✓
Smooth-backed Toad	<i>Rhinella guttatus</i>	✓

Common name	Scientific name	Trip
Brown Tree Frog	<i>Boana boans</i>	✓
Tegu Lizard	<i>Tegu tupinambis</i>	✓
Ameiva Lizard	<i>Aeiva ameiva</i>	✓
Black-collared Lizard	<i>Tropidurus hispidus</i>	✓
Green Iguana	<i>Iguana iguana</i>	✓