

Butterflies of Croatia

Naturetrek Tour Report

2nd – 9th June 2025



Clouded Apollo



Large Copper



Purple Tiger



Narrow-bordered Bee Hawk-moths

Tour report by Luca Boscain



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Luca Boscain and Josip Ledinščak (leaders) with nine Naturetrek clients

Summary

The week offered perfect weather, with no rain and hardly any wind. This allowed butterflies to fly freely, which, while making photography a bit more challenging, contributed to the amazing experience of meadows bustling with activity. We recorded a highly respectable 88 butterfly species during the trip, above average, even if not a record. The season appeared to be slightly delayed, a notion supported by good sightings of the Clouded Apollo and Chequered Skipper.

What truly excelled was the moth trap, yielding over 160 moth species. Many of these, such as the Sallow Kitten, Netted Pug, Scorched Wing, Barred Hook-tip, Sharp-angled Peacock, Poplar Lutestring and Double Line, had never been recorded on this tour before.

Beyond lepidoptera, we also enjoyed excellent bird sightings, including Lesser Spotted Woodpecker, Eastern Subalpine Warbler, Lesser Grey Shrike and Black-headed Bunting. Reptiles and non-lepidopteran insects were plentiful, and we identified 21 species of orchids, among more than 400 species of plants. Overall, the diverse general wildlife was exceptionally well-represented in an extreme variety of forms and colours, making every moment spent in the Croatian meadows and woodlands a true joy.

Day 1

Monday 2nd June

Zagreb airport, Rastoke and Irinovac

We landed at Zagreb Airport twenty minutes late, where we met our guides, Luca and Josip, and our driver, Darko, with his 19-seater minibus. We immediately spotted a White Wagtail and Crested Lark in the car park. From there, we drove south-west for about two hours, first along a motorway and then on secondary roads. Along the way, we saw White Stork nests perched on telegraph posts. These roads led us through lush forests to the picturesque village of Rastoke, known for its ancient wooden houses scattered among with clear water streams and waterfalls.

We took a short walk to a bridge over the Korana River, where we observed Danube Barbels, European Chubs, and Banded Demoiselles. Our first butterflies of the trip, though familiar, appeared on a bank slope covered in Viper's Buglosses (*Echium vulgare*) and Large-flowered Orlayas (*Orlaya grandiflora*). We saw Large Whites, Brimstones, and a Hummingbird Hawk-moth. Closer to the waterside, more interesting species emerged, including a Safflower Skipper, Slender Scotch Burnet (*Zygaena loti*), and a spectacular pair of Large Coppers. Both the male and female Large Coppers posed for several minutes in the day's last warm light, perfectly displaying the cracking deep orange hue of their wings: truly one of Europe's most iconic butterflies!

Later, we drove another twenty minutes to reach our pleasant hotel in Irinovac, arriving around 6.30pm. Supper was served at 7.30pm and included a tomato soup, a delicious trout, and apple pudding. In the evening, Luca set up a moth trap outside a wooden bungalow in the garden.

Day 2

Tuesday 3rd June

Plitvice lakes and Homoljac fields

At 6.30am, we gathered at the moth trap. Luca brought us a beautiful Fox Moth that had somehow found its way into his room. While we didn't find other large specimens, the collection was rich in variety, including the Light Emerald, Clouded Border, Druid, Latin, Coronet, Green Silver-lines and the Southern European species *Lamprosticta culta* and *Idia calvaria*.

After breakfast, at 8.30am, we headed to Plitvice National Park, Croatia's most renowned natural wonder. Soon after entering, we reached a viewpoint offering a magnificent panorama: an incredible system of turquoise lakes, natural dams and cascading waterfalls. We descended into the valley, focusing on the exceptionally rich flora, which included the Common Bee Orchid, Peach-leaved Bellflower, *Dianthus petreus*, and Yellow Foxglove (*Digitalis grandiflora*). We also discovered more elusive plants like Asarabacca (*Asarum europaeum*), with its brown flowers hidden among the leaf litter.

Recent renovations had widened the footbridges, allowing us to more leisurely observe Horvath's Lizards (*Iberolacerta horvathi*) and Livelong Saxifrage (*Saxifraga paniculata*) emerging from limestone cliff crevices, despite the usual international crowds. Numerous attractive waterfalls provided endless photo opportunities, while Beautiful and Banded Demoiselles, Common and Azure Bluets, Large Red Damsels and a lone Common Clubtail perched on the Swamp Sawgrasses (*Cladium mariscus*) and reeds. In the transparent waters, we spotted a Goosander, Marsh Frogs, Chubs, Dice Snakes and Pikes, ranging from 6cm to perhaps 60-70cm.

Butterfly sightings were somewhat limited, but we still managed to see a Southern Small White and a very welcome Hungarian Glider. After admiring an interesting Greater Butterfly Orchid, we reached a spacious food court for coffee, before embarking on two ferries. These silently navigated a much larger lake, offering serene views.

We enjoyed our picnic lunch far from the crowds of the UNESCO World Heritage site, in the remote fields of Homoljac. Birds like Lesser Grey and Red-backed Shrike, Barred Warbler and Corn Bunting were all around. However, our primary focus was butterflies. We found Woodland Ringlets, Mazarine Blues, Glanville Fritillaries, Grizzled Skippers and, unexpectedly, Chequered Skippers, typically an early species, signalling that the season was indeed delayed.

The meadows themselves were incredibly rich with Aristate Yellow-rattle (*Rhinanthus glacialis*), *Knautia dinarica*, Perforated Alexanders (*Smyrniium perfoliatum*), Large Speedwells (*Veronica austriaca*), Carthusian Pink (*Dianthus carthusianorum*) and Hungarian Irises (*Iris variegata*). In the middle of the paths, dozens of blues, including Common, Small, Adonis, Eastern Baton (plus Mountain Brown Argus, another 'blue'), were observed "puddling" for salts. Perhaps the best observation was of a single Clouded Apollo, which patiently posed for all our photographers.

On our return to the hotel, we made a final quick stop at a bend in the road to admire a variety of orchids: Green-winged, Military, and Three-toothed Orchids, plus Twayblade and White Helleborine. After dinner, when we compiled the day's check-list, we were astonished to discover that we had noted over 150 plant species!

Day 3

Wednesday 4th June

Udbina, Derigaj and Krupa

The moth trap once again offered an excellent variety, including Yellow Shell, Green Carpet, Mocha, Sharp-angled Peacock, Beautiful Hook-tip, Scarce Hook-tip, Buff Ermine, Barrett's Marbled Coronet, and the attractive micros *Batia lunaris* and *Alabonia staintoniella*. Meanwhile, a group joined Josip for a birding walk in the hotel's surrounding countryside, spotting Red-backed Shrike and Mistle Thrush, and hearing Cuckoo, Golden Oriole, Nightingale and Hawfinch. After breakfast at 9.00am, we packed the minibus for our westward transfer to the Adriatic coastline.

An hour's drive through the captivating Kravsko Polje, with its vast open meadows dotted with trees and hedges, brought us to a stop near Udbina, to explore a grassy hill. Silver-studded Blues, Black-veined Whites and Twin-spotted Fritillaries were abundant, and often seen mating. However, the botanical highlights stole the show: hundreds of Bug, Burnt-tip, Green-winged and Frog Orchids were scattered across the meadows. In a more humid depression, we discovered a magnificent clump of Siberian Irises (*Iris sibirica*), alongside Early Marsh Orchids, Summer Snowflakes, Meadow Squills (*Scilla litardierei*) and a striking White False Hellebore (*Veratrum album*) in full bloom.



Balkan Marbled White



Dalmatian Algyroides

We paused for coffee in Bruvno, where we observed a Nettle-tree Butterfly and a Common Grayling among the gravel in the car park. After traversing a short tunnel, the surrounding vegetation dramatically shifted from a continental to a Mediterranean climate. We took a secondary road through bushland and limestone terrain, leading us to the enchanting Krupa Valley. Here, an Orthodox monastery was nestled amid fertile fields, crisscrossed by clear streams and bridges. In the car park, we were greeted by no fewer than twenty Nettle-tree Butterflies resting on the soil, and they were soon joined by Adonis Blues, Mallow Skippers, Large Tortoiseshells and Scarce Swallowtails. We enjoyed our picnic in the shade of Black Poplars, soaking in the peace and beauty of this precious location.

Walking along the narrow road, we couldn't help but notice the swarm of Beautiful Demoiselles dancing over the water's surface, as well as two remarkably tame male Dalmatian Algyroides lizards (*Algyroides nigropunctatus*) displaying their vibrant blue throats. Josip netted a Mountain Small White and an Eastern Bath White, while several Small Skippers were seen puddling by a stream. Bird species in the area included a Dipper, Black-headed Bunting, Hawfinch and Spanish Sparrow.

From a viewpoint overlooking the Krupa River gorge, we heard a Western Rock Nuthatch and a Blue Rock Thrush. Perched on the bushes were Sloe and Blue-spotted Hairstreaks, along with a peculiar Dalmatian Saddle Bush-cricket (*Dinarippiger discoidalis*). A final stop at an abandoned tunnel in Muškovci yielded sightings of a Golden Eagle, Peregrine Falcon, Alpine Chough, Eastern Black-eared Wheatear and Crag Martin. From there, we drove along the Adriatic coast to our hotel in Starigrad, just a few hundred meters from the sea.

For dinner, we enjoyed local seafood on the outdoor terrace, watching a mix of Alpine and Pallid Swifts join the Barn Swallows and House Martins as they fluttered across the clear sky.

Day 4

Thursday 5th June

Paklenica National Park

This morning, the moth trap contained over 100 specimens, predominantly Amahs and Hoary Footmen. However, we also found delightful species like the Small Emerald, Small Waved Umber, Garden Emerald, Passenger, Sycamore Moth and *Pyrallis regalis*. Those who joined Josip for a walk observed a Turtle Dove, Spotted Fritillary and Orbed Red-underwing Skipper.

After breakfast, we drove just five minutes to the entrance of the Mala Paklenica gorge. This area, abundant with flowers such as Fragrant Virgin's-bower (*Clematis flammula*), *Stachys thirkei*, Jerusalem Thorn (*Paliurus spina-christi*) and Elmleaf Blackberry (*Rubus ulmifolius*), seemed particularly promising. Indeed, we soon encountered Scarce Swallowtail, Cardinal, Niobe Fritillary, Large Wall Brown, Eastern Rock Grayling, Oriental Marbled Skipper, Blue-spot Hairstreak and Purple Tiger Moth (*Diacrisia purpurata*). We also had a brief, distant glimpse of a rare Little Tiger Blue. While we didn't focus extensively on birding, we did spot Eastern Subalpine Warbler, Cirl Bunting and Sardinian Warbler, along with an unexpected Hermann's Tortoise.

Later, we embarked on a pleasant but hot walk among stone walls, Mediterranean maquis and holiday houses. This stretch didn't prove very productive for sightings, apart from dozens of Adonis Blues, Clouded Yellows, and Lulworth and Small Skippers.

For lunch, we chose a lovely, peaceful spot by the calm seaside. This allowed us to "paddle" a bit by the beach, while Luca and Josip prepared our picnic in the shade of the trees. Afterward, we stopped for coffee, once again facing the Adriatic Sea, where Luca pointed out Ruddy Blennies (*Parablennius sanguinolentus*) and Marbled Crabs (*Pachygrapsus marmoratus*).

Later, we ascended a narrow road by minibus to the remote locality of Mali Vaganac. This area is tucked away in a stunning valley, surrounded by the jagged limestone mountains of the Velebit range and scattered Downy Oak woodlands. There was no sign of human presence beyond the road, and the lovely silence was only occasionally broken by the song of a Nightingale or an Eastern Orphean Warbler.

The variety of flowers along the roadside and in the grassy clearings was astonishing, including White Dittany (*Dictamnus albus*), *Centaurea triumfettii*, *Lotus herbaceus*, Horned Bee-orchid (*Ophrys oestriifera*), Burnt-tip Orchid, *Edraianthus graminifolius* and dozens more species. The number of butterflies, however, was somewhat limited.

Nevertheless, the few we found were excellent sightings, such as Southern Small White, Twin-spot and Niobe Fritillaries and Chequered Blue.

On our way back, we made a final stop, walking a few dozen metres to Ercezi Kojin Dolac and a fascinating Small-leaved Lime-tree. This tree was attracting a huge number of bees, Rose Chafers (*Cetonia aurata*) and butterflies, including Marbled, Balkan Marbled and Balkan Green-veined Whites. In the surrounding vegetation, we also noticed spectacular Balkan Green Lizards and a single Glass Lizard. Content after another rich day, we returned to the hotel after 6.00pm.

Day 5

Friday 6th June

Karin seas and Bibinje

In the moth trap, among dozens of Hoary Footman and Amah moths, we identified around thirty species, including the Garlic Borer, Bright Wave, Purple Marbled, Knot Grass, Light Brocade and Four Spotted. Josip, meanwhile, led some of us on a birding walk west of the hotel, where we observed a Wryneck and a basking Swallowtail.

Later in the morning, we drove south, skirting the two inner seas of Karin towards a flowery valley. Here, we walked through dry meadows and bushlands of Jerusalem Thorn, Eastern Prickly Juniper (*Juniperus deltoides*), and Eastern Hornbeam (*Carpinus orientalis*). Some of the Common Blues were of the *icarinus* form, characterized by the absence of the third spot on the forewing. Long-tailed Blues, Spotted Fritillaries and Clouded Yellows were present, as were Red-rumped Swallows, Turtle Doves, and a young Hermann's Tortoise.

Our second stop was by the Male Gospe chapel of Dolji Karin, where we walked in a pinewood and saw a Marbled White, Cardinal, Southern White Admiral and a lovely Common Bee-orchid.

After an ice cream stop at a service station teeming with Nettle-tree Butterflies and Lulworth Skippers, we drove half an hour westward towards Zadar, for lunch in the peaceful countryside of Bibinje. There, by an ancient Soviet-built tank, we enjoyed the shade, fresh food and a small pond inhabited by Southern Migrant Hawkers (*Aeshna affinis*), Scarlet Darters, Broad-bodied Chasers and a number of charming Marsh Frogs. One lucky couple sighted a Two-tailed Pasha in flight, while for the rest of the group, the butterfly highlights included Cleopatra, Wood White and Sloe Hairstreak. Birdwise, someone spotted a male Montagu's Harrier, and we heard a Cuckoo and Zitting Cisticola.

The heat encouraged us to walk primarily in the shade of the trees, venturing into the sunshine only when Luca pointed out a lovely clearing. Here, Pyramidal, Bug and Late Spider Orchids were found hidden in the tall grass.

Our final stop was by a hill covered in Montpellier Cistus (*Cistus monspeliensis*), Hoary Rock-roses (*Cistus creticus*), Mastics, Curry Plants (*Helichrysum italicum*) and Spanish Brooms. Unlike previous years, most of these plants were still rich with flowers, attracting several Blue-spot Hairstreaks and Large Skippers. Among them, we also found a Mallow Skipper and two Southern Gatekeepers. Josip showed us an ascalaphid (owl-fly) *Libelloides macaronius* and an impressive Flat-headed Root-borer Beetle (*Capnodis tenebrionis*), a 3cm long insect considered a pest for various fruit trees.

The journey back took about an hour, followed by a final dinner at the Rajna hotel, featuring a seafood *risotto* and a delicious *tiramisù*. A couple of clients joined Luca and Josip for a night walk, during which we heard two distant Scops Owls, saw several Turkish Geckos, and found a Dahl's Whip Snake, unfortunately dead on the road.

Day 6

Saturday 7th June

Ostarijska Vrata

Today, we had an early breakfast in Starigrad to ensure an 8.00am departure from our hotel. The northbound transfer took about an hour, driving slowly along a magnificent coastline. We passed peaceful bays with crystal-clear water and, in the distance, the moon-like surface of Pag Island, profoundly shaped by the strong northeastern Bura wind. We paused in Karlobag to gaze into the transparent waters of the harbour, teeming with fish as if in a natural aquarium. Luca pointed out, among others, Mediterranean Damselfishes (*Chromis chromis*), Saddled Seabreams (*Oblada melanurus*), Red-black Triplefins (*Tripterygion tripteronotum*) and the distinctive Caneva's Blennies (*Microhypophrys canevae*), emerging from their dens with only their black and yellow heads visible.

Later, we ascended the winding road to Ostarijska Vrata, where we were treated to a vast panorama of the Adriatic Sea, noting a number of islands beyond the intricate system of gulfs and peninsulas forming Pag.

By the pass, near the Austro-Hungarian Emperor's Cube, we explored several alpine meadows. These were adorned with Snow-in-summer (*Cerastium tomentosum*), *Genista sericea*, Mountain Kidney-vetch (*Anthyllis montana*), Matted Globularia (*Globularia cordifolia*) and more. In the sky, seven Honey Buzzards, quite late in their migration, crossed overhead.

Bright-eyed Ringlets, Eastern Baton and Turquoise Blues, Glanville and Lesser Spotted Fritillaries, Wood Whites and Eastern Large Heaths were all very active in the lovely sunshine. Josip often had to net them temporarily to allow for identification. One of the most challenging groups was the *Melitaea* trio, comprising Heath, Assmann's and Nickerl's Fritillaries. Based on distinguishing features like the colour of the hindwing edge or the anal triangle, we believed we observed all three, though definitive certainty would only come with genitalia dissection.



Iris pallida illyrica



Bright-eyed Ringlet

Other interesting encounters included a couple of Balkan Whip Snakes (*Hierophis gemonensis*) and Dalmatian Wall Lizards (*Podarcis melisellensis*), a Ladybird Spider (*Eresus kollari*) and a pair of "non-identical twin" Eastern Stone Grasshoppers (*Prionotropis bystrix*), one brown and one grey.

We walked through a Black Pinewood until we reached a clearing, abundant with Sweet Irises (*Iris pallida illyrica*) and a rare bush of Deadly Nightshade (*Atropa bella-donna*). Here, we found a Sooty Copper and a pleasant shaded bench on which to sit and enjoy the view of the valley and the spectacular surrounding limestone mountains. Luca and Josip found a very civilized lunch spot with a table and seats in the shade of the Beeches for another glorious picnic, followed by coffee.

Then we drove for almost an hour to the dry meadows of Studenci, where we spread out, chasing Assmann's Fritillaries, Safflower Skippers and ascalaphids. Good finds there included single Silver-studded Blues, Chestnut Heaths and Twin-spot Fritillaries, plus several Ligurian Emperor (*Saturnia pavoniella*) caterpillars and Transparent Burnets.

Our last stop, before a fifty-minute drive to the next hotel, was by the attractive Kosinj bridge. Here, we spotted a couple of Marbled Fritillaries and many fascinating Black-veined Whites, feeding on privet flowers alongside Painted Ladies and Small Tortoiseshells. Birders were pleased to observe a large flock of flying Great Cormorants, a Hawfinch and a pair of Lesser Spotted Woodpeckers.

After tens of kilometres of slow driving through Beech and Spruce forests, we arrived in Krasno at about 6.00pm. A beer on the hotel's outdoor terrace was particularly welcome. Later, we enjoyed a delicious cheeseburger for dinner and many of us opted for a pleasant post-prandial walk in the village, hearing a Scops Owl and seeing a European Free-tailed Bat (*Tadarida teniotis*).

Day 7

Sunday 8th June

Surroundings of Krasno

This morning, the moth trap and the wall behind it yielded a rich harvest of attractive moths, including Cream-spot Tiger, Pine Lappet, Silver-lines, Netted Pug, Southern Grass Emerald and Green Carpet, among the thirty species identified. Meanwhile, birders exploring the area around the hotel spotted a Red-backed Shrike, Serin and Black Redstart.

After breakfast, we drove a short distance westward into the Northern Velebit range, through forests of Beech and Silver Fir. Our first stop was a rocky meadow near Tuževac. The view of the Adriatic Sea and the islands of Krk and Cres was magnificent, as were the flowery meadows themselves. Here, we found Bladder Gentian (*Gentiana utriculosa*), Sweet Iris, Grass-leaved Flag (*Iris graminea*) and Round-headed Orchid (*Traunsteinera globosa*). Butterflies were also abundant, with Glanville Fritillary, Bright-eyed Ringlet, Turquoise Blue, Grizzled Skipper and Chestnut Heath being among the most common. We also observed single individuals of Cleopatra, Lesser Spotted Fritillary, Woodland Grayling and Safflower Skipper.

Among the Austrian Black Pines, we noted Crested Tits, Common Whitethroat, Tawny Pipit and Rock Bunting. In the sky, a pair of Short-toed Snake Eagles soared, while Rock Partridge and Tree Pipit were only heard.

Another stop brought us to a large clearing near Oltari, featuring a more humid meadow where we photographed Purple-shot Copper, Black-veined White, Twin-spot and Marbled Fritillaries, and dozens of Assmann's Fritillaries. We were pleasantly surprised when Josip pointed out some gliding birds of prey which soon revealed themselves

to be Griffon Vultures. These are not common birds in Croatia, where the entire breeding population numbers only about 150 pairs, mostly concentrated on the island of Cres. Nearby, in a fenced potato garden, several Dukes of Burgundy, though often with worn wings, were feeding on the tall umbellifers. Walking back to the minibus, Luca showed us some Bee-orchids and Late Spider Orchids with petals varying from white to pale green, pink and purple.

We had lunch near the remote hamlet of Turinski Krč, sitting on the grass in the shade of centenary Beeches. Afterward, we explored first a scree slope, then the edge of the forest, where Dark Columbines (*Aquilegia nigricans*), May Lilies, White Helleborines and a Lesser Butterfly Orchid were growing.

A wonderful meadow, literally covered in a carpet of multicoloured flowers, offered species we had already seen: dozens of Assmann's Fritillaries, Adonis and Common Blues, Woodland Ringlets, Sooty Coppers and Clouded Apollos, but nothing entirely new. Our energy, after a very intense week in the field, was starting to wane. However, since the last added species to our list was a Small White, Josip didn't give up. He walked far and wide among innumerable meadows until he finally caught a gorgeous Balkan Copper (*Lycaena candens*). Luca managed to release it gently enough for it to pose, first with closed wings, and then open, revealing its amazing deep red colour and purple iridescent shines to the entire group. It was the happy ending we had been dreaming of since we started with the Large Coppers on the first day!

In the evening, we celebrated with a *goulash* soup and the local *Velebitsko* beer. Many of us then opted for a digestive walk in the village, during which we were fortunate enough to properly observe an amazing pair of Scops Owls perched on electric wires for a while.

Day 8

Monday 9th June

Ogulin and Zagreb airport

Our last day was primarily a transfer day. We departed from our pleasant hotel in Krasno at 8.30am and began our two-and-a-half-hour drive to Zagreb.

However, we still had time for a delightful hour-long stop at a service station near Ogulin. There, we enjoyed good coffee and a delicious slice of forest fruit cake before heading outside to explore the amazing meadows. These were abundant with scabiouses, knapweeds, fleabanes and thistles, all ideal butterfly-attracting flowers. Although the sunshine only occasionally pierced through the clouds, we still observed some butterfly activity, including the dark *procida* form of the Marbled White, Twin-spot Fritillary, Silver-studded Blue, Red Admiral and Pearly Heath. We were also thrilled to add two new species to our trip list: Essex Skipper and Six-spot Burnet.

Afterward, we continued along the motorway, reliably and carefully driven by Darko, to the airport, where we arrived just after noon. A huge thank you to Luca and Josip for their amazing dedication, extensive knowledge, and wonderful sense of humour, which made our holiday in Croatia so enjoyable!

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



www.facebook.com/naturetrekwildlifeholidays



www.twitter.com/naturetrektours



www.instagram.com/naturetrek_wildlife_holidays

Species lists

Butterflies

Common name	Scientific name	June 2025							
		2	3	4	5	6	7	8	9
Scarce Swallowtail	<i>Iphiclides podalirius</i>			1	5		2	2	
Common Swallowtail	<i>Papilio machaon</i>				1	2	1	2	
Clouded Apollo	<i>Parnassius mnemosyne</i>		1					2	
Chequered Skipper	<i>Carterocephalus palaemon</i>		2						
Large Skipper	<i>Ochlodes sylvanus</i>				2	3			
Lulworth Skipper	<i>Thymelicus acteon</i>			10	20	5			
Small Skipper	<i>Thymelicus sylvestris</i>				30	10		1	1
Essex Skipper	<i>Thymelicus lineola</i>								1
Orbed Red-underwing Skipper	<i>Spialia orbifer</i>		1		2				
Mallow Skipper	<i>Carcharodus alceae</i>			5		1			
Oriental Marbled Skipper	<i>Carcharodus orientalis</i>				2				
Dingy Skipper	<i>Erynnis tages</i>		1				2	4	
Common Grizzled Skipper	<i>Pyrgus malvae</i>		5	1			6	15	
Safflower Skipper	<i>Pyrgus carthami</i>	1					3	1	
Oberthür's Grizzled Skipper	<i>Pyrgus armoricanus</i>		1		2				
Wood White	<i>Leptidea sinapis</i>					2	2	4	
Brimstone	<i>Gonepteryx rhamni</i>	1	3	2	5	1		3	
Cleopatra	<i>Gonepteryx cleopatra</i>					3		1	
Clouded Yellow	<i>Colias croceus</i>		2	1	10	10	2	3	
Clouded Yellow	<i>Colias croceus</i> f. <i>helice</i>							1	
Black-veined White	<i>Aporia crataegi</i>		2	10	3	2	30	20	
Eastern Bath White	<i>Pontia edusa</i>			1	1	1			
Large White	<i>Pieris brassicae</i>	1							
Small White	<i>Pieris rapae</i>							1	
Southern Small White	<i>Pieris mannii</i>		1		4			1	
Mountain Small White	<i>Pieris ergane</i>			3					
Balkan Green-veined White	<i>Pieris balcana</i>				1				
Duke of Burgundy	<i>Hamearis lucina</i>							10	
Purple-shot Copper	<i>Lycaena alciphron</i>							1	
Large Copper	<i>Lycaena dispar</i>	2							
Balkan Copper	<i>Lycaena candens</i>							1	
Sooty Copper	<i>Lycaena tityrus</i>		1				1	2	
Small Copper	<i>Lycaena phlaeas</i>			1	2	2			
Green Hairstreak	<i>Callophrys rubi</i>		2	1					
Ilex Hairstreak	<i>Satyrium ilicis</i>				3				
Blue-spot Hairstreak	<i>Satyrium spini</i>			2	5	10			
Sloe Hairstreak	<i>Satyrium acaciae</i>			2		2			
Long-tailed Blue	<i>Lampides boeticus</i>					1			
Holly Blue	<i>Celastrina argiolus</i>			1		2			
Little Tiger Blue	<i>Tarucus balkanicus</i>				1				
Eastern Baton Blue	<i>Pseudophilotes vicrama</i>		1		1		3	1	
Little Blue	<i>Cupido minimus</i>		3		2		2	10	
Silver-studded Blue	<i>Plebejus argus</i>			15			1		1
Reverdin's Blue	<i>Plebejus argyrognomon</i>							1	
Geranium Argus	<i>Eumedonia eumedon</i>				1				

Common name	Scientific name	June 2025							
		2	3	4	5	6	7	8	9
Mazarine Blue	<i>Cyaniris semiargus</i>		5				1	5	
Northern Argus	<i>Aricia artaxerxes</i>		5				1		
Brown Argus	<i>Aricia agestis</i>		10	2	5	4	2		
Adonis Blue	<i>Polyommatus bellargus</i>		1	10	20	10	30	15	
Chapman's Blue	<i>Polyommatus thersites</i>			1					
Amanda's Blue	<i>Polyommatus amandus</i>		15	1				1	
Turquoise Blue	<i>Polyommatus dorylas</i>						3	10	
Common Blue	<i>Polyommatus icarus</i>		20	15	10	25	20	10	2
Common Blue	<i>P. icarus</i> f. <i>icarinus</i>					3			
Hungarian Glider	<i>Neptis rivularis</i>		1						
Southern White Admiral	<i>Limenitis reducta</i>				4	3		1	
Twin-spot Fritillary	<i>Brenthis hecate</i>			1	3		1	5	2
Marbled Fritillary	<i>Brenthis daphne</i>						2	1	
Cardinal	<i>Argynnis pandora</i>				2	2			
Niobe Fritillary	<i>Fabriciana niobe</i>				8	3			
Painted Lady	<i>Vanessa cardui</i>		3	1	2	1	2	5	
Red Admiral	<i>Vanessa atalanta</i>							1	1
Small Tortoiseshell	<i>Aglais urticae</i>						2	2	
Large Tortoiseshell	<i>Nymphalis polychloros</i>			3					
Lesser Spotted Fritillary	<i>Melitaea trivia</i>						3	3	
Spotted Fritillary	<i>Melitaea didyma</i>			1	3	10	1	10	
Glanville Fritillary	<i>Melitaea cinxia</i>		30				10	40	
Assmann's Fritillary	<i>Melitaea britomartis</i>						10	##	
Heath Fritillary	<i>Melitaea athalia</i>	1					2	5	
Nickerl's Fritillary	<i>Melitaea aurelia</i>						2	1	
Nettle-tree Butterfly	<i>Libythea celtis</i>			25	4	10			
Two-tailed Pasha	<i>Charaxes jasius</i>					1			
Small Heath	<i>Coenonympha pamphilus</i>		5	2	5	3	5	5	2
Eastern Large Heath	<i>Coenonympha rhodopensis</i>						4		
Chestnut Heath	<i>Coenonympha glycerion</i>						1	10	
Pearly Heath	<i>Coenonympha arcania</i>	1	1		2		7	10	2
Speckled Wood	<i>Pararge aegeria</i>		1					1	
Large Wall Brown	<i>Lasiommata maera</i>				7				
Wall Brown	<i>Lasiommata megera</i>				3				
Balkan Marbled White	<i>Melanargia larissa</i>				1				
Common Marbled White	<i>Melanargia galathea</i>				3	10			1
Common Marbled White	<i>M. galathea</i> f. <i>procida</i>								20
Eastern Rock Grayling	<i>Hipparchia syriaca</i>				2				
Woodland Grayling	<i>Hipparchia fagi</i>							1	
Common Grayling	<i>Hipparchia semele</i>			1	5		2	2	
Southern Gatekeeper	<i>Pyronia cecilia</i>					2			
Meadow Brown	<i>Maniola jurtina</i>		1	10	10	30	15	10	2
Bright-eyed Ringlet	<i>Erebia oeme</i>						10	15	
Woodland Ringlet	<i>Erebia medusa</i>		5				2	10	

Macro moths

T = trapped, F = in field, S = signs, L = larvae		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
	Cossidae								
Garlic Borer/Garlic Mottled	<i>Dyspessa ulula</i>					5T			
	Zygaenidae								
A forester sp.	<i>Adscita/Jordanita</i> spp.		3F				2F	5F	
Six-spot Burnet	<i>Zygaena filipendulae</i>					2F			2F
Slender Scotch Burnet	<i>Zygaena loti</i>	1F		1F				10F	1F
Transparent Burnet	<i>Zygaena</i> cfr. <i>purpuralis</i>						3F	2F	
	Limacodidae								
Festoon	<i>Apoda limacodes</i>			1T					
	Lasiocampidae								
Pine Lappet	<i>Dendrolimus pini</i>							1T	
Fox Moth	<i>Macrothylacia rubi</i>	1F	1F						
Ground Lackey	<i>Malacosoma castrensis</i>		1L	1L				1L	
	Saturniidae								
Ligurian Emperor	<i>Saturnia pavoniella</i>						4L		
	Drepanidae								
Chinese Character	<i>Cilix glaucata</i>							1T	
Scarce Hook-tip	<i>Sabra harpagula</i>			1T					
Poplar Lutestring	<i>Tethea</i> or		1T						
Barred Hook-tip	<i>Watsonalla cultraria</i>							1T	
	Geometridae								
Peppered Moth	<i>Biston betularia</i>							2T	
Northern Wave	<i>Cabera exanthemata</i>							1T	
Light Emerald	<i>Campaea margaritaria</i>		4T	1T				1T	
Yellow Shell	<i>Camptogramma bilineata</i>			1T					
Royal Mantle	<i>Catarhoe cuculata</i>							1T	
Latticed Heath	<i>Chiasmia clathrata</i>							1T, 1F	
Southern Grass Emerald	<i>Chlorissa cloraria</i>							1T	
Nut-tree Tussock	<i>Colocasia coryli</i>		1T						
Green Carpet	<i>Colostygia pectinataria</i>			1T				6T	
Purple Bar	<i>Cosmorhoe ocellata</i>							1T	
Mocha	<i>Cyclophora annularia</i>			2T					
Clay Triple-lines	<i>Cyclophora linearia</i>		3T					3T	
Maiden's Blush	<i>Cyclophora punctaria</i>				1T				
Jersey Mocha	<i>Cyclophora ruficiliaria</i>					1T			
A geometrid	<i>Dicrognophos sartata</i>			1F	1F	2T			
Common Heath	<i>Ematurga atomaria</i>			1T					
Common Carpet	<i>Epirrhoe alternata</i>		1T						
A pug	<i>Eupithecia</i> cfr. <i>gemellata</i>							1T	
Haworth's Pug	<i>Eupithecia haworthiata</i>							1T	
Dwarf Pug	<i>Eupithecia</i> cfr. <i>tantillaria</i>							2T	
Netted Pug	<i>Eupithecia venosata</i>							1T	
A pug	<i>Eupithecia</i> sp.		1T						
Double-striped Pug	<i>Gymnoscelis rufasciata</i>				1T				
A heath moth	<i>Heliomata glarearia</i>						1F		
Small Emerald	<i>Hemistola chrysoprasaria</i>				4T	1T			
Small Waved Umber	<i>Horisme vitalbata</i>				1T	2T		1T	

T = trapped, F = in field, S = signs, L = larvae		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
Pale Oak Beauty	<i>Hypomecis punctinalis</i>		1T	3T				1T	
Golden-yellow Wave	<i>Idaea aureolaria</i>						1F	2F	
Riband Wave	<i>Idaea aversata</i>					1T			
A wave	<i>Idaea cfr. mustelata</i>					1F			
Bright Wave	<i>Idaea ochrata</i>					1T			
Least Carpet	<i>Idaea rusticata</i>				1T				
Small Dusty Wave	<i>Idaea seriata</i>					1T			
Satin Wave	<i>Idaea subsericeata</i>				1T	1T			
Scorched Carpet	<i>Ligdia adustata</i>		1T		1F	1T			
Clouded Border	<i>Lomaspilis marginata</i>		1T	1T					
Clouded Silver	<i>Lomographa temerata</i>		1T	1T					
Sharp-angled Peacock	<i>Macaria alternata</i>			3T					
Peacock Moth	<i>Macaria notata</i>		1T						
Waved Umber	<i>Menophra abruptaria</i>				1T				
Chimney Sweeper	<i>Odezia atrata</i>				1F				
Barberry Carpet	<i>Pareulype berberata</i>							1T	
Sloe Pug	<i>Pasiphila chloerata</i>							1T	
Willow Beauty	<i>Peribatodes rhomboidaria</i>		5T	2T	6T	2T		4T	
Brown Silver-line	<i>Petrophora chlorosata</i>		1T	1T					
Scorched Wing	<i>Plagodis dolabraria</i>							1T	
Speckled Yellow	<i>Pseudopanthera macularia</i>		2F					2F	
Grass Emerald	<i>Pseudoterpna pruinata</i>				1T	1F		1F	
Narrow Rose-banded Wave	<i>Rhodostrophia calabra</i>				2T, 2F				
Small Blood-Vein	<i>Scopula imitaria</i>			1F					
Lace Border	<i>Scopula ornata</i>		1F						
Tawny Wave	<i>Scopula rubiginata</i>							1T	
Lesser Cream Wave	<i>Scopula submutata</i>					2T			
A geometrid	<i>Scotopteryx coarctaria</i>						1F		
Black-veined Moth	<i>Siona lineata</i>		2F	1F			5F	1T, 5F	
Dusky Carpet	<i>Tephronia sepiaria</i>				1T				
A carpet	<i>Thera cfr. variata</i>							4T	
Garden Carpet	<i>Xanthorhoe fluctuata</i>							4T	
	Sphingidae								
Narrow-bordered Bee Hawk-moth	<i>Hemaris tityus</i>				1F?		2F		
Hummingbird Hawk-moth	<i>Macroglossum stellatarum</i>	1F	1F	1F				3F	
	Notodontidae								
Marbled Brown	<i>Drymonia dodonaea</i>							1T	
Sallow Kitten	<i>Furcula furcula</i>							1T	
Pine Processionary-moth	<i>Thaumetopoea pityocampa</i>						S	S	
	Erebidae								
Ragusa's Nine-spotted	<i>Amata marjana</i>			1F	3F	5F			
Nine-spotted	<i>Amata phegea</i>						2F		
Cream-spot Tiger	<i>Arctia villica</i>						1F	1T	
Mother Shipton	<i>Callistege mi</i>						5F	5F	
Pale Tussock	<i>Calliteara pudibunda</i>							1T	
Purple Tiger	<i>Diacrisia (Rhyparia) purpurata</i>				1F				
Handmaid	<i>Dysauxes ancilla</i>					1F			

T = trapped, F = in field, S = signs, L = larvae		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
Amah	<i>Dysauxes famula</i>				30T	50T			
Passenger	<i>Dysgonia algira</i>				3T	1T			
Hoary Footman	<i>Eilema caniola</i>				50T	80T			
Orange Footman	<i>Eilema sororcula</i>					1T		1T	
Purple Marbled	<i>Eublemma ostrina</i>					1T			
A marbled	<i>Eublemma polygramma</i>					1T			
A marbled	<i>Eublemma viridula</i>					2T			
Burnet Companion	<i>Euclidia glyphica</i>		5F	2F			1F	1F	3F
Shaded Fan-foot	<i>Herminia tarsicrinalis</i>			1T					
Snout	<i>Hypena proboscidalis</i>		1T						
An erebid	<i>Idia calvaria</i>		1T						
Beautiful Hook-tip	<i>Laspeyria flexula</i>			1T					
Gypsy Moth	<i>Lymantria dispar</i>					6L			
Common Fan-foot	<i>Pechipogo cfr. strigilata</i>		1T						
Scarce Hook-tip	<i>Sabra harpagula</i>			1T					
Buff Ermine	<i>Spilosoma lutea</i>			1T					
Jubilee Fan-foot	<i>Zanclognatha lunalis</i>				1T				
An erebid	<i>Zebeeba falsalis</i>				1T	1T			
	Noctuidae								
Spectacle	<i>Abrostola tripartita</i>							1T	
Sycamore	<i>Acronicta aceris</i>				3T				
Grey Dagger	<i>Acronicta psi</i> gr.							1T	
Knot Grass	<i>Acronicta rumicis</i>					1T			
Druid	<i>Aedia funesta</i>		5T	3T					
A noctuid	<i>Aegle cfr. semicana</i>					1F			
Heart and Dart	<i>Agrotis exclamationis</i>							3T	
Flame	<i>Axylia putris</i>							2T	
Latin	<i>Callopietria juvenina</i>		3T	1T					
Treble Lines	<i>Charanyca trigrammica</i>			1T				3T	
Pale-shouldered Cloud	<i>Chloantha hyperici</i>				1T	1T			
Nut-Tree Tussock	<i>Colocasia coryli</i>		1T						
Barrett's Marbled Coronet	<i>Conisania luteago</i>			1T					
Coronet	<i>Craniophora ligustri</i>		2T		2T				
Mullein Moth	<i>Cucullia cfr. verbasci</i>		5L						
Marbled White-spot	<i>Deltote pygarga</i>		1T						
Uncertain	<i>Hoplodrina cfr. octogenaria</i>		1T						
Light Brocade	<i>Lacanobia w-latinum</i>					1T			
A noctuid	<i>Lamprosticta culta</i>		1T					1T	
Double Line	<i>Mythimna turca</i>		1T	1T					
Marbled Minor	<i>Oligia strigilis</i> gr.		3T	3T				5T	
Four-spotted	<i>Tyta luctuosa</i>					1T			
	Nolidae								
Green Silver-lines	<i>Pseudoips prasinana</i>		1T					4T	

Micro moths

T = trapped, F = in field, S = signs, L = larvae		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
	Plutellidae								
Diamondback Moth	<i>Plutella xylostella</i>			1T					
	Oecophoridae								
Lesser Tawny Crescent	<i>Batia</i> cfr. <i>lunaris</i>			1T					
An oecophoridae	<i>Alabonia staintoniella</i>			1T					
	Tortricidae								
Maple Leaf-tier Moth	<i>Acleris forsskaeana</i>				1T	1T			
Yellow Oak Broom	<i>Aleimma loeflingiana</i>				1T				
Buckthorn Roller	<i>Ancylis</i> cfr. <i>unculana</i>		1T						
Brown Oak Moth	<i>Archips crataegana</i>		1T						
Cone Tortrix	<i>Blastesthia tessulatana</i>				1T				
Barred Marble	<i>Celypha</i> cfr. <i>striana</i>							1T	
Privet Tortrix	<i>Clepsis consimilana</i>		1T		2T				
A grey tortrix	<i>Cnephasia</i> spp.		2T	4T		2T			
Large Beech Piercer	<i>Cydia fagiglandana</i>			1T					
A tortrix	<i>Epinotia dalmatana</i>				1T				
Plum Tortrix	<i>Hedya pruniana</i>							1T	
Bramble Shoot Moth	<i>Notocelia uddmanniana</i>		1T						
Silver-striped Marble	<i>Syricoris rivulana</i>		1T						
	Pyalidae								
False Cacao Moth	<i>Ephestia</i> cfr. <i>woodiella</i>				1T				
Twin-barred Knot-horn	<i>Homoeosoma sinuella</i>					2T			
Clover Hayworm Moth	<i>Hypsopygia costalis</i>		1T						
Ermine Knot-horn	<i>Phycitodes binaevella</i>							1T	
A pyralid	<i>Pyralis regalis</i>				1T	2T			
A pyralid	<i>Pyralidae</i> spp.				2T				
	Crambidae								
Small Magpie	<i>Anania hortulata</i>							1T	
Dusky Grass-veneer	<i>Chrysocramboides craterella</i>							2T	
Orange-bar Grass-veneer	<i>Chrysocrambus linetella</i>								1F
Hook-streaked Grass-veneer	<i>Crambus lathoniellus</i>							2T	
Inlaid Grass-veneer	<i>Crambus pascuella</i>		2T	1T					
Box Moth	<i>Cydalisma perspectalis</i>		1T	1T					
Little Grey	<i>Eudonia lacustrata</i>								
A crambid	<i>Eurrhysis pollinalis</i>			1F			2F		
Rush Veneer	<i>Nomophila noctuella</i>							1T	
European Corn Borer Moth	<i>Ostrinia nubilalis</i>		10T	5T					
Mint Moth	<i>Pyrausta aurata</i>		1T		1T	2T			
Meadow Grey	<i>Scoparia</i> cfr. <i>pyralella</i>							1T	
Lesser Pearl	<i>Sitochroa verticalis</i>					2T			
Rusty Dot Pearl	<i>Udea ferrugalis</i>							1T	
A pearl	<i>Udea numeralis</i>					1T			
	Yponomeutidae								
A fruit moth	<i>Argyresthia</i> sp.		1T						
	Autostichidae								
An autostichid	<i>Symmoca</i> cfr. <i>albicanella</i>		1T						

T = trapped, F = in field, S = signs, L = larvae		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
	Gracillariidae								
A gracillariid	<i>Caloptilia</i> cfr. <i>fidella</i>					1T			

Damselflies and dragonflies

		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
Banded Demoiselle	<i>Calopteryx splendens</i>	3	10						
Beautiful Demoiselle	<i>Calopteryx virgo</i>	2	20	500					
Common Bluet	<i>Enallagma cyathigerum</i>		20						
Azure Bluet	<i>Coenagrion puella</i>		10						
Large Red Damsel	<i>Pyrrosoma nymphula</i>		3	2					
Blue Featherleg	<i>Platycnemis pennipes</i>	5							
Blue-eyed Hawker	<i>Aeshna affinis</i>					1			
Vagrant Emperor	<i>Anax ephippiger</i>				1				
Blue Emperor	<i>Anax imperator</i>		2	1					
Common Clubtail	<i>Gomphus vulgatissimus</i>		2						
Broad-bodied Chaser	<i>Libellula depressa</i>			1		1			
Common Darter	<i>Sympetrum striolatum</i>				1				
Broad Scarlet	<i>Crocothemis erythraea</i>					3			

Other insects

N = near-endemic		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
A mayfly	<i>Ephemera zettana</i>			1					
Field Cricket	<i>Gryllus campestris</i>		H						
Dalmatian Saddle Bush-cricket - N	<i>Dinarippiger discoidalis</i>			1		2			
Balkan Saw Bush-cricket - N	<i>Barbitistes yersini</i>					1			
Green Bush-cricket	<i>Tettigonia</i> cfr. <i>viridissima</i>		1	1		2			
White-faced Bush-cricket	<i>Decticus albifrons</i>			1					
Schmidt's Marbled Bush-cricket	<i>Eupholidoptera schmidtii</i>			5	5	1			
Long-horned Groundhopper	<i>Tetrix tenuicornis</i>		1	1					
Eastern Stone Grasshopper - N	<i>Prionotropis hystrix</i>						3		
Long-winged Mountain Grassh.	<i>Miramella irena</i>						1		
Egyptian Grasshopper	<i>Anacridium aegyptium</i>			10	2	2	1		
Migratory Locust	<i>Locusta migratoria</i>				1				
Woodland Grasshopper	<i>Omocentus rufipes</i>				1	1			
Northern Fruit Bug	<i>Carpocoris fuscispinus</i>							1	
Red Shieldbug	<i>Carpocoris mediterraneus</i>			2	5				
A froghopper	<i>Cercopis</i> cfr. <i>sanguinolenta</i>		5					1	
Dock Bug	<i>Coreus marginatus</i>						1		
Box Bug	<i>Gonocerus acuteangulatus</i>								1
Lined Shieldbug	<i>Graphosoma italicum</i>		10		15			2	2
Southern Green Stink Bug	<i>Nezara viridula</i>								1
A bug	<i>Peirates hybridus</i>			1					
An assassin bug	<i>Rhynocoris iracundus</i> gr.		2	1	5	1	1		
Two-spotted Grass Bug	<i>Stenotus binotatus</i>			1					
A cicada	<i>Cicadetta</i> cfr. <i>brevipennis</i>						1		

N = near-endemic		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
A green lacewing	<i>Chrysopidae</i> spp.		3						
An ascalaphid (owl-fly)	<i>Libelloides macaronius</i>				5	1	1		1
An ascalaphid (owl-fly)	<i>Libelloides lacteus</i>						5		
A stonefly	<i>Dinocras</i> sp.	5?							
A stonefly	<i>Isoperla</i> sp.			1?					
A scorpionfly	<i>Panorpa</i> spp.		2			1			
Silver Sedge	<i>Odontocerum albicorne</i>	1							
Marmalade Fly	<i>Episyrphus balteatus</i>				1		1		
A fly	<i>Fallenia fasciata</i>					3			
Black Banded Bee Fly	<i>Hemipenthes morio</i>						1		
A fly	<i>Hemipenthes velutina</i>			2	1				
A horse fly	<i>Philipomyia aprica</i>					1			
Common Globetail	<i>Sphaerophoria scripta</i>				1				
Hottentot Bee Fly	<i>Villa</i> cfr. <i>hottentotta</i>				1				
A robber fly	<i>Pogonosoma maroccanum</i>				3				
Mediterranean Acrobat Ant	<i>Crematogaster</i> cfr. <i>scutellaris</i>				10	5			
Honey Bee	<i>Apis mellifera</i>	10	10		50	20	10	5	5
Red-tailed Bumble Bee	<i>Bombus lapidarius</i>		1						
Common Carder Bee	<i>Bombus pascuorum</i>	2							
Buff-tailed Bumble Bee	<i>Bombus</i> cfr. <i>terrestris</i>	5	2					2	
An ant	<i>Formica</i> sp.		✓						
Mammoth Scoliid Wasp	<i>Megascolia maculata</i>				2				
An ichneumonid wasp	<i>Ophion</i> spp.			1					
A paper wasp	<i>Polistes</i> spp.			1	1	10			
Red Pavement Ant	<i>Tetramorium caespitum</i> gr.					x			
Hornet	<i>Vespa crabro</i>				1	1			
Violet Carpenter Bee	<i>Xylocopa violacea</i>			5	10	3	5	10	
10-Spot Ladybird	<i>Adalia decempunctata</i>			1					
A longhorn beetle	<i>Agapanthia dahlia</i>			2					
A chafer	<i>Amphimallon</i> sp.							1	
A chafer	<i>Anisoplia</i> sp.			10					
Hungarian Anthaxia	<i>Anthaxia hungarica</i>			1					
Livid Soldier Beetle	<i>Cantharis livida</i>							3	
Rustic Sailor Beetle	<i>Cantharis rustica</i>		5						
Flat-headed Root-borer	<i>Capnodis tenebrionis</i>					1			
Violet Ground Beetle	<i>Carabus violaceus</i>							1	
Rose Chafer	<i>Cetonia aurata</i>				10	5	10	50	
A jewel beetle	<i>Chalcophora intermedia</i>							1	
Green Tiger Beetle	<i>Cicindela campestris</i>							1	
Seven-spotted Lady Beetle	<i>Coccinella septempunctata</i>							2	
An aquatic leaf beetle	<i>Donacia clavipes</i>		2						
Lesser Stag Beetle	<i>Dorcus parallelipipedus</i>							1	
Orange Ladybird	<i>Halyzia sedecimguttata</i>		5						
Asian Lady Beetle	<i>Harmonia axyridis</i>					1			
Cream-streaked Ladybird	<i>Harmonia quadripunctata</i>				1				
A glow-worm	<i>Lampyrus</i> sp.		1						
A weevil	<i>Larinus</i> spp.			2		5			
A weevil	<i>Lixus iridis</i>		2						
Stag Beetle	<i>Lucanus cervus</i>						2		

N = near-endemic		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
A blister beetle	<i>Lydus europaeus</i>					2			
Oil Beetle	<i>Mylabris variabilis</i>					3		1	
European Rhinoceros Beetle	<i>Oryctes nasicornis</i>					1			
Mediterranean Spotted Chafer	<i>Oxythyrea funesta</i>				2	1			3
A longhorn beetle	<i>Stenurella bifasciata</i>				1	1			
Apple Blossom Beetle	<i>Tropinota hirta</i>			1					

Spiders

		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
Oak Spider	<i>Aculepeira ceropegia</i>				1	2			
A wolf spider	<i>Alopecosa pulverulenta</i> gr.		1						
An orb-weaver spider sp.	<i>Araneus circe</i>			3	1	10			
Raft Spider	<i>Dolomedes</i> cfr. <i>fimbriatus</i>		1						
Ladybird Spider	<i>Eresus</i> cfr. <i>kollari</i>						1		
Radiated Wolf Spider	<i>Hogna radiata</i>					1			
Goldenrod Crab Spider	<i>Misumena vatia</i>		1					5	
Bordered Orbweaver	<i>Neoscona adianta</i>					1			
A wolf spider	<i>Pardosa</i> sp.		1						
European Nursery Web Spider	<i>Pisaura mirabilis</i>					1		1	
Red-bellied Jumping Spider	<i>Philaeus chrysops</i>				1			1	
A crab spider	<i>Thomisus onustus</i>						1		

Other arthropods

		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
A scorpion	<i>Euscorpius</i> sp.					1			
A tick	<i>Hyalomma</i> cfr. <i>marginatum</i>			1					

Crustaceans

		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
Marbled Crab	<i>Pachygrapsus marmoratus</i>				3				

Molluscs

D = dead		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
A snail	<i>Cepaea</i> sp.		D						
Turkish Snail	<i>Helix lucorum</i>						1		
Roman Snail	<i>Helix pomatia</i>			D					
Carthusian Snail	<i>Monacha</i> sp.		1			1			
Zebra Snail	<i>Zebrina detrita</i>						2		

Birds (H = Heard only)

Common name	Scientific name	June 2025							
		2	3	4	5	6	7	8	9
Mute Swan	<i>Cygnus olor</i>			2		2			
Mallard	<i>Anas platyrhynchos</i>	10				17			
Goosander	<i>Mergus merganser</i>		1						
Common Pheasant - I	<i>Phasianus colchicus</i>				H	3H			
Rock Partridge	<i>Alectoris graeca</i>							H	
Alpine Swift	<i>Tachymarptis melba</i>			5					
Common Swift	<i>Apus apus</i>					4			
Pallid Swift	<i>Apus pallidus</i>			2			3		
Common Cuckoo	<i>Cuculus canorus</i>			2H		H	2H	H	
Feral Pigeon - I	<i>Columba livia 'domestica'</i>	4	10	1		1	4	3	
Common Wood Pigeon	<i>Columba palumbus</i>	10						H	
European Turtle Dove	<i>Streptopelia turtur</i>			H	2	5			
Eurasian Collared Dove	<i>Streptopelia decaocto</i>					1	1		
Yellow-legged Gull	<i>Larus michahellis</i>			20	5	10	15		
White Stork	<i>Ciconia ciconia</i>	2							
Great Cormorant	<i>Phalacrocorax carbo</i>						50		
European Shag	<i>Gulosus aristotelis</i>			1		1	5		
Grey Heron	<i>Ardea cinerea</i>	1				2			
European Honey Buzzard	<i>Pernis apivorus</i>			1		1	7		
Griffon Vulture	<i>Gyps fulvus</i>							20	
Short-toed Snake Eagle	<i>Circaetus gallicus</i>							3	
Golden Eagle	<i>Aquila chrysaetos</i>			1					
Montagu's Harrier	<i>Circus pygargus</i>					1			
Black Kite	<i>Milvus migrans</i>	2							
Common Buzzard	<i>Buteo buteo</i>	1		2		1			1
Eurasian Scops Owl	<i>Otus scops</i>			H		2H	H	3	
Eurasian Hoopoe	<i>Upupa epops</i>					3	2	3	
European Bee-eater	<i>Merops apiaster</i>	10		H		2			
Eurasian Wryneck	<i>Jynx torquilla</i>					1			
Lesser Spotted Woodpecker	<i>Dryobates minor</i>						2		
Great Spotted Woodpecker	<i>Dendrocopos major</i>		H	2					
Black Woodpecker	<i>Dryocopus martius</i>							H	
Common Kestrel	<i>Falco tinnunculus</i>			1	2	2			
Peregrine Falcon	<i>Falco peregrinus</i>			1					
Eurasian Golden Oriole	<i>Oriolus oriolus</i>		2H	3H	3H	2H	2H		
Lesser Grey Shrike	<i>Lanius minor</i>		1						
Red-backed Shrike	<i>Lanius collurio</i>	1	8	5	2		3	3	
Eurasian Jay	<i>Garrulus glandarius</i>	2	1	2				H	
Eurasian Magpie	<i>Pica pica</i>	2				1			1
Alpine Chough	<i>Pyrrhocorax graculus</i>			10			6		
Hooded Crow	<i>Corvus cornix</i>	2		1		10			
Northern Raven	<i>Corvus corax</i>		1	1			H	3	
Coal Tit	<i>Parus ater</i>		4H					2H	
Crested Tit	<i>Lophophanes cristatus</i>							3	
Marsh Tit	<i>Poecile palustris</i>							2H	H
Great Tit	<i>Parus major</i>		H	5	2H	5	4	3H	H
Woodlark	<i>Lullula arborea</i>					H		H	

Common name	Scientific name	June 2025							
		2	3	4	5	6	7	8	9
Eurasian Skylark	<i>Alauda arvensis</i>		H	2H			3	H	
Crested Lark	<i>Galerida cristata</i>	1							
Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>			5					
Barn Swallow	<i>Hirundo rustica</i>	2	5	30	10	20	30		1
Western House Martin	<i>Delichon urbicum</i>		10	20	15	##	50	10	5
European Red-rumped Swallow	<i>Cecropis rufula</i>					2			
Cetti's Warbler	<i>Cettia cetti</i>					H			
Long-tailed Tit	<i>Aegithalos caudatus</i>		2	H				H	
Common Chiffchaff	<i>Phylloscopus collybita</i>		3H					2H	
Zitting Cisticola	<i>Cisticola juncidis</i>					1			
Eurasian Blackcap	<i>Sylvia atricapilla</i>	2H	5H	5H	4H	3H	5H	3H	2H
Barred Warbler	<i>Curruca nisoria</i>		2H						
Lesser Whitethroat	<i>Curruca curruca</i>							2H	
Eastern Orphean Warbler	<i>Curruca crassirostris</i>				3H				
Sardinian Warbler	<i>Curruca melanocephala</i>			1	3	2H			
Eastern Subalpine Warbler	<i>Curruca cantillans</i>				5	H			
Common Whitethroat	<i>Curruca communis</i>			H			H	1	
Western Rock Nuthatch	<i>Sitta neumayer</i>			H					
Eurasian Nuthatch	<i>Sitta europaea</i>							H	
Common Starling	<i>Sturnus vulgaris</i>	3		5		10			1
Song Thrush	<i>Turdus philomelos</i>	H	1				H	H	H
Mistle Thrush	<i>Turdus viscivorus</i>			1			H	2	1
Common Blackbird	<i>Turdus merula</i>	1	5	5	10	3	2	3	
European Robin	<i>Erithacus rubecula</i>		2H				H	H	
Common Nightingale	<i>Luscinia megarhynchos</i>			3H	4H	5H	2H		
Black Redstart	<i>Phoenicurus ochruros</i>		2	1			H	4	
Common Redstart	<i>Phoenicurus phoenicurus</i>						H	H	
Blue Rock Thrush	<i>Monticola solitarius</i>			H	1				
Whinchat	<i>Saxicola rubetra</i>			1					
Eastern Black-eared Wheatear	<i>Oenanthe melanoleuca</i>			3					
White-throated Dipper	<i>Cinclus cinclus</i>			1					
Eurasian Tree Sparrow	<i>Passer montanus</i>		H	2					
Spanish Sparrow	<i>Passer hispaniolensis</i>			5	1	2			
House Sparrow	<i>Passer domesticus</i>	2H	3	3	2H	10	5	10	10
Grey Wagtail	<i>Motacilla cinerea</i>	2	H	1					
White Wagtail	<i>Motacilla alba alba</i>	1	3	3	4	3	1	2	1
Tawny Pipit	<i>Anthus campestris</i>			2				1	
Tree Pipit	<i>Anthus trivialis</i>							H	
Eurasian Chaffinch	<i>Fringilla coelebs</i>	H	5	5	2H	3H	5	5H	
Hawfinch	<i>Coccothraustes coccothraustes</i>		3	3	2		3		
European Greenfinch	<i>Chloris chloris</i>	H	10	5	4	H	5	3	H
Common Linnet	<i>Linaria cannabina</i>		1	H					
European Goldfinch	<i>Carduelis carduelis</i>	1	2H	2	5	6		3	
European Serin	<i>Serinus serinus</i>	H	5H	2	H	2	H	2	
Corn Bunting	<i>Emberiza calandra</i>		2H	1			2H		
Yellowhammer	<i>Emberiza citrinella</i>		1						
Rock Bunting	<i>Emberiza cia</i>							4	
Cirl Bunting	<i>Emberiza cirlus</i>			H	5	3	H		
Black-headed Bunting	<i>Emberiza melanocephala</i>			3					

Mammals

D = dead, S = signs		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
Eurasian Red Squirrel	<i>Sciurus vulgaris</i>							1	
European Mole	<i>Talpa europaea</i>		S	D				S	
European Free-tailed Bat	<i>Tadarida teniotis</i>						1	1	
a pipistrelle	<i>Pipistrellus</i> sp.					2			
Western Roe Deer	<i>Capreolus capreolus</i>			1					
Wild Boar	<i>Sus scrofa</i>		S		S			S	

Reptiles & amphibians

D = dead		June 2025							
Common name	Scientific name	2	3	4	5	6	7	8	9
Turkish Gecko	<i>Hemidactylus turcicus</i>				1	8			
Dalmatian Algyroides	<i>Algyroides nigropunctatus</i>			4	1			1	
Eastern Green Lizard	<i>Lacerta viridis</i>			1			1		3
Balkan Green Lizard	<i>Lacerta trilineata</i>				2		1		
Common Wall Lizard	<i>Podarcis muralis</i>							1	
Italian Wall Lizard	<i>Podarcis siculus</i>					1			
Dalmatian Wall Lizard	<i>Podarcis melisellensis</i>				1		2		
Horvath's Rock Lizard	<i>Iberolacerta horvathi</i>		4						
Glass Lizard	<i>Pseudopus apodus</i>				2				
Eastern Montpellier Snake	<i>Malpolon insignitus</i>				D				
Balkan Whip Snake	<i>Hierophis gemonensis</i>						2		
Dahl's Whip Snake	<i>Platycephalus najadum</i>					D			
Dice Snake	<i>Natrix tessellata</i>		2	1?					
Hermann's Tortoise	<i>Testudo hermanni</i>			1	1	1			

Fungi

Family	Scientific name	Common name	Day	First or best observation
Polyporaceae	<i>Fomes fomentarius</i>	Hoof Fungus	2	Plitvice lakes

Lichens

Family	Scientific name	Common name	Day	First or best observation
Cladoniaceae	<i>Cladonia foliacea</i>	A lichen	4	Mala Paklenica
Parmeliaceae	<i>Evernia prunastri</i>	Oakmoss	6	Kosinj

Plants

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
MOSSES				
Amblystegiaceae	<i>Cratoneuron filicinum</i>	Fern-leaved Hook-moss	2	Plitvice lakes
Mniaceae	<i>Plagiomnium undulatum</i>	Palm-tree Moss	2	Plitvice lakes
Neckeraceae	<i>Exsertotheca crispa</i>	Crisped Neckera	2	Plitvice lakes
FERNS				
Aspleniaceae	<i>Asplenium ceterach</i>	Rustyback	2	Plitvice lakes
	<i>Asplenium ruta-muraria</i>	Wall-rue	2	Plitvice lakes
	<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	1	Rastoke
	<i>Asplenium scolopendrium</i>	Hart's Tonguefern	2	Plitvice lakes
Dennstaedtiaceae	<i>Pteridium aquilinum</i>	Bracken	2	Plitvice lakes
Polypodiaceae	<i>Polypodium vulgare</i>	Common Polypody	2	Plitvice lakes
Ophioglossaceae	<i>Botrychium lunaria</i>	Common Moonwort	7	Turinski Krč
CONIFERS				
Cupressaceae	<i>Juniperus communis</i>	Common Juniper	2	Plitvice lakes
	<i>Juniperus (oxycedrus) deltoides</i>	Eastern Prickly Juniper	4	Mala Paklenica
Pinaceae	<i>Abies alba</i>	Silver Fir	7	Krasno
	<i>Picea abies</i>	Spruce	2	Plitvice lakes
	<i>Pinus halepensis</i>	Aleppo Pine	4	Mala Paklenica
	<i>Pinus nigra</i>	Austrian Black Pine	2	Plitvice lakes
	<i>Pinus sylvestris</i>	Scots Pine	2	Plitvice lakes
Taxaceae	<i>Taxus baccata</i>	Common Yew	2	Plitvice lakes
DICOTYLEDONOUS FLOWERING PLANTS				
Anacardiaceae	<i>Cotinus coggygia</i>	European Smoketree	2	Plitvice lakes
	<i>Pistacia lentiscus</i>	Mastic	5	Bibinje (in fruit)
	<i>Pistacia terebinthus</i>	Turpentine Tree	3	Golubič (leaves)
Apiaceae	<i>Chaerophyllum coloratum</i>	A chervil - N	4	Mali Vaganac
	<i>Chaerophyllum hirsutum</i>	Hairy Chervil	2	Plitvice lakes
	<i>Cnidium silaifolium</i>	An umbellifer	4	Mali Vaganac
	<i>Crithmum maritimum</i>	Rock Samphire	4	Seline (leaves)
	<i>Daucus carota</i>	Wild Carrot	4	Seline
	<i>Eryngium campestre</i>	Field Eryngo	3	Krupa (leaves)
	<i>Foeniculum vulgare</i>	Wild Fennel	4	Mala Paklenica (leaves)
	<i>Heracleum sphondylium</i>	Hogweed	2	Plitvice lakes (leaves)
	<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	2	Homoljac (leaves)
	<i>Oenanthe pimpinelloides</i>	A water-dropwort	5	Bibinje
	<i>Orlaya grandiflora</i>	Large-flowered Orlaya	1	Rastoke
	<i>Sanicula europaea</i>	Wood Sanicula	2	Plitvice lakes
	<i>Siler montanum</i>	Laserwort	2	Plitvice lakes
	<i>Smyrniolum perfoliatum</i>	Perfoliate Alexanders	2	Homoljac
	<i>Trinia glauca</i>	Honewort	7	Tuževac
	<i>Bupleurum veronense</i>	An umbellifer - N	4	Mala Paklenica
Apocynaceae	<i>Vinca minor</i>	Lesser Periwinkle	2	Plitvice lakes (leaves)
	<i>Vincetoxicum hirundinaria</i>	Swallow-wort	2	Plitvice lakes
Araliaceae	<i>Hedera helix</i>	Common Ivy	1	Rastoke (leaves)
Aristolochiaceae	<i>Aristolochia lutea</i>	Yellow Birthwort	2	Homoljac
	<i>Aristolochia pallida</i>	A birthwort	4	Mali Vaganac

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
	<i>Asarum europaeum</i>	Asarabacca	2	Plitvice lakes
Asteraceae	<i>Achillea millefolium</i> gr.	Yarrow	2	Plitvice lakes
	<i>Aposeris foetida</i>	Stinking Aposeris	2	Plitvice lakes (leaves)
	<i>Bellis perennis</i>	Daisy	2	Plitvice lakes
	<i>Bombycilaena erecta</i>	Upright Cudweed	3	Krupa
	<i>Bupthalmum salicifolium</i>	Yellow Ox-eye	2	Plitvice lakes
	<i>Carduus collinus cylindricus</i>	A thistle	4	Mali Vaganac
	<i>Carduus nutans</i>	Musk Thistle	8	Ogulin
	<i>Carduus pycnocephalus</i>	Italian Thistle	4	Mala Paklenica
	<i>Carthamus lanatus</i>	Downy Safflower	5	Gornji Karin
	<i>Centaurea</i> cfr. <i>nigrescens</i>	Tyrol Knapweed	8	Ogulin
	<i>Centaurea rupestris</i>	Rock Knapweed - N	4	Mali Vaganac
	<i>Centaurea scabiosa</i>	Greater Knapweed	8	Ogulin
	<i>Centaurea triumfettii</i>	Squarrose Knapweed	4	Mali Vaganac
	<i>Cichorium intybus</i>	Chicory	4	Mala Paklenica
	<i>Cirsium erisithales</i>	Yellow Melancholy Thistle	2	Plitvice lakes
	<i>Crepis</i> cfr. <i>biennis</i>	Rough Hawk's-beard	8	Ogulin
	<i>Crepis chondrilloides</i>	A hawk's-beard	4	Mali Vaganac
	<i>Crepis rubra</i>	Pink Hawk's-beard	5	Bibinje
	<i>Dittrichia viscosa</i>	Sticky Fleabane	5	Bibinje (leaves)
	<i>Erigeron annuus</i>	Annual Fleabane - I	2	Plitvice lakes
	<i>Filago</i> cfr. <i>pyramidata</i>	Broadleaf Cottonrose	3	Krupa
	<i>Gelasia villosa</i>	A dandelion	3	Muškovci (in seed)
	<i>Helichrysum italicum</i>	Curry Plant	5	Bibinje
	<i>Hieracium glaucum</i>	A hawkweed	2	Plitvice lakes
	<i>Hieracium murorum</i> gr.	Wall Hawkweed	2	Plitvice lakes
	<i>Hypochaeris maculata</i>	Spotted Cat's-ear	7	Tuževac
	<i>Lapsana communis</i>	Nipplewort	2	Plitvice lakes
	<i>Leucanthemum vulgare</i> gr.	Ox-eye Daisy	2	Plitvice lakes
	<i>Mycelis muralis</i>	Wall Lettuce	2	Plitvice lakes
	<i>Onopordum illyricum</i>	Illyrian Thistle	3	Krupa (in bud)
	<i>Pallenis spinosa</i>	Spiny Fleabane	4	Mala Paklenica
	<i>Pentanema hirtum</i>	A samphire	4	Mali Vaganac
	<i>Pentanema verbascifolium</i>	Snow Samphire	3	Muškovci (leaves)
	<i>Petasites</i> cfr. <i>kablikianus</i>	A butterbur	2	Plitvice lakes (leaves)
	<i>Picnomon acarna</i>	Yellow-spine Thistle	3	Golubić (in bud)
	<i>Pilosella officinarum</i> gr.	Mouse-eared Hawkweed	2	Plitvice lakes
	<i>Senecio</i> cfr. <i>ovatus</i>	Wood Ragwort	2	Plitvice lakes
	<i>Sonchus</i> cfr. <i>asper</i>	Prickly Sow-thistle	4	Starigrad
	<i>Tragopogon (pratensis) orientalis</i>	A salsify	3	Udbina (in bud)
Betulaceae	<i>Alnus glutinosa</i>	Black Alder	2	Plitvice lakes
	<i>Betula pendula</i>	Silver Birch	2	Plitvice lakes
	<i>Carpinus betulus</i>	European Hornbeam	2	Plitvice lakes
	<i>Carpinus orientalis</i>	Eastern Hornbeam	3	Golubić
	<i>Corylus avellana</i>	Common Hazel	2	Plitvice lakes
	<i>Ostrya carpinifolia</i>	European Hop-hornbeam	3	Krupa
Boraginaceae	<i>Echium italicum</i>	Pale Bugloss	3	Starigrad
	<i>Echium vulgare</i>	Viper's-Bugloss	1	Rastoke
	<i>Myosotis</i> cfr. <i>arvensis</i>	Field Forget-me-not	3	Udbina

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
	<i>Myosotis scorpioides</i>	Water Forget-me-not	1	Rastoke
	<i>Onosma echiioides</i>	Hairy Golden-drop	3	Muškovci
Brassicaceae	<i>Alliaria petiolata</i>	Garlic Mustard	6	Krasno
	<i>Arabidopsis arenosa</i>	Sand Rock-cress	2	Plitvice lakes
	<i>Aurinia sinuata</i>	Wavy-leaved Alison - N	5	Bibinje
	<i>Barbarea vulgaris</i>	Bitter Wintercress	2	Plitvice lakes
	<i>Capsella bursa-pastoris</i>	Shepherd's Purse	7	Oltari
	<i>Cardamine bulbifera</i>	Coralroot	2	Plitvice lakes (leaves)
	<i>Cardamine enneaphyllos</i>	Drooping Bittercress	2	Plitvice lakes (leaves)
	<i>Erysimum</i> sp.	A wallflower	6	Kosinj
	<i>Lunaria rediviva</i>	Perennial Honesty	2	Plitvice lakes
	<i>Peltaria alliacea</i>	Garlic Cress	2	Plitvice lakes
	<i>Rorippa</i> cfr. <i>pyrenaica</i>	Creeping Yellowcress	7	Turinski Krč
Campanulaceae	<i>Campanula fenestrellata</i>	A bellflower - E	4	Mali Vaganac
	<i>Campanula persicifolia</i>	Paper Bellflower	2	Plitvice lakes
	<i>Campanula pyramidalis</i>	Chimney Bellflower - N	3	Muškovci (leaves)
	<i>Campanula rapunculus</i>	Rampion	3	Udbina
	<i>Edraianthus graminifolius</i>	A rockbell	4	Mali Vaganac
	<i>Edraianthus tenuifolius</i>	A rockbell - N	5	Donji Karin
	<i>Phyteuma spicatum</i>	Spiked Rampion	2	Plitvice lakes
Cannabaceae	<i>Celtis australis</i>	Nettle Tree	4	Mala Paklenica
	<i>Humulus lupulus</i>	Common Hops	6	Kosinj
Caprifoliaceae	<i>Centranthus ruber</i>	Red Valerian	5	Posedarje
	<i>Knautia arvensis</i>	Field Scabious	2	Plitvice lakes
	<i>Knautia</i> cfr. <i>dinarica</i>	A scabious - N	2	Homoljac
	<i>Knautia drymeja</i>	A scabious	2	Plitvice lakes
	<i>Knautia pectinata</i>	A scabious - E	6	Ostarijska Vrata
	<i>Lomelosia brachiata</i>	A scabious	5	Gornji Karin
	<i>Lonicera implexa</i>	Mediterranean Honeysuckle	5	Bibinje
	<i>Sixalix atropurpurea</i>	Sweet Scabious	5	Bibinje
	<i>Valeriana officinalis</i>	Common Valerian	7	Turinski Krč
	<i>Valeriana tripteris</i>	Three-leaved Valerian	2	Plitvice lakes
	<i>Valerianella</i> sp.	A cornsalad	2	Homoljac
Caryophyllaceae	<i>Cerastium tomentosum</i>	Snow-in-summer	6	Ostarijska Vrata
	<i>Dianthus</i> cfr. <i>armeria</i>	Deptford Pink	5	Bibinje
	<i>Dianthus carthusianorum</i>	Carthusian Pink	2	Homoljac
	<i>Dianthus balbisii liburnicus</i>	A pink - N	4	Mala Paklenica
	<i>Dianthus petraeus</i>	A pink	2	Plitvice lakes
	<i>Dianthus sylvestris</i>	Wood Pink	4	Mali Vaganac
	<i>Herniaria hirsuta</i>	Hairy Rupturewort	3	Muškovci
	<i>Moenchia mantica</i>	A cheekweed	3	Udbina
	<i>Moehringia muscosa</i>	Mossy Sandwort	2	Plitvice lakes
	<i>Petrorhagia saxifraga</i>	Tunicflower	3	Bruvno
	<i>Silene flos-cuculi</i>	Ragged-robin	3	Udbina
	<i>Silene latifolia</i>	White Champion	2	Plitvice lakes
	<i>Silene nutans</i>	Nottingham Catchfly	1	Rastoke
	<i>Silene vulgaris</i>	Bladder Champion	1	Rastoke
	<i>Stellaria graminea</i>	Lesser Stitchwort	2	Homoljac

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
Cistaceae	<i>Cistus creticus</i>	Hoary Rock-rose	5	Bibinje
	<i>Cistus monspeliensis</i>	Montpelier Cistus	5	Bibinje
	<i>Fumana procumbens</i>	Heath-rose	5	Gornji Karin
	<i>Helianthemum nummularium</i>	Common Rock-rose	2	Plitvice lakes
Convolvulaceae	<i>Convolvulus arvensis</i>	Field Bindweed	4	Seline
	<i>Convolvulus cantabrica</i>	Cantabrian Bindweed	4	Mala Paklenica
Cornaceae	<i>Cornus sanguinea</i>	Common Dogwood	2	Plitvice lakes
Crassulaceae	<i>Petrosedum ochroleucum</i>	European Stonecrop	3	Golubić
	<i>Sedum acre</i>	Biting Stonecrop	7	Turinski Krč
	<i>Sedum sexangulare</i>	Tasteless Stonecrop	2	Homoljac (in bud)
Euphorbiaceae	<i>Euphorbia amygdaloides</i>	Wood Spurge	2	Plitvice lakes
	<i>Euphorbia characias</i>	Mediterranean Spurge	4	Mala Paklenica
	<i>Euphorbia cyparissias</i>	Cypress Spurge	1	Rastoke
	<i>Euphorbia fragifera</i>	A spurge N	4	Mali Vaganac
	<i>Euphorbia myrsinites</i>	Myrtle Spurge	4	Mala Paklenica
	<i>Euphorbia verrucosa</i>	Warty Spurge	7	Oltari
	<i>Mercurialis perennis</i>	Dog's Mercury	2	Plitvice lakes
Fabaceae	<i>Anthyllis montana</i>	Mountain Kidney-vetch	6	Ostarijska Vrata
	<i>Anthyllis vulneraria</i>	Kidney-vetch	2	Homoljac
	<i>Astragalus glycyphyllos</i>	Wild Liquorice	2	Plitvice lakes (in seed)
	<i>Chamaecytisus supinus</i>	A broom	8	Ogulin
	<i>Colutea arborescens</i>	Bladder-senna	4	Mali Vaganac
	<i>Coronilla coronata</i>	Crowned Scorpion-vetch	4	Mali Vaganac
	<i>Genista sagittalis</i>	Winged Broom	3	Udbina
	<i>Genista sericea</i>	A broom - N	6	Ostarijska Vrata
	<i>Genista sylvestris</i>	A broom	5	Gornji Karin
	<i>Hippocrepis comosa</i>	Horseshoe Vetch	2	Plitvice lakes
	<i>Hippocrepis emerus</i>	Scorpion Senna	3	Muškovci (in seed)
	<i>Lathyrus latifolius</i>	Broad-leaved Sweet Pea	5	Bibinje
	<i>Lathyrus nissolia</i>	Grass Vetchling	6	Kosinj
	<i>Lathyrus pannonicus</i>	Felted Vetch	3	Udbina
	<i>Lathyrus pratensis</i>	Meadow Pea	3	Udbina
	<i>Lotus corniculatus</i>	Bird's-foot Trefoil	2	Homoljac
	<i>Lotus germanicus</i>	A bird's-foot trefoil	2	Homoljac
	<i>Lotus cfr. herbaceus</i>	A bird's-foot trefoil	4	Mali Vaganac
	<i>Medicago lupulina</i>	Black Melilot	1	Rastoke
	<i>Medicago orbicularis</i>	Button Medick	4	Mala Paklenica (in seed)
	<i>Medicago sativa</i>	Alfalfa	3	Muškovci
	<i>Ononis spinosa</i>	Spiny Restharrow	5	Gornji Karin
	<i>Robinia pseudoacacia</i>	False Acacia - I	1	Rastoke
	<i>Securigera varia</i>	Purple Crownvetch	4	Mali Vaganac
	<i>Spartium junceum</i>	Spanish Broom	5	Bibinje
	<i>Trifolium alpestre</i>	Owl-headed Flower	7	Oltari
	<i>Trifolium angustifolium</i>	Narrow-leaved Clover	4	Seline
	<i>Trifolium campestre</i>	Hop Trefoil	3	Krupa
	<i>Trifolium incarnatum molinerii</i>	Long-headed Clover	4	Mali Vaganac
	<i>Trifolium montanum</i>	Mountain Clover	2	Homoljac
	<i>Trifolium patens</i>	Small-fruited Clover	5	Bibinje

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
	<i>Trifolium pratense</i>	Red Clover	2	Plitvice lakes
	<i>Trifolium repens</i>	White Clover	1	Rastoke
	<i>Trifolium resupinatum</i>	Reversed Clover	5	Bibinje
	<i>Trifolium stellatum</i>	Star Clover	4	Mali Vaganac
	<i>Vicia cfr. cracca</i>	Tufted Vetch	2	Homoljac
	<i>Vicia grandiflora</i>	Large Yellow Vetch	6	Kosinj
	<i>Vicia sepium</i>	Bush Vetch	2	Homoljac
	<i>Vicia tenuifolia</i>	Fine-leaved Vetch	3	Udbina
	<i>Vicia villosa varia</i>	Hairy Vetch	4	Mala Paklenica
Fagaceae	<i>Fagus sylvatica</i>	Beech	2	Plitvice lakes
	<i>Quercus pubescens</i>	Downy Oak	4	Mala Paklenica
Gentianaceae	<i>Blackstonia perfoliata</i>	Yellow-wort	4	Mala Paklenica
	<i>Centaureum erythraea</i>	Common Centaury	4	Seline
	<i>Centaureum pulchellum</i>	Lesser Centaury	4	Mala Paklenica
	<i>Gentiana utriculosa</i>	Bladder Gentian	7	Tuževac
Geraniaceae	<i>Erodium malacoides</i>	Soft Stork's-bill	5	Gornji Karin
	<i>Geranium nodosum</i>	Knotted Crane's-bill	7	Turinski Krč
	<i>Geranium phaeum</i>	Dusky Crane's-bill	2	Homoljac
	<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	2	Homoljac
	<i>Geranium robertianum</i>	Herb Robert	2	Plitvice lakes
	<i>Geranium sanguineum</i>	Bloody Crane's-bill	4	Mali Vaganac
Haloragaceae	<i>Myriophyllum verticillatum</i>	Whorled Water-milfoil	2	Plitvice lakes (leaves)
Hypericaceae	<i>Hypericum perforatum</i>	Perforate St John's-wort	3	Krupa
	<i>Hypericum cfr. hirsutum</i>	Hairy St John's-wort	2	Plitvice lakes (leaves)
Lamiaceae	<i>Ajuga genevensis</i>	Blue Bugle	2	Plitvice lakes
	<i>Ajuga reptans</i>	Bugle	2	Plitvice lakes
	<i>Clinopodium acinos</i>	Basil-thyme	2	Plitvice lakes
	<i>Clinopodium vulgare</i>	Wild Basil	5	Donji Karin
	<i>Lamium galeobdolon</i>	Yellow Archangel	2	Plitvice lakes
	<i>Lamium maculatum</i>	Spotted Deadnettle	2	Homoljac
	<i>Lamium orvala</i>	Balm-leaved Archangel	2	Plitvice lakes
	<i>Lamium purpureum</i>	Red Deadnettle	6	Kosinj
	<i>Lycopus europaeus</i>	European Water-horehound	2	Plitvice lakes (leaves)
	<i>Marrubium incanum</i>	Silver Horehound - N	3	Krupa
	<i>Melittis melissophyllum</i>	Bastard Balm	2	Plitvice lakes
	<i>Mentha aquatica</i>	Water Mint	2	Plitvice lakes (leaves)
	<i>Mentha longifolia</i>	Horse Mint	3	Krupa (leaves)
	<i>Prunella laciniata</i>	Cut-leaved Selfheal	2	Plitvice lakes
	<i>Prunella vulgaris</i>	Common Selfheal	2	Plitvice lakes
	<i>Salvia glutinosa</i>	Sticky Sage	2	Plitvice lakes (leaves)
	<i>Salvia officinalis</i>	Common Sage	4	Mala Paklenica (leaves)
	<i>Salvia pratensis</i>	Meadow Cleary	2	Plitvice lakes
	<i>Satureja montana</i>	Winter Savory	7	Turinski Krč (leaves)
	<i>Sideritis romana</i>	Common Ironwort	4	Mala Paklenica
	<i>Stachys recta</i>	Perennial Yellow-woundwort	1	Rastoke
	<i>Stachys thirkei</i>	A woundwort - N	3	Golubić
	<i>Stachys sylvatica</i>	Hedge Woundwort	2	Plitvice lakes

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
	<i>Teucrium chamaedrys</i>	Common Germander	3	Golubić
	<i>Teucrium (polium) capitatum</i>	Felty Germander	4	Mala Paklenica
	<i>Thymus</i> cfr. <i>pulegioides</i>	Common Thyme	2	Plitvice lakes
Linaceae	<i>Linum catharticum</i>	Fairy Flax	7	Tuževac
	<i>Linum narbonense</i>	Beautiful Flax	7	Tuževac
	<i>Linum nodiflorum</i>	A yellow flax	4	Mala Paklenica
	<i>Linum tenuifolium</i>	Narrow-leaved Flax	3	Udbina
	<i>Linum trigynum</i> gr.	French Flax	5	Bibinje
Malvaceae	<i>Alcea</i> cfr. <i>setosa</i>	Bristly Hollyhock	4	Mala Paklenica
	<i>Malva moschata</i>	Musk Mallow	8	Ogulin
	<i>Malva neglecta</i>	Dwarf Mallow	4	Ercezi Kojin Dolac
	<i>Malva setigera</i>	Rough Marsh-mallow	4	Ercezi Kojin Dolac
	<i>Malva sylvestris</i>	Common Mallow	3	Krupa
	<i>Tilia cordata</i>	Small-leaved Lime	4	Ercezi Kojin Dolac
Moraceae	<i>Broussonetia papyrifera</i>	Paper Mulberry - I	4	Mala Paklenica
Moraceae	<i>Ficus carica</i>	Fig	3	Krupa (leaves)
Nymphaeaceae	<i>Nuphar lutea</i>	Yellow Water-lily	1	Rastoke
Oleaceae	<i>Ligustrum vulgare</i>	Common Privet	2	Plitvice lakes
	<i>Fraxinus ornus</i>	Manna Ash	4	Mala Paklenica
	<i>Olea europaea</i>	Olive Tree	4	Mala Paklenica
	<i>Phillyrea latifolia</i>	Green Olive Tree	4	Mala Paklenica
Onagraceae	<i>Epilobium hirsutum</i>	Great Willowherb	5	Bibinje
Orobanchaceae	<i>Melampyrum cristatum</i>	Crested Cow-wheat	3	Udbina
	<i>Orobanche gracilis</i>	Slender Broomrape	6	Ostarijska Vrata
	<i>Orobanche lutea</i>	Medick Broomrape	2	Homoljac
	<i>Rhinanthus glacialis</i>	Aristate Yellow-rattle	2	Homoljac
	<i>Rhinanthus minor</i>	Yellow Rattle	2	Homoljac
Papaveraceae	<i>Chelidonium majus</i>	Greater Celandine	1	Rastoke
	<i>Papaver rhoeas</i>	Common Poppy	3	Udbina
Plantaginaceae	<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	1	Rastoke
	<i>Digitalis grandiflora</i>	Yellow Foxglove	2	Plitvice lakes
	<i>Globularia bisnagarica</i>	Common Globularia	2	Homoljac
	<i>Globularia cordifolia</i>	Heart-leaved Globe Daisy	2	Plitvice lakes
	<i>Plantago lanceolata</i>	Ribwort Plantain	4	Mala Paklenica
	<i>Plantago major</i>	Broadleaf Plantain	7	Tuževac
	<i>Plantago media</i>	Hoary Plantain	2	Plitvice lakes
	<i>Veronica anagallis-aquatica</i>	Blue Water-speedwell	3	Krupa
	<i>Veronica austriaca</i>	Large Speedwell	2	Homoljac
	<i>Veronica chamaedrys</i>	Germander Speedwell	2	Homoljac
	<i>Veronica officinalis</i>	Heath Speedwell	2	Plitvice lakes
	<i>Veronica persica</i>	Bird's-eye Speedwell - I	7	Oltari
	<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	2	Plitvice lakes
Polygalaceae	<i>Polygala nicaeensis</i>	Nice Milkwort	4	Mali Vaganac
	<i>Polygala</i> cfr. <i>vulgaris</i>	Common Milkwort	2	Homoljac
	<i>Rumex crispus</i>	Curled Dock	5	Bibinje
Primulaceae	<i>Cyclamen purpurascens</i>	European Cyclamen	2	Plitvice lakes (leaves)
	<i>Lysimachia arvensis</i>	Scarlet Pimpernel	5	Donji Karin
	<i>Primula veris</i>	Cowslip	7	Turinski Krč (in seed)
	<i>Primula vulgaris</i>	Primrose	2	Plitvice lakes (leaves)

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
Ranunculaceae	<i>Anemonoides nemorosa</i>	Wood Anemone	2	Plitvice lakes (leaves)
	<i>Aquilegia nigricans</i>	Blackish Columbine - N	7	Tuževac
	<i>Clematis flammula</i>	Fragrant Virgin's-bower	4	Mala Paklenica
	<i>Clematis recta</i>	Erect Clematis	2	Plitvice lakes
	<i>Clematis vitalba</i>	Old Man's Beard	3	Krupa
	<i>Helleborus multifidus</i>	An hellebore - N	6	Studenci (leaves)
	<i>Helleborus niger</i>	Christmas-rose	2	Plitvice lakes (leaves)
	<i>Hepatica nobilis</i>	Hepatica	2	Plitvice lakes (leaves)
	<i>Nigella damascena</i>	Love-in-a-mist	4	Mala Paklenica
	<i>Ranunculus</i> sp.	A buttercup	2	Plitvice lakes
	<i>Thalictrum aquilegiifolium</i>	French Meadow-rue	7	Tuževac
	<i>Thalictrum minus</i>	Lesser Meadow-rue	4	Mali Vaganac
Resedaceae	<i>Reseda lutea</i>	Wild Mignonette	1	Rastoke
Rhamnaceae	<i>Paliurus spina-christi</i>	Jerusalem Thorn	3	Krupa
	<i>Rhamnus fallax</i>	A buckthorn - N	2	Plitvice lakes (leaves)
	<i>Frangula rupestris</i>	A buckthorn - N	2	Plitvice lakes (in fruit)
Rosaceae	<i>Aria edulis</i>	Common Whitebeam	2	Plitvice lakes (leaves)
	<i>Aruncus dioicus</i>	Goatsbeard	6	Ostarijska Vrata
	<i>Crataegus monogyna</i>	Hawthorn	2	Plitvice lakes (leaves)
	<i>Filipendula vulgaris</i>	Dropwort	1	Rastoke
	<i>Fragaria vesca</i>	Wild Strawberry	2	Plitvice lakes
	<i>Geum urbanum</i>	Blessed Herb	2	Plitvice lakes
	<i>Potentilla recta</i>	Sulphur Cinquefoil	2	Homoljac
	<i>Potentilla reptans</i>	Creeping Cinquefoil	2	Plitvice lakes
	<i>Potentilla cinerea</i> gr.	Abbotswood Potentilla	2	Homoljac (leaves)
	<i>Prunus avium</i>	Wild Cherry	2	Homoljac (in fruit)
	<i>Prunus mahaleb</i>	St Lucie Cherry	3	Muškovci (in fruit)
	<i>Pyrus spinosa</i>	Almond-leaved Pear	4	Mala Paklenica
	<i>Rosa canina</i> gr.	Dog Rose	2	Plitvice lakes
	<i>Rosa glauca</i>	Red-leaved Rose	4	Mala Paklenica (leaves)
	<i>Rosa pendulina</i>	Alpine Rose	6	Ostarijska Vrata
	<i>Rosa sempervirens</i>	Evergreen Rose	4	Starigrad
	<i>Rosa spinosissima</i>	Burnet Rose	7	Tuževac
	<i>Rubus canescens</i>	A bramble	8	Ogulin
	<i>Rubus</i> cfr. <i>ulmifolius</i>	Elmleaf Blackberry	3	Krupa
	<i>Sanguisorba minor</i>	Salad Burnet	1	Rastoke
Rubiaceae	<i>Cruciata laevipes</i>	Crosswort	6	Kosinj (brattee)
	<i>Galium aparine</i>	Catchweed Bedstraw	7	Krasno
	<i>Galium lucidum</i>	Shiny Bedstraw	3	Muškovci
	<i>Galium odoratum</i>	Woodruff	2	Plitvice lakes (leaves)
	<i>Galium verum</i>	Lady's Bedstraw	3	Krupa
	<i>Dictamnus albus</i>	White Dittany	4	Mali Vaganac
	<i>Haplophyllum patavinum</i>	Rue of Padua	3	Muškovci
Salicaceae	<i>Populus nigra</i>	Black Poplar	3	Krupa (leaves)
	<i>Salix alba</i>	White Willow	3	Krupa (leaves)
	<i>Salix</i> cfr. <i>purpurea</i>	Purple Willow	2	Plitvice lakes (leaves)
Santalaceae	<i>Osyris alba</i>	Poet's Cassia	4	Mala Paklenica (leaves)
	<i>Thesium divaricatum</i>	A bastard toadflax	4	Mali Vaganac

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
	<i>Thesium linophyllon</i>	Flaxleaf Bastard Toadflax	2	Homoljac
	<i>Viscum album</i>	European Mistletoe	3	Udbina
Sapindaceae	<i>Acer campestre</i>	Field Maple	2	Homoljac
	<i>Acer monspessulanum</i>	Montpellier Maple	3	Muškovci (leaves)
	<i>Acer opalus obtusatum</i>	Italian Maple	2	Plitvice lakes (leaves)
	<i>Acer pseudoplatanus</i>	Sycamore	2	Plitvice lakes
Saxifragaceae	<i>Saxifraga paniculata</i>	Livelong Saxifrage	2	Plitvice lakes
	<i>Saxifraga rotundifolia</i>	Round-leaved Saxifrage	2	Plitvice lakes
Scrophulariaceae	<i>Verbascum nigrum</i>	Black Mullein	2	Plitvice lakes
	<i>Verbascum orientale</i>	A mullein	4	Starigrad
	<i>Verbascum pulverulentum</i>	Hoary Mullein	6	Kosinj
Solanaceae	<i>Atropa bella-donna</i>	Deadly Nightshade	6	Ostarijska Vrata
	<i>Solanum dulcamara</i>	Bittersweet Nightshade	2	Plitvice lakes
Staphyleaceae	<i>Staphylea pinnata</i>	European bladdernut	2	Plitvice lakes (in fruit)
Thymelaeaceae	<i>Daphne alpina</i>	A daphne	2	Plitvice lakes
Ulmaceae	<i>Ulmus</i> sp.	An elm	5	Bibinje (leaves)
Urticaceae	<i>Parietaria judaica</i>	Pellitory-of-the-wall	4	Mala Paklenica
	<i>Parietaria officinalis</i>	Erect Pellitory-of-the-wall	2	Plitvice lakes
	<i>Urtica dioica</i>	Common Nettle	2	Plitvice lakes
Viburnaceae	<i>Sambucus ebulus</i>	Dwarf Elder	6	Kosinj
	<i>Sambucus nigra</i>	Elder	2	Plitvice lakes
	<i>Viburnum lantana</i>	Wayfaring Tree	2	Plitvice lakes (in fruit)
Violaceae	<i>Viola arvensis</i>	European Field Pansy	2	Homoljac
Vitaceae	<i>Parthenocissus quinquefolia</i>	Virginia Creeper - I	4	Mala Paklenica (leaves)
	<i>Vitis vinifera</i>	Wine Grape	3	Krupa (leaves)
MONOCOTYLEDONOUS FLOWERING PLANTS				
Alismataceae	<i>Alisma lanceolatum</i>	Lance-leaved Water-Plantain	5	Bibinje
Amaryllidaceae	<i>Allium</i> cfr. <i>polyanthum</i>	Many-flowered Garlic	4	Mala Paklenica
	<i>Allium rotundum</i>	Purple-flowered Garlic	4	Mali Vaganac
	<i>Allium scorodoprasum</i>	Sand Leek	6	Kosinj
	<i>Allium sphaerocephalon</i>	Round-headed Leek	3	Muškovci
	<i>Allium tenuiflorum</i>	A garlic	4	Seline
	<i>Allium ursinum</i>	Ramsons	2	Plitvice lakes (in seed)
	<i>Leucojum aestivum</i>	Summer Snowflake	3	Udbina
Araceae	<i>Arum</i> sp.	An arum	5	Bibinje (in fruit)
Asparagaceae	<i>Asparagus acutifolius</i>	Spiny Asparagus	4	Mala Paklenica (leaves)
	<i>Convallaria majalis</i>	European Lily of the Valley	2	Plitvice lakes (leaves)
	<i>Maianthemum bifolium</i>	May Lily	7	Turinski Krč
	<i>Muscari comosum</i>	Tassel Hyacinth	4	Mali Vaganac
	<i>Ornithogalum sphaerocarpum</i>	A Bath asparagus	6	Kosinj
	<i>Ornithogalum umbellatum</i> gr.	Common Star-of-Bethlehem	2	Homoljac
	<i>Polygonatum odoratum</i>	Scented Solomon's-seal	2	Plitvice lakes (in fruit)
	<i>Ruscus aculeatus</i>	Butcher's-Broom	4	Seline
	<i>Scilla litardierei</i>	Meadow Squill	3	Udbina
Asphodelaceae	<i>Asphodelus ramosus</i>	Branched Asphodel	4	Seline (gone over)
Colchicaceae	<i>Colchicum autumnale</i>	Autumn Crocus	7	Turinski Krč (leaves)

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
Cyperaceae	<i>Carex flacca</i>	Blue Sedge	7	Turinski Krč
	<i>Carex pendula</i>	Hanging Sedge	3	Krupa
	<i>Carex spicata</i>	Spiked Sedge	2	Plitvice lakes
	<i>Carex sylvatica</i>	European Woodland Sedge	2	Plitvice lakes
	<i>Cladium mariscus</i>	Swamp Sawgrass	2	Plitvice lakes
	<i>Scirpoides holoschoenus</i>	Round-headed Clubrush	5	Bibinje
Iridaceae	<i>Gladiolus illyricus</i>	Wild Gladiolus	4	Ercezi Kojin Dolac
	<i>Iris graminea</i>	Grass-leaved Flag	7	Tuževac
	<i>Iris pallida illyrica</i>	Sweet Iris	7	Tuževac
	<i>Iris sibirica</i>	Siberian Iris	3	Udbina
	<i>Iris variegata</i>	Hungarian Iris	2	Homoljac
Juncaceae	<i>Juncus</i> cfr. <i>acutus</i>	Hard Rush	4	Starigrad
Melanthiaceae	<i>Veratrum album</i>	A hellebore	3	Udbina
Orchidaceae	<i>Anacamptis coriophora</i>	Bug Orchid	3	Udbina
	<i>Anacamptis morio</i>	Green-winged Orchid	2	Homoljac
	<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	5	Bibinje
	<i>Cephalanthera damasonium</i>	White Helleborine	7	Turinski Krč
	<i>Cephalanthera longifolia</i>	Narrow-leaved Helleborine	2	Plitvice lakes
	<i>Dactylorhiza incarnata</i>	Early Marsh Orchid	3	Udbina
	<i>Dactylorhiza viridis</i>	Frog Orchid	3	Udbina
	<i>Epipactis microphylla</i>	Small-leaved Helleborine	2	Plitvice lakes (in bud)
	<i>Gymnadenia conopsea</i>	Fragrant Orchid	6	Ostarijska Vrata
	<i>Limodorum abortivum</i>	Violet Limodore	4	Mala Paklenica (dead stem)
	<i>Neotinea tridentata</i>	Three-toothed Orchid	2	Homoljac
	<i>Neotinea ustulata</i>	Burnt-tip Orchid	3	Udbina
	<i>Neottia nidus-avis</i>	Birdsnest Orchid	2	Plitvice lakes
	<i>Neottia ovata</i>	Common Twayblade Orchid	2	Homoljac
	<i>Ophrys apifera</i>	Common Bee-orchid	2	Plitvice lakes
	<i>Ophrys fuciflora</i>	Late Spider Orchid	5	Bibinje
	<i>Ophrys oestrifera</i>	Horned Bee-orchid	4	Mali Vaganac
	<i>Orchis militaris</i>	Military Orchid	2	Homoljac
	<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	7	Turinski Krč
	<i>Platanthera chlorantha</i>	Greater Butterfly Orchid	2	Plitvice lakes
	<i>Traunsteinera globosa</i>	Round-headed Orchid	7	Tuževac
Poaceae	<i>Aegilops neglecta</i>	Three-awned Goat Grass	5	Bibinje
	<i>Aegilops geniculata</i>	Ovate Goat Grass	4	Mala Paklenica
	<i>Avena sterilis</i>	Animated Oat	3	Muškovci
	<i>Bothriochloa ischaemum</i>	King Ranch Bluestem	5	Starigrad
	<i>Briza media</i>	Common Quaking Grass	2	Homoljac
	<i>Dactylis glomerata</i>	Orchard Grass	2	Plitvice lakes
	<i>Holcus lanatus</i>	Yorkshire Fog	3	Udbina
	<i>Hordeum</i> cfr. <i>murinum</i>	Wall Barley	3	Krupa
	<i>Lolium</i> cfr. <i>perenne</i>	Perennial Ryegrass	5	Bibinje
	<i>Melica ciliata</i>	Eyelash Grass	3	Muškovci
	<i>Melica nutans</i>	Mountain Melick	2	Plitvice lakes
	<i>Phleum</i> sp.	A timothy	5	Donji Karin
	<i>Phragmites australis</i>	Common Reed	2	Plitvice lakes
	<i>Stipa</i> sp.	A needle Grass	5	Donji Karin

E=Endemic, N=Near-endemic, I=Introduced				
Family	Scientific name	Common name	Day	First or best observation
Smilacaceae	<i>Smilax aspera</i>	Rough Bindweed	4	Mala Paklenica