

Butterflies of Croatia

Naturetrek Tour Report

8th – 15th June 2026



Libelloides macaronius (an owl-fly)



Lesser Spotted Fritillary



Oak Hawk-moth



Oriental Marbled Skipper

Tour report by Luca Boscain



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Luca Boscain (leader) and Josip Ledinscak (local guide) with ten Naturetrek clients

Day 1

Monday 8th June

Zagreb – Rastoke – Irinovac

Everything went smoothly upon arrival. The clients landed even earlier than scheduled at 1.40pm, and met Luca and Josip outside the arrivals gate. We were on board a comfortable eighteen-seater minibus, driven by Darko, less than an hour later.

The temperature outside was definitely hot, at about 30°C; we were soon on a motorway heading toward the mountains. During a rest stop near Karlovac, a Black Kite was circling in the sky, and later we did some birding from the minibus windows, seeing White Storks, Common Buzzards, Red-backed Shrikes and a couple of Bee-eaters. After two hours, we made a second stop at Rastoke, a cute village of wooden houses, intersected by numerous branches of the Korana stream, with countless waterfalls. We scanned the clear waters from several bridges, spotting Graylings, Brown Trouts and dozens of dancing Beautiful Demoiselles. Other dragonflies seen included Blue Emperor, Broad Scarlet, Blue Featherleg (White-legged Damselfly) and Blue-eye damselfly.

The riverbanks, bathed in the warm afternoon sunshine, were rich in flowers such as Large-flowered Orlaya (*Orlaya grandiflora*), Crown Vetch (*Securigera varia*), Viper's Bugloss (*Echium vulgare*) and Common Mallow (*Malva sylvestris*). But it was on Privet (*Ligustrum vulgare*), brambles (*Rubus* sp.) and other small trees that we observed perching Pearly Heath, Chequered Blue and Marbled Fritillary, while delightful Large Copper males preferred to bask on nettle leaves. A couple of thick Dice Snakes were seen hunting on stones in the water and along the stream bed, despite the strong current.

Later, after a half-hour drive, we reached our accommodation for the first two nights in Irinovac, the Sedra Resort. Some of us went for a short walk in the countryside nearby, being rewarded with sightings of Marbled White, Short-tailed Blue, and Weaver's, Glanville and Heath Fritillaries.

We all met up again for dinner at 7.30pm, enjoying tomato soup, grilled trout, delicious dumplings filled with wild berry jam and a shot of rakija, a homemade plum spirit. A Serotine Bat was flying in the sunset light; we ended our day after doing the checklist of species seen.

Day 2

Tuesday 9th June

Plitvice Lakes – Homoljac

We met at 6.30am to check the harvest in Luca's moth trap. There were no huge specimens, but still some nice ones like Pale Oak Beauty, Dark and Grey Arches, Treble Lines, Blood-vein and Druid, plus plenty of micro-moths like Rosy-striped Knot-horn and Rose Tortrix. Most of the group soon joined Josip for a walk behind the hotel, and it was well worth it, as they had a male Golden Oriole in flight, a family of Hawfinches, a pair of Wrynecks, several Red-backed Shrikes, Corn Buntings and a singing Skylark.

After a rich breakfast, we transferred to the nearby Plitvice Lakes National Park, probably the best-known and most popular natural heritage site in Croatia. Soon after entering, we reached a breath-taking viewpoint from where we admired the Korana valley, with its system of turquoise lakes, streams and waterfalls. During the descent, Luca pointed out to us the innumerable plant species along the trailside, ranging from Yellow Foxglove (*Digitalis grandiflora*) and Peach-leaved Bellflower (*Campanula persicifolia*) to Bee Orchid, Swallow-wort (*Vincetoxicum hirundinaria*), Rock Pink (*Dianthus petraeus*) and Smokebush (*Cotinus coggygria*). But the best sighting was a large Smooth Snake, peacefully resting on the side of the path, despite the endless stream of tourists.

We reached a series of boardwalks that led us across streams and waterfalls to a limestone cliff, where we turned right. Several endemic Horvath's Lizards were basking or hunting on this vertical habitat, among *Hieracium glaucum*, *Frangula rupestris* and Heart-leaved Globe Daisy (*Globularia cordifolia*), while we walked toward a popular waterfall. Later, we continued southwards, skirting a series of clear-water lakes in which we noticed Pike, Chub and a few Pool Frogs.

Butterfly-wise, there wasn't much activity, with Green-veined White, Chequered Skipper, Hungarian Glider, Red Admiral and Comma, whereas dragonflies were better-represented, including Beautiful and Banded Demoiselles, Common and Azure Bluets, Green-eyed (Norfolk) Hawker, Lesser Emperor, Common Clubtail and Small Pincertail.

We had almost arrived at a sort of food court for a break, when our guides spotted an unexpected White-backed Woodpecker and a tall Greater Butterfly Orchid. A pair of distant Honey Buzzards circled. Later, we embarked on an electric-powered ferry which took us silently across a larger lake. At the dock, we spotted a female Goosander with six chicks, a Dice Snake, Rudd and a single Italian Spined Loach. This tiny fish is a biogeographic curiosity, being an Adriatic basin species that, for some reason, is found at Plitvice even though the lakes belong to the Danube basin. From there, we slowly climbed to the second entrance, briefly catching sight of a Middle Spotted Woodpecker, and finding Small-leaved Orchids and White Helleborines.

The picnic lunch came at 3.00pm, after a half-hour drive out of the National Park to the much more peaceful, grassy upland of Homoljac, far from the tourist crowds. There, we had another short walk along a descending track across multicoloured meadows. The variety of flowers was really impressive, ranging from Meadow Clary (*Salvia pratensis*), Aristate Yellow-rattle (*Rhinanthus glacialis*), Carthusian Pink (*Dianthus carthusianorum*) and Perfoliate Alexanders (*Smyrnium perfoliatum*), to magnificent Hungarian Irises (*Iris variegata*).

Josip and Luca started to show us an endless list of fritillaries: Heath, False Heath, Assmann's, Glanville, Lesser Spotted, Knapweed, Queen of Spain and Twin-spot, as well as Woodland Ringlet, Black-veined White and many blues: Amanda's, Mazarine, Adonis, Little, and Geranium and Northern Brown Arguses. But the most popular butterflies were probably a lonely Clouded Apollo, a Southern Festoon and a Purple-edged Copper: it was a real delight for the photographers.

We ended the field activities and returned to the hotel at nearly 6.00pm, with a day list of 40 butterfly species (two-thirds the size of the entire British list!) and around 150 new plant species for the trip, clearly demonstrating the unbelievable biodiversity of this corner of Croatia!

Day 3

Wednesday 10th June

Deringaj – Krupa – Starigrad

Today, we woke up to a drizzly grey sky, and experienced some light rain when we went out for a pre-breakfast walk behind the hotel. The birds were less showy than the day before, but we still saw Corn Buntings, Red-backed Shrikes, Hawfinches, Yellowhammers and a male Whinchat. In the meadows, Dropwort (*Filipendula vulgaris*), Whorled Clary (*Salvia verticillata*), Kidney Vetch (*Anthyllis vulneraria*), Tassel Hyacinth (*Muscari comosum*) and Annual Fleabane (*Erigeron annuus*) were abundant, while *Chamaecytisus supinus*, Pale Flax (*Linum bienne*), Provence Rose (*Rosa gallica*), Blue Bugle (*Ajuga genovensis*) and Eastern Goat's-beard (*Tragopogon orientalis*) were also observed, among others.

We left at 9.00am for a nearly two-hour drive south-westwards. After a coffee stop in Deringaj, we explored a dry meadow not far from there, with *Lotus herbaceus*, *Knautia velebitica*, Horseshoe Vetch (*Hippocrepis comosa*) and scattered Dog Rose (*Rosa canina*), Privet and Hawthorn bushes, as well as Bee (*Ophrys apifera*) and Burnt-tip Orchids (*Neotinea ustulata*). Good birds were around, such as Bee-eater, Barred Warbler, Mistle Thrush, Tawny Pipit and Hobby, along with several Dalmatian Wall Lizards (*Podarcis melisellensis*). Butterflies included Common Swallowtail, Common Grayling, Heath Fritillary, Adonis and Silver-studded Blues, Black-veined and Marbled Whites, Pearly and Chestnut Heaths, and Slender Scotch and Transparent Burnets. Colourful caterpillars belonged to the Spurge Hawk-moth and Small Eggar.

Later, we moved again by minivan, crossing the Velebit range, a complete change in landscape and habitat from continental to Mediterranean. On the other side, impressive, whitish, eroded limestone hosted maquis, with scattered Downy Oak, Eastern Hornbeam (*Carpinus orientalis*), Manna Ash (*Fraxinus ornus*) and Montpellier Maple (*Acer monspessulanus*). We left the main road to drive slowly down, seeing a Short-toed Snake Eagle on the way, to a remote monastery, still inhabited by Orthodox monks, in the valley of the Krupa River. There, we found a lovely picnic spot in the shade of the poplars, with tables and benches facing the river.

The car park had a small pool, where Little, Adonis and Common Blues came to mud-puddle, alongside Scarce Swallowtail, Nettle-tree Butterfly, Mountain Small White, Brown Argus, and Marbled, Lulworth, and Mallow Skippers.

After lunch, we explored the system of river branches, canalized by the monks to harness water power or to irrigate nearby fields. We looked into the clear water, rich in submerged vegetation: swarms of Beautiful Demoiselles were dancing over the surface, Marsh Frogs were basking on logs, and endemic Zrmanja Trouts were showing off their distinctive pattern of abundant red spots on their flanks and fins.

It was probably too hot to see the usual number of butterflies, and we didn't see any lizards, but we spotted a Dice Snake, Large Red Damsel and Schmidt's Bush-cricket. Several Large Tortoiseshells entertained us by perching on the bark of a White Mulberry, and then Josip returned with a great catch in his net: a fresh Eastern Rock Grayling, a truly magnificent beast!

During the roughly one-hour drive to our next hotel, we made a final stop not far from Golubić, at a gorgeous viewpoint over a rocky gorge. A Black-headed Bunting was singing in the distance, and we were pleased to find

the first Blue-spotted Hairstreaks of the trip. We arrived in Starigrad at 5.45pm, where we were welcomed with a refreshing cold elderflower juice, before taking possession of our new rooms for the next three nights.

Being just a couple of hundred metres from the Adriatic coast, we couldn't miss the local seafood for dinner: while Barn Swallows and Alpine Swifts were flying overhead, we enjoyed a tasty fish soup, followed by sea bass and fruit salad, before retiring for a well-deserved rest.

Day 4

Thursday 11th June

Gornji Karin – Bibinje

Before breakfast, we went on foot from the hotel for a birding walk, which led us all the way to the Adriatic seashore. A pair of Turtle Doves showed nicely in a Fig tree, as well as a Wryneck and a Gull Bunting, but we only heard Eastern Orphean and Sardinian Warblers. The first butterflies were basking on the top of the stems, including a stunning Common Swallowtail, Wall Brown, Spotted Fritillary and several Small Skippers.

Later, in the rain, we drove for an hour to the Karin inland sea, connected to the main Adriatic by narrow gorges. Not far from Gornji Karin, we explored the surroundings of an abandoned village: the downpour had just stopped, but the sky was still cloudy and a strong wind was blowing, which was not ideal for butterflies. The Mediterranean maquis of Jerusalem Thorn (*Paliurus spina-christi*), Turpentine Tree (*Pistacia terebinthus*), Bladder-senna (*Colutea arborescens*) and Eastern Prickly Juniper (*Juniperus deltoides*), interspersed with scattered derelict buildings, was instead ideal for numerous quality birds, such as Blue Rock Thrush, Gull Bunting, Red-rumped Swallow, Eastern Orphean and Eastern Subalpine Warblers, and an unexpected Sombre Tit.

The meadows were distinctly greener and more flowery than usual, but butterfly activity remained limited to scattered Great Banded and Common Graylings, Clouded Yellow, Mountain Small White, Adonis and Common Blues, Oberthür's Skipper and a couple of Painted Ladies.

After a coffee break, we drove westwards into the countryside of Bibinje, just south of the ancient city of Zadar. Here, our leaders prepared the picnic buffet near a rusty Soviet tank, abandoned there by the Serbs at the end of the Balkan War. Vibrant meadows were all around, with Corky-fruited Water-dropwort (*Oenanthe pimpinelloides*), Smearwort (*Aristolochia rotunda*), Deptford Pink (*Dianthus armeria*), *Knautia velebitica* and many other flowers; and finally, the temperature was warm enough for Marbled Whites, Great Banded Graylings, Small Coppers, and Lulworth, Small, and Large Skippers to fly or perch in the open. Lesser Grey Shrike and Zitting Cisticola were both observed, as well as an Eastern Grass Snake (*Natrix natrix*) in a small pond with Lance-leaved Water-plantains (*Alisma lanceolatum*).

Later, we followed the road for a couple of hundred metres, then turned right onto a track bordering an interesting ditch and bramble hedge. A lonely White-letter Hairstreak was nectaring there, as well as a Southern White Admiral and a number of Sloe Hairstreaks and Holly Blues. In a meadow, Josip flushed a Grey Partridge, while a few Common Tongue Orchids were found.

We got back in the minibus to move a short distance to the Križ hillside, covered in garrigue with Mastic, Hoary (*Cistus creticus*) and Montpellier Rock-roses (*Cistus monspeliensis*): the sunshine was now particularly welcome for the

basking Southern Gatekeepers, Common Graylings and Blue-spotted Hairstreaks, which often posed for the photographers.

After a couple of Pallid Swifts and Bee-eaters, a falcon passed overhead, and was soon mobbed by a pair of smaller Kestrels: it was not a Hobby as first supposed, but instead the much more intriguing Eleonora's Falcon, a species definitely overlooked in Croatia. In the evening, a cold wind once again made it pointless to set up the moth trap, but at least the sky was finally clear.

Day 5

Friday 12th June

Paklenica National Park

We woke up to a clear and sunny, yet extremely windy day. We went for a pre-breakfast walk in the direction of the Večka tower, built in the sixteenth century to help spot Turkish ships in the gulf. George finally managed to take good photos of a Turtle Dove, while two Pallid Swifts passed overhead and an Italian Wall Lizard was seen right by the shore.

Later in the morning, we drove just five minutes from the hotel to the mouth of the Mala Paklenica gorge, where we continued on foot. The temperature was still cool, and we found a Dalmatian Algyroides basking along the edge of the trail. On a slope covered in brambles, a good number of Scarce Swallowtails, Painted Ladies and Small Skippers had gathered.

Where the gorge narrowed and became dense with Aleppo Pines, we turned back, spotting first a singing male Eastern Subalpine Warbler, and then a dark-morph Red Squirrel. Then we fanned out along a dry riverbed, finding Mallow and Oriental Skippers, a Southern Small White, a Large Wall Brown and several Blue-spotted Hairstreaks. Luca showed us a massive male Balkan Green Lizard, after which we continued along a narrow asphalt road that crossed the western foothills of Paklenica National Park, through Mediterranean scrub. A Red-backed Shrike and a Montagu's Harrier were both seen, but butterfly activity was fairly limited: there were plenty of Scarce Swallowtails and Blue-spotted Hairstreaks, a Spotted Fritillary, an Eastern Baton Blue and a couple of Common Graylings. An interesting find was an adult Fasciated Conehead Mantis, with long antennae.

At midday, we moved to a lovely spot by the seaside in Seline, where we had a picnic in the shade, enjoying the view over the Adriatic, the cool breeze and the chance to paddle in the crystalline waters.

After a coffee stop at a spot mimicking the typical Croatian postcard (a turquoise sea, red-roofed houses and barren grey mountains in the background) we climbed in the minibus up a narrow, steep road that led us to an altitude of 700m at Mali Vaganac, in the heart of Paklenica National Park. Innumerable panoramic views, limestone pinnacles, eroded rocks and fascinating woodlands were visible from the vehicle's windows. We stopped to explore the surroundings: Marbled Whites, Niobe Fritillaries, Ilex Hairstreaks, Great Wall Browns, Adonis and Idas Blues and Marbled Skippers were all flying in the bright sunshine. Fascinating flowers, like the endemic *Campanula fenestrellata* and *Dianthus balbisii*, as well as Horned Bee Orchid (*Ophrys oestriifera rhodostephane*), *Euphorbia frangifera*, Amethyst Broomrape (*Orobancha amethystea*) and St Bernard's Lily (*Anthericum liliago*) were just a fraction of the botanical variety in the meadows.

Walking down a track, we reached a lower depression with stunning meadows carpeted with Large-flowered Orlaya, Sand Leek (*Allium scorodoprasum*), *Carduus collinus*, *Pentanema hirtum*, *Asyneuma limonifolium* and the endemic *Chaerophyllum coloratum*, among which were perched Essex and Oriental Skippers, Niobe and Twin-spot Fritillaries, Black-veined Whites and Blue-spotted Hairstreaks.

The last stop of the day was in the abandoned settlement of Ercezi Kojin Dolac, where we were lucky enough to find two new species for the trip within minutes: a Southern Comma and the iconic Balkan Marbled White.

In the evening, after dinner, Steve detected a European Free-tailed Bat and what was likely a Savi's Pipistrelle in the hotel garden, using his bat detector.

Day 6

Saturday 13th June

Oštarijska Vrata – Studenci – Kosinj

Last night, the weather conditions had been good enough to put out the moth trap, and in the morning we found an Oak Hawk-moth, Small Waved Umber, Garlic Mottled and Pale Shoulder, as well as *Eublemma suava* and *Phaioagramma etruscaria*, both European species without an English name. A few people joined Josip for a walk and saw the tame pair of Turtle Doves again, a Brown Hare, a Red-backed Shrike and a Eurasian Sparrowhawk.

At 8.30am, we left Hotel Rajna to begin a long transfer day northwards. We first skirted the Adriatic coastline for more than an hour, admiring the wonderful landscape of peaceful bays, barren peninsulas, islands (including Pag, the longest in Croatia) and deep blue arms of the sea, spotting Shag, Montagu's Harrier and Eastern Black-eared Wheatear from the vehicle.

After a coffee break at Karlopag, we climbed the road to stop not far from the Kubus monument, at Oštarijska Vrata. There, we explored a limestone hill abundant in *Lotus germanicus*, Kidney Vetch (*Anthyllis vulneraria*), Snow-in-summer (*Cerastium tomentosum*), Squarrose Knapweed (*Centaurea triumfettii*) and *Edraianthus tenuifolius*. Quite a few Bright-eyed Ringlets, with black-tipped antennae, were flying together with Orbed Red-underwing Skippers, Idas and Mazarine Blues, Chestnut Heaths and Niobe Fritillaries. Josip even caught two gorgeous male Turquoise Blues, which we later released in the shade to offer a photo opportunity. Amazing flower sightings included Orange Lily (*Lilium bulbiferum*), Cross Gentian (*Gentiana cruciata*), Slender Broomrape (*Orobancha gracilis*), Fragrant Orchid and Deadly Nightshade (*Atropa belladonna*). There were notable birds as well, ranging from Alpine Chough, Crested Tit and Tawny Pipit, to a female Black Woodpecker, which came to perch in the open on a dead tree and showed remarkably well for the group.

We had our picnic lunch on proper tables with benches, in the middle of a beech forest, and a White-backed Woodpecker came briefly to say hello. Later, we stopped to admire Red Helleborine, Common Twayblade and Bird's-nest Orchids along the roadside, before continuing our descent down the eastern side of the Velebit range, to wide meadows not far from Studenci. Patches of *Lotus germanicus* and *Potentilla cinerea* were particularly attractive to Safflower Skippers, and we recorded a great variety of butterflies, frequently seen mating in the dry grass, ranging from Twin-spot Fritillary to Black-veined White, Duke of Burgundy, Ilex Hairstreak, Pearly Heath and Adonis Blue, plus moths in the forms of Slender Scotch Burnet and Golden-yellow Wave.

Another break in the slow transfer to our new hotel took place near the attractive Kosinj bridge. Although a slope covered in wild strawberries was particularly tempting, in half an hour we saw three species of 'large coppers', even though they didn't perch for long: Sooty, Large and Purple-edged. After one more hour of driving, we eventually arrived in the Krasno valley before 6.00pm, and were welcomed by a mild honey liqueur. The simple, family-run hotel was on the edge of a small village, surrounded by the forested mountains of northern Velebit. Dinner included a vegetable soup and some grilled meat, after which we ended the day enjoying the sky ablaze with the sunset.

Day 7

Sunday 14th June

Krasno and surroundings

Despite the rather cool night, with a temperature of only 13°C, there was a number of interesting subjects in the moth trap when we met at a 6.45am: Light Emerald, Great Oak Beauty, Small Magpie, Green Silver-lines, Four-dotted and Orange Footmen, and the localized southern European *Lamprosticta culta* were possibly the highlights. Josip led the birders out: they saw several Red-backed Shrikes, a Black Redstart and a pair of Goldfinches along the streets of Krasno village.

After breakfast, we didn't drive very far (only fifteen minutes) through mixed forest, to reach a saddle at about 1000m elevation, not far from Tuževac. From there, we first admired the stunning panorama stretching down to the Kvarner Gulf, with the islands of Krk and Cres clearly visible in the crisp air, alongside Mount Učka, almost ninety kilometres away on the Istrian peninsula.

Attractive flowers grew in the clearings, including Bladder Gentian (*Gentiana utriculosa*), Orange Lily, Mountain Kidney Vetch (*Anthyllis montana*) and Red-leaved Rose (*Rosa glauca*). Plenty of Lesser Spotted and Assmann's Fritillaries were fluttering over the flowers, and we also noticed Turquoise Blue, Bright-eyed Ringlet and Dingy Skipper, while Josip caught a Clouded Yellow of the pale, greyish *belice* form. We surprised a pair of Common Wall Lizards basking side-by-side on a stone wall, looking particularly cute. On the surrounding Black Pines we finally managed to see a Crested Tit, while a Rock Bunting sang from the top of a beech for ages, its song mixing with a background of Skylark, Common Whitethroat and Coal Tit.

Later, we tried a rough new road near Volarice that led us to a drier meadow, more influenced by the Adriatic climate: numerous Great Sooty Satyrs, Balkan Marbled Whites, Niobe Fritillaries, Eastern Baton and Idas Blues, and Ilex and Blue-spotted Hairstreaks were present, and we also observed a lonely Woodland Grayling perched on a stone. Reaching a wetter valley with deciduous trees on foot, the fauna changed, to include Marbled and Glanville Fritillaries, Brimstone and Safflower Skipper.

At midday, we moved by minibus to a large meadow near the settlement of Oltari. Luca showed us some Late Spider Orchids (*Ophrys fuciflora*), and then we looked hard for the Alcon Blue, though without success. It was Tam who found a new butterfly for the trip: one or two early Silver-washed Fritillaries.

For lunch, we transferred to Turanski Krč, and had our picnic in the shade of a centenarian beech. A Griffon Vulture was spotted in the distance, while a pair of Lesser Spotted Woodpeckers was active in the trees around us. Later, we walked from there along a track that skirted a wide meadow with a variety of flowers we had not seen before: Aristate Yellow Rattle (*Rhinanthus glacialis*), Field Scabious (*Knautia arvensis*), Meadow Clary, Hoary Plantain

(*Plantago media*), Blackish Columbine (*Aquilegia nigricans*), *Carduus collinus* and many others. But it was the Yellow Ox-eyes (*Buphthalmum salicifolium*) that were by far the most popular with the butterflies: at the northern end of the meadow, carpeted with those daisies, we found a memorable bonanza, with Dark Green, High Brown, Nickerl's and Knapweed Fritillaries, to name just a few. Best of all were the coppers: Sooty, the stunning Scarce, and a solitary Purple-shot, making it a true 'copper field' once again, after a couple of years of absence.

Walking back, the last thrill was provided by a gorgeous male Chequered Blue with its open, iridescent green-blue, dark-mottled wings: it made for a happy end to a day with fifty-five species of butterflies recorded!

In the evening, the clients celebrated and thanked Luca, Josip and Darko for such a memorable holiday. Josip reciprocated by giving clients an unexpected gift: a watercolour drawing of a butterfly for each of us.

Day 8

Monday 15th June

Krasno – Ogulin – Zagreb

There wasn't time to do much this morning, so we met at 7.00am for breakfast and left the hotel an hour later, but not before taking the ritual group photo that every group takes in front of the Hotel Jure.

The drive to Zagreb took over two hours, but we had a pleasant break at the Ogulin service station, where a variety of delicious homemade cakes and good coffee were on offer. Unfortunately, the weather was cloudy and relatively cold, so although we went to explore the flower-rich meadows behind the station, butterfly activity was very limited. Marbled and Wood Whites, Small Heath, Forester and Spotted Sulphur were all reported, together with an attractive *Purpuricenus kaehleri* longhorn beetle, but no new species of butterflies for the trip were found.

During the second half of the transfer, on the motorway, a rain shower started, serving as a reminder of how lucky we had been with the weather throughout the week. We arrived at Zagreb airport before noon, with nearly three hours to clear check-in and passport control: goodbye Croatia, see you next time!

Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

naturetrek.co.uk/e-newsletter-signup

Scan to
sign up!



Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek_wildlife_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



[facebook.com/naturetrekwildlifeholidays](https://www.facebook.com/naturetrekwildlifeholidays)



[naturetrek.bsky.social](https://bsky.app/profile/naturetrek.social)



x.com/naturetrektours (formerly Twitter)

Species lists

Butterflies

L=larva		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Scarce Swallowtail	<i>Iphiclides podalirius</i>		1	2	2	20	1	3	
Common Swallowtail	<i>Papilio machaon</i>	1	L	2	1		1	1	
Clouded Apollo	<i>Parnassius mnemosyne</i>		1			1			
Southern Festoon	<i>Zerynthia polyxena</i>		2						
Large Skipper	<i>Ochlodes sylvanus</i>	1			5	1			
Lulworth Skipper	<i>Thymelicus acteon</i>			1	3	2			
Small Skipper	<i>Thymelicus sylvestris</i>				30	50			
Essex Skipper	<i>Thymelicus lineola</i>	1?				3		1	
Orbed Red-underwing Skipper	<i>Spialia orbifer</i>						2		
Mallow Skipper	<i>Carcharodus alceae</i>			1	1	1			
Marbled Skipper	<i>Carcharodus lavatherae</i>			1		3			
Oriental Marbled Skipper	<i>Carcharodus</i> cfr. <i>orientalis</i>					2			
Dingy Skipper	<i>Erynnis tages</i>							5	
Common Grizzled Skipper	<i>Pyrgus malvae</i>		2		1		2	7	
Safflower Skipper	<i>Pyrgus carthami</i>						10	3	
Oberthür's Grizzled Skipper	<i>Pyrgus</i> cfr. <i>armoricanus</i>				1	1			
Large Grizzled Skipper	<i>Pyrgus</i> cfr. <i>alveus</i>					1			
Wood White	<i>Leptidea</i> cfr. <i>sinapis</i>	1			1	1	1	3	1
Green-veined White	<i>Pieris</i> cfr. <i>napi</i>		1						
Brimstone	<i>Gonepteryx rhamni</i>	2	3	1			2	5	
Clouded Yellow	<i>Colias croceus</i>	1	1	3	2	5	2	2	
Clouded Yellow	<i>Colias croceus</i> f. <i>helice</i>				1		1	1	
Black-veined White	<i>Aporia crataegi</i>	1	5	5		7	50	20	
Eastern Bath White	<i>Pontia edusa</i>			1					
Large White	<i>Pieris</i> cfr. <i>brassicae</i>	1							
Small White	<i>Pieris rapae</i>			1		1			
Southern Small White	<i>Pieris mannii</i>					4			
Mountain Small White	<i>Pieris ergane</i>			3	1				
Common Orange-tip	<i>Anthocharis cardamines</i>							1	
Duke of Burgundy	<i>Hamearis lucina</i>		2				2	1	
Purple-shot Copper	<i>Lycaena alciphron</i>						1	1	
Large Copper	<i>Lycaena dispar</i>	2					1		
Purple-edged Copper	<i>Lycaena</i> cfr. <i>hippotoe</i>		1						
Sooty Copper	<i>Lycaena tityrus</i>		2				1	7	
Small Copper	<i>Lycaena phlaeas</i>				2	3	1		
Scarce Copper	<i>Lycaena vigaureae</i>							4	
Ilex Hairstreak	<i>Satyrrium ilicis</i>					15	1	2	
White-letter Hairstreak	<i>Satyrrium w-album</i>				1				
Blue-spot Hairstreak	<i>Satyrrium spini</i>			3	10	20	1	5	
Sloe Hairstreak	<i>Satyrrium acaciae</i>				5		2		
Holly Blue	<i>Celastrina argiolus</i>		1	1	15			1	
Eastern Baton Blue	<i>Pseudophilotes vicrama</i>					1		3	
Chequered Blue	<i>Scolitantides orion</i>	2	2					1	
Short-tailed Blue	<i>Cupido argiades</i>	2							
Little Blue	<i>Cupido minimus</i>		1	10		1	1	4	
Silver-studded Blue	<i>Plebejus argus</i>		1?	10			1?		

L=larva		June 2026								
Common name	Scientific name	8	9	10	11	12	13	14	15	
Idas Blue	<i>Plebejus</i> cfr. <i>idas</i>					2	10	2		
Geranium Argus	<i>Eumedonia eumedon</i>		1							
Mazarine Blue	<i>Cyaniris semiargus</i>		2				5	5		
Northern Brown Argus	<i>Aricia artaxerxes</i>		1							
Brown Argus	<i>Aricia agestis</i>			1		1				
Adonis Blue	<i>Polyommatus bellargus</i>		5	30	2	10	15	15		
Amanda's Blue	<i>Polyommatus amandus</i>		10	1			3	20		
Turquoise Blue	<i>Polyommatus dorylas</i>						2	3		
Common Blue	<i>Polyommatus icarus</i>	2	20	10	5	2	3	10		
Common Blue	<i>Polyommatus icarus</i> f. <i>icarinus</i>			1	1					
Hungarian Glider	<i>Neptis rivularis</i>		1							
Southern White Admiral	<i>Limenitis reducta</i>		1	1	1	1		3		
Queen of Spain Fritillary	<i>Issoria lathonia</i>		1					2		
Twin-spot Fritillary	<i>Brenthis hecate</i>		5			1	3	1		
Marbled Fritillary	<i>Brenthis daphne</i>	2						4		
Silver-washed Fritillary	<i>Argynnis paphia</i>							2		
Dark Green Fritillary	<i>Speyeria aglaja</i>							15		
Niobe Fritillary	<i>Fabriciana niobe</i>					10	5	5		
Niobe Fritillary	<i>Fabriciana niobe</i> f. <i>eris</i>					1				
High Brown Fritillary	<i>Fabriciana adippe</i>							5		
Weaver's Fritillary	<i>Boloria dia</i>	1								
Painted Lady	<i>Vanessa cardui</i>		1	3	5	20	5	5		
Red Admiral	<i>Vanessa atalanta</i>		1							
Small Tortoiseshell	<i>Aglais urticae</i>		1					3		
Southern Comma	<i>Polygonia egea</i>					1				
Comma	<i>Polygonia c-album</i>		1							
Large Tortoiseshell	<i>Nymphalis polychloros</i>			4	1					
Lesser Spotted Fritillary	<i>Melitaea trivia</i>		5				7	20		
Spotted Fritillary	<i>Melitaea didyma</i>			1	2	1	1	2		
Knapweed Fritillary	<i>Melitaea phoebe</i>		1				1	3		
Glanville Fritillary	<i>Melitaea cinxia</i>	1	5					15		
False Heath Fritillary	<i>Melitaea diamina</i>		1	1						
Assmann's Fritillary	<i>Melitaea</i> cfr. <i>britomartis</i>		2				10	50		
Heath Fritillary	<i>Melitaea</i> cfr. <i>athalia</i>	2	20	10			30	30		
Heath Fritillary	<i>Melitaea athalia</i> f. <i>cymothoe</i>		1?							
Nickerl's Fritillary	<i>Melitaea</i> cfr. <i>aurelia</i>		1				5	5		
Nettle-tree Butterfly	<i>Libythea celtis</i>		1	3			1			
Small Heath	<i>Coenonympha pamphilus</i>	1	15	10		1	5	5	2	
Chestnut Heath	<i>Coenonympha glycerion</i>			3			15	4		
Pearly Heath	<i>Coenonympha arcania</i>	1	1	3			10	10		
Speckled Wood	<i>Pararge aegeria</i>		1			1				
Large Wall Brown	<i>Lasiommata maera</i>					15				
Wall Brown	<i>Lasiommata megera</i>				2	10	1			
Balkan Marbled White	<i>Melanargia larissa</i>					1		15		
Common Marbled White	<i>Melanargia galathea</i>	1		5	100	30	5	3	2	
Eastern Rock Grayling	<i>Hipparchia</i> cfr. <i>syriaca</i>			1						
Woodland Grayling	<i>Hipparchia</i> cfr. <i>fagi</i>							2		
Common Grayling	<i>Hipparchia semele</i>			1	3	2	1	1		
Great Banded Grayling	<i>Brintesia circe</i>				10	3	1			

L=larva		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Great Sooty Satyr	<i>Satyrus ferula</i>							10	
Southern Gatekeeper	<i>Pyronia cecilia</i>				10				
Meadow Brown	<i>Maniola jurtina</i>	2		10	10	5	15	3	
Bright-eyed Ringlet	<i>Erebia oeme</i>						20	5	
Woodland Ringlet	<i>Erebia medusa</i>		20					1	

Moths

L=larva		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Brassy Long-horn	<i>Nemophora metallica</i>					2			1
Golden-brown Tubic	<i>Crassa unitella</i>		1						
a plume	<i>Pterophoridae</i> sp.				1				
White Plume Moth	<i>Pterophorus pentadactyla</i>						1		
Large Fruit-tree Tortrix	<i>Archips podana</i>		1						
Rose Tortrix	<i>Archips</i> cfr. <i>rosana</i>		2						
a grey tortrix	<i>Cnephasia</i> spp.		3				2		
White-backed Marble	<i>Hedya salicella</i>		1						
Triple-blotched Bell	<i>Notocelia trimaculana</i>		1						
Codling Moth	<i>Cydia pomonella</i>		1						
Garlic Mottled	<i>Dyspessa ulula</i>						2		
a forester sp.	<i>Adscita/Jordanita</i> spp.		10	3				2	1
Black (Variable) Burnet	<i>Zygaena ephialtes</i>				1				
Slender Scotch Burnet	<i>Zygaena loti</i>			3			10	20	
Transparent Burnet	<i>Zygaena</i> cfr. <i>purpuralis/minos</i>		1	5			5		
Six-spot Burnet	<i>Zygaena filipendulae</i>							1	
Rosy-striped Knot-horn	<i>Oncocera semirubella</i>		1						
Twin-barred Knot-horn	<i>Homoeosoma sinuella</i>		2						
a pyralid	<i>Synaphe moldavica</i>			10					
Meal Moth	<i>Pyralis farinalis</i>		1						
a pyralid	<i>Pyralis regalis</i>						1		
Straw-barred Pearl	<i>Pyrausta despicata</i>		1						
Mint Moth	<i>Pyrausta aurata</i>				1				
Small Magpie	<i>Anania hortulata</i>							1	2
European Corn Borer Moth	<i>Ostrinia nubilalis</i>		1						
Box Moth	<i>Cydalima perspectalis</i>		1						
a grey	<i>Scoparia</i> sp.							1	
Dusky Grass-veneer	<i>Chrysocramboides</i> cfr. <i>craterella</i>							2	
Garden Grass-veneer	<i>Chrysoteuchia culmella</i>							3	
a crambid	<i>Eurrhysis pollinalis</i>						1	2	
a crambid	<i>Loxostege aeruginalis</i>					1			
Lackey	<i>Malacosoma neustria</i>							L	
Small Eggar	<i>Eriogaster lanestris</i>			L					
Ligurian Emperor	<i>Saturnia pavoniella</i>						L		
Broad-bordered Bee Hawk-moth	<i>Hemaris fuciformis</i>							2	
Hummingbird Hawk-moth	<i>Macroglossum stellatarum</i>	1	1	1	2			1	
Oak Hawk-moth	<i>Marumba quercus</i>						1		
Spurge Hawk-moth	<i>Hyles euphorbiae</i>			L					

L=larva		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Golden-yellow Wave	<i>Idaea aureolaria</i>		1	2			30	10	
Bright Wave	<i>Idaea ochrata</i>				5				
Least Carpet	<i>Idaea rusticata</i>						1		
Small Dusty Wave	<i>Idaea seriata</i>				1		2		
Portland Ribbon Wave	<i>Idaea degeneraria</i>						1		
a wave	<i>Idaea deversaria</i>							1	
Lewes Wave	<i>Scopula immorata</i>		1						
Lace Border	<i>Scopula ornata</i>		1				1		
Lesser Cream Wave	<i>Scopula submutata</i>						1		
a wave	<i>Scopula tessellaria</i>			1			3	1	
a belle	<i>Scotopteryx</i> cfr. <i>luridata/mucronata</i>		1				5	1	
Small Blood-vein	<i>Scopula imitaria</i>				1				
Blood-vein	<i>Timandra comae</i>		2						
a wave	<i>Rhodostrophia calabra</i>					2			
Wood Carpet	<i>Epirrhoe rivata</i>							2	
Galium Carpet	<i>Epirrhoe galiata</i>							1	
Small Waved Umber	<i>Horisme vitalbata</i>						1		
a pug	<i>Eupithecia</i> sp.							1	
Treble-bar	<i>Aplocera plagiata</i>		1						
an emerald	<i>Phaiogramma etruscaria</i>						2		
Latticed Heath	<i>Chiasmia clathrata</i>		2						
Brown Silver-line	<i>Petrophora chlorosata</i>		1						
Speckled Yellow	<i>Pseudopanthera macularia</i>	2	2					5	
Willow Beauty	<i>Peribatodes rhomboidaria</i>		2				4	2	
Great Oak Beauty	<i>Hypomecis roboraria</i>							1	
Pale Oak Beauty	<i>Hypomecis punctinalis</i>		1						
Common Heath	<i>Ematurga atomaria</i>				1				
Light Emerald	<i>Campaea margaritaria</i>							1	
Black-veined Moth	<i>Siona lineata</i>		3					5	
Grass Emerald	<i>Pseudoterpna pruinata</i>							1	
Banded Marbled Brown	<i>Paradrymonia vittata</i>						3		
Southern Grass Emerald	<i>Chlorissa cloraria</i>						1?		
Pine Processionary	<i>Thaumetopoea pityocampa</i>					s			
Clouded Buff	<i>Diacrisia sannio</i>		1						
Amah	<i>Dysauxes famula</i>						5		
Ragusa's Nine-spotted	<i>Amata marjana</i>				3	10	1	30	
Nine-spotted	<i>Amata phegea</i>		5				10		
Four-dotted Footman	<i>Cybosia mesomella</i>							1	
Hoary Footman	<i>Eilema caniola</i>						25		
Orange Footman	<i>Eilema sororcula</i>							3	
Small Fan-foot	<i>Herminia grisealis</i>		1						
a marbled	<i>Eublemma (Odice) suava</i>						1		
an erebid	<i>Polypogon tentacularia</i>		2						
Mother Shipton	<i>Callistege mi</i>		2				10	3	
Silver Y	<i>Autographa gamma</i>		3					1	
Spotted Sulphur	<i>Acontia trabealis</i>				1				1
Pale Shoulder	<i>Acontia lucida</i>						1		
Four-spotted	<i>Tyta luctuosa</i>			1					
Sycamore	<i>Acronicta aceris</i>						2		

L=larva		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Treble Lines	<i>Charanyca trigrammica</i>		1					2	
Pale-shouldered Cloud	<i>Chloantha hyperici</i>						1		
a noctuid	<i>Actinotia radiosa</i>		1						
Druid	<i>Aedia funesta</i>		1						
Dark Arches	<i>Apamea monoglypha</i>		1						
Marbled Minor	<i>Oligia strigilis</i> agg.		8					1	
Sword-grass	<i>Xylena exsoleta</i>		L						
Grey Arches	<i>Polia nebulosa</i>		1						
Light Brocade	<i>Lacanobia w-latinum</i>						2		
a noctuid	<i>Lamprosticta culta</i>							1	
Heart and Dart	<i>Agrotis exclamationis</i>		1						
Green Silver-lines	<i>Pseudoips prasinana</i>							1	

Birds (H=heard only)

I=Introduced		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Mute Swan	<i>Cygnus olor</i>	3		7	9				
Goosander	<i>Mergus merganser</i>		7						
Mallard	<i>Anas platyrhynchos</i>		4	5	4				
Grey Partridge	<i>Perdix perdix</i>				2				
Common Pheasant - I	<i>Phasianus colchicus</i>			H	5		H		
Common Cuckoo	<i>Cuculus canorus</i>		H	H	1		2H	H	
European Turtle Dove	<i>Streptopelia turtur</i>			2H	5	5	3		
Eurasian Collared Dove	<i>Streptopelia decaocto</i>			1		2	2		
Common Wood Pigeon	<i>Columba palumbus</i>	10	1					2	
Feral Pigeon - I	<i>Columba livia 'domestica'</i>	5	10	5	10				
Yellow-legged Gull	<i>Larus michahellis</i>			15	20	15	10	17	1
White Stork	<i>Ciconia ciconia</i>	3	1						1
European Shag	<i>Gulosus aristotelis desmarestii</i>						7		
Great Cormorant	<i>Phalacrocorax carbo</i>						1		
Little Egret	<i>Egretta garzetta</i>			1					
Grey Heron	<i>Ardea cinerea</i>	1							
Alpine Swift	<i>Tachymarptis melba</i>			5					
Common Swift	<i>Apus apus</i>			2?	1		2	1	
Pallid Swift	<i>Apus pallidus</i>				2	2	2		
Eurasian Scops Owl	<i>Otus scops</i>			H		H			
European Honey Buzzard	<i>Pernis apivorus</i>		2		2				
Griffon Vulture	<i>Gyps fulvus</i>							1	
Short-toed Snake-eagle	<i>Circaetus gallicus</i>			1	1				
Eurasian Sparrowhawk	<i>Accipiter nisus</i>					1	1		
Montagu's Harrier	<i>Circus pygargus</i>					1	1		
Black Kite	<i>Milvus migrans</i>	1							
Common Buzzard	<i>Buteo buteo</i>	5	1	5			1	H	
Eurasian Hoopoe	<i>Upupa epops</i>			1	H			1	
European Bee-eater	<i>Merops apiaster</i>	2		2	2		1		
Eurasian Wryneck	<i>Jynx torquilla</i>		2		2	H	2H		
European Green Woodpecker	<i>Picus viridis</i>							1	
Black Woodpecker	<i>Dryocopus martius</i>						1		

I=Introduced		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Middle Spotted Woodpecker	<i>Dendrocoptes medius</i>		2					1	
White-backed Woodpecker	<i>Dendrocopos leucotos</i>		1				1		
Great Spotted Woodpecker	<i>Dendrocopos major</i>			H				H	
Lesser Spotted Woodpecker	<i>Dryobates minor</i>		H	H				2	
Common Kestrel	<i>Falco tinnunculus</i>	1		1	5		1		
Eleonora's Falcon	<i>Falco eleonora</i>				1				
Eurasian Hobby	<i>Falco subbuteo</i>			1					
Eurasian Golden Oriole	<i>Oriolus oriolus</i>		2	H	H	2			H
Lesser Grey Shrike	<i>Lanius minor</i>				1				
Red-backed Shrike	<i>Lanius collurio</i>	6	7	6	2	2	2	4	2
Alpine Chough	<i>Pyrrhocorax graculus</i>						3		
Eurasian Jay	<i>Garrulus glandarius</i>		1					3	
Eurasian Magpie	<i>Pica pica</i>			1	5		2		2
Northern Raven	<i>Corvus corax</i>	3	2		2			H	
(Hooded) Carrion Crow	<i>Corvus corone cornix</i>	2			5	1			
Eurasian Blue Tit	<i>Cyanistes caeruleus</i>		H	2H		H		1	
Great Tit	<i>Parus major</i>	H	5	H	2H		2		H
Coal Tit	<i>Periparus ater</i>		6H				H	5	
Crested Tit	<i>Lophophanes cristatus</i>						1	1	
Sombre Tit	<i>Poecile lugubris</i>				1				
Marsh Tit	<i>Poecile palustris</i>		2				3	3H	
Woodlark	<i>Lullula arborea</i>			H	H		H		
Eurasian Skylark	<i>Alauda arvensis</i>		2H	H			2H	1	H
Zitting Cisticola	<i>Cisticola juncidis</i>				1				
Barn Swallow	<i>Hirundo rustica</i>	1	3	20	100	30	10	2	
Western House Martin	<i>Delichon urbicum</i>		15	20	10	20	20	10	10
European Red-rumped Swallow	<i>Cecropis rufula</i>				4				
Cetti's Warbler	<i>Cettia cetti</i>			H	H				
Common Chiffchaff	<i>Phylloscopus collybita</i>	H	H	H			H		
Eurasian Blackcap	<i>Sylvia atricapilla</i>	H	2H	5H	5	4H	5	5H	
Barred Warbler	<i>Curruca nisoria</i>			1					
Lesser Whitethroat	<i>Curruca curruca</i>							2	
Eastern Orphean Warbler	<i>Curruca crassirostris</i>				2	H	2H		
Common Whitethroat	<i>Curruca communis</i>			H			H	3H	
Sardinian Warbler	<i>Curruca melanocephala</i>				4H	2			
Eastern Subalpine Warbler	<i>Curruca cantillans albistriata</i>			H	1	3		2H	
Eurasian Nuthatch	<i>Sitta europaea</i>		2H	3			3	3	
Common Starling	<i>Sturnus vulgaris</i>	2	10	5	1	2		1	1
Mistle Thrush	<i>Turdus viscivorus</i>			3				2	
Song Thrush	<i>Turdus philomelos</i>	H	4	2					
Common Blackbird	<i>Turdus merula</i>	2	5	10	8	10	5	3	3
Spotted Flycatcher	<i>Muscicapa striata</i>		H						
European Robin	<i>Erithacus rubecula</i>		2H				H	H	
Common Nightingale	<i>Luscinia megarhynchos</i>			2H	3H	5H	H		
Black Redstart	<i>Phoenicurus ochruros</i>		2				H	1	
Blue Rock Thrush	<i>Monticola solitarius</i>				2				
Whinchat	<i>Saxicola rubetra</i>		1	1					
Eastern Black-eared Wheatear	<i>Oenanthe melanoleuca</i>			1			2		
Eurasian Tree Sparrow	<i>Passer montanus</i>		2	2					

I=Introduced		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Spanish Sparrow	<i>Passer hispaniolensis</i>			H					
House Sparrow	<i>Passer domesticus</i>	3	1	10	5		5	2	15
Grey Wagtail	<i>Motacilla cinerea</i>	1	H						
White Wagtail	<i>Motacilla alba alba</i>		2	1	1	1	2	2	2
Tawny Pipit	<i>Anthus campestris</i>			1					
Tree Pipit	<i>Anthus trivialis</i>							H	
Eurasian Chaffinch	<i>Fringilla coelebs</i>	2H	10	3	3H	5	3	3	
Hawfinch	<i>Coccothraustes coccothraustes</i>		8	5	2	2	3	2H	
European Greenfinch	<i>Chloris chloris</i>		3	2	3	3H	H	6	
Common Linnet	<i>Linaria cannabina</i>			H	2H			4	
European Goldfinch	<i>Carduelis carduelis</i>		H	1	2	2		2	
European Serin	<i>Serinus serinus</i>		3	H	3	H	H		
Black-headed Bunting	<i>Emberiza melanocephala</i>			H					
Corn Bunting	<i>Emberiza calandra</i>		2	10					
Rock Bunting	<i>Emberiza cia</i>							2	
Cirl Bunting	<i>Emberiza cirlus</i>			H	4	3	2		
Yellowhammer	<i>Emberiza citrinella</i>		2H	2					

Mammals

I=Introduced, S=signs		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
European Hare	<i>Lepus europaeus</i>						2	2	
Eurasian Red Squirrel	<i>Sciurus vulgaris</i>					1			
European Mole	<i>Talpa europaea</i>							S	
European Free-tailed Bat	<i>Tadarida teniotis</i>					H			
Savi's Pipistrelle	<i>Hypsugo savii</i>				1?	5?	2?		
Eurasian Serotine	<i>Eptesicus serotinus</i>	1							
Wild Boar	<i>Sus scrofa</i>		S			S	S	S	
European Badger	<i>Meles meles</i>				S				

Amphibians & reptiles

T=tadpoles, S=signs		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Pool Frog	<i>Pelophylax</i> cfr. <i>lessonae</i>		5						
Marsh Frog	<i>Pelophylax</i> cfr. <i>ridibundus</i>			10	T				
Dalmatian Algyroides	<i>Algyroides nigropunctatus</i>					1			
Eastern Green Lizard	<i>Lacerta viridis</i>						3		
Balkan Green Lizard	<i>Lacerta trilineata</i>			2		2			
Common Wall Lizard	<i>Podarcis muralis</i>							3	
Italian Wall Lizard	<i>Podarcis siculus</i>			1		1			
Dalmatian Wall Lizard	<i>Podarcis melisellensis</i>			10			5	5	
Horvath's Rock Lizard	<i>Iberolacerta horvathi</i>		6						
European Glass Lizard	<i>Pseudopus apodus</i>					1			
Balkan Whip Snake	<i>Hierophis gemonensis</i>					S?	3		
Common Smooth Snake	<i>Coronella austriaca</i>		1						
Eastern Grass Snake	<i>Natrix natrix</i>				1				
Dice Snake	<i>Natrix tessellata</i>	3	3	1					

Fishes

E=endemic		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Grayling	<i>Thymallus thymallus</i>	2							
Brown Trout	<i>Salmo trutta</i> f. <i>fario</i>	10	1						
Zrmanja Trout - E	<i>Salmo (trutta) zrmanjaensis</i>			10					
European Chub	<i>Squalius cephalus</i>	50	500						
Common Rudd	<i>Scardinius erythrophthalmus</i>		10						
Italian Spined Loach	<i>Cobitis bilineata</i>		1						
Northern Pike	<i>Esox lucius</i>		2						
Boxlip Mullet	<i>Oedalechilus labeo</i>						8?		
Saddled Seabream	<i>Oblada melanurus</i>						100		
Mediterranean Damselfish	<i>Chromis chromis</i>						200		

Damselflies & dragonflies

		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Banded Demoiselle	<i>Calopteryx splendens</i>	1	10	5					
Beautiful Demoiselle	<i>Calopteryx virgo</i>	30	100	200					
Common Bluet	<i>Enallagma cyathigerum</i>		20						
Azure Bluet	<i>Coenagrion puella</i>		2						
Blue-eye	<i>Erythromma lindenii</i>	1							
Large Red Damsel	<i>Pyrrhosoma nymphula</i>			5					
Blue Featherleg	<i>Platycnemis pennipes</i>	20		2					
Green-eyed Hawker	<i>Aeshna isoeles</i>		5						
Blue Emperor	<i>Anax imperator</i>	2							
Lesser Emperor	<i>Anax parthenope</i>		1						
Common Clubtail	<i>Gomphus vulgatissimus</i>		3	1					
Small Pincertail	<i>Onychogomphus forcipatus</i>		1						
Broad-bodied Chaser	<i>Libellula depressa</i>							1	
Southern Skimmer	<i>Orthetrum brunneum</i>					4			
Broad Scarlet	<i>Crocothemis erythraea</i>	1			1				

Other insects

N=near-endemic		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Mayflies									
a mayfly	<i>Ephemera zettana</i>			D					
European Green Drake	<i>Ephemera danica</i>	2	1						
Grasshoppers and allies									
Field Cricket	<i>Gryllus campestris</i>		H				H		
Dalmatian Saddle Bush-cricket - N	<i>Dinarippiger discoidalis</i>							1	
Balkan Saw Bush-cricket - N	<i>Barbitistes (Ephippiger) yersini</i>				1				
Great Green Bush-cricket	<i>Tettigonia</i> cfr. <i>viridissima</i>		3	5		1	1	1	
White-faced Bush-cricket	<i>Decticus albifrons</i>				1				
Wart-Biter	<i>Decticus verrucivorus</i>						5		
Schmidt's Marbled Bush-cricket	<i>Eupholidoptera schmidtii</i>	1	2	5	20	3	1		
Dalmatian Dark Bush-cricket - N	<i>Pholidoptera dalmatica</i>					1			

N=near-endemic		June 2026							
		8	9	10	11	12	13	14	15
Common name	Scientific name								
Green Dark Bush-cricket	<i>Pholidoptera frivaldszkyi</i>		1						
a bush-cricket	<i>Platycleis</i> sp.			1					
Italian Locust	<i>Calliptamus italicus</i>					1			
Egyptian Grasshopper	<i>Anacridium aegyptium</i>					3			
Wing-buzzing Toothed Grasshopper	<i>Stenobothrus</i> cfr. <i>rubicundulus</i>							10	
Woodland Grasshopper	<i>Omocestus rufipes</i>				2				
Fasciated Conehead Mantid	<i>Empusa fasciata</i>					1			
Skaters									
River Skater	<i>Aquarius najas</i>		10						
a skater	<i>Gerris</i> sp.			1					
Bugs									
Red Shieldbug	<i>Carpocoris mediterraneus</i>				2				
Black-shouldered Shieldbug	<i>Carpocoris purpureipennis</i>							2	1
a froghopper	<i>Cercopis sanguinolenta</i>		2						
Spotted Firebug	<i>Corizus hyoscyami</i>					1			
a cicada	<i>Dimissalna dimissa</i>			H					
Lined Shieldbug	<i>Graphosoma italicum</i>		20			20			
an assassin bug	<i>Rhynocoris iracundus</i> agg.					1			
a green lacewing	<i>Chrysopidae</i> sp.				1				
Owl-flies									
an owl-fly	<i>Libelloides macaronius</i>				2		20	3	
an owl-fly	<i>Libelloides lacteus</i>						5		
Lacewings									
a mantidfly	<i>Mantispa aphavexelte</i>						1		
German Scorpionfly	<i>Panorpa germanica</i>								1
Flies									
Stripe-eyed Lagoon Fly	<i>Eristalinus taeniops</i>				1				
Black Banded Bee Fly	<i>Hemipenthes morio</i>			1		2		1	
a fly	<i>Hemipenthes velutina</i>			2		1		1	
a snipe fly	<i>Rhagio</i> cfr. <i>vitripennis</i>							1	
Hottentot Bee Fly	<i>Villa</i> cfr. <i>hottentotta</i>							1	
Hornet Mimic Hover Fly	<i>Volucella zonaria</i>			1					
a robber fly	<i>Pogonosoma maroccanum</i>					1			
Ants, bees and wasps									
Hairy Carpenter Ant	<i>Camponotus vagus</i>	x							
Wasmann's Harvester Ant	<i>Messor wasmanni</i>				x				
Honey Bee	<i>Apis mellifera</i>			5	1			5	
Red-tailed Bumble Bee	<i>Bombus</i> cfr. <i>lapidarius</i>							3	
Buff-tailed Bumble Bee	<i>Bombus</i> cfr. <i>terrestris</i>	1	5						
Mossy Rose Gall Wasp	<i>Diplolepis rosae</i>						s	s	
an ichneumonid wasp	<i>Netelia</i> sp.							1	
Yellow-legged Mud-dauber Wasp	<i>Sceliphron caementarium</i>			1					
Hairy Scoliid Wasp	<i>Scolia hirta</i>			1		1	1		
European Hornet	<i>Vespa crabro</i>			1					
Violet Carpenter Bee	<i>Xylocopa violacea</i>			1		2		2	
Beetles									
Woodland Dor Beetle	<i>Anoplotrupes stercorosus</i>					1			
a jewel beetle	<i>Capnodis cariosa</i>				1				

N=near-endemic		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
a jewel beetle	<i>Capnodis tenebricosa</i>			1					
Rose Chafer	<i>Cetonia aurata</i>		1	5	2	2	20	10	
Willow Clytra Beetle	<i>Clytra laeviuscula</i>			1					
Seven-spotted Lady Beetle	<i>Coccinella septempunctata</i>						2		
a monkey beetle	<i>Hoplia</i> spp.		1					2	
a blister beetle	<i>Lydus</i> cfr. <i>trimaculatus</i>				5				
Stag Beetle	<i>Lucanus cervus</i>						1		
Oil Beetle	<i>Mylabris variabilis</i>				50	10	5	5	
Mediterranean Spotted Chafer	<i>Oxythyrea funesta</i>		1	2	2				2
a long-horn beetle	<i>Purpuricenus kaehleri</i>								1
a soldier beetle	<i>Rhagonycha</i> sp.				2				
Spotted Longhorn Beetle	<i>Rutpela maculata</i>						1	1	
a longhorn beetle	<i>Stenurella bifasciata</i>					2			
a chequered beetle	<i>Trichodes faviarius</i>						1		

Other invertebrates

		June 2026							
Common name	Scientific name	8	9	10	11	12	13	14	15
Spiders									
Oak Spider	<i>Aculepeira ceropegia</i>				1				
Radiated Wolf Spider	<i>Hogna radiata</i>			1					
European Nursery Web Spider	<i>Pisaura mirabilis</i>				1				
a crab spider	<i>Thomisus onustus</i>			1			3	1	
a stretch spider	<i>Tetragnata</i> sp.		2						
Ticks									
a giant tick	<i>Hyalomma marginatum</i>							2	
a tick	<i>Ixodes</i> sp.								1
Crustaceans									
Marbled Crab	<i>Pachygrapsus marmoratus</i>					1			
Gastropods									
Vineyard Snail	<i>Caucasotachea vindobonensis</i>								1
Turkish Snail	<i>Helix lucorum</i>							1	
Roman Snail	<i>Helix pomatia</i>			D			1		
Zebra Snail	<i>Zebrina detrita</i>							1	

Lichens

Common name	Scientific name	Family	Day	First or best observation
a lichen	<i>Cladonia foliacea</i>	Cladoniaceae	4	Bibinje

Plants

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
MOSSES				
Curled Hook-moss	<i>Palustriella commutata</i>	Amblystegiaceae	2	Plitvice lakes
FERNS				
Rustyback	<i>Asplenium ceterach</i>	Aspleniaceae	2	Plitvice lakes
Wall-rue	<i>Asplenium ruta-muraria</i>	Aspleniaceae	1	Rastoke
Maidenhair Spleenwort	<i>Asplenium trichomanes</i>	Aspleniaceae	1	Rastoke
Hart's Tonguefern	<i>Asplenium scolopendrium</i>	Aspleniaceae	2	Plitvice lakes
Bracken	<i>Pteridium aquilinum</i>	Dennstaedtiaceae	1	Rastoke
Hard Shield Fern	<i>Polystichum aculeatum</i>	Dryopteridaceae	2	Plitvice lakes
CONIFERS				
Common Juniper	<i>Juniperus communis</i>	Cupressaceae	2	Plitvice lakes
Eastern Prickly Juniper	<i>Juniperus (oxycedrus) deltoides</i>	Cupressaceae	4	Gornji Karin
Spruce	<i>Picea abies</i>	Pinaceae	2	Plitvice lakes
Aleppo Pine	<i>Pinus halepensis</i>	Pinaceae	4	Gornji Karin
Austrian Black Pine	<i>Pinus nigra</i>	Pinaceae	5	Mala Paklenica
Scots Pine	<i>Pinus sylvestris</i>	Pinaceae	1	Rastoke
Common Yew	<i>Taxus baccata</i>	Taxaceae	2	Plitvice lakes
DICOTYLEDONS				
European Smoketree	<i>Cotinus coggygria</i>	Anacardiaceae	2	Plitvice lakes
Mastic	<i>Pistacia lentiscus</i>	Anacardiaceae	4	Bibinje
Turpentine Tree	<i>Pistacia terebinthus</i>	Anacardiaceae	5	Mala Paklenica (in fruit)
Cutleaf Water Parsnip	<i>Berula erecta</i>	Apiaceae	3	Krupa (leaves)
Golden Chervil	<i>Chaerophyllum aureum</i>	Apiaceae	2	Plitvice lakes
a chervil - E	<i>Chaerophyllum coloratum</i>	Apiaceae	5	Mala Paklenica
Hairy Chervil	<i>Chaerophyllum</i> cfr. <i>hirsutum</i>	Apiaceae	2	Plitvice lakes
Wild Carrot	<i>Daucus carota</i>	Apiaceae	5	Mali Vaganac
Italian Eryngo	<i>Eryngium amethystinum</i>	Apiaceae	6	Studenci (dead stems)
Field Eryngo	<i>Eryngium campestre</i>	Apiaceae	4	Bibinje
Wild Fennel	<i>Foeniculum vulgare</i>	Apiaceae	4	Bibinje (leaves)
Hogweed	<i>Heracleum sphondylium</i>	Apiaceae	7	Turinski Krč (leaves)
Tubular Water-dropwort	<i>Oenanthe fistulosa</i>	Apiaceae	3	Krupa (leaves)
Corky-fruited Water-dropwort	<i>Oenanthe</i> cfr. <i>pimpinelloides</i>	Apiaceae	4	Bibinje
Large-flowered Orlaya	<i>Orlaya grandiflora</i>	Apiaceae	1	Rastoke
a parsley	<i>Peucedanum</i> sp.	Apiaceae	2	Plitvice lakes
Wood Sanicula	<i>Sanicula europaea</i>	Apiaceae	7	Turinski Krč
Laserwort	<i>Siler montanum</i>	Apiaceae	2	Plitvice lakes
Perfoliate Alexanders	<i>Smyrnium perfoliatum</i>	Apiaceae	2	Homoljac
an umbellifer - N	<i>Bupleurum veronense</i>	Apiaceae	4	Gornji Karin
Lesser Periwinkle	<i>Vinca minor</i>	Apocynaceae	2	Plitvice lakes (leaves)
Swallow-wort	<i>Vincetoxicum hirundinaria</i>	Apocynaceae	2	Plitvice lakes
Common Ivy	<i>Hedera helix</i>	Araliaceae	2	Plitvice lakes (leaves)
Smearwort	<i>Aristolochia rotunda</i>	Aristolochiaceae	3	Krupa
Asarabacca	<i>Asarum europaeum</i>	Aristolochiaceae	2	Plitvice lakes
Yarrow	<i>Achillea millefolium</i> gr.	Asteraceae	2	Plitvice lakes (in bud)
Stinking Aposeris	<i>Aposeris foetida</i>	Asteraceae	2	Plitvice lakes (leaves)
Daisy	<i>Bellis perennis</i>	Asteraceae	1	Rastoke
Yellow Ox-eye	<i>Bupththalmum salicifolium</i>	Asteraceae	7	Turinski Krč

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
a thistle	<i>Carduus collinus</i>	Asteraceae	2	Homoljac
Musk Thistle	<i>Carduus nutans</i>	Asteraceae	4	Starigrad
Downy Safflower	<i>Carthamus lanatus</i>	Asteraceae	4	Starigrad
Tyrol Knapweed	<i>Centaurea</i> cfr. <i>nigrescens</i>	Asteraceae	8	Ogulin
Rock Knapweed - N	<i>Centaurea rupestris</i> gr.	Asteraceae	5	Mala Paklenica
Greater Knapweed	<i>Centaurea scabiosa</i>	Asteraceae	8	Ogulin
a knapweed - E	<i>Centaurea spinosociliata</i>	Asteraceae	5	Mala Paklenica
Squarrose Knapweed	<i>Centaurea triumphettii</i>	Asteraceae	5	Mali Vaganac
a knapweed	<i>Centaurea x sordida</i>	Asteraceae	7	Volarice
Rush Skeleton Weed	<i>Chondrilla juncea</i>	Asteraceae	4	Posedarje
Chicory	<i>Cichorium intybus</i>	Asteraceae	3	Irinovac
Yellow Melancholy Thistle	<i>Cirsium erisithales</i>	Asteraceae	2	Plitvice lakes
Smooth Hawk's-beard	<i>Crepis</i> cfr. <i>capillaris</i>	Asteraceae	2	Plitvice lakes
Sacred Hawksbeard	<i>Crepis sancta</i>	Asteraceae	4	Starigrad
Sticky Fleabane	<i>Dittrichia viscosa</i>	Asteraceae	4	Bibinje (leaves)
Annual Fleabane - I	<i>Erigeron annuus</i>	Asteraceae	1	Rastoke
Broadleaf Cottonrose	<i>Filago pyramidata</i>	Asteraceae	3	Golubić
a dandelion	<i>Gelasia villosa</i>	Asteraceae	6	Oštarijska vrata
Curry Plant	<i>Helichrysum italicum</i>	Asteraceae	4	Starigrad
a hawkweed	<i>Hieracium glaucum</i>	Asteraceae	2	Plitvice lakes
Wall Hawkweed	<i>Hieracium murorum</i> gr.	Asteraceae	2	Plitvice lakes
Spotted Cat's-ear	<i>Hypochaeris maculata</i>	Asteraceae	6	Studenci
Ragwort	<i>Jacobaea</i> cfr. <i>vulgaris</i>	Asteraceae	8	Ogulin
Nipplewort	<i>Lapsana communis</i>	Asteraceae	2	Plitvice lakes
Hairy Hawkbit	<i>Leontodon crispus</i>	Asteraceae	6	Oštarijska vrata
Ox-eye Daisy	<i>Leucanthemum vulgare</i> gr.	Asteraceae	2	Plitvice lakes
Illyrian Thistle	<i>Onopordum illyricum</i>	Asteraceae	3	Krupa (in bud)
Spiny Fleabane	<i>Pallenis spinosa</i>	Asteraceae	4	Starigrad
a samphire	<i>Pentanema hirtum</i>	Asteraceae	5	Mali Vaganac
Snow Samphire	<i>Pentanema verbascifolium</i>	Asteraceae	4	Gornji Karin
a butterbur	<i>Petasites kablikianus</i>	Asteraceae	2	Plitvice lakes (leaves)
Hawkweed Oxtongue	<i>Picris hieracioides</i>	Asteraceae	8	Ogulin
Mouse-eared Hawkweed	<i>Pilosella officinarum</i> gr.	Asteraceae	2	Plitvice lakes (leaves)
Smooth Hawkweed	<i>Pilosella</i> cfr. <i>piloselloides</i>	Asteraceae	2	Plitvice lakes
Brighteyes	<i>Reichardia picroides</i>	Asteraceae	4	Gornji Karin
Common Goldenthistle	<i>Scolymus hispanicus</i>	Asteraceae	4	Bibinje
Prickly Sowthistle	<i>Sonchus asper</i>	Asteraceae	2	Plitvice lakes
a dandelion	<i>Taraxacum officinale</i> agg.	Asteraceae	2	Plitvice lakes
a salsify	<i>Tragopogon (pratensis) orientalis</i>	Asteraceae	3	Irinovac
Colt's-foot	<i>Tussilago farfara</i>	Asteraceae	2	Plitvice lakes (leaves)
False Hawkbit	<i>Urospermum picroides</i>	Asteraceae	5	Mala Paklenica
Black Alder	<i>Alnus glutinosa</i>	Betulaceae	2	Plitvice lakes
Silver Birch	<i>Betula pendula</i>	Betulaceae	2	Plitvice lakes
Eastern Hornbeam	<i>Carpinus orientalis</i>	Betulaceae	3	Golubić
Common Hazel	<i>Corylus avellana</i>	Betulaceae	2	Plitvice lakes (leaves)
European Hop-hornbeam	<i>Ostrya carpinifolia</i>	Betulaceae	5	Mala Paklenica
Hound's-tongue	<i>Cynoglossum officinale</i>	Boraginaceae	6	Oštarijska vrata
Pale Bugloss	<i>Echium italicum</i>	Boraginaceae	4	Bibinje
Viper's-Bugloss	<i>Echium vulgare</i>	Boraginaceae	1	Rastoke

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
Field Forget-me-not	<i>Myosotis</i> cfr. <i>arvensis</i>	Boraginaceae	2	Homoljac
Water Forget-me-not	<i>Myosotis scorpioides</i>	Boraginaceae	1	Rastoke
Hairy Golden-drop	<i>Onosma echiioides dalmatica</i>	Boraginaceae	5	Mala Paklenica
Common Lungwort	<i>Pulmonaria officinalis</i>	Boraginaceae	2	Plitvice lakes (leaves)
Wavy-leaved Alison - N	<i>Aurinia sinuata</i>	Brassicaceae	4	Bibinje
Chicory-leaved Buckler-mustard	<i>Biscutella cichoriifolia</i>	Brassicaceae	3	Golubić
a wallflower	<i>Erysimum</i> sp.	Brassicaceae	6	Kosinj
Shortpod Mustard	<i>Hirschfeldia incana</i>	Brassicaceae	5	Starigrad
Perennial Honesty	<i>Lunaria rediviva</i>	Brassicaceae	2	Plitvice lakes
Early Penny-cress	<i>Noccaea praecox</i>	Brassicaceae	6	Oštarijska vrata (in seed)
Garlic Cress	<i>Peltaria alliacea</i>	Brassicaceae	2	Plitvice lakes
a bellflower	<i>Asyneuma limonifolium</i>	Campanulaceae	5	Mali Vaganac
a bellflower - E	<i>Campanula fenestrellata</i>	Campanulaceae	5	Mali Vaganac
Peach-leaved Bellflower	<i>Campanula persicifolia</i>	Campanulaceae	2	Plitvice lakes
Chimney Bellflower - N	<i>Campanula pyramidalis</i>	Campanulaceae	5	Mali Vaganac (leaves)
Rampion	<i>Campanula rapunculus</i>	Campanulaceae	1	Irinovac
Common Harebell	<i>Campanula rotundifolia</i>	Campanulaceae	2	Plitvice lakes
a rockbell - N	<i>Edraianthus tenuifolius</i>	Campanulaceae	6	Oštarijska vrata
Spiked Rampion	<i>Phyteuma spicatum</i>	Campanulaceae	2	Plitvice lakes
Nettle Tree	<i>Celtis australis</i>	Cannabaceae	3	Krupa
Common Hops	<i>Humulus lupulus</i>	Cannabaceae	1	Rastoke
Wild Teasel	<i>Dipsacus fullonum</i>	Caprifoliaceae	3	Deringaj (leaves)
Field Scabious	<i>Knautia</i> cfr. <i>arvensis</i>	Caprifoliaceae	2	Plitvice lakes
a scabious - E	<i>Knautia velebitica</i>	Caprifoliaceae	3	Deringaj
a scabious	<i>Knautia drymeja</i>	Caprifoliaceae	2	Plitvice lakes
a scabious - E	<i>Knautia pectinata</i>	Caprifoliaceae	7	Volarice
a scabious - E	<i>Knautia velebitica</i>	Caprifoliaceae	3	Deringaj
a scabious	<i>Lomelosia brachiata</i>	Caprifoliaceae	4	Gornji Karin
Etruscan Honeysuckle	<i>Lonicera etrusca</i>	Caprifoliaceae	3	Deringaj
a scabious	<i>Scabiosa triandra</i>	Caprifoliaceae	2	Plitvice lakes
Sweet Scabious	<i>Sixalix atropurpurea</i>	Caprifoliaceae	4	Starigrad
Common Valerian	<i>Valeriana officinalis</i> gr.	Caprifoliaceae	7	Turinski Krč
Snow-in-summer	<i>Cerastium tomentosum</i>	Caryophyllaceae	6	Oštarijska vrata
Deptford Pink	<i>Dianthus armeria</i>	Caryophyllaceae	4	Bibinje
Carthusian Pink	<i>Dianthus carthusianorum</i>	Caryophyllaceae	2	Homoljac
a pink - N	<i>Dianthus balbisii liburnicus</i>	Caryophyllaceae	5	Mala Paklenica
a pink	<i>Dianthus petraeus</i>	Caryophyllaceae	2	Plitvice lakes
Wood Pink	<i>Dianthus sylvestris</i>	Caryophyllaceae	5	Mali Vaganac
Smooth Rupturewort	<i>Herniaria glabra</i>	Caryophyllaceae	2	Homoljac
Gray Rupturewort	<i>Herniaria incana</i>	Caryophyllaceae	3	Golubić
Mossy Sandwort	<i>Moehringia muscosa</i>	Caryophyllaceae	2	Plitvice lakes
Tunicflower	<i>Petrorhagia saxifraga</i>	Caryophyllaceae	3	Krupa
White Campion	<i>Silene latifolia</i>	Caryophyllaceae	2	Plitvice lakes
Nottingham Catchfly	<i>Silene nutans</i>	Caryophyllaceae	2	Plitvice lakes
Bladder Campion	<i>Silene vulgaris</i>	Caryophyllaceae	2	Rastoke
Lesser Stitchwort	<i>Stellaria graminea</i>	Caryophyllaceae	2	Homoljac
European Spindle	<i>Euonymus europaeus</i>	Celastraceae	1	Rastoke (in fruit)
Warty-barked Spindle	<i>Euonymus verrucosus</i>	Celastraceae	2	Plitvice lakes

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
Hoary Rock-rose	<i>Cistus creticus</i>	Cistaceae	4	Bibinje
Montpelier Cistus	<i>Cistus monspeliensis</i>	Cistaceae	4	Bibinje (leaves)
Heath-rose	<i>Fumana procumbens</i>	Cistaceae	3	Deringaj
Common Rock-rose	<i>Helianthemum nummularium</i>	Cistaceae	2	Plitvice lakes
Hoary Rock-rose	<i>Helianthemum oelandicum</i> gr.	Cistaceae	5	Mala Paklenica
Large Bindweed	<i>Calystegia silvatica</i>	Convolvulaceae	1	Rastoke
Field Bindweed	<i>Convolvulus arvensis</i>	Convolvulaceae	3	Irinovac
Cantabrian Bindweed	<i>Convolvulus cantabrica</i>	Convolvulaceae	4	Gornji Karin
Common Dogwood	<i>Cornus sanguinea</i>	Cornaceae	2	Plitvice lakes
European Stonecrop	<i>Petrosedum ochroleucum</i>	Crassulaceae	3	Deringaj (leaves)
a stonecrop	<i>Petrosedum orientale</i>	Crassulaceae	4	Starigrad
Biting Stonecrop	<i>Sedum acre</i>	Crassulaceae	3	Golubić
White Stonecrop	<i>Sedum album</i>	Crassulaceae	1	Rastoke
Spanish Stonecrop	<i>Sedum hispanicum</i>	Crassulaceae	1	Rastoke
Tasteless Stonecrop	<i>Sedum sexangulare</i>	Crassulaceae	1	Rastoke
Wood Spurge	<i>Euphorbia amygdaloides</i>	Euphorbiaceae	2	Plitvice lakes
Mediterranean Spurge	<i>Euphorbia characias</i>	Euphorbiaceae	4	Starigrad (leaves)
Cypress Spurge	<i>Euphorbia cyparissias</i>	Euphorbiaceae	2	Homoljac
a spurge - N	<i>Euphorbia fragifera</i>	Euphorbiaceae	5	Mali Vaganac
Myrtle Spurge	<i>Euphorbia myrsinites</i>	Euphorbiaceae	5	Mala Paklenica (leaves)
Dog's Mercury	<i>Mercurialis perennis</i>	Euphorbiaceae	2	Plitvice lakes
Mountain Kidney-vetch	<i>Anthyllis montana</i>	Fabaceae	6	Oštarijska vrata (over)
Kidney-vetch	<i>Anthyllis vulneraria</i>	Fabaceae	3	Irinovac
Wild Liquorice	<i>Astragalus glycyphyllos</i>	Fabaceae	2	Plitvice lakes
Arabian Pea	<i>Bituminaria bituminosa</i>	Fabaceae	5	Mali Vaganac
a broom	<i>Chamaecytisus supinus</i>	Fabaceae	3	Irinovac
Bladder-senna	<i>Colutea arborescens</i>	Fabaceae	4	Gornji Karin
a broom - N	<i>Genista sericea</i>	Fabaceae	5	Mali Vaganac (in seed)
a broom	<i>Genista sylvestris</i>	Fabaceae	5	Mali Vaganac
Dyer's Greenweed	<i>Genista tinctoria</i>	Fabaceae	4	Bibinje
Horseshoe Vetch	<i>Hippocrepis comosa</i>	Fabaceae	2	Plitvice lakes
Scorpion Senna	<i>Hippocrepis emerus</i>	Fabaceae	4	Gornji Karin
Hairy Vetchling	<i>Lathyrus hirsutus</i>	Fabaceae	4	Bibinje
Broad-leaved Sweet Pea	<i>Lathyrus latifolius</i>	Fabaceae	3	Irinovac
Meadow Pea	<i>Lathyrus pratensis</i>	Fabaceae	7	Turinski Krč
Venetian Vetchling	<i>Lathyrus venetus</i>	Fabaceae	6	Baške Oštarije
Bird's-foot Trefoil	<i>Lotus corniculatus</i>	Fabaceae	1	Rastoke
a bird's-foot trefoil	<i>Lotus germanicus</i>	Fabaceae	4	Gornji Karin
a bird's-foot trefoil	<i>Lotus herbaceus</i>	Fabaceae	3	Deringaj
Hairy Canary-clover	<i>Lotus hirsutus</i>	Fabaceae	4	Bibinje
Narrow-leaf Bird's-foot Trefoil	<i>Lotus tenuis</i>	Fabaceae	4	Starigrad
Black Melilot	<i>Medicago lupulina</i>	Fabaceae	2	Plitvice lakes
Button Medick	<i>Medicago orbicularis</i>	Fabaceae	4	Gornji Karin
a medick	<i>Medicago prostrata</i>	Fabaceae	4	Bibinje
Alfalfa	<i>Medicago sativa</i>	Fabaceae	4	Bibinje
Yellow Sweetclover	<i>Melilotus officinalis</i>	Fabaceae	2	Homoljac
Spiny Restharrow	<i>Ononis spinosa</i>	Fabaceae	4	Golubić
False Acacia - I	<i>Robinia pseudoacacia</i>	Fabaceae	1	Rastoke
Purple Crownvetch	<i>Securigera varia</i>	Fabaceae	1	Rastoke

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
Spanish Broom	<i>Spartium junceum</i>	Fabaceae	4	Bibinje
Owl-headed Flower	<i>Trifolium alpestre</i>	Fabaceae	5	Mali Vaganac
Narrow-leaved Clover	<i>Trifolium angustifolium</i>	Fabaceae	4	Starigrad
Rabbitfoot Clover	<i>Trifolium arvense</i>	Fabaceae	3	Irinovac
Hop Trefoil	<i>Trifolium campestre</i>	Fabaceae	3	Irinovac
Mountain Clover	<i>Trifolium montanum</i>	Fabaceae	5	Mali Vaganac
Red Clover	<i>Trifolium pratense</i>	Fabaceae	2	Plitvice lakes
White Clover	<i>Trifolium repens</i>	Fabaceae	2	Plitvice lakes
a clover	<i>Trifolium rubens</i>	Fabaceae	7	Turinski Krč
Tufted Vetch	<i>Vicia cfr. cracca</i>	Fabaceae	2	Homoljac
Large Yellow Vetch	<i>Vicia grandiflora</i>	Fabaceae	6	Kosinj
Beech	<i>Fagus sylvatica</i>	Fagaceae	7	Turinski Krč
Downy Oak	<i>Quercus pubescens</i>	Fagaceae	2	Plitvice lakes (leaves)
Yellow-wort	<i>Blackstonia perfoliata</i>	Gentianaceae	4	Starigrad
Common Centaury	<i>Centaureum erythraea</i>	Gentianaceae	4	Starigrad
Slender Centaury	<i>Centaureum cfr. tenuiflorum</i>	Gentianaceae	4	Bibinje
Cross Gentian	<i>Gentiana cruciata</i>	Gentianaceae	6	Oštarijska vrata
Bladder Gentian	<i>Gentiana utriculosa</i>	Gentianaceae	7	Tuževac
Soft Stork's-bill	<i>Erodium malacoides</i>	Geraniaceae	5	Mala Paklenica
Long-stalked Crane's-bill	<i>Geranium columbinum</i>	Geraniaceae	1	Rastoke
Knotted Crane's-bill	<i>Geranium nodosum</i>	Geraniaceae	7	Turinski Krč
Hedgerow Crane's-bill	<i>Geranium pyrenaicum</i>	Geraniaceae	2	Homoljac
Herb Robert	<i>Geranium robertianum</i>	Geraniaceae	1	Rastoke
Roundleaf Geranium	<i>Geranium rotundifolium</i>	Geraniaceae	4	Bibinje
Bloody Crane's-bill	<i>Geranium sanguineum</i>	Geraniaceae	5	Mali Vaganac
Perforate St John's-wort	<i>Hypericum perforatum</i>	Hypericaceae	1	Rastoke
Ground-pine	<i>Ajuga chamaepitys</i>	Lamiaceae	4	Bibinje
Blue Bugle	<i>Ajuga genevensis</i>	Lamiaceae	3	Irinovac
Bugle	<i>Ajuga reptans</i>	Lamiaceae	7	Turinski Krč
Basil-thyme	<i>Clinopodium acinos/Acinosa arvensis</i>	Lamiaceae	2	Plitvice lakes
Wild Basil	<i>Clinopodium vulgare</i>	Lamiaceae	7	Turinski Krč
Yellow Archangel	<i>Lamium galeobdolon</i>	Lamiaceae	7	Turinski Krč
Spotted Deadnettle	<i>Lamium maculatum</i>	Lamiaceae	3	Deringaj
Balm-leaved Archangel	<i>Lamium orvala</i>	Lamiaceae	2	Plitvice lakes (leaves)
European Water-horehound	<i>Lycopus europaeus</i>	Lamiaceae	2	Plitvice lakes (leaves)
Silver Horehound - N	<i>Marrubium incanum</i>	Lamiaceae	3	Krupa
Bastard Balm	<i>Melittis melissophyllum</i>	Lamiaceae	7	Tuževac
Water Mint	<i>Mentha aquatica</i>	Lamiaceae	2	Plitvice lakes (leaves)
Horse Mint	<i>Mentha longifolia</i>	Lamiaceae	3	Krupa (leaves)
Cut-leaved Selfheal	<i>Prunella laciniata</i>	Lamiaceae	2	Plitvice lakes
Common Selfheal	<i>Prunella vulgaris</i>	Lamiaceae	2	Plitvice lakes
Common Sage	<i>Salvia officinalis</i>	Lamiaceae	5	Mali Vaganac
Meadow Cleary	<i>Salvia pratensis</i>	Lamiaceae	2	Plitvice lakes
Whorled Clary	<i>Salvia verticillata</i>	Lamiaceae	2	Plitvice lakes
Winter Savory	<i>Satureja montana</i>	Lamiaceae	3	Golubić (leaves)
Marsh Skullcap	<i>Scutellaria galericulata</i>	Lamiaceae	2	Plitvice lakes
Limestone Woundwort	<i>Stachys alpina</i>	Lamiaceae	2	Plitvice lakes
a woundwort	<i>Stachys obliqua</i>	Lamiaceae	6	Studenci
Perennial Yellow-woundwort	<i>Stachys recta</i>	Lamiaceae	3	Irinovac

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
a woundwort - N	<i>Stachys thirkei</i>	Lamiaceae	3	Golubić
Hedge Woundwort	<i>Stachys sylvatica</i>	Lamiaceae	2	Plitvice lakes
Common Germander	<i>Teucrium chamaedrys</i>	Lamiaceae	1	Rastoke
Mountain Germander	<i>Teucrium montanum</i>	Lamiaceae	3	Deringaj
Felty Germander	<i>Teucrium (polium) capitatum</i>	Lamiaceae	4	Starigrad
Common Thyme	<i>Thymus</i> cfr. <i>pulegioides</i>	Lamiaceae	2	Homoljac
Pale Flax	<i>Linum bienne</i>	Linaceae	3	Irinovac
Narrow-leaved Flax	<i>Linum tenuifolium</i>	Linaceae	3	Deringaj
French Flax	<i>Linum trigynum</i>	Linaceae	4	Bibinje
Purple Loosestrife	<i>Lythrum salicaria</i>	Lythraceae	3	Krupa
a hollyhock	<i>Alcea</i> sp.	Malvaceae	4	Starigrad (garden escaped)
Musk Mallow	<i>Malva</i> cfr. <i>moschata</i>	Malvaceae	3	Irinovac
Common Mallow	<i>Malva sylvestris</i>	Malvaceae	1	Rastoke
Small-leaved Lime	<i>Tilia cordata</i>	Malvaceae	5	Ercezi Kojin Dolac
Bigleaf Linden	<i>Tilia platyphyllos</i>	Malvaceae	3	Irinovac (planted)
Paper Mulberry - I	<i>Broussonetia papyrifera</i>	Moraceae	3	Krupa
Fig	<i>Ficus carica</i>	Moraceae	3	Krupa
White Mulberry	<i>Morus alba</i>	Moraceae	3	Krupa (in fruit)
Yellow Water-lily	<i>Nuphar lutea</i>	Nymphaeaceae	1	Rastoke
Common Privet	<i>Ligustrum vulgare</i>	Oleaceae	2	Plitvice lakes
Manna Ash	<i>Fraxinus ornus</i>	Oleaceae	3	Golubić (leaves)
Green Olive Tree	<i>Phillyrea latifolia</i>	Oleaceae	4	Bibinje
Great Willowherb	<i>Epilobium hirsutum</i>	Onagraceae	4	Bibinje
Hoary Willowherb	<i>Epilobium parviflorum</i>	Onagraceae	3	Krupa
Amethyst Broomrape	<i>Orobanche amethystea</i>	Orobanchaceae	5	Mali Vanagac
Slender Broomrape	<i>Orobanche gracilis</i>	Orobanchaceae	6	Ostarijska Vrata
Medick broomrape	<i>Orobanche</i> cfr. <i>lutea</i>	Orobanchaceae	2	Homoljac
Aristate Yellow-rattle	<i>Rhinanthus glacialis</i>	Orobanchaceae	2	Homoljac
Greater Celandine	<i>Chelidonium majus</i>	Papaveraceae	1	Rastoke
Common Poppy	<i>Papaver rhoeas</i>	Papaveraceae	2	Homoljac
Ivy-leaved Toadflax	<i>Cymbalaria muralis</i>	Plantaginaceae	1	Rastoke
Yellow Foxglove	<i>Digitalis grandiflora</i>	Plantaginaceae	2	Homoljac
a globularia	<i>Globularia meridionalis</i>	Plantaginaceae	4	Gornji Karin
Ribwort Plantain	<i>Plantago lanceolata</i>	Plantaginaceae	3	Irinovac
Broadleaf Plantain	<i>Plantago major</i>	Plantaginaceae	3	Irinovac (leaves)
Hoary Plantain	<i>Plantago media</i>	Plantaginaceae	2	Plitvice lakes
Blue Water-speedwell	<i>Veronica anagallis-aquatica</i>	Plantaginaceae	3	Krupa
Austrian Speedwell	<i>Veronica austriaca</i>	Plantaginaceae	2	Homoljac
Heath Speedwell	<i>Veronica officinalis</i>	Plantaginaceae	2	Plitvice lakes
Nettle-leaved Speedwell	<i>Veronica urticifolia</i>	Plantaginaceae	2	Plitvice lakes
Common Leadwort	<i>Plumbago europaea</i>	Plumbaginaceae	4	Gornji Karin
Nice Milkwort	<i>Polygala nicaeensis</i>	Polygalaceae	5	Mali Vaganac
Common Milkwort	<i>Polygala</i> cfr. <i>vulgaris</i>	Polygalaceae	2	Homoljac
Clustered Dock	<i>Rumex conglomeratus</i>	Polygalaceae	3	Krupa
European Cyclamen	<i>Cyclamen purpurascens</i>	Primulaceae	2	Plitvice lakes (leaves)
Scarlet Pimpernel	<i>Lysimachia arvensis</i>	Primulaceae	2	Plitvice lakes
Cowslip	<i>Primula veris</i>	Primulaceae	7	Turinski Krč (over)
Primrose	<i>Primula vulgaris</i>	Primulaceae	2	Plitvice lakes (leaves)
Blackish Columbine - N	<i>Aquilegia nigricans</i>	Ranunculaceae	7	Turinski Krč

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
Fragrant Virgin's-bower	<i>Clematis flammula</i>	Ranunculaceae	4	Bibinje
Erect Clematis	<i>Clematis recta</i>	Ranunculaceae	2	Plitvice lakes
Old Man's Beard	<i>Clematis vitalba</i>	Ranunculaceae	5	Krupa
an hellebore - N	<i>Helleborus multifidus</i>	Ranunculaceae	3	Deringaj (leaves)
Christmas-rose	<i>Helleborus niger</i>	Ranunculaceae	2	Plitvice lakes (leaves)
Hepatica	<i>Hepatica nobilis</i>	Ranunculaceae	2	Plitvice lakes (leaves)
Love-in-a-mist	<i>Nigella damascena</i>	Ranunculaceae	5	Mala Paklenica
Meadow Buttercup	<i>Ranunculus acris</i>	Ranunculaceae	7	Turinski Krč
Woolly Buttercup	<i>Ranunculus lanuginosus</i>	Ranunculaceae	7	Turinski Krč
Lesser Meadow-rue	<i>Thalictrum minus</i>	Ranunculaceae	2	Plitvice lakes
Wild Mignonette	<i>Reseda lutea</i>	Resedaceae	2	Homoljac
Jerusalem Thorn	<i>Paliurus spina-christi</i>	Rhamnaceae	3	Krupa
a buckthorn - N	<i>Rhamnus fallax</i>	Rhamnaceae	2	Plitvice lakes (in fruit)
a buckthorn	<i>Rhamnus × intermedia</i>	Rhamnaceae	4	Bibinje (in fruit)
a buckthorn - N	<i>Frangula rupestris</i>	Rhamnaceae	2	Plitvice lakes
Agrimony	<i>Agrimonia eupatoria</i>	Rosaceae	4	Bibinje
Snowy Mespilus	<i>Amelanchier ovalis</i>	Rosaceae	6	Oštarijska Vrata (in fruit)
Common Whitebeam	<i>Aria edulis</i>	Rosaceae	6	Oštarijska Vrata (in fruit)
Hawthorn	<i>Crataegus monogyna</i>	Rosaceae	2	Plitvice lakes
Dropwort	<i>Filipendula vulgaris</i>	Rosaceae	2	Homoljac
Wild Strawberry	<i>Fragaria vesca</i>	Rosaceae	2	Plitvice lakes
Blessed Herb	<i>Geum urbanum</i>	Rosaceae	1	Rastoke
Grey Cinquefoil	<i>Potentilla inclinata</i>	Rosaceae	2	Plitvice lakes
a cinquefoil	<i>Potentilla indica</i>	Rosaceae	1	Rastoke (in fruit)
Sulphur Cinquefoil	<i>Potentilla recta</i>	Rosaceae	2	Plitvice lakes
Creeping Cinquefoil	<i>Potentilla reptans</i>	Rosaceae	2	Plitvice lakes
a cinquefoil	<i>Potentilla cinerea</i> gr.	Rosaceae	2	Homoljac (leaves)
Almond	<i>Prunus amygdalus</i>	Rosaceae	5	Mala Paklenica (planted)
Wild Cherry	<i>Prunus avium</i>	Rosaceae	2	Plitvice lakes (in fruit)
St Lucie Cherry	<i>Prunus mahaleb</i>	Rosaceae	4	Gornji Karin (in fruit)
Blackthorn	<i>Prunus spinosa</i>	Rosaceae	1	Rastoke (in fruit)
Almond-leaved Pear	<i>Pyrus spinosa</i>	Rosaceae	4	Gornji Karin (in fruit)
Field Rose	<i>Rosa arvensis</i>	Rosaceae	2	Plitvice lakes
Dog Rose	<i>Rosa canina</i> gr.	Rosaceae	2	Plitvice lakes
Provence Rose	<i>Rosa gallica</i>	Rosaceae	3	Irinovac
Red-leaved Rose	<i>Rosa glauca</i>	Rosaceae	7	Turinski Krč
Alpine Rose	<i>Rosa pendulina</i>	Rosaceae	7	Turinski Krč
Burnet Rose	<i>Rosa (pimpinellifolia) spinosissima</i>	Rosaceae	6	Oštarijska Vrata (in fruit)
European Dewberry	<i>Rubus</i> cfr. <i>caesius</i>	Rosaceae	1	Rastoke
a bramble	<i>Rubus hirtus</i>	Rosaceae	2	Plitvice lakes
Elmleaf Blackberry	<i>Rubus</i> cfr. <i>ulmifolius</i>	Rosaceae	3	Krupa
Salad Burnet	<i>Sanguisorba minor</i>	Rosaceae	1	Rastoke
Crosswort	<i>Cruciata laevipes</i>	Rubiaceae	2	Homoljac
Catchweed Bedstraw	<i>Galium aparine</i>	Rubiaceae	3	Deringaj
Shiny Bedstraw	<i>Galium lucidum</i>	Rubiaceae	2	Plitvice lakes
Hedge Bedstraw	<i>Galium mollugo</i> gr.	Rubiaceae	4	Bibinje
Lady's Bedstraw	<i>Galium verum</i>	Rubiaceae	3	Plitvice lakes

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
White Dittany	<i>Dictamnus albus</i>	Rutaceae	5	Mali Vaganac (in seed)
Rue of Padua	<i>Haplophyllum patavinum</i>	Rutaceae	7	Volarice
Rue	<i>Ruta graveolens</i>	Rutaceae	7	Volarice
Black Poplar	<i>Populus nigra</i>	Salicaceae	3	Korenica (leaves)
White Willow	<i>Salix alba</i>	Salicaceae	3	Krupa (leaves)
Purple Willow	<i>Salix purpurea</i>	Salicaceae	2	Plitvice lakes
Poet's Cassia	<i>Osyris alba</i>	Santalaceae	4	Starigrad (leaves)
a bastard toadflax	<i>Thesium divaricatum</i>	Santalaceae	5	Mali Vaganac
Flaxleaf Bastard Toadflax	<i>Thesium linophyllum</i>	Santalaceae	2	Homoljac
Field Maple	<i>Acer campestre</i>	Sapindaceae	1	Rastoke (in seed)
Montpellier Maple	<i>Acer monspessulanum</i>	Sapindaceae	3	Krupa
Italian Maple	<i>Acer opalus</i>	Sapindaceae	2	Plitvice lakes (leaves)
Norway Maple	<i>Acer platanoides</i>	Sapindaceae	2	Plitvice lakes (leaves)
Sycamore Maple	<i>Acer pseudoplatanus</i>	Sapindaceae	1	Rastoke (leaves)
Livelong Saxifrage	<i>Saxifraga paniculata</i>	Saxifragaceae	2	Plitvice lakes
Round-leaved Saxifrage	<i>Saxifraga rotundifolia</i>	Saxifragaceae	2	Plitvice lakes
French Figwort	<i>Scrophularia canina</i>	Scrophulariaceae	3	Krupa
Common Figwort	<i>Scrophularia nodosa</i>	Scrophulariaceae	3	Irinovac
Moth Mullein	<i>Verbascum blattaria</i>	Scrophulariaceae	4	Bibinje
Nettle-leaved Mullein	<i>Verbascum chaixii</i>	Scrophulariaceae	7	Volarice
Black Mullein	<i>Verbascum</i> cfr. <i>nigrum</i>	Scrophulariaceae	2	Plitvice lakes
Hoary Mullein	<i>Verbascum pulverulentum</i>	Scrophulariaceae	4	Starigrad
Orange Mullein	<i>Verbascum phlomoides</i>	Scrophulariaceae	2	Plitvice lakes (leaves)
Wavyleaf Mullein	<i>Verbascum sinuatum</i>	Scrophulariaceae	5	Starigrad
Tree of Heaven - I	<i>Ailanthus altissima</i>	Simaroubaceae	1	Karlovac
Deadly Nightshade	<i>Atropa bella-donna</i>	Solanaceae	6	Ostarijska Vrata
Bittersweet Nightshade	<i>Solanum dulcamara</i>	Solanaceae	2	Plitvice lakes
European bladdernut	<i>Staphylea pinnata</i>	Staphyleaceae	2	Plitvice lakes (in fruit)
a tamarisk	<i>Tamarix</i> sp.	Tamaricaceae	5	Starigrad (leaves)
a daphne	<i>Daphne alpina</i>	Thymelaeaceae	2	Plitvice lakes
Mezereon	<i>Daphne mezereum</i>	Thymelaeaceae	7	Turinski Krč (leaves)
an elm	<i>Ulmus</i> sp.	Ulmaceae	4	Bibinje (leaves)
Pellitory-of-the-wall	<i>Parietaria judaica</i>	Urticaceae	3	Krupa
Erect Pellitory-of-the-wall	<i>Parietaria officinalis</i>	Urticaceae	2	Plitvice lakes
Common Nettle	<i>Urtica dioica</i>	Urticaceae	1	Rastoke (leaves)
Common Vervain	<i>Verbena officinalis</i>	Verbenaceae	3	Irinovac
Dwarf Elder	<i>Sambucus ebulus</i>	Viburnaceae	6	Kosinj
Elder	<i>Sambucus nigra</i>	Viburnaceae	1	Rastoke
Wayfaring Tree	<i>Viburnum lantana</i>	Viburnaceae	3	Deringaj
European Field Pansy	<i>Viola arvensis</i>	Violaceae	2	Homoljac
Wild Pansy	<i>Viola tricolor</i>	Violaceae	2	Homoljac
Virginia Creeper - I	<i>Parthenocissus quinquefolia</i>	Vitaceae	1	Rastoke (planted)
Wine Grape	<i>Vitis vinifera</i>	Vitaceae	3	Krupa (leaves)
MONOCOTYLEDONS				
Lance-leaved Water-Plantain	<i>Alisma lanceolatum</i>	Alismataceae	4	Bibinje
Small Yellow Onion	<i>Allium</i> cfr. <i>flavum</i>	Amaryllidaceae	4	Starigrad
Sand Leek	<i>Allium scorodoprasum</i>	Amaryllidaceae	2	Plitvice lakes
Round-headed Leek	<i>Allium sphaerocephalon</i>	Amaryllidaceae	4	Gornji Karin
a garlic	<i>Allium tenuiflorum</i>	Amaryllidaceae	4	Starigrad

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
Ramsons	<i>Allium ursinum</i>	Amaryllidaceae	2	Plitvice lakes (in seed)
Wild Garlic	<i>Allium vineale</i>	Amaryllidaceae	4	Bibinje
American Century Plant - I	<i>Agave americana</i>	Asparagaceae	5	Mala Paklenica (leaves)
St Bernard's Lily	<i>Anthericum liliago</i>	Asparagaceae	5	Mali Vaganac
Spiny Asparagus	<i>Asparagus acutifolius</i>	Asparagaceae	4	Bibinje (leaves)
European Lily of the Valley	<i>Convallaria majalis</i>	Asparagaceae	2	Plitvice lakes (leaves)
Tassel Hyacinth	<i>Muscari comosum</i>	Asparagaceae	3	Irinovac
a Bath asparagus	<i>Ornithogalum sphaerocarpum</i>	Asparagaceae	1	Rastoke
Common Star-of-Bethlehem	<i>Ornithogalum umbellatum</i> gr.	Asparagaceae	2	Homoljac
Scented Solomon's-seal	<i>Polygonatum odoratum</i>	Asparagaceae	2	Plitvice lakes (in fruit)
Branched Asphodel	<i>Asphodelus ramosus</i>	Asphodelaceae	5	Seline (over)
Autumn Crocus	<i>Colchicum autumnale</i>	Colchicaceae	7	Turinski Krč
Grey Sedge	<i>Carex</i> cfr. <i>divulsa</i>	Cyperaceae	2	Plitvice lakes
Blue Sedge	<i>Carex flacca</i>	Cyperaceae	7	Turinski Krč
Remote Sedge	<i>Carex remota</i>	Cyperaceae	2	Plitvice lakes
Swamp Sawgrass	<i>Cladium mariscus</i>	Cyperaceae	2	Plitvice lakes
Round-headed Clubrush	<i>Scirpoides holoschoenus</i>	Cyperaceae	4	Bibinje
Sweet Iris	<i>Iris pallida illyrica</i>	Iridaceae	5	Mali Vaganac (in seed)
Hungarian Iris	<i>Iris variegata</i>	Iridaceae	2	Homoljac
Hard Rush	<i>Juncus acutus</i>	Juncaceae	4	Bibinje
Jointed Rush	<i>Juncus articulatus</i>	Juncaceae	3	Krupa
Orange Lily	<i>Lilium bulbiferum</i>	Liliaceae	6	Oštarijska vrata
Herb Paris	<i>Paris quadrifolia</i>	Melanthiaceae	2	Plitvice lakes (leaves)
Green-winged Orchid	<i>Anacamptis morio</i>	Orchidaceae	2	Plitvice lakes (over)
Pyramidal Orchid	<i>Anacamptis pyramidalis</i>	Orchidaceae	6	Oštarijska vrata
White Helleborine	<i>Cephalanthera damasonium</i>	Orchidaceae	2	Plitvice lakes
Red Helleborine	<i>Cephalanthera rubra</i>	Orchidaceae	6	Baške Oštarije
Elder-flowered Orchid	<i>Dactylorhiza sambucina</i>	Orchidaceae	7	Turinski Krč (over)
Frog Orchid	<i>Dactylorhiza viridis</i>	Orchidaceae	7	Volarice (over)
Broad-leaved Helleborine	<i>Epipactis helleborine</i>	Orchidaceae	2	Plitvice lakes (leaves)
Small-leaved Helleborine	<i>Epipactis microphylla</i>	Orchidaceae	2	Plitvice lakes
Fragrant Orchid	<i>Gymnadenia conopsea</i>	Orchidaceae	6	Oštarijska vrata
Burnt-tip Orchid	<i>Neotinea ustulata</i>	Orchidaceae	3	Deringaj
Bird's-nest Orchid	<i>Neottia nidus-avis</i>	Orchidaceae	6	Oštarijska vrata
Common Twayblade	<i>Neottia ovata</i>	Orchidaceae	6	Baške Oštarije
Common Bee-orchid	<i>Ophrys apifera</i>	Orchidaceae	2	Plitvice lakes
Late Spider Orchid	<i>Ophrys fuciflora</i>	Orchidaceae	7	Oltari
Horned Bee Orchid	<i>Ophrys oestrifera rhodostephane</i>	Orchidaceae	5	Mali Vaganac
Lesser Butterfly Orchid	<i>Platanthera bifolia</i>	Orchidaceae	7	Turinski Krč
Greater Butterfly Orchid	<i>Platanthera chlorantha</i>	Orchidaceae	2	Plitvice lakes
Common Tongue Orchid	<i>Serapias lingua</i>	Orchidaceae	4	Bibinje
Ovate Goat Grass	<i>Aegilops geniculata</i>	Poaceae	5	Mala Paklenica
King Ranch Bluestem	<i>Bothriochloa ischaemum</i>	Poaceae	5	Mala Paklenica
Common Quaking Grass	<i>Briza media</i>	Poaceae	2	Homoljac
Orchard Grass	<i>Dactylis glomerata</i>	Poaceae	2	Plitvice lakes
Quack Grass	<i>Elymus repens</i>	Poaceae	5	Starigrad
Yorkshire Fog	<i>Holcus lanatus</i>	Poaceae	4	Bibinje
Prairie Junegrass	<i>Koeleria</i> cfr. <i>macrantha</i>	Poaceae	6	Studenci

E=Endemic, N=Near-endemic, I=Introduced				
Common name	Scientific name	Family	Day	First/best observation
Hare's Tail Grass	<i>Lagurus ovatus</i>	Poaceae	5	Mala Paklenica
Eyelash Grass	<i>Melica ciliata</i>	Poaceae	4	Bibinje
Mountain Melick	<i>Melica nutans</i>	Poaceae	2	Plitvice lakes
Common Reed	<i>Phragmites australis</i>	Poaceae	2	Plitvice lakes
Bulbous Bluegrass	<i>Poa bulbosa</i>	Poaceae	2	Homoljac
a needle Grass	<i>Stipa pennata</i>	Poaceae	3	Deringaj
Rough Bindweed	<i>Smilax aspera</i>	Smilacaceae	4	Bibinje (in fruit)