

# Hungary in Summer

Naturetrek Tour Report

7 - 14 August 2018



Eastern Hedgehog by Keith Warmington



Brown Hairstreak by Andy Harding



Night Heron by Andy Harding



Lesser Spotted Woodpecker by Keith Warmington

Report compiled by Andy Harding  
Images courtesy of Keith Warmington & Andy Harding



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)



Tour participants: Andy Harding & Gerard Gorman (leaders) with 13 Naturetrek clients

## Day 1

Tuesday 7th August

Andy met group members who were flying from Heathrow Airport Terminal 3 before a punctual take-off and an early arrival in Budapest. Unfortunately there was a delay before we were all re-united with our luggage, but eventually we met Gerard and New Zealander, Jenny and were soon speeding north in our comfortable minibus, driven by Norbert. The weather was sunny and warm. We had a picnic stop in Budgyi before a natural history stop at the northern end of Kiskunsag National Park. While the main attraction was the dozen Great Bustards, there were plenty of butterflies on the roadside including Short-tailed Blue and Chestnut Heath.

As we travelled on there were a couple of close fly-overs by Marsh Harriers and Turtle Doves. In open country we stopped alongside a farmstead with a huge herd of cattle in a vast pen alongside the road. Bee-eaters cruised around, with Tree Sparrow and Crested Lark also attracting attention. New butterflies were the familiar Red Admiral and Small Heath. A couple of Red-backed Shrikes were not pursued because they were a very frequent sight along the roadside. A mass of Bee-eaters in some dead trees did, however, bring us to a halt.

On reaching our guesthouse, Adam Tanya, those who explored the nearby fields were rewarded with a Hoopoe and the Dryad butterfly. Dinner was excellent: broccoli soup, spatchcock chicken with no bones, and a fruit board to die for. After plans for the next day were outlined, we went happily to bed.

## Day 2

Wednesday 8th August

The weather today was a clear blue sky, hot and sunny. Ten group members were at the moth trap at 6.30am and they were not disappointed. The catch included Small Elephant Hawk-moths, two Blacknecks, two Straw Belles, lots of Sharp-angled Peacocks, Swallow Prominents and the very attractive *Ascotis selenaria*, with singles of Plum Lappet, Double Line, Dewick's Plusia, Silver Barred and Delicate, as well as numerous other more familiar species. It was a great success and followed by a birding walk. This produced Black Redstart, Golden Oriole and Jay, as well as the purple Carpenter Bee and Rhinoceros Beetle. The whole environment was so rich that some stayed out up to the last minute before breakfast, adding Knapweed Fritillary to the list...and we hadn't yet left for our day in the field!

Our first stop was at a canal which immediately offered a very obliging juvenile Purple Heron, a juvenile Cuckoo, a brief flight view of two Bearded Reedlings, and two excellent dragonflies: Black-tailed Skimmer and Blue Featherlegs. Also of interest were a small number of heron pellets and some Roe Deer tracks. Near Kunszentmiklos a party of five Great Bustards and a small flock of Lapwings caught the eye. We retreated mid-morning into the village for a cold drink, only to find a whole swarm of Common Darters along the wires supporting the external sunshade.

We then moved to the Apaj puszta, before lunch finding Lesser Grey Shrikes and a Little Owl on some straw bales, and some well-photographed Berger's Clouded Yellow butterflies. As we did on several occasions during the week, a local café provided shade for us to eat our picnic, so long as we bought a drink or ice-cream or both, which was hardly a chore! Migrant Hawkers liked the café as well.

After lunch we found a small wood adjacent to the puszta and spent a good deal of time enjoying a party of Red-footed Falcons still occupying what would have been their breeding colony. A Praying Mantis attracted almost as much attention, but you had to venture out into the heat to get up close to the Pale Clouded Yellows. We were all able to see the difference under a lens between Southern and Moustached Darters.

We made several more stops. At the next canal a juvenile Night Heron sat motionless on the bank in full view, while Large Copper and Chalk-hill Blue butterflies were added to the list. At Domsod, the hoped-for Saker Falcon was on a nearby pylon long enough for everyone to see it, while a Brown Hare distracted on the track. At Valaszbuszta the canal yielded Lesser Emperor and Common Bluetails, a very large Sand Lizard which cooperated well for photographs, and Lesser Fiery Copper hit the butterfly list.

Given the heat we returned at 5pm to the hotel, which did not stop some going out for more butterflies which included Wood White, Chalk-hill Blue, Pale Clouded Yellow, Dryad and our first Cardinal. There was also a very attractive moth in the shape of Feathered Footman. A few of the group enjoyed the excellent swimming pool. Another splendid dinner, including real Goulash, and a lively log and post-log discussion sent everyone off to bed in good spirits.

## Day 3

## Thursday 9th August

It was another hot and sunny day. A Quail was calling during the early part of the moth trap examination, which was again excellent. A unexpected Cardinal butterfly was joined by 15 'new' macro moth species including Poplar Hawk-moth, Beautiful Hook-tip, Many Lined, Lewes Wave, Pebble Prominent, Pigmy Footman, Light-feathered and Clancy's Rustics, and many Scarce Bordered Straws.

Breakfast was enjoyed and the group was a little sad to leave our first guesthouse. Once on the road we only drove a couple of kilometres to get a close-up view of Suslik, the local Ground Squirrel. We needed supplies and took those on board in Lajosmisze, after which we took the motorway towards Budapest and then round the capital to the south-east.

We made an uneventful, but necessary, stop at a service station to use the facilities, but our second stop near Adacs was more targeted, since it was in the middle of an Eastern Imperial Eagle territory. We were treated to superb views of an adult which, having cruised around for a while, went into a stunning power dive. We were able to have a pleasant picnic lunch here in a rather deserted services; so unlike those in the UK. We left the motorway towards Debrecen and made a couple of open farmland stops. The butterflies were very lively in the heat. There were many Short-tailed Blues, Lesser Fiery Coppers and non-stop Clouded Yellow types, which did not allow for specific identification. Eastern Bath Whites were more obliging, as was a Roe Deer buck and a juvenile Eastern Imperial Eagle.

Lake Tisza was a delight, though it was very hot. We had superb views of Night Heron and Whiskered Tern. Also there were Adonis Blue and Eastern Short-tailed Blue butterflies, while Lesser Emperor dragonflies scooted about.

The much anticipated cold beers at our hotel in Balmazújvaros were very slow in coming, however it served decent food and the staff assisted in providing the wherewithal and permission to run a moth trap in this urban

location. The bar and indeed the whole hotel shut before 8.30pm so we visited a local bar, which attracted a small Green Toad. Many more of different sizes were noted on the return stroll to the hotel and around the moth trap before bed called.

## Day 4

Friday 10th August

The urban moth catch was much smaller, but still produced some interesting additions such as Archer's Dart, V-Pug, Cloaked Minor and Straw Underwing, with plenty of Scarce Bordered Straws and the regular Footmen. Tree Sparrows hopped around the small 'garden'. Those who visited the local park saw several Wood Warblers, many Green Toads and an Eastern Hedgehog. The latter was a great find, since previously we have only seen them as road casualties.

After breakfast we drove a short distance out of town and stopped at a canal. Skeins of Greylag Geese flew over and an adult Purple Heron showed little more than its neck. A stop at a second canal allowed for a much longer walk, during which woodpeckers figured large. Black Woodpecker was seen well in flight several times and two Syrian Woodpeckers were tricky to follow in the well-foliated trees. In addition, Green and Great Spotted Woodpeckers called unseen. Little Bitterns flew across the canal on a couple of occasions and everyone got a decent view. Common, Silver-studded and Short-tailed Blues were numerous and a Wood White was studied closely, but the first Common Glider of the trip caused most excitement and most difficulty in trying to photograph it.

It then seemed appropriate to take an ice-cream or cold drink in the village of Nagyhegnes, before moving on to Hajduszboslo fishponds, our next destination. The ponds themselves held a very large flock of Yellow-legged Gulls of all ages. Marsh Harriers and Purple Herons made a number of fly pasts and a group of juvenile Reed Warblers passed through the reeds alongside us, but the birding cream of the crop was two very obliging Penduline Tits, an adult and a juvenile, which gave numerous photographic opportunities. Despite many flowers, butterflies were not prolific and confined to already seen coppers and blues. We took lunch alongside the adjacent canal under a road bridge giving us welcome shade and the occasional breeze. Here we were accompanied by White-tailed Skimmers and Banded Demoiselles.

Our afternoon centred on Angyalhaza Puszta and we slowly meandered in the minibus between widely scattered farmsteads. Nearly all the bushes and other useful vegetation were alongside the road, so birdwatching from the bus was productive. Not surprisingly there were lots of Red-backed Shrikes, but at least a dozen of its larger cousin, the Lesser Grey Shrike, posed for us on shrub or fence. Some nice Stonechats drew a rather smaller audience. A large raptor on a small tree proved to be a Short-toed Snake Eagle, which eventually took off and soared above us, so we disembarked to appreciate its hovering hunting technique.

We eventually came to a small wood with flower-laden fields surrounding it. The first Small Coppers of the trip were found here, but perhaps more interesting was that if one stepped just a metre into the shade of the wood, a shower of Meadow Browns would take flight. Clearly they were finding it too hot as well! The wood had clearly been the site of another breeding colony of Red-footed Falcons and several were still around, giving us another chance to enjoy these wonderful birds. Watching these was interrupted by the appearance of two Long-legged Buzzards, another top predator on the Puszta. We had not driven far when another family party of Red-footed Falcons came into view, perched on a dead tree in perfect light. Then, just before the end of this road, a juvenile

was on the telegraph wires next to the bus and just wouldn't move. It was still there as we made our return journey, and not much further on a magnificent male posed on a nearby wooden fence: bird of the day or perhaps just bird of the afternoon!

Our final stop was alongside yet another canal. A yellow Tree Frog and a Grass Snake were perhaps overshadowed by the rather odd sight of two young men seriously 'fishing' with large magnets from the road bridge where we were parked...presumably they occasionally turn up something useful!

Back at the hotel drinks were a little easier to purchase, and they certainly turned up trumps with a splendid duck main course which we ate al fresco, which was much more comfortable.

## Day 5

## Saturday 11th August

Today was cooler with some light cloud. Scarce Silver-lines and August Thorn were the most striking of four new macro moths at the early morning gathering. Everyone then departed to the local park, only to find all the migrant passerines had also departed, presumably with the overnight air pressure change. However, our best views of Syrian Woodpecker and a Black-tailed Skimmer on an ornamental bush next to the wooden Great Bustard were sufficient compensation.

Having loaded up after breakfast, we set off towards the Bukk Hills and our final hotel. As always, canals here are magnets for wildlife and our stop at one outside Tiszacege was most timely. A flock of about 50 Common Cranes flew over, to be followed by many other groups and individuals until we had tallied 660+ flying close by past us. An amazing sight, particularly for August! These were all adults, so non-breeders who had not moved northwards as far as their breeding grounds, or possibly summered here. A scattered flock of about 20 White Storks feeding in a recently cut hay field with a couple of Rollers sitting on the bales was the next treat just a little further along the road.

Tiszacege itself provided a small supermarket to buy provisions, a Hobby being mobbed, and two opportunities to photograph White Storks on the nest. In Tiszafured we saw little wildlife but took on fuel and ice-creams! We made a different stop at Lake Tisza in the hope of seeing Pigmy Cormorant, of which we managed to find five, as well as a couple of Shoveler. Our next stop meant we travelled in the required direction but along poorer roads to see a very early roost of Long-eared Owls. Thankfully at least seven birds were still present and after a careful approach they relaxed, enabling some superb views to be had as well as a few photographs.

We took lunch on the bank of the shallow lake Hor-to. This proved an excellent choice. Firstly a White-tailed Eagle flew down and stood on a small sandspit, looking appropriately huge and long legged. Nearby were some Garganey, a few Teal, Greenshank, Common and Green Sandpipers and Little Ringed Plover. A couple of Grey Herons and a Great Egret stood on dead stumps out in the lake, and an adult Night Heron occupied another.

As we set up for lunch a large butterfly flew into a nearby Willow. It was a Lesser Purple Emperor, but of the form *chytie*. Lunch was thoroughly interrupted as cameras were grabbed. When normal service was resumed and lunch packed away, the next star find was a False Grayling, then a second with a couple of Dryads providing a distraction. A wider search found that several Lesser Purple Emperors were competing for territory along a belt of Willows, and just before departure two magnificent White-tailed Eagles flew majestically past.

Our final nature stop of the day was near Bogacs, at a deserted open air cinema (really!). In this mixture of meadow and woodland, the cloudier conditions made some of the butterflies more cooperative. So immediately there were Wood Whites, Silver-washed Fritillaries, many False Graylings up a stony hillside, Dryads and Common Gliders. New species were several Map Butterflies, some of which were very small, and a lovely Duke of Burgundy. At the highest point, as we walked through the wood, a deserted 'bodega' provided appropriate habitat for Woodland Graylings and a Jersey Tiger. A Hornet's nest was an area to be avoided. A pond just inside the wood was home to Blue-eyed Hawker, Southern Hawker of the blue form, Migrant Hawker and Ruddy Darter. Close by were Eastern Short-tailed Blues. It was a fabulous site and a fitting end to a tremendous day.

It was then only a short hop to the Hotel Sikfokut in Nosvaj. After checking us in, the staff could not have been more obliging in facilitating a power supply and position for our moth trap. Then came the superb buffet dinner which suited absolutely everybody...and the bar stayed open!

## Day 6

## Sunday 12th August

Today was warm and sunny. Despite a couple of Hornets, it was a worthwhile moth catch which included July Belle, Plain Wave, Tawny-speckled Pug, Royal Mantle, several Mochas and even more Light Emeralds. While not new, Jersey Tiger and Plum Lappet still drew admiration. The birdwatchers stroll started at 7am and they enjoyed Black and Grey-headed Woodpeckers flying over, and superb views of a perched Lesser Spotted Woodpecker and Hawfinches.

Our buffet breakfast was delicious. After setting off, a rather random stop at a field and little valley just east of the town while supplies were fetched lasted for more than twice as long as the planned 45 minutes. Oberthur's Grizzled Skipper, Lesser Fiery and Sooty Coppers, Dryad and Cardinal were joined by several Weaver's Fritillaries, some of them puzzlingly pale. A female Red-veined Darter was identified. Also a Short-toed Snake Eagle and three Honey Buzzards cruised over.

A previously successful butterfly site north of Cserepfalu was just as brilliant again. Virtually every thistle had a Silver-washed or High Brown Fritillary atop. Occasionally a Queen of Spain Fritillary, Common Glider, Common Swallowtail, Adonis Blue or Silver-spotted Skipper sneaked in for a nectar feed. The latter was the only new species here, but the sheer spectacle was magnificent. In between watching this, the odd stroll up adjacent paths saw a few birds such as Marsh Tit, Willow Warbler, Nuthatch, European Treecreeper and Middle Spotted Woodpecker.

A stop next to a mixed woodland east of Cserepfalu was chosen for our picnic - again a good choice. A Lesser Spotted Eagle cruised around obligingly, a Purple Hairstreak and an absolutely pristine Brown Hairstreak occupied the same tree, Woodland Graylings stogged around and there was compelling evidence that Engraver Beetles had killed a sizeable Pine tree.

A short valley and a few fields near Tard was our next short walk. The 'cliff', which a few weeks earlier would have been alive with Bee-eaters, contained just a collection of empty nest-holes. However there were a few Bee-eaters around and some lively Ravens. A male Large Copper with its wings open was a big draw, but a Lesser Spotted Fritillary was only seen and photographed by one of the group. There were more Weaver's Fritillaries

but most entertainment was provided by a Lesser Purple Emperor which was persistently feeding on the bottom of a Heather.

Our final stop at Bogacs-to saw a few Adonis and Chalk-hill Blues, a Chestnut Heath, an absolute plethora of Bordered Straw moths and, best of all, a Keeled Skimmer of the southern European form. This species was new to Sue and Steve, who were largely responsible for the precision and length of our dragonfly list.

Since we returned by 5pm most took a stroll away from the hotel and its surrounds up a track to Attila's spring. This was nicely productive with a small 'quarry' yielding Common Glider, Brown Hairstreak and Silver-spotted Skipper, with Dryad next to the pond (aka spring).

The moth trap having been set up, we enjoyed an al fresco dinner during which Kuhl's Pipistrelle was added to the bat list: this species was first confirmed in Hungary as lately as 1993.

## Day 7

## Monday 13th August

Today was warm and pleasant. Yet more new moths greeted us early doors with Barred Hook-tip, Purple Bar, Triple-spotted Clay and Lilac Beauty attracting most attention. Subsequently both Lesser and Middle Spotted Woodpeckers were seen well, and some Purple Hairstreaks were found on the ground.

After an excellent breakfast we set off for the Hor Valley, an area which figures in all the Hungary tours for good reason. As soon as we set off down the track at the entrance to this valley we started to see butterflies...dozens of them. Dozens of Silver-washed fritillaries, dozens of Dryads, dozens of Common Gliders and dozens of Woodland Graylings! It was simply amazing! A couple of Yellowhammers on the track distracted us briefly from the butterflies. There were a couple of small quarries alongside the track. At the first, Chalk-hill Blues enjoyed the open spaces and it was also host to our only Chequered Blue of the trip. At the second quarry a Grizzled Skipper joined the blues.

As we moved into more mature woodland, Jersey Tigers appeared at regular intervals and Speckled Woods joined what were now smaller numbers of the prolific species mentioned earlier. Lesser Purple Emperors were less in evidence than expected and High Brown Fritillaries were in only small numbers. False Graylings seemed to recognize our efforts in walking up and back through the valley by landing on sweaty clothes towards the end of the return journey. This whole experience will live long in the memory.

There was a large café area at the car park at the start of the valley and we took drinks and ice-creams here before moving into the hills and our picnic stop at Volgfo. Lesser and Middle Spotted Woodpeckers and Spotted Flycatcher were not unexpected here, but adding three butterfly species in the small meadow opposite was surprising: Great Banded Grayling, Scarce Copper and Dingy Skipper .

More cut meadows surrounded by woodland at Beret-ret was our first stop after lunch. No new butterfly species were added, but there were more than 15 species seen including Map Butterfly, Dryad, Silver-spotted Skipper, Great Banded Grayling, very obliging Common Swallowtail and Queen of Spain Fritillary, and a Sooty Copper hogging a throw-away tissue alongside the minibus.



Our next planned stop didn't come to fruition because of degraded habitat, so we returned to the drive-in cinema meadow and wood near Bogacs. In cloudy conditions it was not so prolific as previously, but the Maps, Blue and Migrant Hawkers and a very fresh Dinky Skipper, with Hawfinches flying over regularly, made it an excellent final group stop.

Not surprisingly, one or two of the group sneaked out for yet more birding round the lovely lake before dinner. Dinner was again excellent and a very jovial occasion, even if this was our last full day in Hungary. An appropriate tribute was paid to our Hungarian hosts.

## Day 8

## Tuesday 14th August

It was still warm today, but the coolest day of the trip and ideal for travelling back. We needed to leave at 8.30am for the journey back to Budapest, but that still gave us time for a moth trap before a breakfast specially prepared early for us. This proved the best catch of the week with over 100 Light Emeralds and other now-familiar species like Barred Hook-tip and Four-spotted Footman in good numbers. In addition to the large numbers there were some newcomers including the huge micro the Box Moth, Scarce Hook-tip, Fern, Red Underwing, and Square-spot Rustic. We were very keen on finding and identifying the moths, but since we had a little over 30 minutes every morning for moths before the birding walk, we concentrated on the macros with a final tally of over 100 species, and only a few striking micros. It was a very creditable effort by everybody, but mention should be made of Dave who was always first up, Matt who kept finding new stuff when we thought we had finished, and Keith, very helpful both in Hungary and with some subsequent identifications. Just a couple remain unidentified at the time of writing. Some still found time to do a bit of birding before the early, much appreciated, breakfast, which saw an influx of Sand Martins, a Goldcrest, Collared and Spotted Flycatchers, three species of woodpecker and Black Redstarts.

As always, the group was very prompt in boarding our minibus with all belongings, but not before a group photograph and a sad farewell to Noszvaj and our excellent final hotel. The journey to the airport, which accommodated a comfort stop, was problem free. We dropped Jenny at her airport hotel where she was staying before flying to Italy the next day, and then said farewell to our Hungarian friends, Gerard and Norbert, before assailing Budapest airport. While there was no danger of missing our plane, this was even more chaotic and lengthy than usual. However the flight and procedures at Heathrow were absolutely fine and we said fond farewells at the baggage reclaim.

This was a really super trip with a super group of people who were both enthusiastic and humorous. Andy has never had a group where everyone attended the log call every single night, with most up cheerily early the next day. Very enjoyable, thank you!

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Species Lists

Birds (✓=recorded but not counted; H = heard only)

	Common name	Scientific name	August							
			7	8	9	10	11	12	13	14
1	Greylag Goose	<i>Anser anser rubrirostris</i>			✓	150				
2	Mute Swan	<i>Cygnus olor</i>	✓		✓		✓			
3	Mallard	<i>Anas platyrhynchos</i>			✓	✓	✓	✓	✓	✓
4	Northern Shoveler	<i>Spatula clypeata</i>					✓			
5	Garganey	<i>Spatula querquedula</i>					✓			
6	Eurasian Teal	<i>Anas crecca</i>				✓	✓			
7	Common Quail	<i>Coturnix coturnix</i>			H					
8	Common Pheasant	<i>Phasianus colchicus</i>	✓	✓	✓			✓		
9	Little Grebe	<i>Tachybaptus ruficollis</i>				✓				
10	White Stork	<i>Ciconia ciconia</i>	✓	✓	✓	✓	✓			
11	Little Bittern	<i>Ixobrychus minutus</i>				2				
12	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>		1	5		✓			
13	Grey Heron	<i>Ardea cinerea</i>	✓	✓	✓	✓	✓	✓		✓
14	Purple Heron	<i>Ardea purpurea</i>		1	✓	✓	✓			
15	Great Egret	<i>Ardea alba</i>		✓	✓	✓	✓	✓		✓
16	Little Egret	<i>Egretta garzetta</i>			✓					
17	Pygmy Cormorant	<i>Microcarbo pygmeus</i>					5			
18	Great Cormorant	<i>Phalacrocorax carbo</i>			✓		✓			
19	European Honey Buzzard	<i>Pernis apivorus</i>						3	1	
20	Short-toed Snake Eagle	<i>Circaetus gallicus</i>				1		1		
21	Lesser Spotted Eagle	<i>Clanga pomarina</i>						1		
22	Eastern Imperial Eagle	<i>Aquila heliaca</i>			2					
23	Eurasian Sparrowhawk	<i>Accipiter nisus</i>						1		
24	Western Marsh Harrier	<i>Circus aeruginosus</i>	✓	✓	✓	✓	✓			✓
25	White-tailed Eagle	<i>Haliaeetus albicilla</i>					2			
26	Long-legged Buzzard	<i>Buteo rufinus</i>				2				
27	Common Buzzard	<i>Buteo buteo</i>	✓	✓	✓	✓	✓	✓		✓
28	Great Bustard	<i>Otis tarda</i>	12	5						
29	Common Moorhen	<i>Gallinula chloropus</i>				✓		✓		
30	Eurasian Coot	<i>Fulica atra</i>					✓			
31	Common Crane	<i>Grus grus</i>					660			
32	Northern Lapwing	<i>Vanellus vanellus</i>		✓		✓	✓			✓
33	Little Ringed Plover	<i>Charadrius dubius</i>					✓			
34	Common Greenshank	<i>Tringa nebularia</i>			✓		✓			
35	Wood Sandpiper	<i>Tringa glareola</i>		✓			✓			
36	Common Sandpiper	<i>Actitis hypoleucos</i>				✓	✓			
37	Yellow-legged Gull	<i>Larus michahellis</i>		✓	✓	✓	✓			
38	Whiskered Tern	<i>Chlidonias hybrida</i>			✓	✓	✓			
39	Rock Dove (Feral Pigeon)	<i>Columba livia var. domestica</i>	✓	✓	✓	✓	✓	✓	✓	✓
40	Stock Dove	<i>Columba oenas</i>						1	H	
41	Common Wood Pigeon	<i>Columba palumbus</i>	✓	✓	✓	✓	✓	✓	✓	✓
42	European Turtle Dove	<i>Streptopelia turtur</i>	✓	✓	✓	✓	✓	✓		✓
43	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓	✓	✓	✓	✓	✓	✓	✓
44	Common Cuckoo	<i>Cuculus canorus</i>		1						
45	Tawny Owl	<i>Strix aluco</i>					H			
46	Little Owl	<i>Athene noctua</i>		1						
47	Long-eared Owl	<i>Asio otus</i>					7			

	Common name	Scientific name	August								
			7	8	9	10	11	12	13	14	
48	European Roller	<i>Coracias garrulus</i>	✓	✓	✓	✓	✓				
49	Common Kingfisher	<i>Alcedo atthis</i>						1			
50	European Bee-eater	<i>Merops apiaster</i>	✓	✓	✓				✓		
51	Eurasian Hoopoe	<i>Upupa epops</i>	✓	✓	✓	✓	✓			✓	
52	Middle Spotted Woodpecker	<i>Dendrocoptes medius</i>							✓	✓	✓
53	Lesser Spotted Woodpecker	<i>Dryobates minor</i>							✓	✓	✓
54	Syrian Woodpecker	<i>Dendrocopos syriacus</i>				2	1	1			
55	Great Spotted Woodpecker	<i>Dendrocopos major</i>			✓	H	✓	✓	✓		
56	Black Woodpecker	<i>Dryocopus martius</i>				1		1			
57	European Green Woodpecker	<i>Picus viridis</i>				H	H	H	H		
58	Grey-headed Woodpecker	<i>Picus canus</i>						1			
59	Common Kestrel	<i>Falco tinnunculus</i>	✓	✓	✓	✓	✓				
60	Red-footed Falcon	<i>Falco vespertinus</i>		9		12	✓				
61	Eurasian Hobby	<i>Falco subbuteo</i>					✓				
62	Saker Falcon	<i>Falco cherrug</i>		1							
63	Red-backed Shrike	<i>Lanius collurio</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
64	Lesser Grey Shrike	<i>Lanius minor</i>		✓	✓	✓	✓				
65	Eurasian Golden Oriole	<i>Oriolus oriolus</i>		✓							
66	Eurasian Jay	<i>Garrulus glandarius</i>		✓	H		✓	✓	✓	✓	✓
67	Eurasian Magpie	<i>Pica pica</i>	✓	✓	✓	✓					
68	Western Jackdaw	<i>Coloeus monedula</i>				✓					
69	Rook	<i>Corvus frugilegus</i>		✓	✓	✓					
70	Hooded Crow	<i>Corvus cornix</i>	✓	✓	✓		✓				
71	Northern Raven	<i>Corvus corax</i>					✓	✓	✓		
72	Marsh Tit	<i>Poecile palustris</i>						✓	✓	✓	✓
73	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>			✓					✓	
74	Great Tit	<i>Parus major</i>				✓	✓	✓	✓		
75	Eurasian Penduline Tit	<i>Remiz pendulinus</i>				2	✓	✓			
76	Bearded Reedling	<i>Panurus biarmicus</i>		✓							
77	Eurasian Skylark	<i>Alauda arvensis</i>		✓							
78	Crested Lark	<i>Galerida cristata</i>	✓		✓						
79	Sand Martin	<i>Riparia riparia</i>									✓
80	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
81	Common House Martin	<i>Delichon urbicum</i>	✓	✓	✓	✓	✓	80			
82	Long-tailed Tit	<i>Aegithalos caudatus</i>								✓	
83	Willow Warbler	<i>Phylloscopus trochilus</i>							✓		
84	Common Chiffchaff	<i>Phylloscopus collybita</i>							✓	✓	
85	Wood Warbler	<i>Phylloscopus sibilatrix</i>				✓				✓	
86	Great Reed Warbler	<i>Acrocephalus arundinaceus</i>		H							
87	Sedge Warbler	<i>Acrocephalus schoenobaenus</i>			✓						
88	Eurasian Reed Warbler	<i>Acrocephalus scirpaceus</i>				✓					
89	Eurasian Blackcap	<i>Sylvia atricapilla</i>				✓		✓			
90	Common Whitethroat	<i>Sylvia communis</i>								H	
91	Goldcrest	<i>Regulus regulus</i>									✓
92	Eurasian Nuthatch	<i>Sitta europaea</i>							✓	✓	
93	Eurasian Treecreeper	<i>Certhia familiaris</i>							✓	✓	
94	Short-toed Treecreeper	<i>Certhia brachydactyla</i>								✓	
95	Common Starling	<i>Sturnus vulgaris</i>	✓	✓	✓	✓	✓	✓			
96	Common Blackbird	<i>Turdus merula</i>				✓	✓	✓	✓	✓	✓
97	Song Thrush	<i>Turdus philomelos</i>							✓	✓	✓
98	Spotted Flycatcher	<i>Muscicapa striata</i>								✓	

	Common name	Scientific name	August								
			7	8	9	10	11	12	13	14	
99	European Robin	<i>Erithacus rubecula</i>							✓	✓	
100	Collared Flycatcher	<i>Ficedula albicollis</i>						1			1
101	Black Redstart	<i>Phoenicurus ochruros</i>	✓	✓	✓					✓	✓
102	European Stonechat	<i>Saxicola rubicola</i>		✓		✓			✓		
103	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
104	Eurasian Tree Sparrow	<i>Passer montanus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
105	Yellow Wagtail sp.	<i>Motacilla flava sp</i>			✓			✓			
106	Grey Wagtail	<i>Motacilla cinerea</i>								✓	✓
107	White Wagtail	<i>Motacilla alba</i>	✓		✓			✓	✓		
108	Tawny Pipit	<i>Anthus campestris</i>				✓					
109	Common Chaffinch	<i>Fringilla coelebs</i>		✓	✓	✓	✓	✓	✓	✓	
110	Hawfinch	<i>Coccothraustes coccothraustes</i>							✓	✓	✓
111	European Greenfinch	<i>Chloris chloris</i>	✓	✓	✓				✓	✓	✓
112	Common Linnet	<i>Linaria cannabina</i>	✓	✓					✓		
113	European Goldfinch	<i>Carduelis carduelis</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
114	European Serin	<i>Serinus serinus</i>	✓	H							
115	Corn Bunting	<i>Emberiza calandra</i>			✓						
116	Yellowhammer	<i>Emberiza citrinella</i>								✓	

## Butterflies

1	Swallowtail	<i>Papilio machaon</i>		✓			✓	✓	✓	
2	Scarce Swallowtail	<i>Iphiclides podalirius</i>	✓	✓	✓	✓	✓	✓	✓	
3	Large White	<i>Pieris brassicae</i>	✓	✓	✓	✓	✓	✓	✓	
4	Small White	<i>Pieris rapae</i>		✓	✓		✓	✓	✓	
5	Green-veined White	<i>Pieris napi</i>		✓		✓		✓	✓	
6	Eastern Bath White	<i>Pontia edusa</i>	✓	✓	✓	✓		✓	✓	
7	Pale Clouded Yellow	<i>Colias hyale</i>		✓				✓		
8	Clouded Yellow	<i>Colias crocea</i>	✓	✓	✓	✓	✓	✓	✓	
9	Berger's Clouded Yellow	<i>Colias alfacariensis</i>		✓						
10	Wood White	<i>Leptidea sinapis</i>	✓	✓		✓	✓	✓	✓	
11	Brown Hairstreak	<i>Thecla betulae</i>						✓	✓	
12	Purple Hairstreak	<i>Quercusia quercus</i>					✓	✓	✓	
13	Small Copper	<i>Lycaena phlaeas</i>				✓		✓		
14	Large Copper	<i>Lycaena dispar</i>		✓		✓		✓		
15	Scarce Copper	<i>Lycaena vigeureae</i>								✓
16	Sooty Copper	<i>Lycaena tityrus</i>			✓			✓	✓	
17	Lesser Fiery Copper	<i>Lycaena thersamon</i>		✓	✓	✓		✓		
18	Short-tailed Blue	<i>Everes argiades</i>	✓	✓	✓	✓	✓	✓	✓	
19	Provençal Short-tailed Blue	<i>Everes alcetis</i>						✓		
20	Eastern Short-tailed Blue	<i>Everes decoloratus</i>			✓		✓	✓	✓	
21	Little Blue	<i>Cupido minimus</i>			✓			✓	✓	
22	Holly Blue	<i>Celastrina argiolus</i>	✓		✓			✓	✓	
23	Chequered Blue	<i>Scolitantides orion</i>								✓
24	Silver-studded Blue	<i>Plebejus argus</i>	✓	✓	✓	✓	✓	✓	✓	
25	Brown Argus	<i>Aricia agestis</i>				✓		✓		
26	Mazarine Blue	<i>Cyaniris semiargus</i>		✓						
27	Chalk-hill Blue	<i>Lysandra coridon</i>		✓	✓			✓	✓	
28	Adonis Blue	<i>Lysandra bellargus</i>		✓	✓			✓		
29	Common Blue	<i>Polyommatus icarus</i>		✓		✓	✓	✓	✓	
30	Duke of Burgundy Fritillary	<i>Hamearis lucin</i>					✓	✓		
31	Lesser Purple Emperor	<i>Apatura ilia</i>					✓	✓	✓	

	Common name	Scientific name	August							
			7	8	9	10	11	12	13	14
31a	Lesser Purple Emperor	<i>Apatura ilia form clytie</i>					✓			
32	Common Glider	<i>Neptis sappho</i>				✓	✓	✓	✓	
33	Peacock	<i>Aglais io</i>							✓	
34	Red Admiral	<i>Vanessa atalanta</i>	✓	✓	✓	✓	✓	✓	✓	
35	Painted Lady	<i>Vanessa cardui</i>			✓					
36	Comma	<i>Polygonum c-album</i>				✓	✓	✓	✓	
37	Map Butterfly	<i>Araschnia levana</i>					✓	✓	✓	
38	Cardinal	<i>Argynnis pandora</i>		✓	✓			✓		
39	Silver-washed Fritillary	<i>Argynnis paphia</i>					✓	✓	✓	
39a	Silver-washed Fritillary	<i>Argynnis paphia forma valesina</i>						✓	✓	
39b	Silver-washed Fritillary	<i>Argynnis paphia forma argyrea</i>						✓		
40	High Brown Fritillary	<i>Argynnis adippe</i>						✓	✓	
41	Queen of Spain Fritillary	<i>Issoria lathonia</i>						✓	✓	
42	Weaver's Fritillary	<i>Clossiana dia</i>						✓	✓	
43	Knapweed Fritillary	<i>Melitaea phoebe</i>		✓	✓			✓		
44	Lesser Spotted Fritillary	<i>Melitaea trivia</i>						✓		
45	Marbled White	<i>Melanargia galathea</i>						✓		
46	Woodland Grayling	<i>Hipparchia fagi</i>					✓	✓	✓	
47	Dryad	<i>Minois dryas</i>	✓	✓	✓		✓	✓	✓	
48	Great Banded Grayling	<i>Kanetisa circe</i>							✓	
49	False Grayling	<i>Arethusana arethusa</i>					✓	✓	✓	
50	Meadow Brown	<i>Maniola jurtina</i>	✓	✓	✓	✓	✓	✓	✓	
51	Small Heath	<i>Coenonympha pamphilus</i>	✓	✓	✓	✓	✓	✓	✓	
52	Chestnut Heath	<i>Coenonympha glycerion</i>	✓	✓	✓	✓	✓	✓	✓	
53	Speckled Wood	<i>Pararge aegeria tircis</i>				✓			✓	
54	Wall Brown	<i>Lasiommata megera</i>		✓	✓				✓	
55	Grizzled Skipper	<i>Pyrgus malvae</i>							✓	
56	Oberthur's Grizzled Skipper	<i>Pyrgus armoricanus</i>			✓			✓		
57	Mallow Skipper	<i>Carcharodus alceae</i>			✓		✓	✓		
58	Tufted Marbled Skipper	<i>Carcharodus flocciferus</i>			✓		✓	✓	✓	
59	Dingy Skipper	<i>Erynnis tages</i>							✓	
60	Small Skipper	<i>Thymelicus sylvestris</i>						✓	✓	
61	Silver-spotted Skipper	<i>Hesperia comma</i>						✓	✓	
62	Large Skipper	<i>Ochlodes venatus</i>	✓	✓	✓	✓	✓	✓	✓	

## Mammals

Common Pipistrelle, *Pipistrellus pipistrellus*  
 Nathusius' Pipistrelle, *Pipistrelleu nathusii*  
 Serotine Bat, *Eptesicus serotinus*  
 European Hare, *Lepus europaeus*  
 European Souslik, *Spermophilus citellus*  
 Short-tailed Field Vole, *Microtus agrestis*

Kühl's Pipistrelle, *Pipistrellus kuilii*  
 Noctule Bat, *Nyctalus noctula*  
 European Roe Deer, *Capreolus capreolus*  
 Red Squirrel, *Sciurus vulgaris*  
 Eastern Hedgehog, *Erinacius concolor*

## Amphibians & Reptiles

Green Toad, *Bufo viridis*  
 Common Frog, *Rana temporaria*  
 Marsh Frog, *Rana ridibundus*  
 Sand Lizard, *Lacerta agilis*  
 Common Wall Lizard, *Podarcis muralis*

Common Tree Frog, *Hyla arborea*  
 Edible Frog, *Rana kl. esculenta*  
 European Pond Terrapin, *Emys orbicularis*  
 Eastern Green Lizard, *Lacerta viridis*  
 Grass Snake, *Natrix natrix*

## Moths: (Micros)

An Ypsolophid, *Ypsolopha sequella*  
 A Pyralid, *Oncocera semirubella*  
 A Crambid, *Paracorsia repandalis*  
 Box Tree Moth, *Cydalima perspectalis*

A Pyralid, *Hypsopygia glaucinalis*  
 A Crambid, *Sitochroa verticalis*  
 Mother of Pearl, *Pleuroptya ruralis*  
 Rush Veneer, *Nomophila noctuella*

## Moths: (Macros)

Six-spot Burnet, *Zygaena filipendulae*  
 Oak Hook-tip, *Watsonalla binaria*  
 Scarce Hook-tip, *Sabra harpagula*  
 Chinese Character, *Cilix glaucata*  
 Little Emerald, *Jodis lactearia*  
 Maiden's Blush, *Cyclophora punctata*  
 Lewes Wave, *Scopula immorata*  
 Least Carpet, *Idaea rusticata atrosignaria*  
 Purple-bordered Gold, *Idaea muricata f. aurovaria*  
 Dwarf Cream Wave, *Idaea fuscovenosa*  
 Portland Riband Wave, *Idaea degeneraria*  
 A Wave, *Lythria purpurata*  
 Royal Mantle, *Catarhoe cuculata*  
 Yellow Shell, *Campptogramma bilineata*  
 Fern, *Horisme tersata*  
 Clouded Border, *Lomaspilis marginata*  
 Sharp-angled Peacock, *Macaria alternata*  
 V-Pug, *Chloroclystis v-ata*  
 A Geometrid, *Isturgia arenacearia*  
 August Thorn, *Emmonos quercinaria*  
 Willow Beauty, *Peribatodes rhomboidana*  
 Engrailed, *Ectropis bistortata*  
 Light Emerald, *Campaea margaritata*  
 Poplar Hawk-moth, *Laothoe populi*  
 Small Elephant Hawk-moth, *Deilephila porcellus*  
 Swallow Prominent, *Pheosia tremula*  
 Chocolate Tip, *Clostera curtula*  
 Vapourer, *Orgyia antiqua*  
 Dotted Footman, *Pelosia muscerda*  
 Pigmy Footman, *Eilema pygmaeola*  
 Common Footman, *Eilema lurideola*  
 Feathered Footman, *Spiris striata*  
 Jersey Tiger, *Euplagia quadripunctata*  
 Square-spot Dart, *Euxoa obelisca*  
 Archer's Dart, *Agrotis vestigialis*  
 Heart and Dart, *Agrotis exclamationis*  
 Plain Clay, *Eugnorisma depuncta*  
 Triple-spotted Clay, *Xestia ditrapezium*  
 A Noctuid, *Auchmis detersa*

Plum Lappet, *Odonestis pruni*  
 Barred Hook-tip, *Watsonalla cultraria*  
 Pebble Hook-tip, *Drepana falcataria*  
 Small Grass Emerald, *Chlorissa viridata*  
 Mocha, *Cyclophora annularia*  
 Blood-vein, *Timandra comae*  
 Small Blood-vein, *Scopula imitaria*  
 Rose-banded Wave, *Rhodostrophia vibicaria*  
 Least Carpet, *Idaea rusticata atrosignaria*  
 Riband Wave, *Idaea aversata*  
 Plain Wave, *Idaea straminata*  
 July Belle, *Scotopteryx luridata*  
 Many-lined, *Costaconvex polygrammata*  
 Purple Bar, *Cosmorhoe ocellata*  
 Green Carpet, *Colostygia pectinataria*  
 Scorched Carpet, *Ligdia adustata*  
 Tawny Speckled Pug, *Eupithecia icterata*  
 Latticed Heath, *Chiasmia clathrata*  
 Lilac Beauty, *Apeira syringaria*  
 A Geometrid, *Compsoptera Opacaria*  
 European Geometrid, *Ascotis selenaria*  
 Common Heath, *Ematurga atomaria*  
 Straw Belle, *Aspitates gilvaria gilvaria*  
 Humming-bird Hawk-moth, *Macroglossum stellatarum*  
 Pebble Prominent, *Notodonta ziczac*  
 Pale Prominent, *Pterostomopalpina*  
 Greater Chocolate-tip, *Clostera anastomosis*  
 Round-winged Muslin, *Thumatha senex*  
 Hoary Footman, *Eilema caniola*  
 Scarce Footman, *Eilema complana*  
 Four-spotted Footman, *Lithosia quadra*  
 Clouded Buff, *Diacrisia sannio*  
 Scarce Black Arches, *Nola aerugula*  
 Light Feathered Rustic, *Agrotis cinerea*  
 Heart and Club, *Agotis clavis*  
 Lesser Broad-bordered Yellow Underwing, *Noctua janthe*  
 Purple Clay, *Diarsia brunnea*  
 Nutmeg, *Discestra trifolii*  
 Double Line, *Mythimna turca*

Bright-line Brown-eye, *Lacanobia oleracea*  
 Delicate, *Mythimna vitellina*  
 Poplar Grey, *Acronicta megacephala*  
 Angle Shades, *Phlogophora meticulosa*  
 Dun-bar, *Cosmia trapezina*  
 Cloaked Minor, *Mesoligia furuncula*  
 Vine's Rustic, *Hoplodrina ambigua*  
 Scarce Bordered Straw, *Helicoverpa armigera*  
 Silver Barred, *Deltote bankiana*  
 Cream-bordered Green Pea, *Earias clorana*  
 Dewick's Plusia, *Macdunnoughia confusa*  
 Red Underwing, *Catocala nupta*  
 Four-spotted, *Tyta luctuosa*  
 Lesser Belle, *Colobochoyla salicalis*  
 A Fanfoot, *Polypogon tentaculara*

Clay, *Mythimna ferrago*  
 A Noctuid, *Oxicest chamoenices*  
 Copper Underwing, *Amphiptra pyramidea*  
 Straw Underwing, *Thalpophila matura*  
 Marbled Minor agg., *Oligia strigilis*  
 Common Rustic agg., *Mesapamea agg.*  
 Clancy's Rustic, *Platyperigea kadenii*  
 Bordered Straw, *Heliothis peltigera*  
 Spotted Sulphur, *Emmelia trabealis*  
 Scarce Silver-lines, *Bena bicolorana*  
 Silver-Y, *Autographa gamma*  
 Burnet Companion, *Euclida glyphica*  
 Blackneck, *Lygephila pastinum*  
 Beautiful Hook-tip, *Laspeyria flexula*  
 Clay Fan-foot, *Paracolax tristalis*

## Dragonflies & Damselflies

Banded Demoiselle, *Calopteryx splendens*  
 Common Bluet, *Enallagma cyathigerum*  
 Blue Featherleg, *Platycnemis pennipes*  
 Blue Hawker, *Aeshna cyanea*  
 Lesser Emperor, *Anax parthenope*  
 White-tailed Skimmer, *Orthetrum albistylum*  
 Keeled Skimmer, *Orthetrum coerulescens*  
 Southern Darter, *Sympetrum meridionale*  
 Common Darter, *Sympetrum striolatum*

Migrant Spreadwing, *Lestes barbarus*  
 Common Bluetail, *Ischnura elegans*  
 Blue-eyed Hawker, *Aeshna affinis*  
 Migrant Hawker, *Aeshna mixta*  
 Broad Scarlet, *Crocothemis erythraea*  
 Black-tailed Skimmer, *Orthetrum cancellatum*  
 Red-veined Darter, *Sympetrum fonscolombii*  
 Ruddy Darter, *Sympetrum sanguineum*  
 Moustached Darter, *Sympetrum vulgatum*

## Other Invertebrates

Nose Grasshopper, *Acrida ungarica*  
 Blue-winged Grasshopper, *Oedipoda caerulescens*  
 Praying Mantis, *Mantis religiosa*  
 Fire Bug, *Pyrrhocoris apterus*  
 Scorpion Fly, *Panorpa meridionalis*  
 Drone-fly, *Eristalis tenax*  
 Picture-wing Fly, *delphinia picta*  
 Carpenter Bee sp., *Xylocopa* sp.  
 White-tailed Bumblebee, *Bombus lucorum*  
 Common Carder Bee, *Bombus pascuorum*  
 Dor Beetle, *Geotrupes stercorarius*  
 Harlequin Ladybird, *Harmonia axyridis*  
 Crab Spider, *Misumena vatia*

Red-winged Grasshopper, *Oedipoda germanica*  
 Dark Bush-cricket, *Pholidoptera griseoptera*  
 Forest Bug, *Pentatoma rufipes*  
 Common Pond Skater, *Gerris lacustris*  
 A Horse-fly, *Tabanidae* sp.  
 Hover-fly, *Helophilus hybridus*  
 Hornet, *Vespa crabro*  
 Honey Bee, *Apis mellifera*  
 Red-tailed Bumblebee, *Bombus lapidarius*  
 Rhinoceros Beetle, *Sinodendron cylindricum*  
 Rose Chafer, *Cetonia aurata*  
 Wasp Spider, *Argiope segmentata*  
 Robin's Pin-cushion, *Diplolepis rosea*

## Molluscs

Roman Snail, *Helix pomatia*

Freshwater Mussel, *Margaritifera margaritifera*

## Plants

Please Note: Nomenclature contained within this list follows the taxonomic amendments, based on DNA analysis, made by the Royal Botanic Gardens, Kew and the Missouri Botanic Garden, and follows The Plant List, an internationally accepted list of vascular plant families, published and maintained by these two Institutions.

<b>Scientific name</b>	<b>Common name</b>
<b>PTERIDOPHYTES</b>	
<b>Calamophytes</b>	
<b>Equisetaceae</b>	<b>Horsetail Family</b>
<i>Equisetum arvense</i>	Field Horsetail
<b>Leptosporangiate Ferns</b>	
<b>Salviniaceae</b>	<b>Water-fern Family</b>
<i>Salvinia natans</i>	Floating Fern
<b>Pre-Dicots</b>	
<b>Aristolochiaceae</b>	<b>Birthwort Family</b>
<i>Aristolochia clematitis</i>	Birthwort
<i>Asarum europaeum</i>	Asarabacca
<b>Nymphaeaceae</b>	<b>Water-lily Family</b>
<i>Nuphar lutea</i>	Yellow Water-lily
<b>Eu-Dicots</b>	
<b>Adoxaceae</b>	<b>Moschatel Family</b>
<i>Sambucus ebulus</i>	Dwarf Elder
<i>Sambucus nigra</i>	Elder
<i>Viburnum lantana</i>	Wayfaring-tree
<b>Amaranthaceae</b>	<b>Pigweed family</b>
<i>Amaranthus bouchonii</i>	-
<i>Amaranthus hybridus</i>	Green Pigweed
<i>Amaranthus patulus</i>	-
<i>Chenopodium album</i>	Fat Hen
<i>Chenopodium glaucum</i>	Oak-leaved Goosefoot
<i>Salsola kali</i>	Prickly Saltwort
<b>Anacardiaceae</b>	<b>Sumach Family</b>
<i>Rhus typhina</i>	Stag's-horn Sumach
<b>Apiaceae</b>	<b>Carrot Family</b>
<i>Berula erecta</i>	Lesser Water-parsnip
<i>Bupleurum falcatum</i>	Sickle-leaved Hare's-ear
<i>Bupleurum tenuissimum</i>	Narrow-leaved Hare's-ear
<i>Eryngium campestre</i>	Field Eryngo
<i>Falcaria planum</i>	-



<b>Scientific name</b>	<b>Common name</b>
<i>Falcaria vulgaris</i>	Long-leaf
<i>Daucus carota</i>	Wild Carrot
<i>Heracleum sphondylium</i>	Hogweed
<i>Pastinaca sativa</i>	Wild Parsnip
<i>Seseli libanotis (Libanotis pyrenaica)</i>	Moon Carrot
<i>Torilis arvensis</i>	Spreading Hedge-parsley
<i>Torilis japonica</i>	Upright Hedge-parsley
<b>Araliaceae</b>	<b>Ivy Family</b>
<i>Hedera helix</i>	Common Ivy
<b>Asclepiadaceae</b>	<b>Milkweed Family</b>
<i>Asclepia syriaca</i>	Milkweed
<b>Balsaminaceae</b>	<b>Balsam Family</b>
<i>Impatiens parviflora</i>	Small Balsam
<b>Berberidaceae</b>	<b>Barberry Family</b>
<i>Berberis vulgaris</i>	Barberry
<b>Betulaceae</b>	<b>Birch Family</b>
<i>Alnus glutinosa</i>	Alder
<i>Carpinus betulus</i>	Hornbeam
<i>Corylus avellana</i>	Hazel
<b>Boraginaceae</b>	<b>Borage Family</b>
<i>Anchusa arvensis</i>	Bugloss
<i>Echium vulgare</i>	Viper's-bugloss
<i>Heliotropus europaeus</i>	Heliotrope
<i>Lappula squarosa</i>	Bur Forget-me-not
<i>Myosotis scorpioides</i>	Water Forget-me-not
<i>Symphytum officinale</i>	Common Comfrey
<b>Brassicaceae</b>	<b>Cabbage Family</b>
<i>Alyssum montanum</i>	Mountain Alison
<i>Armoracea rusticana</i>	Horse-raddish
<i>Berteroa incana</i>	Hoary Alison
<i>Descurainia sophia</i>	Flixweed
<i>Rorippa sylvestris</i>	Creeping Yellow-cress
<i>Sisymbrium strictissimum</i>	Tumbling Mustard
<i>Thlaspi arvense</i>	Field Penny-cress
<b>Campanulaceae</b>	<b>Bellflower Family</b>
<i>Asyneuma canescens</i>	-
<i>Campanula persicifolia</i>	Peach-leaved Bellflower
<i>Campanula rapunculoides</i>	Rampion Bellflower
<i>Campanula rotundifolium</i>	Harebell
<i>Campanula trachelium</i>	Nettle-leaved Bellflower
<b>Cannabaceae</b>	<b>Cannabis Family</b>
<i>Cannabis sativa</i>	Cannabis or Hemp

<b>Scientific name</b>	<b>Common name</b>
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>
<i>Cephalaria transylvanica</i>	-
<i>Dipsacus fullonum</i>	Teasel
<i>Dipsacus laciniatus</i>	Cut-leaved Teasel
<i>Dipsacus pilosus</i>	Small Teasel
<i>Knautia arvensis</i>	Field Scabious
<i>Scabiosa ochroleuca</i>	Yellow Scabious
<b>Caryophyllaceae</b>	<b>Pink Family</b>
<i>Cerastium arvense</i>	Field Mouse-ear
<i>Dianthus arenaria</i>	-
<i>Dianthus armeria</i>	Deptford Pink
<i>Petrorhagia dubia (P. velutina)</i>	a Pink
<i>Petrorhagia prolifera</i>	Proliferous Pink
<i>Petrorhagia saxifraga</i>	Tunic Flower
<i>Sagina nodosa</i>	Knotted Pearlwort
<i>Saponaria officinalis</i>	Soapwort
<i>Silene baccifera</i>	Berry Catchfly
<i>Silene latifolia</i>	White Champion
<i>Silene otites</i>	Spanish Catchfly
<i>Silene vulgaris</i>	Bladder Champion
<i>Stellaria media</i>	Common Chickweed
<i>Stellaria nemorum</i>	Wood Stitchwort
<b>Celastraceae</b>	<b>Spindle Family</b>
<i>Euonymus europaeus</i>	Spindle
<i>Euonymus verucosus</i>	Eastern Spindle
<b>Ceratophyllaceae</b>	<b>Hornwort Family</b>
<i>Ceratophyllum demersum</i>	Rigid Hornwort
<b>Cistaceae</b>	<b>Rock-rose Family</b>
<i>Fumana ericoides</i>	a Fumana
<b>Compositae (Asteraceae)</b>	<b>Daisy Family</b>
<i>Achillea aspleniifolia</i>	a Milfoil
<i>Achillea millefolium</i>	Yarrow
<i>Ambrosia artemisiifolia</i>	Ragweed
<i>Arctium minus</i>	Lesser Burdock
<i>Arctium tomentosum</i>	-
<i>Artemisia absinthium</i>	Wormwood
<i>Artemisia maritima</i>	Sea Wormwood
<i>Artemisia vulgaris</i>	Mugwort
<i>Bidens frondosa</i>	Beggarticks
<i>Bidens tripartita</i>	Trifid Bur-marigold
<i>Carduus crassifolius</i> subsp. <i>glaucus</i>	
<i>Carduus crispus</i>	Wetted Thistle
<i>Carlina vulgaris</i> subsp. <i>vulgaris</i>	Carlina Thistle
<i>Centaurea jacea</i> subsp. <i>angustifolia</i>	-
<i>Centaurea jacea</i> subsp. <i>jacea</i>	-
<i>Cichorium intybus</i>	Chicory
<i>Cirsium arvense</i>	Creeping Thistle
<i>Cirsium canum</i>	-

<b>Scientific name</b>	<b>Common name</b>
<i>Conyza canadensis</i>	Canadian Fleabane
<i>Crepis foetida</i> subsp. <i>rhoeadifolia</i>	a Hawksbeard
<i>Echinops ruthenicus</i>	-
<i>Echinops sphaerocephalus</i>	Globe Thistle
<i>Erigeron annuus</i>	-
<i>Galinsoga quadriradiata</i>	Gallant-soldier
<i>Inula ensifolia</i>	-
<i>Lactuca virosa</i>	Great Lettuce
<i>Mycelis muralis</i>	Wall Lettuce
<i>Onopordum acanthium</i>	Cotton Thistle
<i>Solidago canadensis</i>	Canadian Goldenrod
<i>Solidago gigantea</i>	-
<i>Solidago virgaurea</i>	Goldenrod
<i>Sonchus arvensis</i>	Sow-thistle
<i>Sonchus palustris</i>	Marsh Sow-thistle
<i>Tanacetum vulgare</i>	Tansy
<i>Telekia speciosa</i>	-
<i>Xanthium italicum</i>	-
<i>Xanthium spinosum</i>	Spiny Cocklebur
<b>Convolvulaceae</b>	<b>Bindweed Family</b>
<i>Calystegia sepium</i>	Hedge Bindweed
<i>Convolvulus arvensis</i>	Field Bindweed
<i>Cuscuta campestris</i>	Yellow Dodder
<i>Cuscuta epithymum</i>	Dodder
<b>Cornaceae</b>	<b>Dogwood Family</b>
<i>Cornus mas</i>	Cornelian Cherry
<i>Cornus sanguineus</i>	Dogwood
<b>Crassulaceae</b>	<b>Stonecrop Family</b>
<i>Sedum album</i>	White Stonecrop
<i>Sedum sexangulare</i>	Tasteless Stonecrop
<i>Sedum telephium</i>	Orpine
<i>Sempervivum (Jovibarba) globiferum</i>	-
<i>Sempervivum marmoreum</i>	a Houseleek
<b>Cucurbitaceae</b>	<b>White Bryony Family</b>
<i>Bryonia dioica</i>	White Bryony
<i>Echballium elaterium</i>	Squirting Cucumber
<i>Sicyos angulatus</i>	Bur-cucumber
<b>Elaeagnaceae</b>	<b>Sea-buckthorn Family</b>
<i>Elaeagnus angustifolius</i>	Russian Olive
<b>Euphorbiaceae</b>	<b>Spurge Family</b>
<i>Euphorbia cyarissias</i>	Cypress Spurge
<i>Euphorbia paralias</i>	Sea Spurge
<b>Fagaceae</b>	<b>Beech &amp; Oak Family</b>
<i>Fagus sylvestris</i>	Beech
<i>Quercus frainetto</i>	Hungarian Oak
<i>Quercus rubra</i>	Red Oak

<b>Scientific name</b>	<b>Common name</b>
<i>Quercus virgilliana</i>	-
<b>Gentianaceae</b>	<b>Gentian Family</b>
<i>Centaurium erythraea</i>	Centaury
<b>Geraniaceae</b>	<b>Geranium Family</b>
<i>Erodium cicutarium</i>	Common Stork's-bill
<b>Grossulariaceae</b>	<b>Gooseberry Family</b>
<i>Ribes uva-crispa</i>	Gooseberry
<b>Hypericaceae</b>	<b>St. John's-wort Family</b>
<i>Hypericum perforatum</i>	Perforate St. John's-wort
<b>Juglandaceae</b>	<b>Walnut Family</b>
<i>Juglans regia</i>	Walnut
<b>Lamiaceae</b>	<b>Mint family</b>
<i>Ballota nigra</i>	Black Horehound
<i>Clinopodium vulgare</i>	Wild Basil
<i>Galeopsis tetrahit</i> agg.	Common Hemp-nettle
<i>Glechoma hederea</i>	Ground Ivy
<i>Lamium album</i>	White Dead-nettle
<i>Lycopus europaeus</i>	Gypsywort
<i>Marrubium peregrinum</i>	-
<i>Mentha aquatica</i>	Water Mint
<i>Mentha arvensis</i>	Corn Mint
<i>Mentha longifolia</i>	Horse Mint
<i>Mentha pulegium</i>	Pennyroyal
<i>Origanum vulgare</i>	Marjoram
<i>Prunella grandiflora</i>	Large Selfheal
<i>Prunella vulgaris</i>	Selfheal
<i>Salvia nemorosa</i>	Woodland Sage
<i>Scutellaria galericulata</i>	Common Skullcap
<i>Stachys arvensis</i>	Field Woundwort
<i>Stachys palustris</i>	Marsh Woundwort
<i>Stachys recta</i>	Yellow-woundwort
<i>Thymus polytrichus</i>	Wild Thyme
<b>Leguminosae (Fabaceae)</b>	<b>Pea family</b>
<i>Astragalus glycyphyllos</i>	Wild Liquorice
<i>Colutea arborescens</i>	Bladder Senna
<i>Galega officinalis</i>	Goat's-rue
<i>Gleditsia triacanthos</i>	Honey Locust
<i>Glycyrrhiza echinata</i>	-
<i>Lathyrus pratensis</i>	Meadow Vetchling
<i>Lathyrus tuberosus</i>	Tuberous Pea
<i>Lotus corniculatus</i>	Bird's-foot Trefoil
<i>Lotus tenuis</i>	Narrow-leaved Bird's-foot Trefoil
<i>Medicago lupulina</i>	Black Medick
<i>Medicago sativa</i> subsp. <i>falcata</i>	Sickle Medick
<i>Medicago sativa</i> subsp. <i>sativa</i>	Lucern
<i>Melilotus albus</i>	White Melilot

<b>Scientific name</b>	<b>Common name</b>
<i>Melilotus altissimus</i>	Tall Melilot
<i>Melilotus officinalis</i>	Ribbed Melilot
<i>Ononis arvensis</i>	a Restharrow
[ <i>Robinia pseudacacia</i> ]	False Acacia
<i>Trifolium arvense</i>	Hare's-foot Clover
<i>Trifolium aureum</i>	Golden Clover
<i>Trifolium diffusum</i>	-
<i>Trifolium fragiferum</i>	Strawberry Clover
<i>Trifolium hybridum</i>	Alsike Clover
<i>Trifolium pratense</i>	Red Clover
<i>Trifolium repens</i>	White Clover
<i>Vicia cracca</i>	Tufted Vetch
<b>Lentibulariaceae</b>	<b>Bladderwort Family</b>
<i>Utricularia australis</i>	a Bladderwort
<b>Linaceae</b>	<b>Flax Family</b>
<i>Linum catharticum</i>	Purging Flax
<i>Linum perenne</i> agg.	Perennial Flax
<b>Lythraceae</b>	<b>Purple-loosestrife Family</b>
<i>Lythrum portula</i>	Water-purslane
<i>Lythrum salicaria</i>	Purple-loosestrife
<i>Lythrum virgatum</i>	-
[ <i>Trapa natans</i> ]	Water Caltrop
<b>Malvaceae</b>	<b>Mallow Family</b>
<i>Abutilon theophrasti</i>	Velvetleaf
<i>Althaea officinalis</i>	Marsh-mallow
<i>Hibiscus trionum</i>	Bladder Ketmia
<i>Malva moschata</i>	Musk-mallow
<i>Malva sylvestris</i>	Common Mallow
<i>Tilia cordata</i>	Small-leaved Lime
<i>Tilia platyphyllos</i>	Broad-leaved Lime
<b>Menyanthaceae</b>	<b>Bogbean Family</b>
<i>Nymphoides peltata</i>	Fringed Water-lily
<b>Oleaceae</b>	<b>Olive Family</b>
<i>Fraxinus excelsior</i>	Ash
<i>Ligustrum vulgare</i>	Wild Privet
<b>Onagraceae</b>	<b>Willowherb Family</b>
<i>Circaea lutetiana</i>	Enchanter's-nightshade
<i>Epilobium hirsutum</i>	Great Willowherb
<b>Orobanchaceae</b>	<b>Broomrape Family</b>
<i>Melampyrum nemorosum</i>	a Cow-wheat
<b>Papaveraceae</b>	<b>Poppy Family</b>
<i>Chelidonium majus</i>	Greater Celandine

<b>Scientific name</b>	<b>Common name</b>
<b>Phytolaccaceae</b> <i>Phytolacca esculenta</i>	<b>Pokeweed Family</b> Indian Pokeweed
<b>Plantaginaceae</b> <i>Linaria vulgaris</i> <i>Plantago coronopus</i> <i>Plantago indica</i> <i>Plantago lanceolata</i> <i>Plantago major</i> <i>Plantago maritima</i> <i>Plantago media</i> <i>Veronica beccabunga</i> <i>Veronica anagallis-aquatica</i>	<b>Plantain Family</b> Common Toadflax Buck's-horn Plantain - Ribwort Plantain Greater Plantain Sea Plantain Hoary Plantain Brooklime Blue Water Speedwell
<b>Plumbaginaceae</b> <i>Limonium gmelinii</i>	<b>Thrift Family</b> a Sea-lavender
<b>Polygonaceae</b> <i>Fallopia (Polygonum) convolvulus</i> <i>Fallopia japonica</i> <i>Persicaria hydropiper</i> <i>Persicaria lapathifolia</i> <i>Persicaria maculosa</i> <i>Polygonum aviculare</i> <i>Polygonum bellardii</i> <i>Rumex crispus</i> <i>Rumex hydrolapathum</i> <i>Rumex obtusifolius</i> <i>Rumex palustris</i> <i>Rumex patientia</i> <i>Rumex thyrsoiflorus</i>	<b>Knotweed Family</b> Black-bindweed Japanese Knotweed Water-pepper Pale Persicaria Red-shank Knotgrass - Curled Dock Water Dock Broad-leaved Dock Marsh Dock Patience Dock -
<b>Portulacaceae</b> <i>Portulacca oleracea</i>	<b>Purslane Family</b> Common Purslane
<b>Primulaceae</b> <i>Glaux maritima</i> <i>Lysimachia nummularia</i>	<b>Primrose Family</b> Sea-milkwort Creeping Jenny
<b>Ranunculaceae</b> <i>Clematis integrifolia</i> <i>Clematis vitalba</i> <i>Consolida regalis</i> <i>Ranunculus repens</i>	<b>Buttercup Family</b> a Clematis Traveller's-joy Forking Larkspur Creeping Buttercup
<b>Roseaceae</b> <i>Agrimonia eupatoria</i> <i>Agrimonia procera</i> <i>Crataegus monogyna</i> <i>Cydonia oblonga</i> <i>Fragaria vesca</i> <i>Geum urbanum</i> <i>Malus pumila</i>	<b>Rose Family</b> Agrimony Fragrant Agrimony Hawthorn - Wild Strawberry Wood Avens Apple

<b>Scientific name</b>	<b>Common name</b>
<i>Potentilla argentea</i>	Hoary Cinquefoil
<i>Potentilla supina</i>	-
<i>Prunus domestica</i> subsp. <i>syriaca</i>	Mirabelle Plum
<i>Prunus spinosus</i>	Blackthorn
<i>Pyrus pyrasta</i>	Wild Pear
<i>Rubus caesius</i>	Dewberry
<b>Rubiaceae</b>	<b>Bedstraw Family</b>
<i>Galium rotundifolium</i>	Round-leaved Bedstraw
<i>Galium rubioides</i>	-
<i>Galium verum</i>	Lady's Bedstraw
<b>Salicaceae</b>	<b>Willow Family</b>
<i>Populus alba</i>	White Poplar
<i>Populus tremula</i>	Aspen
<i>Salix alba</i>	White Willow
<i>Salix caprea</i>	Goat Willow
<i>Salix x fragilis</i>	Crack Willow
<b>Sapindaceae</b>	<b>Maple Family</b>
<i>Acer campestre</i>	Field Maple
<i>Acer platanoides</i>	Norway Maple
<i>Acer pseudoplatanus</i>	Sycamore
<i>Acer tartaricum</i>	Tartarian Maple
<b>Scrophulariaceae</b>	<b>Figwort Family</b>
<i>Verbascum blattaria</i>	Moth Mullein
<i>Verbascum nigrum</i>	Dark Mullein
<i>Verbascum phlomoides</i>	Orange Mullein
<i>Verbascum phoenicium</i>	Purple Mullein
<b>Simaroubaceae</b>	<b>Tree-of-Heaven Family</b>
<i>Ailanthus altissima</i>	Tree-of Heaven
<b>Solanaceae</b>	<b>Nightshade Family</b>
<i>Datura stramonium</i>	Thorn-apple
<i>Lyceum barbarum</i>	Duke of Argyle's Tea Plant
<i>Solanum alatum</i>	-
<i>Solanum dulcamara</i>	Woody Nightshade
<b>Ulmaceae</b>	<b>Elm Family</b>
<i>Ulmus glabra</i>	Wych Elm
<b>Urticaceae</b>	<b>Nettle Family</b>
<i>Parietaria officinalis</i>	Eastern Pellitory-of-the-Wall
<b>Verbenaceae</b>	<b>Vervain Family</b>
<i>Verbena officinalis</i>	Vervain
<b>Violaceae</b>	<b>Violet Family</b>
<i>Viola suavis</i>	-

<b>Scientific name</b>	<b>Common name</b>
<b>Vitaceae</b> <i>Vitis vinifera</i> <i>Vitis vulpina</i>	<b>Grape-vine Family</b> Grape-vine a Grape-vine
<b>Monocots</b>	<b>Monocotyledons</b>
<b>Alismataceae</b> <i>Sagittaria sagittifolia</i>	<b>Water-plantain Family</b> Arrowhead
<b>Amaryllidaceae</b> <i>Allium flavum</i> <i>Allium suaveolens</i>	<b>Daffodil Family</b> Yellow Onion Fragrant Leek
<b>Araceae</b> <i>Arum maculatum</i>	<b>Lords-and-Ladies Family</b> Lords-and-Ladies
<b>Asparagaceae</b> <i>Anthericum ramosum</i> <i>Asparagus officinalis</i> <i>Polygonatum multiflorum</i>	<b>Asparagus Family</b> Branched St. Bernard's Lily Garden Asparagus Solomon's-seal
<b>Cyperaceae</b> <i>Bolboschoenus maritimus</i> <i>Carex melanostachya</i> <i>Scirpoides holoschoenus</i> <i>Scirpus sylvaticus</i>	<b>Sedge Family</b> Sea Clubrush - Round-headed Clubrush Wood Club-rush
<b>Hydrocharitaceae</b> <i>Hydrocharis morsus-ranae</i> <i>Stratiotes aloides</i>	<b>Frogbit Family</b> Frogbit Water-soldier
<b>Juncaceae</b> <i>Juncus inflexus</i>	<b>Rush Family</b> Hard Rush
<b>Poaceae</b> <i>Bothriochloa ischaemum</i> <i>Cenchrus incertus</i> <i>Cynodon dactylon</i> <i>Digitaria sanguinalis</i> <i>Echinochloa crus-galli</i> <i>Hordeum marinum</i> <i>Melica ciliata</i> <i>Phragmites australis</i> <i>Setaria pumila</i> <i>Setaria verticillata</i> <i>Setaria viridis</i> <i>Stipa lanata</i> <i>Stipa pennata</i> <i>Taeniatherum caput-medusa</i> <i>Tragus racemosus</i>	<b>Grass Family</b> - - Bermuda Grass Hairy Finger-grass Cockspur Sea Barley  Common Reed Yellow Bristle-grass Verticillate Bristle-grass Green Bristle-grass a Feather-grass a Feather-grass Medusahead -
<b>Potamogetaceae</b> <i>Potamogeton natans</i>	<b>Pondweed Family</b> Broad-leaved Pondweed



**Scientific name****Typhaceae***Sparganium erectum**Typha angustifolia**Typha latifolia***Common name****Bulrush Family**

Branched Bur-reed

Lesser Bulrush

Bulrush

## Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at [www.facebook.com](http://www.facebook.com) is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!



Whiskered Terns (ad &amp; Juv) by Andy Harding



Dewick's Plusiaby Andy Harding



Lesser Grey Shrikeby Andy Harding



Map butterfly by Andy Harding



White Stork by Andy Harding