Northern India & the Himalayan Foothills

Naturetrek Tour Report

15 - 31 January 2016

Report compiled by Harish Sharma



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk W: www.naturetrek.co.uk

Tour participants: Harish Sharma (Leader) with six Naturetrek clients

Summary

Northern India and Himalayan foothills' is a Naturetrek tour that focuses on the rich avifauna of the famous north Indian birding destinations of Sultanpur Bird Sanctuary, Keoladeo National Park known as Bharatpur bird sanctuary, Corbett National Park and Nainital. There are visits to the cultural attractions of Fatehpur Sikri, Agra Fort and the Taj Mahal. Highlights of the trip included some great species of the birds, such as Siberian Rubythroat, Black Bittern, Indian Spotted Eagle, Large-tailed Nightjar, Brown Hawk-Owl, Little Forktail, Great Slaty Woodpecker, Golden Bush Robin, Chestnut-headed Tesia, Orange-headed Thrush, Wallcreeper and Ibisbill. Among the mammals, highlights seen on the tour were Asiatic Golden Jackal, Indian Grey and Ruddy Mongoose, Jungle Cat, Indian Flying Fox, three species of deer and a Royal Bengal Tiger.

Weather

Overall the weather remained cold in the morning, with bright and sunny afternoons and pleasant evenings; temperatures ranged from 2°C to 20°C. Bharatpur was misty, cloudy and sunny, and at Corbett National Park it was very cold in the morning while the rest of the day remained clear and sunny. It was misty in the mornings at Dhikala and occasionally windy, with a minimum temperature of 6°C. Nainital was cold but mostly sunny, and temperatures ranged from 5 to 20°C

Day 1 Friday 15th January

Travelled from the UK

Day 2 Saturday 16th January

New Delhi, Sultanpur Bird Sanctuary

The international flight from London arrived on time at Indira Gandhi International Airport, Delhi. The group met the Tour leader in the lobby area, and we drove for six minutes to the Holiday Inn hotel. After lunch, we drove for an hour and 20 minutes to the Sultanpur Bird Sanctuary. Birding at the Sultanpur for three hours proved very fruitful. We had a chance to get familiar with the birds of the northern India. Some of the highlights were Little and Great Cormorants, Grey and Purple Heron, Painted Stork, Eurasian Hoopoe, Red-breasted Flycatcher, Glossy Ibis, Bar-headed Goose and Greater Flamingo. White-throated Kingfishers and Ashy Prinias were seen, and Five-striped Palm Squirrels were seen in good numbers. Our overnight stay was at the Holiday Inn.

Day 3 Sunday 17th January

Drive to Bharatpur and Keoladeo National Park

We left the hotel after breakfast and drove for five to six hours to Bharatpur. We stopped at the Yamuna bridge for some birding and got to see Green and Wood Sandpipers, Ruff, Pied Avocet etc. In Bharatpur we stayed very close to the park; our hotel was called The Birder's Inn. Later in the afternoon we did some bird watching at Keoladeo National Park. The adjacent woodlands held masses of squawking Rose-ringed Parakeets, Black-

rumped Flameback, Black Drongo, Long-tailed Shrikes, Oriental Magpie-Robin and Indian Robins. With them were the commoner winter visitors, most prominent of which were Hume's Leaf Warblers and Red-breasted Flycatchers. Among other interesting birds found here were: Brahminy Starling, White-eared Bulbul, Magpie-Robin, and Black Redstart. Rhesus Macaque, Asiatic Golden Jackal, Spotted Deer and Nilgai (Bluebull) were among the mammals seen today. All too soon, the sun was setting and we returned to our hotel, ready for an early night. We stayed overnight at our hotel, the Birder's Inn.

Day 4

Monday 18th January

Keoladeo National Park, Bharatpur

After an early breakfast, we made both morning and afternoon excursions into the park by cycle rickshaw. It was a little foggy in the morning. Among other interesting birds found here were: Spotted Owlet, Black Bittern, Imperial Eagle, Bronze-winged Jacana, Brown Hawk-Owl, Orange-headed Thrush and Sarus Crane. Sambar and Indian Wild Boar were the new mammals. We stayed overnight at The Birder's Inn.

Day 5

Tuesday 19th January

Keoladeo National Park

Today, in the morning there was very thick fog, so we decided to go to the park again instead of visiting Bund Baretha. We found a broad collection of waders including Wood, Green, Marsh Sandpipers and Greenshank. The main event of the day was the boat ride, and we had great views of Grey Nightjar and Dusky Eagle-Owl. With cars banned, these rickshaws provide the most popular means of getting to the heart of the park. We spent another night at The Birder's Inn, Bharatpur.

Day 6

Wednesday 20th January

Bayana and Bund Baratha

Today we left with a packed lunch for a full day's excursion to Bund Baratha (a reservoir which gets its name from the nearby village of Baratha). Situated at a distance of 40 km from the Bharatpur, one reaches the Bund by driving through the remote north Indian rural landscape. En route we stopped at the ancient small town called Bayana to look at the nesting site of the endangered Indian Vulture, which was quite a wonderful experience, the sight of the Vulture flying over the cliff was mesmerizing and a few were seen perched on a cliff face. Other birds seen here included Grey-breasted Prinia, Plum-headed Parakeet, Blue Rock Thrush, Common Kestrel, Short-toed Eagle etc. Later a stop for the lunch at the irrigation department inspection bungalow was an opportunity to see the resident colony of Indian Flying Foxes that roosts in the Mango and Fixus trees. Thereafter, we drove up to the dam. Lots more was expected there but due to the high water level and less bird migration, we could see fewer waders at the dam but we managed to see a Brown Crake. Overnight was at our hotel Birder's Inn

Day 7

Thursday 21st January

Bharatpur, Agra and Delhi

After an early breakfast we drove for 30 minutes to the ruined city of Fatehpur Sikri for sightseeing. After spending an hour and half looking at the magnificent buildings of the ruined city, we drove for another hour and half to see the Taj Mahal - India's (possibly the world's) most beautiful building. We spent a couple of hours at the great monument and some time looking for birds in the gardens of Taj Mahal and on the River Yamuna behind the monument. A new addition today was Asian Koel. We made a quick visit for lunch at a restaurant, and then went to see the grand Red Fort of Agra. After sightseeing at Agra, we drove for about three to four hours to Delhi. We stayed at the hotel Holiday Inn on the way to Corbett.

Day 8

Friday 22nd January

Delhi to Corbett

After having early breakfast, we drove from Delhi for about six to seven hours before reaching the Hotel Tiger Camp. We stopped at the holy river Ganga or Ganges bridge for about 30 minutes' birding and to look the spiritual things. River Lapwing were seen here. After reaching the lodge, we had an hour and a half birding near the lodge and we took a trail to the Kosi River below the lodge. The day's birding included: Asian Openbill, Grey-headed Fish Eagle, Spotted Dove, Grey Bush Chat, White-throated Fantail and Black-throated Sunbird. Overnight stay at the Tiger Camp.

Day 9

Saturday 23rd January

Corbett National Park

This morning we started at 6:45 am in the morning and we drove straight to the Gargia temple at the Kosi river. Our prime target was to look the Ibisbill before the local people come to the river to bathe. We were lucky there as we spotted the Ibisbill a great bird for the tour amongst the other good birds as Collared Falconet, Greybreasted Prinia, Lineated Barbet, Himalayan Flameback and Grey-capped Pygmy Woodpecker.

After having hot breakfast and with packed lunch boxes, we started again in open jeeps for Mohan and Kumaria. Birds included Small Niltava, Whistler's Warblers, Jungle Owlet, Crested Treeswift, Brown-fronted Woodpecker, Lesser and Greater Yellownape, Little and Spotted Forktail, Chestnut-bellied Nuthatch, and Wallcreeper. Indian Muntjac was a new mammal recorded for the trip today. Overnight stay at our hotel, the Tiger Camp.

Day 10

Sunday 24th January

Corbett National park

Today we had early wake up calls and having tea/coffee in the restaurant, we started our first game drive in open jeeps to Bijrani area of the Corbett National park. Two jeeps were booked for the group. We drove through the Sal forest to the sounds of many species of the birds such as drongos, warblers, babblers, thrushes and flycatchers. The highlight of the day was certainly the Royal Bengal Tiger which was seen in the morning game drive. Amongst the birds were Changeable Hawk-Eagle, Red Junglefowl, Sociable Lapwing, Crested Kingfisher and Great Hornbill.

Day 11

Monday 25th January

Corbett National Park

We had wake up calls again at 5.15 am. After having tea/coffee, and with packed breakfast, we drove about 40 minutes to Lohachaud or Durgadevi gate of the park. After few minutes of driving inside the park we heard some warning calls of barking deer and saw very fresh pugmark of a Leopard on the road. But nobody saw him. In the afternoon, we did game drive in Bijrani area. Species recorded today included: Red headed Vulture, Red Junglefowl, Red-breasted Parakeet, Brown Fish Owl and Blue-bearded Bee-eater. We stayed the night at Tiger Camp.

Day 12

Tuesday 26th January

Corbett to Nainital

We did the morning birdwatching around the lodge and near the Kosi river, before starting our journey towards Nainital, situated at an elevation of 2000m. We did birding near Garjia Temple, Kosi barrage and near Mangoli Valley. We arrived at Nainital at dusk. We stayed overnight at Vikram Vintage Inn, Nainital.Northern India &

Day 13

Wednesday 27th January

Nainital, Mangoli Valley and High Fields

Today we dropped below Nainital to spend the morning in the delightful Mongoli Valley. Here we left the coach and walked. Working our way slowly along the broad trail through dense oak and rhododendron forest, birds seemed to be everywhere. Mixed flocks moved through, often at eye level which allowed everyone to finally catch up with Lemon-rumped Warblers. Movements in the undergrowth proved to be a party of laughingthrushes....most were Streaked, but four Chestnut-crowned showed nicely, as did a couple of Rustycheeked Scimitar Babblers. Next came a pair of Greater Yellownape, Bar-tailed Treecreeper, Bronzed Drongo, Eurasian Jay and Black-headed Jay.

In the afternoon, we visited the High Fields where a couple of Rufous-breasted Accentors were behaving in a furtive manner. Much of the afternoon was spent at the High Fields Overnight at Vikram Vintage Inn

Day 14

Thursday 28th January

Sattal

We spent the entire day birding along the quiet Chaapi and Sattal road. During the morning hours we did Chaapi; it's a wonderful road along a stream and full of Himalayan colourful birds. Many of the birds we encountered here were new for us, although some familiar favourites including Yellow-bellied Fantails remained. Other species included Chestnut-headed Tesia, Small Niltava, Rufous-bellied Niltava, Spotted Forktail, Brown Dipper and Red-billed Blue Magpie. Our packed lunch boxes were eaten near the stream in an open countryside area.

After lunch, we drove towards Sattal. In this beautiful forest near a small lake, many good birds were seen, such as Oriental White-eyes, numerous Phylloscopus warblers, Blue Whistling Thrushes, a gorgeous male Rufous-bellied Niltava, Scaly-breasted Wren-babbler. We spent the night at Vikram Vintage Inn.

Day 15

Friday 29th January

Snow-view Ridge, Pangot, Vinayak

For our final morning we took the Kilbury Road to the Snow View Lookout and beyond, through Pangot for 17km to Vinayak, through pristine mixed forest with distant views of the snow-capped peaks of the mighty Himalaya set against a backdrop of forest-clad slopes. In the early morning sunlight, there can be few finer sights on earth. Birding along this quiet road was quite different to the lower elevations, with many species appearing for the first time, making for yet another exciting day. As always, Grey-hooded Warblers, Yellow-browed Tits and Oriental White-eyes dominated, but by diligently searching through these flocks, we also found a party of delightful Black-faced Warblers, Lemon-rumped and Buff-barred Warblers; a couple of Himalayan (White-browed) Shrike-babblers showed well, raucous parties of Rufous Sibias were numerous, and Pink-browed Rosefinch eventually showed well. Streaked Laughingthrushes were common in the undergrowth, a flock of Black-headed Jays held at least two Eurasian Jays, looking quite different to their European counterparts, and a couple of male Blue-capped Redstarts ducked and weaved around a bare stump.

As the sun warmed the morning air, large raptors began to appear along the ridges. Along with the now-familiar Steppe Eagles, we finally, after much searching, picked up a couple of adult Himalayan Vultures and a darker youngster. Usually Himalayan is much the commoner of the two Griffons here, certainly later in the winter, so perhaps they were only starting to arrive. We spent the night at Vikram Vintage Inn, Nainital.

Day 16

Saturday 30th January

Drive to New Delhi

Today we bid farewell to Nainital and began the long drive back to Delhi. It was a travelling day and, with busy traffic, so the time available for birding this route was short. We eventually reached Delhi shortly after dusk where a warm shower and farewell dinner awaited before our early morning flight to London.

Day 17

Sunday 31st January

Return travel to the UK

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The Naturetrek Facebook page is now live; do please pay us a visit!

Species Lists

Birds (✓=recorded but not counted)

| | | | 16 | | | | | | | | | | | | | | |
|----|---------------------------|----------------------------|----|----------|----|----------|----|----------|----|----|----|----|----|----|----|----|----|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 1 | Little Grebe | Tachybaptus ruficollis | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | ✓ |
| 2 | Indian Cormorant | Phalacrocorax fuscicollis | | | | ✓ | | | | | | | | | | | |
| 3 | Great Cormorant | Phalacrocorax carbo | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | ✓ | | ✓ |
| 4 | Little Cormorant | Microcarbo niger | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | | ✓ |
| 5 | Oriental Darter | Anhinga melanogaster | ✓ | | ✓ | ✓ | ✓ | | | | | | | | | | ✓ |
| 6 | Grey Heron | Ardea cinerea | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | ✓ |
| 7 | Purple Heron | Ardea purpurea | ✓ | | ✓ | ✓ | | | | | | | | | | | |
| 8 | Great Egret | Ardea alba | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | | | | ✓ |
| 9 | Intermediate Egret | Ardea intermedia | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | ✓ |
| 10 | Little Egret | Egretta garzetta | ✓ | | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | | | | ✓ |
| 11 | Indian Pond Heron | Ardeola grayii | ✓ | ✓ | ✓ | ✓ | | | ✓ | | ✓ | | ✓ | | | | ✓ |
| 12 | Eastern Cattle Egret | Bubulcus coromandus | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ |
| 13 | Striated Heron | Butorides striata | | | | | ✓ | | | ✓ | | | | | | | |
| 14 | Black-crowned Night Heron | Nycticorax nycticorax | | | ✓ | ✓ | | | | | | | | | | | |
| 15 | Black Bittern | Dupetor flavicollis | | | ✓ | | | | | | | | | | | | |
| 16 | Painted Stork | Mycteria leucocephala | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | ✓ |
| 17 | Asian Openbill | Anastomus oscitans | | | | | ✓ | | ✓ | | | | | | | | ✓ |
| 18 | Black-necked Stork | Ephippiorhynchus asiaticus | | | ✓ | / | | | | | | | | | | | |
| 19 | Red-naped Ibis | Pseudibis papillosa | | ✓ | | | | | | | | | | | | | |
| 20 | Glossy Ibis | Plegadis falcinellus | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | | ✓ |
| 21 | Black-headed Ibis | Pseudibis papillosa | | | ✓ | ✓ | ✓ | | | | | | | | | | ✓ |
| 22 | Eurasian Spoonbill | Platalea leucorodia | ✓ | ✓ | ✓ | ✓ | | ✓ | | | | | | | | | |
| 23 | Greater Flamingo | Phoenicopterus roseus | ✓ | | | | | | | | | | | | | | |
| 24 | Lesser Whistling Duck | Dendrocygna javanica | | | ✓ | ✓ | | | | | | | | | | | |
| 25 | Greylag Goose | Anser anser | ✓ | | ✓ | ✓ | | | | | | | | | | | |
| 26 | Bar-headed Goose | Anser indicus | ✓ | | ✓ | ✓ | | | | | | | | | | | |
| 27 | Ruddy Shelduck | Tadorna ferruginea | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | ✓ | | | | ✓ |
| 28 | Knob-billed (Comb) Duck | Sarkidiornis melanotos | | | ✓ | ✓ | | | | | | | | | | | |

| | | | | | | | | | J | anua | ry | | | | | | |
|----|----------------------------------|--------------------------|----|----|----------|----|----|----|----------|------|----|----|----|----|----|----------|----|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 29 | Cotton Pygmy Goose | Nettapus coromandelianus | | | | ✓ | ✓ | | | | | | | | | | |
| 30 | Eurasian Wigeon | Anas penelope | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | | |
| 31 | Gadwall | Anas strepera | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | ✓ |
| 32 | Common Teal | Anas crecca | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | ✓ |
| 33 | Mallard | Anas platyrhynchos | | ✓ | | | | | | | | | | | | | |
| 34 | Indian Spot-billed Duck | Anas poecilorhyncha | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | ✓ |
| 35 | Northern Pintail | Anas acuta | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | ✓ |
| 36 | Garganey | Anas querquedula | | | ✓ | | | | | | | | | | | | |
| 37 | Northern Shoveler | Anas clypeata | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | ✓ |
| 38 | Red-crested Pochard | Netta rufina | | | | ✓ | | | | | | | | | | | |
| 39 | Ferruginous Duck | Aythya nyroca | ✓ | ✓ | | | ✓ | | | | | | | | | | |
| 40 | Tufted Duck | Aythya fuligula | | ✓ | | | | | | | | | | | | | |
| 41 | Crested (Oriental) Honey Buzzard | Pernis ptilorhynchus | | | | ✓ | | | | | | | | | | | |
| 42 | Black-winged Kite | Elanus caeruleus | | ✓ | | | ✓ | ✓ | | ✓ | | ✓ | | | | | ✓ |
| 43 | Black Kite | Milvus migrans | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| 44 | Pallas's Fish Eagle | Haliaeetus leucoryphus | | | | | | | | ✓ | | | | | | | |
| 45 | Grey-headed Fish Eagle | Ichthyophaga ichthyaetus | | | | | | | ✓ | | | | | | | | |
| 46 | Indian (Long-billed) Vulture | Gyps indicus | | | | | ✓ | | | | | | | | | | |
| 47 | Himalayan Vulture | Gyps himalayensis | | | | | | | | | | | | ✓ | | ✓ | |
| 48 | Griffon Vulture | Gyps fulvus | | | | | | | | | | | ✓ | | ✓ | | |
| 49 | Red-headed Vulture | Sarcogyps calvus | | | | | | | | | | ✓ | | | | | |
| 50 | Short-toed Snake Eagle | Circaetus gallicus | | | | | ✓ | | | | | | | | | | |
| 51 | Crested Serpent Eagle | Spilornis cheela | | | | ✓ | | | ✓ | | ✓ | ✓ | | | | ✓ | |
| 52 | Western Marsh Harrier | Circus aeruginosus | | ✓ | ✓ | ✓ | | | | | | | | | | | |
| 53 | Crested Goshawk | Accipiter trivirgatus | | | | | | | | | | | | | | | ✓ |
| 54 | Shikra | Accipiter badius | | | | ✓ | | ✓ | ✓ | | | | | | | | |
| 55 | Besra | Accipiter virgatus | | | | | ✓ | | | | | | | | | | |
| 56 | White-eyed Buzzard | Butastur teesa | | | | | ✓ | | | | | | | | | | |
| 57 | Long-legged Buzzard | Buteo rufinus | | | | | | | ✓ | | | | ✓ | | | | |
| 58 | Common Buzzard | Buteo buteo | | | | | | | ✓ | | | | | | | ✓ | |
| 59 | Black Eagle | Ictinaetus malaiensis | | | | | | | | | | | | | | ✓ | |
| 60 | Indian Spotted Eagle | Clanga hastata | | | ✓ | | | | | | | | | | | | |

| | | | | | | | | | J | anua | ry | | | | | | |
|----|-------------------------------|---|----------|----------|----------|----------|----------|----------|----------|------|----------|----|----|----|----|----|----------|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 61 | Greater Spotted Eagle | Clanga clanga | | | ✓ | ✓ | | | | | | | | | | | |
| 62 | Steppe Eagle | Aquila nipalensis | | | | | | | | | | | | | ✓ | ✓ | |
| 63 | Eastern Imperial Eagle | Aquila heliaca | | | ✓ | | | | | | | | | | | | |
| 64 | Bonelli's Eagle | Aquila fasciata | | | | | ✓ | | | | | | | | | | |
| 65 | Booted Eagle | Hieraaetus pennatus | | | ✓ | ✓ | | ✓ | | | | | | | | | |
| 66 | Changeable Hawk-Eagle | Nisaetus cirrhatus | | | | | | | | | ✓ | ✓ | ✓ | | | | |
| 67 | Collared Falconet | Microhierax caerulescens | | | | | | | | ✓ | | | | | | | |
| 68 | Common Kestrel | Falco tinnunculus | | | | | ✓ | | | | ✓ | | ✓ | | ✓ | ✓ | |
| 69 | Peregrine Falcon | Falco peregrinus | | | | | | | | ✓ | | | | ✓ | | | |
| 70 | Black Francolin | Francolinus francolinus | | | | | | | | | | | ✓ | | | | |
| 71 | Grey Francolin | Francolinus pondicerianus | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| 72 | Rufous-throated Partridge | Arborophila rufogularis | | | | | | | | | | | | ✓ | | | |
| 73 | Red Junglefowl | Gallus gallus | | | | | | | | | ✓ | ✓ | ✓ | | | | |
| 74 | Kalij Pheasant | Lophura leucomelanos | | | | | | | | ✓ | | | | ✓ | ✓ | ✓ | |
| 75 | Cheer Pheasant | Catreus wallichii | | | | | | | | | | | | ✓ | | | |
| 76 | Indian Peafowl | Pavo cristatus | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| 77 | Barred Buttonquail | Turnix suscitator | | | | ✓ | | | | | | | | | | | |
| 78 | Jungle Bush Quail | Perdicula asiatica | | | | | ✓ | | | | | | | | | | |
| 79 | Sarus Crane | Grus antigone | | ✓ | ✓ | | | | | | | | | | | | |
| 80 | Brown Crake | Amaurornis akool | | | | | ✓ | | | | | | | | | | |
| 81 | White-breasted Waterhen | Amaurornis phoenicurus | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| 82 | Grey-headed (Indian) Swamphen | Porphyrio poliocephalus (poliocephalus) | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | ✓ |
| 83 | Common Moorhen | Gallinula chloropus | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | ✓ |
| 84 | Eurasian Coot | Fulica atra | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | ✓ |
| 85 | Pheasant-tailed Jacana | Hydrophasianus chirurgus | | | ✓ | | | | | | | | | | | | |
| 86 | Bronze-winged Jacana | Metopidius indicus | | ✓ | ✓ | | ✓ | | | | | | | | | | |
| 87 | Greater Painted-snipe | Rostratula benghalensis | | | | | ✓ | | | | | | | | | | |
| 88 | Ibisbill | Ibidorhyncha struthersii | | | | | | | | ✓ | | | | ✓ | | | |
| 89 | Black-winged Stilt | Himantopus himantopus | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | | | | | | | ✓ |
| 90 | Eurasian Thick-knee | Burhinus oedicnemus | | | | ✓ | | | | | | | | | | | |
| 91 | River Lapwing | Vanellus duvaucelii | | ✓ | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| 92 | Red-wattled Lapwing | Vanellus indicus | ✓ | | | | | | | | ✓ |

| | | | | | | | | | J | anua | ry | | | | | | |
|-----|----------------------------|--------------------------------|----|----|----|----|----------|----|----|------|----|----|----|----|----|----|----------|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 93 | Sociable Lapwing | Vanellus gregarius | | | | | | | | | ✓ | | | | | | |
| 94 | White-tailed Lapwing | Vanellus leucurus | ✓ | | | | | | | | | | | | | | |
| 95 | Black-tailed Godwit | Limosa limosa | | | | | ✓ | | | | | | | | | | |
| 96 | Spotted Redshank | Tringa erythropus | | | | | | | ✓ | | | | | | | | |
| 97 | Common Redshank | Tringa totanus | ✓ | ✓ | | | | ✓ | ✓ | | | | | | | | |
| 98 | Marsh Sandpiper | Tringa stagnatilis | | ✓ | | | | | | | | | | | | | |
| 99 | Common Greenshank | Tringa nebularia | | | | ✓ | | ✓ | ✓ | | | | | | | | ✓ |
| 100 | Green Sandpiper | Tringa ochropus | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | ✓ |
| 101 | Wood Sandpiper | Tringa glareola | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | | | | | | |
| 102 | Common Sandpiper | Actitis hypoleucos | | | ✓ | | ✓ | ✓ | | ✓ | | | | | | | |
| 103 | Temminck's Stint | Calidris temminckii | | | | | | | ✓ | | | | | | | | |
| 104 | Ruff | Philomachus pugnax | | ✓ | | | | ✓ | ✓ | | | | | | | | |
| 105 | Pallas's Gull | Ichthyaetus ichthyaetus | | | | | | ✓ | ✓ | | | | | | | | |
| 106 | Brown-headed Gull | Chroicocephalus brunnicephalus | | | | | | ✓ | | | | | | | | | |
| 107 | Black-headed Gull | Chroicocephalus ridibundus | | | | | | ✓ | | | | | | | | | |
| 108 | Rock Dove | Columba livia | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 109 | Eurasian Collared Dove | Streptopelia decaocto | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | ✓ |
| 110 | Red Turtle Dove | Streptopelia tranquebarica | | | | ✓ | | | | | | | | | | | |
| 111 | Spotted Dove | Streptopelia chinensis | | | | | | | ✓ | ✓ | | | | | | | |
| 112 | Laughing Dove | Streptopelia senegalensis | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | |
| 113 | Yellow-footed Green Pigeon | Treron phoenicopterus | | | ✓ | ✓ | | | | | | | | | | | |
| 114 | Alexandrine Parakeet | Psittacula eupatria | | | | | | | ✓ | | | | | | | | |
| 115 | Rose-ringed Parakeet | Psittacula krameri | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | |
| 116 | Plum-headed Parakeet | Psittacula cyanocephala | | | | | ✓ | | | | ✓ | ✓ | | | | | |
| 117 | Red-breasted Parakeet | Psittacula alexandri | | | | | | | | ✓ | | ✓ | | | | | |
| 118 | Common Hawk-Cuckoo | Hierococcyx varius | | | | ✓ | | | | | | | | | | | |
| 119 | Asian Koel | Eudynamys scolopaceus | | | | | | ✓ | | | | | | | | | |
| 120 | Sirkeer Malkoha | Taccocua leschenaultii | | | | | ✓ | | | | | | | | | | |
| 121 | Greater Coucal | Centropus sinensis | | | ✓ | ✓ | ✓ | | | | | | | | | | |
| 122 | Indian Scops Owl | Otus bakkamoena | | | | ✓ | | | ✓ | | | | ✓ | | | | |
| 123 | Dusky Eagle-Owl | Bubo coromandus | | | | ✓ | | ✓ | | | | | | | | | |
| 124 | Brown Fish Owl | Ketupa zeylonensis | | | | | | | | ✓ | | ✓ | | | | | |

| | | | | | | | | | J | anuai | ry | | | | | | |
|-----|------------------------------|----------------------------|----|----|----|----------|----|----|----|-------|----|----------|----|----|----|----|----|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 125 | Tawny Fish Owl | Ketupa flavipes | | | | | | | | ✓ | | | | | | | |
| 126 | Asian Barred Owlet | Glaucidium cuculoides | | | | | | | | ✓ | | | | | | | |
| 127 | Jungle Owlet | Glaucidium radiatum | | | | | | | | ✓ | | ✓ | ✓ | ✓ | | | |
| 128 | Spotted Owlet | Athene brama | | | ✓ | ✓ | | | | | | | | | | | |
| 129 | Brown Hawk-Owl | Ninox scutulata | | | ✓ | | | | | | | | | | | | |
| 130 | Grey Nightjar | Caprimulgus jotaka (split) | | | | ✓ | | | | | | | | | | | |
| 131 | Large-tailed Nightjar | Caprimulgus macrurus | | | | ✓ | | | | | | | | | | | |
| 132 | Asian Palm Swift | Cypsiurus balasiensis | | | | | | ✓ | ✓ | | | ✓ | | | | | |
| 133 | Crested Treeswift | Hemiprocne coronata | | | | | | | | ✓ | | | ✓ | | | | |
| 134 | Common Kingfisher | Alcedo atthis | | | | ✓ | ✓ | | | ✓ | ✓ | ✓ | | | ✓ | | |
| 135 | Stork-billed Kingfisher | Pelargopsis capensis | | | | | | | | | ✓ | ✓ | | | | | |
| 136 | White-throated Kingfisher | Halcyon smyrnensis | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ |
| 137 | Pied Kingfisher | Ceryle rudis | | | | ✓ | ✓ | | | ✓ | | | | | | | |
| 138 | Crested Kingfisher | Megaceryle lugubris | | | | | | | | ✓ | ✓ | ✓ | ✓ | | | | |
| 139 | Blue-bearded Bee-eater | Nyctyornis athertoni | | | | | | | | | | ✓ | ✓ | | | | |
| 140 | Green Bee-eater | Merops orientalis | | ✓ | | | ✓ | | | | | | | | | | |
| 141 | Indian Roller | Coracias benghalensis | | ✓ | | ✓ | ✓ | | | | | | | | | | ✓ |
| 142 | Eurasian Hoopoe | Upupa epops | ✓ | ✓ | | ✓ | ✓ | | | | | | | | | | |
| 143 | Indian Grey Hornbill | Ocyceros birostris | | | | ✓ | ✓ | | | | | | | | | | |
| 144 | Great Hornbill | Buceros bicornis | | | | | | | | | ✓ | | | | | | |
| 145 | Great Barbet | Psilopogon virens | | | | | | | | | | | | ✓ | | ✓ | |
| 146 | Brown-headed Barbet | Psilopogon zeylanicus | | | ✓ | | | | | | | | | | | | |
| 147 | Lineated Barbet | Psilopogon lineatus | | | | | | | | ✓ | | | ✓ | | | | |
| 148 | Blue-throated Barbet | Psilopogon asiaticus | | | | | | | | | | ✓ | | | | | |
| 149 | Coppersmith Barbet | Psilopogon haemacephalus | | ✓ | | ✓ | | | | | ✓ | | | | | | |
| 150 | Grey-capped Pygmy Woodpecker | Yungipicus canicapillus | | | | | | | | ✓ | | ✓ | | | | | |
| 151 | Brown-fronted Woodpecker | Dendrocoptes auriceps | | | | | | | | ✓ | | | | ✓ | ✓ | | |
| 152 | Fulvous-breasted Woodpecker | Dendrocopos macei | | | | | | | | | | ✓ | | | | | |
| 153 | Yellow-crowned Woodpecker | Leiopicus mahrattensis | | | | | | | | | | | | | | ✓ | |
| 154 | Lesser Yellownape | Picus chlorolophus | | | | | | | | ✓ | | | | | | | |
| 155 | Greater Yellownape | Chrysophlegma flavinucha | | | | | | | | ✓ | | | | ✓ | | ✓ | |
| 156 | Streak-throated Woodpecker | Picus xanthopygaeus | | | | | | | | | | ✓ | | | | | |

| | | | | | | | | | J | anua | ry | | | | | | |
|-----|----------------------------------|---------------------------------------|----------|----------|----|----------|----|----|----|----------|----------|----------|----|----|----|----------|----------|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 157 | Grey-headed Woodpecker | Picus canus | | | | | | | | ✓ | ✓ | ✓ | | ✓ | | | |
| 158 | Himalayan Flameback | Dinopium shorii | | | | | | | | ✓ | ✓ | ✓ | ✓ | | | | |
| 159 | Black-rumped Flameback | Dinopium benghalense | ✓ | ✓ | ✓ | | | | | ✓ | | ✓ | | | | | |
| 160 | Great Slaty Woodpecker | Mulleripicus pulverulentus | | | | | | | | | | ✓ | | | | | |
| 161 | Indian Bush Lark | Mirafra erythroptera | | | | | ✓ | | | | | | | | | | |
| 162 | Ashy-crowned Sparrow-Lark | Eremopterix griseus | | | | | ✓ | | | | | | | | | | |
| 163 | Crested Lark | Galerida cristata | | | | | ✓ | | | | | | | | | | |
| 164 | Plain Martin (now Grey-throated) | Riparia paludicola (now R. chinensis) | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | |
| 165 | Eurasian Crag Martin | Ptyonoprogne rupestris | | | | | | | | | | | | ✓ | | | |
| 166 | Dusky Crag Martin | Ptyonoprogne concolor | | | | | ✓ | | | | | | | | | | |
| 167 | Barn Swallow | Hirundo rustica | | | ✓ | ✓ | | | ✓ | | ✓ | | ✓ | | ✓ | | |
| 168 | Red-rumped Swallow | Cecropis daurica | | | | | | | | | | | ✓ | | | | |
| 169 | Wire-tailed Swallow | Hirundo smithii | | ✓ | | | | | | | | | | | | | |
| 170 | Asian House Martin | Delichon dasypus | | | | | | | | | | | ✓ | | | | |
| 171 | White Wagtail | Motacilla alba | | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | | |
| 172 | White-browed Wagtail | Motacilla maderaspatensis | | | | | | | | ✓ | ✓ | ✓ | ✓ | | | | |
| 173 | Citrine Wagtail | Motacilla citreola | | ✓ | | | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| 174 | Yellow Wagtail | Motacilla flava | | ✓ | | ✓ | | | | | | | | | | | |
| 175 | Grey Wagtail | Motacilla cinerea | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | |
| 176 | Tawny Pipit | Anthus campestris | | ✓ | | | | | ✓ | ✓ | ✓ | | ✓ | | | | |
| 177 | Olive-backed Pipit | Anthus hodgsoni | | | | | | | ✓ | | | | | | | | |
| 178 | Large Cuckooshrike | Coracina macei | | | | | | | | | | ✓ | | | | | |
| 179 | Small Minivet | Pericrocotus cinnamomeus | | | ✓ | | | | | | | | | | | | |
| 180 | Long-tailed Minivet | Pericrocotus ethologus | | | | | | | | | | | ✓ | ✓ | ✓ | | |
| 181 | Short-billed Minivet | Pericrocotus brevirostris | | | | | | | | | | | | | ✓ | | |
| 182 | Scarlet Minivet | Pericrocotus speciosus | | | | | | | | ✓ | ✓ | | | | | | |
| 183 | Bar-winged Flycatcher-shrike | Hemipus picatus | | | | | | | | | ✓ | | | ✓ | | | |
| 184 | Red-whiskered Bulbul | Pycnonotus jocosus | | | | | | | | | | ✓ | | | | | |
| 185 | Himalayan (White-eared) Bulbul | Pycnonotus leucogenys | | ✓ | ✓ | ✓ | | | | | | | | | | | |
| 186 | Red-vented Bulbul | Pycnonotus cafer | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 187 | Mountain Bulbul | Ixos mcclellandii | | | | | | | | | | | | | ✓ | | |
| 188 | Ashy Bulbul | Hemixos flavala | | | | | | | | | | ✓ | | | | | |

| | | | | | | | | | J | anua | ry | | | | | | |
|-----|-------------------------------|--------------------------------|----|----|----|----------|----------|----------|----|------|----|----|----------|----|----------|----|----|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 189 | Brown Dipper | Cinclus pallasii | | | | | | | | | | | | | ✓ | | |
| 190 | Rufous-breasted Accentor | Prunella strophiata | | | | | | | | | | | | ✓ | | | |
| 191 | Black-throated Accentor | Prunella atrogularis | | | | | | | | | | | | | | ✓ | |
| 192 | Blue Rock Thrush | Monticola solitarius | | | | | ✓ | | | | | | ✓ | | | | |
| 193 | Blue Whistling Thrush | Myophonus caeruleus | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 194 | Scaly Thrush | Zoothera dauma | | | | | | | | | | ✓ | | | | | |
| 195 | Orange-headed Thrush | Geokichla citrina | | | ✓ | ✓ | ✓ | | | | | | | | | | |
| 196 | Tickell's Thrush | Turdus unicolor | | | | ✓ | | | | | | | | | | | |
| 197 | Grey-winged Blackbird | Turdus boulboul | | | | | | | | | | ✓ | | | | | |
| 198 | Striated Prinia | Prinia crinigera | | | | | | | | | | | ✓ | | ✓ | | |
| 199 | Grey-breasted Prinia | Prinia hodgsonii | | | | | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | |
| 200 | Ashy Prinia | Prinia socialis | ✓ | | ✓ | ✓ | ✓ | | | | | | | | | | |
| 201 | Plain Prinia | Prinia inornata | ✓ | | | ✓ | | | | | | | | | | | |
| 202 | Black-faced Warbler | Abroscopus schisticeps | | | | | | | | | | | | | | ✓ | |
| 203 | Paddyfield Warbler | Acrocephalus agricola | | | | | ✓ | | | | | | | | | | |
| 204 | Blyth's Reed Warbler | Acrocephalus dumetorum | | | ✓ | | | | | | | | | | | | |
| 205 | Clamorous Reed Warbler | Acrocephalus stentoreus | | | | | ✓ | | | | | | | | | | |
| 206 | Common Tailorbird | Orthotomus sutorius | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| 207 | Siberian Chiffchaff | Phylloscopus collybita tristis | | | | ✓ | ✓ | | | | | | | | | | |
| 208 | Sulphur-bellied Warbler | Phylloscopus griseolus | | | | | ✓ | | | | | | | | | | |
| 209 | Buff-barred Warbler | Phylloscopus pulcher | | | | | | | | | | | ✓ | | ✓ | ✓ | |
| 210 | Ashy-throated Warbler | Phylloscopus maculipennis | | | | | | | | | | | | ✓ | | ✓ | |
| 211 | Lemon-rumped Warbler (Pale-r) | Phylloscopus chloronotus | | | | | | | | | | | | ✓ | ✓ | ✓ | |
| 212 | Hume's Leaf Warbler | Phylloscopus humei | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| 213 | Greenish Warbler | Phylloscopus trochiloides | | ✓ | ✓ | | | | | | | | | | | | |
| 214 | Whistler's Warbler | Seicercus whistleri | ✓ | | | | | | | ✓ | | | | | | | |
| 215 | Grey-hooded Warbler | Seicercus xanthoschistus | | | | | | | | ✓ | | | | ✓ | | ✓ | |
| 216 | Lesser Whitethroat | Sylvia curruca | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| 217 | Chestnut-headed Tesia | Cettia castaneocoronata | | | | | | | | | | | | | ✓ | | |
| 218 | Rufous-gorgeted Flycatcher | Ficedula strophiata | | | | | | | | | | | | | ✓ | | |
| 219 | Red-breasted Flycatcher | Ficedula parva | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | |
| 220 | Snowy-browed Flycatcher | Ficedula hyperythra | | | | | | | | | | | ✓ | | | | |

| | | | | | | | | | J | anua | ry | | | | | | |
|-----|---------------------------------|--------------------------------|----|----|----|----|----|----|----|------|----------|----------|----------|----------|----------|----------|----|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 221 | Small Niltava | Niltava macgrigoriae | | | | | | | | ✓ | | | | | ✓ | | |
| 222 | Rufous-bellied Niltava | Niltava sundara | | | | | | | | | | | | | ✓ | | |
| 223 | Grey-headed Canary-flycatcher | Culicicapa ceylonensis | | | ✓ | ✓ | ✓ | | | ✓ | | | | | | | |
| 224 | Siberian Rubythroat | Calliope calliope | | | ✓ | | | | | | | | | | | | |
| 225 | Bluethroat | Luscinia svecica | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| 226 | Red-flanked Bluetail | Tarsiger cyanurus | | | | | | | | | | | | | ✓ | ✓ | |
| 227 | Golden Bush Robin | Tarsiger chrysaeus | | | | | | | | | | | | | ✓ | | |
| 228 | Oriental Magpie-Robin | Copsychus saularis | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | | | | |
| 229 | White-rumped Shama | Copsychus malabaricus | | | | | | | | | ✓ | | | | | | |
| 230 | Indian Robin | Copsychus fulicatus | ✓ | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | | | | | |
| 231 | Blue-capped Redstart | Phoenicurus caeruleocephala | | | | | | | | | | | ✓ | ✓ | | ✓ | |
| 232 | Black Redstart | Phoenicurus ochruros | ✓ | | ✓ | ✓ | ✓ | | | | | ✓ | | | | | |
| 233 | Blue-fronted Redstart | Phoenicurus frontalis | | | | | | | | | | | | ✓ | | | |
| 234 | White-capped Redstart | Phoenicurus leucocephalus | | | | | | | | ✓ | ✓ | ✓ | ✓ | | ✓ | | |
| 235 | Plumbeous Water Redstart | Phoenicurus fuliginosus | | | | | | | | ✓ | ✓ | ✓ | ✓ | | ✓ | | |
| 236 | Little Forktail | Enicurus scouleri | | | | | | | | ✓ | | ✓ | | | | | |
| 237 | Spotted Forktail | Enicurus maculatus | | | | | | | | ✓ | | | | | ✓ | | |
| 238 | Common Stonechat | Saxicola torquatus (split??) | | ✓ | | | ✓ | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| 239 | Pied Bushchat | Saxicola caprata | | | | | ✓ | | | | ✓ | | | | | | |
| 240 | Grey Bushchat | Saxicola ferreus | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 241 | Yellow-bellied Fantail | Chelidorhynx hypoxanthus | | | | | | | | ✓ | | ✓ | | | ✓ | | |
| 242 | White-throated Fantail | Rhipidura albicollis | | | | | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | |
| 243 | White-throated Laughingthrush | Garrulax albogularis | | | | | | | | | | | | | | ✓ | |
| 244 | Rufous-chinned Laughingthrush | Garrulax rufogularis | | | | | | | | | | | | | ✓ | | |
| 245 | White-crested Laughingthrush | Garrulax leucolophus | | | | | | | | | | ✓ | | | | | |
| 246 | Striated Laughingthrush | Garrulax striatus | | | | | | | | | | | | | ✓ | ✓ | |
| 247 | Streaked Laughingthrush | Trochalopteron lineatum | | | | | | | | | | | ✓ | ✓ | √ | ✓ | |
| 248 | Chestnut-crowned Laughingthrush | Trochalopteron erythrocephalum | | | | | | | | | | | | √ | | | |
| 249 | Puff-throated Babbler | Pellorneum ruficeps | | | | | | | | | ✓ | ✓ | | | | | |
| 250 | Rusty-cheeked Scimitar Babbler | Pomatorhinus erythrogenys | | | | | | | | | | | | ✓ | √ | | |
| 251 | Scaly-breasted Wren-babbler | Pnoepyga albiventer | | | | | | | | | | | | | √ | | |
| 252 | Black-chinned Babbler | Stachyris pyrrhops | | | | | | | | | | ✓ | | | ✓ | | |

| | | | | | | | | | J | anua | ry | | | | | | |
|-----|---|-----------------------------|----|----|----|----|----|----|----|------|----|----|----|----|----|----|----|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 253 | Yellow-eyed Babbler | Chrysomma sinense | | | ✓ | | ✓ | | | | | | | | | | |
| 254 | Large Grey Babbler | Turdoides malcolmi | ✓ | ✓ | | | ✓ | | | | | | | | | | ✓ |
| 255 | Jungle Babbler | Turdoides striata | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| 256 | Red-billed Leiothrix | Leiothrix lutea | | | | | | | | | | | | | ✓ | | |
| 257 | Himalayan (White-browed) Shrike-babbler | Pteruthius ripleyi (split) | | | | | | | | | | | | | | ✓ | |
| 258 | Green Shrike-babbler | Pteruthius xanthochlorus | | | | | | | | | | | | | | ✓ | |
| 259 | Rufous Sibia | Heterophasia capistrata | | | | | | | | | | | | | | ✓ | |
| 260 | Black-throated Bushtit | Aegithalos concinnus | | | | | | | | | | ✓ | | ✓ | | ✓ | |
| 261 | Great Tit | Parus major | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| 262 | Green-backed Tit | Parus monticolus | | | | | | | | | | | | ✓ | ✓ | ✓ | |
| 263 | Himalayan Black-lored Tit | Machlolophus xanthogenys | | | | | | | | | | | | ✓ | ✓ | | |
| 264 | Yellow-browed Tit | Sylviparus modestus | | | | | | | | | | | | | | ✓ | |
| 265 | Black-crested (Spot-winged) Tit | Periparus ater melanolophus | | | | | | | | | | | | | | ✓ | |
| 266 | Chestnut-bellied Nuthatch | Sitta castanea | | | | | | | | ✓ | | ✓ | ✓ | ✓ | ✓ | | |
| 267 | Velvet-fronted Nuthatch | Sitta frontalis | | | | | | | | ✓ | | ✓ | | | | | |
| 268 | Wallcreeper | Tichodroma muraria | | | | | | | | ✓ | | | ✓ | | | ✓ | |
| 269 | Bar-tailed Treecreeper | Certhia himalayana | | | | | | | | ✓ | | | | ✓ | ✓ | ✓ | |
| 270 | Purple Sunbird | Cinnyris asiaticus | | ✓ | | ✓ | ✓ | ✓ | | | | | | | | | |
| 271 | Black-throated Sunbird | Aethopyga saturata | | | | | | | ✓ | | | | | | | | |
| 272 | Crimson Sunbird | Aethopyga siparaja | | | | | | | | | | | ✓ | | | | |
| 273 | Oriental White-eye | Zosterops palpebrosus | | | | ✓ | | | | ✓ | | | ✓ | ✓ | ✓ | ✓ | |
| 274 | Black-hooded Oriole | Oriolus xanthornus | | | | | | | | | ✓ | ✓ | | | | | |
| 275 | Maroon Oriole | Oriolus traillii | | | | | | | | | | | | | | ✓ | |
| 276 | Bay-backed Shrike | Lanius vittatus | | | | | ✓ | | | | | | | | | | |
| 277 | Long-tailed Shrike | Lanius schach | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| 278 | Common Woodshrike | Tephrodornis pondicerianus | ✓ | | ✓ | | | | | | | | | | | | |
| 279 | Black Drongo | Dicrurus macrocercus | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ |
| 280 | Ashy Drongo | Dicrurus leucophaeus | | | | ✓ | | | | | | | | | ✓ | | |
| 281 | White-bellied Drongo | Dicrurus caerulescens | | | | | | | | | ✓ | | | | | | |
| 282 | Bronzed Drongo | Dicrurus aeneus | | | | | | | | ✓ | | ✓ | | ✓ | ✓ | | |
| 283 | Lesser Racket-tailed Drongo | Dicrurus remifer | | | | | | | | ✓ | | | | | | | |
| 284 | Hair-crested Drongo | Dicrurus hottentottus | | | | | | | | ✓ | | | | | | | |

| | | | January 16 17 18 19 20 21 22 23 24 25 26 27 28 29 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4< | | | | | | | | | | | | | | |
|-----|---|----------------------------------|--|----|----|----------|----|----|----|----|----|----|----|----|----|----------|----|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 285 | Eurasian Jay | Garrulus glandarius | | | | | | | | | | | | ✓ | | ✓ | |
| 286 | Black-headed Jay | Garrulus lanceolatus | | | | | | | | | | | | ✓ | | ✓ | |
| 287 | Red-billed Blue Magpie | Urocissa erythroryncha | | | | | | | | | | | ✓ | | ✓ | ✓ | |
| 288 | Rufous Treepie | Dendrocitta vagabunda | ✓ | | ✓ | ✓ | ✓ | | | | ✓ | | ✓ | | | | ✓ |
| 289 | Grey Treepie | Dendrocitta formosae | | | | | | | | | | | | | ✓ | | |
| 290 | House Crow | Corvus splendens | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | | | |
| 291 | Large-billed Crow | Corvus macrorhynchos | | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| 292 | Bank Myna | Acridotheres ginginianus | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | ✓ |
| 293 | Common Myna | Acridotheres tristis | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | | | ✓ |
| 294 | Pied Myna (Asian Pied Starling) | Gracupica contra | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | ✓ |
| 295 | Chestnut-tailed Starling | Sturnia malabarica | | | | | | | | | | ✓ | | | | | |
| 296 | Brahminy Starling | Sturnia pagodarum | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | ✓ |
| 297 | Rosy Starling | Pastor roseus | | ✓ | | | | | | | | | | | | | |
| 298 | Common Starling | Sturnus vulgaris | | | | ✓ | | | | | | | | | | | |
| 299 | House Sparrow | Passer domesticus | | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | ✓ | ✓ | ✓ | |
| 300 | Russet Sparrow | Passer rutilans | | | | | | | | | | | | | | ✓ | |
| 301 | Yellow-throated S. (Chestnut-shouldered Petronia) | Gymnoris (Petronia) xanthocollis | | ✓ | | | | | | | | | | | | | |
| 302 | Red Avadavat | Amandava amandava | ✓ | | ✓ | | ✓ | | | | | | | | | | |
| 303 | Common Rosefinch | Carpodacus erythrinus | | | | | | | | | | | ✓ | ✓ | ✓ | | |
| 304 | Pink-browed Rosefinch | Carpodacus rodochroa | | | | | | | | | | | | | | ✓ | |
| 305 | Yellow-breasted Greenfinch | Chloris spinoides | | | | | | | | | | | | | ✓ | ✓ | |
| 306 | White-capped bunting | Emberiza stewarti | | | | | ✓ | | | | | | | | | | |

Mammals Scientific names

| 1 | Indian Flying Fox | Pteropus giganteus | | | | | ✓ | | | | | | | | | | |
|---|--------------------------------|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | Rhesus Macaque | Macaca mulatta | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 3 | Common Langur | Presbytis entellus | | | | | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 4 | Asiatic Golden Jackal | Canis lupus | | ✓ | ✓ | | | | | | ✓ | | | | | | |
| 5 | Yellow-throated Marten | Martes flavigula | | | | | | | | | | | | | | ✓ | |
| 6 | Small Indian Mongoose | Herpestes auropunctatus | | | | | ✓ | | | | | | | | | | |
| 7 | Indian Grey Mongoose | Herpestes edwardsi | ✓ | | | | | | | | | | | | | | |
| 8 | Ruddy or Black-tailed Mongoose | Herpestes smithii | | | | | ✓ | | | | | | | | | | |

| | | | January 16 17 18 19 20 21 22 23 24 25 26 27 28 29 | | | | | | | | | | | | | | |
|----|------------------------------------|-------------------------|--|----|----------|----|----------|----------|----------|----|----|----------|----|----|----|----|----|
| | Common name | Scientific name | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 9 | Jungle Cat | Felis chaus | | | | | | | | | | ✓ | | | | | |
| 10 | Royal Bengal Tiger | Panthera tigris | | | | | | | | | ✓ | | | | | | |
| 11 | Indian Wild Boar | Sus scrofa cristatus | | | ✓ | ✓ | | | | | | | | | | | |
| 12 | Barking Deer (Indian Muntjac) | Muntiacus muntjak | | | | | | | | ✓ | ✓ | ✓ | | | ✓ | | |
| 13 | Chital (Spotted Deer) | Cervus axis | | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | | | | | |
| 14 | Sambar | Cervus unicolor | | | ✓ | ✓ | | | | ✓ | ✓ | ✓ | | | | | |
| 15 | Nilgai | Boselaphus tragocamelus | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | |
| 16 | Five-striped Palm Squirrel | Funambulus pennanti | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | |
| 17 | Asiatic Long-tailed Climbing Mouse | Vandeleuria oleracea | | | | | ✓ | | | | | | | | | | |

Reptiles

| 1 | Indian Soft-shell Turtle | Nilssonia gangetica | | | ✓ | | | | | | | |
|---|---|-----------------------|---|--|---|--|---|--|---|--|--|--|
| 2 | Common House Gecko | Hemidactylus frenatus | | | | | ✓ | | ✓ | | | |
| 3 | Checkered Keelback (Asiatic Watersnake) | Xenochrophis piscator | | | | | ✓ | | ✓ | | | |
| 4 | Bengal Monitor Lizard | Varanus bengalensis | ✓ | | | | | | ✓ | | | |