

The Burren

Naturetrek Tour Report

24th – 28th May 2023



Bloody Crane's-bill



Green Rose Chafer



Poul nabrone burial chamber



Moon Gate

Tour report and images by Bruce Middleton



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Bruce Middleton (leader) and 11 Naturetrek clients

Summary

We had nice weather with lots of sunshine to enjoy the beautiful scenery to be found in the Burren. There were plenty of plants to see and enjoy. Highlights of our forays included a wide variety of Early Marsh Orchids as well as, Irish Marsh, Early Purple, Fly, Bee, Frog, Fragrant, Twayblade Orchids. Other flowers included Spring Gentian, Bloody-crane's-bill, Large-flowered Butterwort, Mossy Saxifrage. Then bird wise - Cuckoo, Great Northern Diver, Guillemot, Black Guillemot, Puffin and Dipper. Then with all the sunny days - out came the butterfly species including Wood White, Small Blue and Pearl-bordered Fritillary. Other highlights included a guided tour of the amazing Caher Bridge Gardens led by its creator, a visit to Mullach Mor and to the Cliffs of Moher. We also sampled some truly delicious Irish food and drink.

Day 1

Wednesday 24th May

Weather: Dry and sunny

Bruce Middleton welcomed eleven Naturetrekkers at the Sheedy's Hotel, Lisdoonvarna. Then after everyone had checked in to the hotel and made their dinner menu requests, we set off in the bus to Newtown Castle, Ballyvaughn. Beside the sixteenth-century cylindrical fortified tower house there is an art college with a small café where we had lunch.

After we had eaten, we first looked around the tower and found Fairy Foxglove *Erinus alpinus*, Hairy Rock-cress *Arabis hirsuta* and Rustyback Fern *Asplenium ceterach* growing out of the mortar in the walls. Then we set off on a walk down a lane and then up onto Cappanavalla Hill. We entered an area of woodland and scrub and here we spotted our first butterflies of the tour and they included – Peacock *Inachis io*, Orange Tip *Anthocharis cardamines*, Dingy Skipper *Erynnis tages* and Wood White *Leptidea sinapis*. As we started our ascent, we heard Chiffchaff *Phylloscopus collybita* and Cuckoo *Cuculus canorus*. We saw a good variety of plants that included Mountain Everlasting *Antennaria dioica*, Wild Thyme *Thymus polytrichus*, Common Milkwort *Polygala vulgaris*, Rue-leaved Saxifrage *Saxifraga tridactylites*, Early Marsh Orchid *Dactyloriza incarnata* subsp. *incarnata* and Early Purple Orchid *Orchis mascula*. Then there was the breath-taking metallic blue propeller-shaped Spring Gentians *Gentiana verna* and to top it all - lots of the beautiful Large-flowered Butterwort *Pinguicula grandiflora* could be found as well. We then wandered back to the bus which returned us back to the hotel to freshen up before having the first of our delicious evening tour meals.

Day 2

Thursday 25th May

Weather: Dry and sunny

The day was started by us all going down into the village and buying our own packed lunch at the local Spar shop. Then Brian our bus driver came to the shop to pick us up and take us on to the Caher Bridge Garden. Here we parked the bus and met Carl Wright and his father. Carl right from the start enthused us about his passion for his garden that he has created and is still creating. As we wandered through his magical garden, he told us about how it all started by him buying a derelict house and how he rebuilt it and how he built a paradise around it on top of the limestone pavement that supports little or no soil. He told us how he cleared small areas of hazel bit by bit, built walls from scratch and how he sieved all the imported soil for his garden plants to survive on. He told us that

he is an ecologist that has picked up his horticultural skills over the years. Carl is obviously skilful at whatever he puts his mind to and was truly an inspiration to us all. When we were beside the bridge, we had a very close up view of two White-throated Dipper *Cinclus cinclus* bobbing up and down on rocks in the river. Whilst we were being shown around, there were Blackcaps *Sylvia atricapilla* and Cuckoos *Cuculus canorus* constantly singing. We also saw Large Red Damselflies *Pyrrosoma nymphula* and a Beautiful Demoiselle *Calopteryx virgo*. In the river beside the garden pond there we saw a number of clumps of the very rare Pondweed *Potamogeton x lanceolatus*. After the wonderful garden tour, we sat down in the garden and had our lunch in the glorious sunshine.

Then we drove off to the start of a track known in the Burren as the Green Road. Here we walked up a green lane to look across the landscape and we could see the Arran Isles and Galway in the distance across the sea and the vast expanse of lime stone pavement all around us. We heard and saw three Cuckoos *Cuculus canorus* flying together and we also saw Raven *Corvus corvax* and Northern Wheatear *Oenanthe oenanthe*. As we climbed up this wonderful path flanked on both sides with limestone drywalls within a barren rocky landscape, we discovered Dense-flowered Orchids *Neotinea maculata*, Spring Gentian *Gentiana verna*, Mountain Avens *Dryas octopetala*, Spring Sandwort *Minuartia verna*, Lousewort *Pedicularis sylvatica*, Hoary Rock-rose *Helianthemum oelandicum*, Heath Spotted Orchid *Dactylorhiza maculata*, Early Purple Orchid *Orchis mascula* and a Frog Orchid *Coeloglossum viride*. We also saw some butterflies including Small Blue *Cupido minimus*, Dingy Skipper *Erynnis tages* and Small Heath *Coenonympha pamphilus*.

We then returned back to the hotel and the majority of the group then went out to explore an interesting meadow in Lisdoonvarna. Here we discovered Smooth-stalked Sedge *Carex laevitata*, Oval Sedge *Carex leporina*, Meadow Thistle *Cirsium dissectum*, more Heath Spotted Orchid *Dactylorhiza maculata*, then there were Early Marsh Orchids *Dactylorhiza incarnata subsp. cruenta*, *Dactylorhiza incarnata subsp. pulchella* as well as some Irish Marsh Orchids *Dactylorhiza kerryensis var occidentalis* and just to add to the mix there were a number of hybrids between these four species. Then it was back to the hotel to freshen up before having another delicious evening meal chosen from our menu.

Day 3

Friday 26th May

Weather: Dry, sunny and very hot at times

After a large breakfast for some of us - we set off to Poll Sallach on the coast road. We started by looking in the crevices in the limestone pavement on the coastal side and were rewarded by finding both Sea Spleenwort *Asplenium marinum* and Maidenhair ferns *Adiantum capillus-veneris*. We also found lots of pink-coloured Thrift *Armeria maritima* and the white flowered Sea Campion *Silene maritima*. Then by crossing the road and going inland we found the beautiful yellow flowered Hoary Rockrose *Helianthemum oelandicum* and Heath-spotted Orchids *Dactylorhiza maculata* galore. We also found some Early Marsh Orchid *Dactylorhiza incarnata subsp. pulchella*. There were also a number of trees we found that were much smaller than they would normally be but had adapted to growing in the limestone crevices like Spindle *Euronymus europaeus* and Holly *Ilex aquifolium*. One of the interesting insects to see was the very showy metallic green Green Rose Chafer beetle *Cetonia aurata* we found on the plentiful Burnet Rose *Rosa spinosissima*.

We then continued along the coast road a little way further and stopped to look and see if we could find any sea birds and we were rewarded by seeing a number of Black Guillemot *Cepphus grille* basking on the large rocks below us. Then it was on down to Black Head and there we disembarked to look and see around the lighthouse. The sea was a bit choppy and so it was not perfect, but we did spot a lone Great Northern Diver *Gavia immer*. Time was running short because we had booked a table at the Monks Bar in Ballyvaugh - so we made our way there to be

on time. Here they specialize in sea food, and it was not long before we were tucking into food that melts in the mouth.

After lunch we drove back on ourselves and stopped briefly to look at more Fairy Foxgloves *Erinus alpinus* growing on an old stone building above a well site. Then from here we drove a little way back and set off down a path towards the sea to look at a coastal spit known as the Rine. The path had numerous Wood White *Leptidea sinapsis* butterflies and a few Dingy Skipper *Erynnis tages* fluttering along it in the sunshine. We could hear Cuckoos *Cuculus canorus* calling from the moment we left the bus, and it was not long before we saw two flying a head of us. On the beach we came across some nice flowers that included Greater Sea Spurrey *Spergularia media*, Lesser Sea Spurrey *Spergularia marina*, lots of Field Mouse-ear *Cerastium arvense*, some Sea Mouse-ear *Cerastium diffusum* and Sea Milkwort *Glaux maritima*. The sun was becoming hotter and then all of a sudden, there was a very loud roar beside us and as we looked up - a large swarm of Honey Bees *Apis mellifera* flew over our heads. We noticed a herd of goats that looked like they had gone feral and as we came a little closer to them, we noticed a number of Early Purple Orchid *Orchis mascula* as well a nice stand of Columbine *Aquilegia vulgaris*. We also came across an area of saltmarsh that had the plants of both Lax-flowered Sea Lavender *Limonium humile* and Irish Sea Lavender *Limonium recurvum* subsp. *pseudotranswallianum*. However, it was too early to see them in flower.

We then set off away from the coast and went up to ringed hill fort known as Cahermort Fort. Here we had lovely views across the landscape as well as finding a nice stand of more beautiful Mossy Saxifrage *Saxifraga hypnoides*. Then we continued up the road to the prehistoric Poul nabrone Dolmen. There we looked at it lying atop the limestone pavement surrounded by wild flowers. One of the more unusual ones was a Stinking Hellebore *Helleborus foetidus* in a crevice. However, beside the Dolmen there was a wet ditch which had lots of Brooklime *Veronica beccabunga*, Lesser Spearwort *Ranunculus flammula* and some Marsh Arrowgrass *Triglochin palustris* growing in it. There was also a small fenced off pond that had Common Spike-rush *Eleocharis palustris*, Common Sedge *Carex nigra* and Bog Pondweed *Potamogeton polygonifolius* in it.

Then we returned to Sheedy's for another great evening meal.

Day 4

Saturday 27th May

Weather: Dry, sunny and hot at times

After breakfast we set off towards Mullach Mor and on route we stopped off shortly to photograph Leminagh Castle. Here Brian told us an entertaining tale about the local lady that had lived there and allegedly murdered her two husbands making sure she left no evidence of her involvement in their deaths but ensuring she was still the owner of the castle when they passed away. Afterwards we set off to Mullach Mor and investigated a meadow area where we found numerous insects flying around including Six-spotted Burnet Moth *Zygaena filipendulae* and Common Blue butterflies *Polyommatus icarus*. We also discovered our first Fragrant Orchids *Gymnadenia conopsea* and Bee Orchids *Ophrys apifera*. Then we went on to the partly dried up Loch Gealain which is a Turlough (winter-fed lake). Here we were immediately greeted by the Shrubby Cinquefoil *Potentilla fruticosa* which is plentiful here. We noticed lots of Brimstone *Gonepteryx rhamni* butterflies which as caterpillars would have fed on the Alder Buckthorn *Frangula alnus* that is stunted and hugs the limestone pavement here. We also saw Blue-tailed Damselflies *Ischnura elegans* flying by as well as a Stonechat *Saxicola rubecola* that flew over our heads. There were Marsh Marigolds *Caltha palustris*, Black Bog Rushes *Schoenus nigricans* and we found Northern Bedstraw *Galium boreale* as well as the hybrid *Viola x ritschliana* violet Heath Violet *Viola canina* with a Fen Violet *Viola persicifolia* and then we found both the parents. Whilst at this place we discovered a Puss Moth *Cerura vinula* who looked to be laying eggs and almost

simultaneously there was a loud sound coming from two Cuckoos *Cuculus canorus* flying overhead with a Meadow Pipit *Anthus pratensis* trying to catch them up. Then we came across a spring bubbling up within the limestone pavement. There was a small pool and within it we found Curled Pondweed *Potamogeton crispus*, Soft Hornwort *Ceratophyllum submersum*, baby Common Froglets *Rana temporaria*, Pond-skaters *Gerris lacustris* and a leech. There was also on a further inspection of the area some Turlough Dandelion *Taraxacum amarellum*, Carnation Sedge *Carex panicea*, Common Sedge *Carex nigra* and Great Fen Sedge *Cladium mariscus* found. Bird wise we saw Little Egret *Egretta garzetta* and Grey Heron *Ardea cinerea*. We then drove on to Keosh's Restaurant in Kinvarna for lunch.

Then it was off to Slieve Carran National Nature Reserve and on arriving we followed the path that leads up to the 'Eagles Rock' and here we discovered a few Fly Orchids *Ophrys insectifera* and Dense-flowered Orchids *Neotinea maculata*. There were hundreds of plants of the eight-petaled Mountain Avens *Dryas octopetala* going over and there were a few with double flowers too. The path led us to the seventh century hermitage and holy well dedicated to St Colman Mac Duagh which was hidden in a hazel *Corylus avellana* copse. This copse had a woodland floor covered in Wild Garlic *Allium ursinum*, Yellow Pimpernel *Lysimachia nemorum* and Bluebell *Hyacinthoides non-scripta*. Below the well we also discovered the hybrid between Wood Avens *Geum urbanum* and Water Avens *Geum rivale* known as *Geum x intermedium*. As we looked at the holy well with Brittle Bladder Ferns *Cystopteris fragilis* growing out of the walls. Then we walked back towards the bus via a wet bog area with Common Cotton-grass *Eriophorum angustifolium*. Here we also found Common Butterwort *Pinguicula vulgaris*, Bog Pimpernel *Anagallis tenella* and Round-leaved Sundew *Drosera rotundifolia*.

We then returned to the hotel to freshen up and had another wonderful meal.

Day 5

Sunday 28th May

Weather: Dry and sunny

After our last hearty breakfast at Sheedy's and farewells to our excellent host Martina - we set off to the Cliffs of Moher. However, it was decided we would drive just that little bit further on to the ancient healing well of Saint Bridget and the more recent O'Brian's Monument. We had a little talk by Brian our coach driver about how thousands of people come every year to this site in the hope of being healed by the magical healing properties of the well. Then we drove on to the Cliffs of Moher, we had to use our binoculars but were rewarded by seeing numerous Fulmar *Fulmarus glacialis*, Guillemot *Uria aalge*, some Kittiwakes *Rissa tridactyla* and Puffins *Fratercula arctica*.

We then drove to Fanore where we had a very quick look at the dunes and found Marram Grass *Ammophila arenaria*, Sand Sedge *Carex arenaria*, Dodder *Cuscuta epithimum* smothering the short grassland amongst Irish Eyebright *Euphrasia salisburgensis*. Then we headed to the Kilfenora Burren Centre. Here we visited the ruins of Kilfenora Cathedral to see the ancient limestone Celtic crosses and here we observed Navelwort *Umbilicus rupestris* growing on the walls then had lunch. At this point many of us parted our ways and said our goodbyes. Then the ones that needed to catch the plane went back on the bus to Shannon Airport. Here we said our goodbye to our wonderfully informative bus driver Brian - so ended another lovely Naturetrek tour of the Burren.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



www.facebook.com/naturetrekwildlifeholidays



www.twitter.com/naturetrektours



www.instagram.com/naturetrek_wildlife_holidays

Species lists

Plants

Nomenclature contained within this list follows the taxonomic amendments, based on DNA analysis, made by the Royal Botanic Gardens, Kew and the Missouri Botanic Garden, and following The Plant List, an internationally accepted list of vascular plant families, published and maintained by these two Institutions.

Scientific Name	Common Name	First Location seen
PTERIDOPHYTES	FERNS & ALLIES	
Calamophytes	Horsetails	
Equisetaceae	Horsetail Family	
<i>Equisetum arvense</i>	Field Horsetail	Lisdoonvarna
<i>Equisetum telmateia</i>	Greater Horsetail	Lisdoonvarna
<i>Equisetum palustre</i>	Marsh Horsetail	Mullach Mor
Leptosporangiate Ferns	True Ferns	
Aspleniaceae	Spleenwort Family	
<i>Asplenium ceterach</i>	Rustyback	Newtown Castle
<i>Asplenium marinum</i>	Sea Spleenwort	Poll Sallach
<i>Asplenium ruta-muraria</i>	Wall-rue	Cappanavalla
<i>Asplenium scolopendrium</i>	Hart's-tongue	Slieve
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Cappanavalla
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Slieve
Dryopteridaceae	Buckler-fern Family	
<i>Dryopteris filix-mas</i>	Male-fern	Lisdoonvarna

Scientific Name	Common Name	First Location seen
<i>Polystichum setiferum</i>	Soft Shield-fern	Cappanavalla
Polypodiaceae	Polypody Family	
<i>Polypodium cambricum</i>	Southern Polypody	Kilfenora
<i>Polypodium interjectum</i>	Western Polypody	Cappanavalla
<i>Polypodium vulgare</i>	Common Polypody	Cappanavalla
Pteridaceae	Ribbon Fern Family	
<i>Adiantum capillus veneris</i>	Maidenhair Fern	Poll Sallach
Woodsiaceae	Lady-fern Family	
<i>Athyrium filix-femina</i>	Lady-fern	Slieve
<i>Cystopteris fragilis</i>	Brittle Bladder-fern	Slieve
PINACEAE	CONIFERS	
Pinaceae	Pine Family	
<i>Picea abies</i>	Norway Spruce	Lisdoonvarna
<i>Picea sitchensis</i>	Sitka Spruce	Lisdoonvarna
Taxaceae	Yew Family	
<i>Taxus baccata</i>	Yew	Rine
ANGIOSPERMS	FLOWERING PLANTS	
Eu-dicots	True Dicotyledons	
Amaranthaceae	Amaranth Family	
<i>Atriplex prostrata</i>	Spear-leaved Orache	Rine
<i>Beta vulgaris</i> subsp. <i>maritima</i>	Sea Beet	Rine
<i>Chenopodium album</i>	Fathen	Rine
Apiaceae	Carrot Family	
<i>Angelica sylvestris</i>	Angelica	Lisdoonvarna
<i>Anthriscus sylvestris</i>	Cow Parsley	Mullach Mor
<i>Conopodium majus</i>	Pignut	Mullach Mor
<i>Crithmum maritimum</i>	Rock Samphire	Rine
<i>Daucus carota</i> subsp. <i>carota</i>	Wild Carrot	Green Road
<i>Daucus carota</i> subsp. <i>gummifer</i>	Sea Carrot	Rine
<i>Heracleum sphondylium</i>	Hogweed	Lisdoonvarna
<i>Oenanthe crocata</i>	Hemlock Water-dropwort	Newtown Castle
<i>Sanicula europaea</i>	Sanicle	Slieve
Aquifoliaceae	Holly Family	
<i>Ilex aquifolia</i>	Holly	Slieve
Araliaceae	Ivy Family	
<i>Hedera helix</i>	Ivy	Cappanavalla
<i>Hedera hibernica</i>	Atlantic Ivy	Slieve
Asteraceae	Daisy Family	
<i>Achillea millefolium</i>	Yarrow	Lisdoonvarna
<i>Antennaria dioica</i>	Mountain Everlasting or Cat's-paw	Cappanavalla
<i>Bellis perennis</i>	Daisy	Lisdoonvarna

Scientific Name	Common Name	First Location seen
<i>Carlina vulgaris</i>	Carlina Thistle	Cappanavalla
<i>Centaurea nigra</i>	Common Knapweed	Cappanavalla
<i>Cirsium arvense</i>	Creeping Thistle	Lisdoonvarna
<i>Cirsium dissectum</i>	Meadow Thistle	Mullach Mor
<i>Cirsium palustre</i>	Marsh Thistle	Caher Valley
<i>Cirsium vulgare</i>	Spear Thistle	Lisdoonvarna
<i>Crepis capillaris</i>	Smooth Hawk's-beard	Lisdoonvarna
<i>Crepis vesicaria</i>	Beaked Hawk's-beard	Rine
<i>Eupatorium cannabinum</i>	Hemp-agrimony	Poll Sallach
<i>Hieracium agg</i>	Hawkweed group	Lisdoonvarna
<i>Hypochoeris radicata</i>	Common Cat's-ear	Mullach Mor
<i>Lapsana communis</i>	Nipplewort	Slieve
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Cappanavalla
<i>Matricaria discoidea</i>	Pineapple Weed	Rine
<i>Mycelis muralis</i>	Wall Lettuce	Cappanavalla
<i>Pilosella officinarum</i>	Mouse-ear Hawkweed	Slieve
<i>Senecio jacobaea</i>	Common Ragwort	Cappanavalla
<i>Senecio vulgaris</i>	Groundsel	Cappanavalla
<i>Solidago virgaurea</i>	Goldenrod	Cappanavalla
<i>Sonchus asper</i>	Prickly Sow-thistle	Cappanavalla
<i>Sonchus arvensis</i>	Perennial Sow-thistle	Poll Sallach
<i>Sonchus oleraceus</i>	Smooth Sow-thistle	Lisdoonvarna
<i>Taraxacum agg</i>	Dandelion group	Cappanavalla
<i>Tripleurospermum maritimum</i>	Sea Mayweed	Rine
<i>Tussilago farfara</i>	Colt's-foot	Cappanavalla
<i>Petasites fragrans</i>	Winter Heliotrope	Roadsides
Betulaceae	Birch Family	
<i>Alnus glutinosa</i>	Common Alder	Rine
<i>Betula pendula</i>	Silver Birch	Lisdoonvarna
<i>Betula pubescens</i>	Downy Birch	Caher Bridge
<i>Corylus avellana</i>	Hazel	Cappanavalla
Brassicaceae	Cabbage Family	
<i>Arabis hirsuta</i>	Hairy Rock-cress	Newtown Castle
<i>Barbarea vulgaris</i>	Winter-cress	Cappanavalla
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Cappanavalla
<i>Cardamine flexuosa</i>	Wavy Bitter-cress	Cappanavalla
<i>Cardamine pratensis</i>	Cuckooflower	Cappanavalla
<i>Cochlearia officinalis</i>	Common Scurvygrass	Poll Sallach
<i>Coronopus didymus</i>	Lesser Swine-cress	Rine
<i>Draba verna</i>	Common Whitlow-grass	Lisdoonvarna
<i>Hesperis matronalis</i>	Dame's-violet	Roadsides
<i>Nasturtium officinale</i>	Water-cress	Caher Valley
<i>Raphanus raphanistrum</i> subsp. <i>maritimum</i>	Sea Radish	Rine
<i>Sisymbrium officinale</i>	Hedge Mustard	Rine
Droseraceae	Sundew Family	
<i>Drosera rotundifolia</i>	Round-leaved Sundew	Slieve
Caprifoliaceae	Honeysuckle Family	
<i>Lonicera nitida</i>	Shining Honeysuckle	Cappanavalla
<i>Lonicera periclymenum</i>	Honeysuckle	Cappanavalla
<i>Lonicera xylosteum</i>	Fly Honeysuckle	Lisdoonvarna

Scientific Name	Common Name	First Location seen
<i>Sambucus nigra</i>	Elderberry	Cappanavalla
<i>Symphoricarpos albus</i>	Snowberry	Cappanavalla
<i>Viburnum opulus</i>	Guelder-rose	Cappanavalla
Caryophyllaceae	Pink Family	
<i>Cerastium arvense</i>	Field Mouse-ear	Rine
<i>Cerastium diffusum</i>	Sea Mouse-ear	Rine
<i>Cerastium fontanum</i>	Common Mouse-ear	Lisdoonvarna
<i>Cerastium glomeratum</i>	Sticky Mouse-ear	Lisdoonvarna
<i>Honckenya peploides</i>	Sea Sandwort	Rine
<i>Minuartia verna</i>	Spring Sandwort	Green Road
<i>Sagina procumbens</i>	Procumbent Pearlwort	Cappanavalla
<i>Silene dioica</i>	Red Campion	Cappanavalla
<i>Silene flos-cuculi</i>	Ragged Robin	Lisdoonvarna
<i>Silene uniflora</i>	Sea Campion	Rine
<i>Spergularia marina</i>	Lesser Sea-spurrey	Rine
<i>Spergularia media</i>	Greater Sea-spurrey	Rine
<i>Stellaria media</i>	Common Chickweed	Rine
Celastraceae	Spindle Family	
<i>Euonymus europaeus</i>	Spindle	Cappanavalla
Ceratophyllaceae	Hornwort Family	
<i>Ceratophyllum submersum</i>	Soft Hornwort	Mullach Mor
Cistaceae	Rock-rose Family	
<i>Helianthemum oelandicum</i> ssp. <i>piloselloides</i>	Hoary Rock-rose	Green Road
Convolvulaceae	Bindweed Family	
<i>Calystegia sylvatica</i>	Large Bindweed	Poll Sallach
<i>Cuscuta epithimum</i>	Dodder	Fanore
Crassulaceae	Stonecrop Family	
<i>Sedum acre</i>	Biting Stonecrop	Rine
<i>Umbilicus rupestris</i>	Navelwort	Kilfenora
Dipsacaceae	Teasel Family	
<i>Jasione montana</i>	Sheep's-bit Scabious	Cliffs of Moher
<i>Succia pratensis</i>	Devil's-bit Scabious (leaves only)	Cappanavalla
Ericaceae	Heather Family	
<i>Calluna vulgaris</i>	Heather	Slieve
<i>Erica tetralix</i>	Cross-leaved Heath	Slieve
<i>Rhododendron ponticum</i>	Rhododendron	Road sides
Euphorbiaceae	Spurge Family	
<i>Euphorbia peplus</i>	Petty Spurge	Lisdoonvarna
Fabaceae	Pea Family	
<i>Anthyllis vulneraria</i>	Kidney Vetch	Poll Sallach
<i>Lathyrus linifolius</i>	Bitter Vetch	Cappanavalla
<i>Lathyrus pratensis</i>	Meadow Vetchling	Cappanavalla
<i>Lotus corniculatus</i>	Bird's-foot-trefoil	Cappanavalla

Scientific Name	Common Name	First Location seen
<i>Medicago lupulina</i>	Black Medick	Cappanavalla
<i>Trifolium dubium</i>	Lesser Trefoil	Cappanavalla
<i>Trifolium pratense</i>	Red Clover	Cappanavalla
<i>Trifolium repens</i>	White Clover	Cappanavalla
<i>Ulex europaeus</i>	Gorse	Cappanavalla
<i>Vicia cracca</i>	Tufted Vetch	Cappanavalla
<i>Vicia sepium</i>	Bush Vetch	Cappanavalla
Fagaceae	Oak & Beech Family	
<i>Quercus robur</i>	Pendunculate Oak	Caher Bridge
Gentianaceae	Gentian Family	
<i>Blackstonia perfoliata</i>	Yellow-wort	Cappanavalla
<i>Centaurium erythraea</i>	Common Centaury	Cappanavalla
<i>Gentiana verna</i>	Spring Gentian	Cappanavalla
Geraniaceae	Geranium Family	
<i>Geranium lucidum</i>	Shining Crane's-bill	Cappanavalla
<i>Geranium robertianum</i>	Herb Robert	Cappanavalla
<i>Geranium sanguineum</i>	Bloody Crane's-bill	Cappanavalla
Hippuridaceae	Mare's-tail Family	
<i>Hippuris vulgaris</i>	Mare's-tail	Caher Bridge
Hypericaceae	St John's-wort Family	
<i>Hypericum hirsutum</i>	Hairy St John's-wort	Lisdoonvarna
<i>Hypericum perforatum</i>	Perforate St John's-wort	Cappanavalla
<i>Hypericum tetrapterum</i>	Square-stalked St John's-wort	Poulina brone
Lamiaceae	Dead-nettle Family	
<i>Ajuga reptans</i>	Common Bugle	Slieve
<i>Mentha aquatica</i>	Water Mint	Cappanavalla
<i>Prunella vulgaris</i>	Self-heal	Poll Sallach
<i>Stachys sylvatica</i>	Hedge Woundwort	Cappanavalla
<i>Teucrium scorodonia</i>	Wood Sage	Cappanavalla
<i>Thymus polytrichus</i>	Wild Thyme	Cappanavalla
Lentibulariaceae	Bladderwort Family	
<i>Pinguicula grandiflora</i>	Large-flowered Butterwort	Cappanavalla
<i>Pinguicula vulgaris</i>	Common Butterwort	Slieve
Malvaceae	Mallow Family	
<i>Lavatera arborea</i>	Tree Mallow	Cliffs of Moher
Menyanthaceae	Bog-bean Family	
<i>Menyanthes trifoliata</i>	Bog-bean	Caher Bridge
Myricaceae	Myrtle Family	
<i>Myrica gale</i>	Bog Myrtle	Slieve
Oleaceae	Olive Family	
<i>Fraxinus excelsior</i>	Ash	Cappanavalla
Onagraceae	Willow-herb Family	

Scientific Name	Common Name	First Location seen
<i>Chamaenerion angustifolium</i>	Rosebay Willow-herb	Lisdoonvarna
<i>Circaea lutetiana</i>	Enchanter's-nightshade	Slieve
<i>Epilobium hirsutum</i>	Great Willow-herb	Cappanavalla
<i>Epilobium montanum</i>	Broad-leaved Willow-herb	Cappanavalla
<i>Epilobium palustre</i>	Marsh Willow-herb	Mullach Mor
<i>Epilobium parviflorum</i>	Hoary Willow-herb	Lisdoonvarna
<i>Fuchsia magellanica</i>	Fuchsia (wild)	Roadsides
<i>Fuchsia magellanica</i> var. <i>macrostema</i>	Fuchsia (of garden origin)	Roadsides
Orobanchaceae	Broomrape Family	
<i>Euphrasia salisburgensis</i> var. <i>hibernica</i>	Irish Narrow-leaved Eyebright	Fanore
<i>Euphrasia tetraquetra</i>	Western Eyebright	Slieve
<i>Orobanche alba</i>	Thyme Broomrape	Poll Sallach
<i>Pedicularis sylvatica</i>	Lousewort	Slieve
<i>Rhinanthus minor</i>	Yellow-rattle	Poll Sallach
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Rine
Plantaginaceae	Plantain Family	
<i>Plantago coronopus</i>	Buck's-horn Plantain	Poll Sallach
<i>Plantago lanecolata</i>	Ribwort Plantain	Rine
<i>Plantago major</i>	Greater Plantain	Rine
<i>Plantago maritima</i>	Sea Plantain	Rine
Plumbaginaceae	Thrift Family	
<i>Armeria maritima</i>	Thrift	Poll Sallach
<i>Limonium humile</i>	Lax-flowered Sea-lavender (leaves only)	Rine
<i>L. recurvum</i> subsp. <i>pseudotranswallianum</i>	Irish Sea-lavender (leaves only)	Rine
Polygalaceae	Milkwort Family	
<i>Polygala vulgaris</i>	Common Milkwort	Cappanavalla
Polygonaceae	Knotweed Family	
<i>Falopia japonica</i>	Japanese Knotweed	Cappanavalla
<i>Polygonum aviculare</i>	Common Knotgrass	Rine
<i>Rumex acetosa</i>	Common Sorrel	Cappanavalla
<i>Rumex crispus</i>	Curled Dock	Cappanavalla
<i>Rumex crispus</i> subsp. <i>littoreus</i>	Curled Dock (coastal subspecies)	Rine
<i>Rumex obtusifolius</i>	Broad-leaved Dock	Lisdoonvarna
<i>Rumex sanguineus</i>	Wood Dock	Sieve
Potamogetonaceae	Pondweed Family	
<i>Potamogeton crispus</i>	Curled Pondweed	Mullach Mor
<i>Potamogeton x lanceolatus</i>	A Pondweed	Caher Bridge
<i>Potamogeton polygonifolius</i>	Bog Pondweed	Poulna brone
Primulaceae	Primrose Family	
<i>Anagallis arvensis</i>	Scarlet Pimpernel	Rine
<i>Anagallis tennella</i>	Bog Pimpernel	Slieve
<i>Glaux maritima</i>	Sea-milkwort	Rine
<i>Lysimachia nemorum</i>	Yellow Pimpernel	Slieve
<i>Lysimachia punctatum</i>	Dotted Loosestrife	Roadsides

Scientific Name	Common Name	First Location seen
<i>Primula veris</i>	Cowslip	Green Road
<i>Primula vulgaris</i>	Primrose	Green Road
Ranunculaceae	Buttercup Family	
<i>Aquilegia vulgaris</i>	Columbine	Cappanavalla
<i>Caltha palustris</i>	Marsh Marigold	Cappanavalla
<i>Ficaria verna</i> agg.	Lesser Celandine	Rine
<i>Ranunculus acris</i>	Meadow Buttercup	Cappanavalla
<i>Ranunculus bulbosa</i>	Bulbous Buttercup	Rine
<i>Ranunculus flammula</i>	Lesser Spearwort	Poulina brone
<i>Ranunculus repens</i>	Creeping Buttercup	Cappanavalla
<i>Thalictrum minus</i>	Lesser Meadow-rue	Mullach Mor
Rhamnaceae	Buckthorn Family	
<i>Frangula alnus</i>	Alder Buckthorn	Mullach Mor
<i>Rhamnus catharticus</i>	Buckthorn	Mullach Mor
Rosaceae	Rose Family	
<i>Alchemilla glabra</i>	Smooth Lady's-mantle	Cappanavalla
<i>Alchemilla filicaulis</i> subsp. <i>vestita</i>	Hairy Lady's-mantle	Poulina brone
<i>Alchemilla xanthochlora</i>	Intermediate Lady's-mantle	Mullach Mor
<i>Crataegus monogyna</i>	Hawthorn	Cappanavalla
<i>Dryas octopetala</i>	Mountain Avens	Poulina brone
<i>Filipendula ulmaria</i>	Meadow Sweet	Cappanavalla
<i>Filipendula vulgaris</i>	Dropwort	Slieve
<i>Fragaria vesca</i>	Wild Strawberry	Cappanavalla
<i>Geum rivale</i>	Water Avens	Slieve
<i>Geum urbanum</i>	Wood Avens	Slieve
<i>Geum x</i>	Hybrid Avens	Slieve
<i>Potentilla anserina</i>	Silverweed	Cappanavalla
<i>Potentilla erecta</i>	Tormentil	Cappanavalla
<i>Potentilla fruticosa</i>	Shrubby Cinquefoil	Mullach Mor
<i>Potentilla sterilis</i>	Barren Strawberry	Cahermort Fort
<i>Poterium sanguisorba</i> (<i>S. minor</i>)	Salad Burnet	Slieve
<i>Prunus spinosa</i>	Blackthorn	Cappanavalla
<i>Rosa canina</i>	Dog Rose	Cappanavalla
<i>Rosa spinosissima</i>	Burnet Rose	Mullach Mor
<i>Rubus fruticosus</i> agg	Bramble	Cappanavalla
<i>Rubus idaeus</i>	Raspberry	Slieve
<i>Sorbus aria</i>	Whitebeam	Cappanavalla
<i>Sorbus aucuparia</i>	Rowan	Cappanavalla
Rubiaceae	Bedstraw Family	
<i>Galium aparine</i>	Cleavers	Cappanavalla
<i>Galium odoratum</i>	Sweet Woodruff	Cappanavalla
<i>Galium palustre</i>	Marsh Bedstraw	Mullach Mor
<i>Galium saxatile</i>	Heath Bedstraw	Slieve
<i>Galium sternerii</i>	Limestone Bedstraw	Mullach Mor
<i>Galium verum</i>	Lady's Bedstraw	Green Lane
<i>Rubia peregriana</i>	Wild Madder	Cappanavalla
Saliciaceae	Willow & Poplar Family	
<i>Salix caprea</i>	Goat Willow	Cappanavalla
<i>Salix cinerea</i>	Grey Willow	Cappanavalla

Scientific Name	Common Name	First Location seen
<i>Salix repens</i>	Creeping Willow	Poll Sallach
Sapindaceae	Maple Family	
<i>Aesculus hippocastanum</i>	Horse-chestnut	Roadsides
<i>Acer pseudoplatanus</i>	Sycamore	Cappanavalla
Saxifragaceae	Saxifrage Family	
<i>Saxifraga hypnoides</i>	Mossy Saxifrage	Cahermort Fort
<i>Saxifraga tridactylites</i>	Rue-leaved Saxifrage	Cappanavalla
Scrophulariaceae	Figwort Family	
<i>Scrophularia nodosa</i>	Common Figwort	Cappanavalla
Solanaceae	Nightshade Family	
<i>Solanum dulcamera</i>	Woody Nightshade	Lisdoonvarna
Urticaceae	Nettle Family	
<i>Parietaria judaica</i>	Pellitory-of-the-wall	Newtown Castle
<i>Urtica dioica</i>	Stinging Nettle	Cappanavalla
Valerianaceae	Valerian Family	
<i>Centranthus ruber</i>	Red Valerian	Road sides
<i>Valeriana officinalis</i>	Common Valerian	Cappanavalla
Veronicaceae	Speedwell family	
<i>Erinus alpinus</i>	Fairy Foxglove	Newtown Castle
<i>Veronica arvensis</i>	Wall Speedwell	Cappanavalla
<i>Veronica beccabunga</i>	Brooklime	Poulina brone
<i>Veronica chamaedrys</i>	Germander Speedwell	Cappanavalla
<i>Veronica montana</i>	Wood Speedwell	Slieve
<i>Veronica officinalis</i>	Heath Speedwell	Mullach Mor
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Rine
Violaceae	Violet Family	
<i>Viola canina</i>	Heath Dog-violet	Mullach Mor
<i>Viola persicifolia</i>	Fen Violet	Mullach Mor
<i>Viola x ritschliana</i>	Hybrid Violet	Mullach Mor
<i>Viola riviniana</i>	Common Dog-violet	Cappanavalla
Monocots	Monocotyledons	
Alliaceae	Onion Family	
<i>Allium ursinum</i>	Wild Garlic	Slieve
Araceae	Arum Family	
<i>Arum maculatum</i>	Lords and Ladies	Cappanavalla
Asparagaceae	Asparagus Family	
<i>Hyacinthoides non-scripta</i>	Bluebell	Cappanavalla
Cyperaceae	Sedge Family	
<i>Eriophorum angustifolium</i>	Common Cotton-grass	Slieve
<i>Carex acutiformis</i>	Lesser Pond Sedge	Caher Bridge
<i>Carex arenaria</i>	Sand Sedge	Fanore

Scientific Name	Common Name	First Location seen
<i>Carex dimissa</i>	Common Yellow Sedge	Poulna brone
<i>Carex echinata</i>	Star Sedge	Poulna brone
<i>Carex flacca</i>	Glaucous Sedge	Cappanavalla
<i>Carex hostiana</i>	Tawny Sedge	Mullach Mor
<i>Carex nigra</i>	Common Sedge	Poulna brone
<i>Carex panicea</i>	Carnation Sedge	Cappanavalla
<i>Carex pendula</i>	Pendulous Sedge	Cappanavalla
<i>Carex pulicaris</i>	Flea Sedge	Cappanavalla
<i>Carex sylvatica</i>	Wood Sedge	Slieve
<i>Cladium mariscus</i>	Great Fen Sedge	Mullach Mor
<i>Schoenus nigricans</i>	Black Bog-rush	Rine
Iridaceae		
<i>Crocsmia x crocosmiflora</i>	Montbretia	Road sides
<i>Iris pseudacorus</i>	Yellow Iris	Cappanavalla
Juncaceae		
<i>Juncus bufonis</i>	Toad Rush	Cappanavalla
<i>Juncus bulbosus</i>	Bulbous Rush	Mullach Mor
<i>Juncus effusus</i>	Soft Rush	Rine
<i>Juncus gerardii</i>	Saltmarsh Rush	Rine
<i>Luzula campestris</i>	Field Woodrush	Cappanavalla
<i>Luzula multiflora</i>	Heath Woodrush	Slieve
<i>Luzula multiflora ssp. congreata</i>	Heath Woodrush	Slieve
<i>Luzula sylvatica</i>	Great Wood-rush	Lisdoonvarna
Juncaginaceae		
<i>Triglochin palustris</i>	Marsh Arrowgrass	Poulna brone
Orchidaceae		
Orchid Family		
<i>Dactylorhiza fuschii</i>	Common Spotted-orchid (leaves only)	Caher Bridge
<i>Dactylorhiza incarnata subsp. cruenta</i>	Early Marsh Orchid	Mullach Mor
<i>Dactylorhiza incarnata subsp. incarnata</i>	Early Marsh Orchid	Cappanavalla
<i>Dactylorhiza incarnata subsp. pulchella</i>	Early Marsh Orchid	Poulna brone
<i>Dactylorhiza maculata subsp. ericetorum</i>	Heath Spotted-orchid	Poulna brone
<i>Dactylorhiza kerryensis var. occidentalis</i>	Irish Marsh Orchid	Lisdoonvarna
<i>Coeloglossum viride</i>	Frog Orchid	Green Lane
<i>Epipactis helleborine</i>	Broad-leaved Helleborine (leaves only)	Caher Bridge
<i>Gymnadenia conopsea</i>	Fragrant Orchid	Mullach Mor
<i>Neotinea maculata</i>	Dense-flowered Orchid	Green Road
<i>Neottia ovata</i>	Twayblade	Caher Bridge
<i>Ophrys apifera</i>	Bee Orchid	Mullach Mor
<i>Ophrys insecta</i>	Fly Orchid	Slieve
<i>Orchis mascula</i>	Early Purple Orchid	Cappanavalla
Poaceae		
Grass Family		
<i>Alopecurus geniculatus</i>	Marsh Foxtail	Caher Bridge
<i>Alopecurus pratensis</i>	Meadow Foxtail	Lisdoonvarna
<i>Ammophila arenaria</i>	Marram	Fanore
<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	Cappanavalla
<i>Arrhenatherum elatius</i>	False Oat-grass	Cappanavalla
<i>Avenula pubescens</i>	Downy Oat-grass	Cappanavalla
<i>Brachypodium sylvaticum</i>	False Brome	Cappanavalla

Scientific Name	Common Name	First Location seen
<i>Briza media</i>	Quaking Grass	Cappanavalla
<i>Bromopsis erecta</i>	Upright Brome	Cappanavalla
<i>Catapodium maritimum</i>	Sea Fern-grass	Poll Sallach
<i>Cynosurus cristatus</i>	Crested Dog's-tail	Green Road
<i>Dactylis glomerata</i>	Cock's-foot	Cappanavalla
<i>Festuca rubra</i>	Red Fescue	Cappanavalla
<i>Holcus lanatus</i>	Yorkshire Fog	Cappanavalla
<i>Lolium perenne</i>	Perennial Rye-grass	Lisdoonvarna
<i>Phalaris arundinacea</i>	Reed Canary-grass	Mullach Mor
<i>Phragmites australis</i>	Common Reed	Mullach Mor
<i>Poa annua</i>	Annual Meadow-grass	Cappanavalla
<i>Sesleria caerulea</i>	Blue Moor-grass	Cappanavalla
<i>Vulpia bromoides</i>	Squirrel tail Fescue	Lisdoonvarna
Xanthorrhoeaceae	Asphodel Family	
<i>Phormium tenax</i>	New Zealand Flax	Hotel

Birds (H = Heard only)

Common name	Scientific name	May 2023				
		23	24	25	26	27
Mallard	<i>Anas platyrhynchos</i>				✓	
Common Shelduck	<i>Tadorna tadorna</i>			✓		
Common Pheasant	<i>Phasianus colchicus</i>			✓		
Great Northern Diver	<i>Gavia immer</i>			✓		
Northern Fulmar	<i>Fulmar glacialis</i>					✓
Grey Heron	<i>Ardea cinerea</i>	✓	✓	✓		✓
Little Egret	<i>Egretta garzetta</i>				✓	
Eurasian Shag	<i>Phalacrocorax aristotelis</i>		✓	✓		✓
Common Buzzard	<i>Buteo buteo</i>		✓	✓	✓	✓
Common Kestrel	<i>Falco tinnunculus</i>		✓		✓	
Peregrine Falcon	<i>Falco peregrinus</i>				H	
Common Moorhen	<i>Gallinula chloropus</i>			✓		
Dipper	<i>Cinclus cinclus</i>		✓		✓	
Black-legged Kittiwake	<i>Rissa tridactyla</i>					✓
Black-headed Gull	<i>Chroicocephalus ridibundus</i>				✓	
Great Black-backed Gull	<i>Larus marinus</i>			✓		✓
European Herring Gull	<i>Larus argentatus</i>	✓	✓	✓	✓	✓
Lesser Black-backed Gull	<i>Larus fuscus</i>			✓		✓
Common Guillemot	<i>Uria aalge</i>					✓
Razorbill	<i>Alca torda</i>					✓
Black Guillemot	<i>Cephus grylle</i>			✓		✓
Atlantic Puffin	<i>Fratercula arctica</i>					✓
Rock Dove/ Feral Pigeon	<i>Columba livia</i>					✓
Common Wood Pigeon	<i>Columba palumbus</i>	✓	✓	✓	✓	✓
Eurasian Collared Dove	<i>Streptopelia decaocto</i>		✓		✓	✓
Common Cuckoo	<i>Cuculus canorus</i>	H	3	2	2	H
Common Swift	<i>Apus apus</i>				✓	

Common name	Scientific name	May 2023				
		23	24	25	26	27
Eurasian Magpie	<i>Pica pica</i>	✓	✓	✓	✓	✓
Western Jackdaw	<i>Coloeus monedula</i>	✓	✓	✓	✓	✓
Rook	<i>Corvus frugilegus</i>	✓	✓	✓	✓	✓
Carrion Crow	<i>Corvus corone</i>			✓	✓	✓
Northern Raven	<i>Corvus corax</i>		✓			✓
Eurasian Blue Tit	<i>Cyanistes caeruleus</i>		✓	✓	✓	□ □
Great Tit	<i>Parus major</i>		✓	✓	✓	✓
Eurasian Skylark	<i>Alauda arvensis</i>			✓	✓	✓
Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓
Common House Martin	<i>Delichon urbicum</i>	✓		✓	✓	✓
Willow Warbler	<i>Phylloscopus trochilus</i>			H		□ □
Common Chiffchaff	<i>Phylloscopus collybita</i>	H	✓	✓	✓	□ □
Garden Warbler	<i>Sylvia borin</i>				✓	□ □
Common Whitethroat	<i>Curruca communis</i>				✓	
Eurasian Blackcap	<i>Sylvia atricapilla</i>		✓	✓	✓	
Eurasian Wren	<i>Troglodytes troglodytes</i>	✓	✓	✓	✓	□ □
Common Starling	<i>Sturnus vulgaris</i>	✓	✓	✓	✓	✓
Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓
Song Thrush	<i>Turdus philomelos</i>	✓	✓	✓	✓	□ □
European Robin	<i>Erithacus rubecula</i>	✓	✓	✓	✓	✓
European Stonechat	<i>Saxicola rubicola</i>		□ □	✓	✓	□ □
Northern Wheatear	<i>Oenanthe oenanthe</i>		✓	✓	✓	□ □
House Sparrow	<i>Passer domesticus</i>	✓			✓	✓
Dunnock	<i>Prunella modularis</i>		H	✓	✓	✓
Grey Wagtail	<i>Motacilla cinerea</i>			✓	✓	□ □
Pied Wagtail	<i>Motacilla alba</i>	✓	✓	✓	✓	✓
Meadow Pipit	<i>Anthus pratensis</i>			✓		
Rock Pipit	<i>Anthus petrosus</i>			✓	✓	✓
Common Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓	✓	✓
Common Linnet	<i>Linaria cannabina</i>	✓			✓	□ □
European Goldfinch	<i>Carduelis carduelis</i>			✓	✓	□ □
Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>			✓	□ □	□ □
Yellowhammer	<i>Emberiza citrinella</i>		□ □	□ □	✓	□ □

Others

Common name	Scientific name	May 2023				
		23	24	25	26	27
Mammals			☐		☐	
Irish Hare	<i>Lepus timidus hibernicus</i>		✓☐		✓☐	
European Rabbit	<i>Oryctolagus cuniculus</i>		✓☐	✓☐		☐ ☐
Amphibians						
Common Frog	<i>Rana temporaria</i> (tadpoles)		✓☐	✓☐	☐ ☐	☐ ☐
Butterflies						
Wood White	<i>Leptidea sinapsis</i>	✓☐	✓☐	✓☐	☐ ☐	☐ ☐
Orange Tip	<i>Anthocharis cardamines</i>	✓☐			✓☐	✓☐
Brimstone	<i>Gonepteryx rhamni</i>				☐ ☐	✓☐
Small White	<i>Pieris napi</i>	✓☐	✓☐	✓☐	✓☐	☐ ☐
Small Copper	<i>Lycaena phlaeas</i>		✓☐		☐ ☐	☐ ☐
Common Blue	<i>Polyommatus icarus</i>			✓☐	✓☐	☐ ☐
Small Tortoiseshell	<i>Aglais urticae</i>	☐ ☐	☐ ☐	☐ ☐	✓☐	☐ ☐
Peacock	<i>Inacjis io</i>	✓☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐
Pearl-bordered Fritillary	<i>Boloria euphrosyne</i>	✓☐	☐ ☐	✓☐	☐ ☐	☐ ☐
Small Heath	<i>Coenonympha pamphilus</i>	☐ ☐	✓☐	✓☐	☐ ☐	☐ ☐
Speckled Wood	<i>Pararge aegeria</i>	✓☐		✓☐	✓☐	☐ ☐
Wall Brown	<i>Lasiommata megera</i>		☐ ☐	✓☐	☐ ☐	✓☐
Dingy Skipper	<i>Erynnis tages</i>	✓☐	✓☐	✓☐	✓☐	☐ ☐

Other Invertebrates

Blue-tailed Damselfly, *Ischnura elegans*

Honey Bee, *Apis mellifera*

Carder Bee, *Bombus pascuorum*

Speckled Yellow Moth, *Pseudopanthera macularia*

Cinnabar Moth, *Tyria jacobaeae*

Lacewing sp, *Chrysoperia sp*

Large Red Damselfly, *Pyrhnsma nymphala*

White-tailed Bumble Bee, *Bombus lucorum*

Red-tailed Bumble Bee, *Bombus lapidarius*

Six Spotted Burnet, *Zygaena filipendulae*

Drinker Moth, *Euthrix potatoria*

Pond Skater, *Gerris sp.*