

Tour Leaders:	Paul Harmes Jessica Turner
Participants:	Gillian Foster Marge Forster Sue Jones Jill Mann Sue Merrikin Ted Merrikin Rosie Pauline Ruth Shorthose Carol Simpson Franklin Simpson Jean Stacey Rosemary Westgate Mike Westgate

Day 1

Wednesday 18th June

Eight of the tour participants met Jessica at Gatwick Airport for their British Airways flight to Venice. On arrival, they soon cleared immigration and collected their luggage, reconvening in the airport arrivals hall, where they met Paul and the remaining five group members. With the process of obtaining our minibuses completed, we left the airport, joined the A27 motorway travelling north and joined the S50 into Belluno. We continued on to Agordo and Cencenighe, then turned west towards Falcade and Moena. The final leg of the journey took us to Vigo di Fassa then up into the little hamlet of Tamion and the Hotel Gran Mugon, our base for the week, where we were met by Stefano and his sister Katia. After a chance to freshen up it was time for dinner followed by a well-deserved rest.

Day 2

Thursday 19th June

Weather: fine, warm & sunny

After a splendid breakfast, Jessica and Paul visited the supermarket to buy our picnic, then we set off on a walk from the hotel. As we began, a Golden Eagle was spotted in the distance soaring over the Rosengarten. We began our alpine experience with some wonderful local meadows seeing, among other delights, *Crepis aurea* (Golden Hawksbeard), *Horminum pyrenaicum* (Dragonmouth), *Arnica montana* (Arnica), *Salvia pratensis* (Meadow Clary) and the emerging spikes of *Lilium bulbiferum* (Orange Lily). As we progressed, *Traunsteinera globosa* (Round-headed Orchid) and hundreds of *Gymnadenia conopsea* (Fragrant Orchid) were also seen.

From the meadows we entered a pine wood. Robin, Wren and Chaffinch were all heard and Speckled Wood Butterflies were defending their sunny patches of vegetation vigorously. A little further on, a patch of *Moneses uniflora* (Single-flowered Wintergreen) was found, as well as *Oxytropis jacquinii* (Mountain Milk-vetch), *Polygala alpestris* (Mountain Milkwort) and *Pinguicula vulgaris* (Common Butterwort). Emerging from the wood we entered another meadow, where we found a number of different species, including *Hypochaeris uniflora* (Giant Cat's-ear), *Veratrum album* (White False Helleborine) and *Pedicularis elongata* (a Lousewort).

We stopped at several places on the way back to admire a splendid stand of 100 or more *Cypripedium calceolus* (Lady's Slipper Orchid), *Corallorhiza trifida* (Coralroot Orchid), *Ophrys insectifera* (Fly Orchid) and a marvellous meadow with a fine stand of *Paradisea liliastrum* (St. Bruno's Lily).

Later on that day we boarded our buses and made the relatively short journey to Pozza di Fassa. We turned up into the Val San Nicolo and then the Val di Monzoni, where we set out our picnic. After a good lunch in a meadow containing *Gentiana acaulis* (Trumpet Gentian), *Gentiana bavarica* (Bavarian Gentian) and *Silene acaulis* (Moss Campion), we set off up the track towards the Rifugio Taramalli. Two of the group, Carol and Franklin, made an early decision to aim for a much higher point on the Pale de Carpella. Along the way, the rest of us saw *Soldanella alpina* (Alpine Snowbell), *Soldanella pusilla* (Dwarf Snowbell), *Pulsatilla vernalis* (Spring Pasque Flower), *Pulsatilla alpina* subsp. *apiifolia* (Yellow Alpine Pasque Flower), *Alnus viridis* (Green Alder) and some emerging bushes of the enigmatic *Rhododendron ferrugineum* (Alpenrose). Carol and Franklin reported some nice finds, which included *Ranunculus glacialis* (Glacier Buttercup). We completed our leisurely afternoon stroll by making a short stop on the way back to Tamion to see *Pinguicula alpina* (Alpine Butterwort) and *Pulmonaria australis*, before returning to our hotel for dinner.

Day 3

Friday 20th June

Weather: fine, warm & sunny. Stormy, with rain later on

First we made a short stop in Vigo di Fassa at the supermarket to buy our picnic. In the meadow opposite we found *Campanula glomerata* (Clustered Bellflower) and *Rorippa austriaca* (Austrian Yellow-cress). Driving north for the first time we made our way up to the Pordoi Pass, via Canazei then parked in the main village car park and prepared for our morning walk. We took the route 601, which would take us along the famous 'Bindelweg'. We could tell that snow had not long left the bank above the path, as we found a huge patch of *Soldanella alpina* (Alpine Snowbell). A little further on we found *Arctostaphalus alpina* (Alpine Bearberry), *Anemone baldense* (Monte Baldo Anemone) and *Soldanella minima* (Least Snowbell).

Some of the group chose to make for the Rif. Fredarola and the Rif. Val del Pan. They were rewarded with some good views of Snow Finch, Alpine Accentor and Water Pipit, as well as the emerging flowers of a *Dactylorhiza majalis* (Broad-leaved Marsh Orchid). Meanwhile, the rest of the group had found *Primula halleri* (Long-flowered Primrose), *Minuartia sedoides* (Mossy Cyphel), and Jessica and Paul had identified a small leaved Gentian as *G. brachyphylla* subsp. *favratii*. However, upon closer scrutiny, it turned out to be *Gentiana terglouensis* (Triglav Gentian). A small advanced party reached the steep banks below a ski lift where Sue found *Primula minima* (Least Primrose), *Saxifraga androsacea* (Scree Saxifrage) and a magnificent display of *Androsace vitaliana* subsp. *vitaliana* (Vitaliana). As the group set about photographing this fine show, Jean found a single flower on the *Saxifraga oppositifolia* (Purple Saxifrage).

After returning to the vehicles, we made our way down the pass to a flat meadow with scattered boulders by a stream, where we set up the picnic. *Pinus mugo* (Dwarf Mountain Pine) and *Pinus cembra* (Arolla Pine) were all around us, and the rocks were covered in *Dryas octopetala* (Mountain Avens), *Globularia cordifolia* (Matted Globularia) and *Saxifraga exarata* subsp. *moschata* (a Musk Saxifrage). From here we set off towards the Sella Pass, where we stopped to admire the magnificent views before dropping down towards Selva.

We stopped at a spot where a stream came down the mountain to explore the margins of the adjacent pine woods. A good number of *Papaver aurantiacum* (Rhaetian Poppy) were seen, as well as *Pyrola media* (Intermediate Wintergreen), *Cerastium latifolium* (Broad-leaved Mouse-ear), *Moebria ciliata* (Creeping Sandwort), *Primula auricula* (Bear's-ear Primrose) and *Valeriana saxatilis* (Rock Valerian), as well as a small clump of *Cypripedium calceolus* (Lady's Slipper Orchid). It was then time to make our way back to Tamion for dinner.

Day 4

Saturday 21st June

Weather: fine, warm & sunny. Stormy with rain later on

Our objective today was to head south for the Rolle Pass. Once Jessica and Paul had visited the supermarket we set off in the direction of Predazzo and from there turned east, continuing on towards Paneveggio. As we drove, several clumps of *Cirsium spinosissimum* (Spiniest Thistle) and a few plants of *Lilium bulbiferum* (Orange Lily) were spotted from the bus. We continued up to the Rif. Sergentini and began a walk up through the alpine grassland. We found *Loiseleuria procumbens* (Trailing Azalea), *Achillea clavennae* (Silvery Milfoil) and *Alchemilla glabra* (Smooth Lady's Mantle) then moved up into an area of loose rock and open ground where we found a large number of *Ranunculus seguieri* (Sequier's Buttercup), *Minuartia sedoides* (Mossy Cyphel), *Minuartia verna* (Spring Sandwort) and *Erigeron uniflora* (One-flowered Fleabane); we also enjoyed some very good views of Water Pipit.

Our ultimate aim was to reach an area of broken rocks and boulders below the looming cliffs of Cimon della Pala. Moving on along the edge of the cliffs we found *Lloydia serotina* (Snowdon Lily), *Dryas octopetala* (Mountain Avens), *Primula halleri* (Long-flowered Primrose) and a number of plants of *Primula auricula* (Bear's-ear Primrose). By now we were at the base of the cliffs we had been aiming for. Investigation of the boulders soon produced the diminutive *Primula tyrolensis* (Tyrolean Primrose), *Ranunculus alpestris* (Alpine Buttercup) and *Rhodothamnus chamaecistus* (Dwarf Alpenrose). All these plants were a wonderful sight. The main species we were searching for seemed to be eluding us, however, until Franklin spotted a single floret of *Eritrichium nanum* (King of the Alps) growing on top of an almost inaccessible rock. After one or two of us had scrambled up to see it, Rosemary found a second plant with three florets on it at a more accessible level.

We ate lunch on a grassy area adjacent to the vehicles before beginning our descent. Just as we reached the road, Paul stopped at a bank he knew, which had a good show of *Pinguicula leptoceras* (Southern Butterwort). We then set off towards the Val di San Pellegrino and the Rif. Miralago. Some of the group decided to take advantage of the Rifugio's hospitality, while others began exploring the meadows behind. *Thalictrum aquilegifolia* (Great Meadow Rue) and *Trifolium alpinum* (Alpine Clover) were early finds. Moving up further we found splendid spikes of *Gentiana punctata* (Spotted Gentian), *Oxytropis campestris* (Yellow Milk-vetch) and *Astragalus australis* (Southern Milk-vetch). As we were completing our circuit it began to rain, just as we had found a good number of orchids. These included *Platanthera bifolia* (Lesser Butterfly Orchid), *Gymnadenia austriaca* (Austrian Vanilla Orchid) and *Gymnadenia albida* (Small White Orchid). The rain was now falling steadily, so we began our journey back to Tamion.

Day 5

Sunday 22nd June

Weather: fine, warm & sunny. Heavy rain later on

This weekend was the time when most of the summer season cable-cars and chairlifts began operating.

So, after another good breakfast, we boarded our buses for the short journey down to Vigo di Fassa, where we caught the cable-car to the Rif. Ciampedie. We began our walk in the direction of the small village of Gardeccia. *Rhododendron ferrugineum* (Alpenrose), *Sorbus chamaemispelus* (False Medlar), and *Pinus cembra* (Arolla Pine) were all very much in evidence. Early on we found *Lonicera caerulea* (Blue-berried Honeysuckle) and *Lonicera alpegena* (Alpine Honeysuckle). Ted and Sue reported much activity at the nest of a Great Spotted Woodpecker ahead of us. It took most of the group about two hours (at botanist pace!) to reach the village, where we took some refreshments and explored an adjacent meadow. *Erigeron alpinum* (Alpine Fleabane) and *Coeloglossum viride* (Frog Orchid) were found here. On the outskirts of the village, adjacent to footpath 546, we set up our picnic; Black Redstart and Crag Martins provided the aerial entertainment, and *Gentiana bavarica* (Bavarian Gentian) and *Gentiana acaulis* (Trumpet Gentian) were evident all around.

After lunch, we began to tackle the steepest section of the track. *Scrophularia canina* subsp. *hoppüi* (Alpine Figwort) was found, along with *Sedum atratum* subsp. *atratum* (Dark Stonecrop). We were now moving through *Pinus mugo* (Dwarf Alpine Pine), and massive scattered limestone boulders. These gave a fabulous show, looking like miniature gardens with the tiny blue clumps of the leaves of *Saxifraga caesia* (Blue Saxifrage), *Dryas octopetala* (Mountain Avens), *Pedicularis cenisia* (Mount Cenis Lousewort) and *Soldanella minima* (Least Snowbell). Several members of the group made the final climb to the Rif. Preuss and the Rif. Vajolet, while the rest of us were seeking out flowers on the numerous patches of *Potentilla nitida* (Pink Cinquefoil) and *Leontopodium alpinum* (Edelweiss) with little success. We only managed to find one pink bud on the *Potentilla* and two rather dead plants of the Edelweiss.

Nevertheless we were all very happy with our day, and began our descent back to Gardeccia and on to Ciampedie, where we took coffee and/or ice-creams before catching the cable-car back to Vigo di Fassa. When we rejoined our vehicles, we drove down to San Giovanni to photograph *Lilium bulbiferum* (Orange Lily), which were now much more advanced than they had been earlier in the week. Also in the meadow we found *Filipendula vulgaris* (Dropwort), *Rhinanthus aristata* (Great Rattle), *Campanula glomerata* (Clustered Bellflower) and *Buphthalmum salicifolium* (Yellow Oxeye). It was now time to return to Tamion for dinner.

Day 6

Monday 23rd June

Weather: fine, warm & sunny

Today the group had a free morning. Some chose to visit Moena, while some chose to stay around the hotel. Jessica and Paul spent the time in the supermarket and deliberated over some mystery plants. Ted reported seeing a Willow Tit and Marge photographed *Orchis militaris* (Military Orchid). After this, we drove north to pay a second visit to the Val San Nicolo, parked our vehicles and set about preparing our picnic. During this time *Cerintho glabra* (Smooth Honeywort), *Lonicera nigra* (Black Honeysuckle) and *Scabiosa vestina* (Tyrolean Scabious) were found, together with a bush of *Ribes petraeum* (Rock Redcurrant) in full flower.

After lunch we set off to explore the meadows in the valley. The grass was much shorter here than our previous experience on day one, so we were able to spot things more easily. *Viola tricolor* subsp. *subalpinum* (Heartsease), *Campanula scheuchzeri*, *Astragalus alpina* (Alpine Milk-vetch) and the delightful *Gentiana nivalis* (Snow Gentian) were all early finds. Jean had made a short diversion down to the river, where she saw a Dipper, and Mike also saw one independently. Moving on, Paul found *Daphne cnorum* (Garland Flower) while Jessica was busy studying the bracts of vanilla orchids.

First she found *Gymnadenia austriaca* (Austrian Vanilla Orchid) then Paul found *Gymnadenia rbellicani* (Black Vanilla Orchid); finally Jessica found *Gymnadenia rubra* (Red Vanilla Orchid). *Traunsteinera globosa* (Globe-flowered Orchid), *Hedysarum hedysaroides* subsp. *exaltatum* (Alpine Sainfoin) and *Phyteuma scheuchzeri* (Horned Rampion) were also found.

We then joined some other group members for some refreshments at the Rif. Baita Ciampie. Ted had seen Nutcrackers and Gillian reported a Ring Ouzel. We made most of the return journey to the vehicles, which took us through the woods by the river and was quite wet in places. *Equisetum hymale* (Dutch Rush), *Valeriana dioica* (Marsh Valerian) and *Coeloglossum viride* var. *longibracteatum* (Frog Orchid) were all found. As we were leaving the valley, Paul pointed out *Saponaria ocymoides* (Rock Soapwort), which we stopped to photograph. Marge's sharp eyes were once again active and she found a single spike of *Gymnadenia odoratissima*. It was then time for the journey back to the hotel for dinner.

Day 7

Tuesday 24th June

Weather: fine, warm & sunny. Rain later on

Today we returned to Paneveggio, where we stopped at the Parco Naturale Visitor Centre. Some of the group went in, while others chose to explore the adjacent woods, meadows and river banks. *Centaurea montana* (Mountain Cornflower), *Pedicularis verticillata* (Verticillate Lousewort) and several Sedges were found in the meadow. *Cardamine enneaphyllos* (Drooping Bittercress) and *Polygonatum verticillatum* (Whorled Solomon's Seal) were found in the wood, while *Ranunculus aconitifolius* (Aconite-leaved Buttercup) and *Stellaria nemorum* (Wood Stitchwort) were found on the river bank.

From here we made our way up into the Val Venegia, parking by some *Picea abies* (Norway Spruce), then began our walk through some damp meadows. These had some splendid spikes of *Dactylorhiza majalis* (Broad-leaved Marsh Orchid) and one or two *Dactylorhiza alpestris* (Alpine Broad-leaved Marsh Orchid), as well as *Epilobium alsinifolium* (Chickweed Willowherb). On an adjacent bank, *Tofieldia calyculata* (Tofield's Asphodel) and *Oxytropis jacquinii* (Mountain Milk Vetch) were seen in a sunny patch.

After stopping to have our picnic on a bank by the river we continued our walk, passing a wonderful cliff with a large amount of *Paederota baronota* (Bluish Paederota) and *Valeriana saxatile* (Rock Valerian). A little further on, several members of the group chose to return to the Rif. Malga Venegiota, while the rest of us continued on up the path to a point where the trees gave way to major areas of scree. Here, on some very large boulders, we found *Rhodothamnus chamaecistus* (Dwarf Alpenrose), *Primula auricula* (Bear's-ear Primrose), and several magnificent examples of the rare *Primula tyrolensis* (Tyrolean Primrose). We also found a large patch of *Valeriana supina* (Dwarf Valerian). Coming down across some screes, we saw a small clump of the Dolomite endemic *Rhizobotrya alpina* (Alpine Scurvy-grass), together with *Veronica bellidioides* (Violet Speedwell). After that, we went back down to the Rifugio, where we had some very welcome refreshments and Ted reported some good sightings of Dipper in the river.

We completed our return journey by following the river and exploring the marginal gravels. We found some fine stands of *Papaver aurantiacum* (Rhaetian Poppy), *Saxifraga aizoides* (Yellow Mountain Saxifrage) and *Cardamine amara* (Large Bittercress).

We then took the road to Falcade on the return journey, stopping on the north-east side of the Passo di Valles to photograph *Saxifraga paniculata* (Livelong Saxifrage) on some roadside rocks. While we were there we added *Saxifraga aspera* (Rough Saxifrage), *Platanthera bifolia* (Lesser Butterfly Orchid), *Parnassia palustris* (Grass of Parnassus) and *Gymnadenia albida* (Small White Orchid) to our finds and, as the rain was now beginning to fall with some persistence, we set off for Tamion.

Day 8

Wednesday 25th June

Weather: fine, warm & sunny

After a leisurely breakfast, and with our packing complete, we had about an hour to spend revisiting the meadows in Tamion. By now some of the hay had been cut, but there were still plenty of flowers to see. The *Lilium bulbiferum* (Orange Lilies) were in fine flower and a good number of *Arnica montana* (Arnica) were also visible.

We left the hotel, bidding farewell to Katia and Stefano, and retraced our steps back to the town of Belluno to join the motorway. We stopped at the service area at Pont en Alpi for a Panini lunch then completed the journey back to Venice's Marco Polo airport. We said goodbye to Carol, Franklin, Sue, Ruth, Gill, Gillian and Rosie, all of whom were extending their stay in the beautiful city of Venice then the remainder of us checked in for our flight home to Gatwick.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans. Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Plants

Group/Species	English Name (If any)	Location
PTERIDOPHYTES	FERNS & ALLIES	
Lycopodiaceae	Clubmoss Family	
<i>Huperzia selago</i>	Fir Clubmoss	Passo Rolle
<i>Lycopodium annotinum</i>	Interrupted Clubmoss	Rosengarten
<i>Selagenella selaginoides</i>	Lesser Clubmoss	Val di Monzoni
Equisetaceae	Horsetail Family	
<i>Equisetum arvense</i>	Common Horsetail	Tamion
<i>Equisetum hymale</i>	Dutch Rush	Val de Sen Nicolo
Aspleniaceae	Spleenwort Family	
<i>Asplenium ruta-muraria</i>	Wall Rue	Val di San Pellegrino
<i>Asplenium viride</i>	Green Spleenwort	Val di Monzoni
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Passo Pordo
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Val Venegia
Dryopteridaceae	Buckler Fern Family	
<i>Dryopteris carthusiana</i>	Narrow Buckler-fern	Val Venegia
<i>Dryopteris felix-mas</i>	Male-fern	Woods near Tamion
<i>Polystichum lonchitis</i>	Holly Fern	Rosengarten
Ophioglossaceae	Adder's-tongue Family	
<i>Botrichium lunaria</i>	Moonwort	Passo Rolle
Polypodiaceae	Polypody Family	
<i>Polypodium vulgare</i>	Common Polypody	Val di Monzoni
Woodsiaceae (Athyriaceae)	Lady Fern Family	
<i>Cystopteris fragilis</i>	Brittle Bladder Fern	Val di Monzoni
<i>Gymnocarpium dryopteris</i>	Oak Fern	Val di Monzoni
<i>Gymnocarpium robertianum</i>	Limestone Fern	Val de Sen Nicolo
PINOPSIDA (GYMNOSPERMS)	CONIFERS	
Cupressaceae	Juniper Family	
<i>Juniperus communis</i>	Juniper	
<i>J. communis</i> subsp. <i>alpina</i>		Val di Monzoni
Pinaceae	Pine Family	
<i>Larix decidua</i>	European Larch	Val di Monzoni
<i>Picea abies</i> ssp. <i>abies</i>	Spruce	Woods near Tamion
<i>Pinus cembra</i>	Arolla Pine	Below Passo Pordo
<i>Pinus mugo</i>	Dwarf Mountain Pine	Rosengarten
<i>Pinus nigra</i> subsp. <i>nigra</i>	Austrian or Black Pine	Woods near Tamion

Group/Species	English Name (If any)	Location
<i>Pinus sylvestris</i>	Scot's Pine	Woods near Tamion
MAGNOLIOPSIDA (ANGIOSPERMS)	FLOWERING PLANTS	
Magnoliidae (Dicotyledons)		
Apiaceae (Umbelliferae)		
<i>Anthriscus sylvestris</i>	Cow Parsley	Common
<i>Athamanta cretensis</i>	Athamanta	Val de Sen Nicolo
<i>Chaerophyllum hirsutum</i>	Hairy Chervil	Val de Sen Nicolo
<i>Daucus carota</i>	Wild Carrot	Common
<i>Heracleum sphondylium</i>	Hogweed	Meadow North of Tamion
<i>Laserpitium latifolium</i>	A Sermountain	Woods near Tamion
<i>Ligusticum multillina</i>	Alpine Lovage	Meadow North of Tamion
<i>Pimpinella major</i>	Greater Burnet-saxifrage	Common in meadows
Asteraceae (Compositae)		
Daisy Family		
<i>Achillea claveneae</i>	Silvery Milfoil	Passo Rolle
<i>Achillea millefolium</i>	Yarrow	Below Passo Sella
<i>Achillea oxyloba</i>	Alpine Sneezewort	Val Venegia
<i>Adenostyles alliariae (leaves)</i>	Adenostyles	Woods near Tamion
<i>Antennaria carpathica</i>	Carpathian Cat's-foot	Passo Rolle
<i>Antannaria dioica</i>	Cat's-foot	Val di Monzoni
<i>Arnica montana</i>	Arnica	Meadow North of Tamion
<i>Aster alpinus</i>	Alpine Aster	Meadow North of Tamion
<i>Aster bellidiastrum</i>	False Aster	Val di Monzoni
<i>Buphthalmum salicifolium</i>	Yellow Ox-eye	Woods near Tamion
<i>Carduus defloratus agg.</i>	Alpine Thistle	Common
<i>Carduus personata</i>		Roadside, Falcade
<i>Carlina acaulis</i>	Stemless Carlina Thistle	Val di Monzoni
<i>Cirsium eriophorum</i>	Woolly Thistle	Val de Sen Nicolo
<i>Cirsium eristhales</i>	Yellow Melancholy Thistle	Roadside, Falcade
<i>Cirsium palustre</i>	Marsh Thistle	Val Venegia
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Val di San Pellegrino
<i>Centaurea jacea</i>	Brown Knapweed	Meadow, San Giovanni
<i>Centaurea montana</i>	Perennial Cornflower	Panevaggio
<i>Centaurea uniflora</i>	Plume Knapweed	Val di San Pellegrino
<i>Crepis aurea</i>	Golden Hawksbeard	Meadow North of Tamion
<i>Doronicum columnae</i>	Heart-leaved Leopardsbane	Below Passo Sella
<i>Erigeron alpinus</i>	Alpine Fleabane	Passo Pordo
<i>Erigeron uniflorus</i>	One-flowered Fleabane	Passo Rolle
<i>Hieracium alpinum agg</i>	Alpine Hawkweed	Passp Pordo
<i>Homogyne alpina</i>	Alpine Coltsfoot	Val di Monzoni
<i>Hypochaeris uniflora</i>	Giant Catsear	Meadow North of Tamion
<i>Leontodon hispidus</i>	Rough Hawksbeard	Meadow North of Tamion
<i>Leontopodium alpinum (over)</i>	Edelweiss	Rosengarten
<i>Leucanthimum vulgare</i>	Ox-eye Daisy	Meadow North of Tamion
<i>Petasites alba</i>	White Butterbur	Val di Monzoni
<i>Pilosella officinarum agg</i>	Mouse-eared Hawkweed	Val di Monzoni
<i>Scorzonera aristata</i>	Bearded Vipersgrass	Meadow North of Tamion
<i>Senecio squalidus</i>	Rock Ragwort	Vigo di Fassa
<i>Senecio vulgaris</i>	Common Groundsel	Vigo di Fassa
<i>Sonchus oleraceus</i>	Smooth Sowthistle	Vigo di Fassa
<i>Tragopogon dubius</i>	Goatsbeard	Meadow North of Tamion

Group/Species	English Name (If any)	Location
<i>Tussilago farfara</i>	Colt's-foot	Val Venegia
<i>Taraxacum agg</i>	Dandelion	Meadow North of Tamion
Berberidaceae	Barberry Family	
<i>Berberis vulgaris</i>	Barberry	Woods near Tamion
Betulaceae (Corylaceae)	Birch Family	
<i>Alnus viridis</i>	Green Alder	Val di Monzoni
<i>Betula pendula</i>	Silver Birch	Woods near Tamion
Boraginaceae	Forget-me-not Family	
<i>Cerinth glabra</i>	Smooth Honeywort	Val de Sen Nicolo
<i>Echium vulgare</i>	Viper's Bugloss	Meadow, San Giovanni
<i>Eritrichium nanum</i>	King of the Alps	Passo Rolle
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Val di Monzoni
<i>Myosotis arvensis</i>	Field Forget-me-not	Woods near Tamion
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Val Venegia
<i>Pulmonaria angustifolia</i>		Val di Monzoni
<i>Pulmonaria australis</i>	a Lungwort	Passo Pordo
Brassicaceae (Cruciferae)	Cabbage Family	
<i>Alliaria petiolata</i>	Garlic Mustard	Woods near Tamion
<i>Arabis alpina</i>	Alpine Rockcress	Val di Monzoni
<i>Arabis bellidifolia</i> subsp. <i>bellidifolia</i>	Alpine Bittercress	Val Venegia
<i>Arabis hirsuta</i>	Hairy Rockcress	Rosengarten
<i>Barbarea</i> sp.	Wintercress	Woods near Tamion
<i>Biscutella laevigata</i>	Buckler Mustard	Below Passo Sella
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	Val Venegia
<i>Cardamine amara</i>	Large Bittercress	Val de Sen Nicolo
<i>Cardamine enneaphyllos</i>	Drooping Bittercress	Panevaggio
<i>Cardamine pratensis</i> (leaves)	Lady's Smock	Val de Sen Nicolo
<i>Draba aizoides</i>	Yellow Whitlowgrass	Passo Pordo
<i>Erophila verna</i>	Common Whitlowgrass	Below Passo Sella
<i>Kernera saxatilis</i>	Kernera	Rosengarten
<i>Petrocallis pyrenaica</i>	Pyrenean Whitlowgrass	Passo Rolle
<i>Pritzelago (Hutchensia) alpina</i>	Chamois Cress	Val di Monzoni
<i>Rhizobotrya alpina</i>	Alpine Scurvey-grass	Val Venegia
<i>Rorippa austriaca</i>	Austrian Yellowcress	Vigo di Fassa
<i>Sinapis arvensis</i>	Charlock	Tamion
<i>Thlaspi rotundifolium</i> subsp. <i>cepaefolium</i>	Round-leaved Pennycress	Below Passo Sella
Campanulaceae	Bellflower Family	
<i>Campanula barbata</i>	Bearded Bellflower	Meadow above Tamion
<i>Campanula cochlearifolia</i> (leaves)	Fairy's Thimble	Passo Rolle
<i>Campanula glomerata</i>	Clustered Bellflower	Vigo di Fassa
<i>Campanula rotundifolia</i>	Harebell	Common
<i>Campanula scheuchzeri</i>		Val de Sen Nicolo
<i>Phyteuma betonicifolium</i>	Betony-leaved Rampion	Val de Sen Nicolo
<i>P.globulariifolium</i> subsp. <i>pedemontana</i>		Val Venegia
<i>Phyteuma michellii</i>		Val di San Pellegrino
<i>Phyteuma nigra</i>	Black Rampion	Rosengarten
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Meadow above Tamion
<i>Phyteuma scheuchzeri</i> subsp. <i>columnae</i>	Horned Rampion	Val de Sen Nicolo
<i>Phyteuma sieberi</i>		Passo Rolle

Group/Species	English Name (If any)	Location
Caprifoliaceae	Honeysuckle Family	
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Rosengarten
<i>Lonicera caerulea</i>	Blue-berried Honeysuckle	Rosengarten
<i>Lonicera nigra</i>	Black Honeysuckle	Val de Sen Nicolo
<i>Sambucus racemosus</i>	Red-berried Elder	Val de Sen Nicolo
Caryophyllaceae	Pink Family	
<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Sandwort	Rosengarten
<i>Cerastium arvense</i>	Field Mouse-ear	Val di San Pellegrino
<i>Cerastium carinthicum</i>	Carinthian Mouse-ear	Val Venegia
<i>Cerastium fontanum</i>	Common Mouse-ear	Rosengarten
<i>Cerastium uniflorum</i>	Glacier Mouse-ear	Below Passo Sella
<i>Gypsophila repens</i>	Gypsophila	Below Passo Sella
<i>Lychnis flos-cuculi</i>	Ragged Robin	Val de Sen Nicolo
<i>Minuartia sedoides</i>	Mossy Cyphel	Passo Rolle
<i>Minuartia verna</i>	Spring Sandwort	Passo Rolle
<i>Moehringia ciliata</i>	Creeping Sandwort	Below Passo Sella
<i>Moehringia mucosa</i>		Woods near Tamion
<i>Sagina saginoides</i>	Alpine Pearlwort	Val Venegia
<i>Saponaria ocymoides</i>	Rock Soapwort	Val de Sen Nicolo
<i>Silene acaulis</i>	Moss Champion	Val di Monzoni
<i>Silene dioica</i>	Red Champion	Woods near Tamion
<i>Silene nutans</i>	Nottingham Catchfly	Meadow above Tamion
<i>Silene pusilla</i>		Val Venegia
<i>Silene rupestris</i>	Rock Catchfly	Rosengarten
<i>Silene saxifraga</i>	Tufted Catchfly	Rosengarten
<i>Silene vulgaris</i>	Bladder Champion	Meadow, San Giovanni
<i>Stellaria nemorum</i>	Wood Stitchwort	Val Venegia
Chenopodiaceae	Goose-foot Family	
<i>Chenopodium bonus-henricus</i>	Good King Henry	Woods near Tamion
Cistaceae	Rock-rose Family	
<i>Helianthimum nummularium</i>	Common Rockrose	Woods near Tamion
<i>H. oelandicum</i> subsp. <i>canum</i>	Hoary Rockrose	Val di Monzoni
<i>H. oelandicum</i> subsp. <i>oelandicum</i>	Alpine Rockrose	Passo Pordoi
Crassulaceae	Stonecrop Family	
<i>Rhodiola rosea</i>	Roseroot	Passo Rolle
<i>Sedum acre</i>	Biting Stonecrop	Passo Pordoi
<i>Sedum atratum</i> subsp. <i>atratum</i>	Dark Stonecrop	Rosengarten
<i>Sedum atratum</i> subsp. <i>carinthiacum</i>	Dark Stonecrop	Val Venegia
<i>Sedum dasyphyllum</i>	Fat Stonecrop	Below Passo Sella
Dipsacaceae	Teasel Family	
<i>Knautia dipsacifolia</i>	Wood Scabious	Woods near Tamion
<i>Knautia arvensis</i>	Field Scabious	Meadow, San Giovanni
<i>Scabiosa columbaria</i>	Scabius	Meadow above Tamion
<i>Scabiosa vestina</i>	Tyrolean Scabious	Val de Sen Nicolo
Ericaceae	Heath family	
<i>Arctostaphylos uva-ursi</i>	Bearberry	Val di Monzoni

Group/Species	English Name (If any)	Location
<i>Arctostaphylos alpina</i>	Alpine Bearberry	Passo Pordoi
<i>Calluna vulgaris</i>	Heather	Val Venegia
<i>Erica carnea</i>	Spring Heath	Common
<i>Loiseleuria procumbens</i>	Trailing Azalea	Passo Rolle
<i>Rhodonendron ferrugineum</i>	Alpenrose	Val di Monzoni
<i>Rhodonendron hirsutum</i>	Hairy Alpenrose	Rosengarten
<i>Rhodothamnus chamaecistus</i>	Dwarf Alpenrose	Passo Rolle
<i>Vaccinium myrtillus</i>	Bilberry	Common
<i>Vaccinium uliginosum</i>	Bog Whortleberry	Val di Monzoni
<i>Vaccinium vitis-idaea</i>	Cowberry	Val di Monzoni
Fabaceae (Leguminosae)	Pea Family	
<i>Anthyllis montana</i> (leaves)	Mountain Kidney-vetch	Rosengarten
<i>Anthyllis vulneraria</i> agg	Kidney Vetch	Rosengarten
<i>Astragalus alpinus</i>	Alpine Milk-vetch	Passo Rolle
<i>Astragalus australis</i>	Southern Milk-vetch	Val di San Pellegrino
<i>Astragalus austriacus</i>	Austrian Milk-vetch	Rosengarten
<i>Genista germanica</i>	German Greenweed	Meadow above Tamion
<i>H. hedyaroides</i> subsp. <i>exaltatum</i>	Alpine Sainfoin	Val de Sen Nicolo
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Meadow above Tamion
<i>Lathyrus pratensis</i>	Yellow Vetchling	Rosengarten
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Woods near Tamion
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	South of Belluno
<i>Onobrychis arenaria</i>	Small Sainfoin	Meadow above Tamion
<i>Onobrychis montana</i>	Mountain Sainfoin	Verge above Tamion
<i>Oxytropis campestris</i>	Yellow Milk-vetch	Val di San Pellegrino
<i>Oxytropis jacquinii</i>	Mountain Milk-vetch	Verge above Tamion
<i>Oxytropis</i> sp. (Bluish/Purple)	a Milk Vetch	Val de Sen Nicolo
<i>Trifolium alpinum</i>	Alpine Clover	Val di San Pellegrino
<i>Trifolium badum</i>	Brown Clover	Val de Sen Nicolo
<i>Trifolium montanum</i>	Mountain Clover	Meadow above Tamion
<i>Trifolium pratense</i> subsp. <i>pratense</i>	Red Clover	Meadow above Tamion
<i>Trifolium repens</i>	White Clover	Tamion
<i>Vicia cracca</i>	Tufted vetch	Rosengarten
<i>Vicia sepium</i>	Bush Vetch	Woods near Tamion
Gentianaceae	Gentian Family	
<i>Gentiana acaulis</i>	Trumpet Gentian	Common
<i>Gentiana bavarica</i>	Bavarian Gentian	Common
<i>G.brachyphylla</i> subsp. <i>brachyphylla</i>	Short-leaved Gentian	Passo Rolle
<i>G.brachyphylla</i> subsp. <i>favratii</i>	Short-leaved Gentian	Passo Pordoi
<i>Gentiana clusii</i>	Clusius's Gentian	Passo Pordoi
<i>Gentiana lutea</i>	Yellow Gentian	Val de Sen Nicolo
<i>Gentiana nivalis</i>	Snow Gentian	Val de Sen Nicolo
<i>Gentiana punctata</i>	Spotted Gentian	Val di San Pellegrino
<i>Gentiana verna</i>	Spring Gentian	Val di Monzoni
<i>Getianella germanica</i>	German Gentian	Val de Sen Nicolo
Geraniaceae	Geranium Family	
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	Woods near Tamion
<i>Geranium phaeum</i>	Dusky Crane's-bill	Roadside near Falcade
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Woods near Tamion

Group/Species	English Name (If any)	Location
Globulariaceae <i>Globularia cordifolia</i>	Globularia Family Matted Globularia	Woods near Tamion
Grossulariaceae <i>Ribes petraeum</i>	Gooseberry Family Rock redcurrant	Val de Sen Nicolò
Lamiaceae (Labiatae) <i>Acinos alpina</i> <i>Ajuga pyramidalis</i> <i>Ajuga reptans</i> <i>Clinopodium vulgare</i> <i>Horminium pyrenaicum</i> <i>Prunella vulgaris</i> <i>Stachys alopecuroides</i> <i>Salvia pratensis</i> <i>Thymus polytrichis</i> <i>Thymus pulegioides</i>	Dead-nettle Family Alpine Basil Thyme Pyramidal Bugle Bugle Wild Basil Dragonmouth Self-heal Yellow Betony Meadow Clary Wild Thyme Large Thyme	Woods near Tamion Val di Monzoni Rosengarten Woods near Tamion Meadow above Tamion Common Meadow above Tamion Meadow above Tamion Common Val di Monzoni
Lentabulariaceae <i>Pinguicula alpina</i> <i>Pinguicula leptoceras</i> <i>Pinguicula vulgaris</i>	Bladderwort Family Alpine Butterwort Southern Butterwort Common Butterwort	Val di Monzoni Passo Rolle Woods near Tamion
Linaceae <i>Linum catharticum</i>	Flax Family Purging or Fairy Flax	Val de Sen Nicolò
Onagraceae <i>Chamerion angustifolium (leaves)</i> <i>Epilobium alsinifolium</i> <i>Epilobium montanum</i>	Willowherb Family Rosebay Willowherb Chickweed Willowherb Mountain Willowherb	Val di San Pellegrino Val Venegia Val di San Pellegrino
Orobanchaceae <i>Orobanche gracilis</i>	Broomrape Family Slender Broomrape	Woods near Tamion
Oxalidaceae <i>Oxalis acetosella</i>	Wood-sorrel Family Wood-sorrel	Val di Monzoni
Papaveraceae <i>Papaver aurantiacum (P.rhaeticum)</i> <i>Papaver rhoas</i>	Poppy Family Rhaetian Poppy Corn Poppy	Below the Passo Sella Roadsides
Parnassiaceae <i>Parnassia palustris</i>	Grass of Parnassus Family Grass of Parnassus	Passo di Vallas
Plantaginaceae <i>Plantago lanceolata</i> <i>Plantago majus</i> <i>Plantago media</i>	Plantain Family Ribwort Plantain Greater Plantain Hoary or Lamb's-tail Plantain	Meadow above Tamion Tamion Meadow above Tamion
Plumbaginaceae <i>Armeria maritima ssp. alpina</i>	Thrift Family Mountain Thrift	Rosengarten

Group/Species	English Name (If any)	Location
Polygalaceae	Milkwort Family	
<i>Polygala alpestris</i>	Mountain Milkwort	Woods near Tamion
<i>Polygala alpina</i>	Alpine Milkwort	Val de Sen Nicolo
<i>Polygala chamaebuxus</i>	Shrubby Milkwort	Below the Passo Sella
<i>Polygala nicaeensis</i>	Nice Milkwort	Verge near Tamion
Polygonaceae	Knotweed Family	
<i>Oxyria digyna</i>	Mountain Sorrel	Val di Monzoni
<i>Persicaria bistorta</i>	Bistort	Meadow above Tamion
<i>Persicaria vivipara</i>	Alpine Bistort	Common
<i>Rumex acetosa</i>	Sorrel	Meadow above Tamion
<i>Rumex acetosella</i>	Sheep Sorrel	Val di Monzoni
<i>Rumex alpinus</i>	Monk's Rhubarb	FalCADE
Primulaceae	Primrose Family	
<i>Androsace alpina</i>	Alpine Rock-jasmine	Passo Rolle
<i>Androsace vitaliana</i> subsp. <i>vitaliana</i>	Vitaliana	Passo Pordoi
<i>Primula auricula</i>	Bear's-ear Primrose	Below the Passo Sella
<i>Primula elatior</i>	Oxlip	Passo Pordoi
<i>Primula farinosa</i>	Bird's-eye Primrose	Val di Monzoni
<i>Primula halleri</i>	Long-flowered Primrose	Passo Pordoi
<i>Primula minima</i>	Least Primrose	Passo Pordoi
<i>Primula tyrolensis</i>	Tyrolean Primrose	Val Venegia
<i>Primula veris</i> (leaves)	Cowslip	Passo Pordoi
<i>Soldanella alpina</i>	Alpine Snowbell	Val di Monzoni
<i>Soldanella minima</i>	Least Snowbell	Rosengarten
<i>Soldanella pumila</i>	Dwarf Snowbell	Val di Monzoni
Pyrolaceae	Wintergreen Family	
<i>Moneses uniflora</i>	One-flowered Wintergreen	Woods near Tamion
<i>Pyrola media</i>	Intermediate Wintergreen	Below the Passo Sella
Ranunculaceae	Buttercup Family	
<i>Aconitum lycoctonum</i> subsp. <i>vulparia</i>	Wolf's Bane	Below Passo Sella
<i>Aconitum napellus</i>	Common Monkshood	Meadow above Tamion
<i>Anemone baldensis</i>	Monte Baldo Anemone	Passo Pordoi
<i>Aquilegia atrata</i>	Dark-flowered Columbine	Val di San Pellegrino
<i>Aquilegia vulgaris</i>	Columbine	Roadsides
<i>Caltha palustris</i>	Kingcups	Val de Sen Nicolo
<i>Clematis alpina</i>	Alpine Clematis	Woods near Tamion
<i>Hepatica nobilis</i> (leaves)	Hepatica	Woods near Tamion
<i>Pulsatilla alpina</i> subsp. <i>apiifolia</i>	Yellow Pasque Flower	Val di Monzoni
<i>Pulsatilla vernalis</i>	Spring Pasque Flower	Val di Monzoni
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Val di San Pellegrino
<i>Ranunculus acris</i>	Meadow Buttercup	Meadow above Tamion
<i>Ranunculus alpestris</i>	Alpine Buttercup	Passo Rolle
<i>Ranunculus auricomis</i>	Goldilocks Buttercup	Woods near Tamion
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	Meadow above Tamion
<i>Ranunculus hybridus</i>	Hybrid Buttercup	Val di Monzoni
<i>Ranunculus montanus</i>	Mountain Buttercup	Woods near Tamion
<i>Ranunculus sequieri</i>	Sequiers Buttercup	Passo Rolle
<i>Thalictrum aquilegifolium</i>	Great Meadow Rue	Roadside near FalCADE

Group/Species	English Name (If any)	Location
<i>Trollius europaeus</i>	Globeflower	Meadow above Tamion
Resedaceae	Mignonette Family	
<i>Reseda lutea</i>	Mignonette Family	Vigo di Fassa
<i>Reseda luteola</i>	Weld	Pozza
Rhamnaceae	Buckthorn Family	
<i>Rhamnus pumila</i>	Dwarf Buckthorn	Passo Pordoi
Rosaceae	Rose Family	
<i>Alchemilla alpina</i>	Alpine Lady's Mantle	Common
<i>Alchemilla glabra</i>	Smooth Lady's Mantle	Meadow above Tamion
<i>Amelanchier ovalifolia</i>	Amelanchier	Woods near Tamion
<i>Aruncus dioicus</i>	Goat's-beard Spirea	Roadsides South of Falcade
<i>Crataegus monogyna</i>	Hawthorn	Verge near Tamion
<i>Dryas octopetala</i>	Mountain Avens	Val di Monzoni
<i>Filipendula ulmaria</i>	Meadowsweet	Val di San Pellegrino
<i>Filipendula vulgaris</i>	Dropwort	Meadow, San Giovanni
<i>Fragaria vesca</i>	Wild Strawberry	Woods near Tamion
<i>Geum montanum</i>	Alpine Avens	Passo Rolle
<i>Geum rivale</i>	Water Avens	Val di San Pellegrino
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	Woods near Tamion
<i>Potentilla erecta</i>	Tormentil	Val di Monzoni
<i>Potentilla anserina</i>	Silverweed	Tamion
<i>Potentilla aurea</i>	Golden Cinquefoil	Val di Monzoni
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Passo Rolle
<i>Potentilla nitida</i>	Pink Cinquefoil	Rosengarten
<i>Potentilla reptans</i>	Creeping Cinquefoil	Tamion
<i>Rosa pendulina</i>	Alpine Rose	Woods near Tamion
<i>Rubus fruticosus agg</i>	Bramble	Tamion
<i>Rubus idaeus</i>	Raspberry	Val de Sen Nicolo
<i>Rubus saxatilis</i>	Stone Bramble	Val de Sen Nicolo
<i>Sanguisorba minor agg</i>	Salad Burnet	Meadow near Tamion
<i>Sanguisorba officinalis</i>	Great Burnet	Woods near Tamion
<i>Sorbus aucuparia</i>	Rowen	Woods near Tamion
<i>Sorbus chamaemespilis</i>	False Medlar	Rosengarten
Rubiaceae	Bedstraw Family	
<i>Galium anisophyllum</i>		Val Venegia
<i>Galium lucidum</i>		Woods near Tamion
<i>Galium megalospermum</i>	Swiss Bedstraw	Passo Rolle
<i>Galium verum</i>	Ladies bedstraw	Meadow North of Tamion
<i>Gallium mollugo agg</i>	Hedge Bedstraw	Woods near Tamion
Salicaceae	Poplar & Willow Family	
<i>Populus tremula</i>	Aspen	Val de Sen Nicolo
<i>Salix alpina</i>	Alpine Willow	Passo Pordoi
<i>Salix breviserrata</i>	Finely-toothed Willow	Passo Pordoi
<i>Salix caprea</i>	Goat Willow	Tamion
<i>Salix hegetschweileri</i>	Alpine Willow	Rosengarten
<i>Salix reticulata</i>	Net-leaved Willow	Passo Pordoi
<i>Salix retusa</i>	Retuse-leaved Willow	Passo Pordoi
<i>Salix serpyllifolia</i>		Passo Rolle

Group/Species	English Name (If any)	Location
Santalaceae	Sandalwood Family	
<i>Thesium linophyllum</i>		Val di Monzoni
Saxifragaceae	Saxifrage Family	
<i>Chrysosplenium alternifolium</i>	Alternate-leaved Golden Saxifrage	Rosengarten
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	Val Venegia
<i>Saxifraga androsace</i>	Scree Saxifrage	Passo Pordoi
<i>Saxifraga aspera</i>	Rough Saxifrage	Passo di Vallas
<i>Saxifraga caesia</i>	Blue Saxifrage	Rosengarten
<i>S. exerata</i> subsp. <i>moschata</i>	White Musky Saxifrage	Below the Passo Pordoi
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Passo Pordoi
<i>Saxifraga paniculata</i>	Live-long Saxifrage	Passo Rolle
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage	Woods near Tamion
Scrophulariaceae	Figwort Family	
<i>Bartsia alpina</i>	Alpine Bartsia	Val di Monzoni
<i>Euphrasia ros koviana</i>	Eyebright	Val Venegia
<i>Linaria alpina</i>	Alpine Toadflax	Val di Monzoni
<i>Melampyrum sylvaticum</i>	Wood Cow-wheat	Woods near Tamion
<i>Paederota bonarota</i>	Bluish Paederota	Val Venegia
<i>Pedicularis cenisia</i>	Mt. Cenis Lousewort	Rosengarten
<i>Pedicularis elongata</i>		Meadow near Tamion
<i>Pedicularis palustris</i>	Marsh Lousewort	Val Venegia
<i>Pedicularis rosea</i>	Pink Lousewort	Val di San Pellegrino
<i>Pedicularis verticillata</i>	Verticillate Lousewort	Common
<i>Rhinanthus aristatus</i>	Aristate Rattle	Meadow near Tamion
<i>Rhinanthus minor agg</i>	Hay Rattle	Meadow North of Tamion
<i>Scrophularia canina</i> subsp. <i>hoppii</i>	Dog Figwort	Rosengarten
<i>Verbascum pulverulentum</i>	Hoary Mullein	Roadsides north of Pozza
<i>Veronica beccabunga</i>	Brooklime	Val di San Pellegrino
<i>Veronica bellidioides</i>	Violet Speedwell	Val Venegia
<i>Veronica chamaedrys</i>	Germander Speedwell	Common
<i>Veronica fruticans</i>	Rock Speedwell	Val di San Pellegrino
<i>Veronica officinalis</i>	Heath Speedwell	Woods near Tamion
<i>V. serpyllifolia</i> subsp. <i>humifusa</i>	Thyme-leaved Speedwell	Val de Sen Nicolo
<i>V. serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Speedwell	Woods near tamion
Thymelaeaceae	Mezereon Family	
<i>Daphne cneorum</i>	Garland Flower	Val de Sen Nicolo
<i>Daphne striata</i>		Rosengarten
Urticaceae	Nettle Family	
<i>Parietaria judaica</i>	Pellitory-of-the-Wall	Venice Marco Polo Airport
<i>Urtica dioica</i>	Common Nettle	Frequent
Valerianaceae	Valerian Family	
<i>Valeriana dioica</i>	Marsh Valerian	Val de Sen Nicolo
<i>Valeriana montana</i>		Woods near Tamion
<i>Valeriana officinalis</i>	Common Valerian	San Giovanni
<i>Valeriana saxatilis</i>	Rock Valerian	Below the Passo Sella
<i>Valeriana supina</i>	Dwarf Valerian	Val Venegia
<i>Valeriana tripteris</i>	Three-leaved Valerian	Val de Sen Nicolo

Group/Species	English Name (If any)	Location
Violaceae		
<i>Viola biflora</i>	Yellow Violet	Val di Monzoni
<i>Viola palustris</i>	Marsh Violet	Val di Monzoni
<i>Viola riviniana</i>	Common Dog Violet	Val de Sen Nicolò
<i>Viola tricolor</i> subsp. <i>subalpina</i>	Heartsease	Val de Sen Nicolò
Liliidae (Monocotyledons)		
Cyperaceae		
<i>Carex biglowii</i>	Stiff Sedge	Passo Rolle
<i>Carex binervis</i>	Green-ribbed Sedge	Val di Monzoni
<i>Carex capillaris</i>	Hair Sedge	Val Venegia
<i>Carex caryophylla</i>	Spring Sedge	Verge North of Tamion
<i>Carex dioica</i>	Dioecious Sedge	Val Venegia
<i>Carex flacca</i>	Glaucous Sedge	Verge North of Tamion
<i>Carex nigra</i>	Common Sedge	Val Venegia
<i>Carex ornithopoda</i>	Bird's-foot Sedge	Val di Monzoni
<i>Carex pallescens</i>	Pale Sedge	Val Venegia
<i>Carex paniculata</i>	Great Tussock Sedge	Val Venegia
<i>Carex pulicaris</i>	Flea Sedge	Val di San Pellegrino
<i>Carex vaginata</i>	Sheathed Sedge	Rosengarten
<i>Carex viridula</i> subsp. <i>oedocarpa</i>	Common Yellow Sedge	Wet Track near Tamion
<i>C. viridula</i> subsp. <i>bracyrrhyncha</i>	Long-bracted Yellow Sedge	Val Venegia
<i>Eriophorum latifolium</i>	Broad-leaved Cottongrass	Val Venegia
Dioscoreaceae		
<i>Tamus communis</i>	Black Bryony	Rosengarten
Iridaceae		
<i>Crocus albiflorus</i>	White-flowered Crocus	Passo Rolle
<i>Crocus vernus</i>	Spring Crocus	Passo Rolle
Juncaceae		
<i>Luzula campestris</i>	Field Woodrush	Meadows near Tamion
<i>Luzula luzuloides</i>	White Woodrush	Verge North of Tamion
<i>Luzula multiflora</i>	Heath Woodrush	Val di Monzoni
<i>Luzula nivea</i>	Snowy Woodrush	Val di Monzoni
<i>Luzula pilosa</i>	Hairy Woodrush	Val de Sen Nicolò
<i>Luzula spicata</i>	Spiked Woodrush	Val Venegia
Juncaginaceae		
<i>Triglochin palustre</i>	Marsh Arrowgrass	Val Venegia
Liliaceae		
<i>Colchicum autumnale</i> (leaves)	Autumn Crocus	Meadow near Tamion
<i>Lilium bulbiferum</i>	Orange Lily	Meadow, San Giovanni
<i>Lilium martagon</i>	Martagon Lily	Below the Passo Sella
<i>Lloydia serotina</i>	Snowdon Lily	Passo Rolle
<i>Maianthemum bifolium</i>	May Lily	Woods near Tamion
<i>Paradisea liliastrum</i>	St. Bruno's Lily	Meadow North of Tamion
<i>Paris quadrifolia</i>	Herb Paris	Rosengarten
<i>Polygonatum odoratum</i>	Angular Solomon's-seal	Val de Sen Nicolò
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Val Venegia
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Val di Monzoni

Group/Species	English Name (If any)	Location
<i>Veratrum album</i>	False White Helleborine	Meadow North of Tamion
Orchidaceae	Orchid Family	
<i>Coeloglossum viride</i>	Frog Orchid	Val di San Pellegrino
<i>C. viride</i> var. <i>longibractiatum</i>	Frog Orchid	Val de Sen Nicolo
<i>Corallorhiza trifida</i>	Coralroot Orchid	Verge, North of Tamion
<i>Cypripedium calceolus</i>	Lady's Slipper Orchid	Verge, North of Tamion
<i>Dactylorhiza alpestris</i>	Broad-leaved Marsh Orchid	Val Venegia
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Woods near Tamion
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh Orchid	Below the Passo Pordo
<i>Gymnadenia albida</i>	Small White Orchid	Passo di Vallas
<i>Gymnadenia conopsea</i> agg	Fragrant Orchid	Verge, North of Tamion
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant Orchid	Val de Sen Nicolo
<i>Gymnadenia austriaca</i>	Austrian Vanilla Orchid	Val di San Pellegrino
<i>Gymnadenia rhellicani</i>	Black Vanilla Orchid	Val de Sen Nicolo
<i>Gymnadenia rubra</i>	Red Vanilla Orchid	Val de Sen Nicolo
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Woods near Tamion
<i>Neottia (Listera) ovata</i>	Twayblade	Woods near Tamion
<i>Ophrys insectifera</i>	Fly Orchid	Verge, North of Tamion
<i>Orchis militaris</i>	Military Orchid	Verge, Tamion
<i>Orchis ovalis</i>	an Early Purple Orchid	Val di San Pellegrino
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Passo di Vallas
<i>Traunsteinera globosa</i>	Round-headed Orchid	Tamion
Poaceae (Gramineae)	Grass Family	
<i>Alopecurus pratensis</i>	Meadow Fox-tail	Woods near Tamion
<i>Arrhenatherum elatius</i>	False Oat-grass	Common
<i>Briza media</i>	Quaking Grass	Meadow near Tamion
<i>Bromopsis inermis</i>	Hungarian Brome	Vigo di Fassa
<i>Bromus hoedeaceus</i>	Soft Brome	Common
<i>Dactylis glomerata</i>	Cock's-foot	Common
<i>Festuca glauca</i>	Blue Fescue	Val de Sen Nicolo
<i>Festuca rubra</i> agg	Red Fescue	Common
<i>Helictotrichon pratense</i>	Meadow Oat Grass	Val di Monzoni
<i>Lolium perenne</i>	Perennial Rye-grass	Common
<i>Melica nutans</i>	Mountain Melick	Woods near Tamion
<i>Phleum pratense</i>	Timothy	Passo Rolle
<i>Poa alpina</i>	Alpine meadow-grass	Val di Monzoni
<i>Poa annua</i>	Annual Meadow-grass	Vigo di Fassa
<i>Poa bulbosa</i> var. <i>vivipara</i>	Bulbous Meadow-grass	Val de Sen Nicolo
<i>Poa nemoralis</i>	Wood Meadow-grass	Woods near Tamion
<i>Poa pratense</i>	Smooth Meadow-grass	Meadow near Tamion
<i>Poa trivialis</i>	Rough Meadow-grass	Meadow near Tamion
<i>Sesleria caerulea</i>	Blue Moor-grass	Val di Monzoni
<i>Sesleria sphaerocephala</i>		Rosengarten

Birds

(h = heard only)

	Common Name	Scientific Name	June							
			18	19	20	21	22	23	24	25
1	Little Egret	<i>Egretta garzetta</i>	•							
2	Grey Heron	<i>Ardea cinerea</i>	•							•
3	Golden Eagle	<i>Aquila chrysaetos</i>		•						
4	Common Buzzard	<i>Buteo buteo</i>	•						•	
5	European Honey Buzzard	<i>Pernis apivorus</i>							•	
6	Common Kestrel	<i>Falco tinnunculus</i>	•							•
7	Yellow-legged Gull	<i>Larus cachinnans</i>	•							•
8	Common Wood Pigeon	<i>Columba palumbus</i>	•							•
9	Feral Pigeon / Rock Dove	<i>Columba livia</i>	•							•
10	Eurasian Collared Dove	<i>Streptopelia decaocto</i>								•
11	Common Cuckoo	<i>Cuculus canorus</i>		H						
12	Common Swift	<i>Apus apus</i>	•	•	•	•	•	•	•	•
13	European Green Woodpecker	<i>Picus viridis</i>		H				H		
14	Great-spotted Woodpecker	<i>Dendrocopos major</i>					•			
15	Common Skylark	<i>Alauda arvensis</i>	•							
16	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>		•						
17	Barn Swallow	<i>Hirundo rustica</i>	•	•	•	•	•	•	•	
18	Common House Martin	<i>Delichon urbica</i>	•	•	•	•	•	•	•	•
19	Water Pipit	<i>Anthus spinoletta</i>			•					
20	Tree Pipit	<i>Anthus trivialis</i>							•	
21	White Wagtail	<i>Motacilla alba</i>	•	•	•	•	•	•	•	•
22	Grey Wagtail	<i>Motacilla cinerea</i>							•	
23	White-throated Dipper	<i>Cinclus cin</i>							•	
24	Winter Wren	<i>Troglodytes troglodytes</i>		H		H			H	
25	Alpine Accentor	<i>Prunella collaris</i>			•			•	•	
26	European Robin	<i>Erithacus rubecula</i>		H	H	H				
27	Common Nightingale	<i>Luscinia megarhynchos</i>	H							
28	Black Redstart	<i>Phoenicurus ochruros</i>						•	•	
29	Northern Wheatear	<i>Oenanthe oenanthe</i>			•	•				
30	Fieldfare	<i>Turdus pilaris</i>			•					
31	Common Blackbird	<i>Turdus merula</i>	•	•	•	•	•	•	•	•
32	Ring Ouzel	<i>Turdus torquatus alpestris</i>						•		
33	Blackcap	<i>Sylvia atricapilla</i>		H	H			H	•	
34	Orphean Warbler	<i>Sylvia hortensis</i>						H		
35	Chiffchaff	<i>Phylloscopus collybita</i>		H	H	H		H	H	
36	Goldcrest	<i>Regulus regulus</i>		H					•	
37	Great Tit	<i>Parus major</i>		H	•	•	H	•		
38	Coal Tit	<i>Parus ater</i>		•					•	
39	Crested Tit	<i>Parus cristatus</i>		•						
40	Willow Tit	<i>Parus montanus</i>						•		
41	Common Magpie	<i>Pica pica</i>	•							•
42	Eurasian Jay	<i>Garrulus glandarius</i>		•	•		•		•	
43	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>		•				•		
44	Yellow-billed Chough	<i>Pyrrhocorax graculus</i>			•	•			•	
45	Carrion Crow	<i>Corvus corone corone</i>	•	•	•		•	•	•	•
46	Hooded Crow	<i>Corvus corone cornix</i>		•		•	•		•	
47	Common Raven	<i>Corvus corax</i>		•		•	•			

	Common Name	Scientific Name	June							
			18	19	20	21	22	23	24	25
48	Common Starling	<i>Sturnus vulgaris</i>	•				•			•
49	House Sparrow	<i>Passer domesticus</i>	•	•	•	•	•	•	•	•
50	Italian House Sparrow	<i>Passer domesticus italiae</i>		•	•	•	•	•	•	•
51	White-winged Snowfinch	<i>Montifringilla nivalis</i>			•					
52	Common Chaffinch	<i>Fringilla coelebs</i>		H	H	•	•	H	•	
53	Common Linnet	<i>Acanthis cannabina</i>			•					
54	European Goldfinch	<i>Carduelis carduelis</i>	•							•
55	European Greenfinch	<i>Carduelis chloris</i>			H					
56	European Serin	<i>Serinus serinus</i>		•			•	•		
57	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>		•					•	•
58	Yellowhammer	<i>Emberiza citrinella</i>		•					H	

Butterflies

Species	Scientific Name	Location
Small White	<i>Artogeia rapae</i>	Passo Pordoi
Green-veined White	<i>Artogeia napi</i>	Near Tamion
Mountain Green-veined White	<i>Artogeia napi bryoniae</i>	Passo Pordoi
Clouded Yellow	<i>Colias crocea</i>	Passo Pordoi
Wood White	<i>Leptidea Sinapis</i>	Near Tamion
Small Copper	<i>Lycaena virgaureae</i>	Near Tamion
Red Admiral	<i>Vanessa atalanta</i>	Vigo di Fassa
Small Tortoiseshell	<i>Aglais urticae</i>	Near Tamion
Pearl-bordered Fritillary	<i>Clossiana euphrosyne</i>	Near Tamion
Heath Fritillary	<i>Mellicta athalia</i>	Below Passo Sella
Ringlet	<i>Aphantopus hyperantus</i>	Passo Rolle
Speckled Wood	<i>Pararge aegeria</i>	Near Tamion
Scotch Argus	<i>Erebia aethiops</i>	Val di San Pellegrino
Meadow Brown	<i>Maniola jurtina</i>	Val San Nicolo
Grizzled Skipper	<i>Pyrgus malvae malvoides</i>	Val Venegia
Dingy Skipper	<i>Erynnis tages</i>	Val di San Pellegrino

Moths

Forester	<i>Adscita statices</i>	Val San Nicolo
a Burnet Moth	<i>Zygaena osterodensis</i>	Val San Nicolo
Chimney Sweep	<i>Odezia atrata</i>	Val di Monzoni
Silver-ground Carpet	<i>Xanthorhoe montanata</i>	Tamion
Garden Carpet	<i>Xanthorhoe fluctuata</i>	Tamion
Latticed Heath	<i>Chiasmia clathrata clathrata</i>	Below Passo Sella
Brown Silver-line	<i>Petrophora chlorosata</i>	Below Passo Sella
Speckled Yellow	<i>Pseudopanthera macularia</i>	Near Tamion
Burnet Companion	<i>Euclidia glyphica</i>	Val San Nicolo

Micro Moths

White Plume Moth	<i>Pterophorus pentadactylus</i>	Near Tamion
------------------	----------------------------------	-------------

Species	Scientific Name	Location
Other Insects		
Field Cricket	<i>Gryllus campestris</i>	Heard at Val Venegia
Common Pond Skater	<i>Gerris lacustris</i>	Val di San Pellegrino
Dung Beetle	<i>Scarabaeus semipunctatus</i>	Val di Monzoni
Garden Chafer	<i>Phyllopertha horticola</i>	Meadow, San Giovanni
a Chafer	<i>Hoplia caerulea</i>	Rosengarten
Rose Chafer	<i>Cetonia aurata</i>	Near Tamion
Click Beetle	<i>Ctenicera pectinicornis</i>	Val di Monzoni
Seven-spot Ladybird	<i>Coccinella 7-punctata</i>	Near Tamion
Oil Beetle	<i>Meloe proscarabeus</i>	Val di Monzoni
Longhorn Beetle	<i>Stenocorus cursor</i>	Val di Monzoni
Longhorn Beetle	<i>Rosalia alpina</i>	Near Tamion
Leaf Beetle	<i>Clytra 4-punctata</i>	Rosengarten
Arachnids		
Crab Spider (Yellow)	<i>Misumena vatia</i>	Near Tamion
a Wolf Spider	<i>Lycosidae sp</i>	Rosengarten
a Jumping Spider	<i>Salticidae sp</i>	Below Passo Sella
Mammals		
Fallow Deer	<i>Dama dama</i>	?
Red Squirrel	<i>Sciurus vulgaris</i>	Near Tamion
Alpine Marmot	<i>Marmotta marmotta</i>	Passa Pordoi
Reptiles & Amphibians		
Common Lizard	<i>Lacerta vivipara</i>	Tamion
Slow Worm	<i>Anguis fragilis</i>	Val di Monzoni
Aesculapian Snake	<i>Elaphe longissima</i>	Passa Pordoi
Aspic Viper	<i>Vipera aspis</i>	Passa Pordoi
Other Groups		
Roman Snail	<i>Helix pomatia</i>	Common after Rain