

The Italian Dolomites

Naturetrek Tour Report

18 - 25 June 20089



Cimon della Pala from Val Venegia



Triglav Gentian – *Gentiana terglouensis*



Pink Cinquefoil – *Potentilla nitida*



An alpine meadow

Report and images by Jessica Turner



Naturetrek

Cheriton
Mill

Cheriton

Alresford

Hampshire

SO24
0NG

England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leader: Jessica Turner

Participants: Neil Bradfield
Tony Heaton
Jan Jeddelloh
Ann Leonard
Elizabeth Mordue
Joe Patton
Ken Sandell
Sheila Wynn

Day 1

Wednesday 24th June

Weather: UK sunny; Italy warm, mainly cloudy, some showers later

Seven of the group members met Jessica at Gatwick Airport for the British Airways flight to Venice, where we enjoyed good views of the city as we landed at Marco Polo airport. We soon had our luggage and the minibus, and were heading north on the A27 towards Belluno, and then on to Agordo, where we stopped for a coffee break in the town square. The final leg of our journey took us via Cencenighe, where we turned west to Falcade, over the Passo San Pellegrino, and down into the Fassa valley. We soon reached the little hamlet of Tamion and the Hotel Gran Mugon, our base for the week. We received a warm welcome from Stefano and his sister Katia, and were soon enjoying an excellent dinner and some welcome rest.

Day 2

Thursday 25th June

Weather: sunny intervals

We had a fairly leisurely start to the day, after a splendid breakfast as we were walking from the hotel to explore the meadows and woods round Tamion. Swallows and House Martins were swooping round the buildings and feeding hungry youngsters. The meadows were being cut for hay, but still contained many delightful plants such as Golden Hawkbeard, (*Crepis aurea*), Dragonmouth (*Horminum pyrenaicum*), Arnica (*Arnica montana*), Meadow Clary (*Salvia pratensis*) and the enormous orange flowers of Orange Lily (*Lilium bulbiferum*). As we progressed, Round-headed Orchid (*Traunsteinera globosa*) and hundreds of Fragrant Orchid (*Gymnadenia conopsea*) were also seen, and many Chimney Sweep Moths. On the edge of the trees was a fine specimen of Bird's-Nest Orchid (*Neottia nidus-avis*).

The path entered a pine wood, where Single-flowered Wintergreen (*Moneses uniflora*) was found, as well as Mountain Milk-vetch (*Oxytropis jacquini*), Mountain Milkwort (*Polygala alpestris*), Tofield's Asphodel (*Tofieldia calyculata*) and Common Butterwort (*Pinguicula vulgaris*). The path followed the hillside, before emerging into another meadow full of flowers, including Small White Orchid (*Gymnadenia albida*), Giant Cat's-ear (*Hypochaeris uniflora*) and Plume Knapweed (*Centaurea nervosa*). We returned to Tamion along the road, stopping to look at a large patch of Lady's Slipper Orchids (*Cypripedium calceolus*) on the bank, which were sadly well past their prime, but enjoying other plants en route. As it was already late, we had our picnic of local cheeses and hams outside the hotel.

Duly refreshed, we boarded the minibus to drive to Pozza di Fassa. We turned up into the Val San Nicolo and then the Val di Monzoni, where we set off up the track towards the Refugio Taramelli. In the lower meadows we found Trumpet Gentian (*Gentiana acaulis*), Bavarian Gentian (*Gentiana bavarica*), Yellow Violet (*Viola biflora*) and some bushes of the Alpenrose (*Rhododendron ferrugineum*). Higher up, other plants included Alpine Snowbell (*Soldanella alpina*), Spring Pasque Flower (*Pulsatilla vernalis*), Green Alder (*Alnus viridis*) and Yellow Alpine Pasque Flower (*Pulsatilla alpina* subsp. *apiifolia*). Where we met the snow, it was thick across the path, so we decided to retrace our steps to the minibus. We stopped on the way down the valley to see Alpine Butterwort (*Pinguicula alpina*), before returning to the hotel for another excellent dinner.

Day 3

Friday 26th June

Weather: Broken cloud with showers, heavy rain and low cloud at times

Today we headed north up to the Pordoi Pass (2239m), via Canazei, parking in the main car park at the top of the pass. We took the route 601, along the famous 'Bindelweg', mentioned by Farrer. We could tell that snow had not long left the bank above the path, where we found plenty of Alpine Snowbell (*Soldanella alpina*). A little further on we found Alpine Bearberry (*Arctostaphalus alpina*), Monte Baldo Anemone (*Anemone baldense*), and several willows including Net-leaved Willow (*Salix reticulata*), Finely-toothed Willow (*Salix breviserrata*) often with purplish catkins, and the taller Alpine Willow (*Salix x hegetschweileri*). A brief exploration of the cliffs to the right of the path provided *Draba dubia*, Mossy Cyphel (*Minnartia sedoides*), and Triglav Gentian (*Gentiana terglouensis*). The stunning views were starting to disappear behind low cloud and rain, but we proceeded to the steep banks below a ski lift where Least Primrose (*Primula minima*), Scree Saxifrage (*Saxifraga androsacea*) and a magnificent display of Vitaliana (*Androsace vitaliana* subsp. *vitaliana*) were located. *Ranunculus keupferi* and Oxlip (*Primula elatior*) were on the slopes, as well as Alpine Accentor and Water Pipit. As we descended we emerged from the rain, and set up our picnic in the carpark below.

After lunch, we made our way down the pass to a flat meadow with scattered boulders, by a stream, with Dwarf Mountain Pine (*Pinus mugo*) and Arolla Pine (*Pinus cembra*) around us, and the rocks were covered in Mountain Avens (*Dryas octopetala*), Matted Globularia (*Globularia cordifolia*) and a Musk Saxifrage (*Saxifraga exarata* subsp. *moschata*). On a boulder by the layby we were delighted to find a specimen of Edelweiss (*Leontopodium alpinum*). From here we set off towards the Sella Pass, where we stopped to admire the magnificent views before dropping down towards Selva.

We stopped at a spot where a stream came down the mountain to explore the margins of the adjacent pine woods. A good number of Rhaetian Poppy (*Papaver aurantiacum*) were seen, as well as a single flower of Fairy's Thimble (*Campanula cochlearifolia*), Intermediate Wintergreen (*Pyrola media*), Broad-leaved Mouse-ear (*Cerastium latifolium*), Creeping Sandwort (*Moebria ciliata*), and Rock Valerian (*Valeriana saxatilis*), and a large clump of Lady's Slipper Orchid (*Cypripedium calceolus*), this time in full flower. It was then time to make our way back to Tamion for dinner.

Day 4

Saturday 27th June

Weather: Generally sunny

Today our destination was the Rosengarten. After another good breakfast, we boarded our bus for the short journey down to Vigo di Fassa, where we caught the cable-car up to the Rif. Ciampedie.

We began our walk in the direction of the small village of Gardeccia. Alpenrose (*Rhododendron ferrugineum*), and Arolla Pine (*Pinus cembra*) were very much in evidence, together with False Medlar (*Sorbus chamaemispelus*), Blue-berried Honeysuckle (*Lonicera caerulea*) and Alpine Honeysuckle (*Lonicera alpegena*). In the village, we stopped for a refreshment break and explored an adjacent meadow. Alpine Fleabane (*Erigeron alpinum*) and Rock Speedwell (*Veronica fruticans*) were found here, while Black Redstart and Crag Martins were present. Climbing up beyond the village, *Gentiana bavarica* (Bavarian Gentian) and *Gentiana acaulis* (Trumpet Gentian) were evident all around.

As the track grew steeper, we moved into an area of Dwarf Alpine Pine (*Pinus mugo*) and massive scattered limestone boulders. After our picnic, we spread out to explore these, while some continued up the steep path to the Rif. Preuss, which appeared to teeter on the cliff above. On the boulders we found the beautiful flowers of Pink Cinquefoil (*Potentilla nitida*) and Bluish Paederota (*Paederota bonarota*). Other plants included the tiny blue clumps of the leaves of Blue Saxifrage (*Saxifraga caesia*), Mountain Avens (*Dryas octopetala*), Mount Cenis Lousewort (*Pedicularis cenisia*) and Least Snowbell (*Soldanella minima*), together with some more Edelweiss (*Leontopodium alpinum*), while another Black Redstart was in evidence, and parties of Alpine Chough were circling the Rifugio.

Eventually, we made our slow descent back to Gardeccia and on to Ciampedie, entertained en route by fine views of a Nutcracker in the conifers. At Ciampedie, we stopped for refreshments before catching the cable-car down to Vigo di Fassa, and so back to the hotel.

Day 5

Sunday 28th June

Weather: fine, warm & sunny, but with some heavy showers

Today we headed south-east for the Rolle Pass and the dramatic peak of Cimon della Pala. Passing through Paneveggio, we climbed up to the Pass at 1972m, and then took a minor road on up to the Baita Segantini, and began a walk up through the alpine grassland. We found Trailing Azalea (*Loiseleuria procumbens*), Least Primrose (*Primula minima*) and Frog Orchids (*Coeloglossum viride*) together with a caterpillar of the Small Apollo, then moved up into an area of loose rock and open ground where we found a large number of Sequier's Buttercup (*Ranunculus seguieri*), Mossy Cyphel (*Minuartia sedoides*), Spring Sandwort (*Minuartia verna*) and One-flowered Fleabane (*Erigeron uniflora*).

Our ultimate aim was to reach an area of broken rocks and boulders below the looming cliffs of Cimon della Pala. Moving on along the edge of the cliffs we found Snowdon Lily (*Lloydia serotina*), Purple Saxifrage (*Saxifraga oppositifolia*), Mountain Avens (*Dryas octopetala*), Long-flowered Primrose (*Primula halleri*) and a number of plants of Bear's-ear Primrose (*Primula auricula*). By now we were at the base of the cliffs we had been aiming for, but as we arrived, so did the rain. However, investigation of the boulders soon produced a magnificent clump of one of the specialities: King of the Alps (*Eritrichium nanum*) together with Dwarf Alpenrose (*Rhodothamnus chamaecistus*), Alpine Buttercup (*Ranunculus alpestris*), *Draba dolomitica*, and the rare Tyrolean Primrose (*Primula tyrolensis*).

The rain eased and we made our way back to the Rifugio, where we had our picnic before beginning our descent. Just as we reached the road, we stopped at a bank which had a good show of Southern Butterwort (*Pinguicula leptoceras*), although most people preferred to look at this from the bus, as the rain was again heavy.

We then set off towards the Passo San Pellegrino and the Miralago where we explored the meadows behind the Rifugio. Plants here included Great Meadow Rue (*Thalictrum aquilegifolia*) and Alpine Clover (*Trifolium alpinum*), splendid spikes of Spotted Gentian (*Gentiana punctata*), Wolfsbane (*Aconitum lycoctonum ssp vulparia*) and Martagon Lily (*Lilium martagon*). We also found a good number of orchids, including Lesser Butterfly Orchid (*Platanthera bifolia*), Austrian Vanilla Orchid (*Gymnadenia austriaca*) and Small White Orchid (*Gymnadenia albida*). Eventually, rather damp, we returned to our minibus, and back to the hotel for dinner.

Day 6

Monday 29th June

Weather: Bright sun but also showers

Today the group had a free morning. Some chose to visit Moena or Tamion, while others chose to stay around the hotel. After this, we drove north to pay a second visit to the Val San Nicolo, parked the minibus, and set about preparing our picnic. During this time Hairy Chervil (*Chaerophyllum hirsutum*), Smooth Honeywort (*Cerinth glabra*) and Rock Redcurrant (*Ribes petraeum*) were found.

After lunch we set off to explore the meadows in the valley. The grass was much shorter here than our previous experience on day one, so we were able to spot things more easily. Heartsease (*Viola tricolor* subsp. *subalpinum*), *Campanula scheuchzeri*, Alpine Milk-vetch (*Astragalus alpina*) and the delightful Snow Gentian (*Gentiana nivalis*) were found together with Garland Flower (*Daphne cneorum*). We also located plenty of Vanilla Orchids: Austrian Vanilla Orchid (*Gymnadenia austriaca*), Black Vanilla Orchid (*Gymnadenia rbellicani*); and Red Vanilla Orchid (*Gymnadenia rubra*). An interesting find was a relatively unhairly variant of Cobweb Houseleek (*Sempervivum arachnoideum ssp arachnoideum*).

We stopped for some refreshments at the Rif. Baita Ciampie, before returning slowly down the valley. In the meadow between the path and the river was an enormous patch of St. Bruno's Lily (*Paradisea liliastrum*), which were much admired and photographed.

Day 7

Tuesday 30th June

Weather: fine & sunny, with some showers

Today we returned to Paneveggio, where we stopped at the Parco Naturale Visitor Centre. Some of the group went in, while others chose to explore the adjacent woods, meadows and river banks. Nettle-leaved Speedwell (*Veronica urticifolia*) and Whorled Solomon's Seal (*Polygonatum verticillatum*) were found in the wood, while Aconite-leaved Buttercup (*Ranunculus aconitifolius*) and Wood Stitchwort (*Stellaria nemorum*) were found on the river bank.

From here we made our way up into the Val Venegia, and began our walk though some damp meadows. These had some splendid spikes of *Dactylorhiza majalis* (Broad-leaved Marsh Orchid) and one or two Alpine Broad-leaved Marsh Orchid (*Dactylorhiza alpestris*), as well as Chickweed Willowherb (*Epilobium alsinifolium*).

After stopping for refreshments at the Rif. Malga Venegiota, we continued our walk, passing a wonderful cliff with a large amount of Bluish Paederota (*Paederota baronota*) and Rock Valerian (*Valeriana saxatile*). We had our picnic on a bank by the path, and then continued on up the path to a point where the trees gave way to major areas of scree.

Here, on some very large boulders, we found Dwarf Alpenrose (*Rhodothamnus chamaecistus*), Livelong Saxifrage (*Saxifraga paniculata*), and several magnificent examples of Tyrolean Primrose (*Primula tyrolensis*). We also found a large patch of Dwarf Valerian (*Valeriana supina*) while on some screes, we saw a small clump of the Dolomite endemic Alpine Scurvy-grass (*Rhizobotrya alpina*), together with Violet Speedwell (*Veronica bellidioides*). Along the stream were some fine specimens of Spiniest Thistle (*Cirsium spinosissimum*), and a damp patch held the Cotton Grass *Eriophorum scheuchzeri*.

We then took the road to Falcade on the return journey, stopping on the north-east side of the Passo di Valles to look for Rough Saxifrage (*Saxifraga aspera*) on some roadside rocks. We also found another fine Martagon Lily (*Lilium martagon*) in full flower, while in the meadow by the bus were several spikes of Dark Rampion (*Phyteuma ovatum*).

Day 8

Wednesday 1st July

Weather: fine, warm & sunny

After a leisurely breakfast, and with our packing complete, we had a little time to spend before setting off for the airport, so we took the minibus up the road, to where Ken had reported *Dianthus superbus*, growing on a bank. After photos had been taken, and we had explored other roadside areas, we returned to Tamion, to pack the bus, bid farewell to Katia and Stefano, and to Elizabeth and Ann who were heading north, and retrace our steps south to Venice's Marco Polo airport. We had a good flight back to the UK, our minds full of images of stunning scenery and alpine flowers.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Plants

Group/Species	English Name (If any)	Location
PTERIDOPHYTES	FERNS & ALLIES	
Lycopodiaceae	Clubmoss Family	
<i>Huperzia selago</i>	Fir Clubmoss	Passo Rolle
<i>Lycopodium annotinum</i>	Interrupted Clubmoss	Rosengarten
Equisetaceae	Horsetail Family	
<i>Equisetum arvense</i>	Common Horsetail	Tamion
<i>Equisetum hymenale</i>	Dutch Rush	Panneveggio
<i>Equisetum variegatum</i>	Variiegated Horsetail	Val Venegia
Aspleniaceae	Spleenwort Family	
<i>Asplenium ruta-muraria</i>	Wall Rue	Val Venegia
<i>Asplenium viride</i>	Green Spleenwort	Val di Monzoni
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Passo Rolle
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Roadsides
Dryopteridaceae	Buckler Fern Family	
<i>Dryopteris filix-mas</i>	Male-fern	Val di San Pellegrino
<i>Polystichum lonchitis</i>	Holly Fern	Rosengarten
Ophioglossaceae	Adder's-tongue Family	
<i>Botrichium lunaria</i>	Moonwort	Val di Monzoni
Polypodiaceae	Polypody Family	
<i>Polypodium vulgare</i>	Common Polypody	Val di Monzoni
Woodsiaceae (Athuriaceae)	Lady Fern Family	
<i>Athyrium filix-femina</i>	Lady Fern	Rosengarten
<i>Cystopteris fragilis</i>	Brittle Bladder Fern	Val di Monzoni
<i>Gymnocarpium dryopteris</i>	Oak Fern	Woods near Tamion
<i>Gymnocarpium robertianum</i>	Limestone Fern	Val de Sen Nicolo
PINOPSIDA (GYMNOSPERMS)	CONIFERS	
Cupressaceae	Juniper Family	
<i>Juniperus communis</i>	Juniper	Val di Monzoni
<i>J. communis</i> subsp. <i>alpina</i>	Dwarf Juniper	Val di Monzoni
Pinaceae	Pine Family	
<i>Larix decidua</i>	European Larch	Woods near Tamion
<i>Picea abies</i> ssp. <i>abies</i>	Spruce	Woods near Tamion
<i>Pinus cembra</i>	Arolla Pine	Below Passo Pordoi
<i>Pinus mugo</i>	Dwarf Mountain Pine	Rosengarten
<i>Pinus nigra</i> subsp. <i>nigra</i>	Austrian or Black Pine	Woods near Tamion
<i>Pinus sylvestris</i>	Scot's Pine	Woods near Tamion

Group/Species	English Name (If any)	Location
MAGNOLIOPSIDA (ANGIOSPERMS)	FLOWERING PLANTS	
Magnoliidae (Dicotyledons)		
Apiaceae (Umbelliferae)	Carrot Family	
<i>Angelica sylvestris</i>	Wild Angelica	Rosengarten
<i>Anthriscus sylvestris</i>	Cow Parsley	Common
<i>Athamanta cretensis</i>	Athamanta	Val Venegia
<i>Chaerophyllum hirsutum</i>	Hairy Chervil	Val de Sen Nicolo
<i>Daucus carota</i>	Wild Carrot	Common
<i>Heracleum sphondylium</i>	Hogweed	Roadsides
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Woods near Tamion
<i>Ligusticum multellina</i>	Alpine Lovage	Passo Rolle
<i>Pimpinella major</i>	Greater Burnet-saxifrage	Common in meadows
Asteraceae (Compositae)	Daisy Family	
<i>Achillea atrata</i>	Dark-stemmed Sneezewort	Rosengarten
<i>Achillea clavenae</i>	Silvery Milfoil	Passo Pordo
<i>Achillea millefolium</i>	Yarrow	Meadows near Tamion
<i>Achillea oxyloba</i>	Alpine Sneezewort	Val Venegia
<i>Adenostyles alliariae (leaves)</i>	Adenostyles	Woods near Tamion
<i>Antennaria carpathica</i>	Carpathian Cat's-foot	Passo Pordo
<i>Antennaria dioica</i>	Cat's-foot	Meadow North of Tamion
<i>Arnica montana</i>	Arnica	Meadow North of Tamion
<i>Aster alpinus</i>	Alpine Aster	Meadow North of Tamion
<i>Aster bellidiastrum</i>	False Aster	Val di Monzoni
<i>Bupthalmum salicifolium</i>	Yellow Ox-eye	Woods near Tamion
<i>Carduus defloratus agg.</i>	Alpine Thistle	Common
<i>Carduus personata</i>	Great Marsh Thistle	Val de Sen Nicolo
<i>Carlina acaulis</i>	Stemless Carline Thistle	Val di Monzoni
<i>Centaurea montana</i>	Perennial Cornflower	Paneveggio
<i>Centaurea nervosa</i>	Plume Knapweed	Meadow North of Tamion
<i>Centaurea pseudophrygia</i>	Wig Knapweed	Meadow North of Tamion
<i>Cirsium dissectum</i>	Meadow Thistle	Val Venegia
<i>Cirsium eriophorum</i>	Woolly Thistle	Val de Sen Nicolo
<i>Cirsium eristhales</i>	Yellow Melancholy Thistle	Roadside, Tamion
<i>Cirsium palustre</i>	Marsh Thistle	Val Venegia
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Val Venegia
<i>Crepis aurea</i>	Golden Hawksbeard	Meadow North of Tamion
<i>Doronicum columnae</i>	Heart-leaved Leopardsbane	Pordo
<i>Erigeron alpinus</i>	Alpine Fleabane	Below Passo Pordo
<i>Erigeron uniflorus</i>	One-flowered Fleabane	Passo Rolle
<i>Hieracium alpinum agg</i>	Alpine Hawkweed	Passo Pordo
<i>Hieracium aurantiacum</i>	Orange Hawkweed	Val di Sen Nicolo
<i>Homogyne alpina</i>	Alpine Coltsfoot	Val di Monzoni
<i>Hypochaeris uniflora</i>	Giant Catsear	Meadow North of Tamion
<i>Leontodon hispidus</i>	Rough Hawkbit	Meadow North of Tamion
<i>Leontopodium alpinum</i>	Edelweiss	Below Passo Pordo
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Meadow North of Tamion
<i>Leucanthemopsis alpina</i>	Alpine Moon Daisy	Val di Monzoni
<i>Petasites alba</i>	White Butterbur	Val di Monzoni
<i>Pilosella officinarum agg</i>	Mouse-eared Hawkweed	Meadow North of Tamion
<i>Scorzonera aristata</i>	Bearded Vipersgrass	Meadow North of Tamion

Group/Species	English Name (If any)	Location
<i>Senecio squalidus</i>	Rock Ragwort	Tamion
<i>Senecio vulgaris</i>	Common Groundsel	Tamion
<i>Sonchus oleraceus</i>	Smooth Sowthistle	Vigo di Fassa
<i>Tragopogon dubius</i>	Goatsbeard	Meadow North of Tamion
<i>Taraxacum agg</i>	Dandelion	Meadow North of Tamion
<i>Tussilago farfara</i>	Colt's-foot	Val Venegia
Berberidaceae	Barberry Family	
<i>Berberis vulgaris</i>	Barberry	Meadow near Tamion
Betulaceae (Corylaceae)	Birch Family	
<i>Alnus viridis</i>	Green Alder	Val di Monzoni
<i>Betula pendula</i>	Silver Birch	Woods near Tamion
Boraginaceae	Forget-me-not Family	
<i>Cerinth glabra</i>	Smooth Honeywort	Val de Sen Nicolò
<i>Echium vulgare</i>	Viper's Bugloss	Roadsides
<i>Eritrichium nanum</i>	King of the Alps	Passo Rolle
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Val di Monzoni
<i>Myosotis arvensis</i>	Field Forget-me-not	Woods near Tamion
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Val Venegia
<i>Pulmonaria australis</i>	a Lungwort	Passo Pordoì
Brassicaceae (Cruciferae)	Cabbage Family	
<i>Alliaria petiolata</i>	Garlic Mustard	Woods near Tamion
<i>Arabis alpina</i>	Alpine Rockcress	Val di Monzoni
<i>Arabis bellidifolia</i> subsp. <i>bellidifolia</i>	Alpine Bittercress	Rosengarten
<i>Arabis hirsuta</i>	Hairy Rockcress	Rosengarten
<i>Barbarea</i> sp.	Wintercress	Woods near Tamion
<i>Biscutella laevigata</i>	Buckler Mustard	Val di Monzoni
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	Tamion
<i>Cardamine amara</i>	Large Bittercress	Val de Sen Nicolò
<i>Cardamine enneaphylos</i> (leaves)	Drooping Bittercress	Paneveggio
<i>Cardamine pratensis</i> (leaves)	Lady's Smock	Val de Sen Nicolò
<i>Cardamine resedifolia</i>	Mignonette-leaved Bittercress	Val di Monzoni
<i>Draba aizoides</i>	Yellow Whitlowgrass	Passo Pordoì
<i>Draba dolomitica</i>	Dolomite Whitlowgrass	Passo Rolle
<i>Erophila verna</i>	Common Whitlowgrass	Below Passo Sella
<i>Kernera saxatilis</i>	Kernera	Below Passo Sella
<i>Petrocallis pyrenaica</i>	Pyrenean Whitlowgrass	Passo Rolle
<i>Pritzelago (Hutchensia) alpina</i>	Chamois Cress	Val di Monzoni
<i>P. alpina</i> ssp. <i>austroalpina</i>	A Chamois Cress	Val di Monzoni
<i>Rhizobotrya alpina</i>	Alpine Scurvy-grass	Val Venegia
<i>Rorippa austriaca</i>	Austrian Yellowcress	Rosengarten
<i>Sinapis arvensis</i>	Charlock	Tamion
<i>Thlaspi rotundifolium</i> subsp. <i>cepaefolium</i>	Round-leaved Pennycress	Below Passo Sella
Campanulaceae	Bellflower Family	
<i>Campanula barbata</i>	Bearded Bellflower	Meadow above Tamion
<i>Campanula cochlearifolia</i>	Fairy's Thimble	Below Passo Sella
<i>Campanula glomerata</i>	Clustered Bellflower	Tamion
<i>Campanula rapunculoides</i>	Creeping Bellflower	Vigo di Fassa
<i>Campanula rotundifolia</i>	Harebell	Common
<i>Campanula scheuchzeri</i>		Val de Sen Nicolò

Group/Species	English Name (If any)	Location
<i>Phyteuma betonicifolium</i>	Betony-leaved Rampion	Val de Sen Nicolo
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Meadow above Tamion
<i>Phyteuma ovatum</i>	Dark Rampion	Passo di Vallas
<i>Phyteuma scheuchzeri</i> subsp. <i>columnae</i>	Horned Rampion	Val de Sen Nicolo
<i>Phyteuma sieberi</i>		Val de Sen Nicolo
Caprifoliaceae	Honeysuckle Family	
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Val di Monzoni
<i>Lonicera caerulea</i>	Blue-berried Honeysuckle	Rosengarten
<i>Lonicera nigra</i>	Black Honeysuckle	Val de Sen Nicolo
<i>Sambucus racemosus</i>	Red-berried Elder	Val de Sen Nicolo
Caryophyllaceae	Pink Family	
<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Sandwort	Rosengarten
<i>Cerastium arvense</i>	Field Mouse-ear	Val di San Pellegrino
<i>Cerastium fontanum</i>	Common Mouse-ear	Rosengarten
<i>Cerastium uniflorum</i>	Glacier Mouse-ear	Below Passo Sella
<i>Dianthus superbus</i>	A fringed Pink	Roadside near Tamion
<i>Gypsophila repens</i>	Gypsophila	Path above Tamion
<i>Lychnis flos-cuculi</i>	Ragged Robin	Meadow near Tamion
<i>Minuartia sedoides</i>	Mossy Cyphel	Passo Pordo
<i>Minuartia verna</i>	Spring Sandwort	Rosengarten
<i>Moehringia ciliata</i>	Creeping Sandwort	Below Passo Sella
<i>Moehringia mucosa</i>		Woods near Tamion
<i>Sagina saginoides</i>	Alpine Pearlwort	Val Venegia
<i>Silene acaulis</i>	Moss Campion	Val di Monzoni
<i>Silene dioica</i>	Red Campion	Woods near Tamion
<i>Silene nutans</i>	Nottingham Catchfly	Meadow above Tamion
<i>Silene pusilla</i>		Val Venegia
<i>Silene rupestris</i>	Rock Catchfly	Rosengarten
<i>Silene saxifraga</i>	Tufted Catchfly	Rosengarten
<i>Silene vulgaris</i>	Bladder Campion	Meadow near Tamion
<i>Stellaria nemorum</i>	Wood Stitchwort	Paneveggio
Chenopodiaceae	Goose-foot Family	
<i>Chenopodium bonus-henricus</i>	Good King Henry	Woods near Tamion
Cistaceae	Rock-rose Family	
<i>Helianthemum nummularium</i>	Common Rockrose	Woods near Tamion
<i>H. oelandicum</i> subsp. <i>canum</i>	Hoary Rockrose	Val di Monzoni
<i>H. oelandicum</i> subsp. <i>oelandicum</i>	Alpine Rockrose	Passo Pordo
Crassulaceae	Stonecrop Family	
<i>Rhodiola rosea</i>	Roseroot	Passo Rolle
<i>Sedum acre</i>	Biting Stonecrop	Passo Pordo
<i>Sedum atratum</i> subsp. <i>atratum</i>	Dark Stonecrop	Rosengarten
<i>Sedum dasyphyllum</i>	Fat Stonecrop	Below Passo Sella
<i>Sempervivum arachnoideum</i> ssp. <i>arachnoideum</i>	Cobweb Houseleek	Val de Sen Nicolo
Dipsacaceae	Teasel Family	
<i>Knautia dipsacifolia</i>	Wood Scabious	Woods near Tamion
<i>Knautia arvensis</i>	Field Scabious	Val de Sen Nicolo
<i>Scabiosa columbaria</i>	Scabius	Meadow above Tamion
<i>Scabiosa vestina</i>	Tyrolean Scabious	Meadow above Tamion

Group/Species	English Name (If any)	Location
Ericaceae	Heath family	
<i>Arctostaphylos uva-ursi</i>	Bearberry	Val di Monzoni
<i>Arctostaphylos alpina</i>	Alpine Bearberry	Passo Pordoi
<i>Calluna vulgaris</i>	Heather	Val Venegia
<i>Erica carnea</i>	Spring Heath	Common
<i>Loiseleuria procumbens</i>	Trailing Azalea	Passo Rolle
<i>Rhodonendron ferrugineum</i>	Alpenrose	Val di Monzoni
<i>Rhodonendron hirsutum</i>	Hairy Alpenrose	Rosengarten
<i>Rhodothamnus chamaecistus</i>	Dwarf Alpenrose	Passo Rolle
<i>Vaccinium myrtillus</i>	Bilberry	Common
<i>Vaccinium uliginosum</i>	Bog Whortleberry	Val di Monzoni
<i>Vaccinium vitis-idaea</i>	Cowberry	Val di Monzoni
Fabaceae (Leguminosae)	Pea Family	
<i>Anthyllis vulneraria agg</i>	Kidney Vetch	Meadow near Tamion
<i>Astragalus alpinus</i>	Alpine Milk-vetch	Passo Rolle
<i>Astragalus australis</i>	Southern Milk-vetch	Val di San Pellegrino
<i>Astragalus austriacus</i>	Austrian Milk-vetch	Rosengarten
<i>Astragalus frigidus</i>	Pallid Milk-vetch	Below Passo Pordoi
<i>Genista germanica</i>	German Greenweed	Meadow above Tamion
<i>H. hedysaroides</i> subsp. <i>exaltatum</i>	Alpine Sainfoin	Below Passo Pordoi
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Meadow above Tamion
<i>Lathyrus pratensis</i>	Yellow Vetchling	Meadow above Tamion
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Passo Rolle
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	South of Belluno
<i>Onobrychis arenaria</i>	Small Sainfoin	Meadow above Tamion
<i>Onobrychis montana</i>	Mountain Sainfoin	Rosengarten
<i>Oxytropis campestris</i>	Yellow Milk-vetch	Val di San Pellegrino
<i>Oxytropis jacquinii</i>	Mountain Milk-vetch	Verge above Tamion
<i>Trifolium alpinum</i>	Alpine Clover	Val di San Pellegrino
<i>Trifolium badum</i>	Brown Clover	Below Passo Sella
<i>Trifolium montanum</i>	Mountain Clover	Meadow above Tamion
<i>Trifolium pratense</i> subsp. <i>pratense</i>	Red Clover	Meadow above Tamion
<i>Trifolium repens</i>	White Clover	Tamion
<i>Vicia cracca</i>	Tufted vetch	Tamion
<i>Vicia sepium</i>	Bush Vetch	Woods near Tamion
Gentianaceae	Gentian Family	
<i>Gentiana acaulis</i>	Trumpet Gentian	Common
<i>Gentiana bavarica</i>	Bavarian Gentian	Common
<i>G.brachyphylla</i> subsp. <i>brachyphylla</i>	Short-leaved Gentian	Passo Rolle
<i>Gentiana clusii</i>	Clusius's Gentian	Passo Pordoi
<i>Gentiana lutea</i>	Yellow Gentian	Val de Sen Nicolo
<i>Gentiana nivalis</i>	Snow Gentian	Val de Sen Nicolo
<i>Gentiana punctata</i>	Spotted Gentian	Val di San Pellegrino
<i>Gentiana terglouensis</i>	Triglav Gentian	Passo Pordoi
<i>Gentiana verna</i>	Spring Gentian	Val di Monzoni
<i>Getianella germanica</i>	German Gentian	Meadows above Tamion
Geraniaceae	Geranium Family	
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	Woods near Tamion
<i>Geranium phaeum</i>	Dusky Crane's-bill	Roadside near Falcade
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Woods near Tamion

Group/Species	English Name (If any)	Location
Globulariaceae <i>Globularia cordifolia</i>	Globularia Family Matted Globularia	Woods near Tamion
Grossulariaceae <i>Ribes petraeum</i>	Gooseberry Family Rock redcurrant	Val de Sen Nicolo
Lamiaceae (Labiatae) <i>Acinos alpinus</i> <i>Ajuga pyramidalis</i> <i>Ajuga reptans</i> <i>Clinopodium vulgare</i> <i>Galeopsis speciosa</i> <i>Horminium pyrenaicum</i> <i>Lamium album</i> <i>Prunella vulgaris</i> <i>Salvia pratensis</i> <i>Stachys alopecuross</i> <i>Stachys recta</i> <i>Thymus polytrichis</i> <i>Thymus pulegioides</i>	Dead-nettle Family Alpine Basil Thyme Pyramidal Bugle Bugle Wild Basil Large-flowered Hemp-nettle Dragonmouth White Dead-nettle Self-heal Meadow Clary Yellow Betony Yellow Woundwort Wild Thyme Large Thyme	Woods near Tamion Val di Monzoni Rosengarten Woods near Tamion Val de Sen Nicolo Meadow above Tamion Val de Sen Nicolo Common Meadow above Tamion Meadow above Tamion Meadow near Tamion Common Val di Monzoni
Lentabulariaceae <i>Pinguicula alpina</i> <i>Pinguicula leptoceras</i> <i>Pinguicula vulgaris</i>	Blutterwort Family Alpine Butterwort Southern Butterwort Common Butterwort	Val di Monzoni Passo Rolle Woods near Tamion
Linaceae <i>Linum catharticum</i>	Flax Family Purging or Fairy Flax	Val Venegia
Onagraceae <i>Chamerion angustifolium (leaves)</i> <i>Epilobium alsinifolium</i> <i>Epilobium montanum</i>	Willowherb Family Rosebay Willowherb Chickweed Willowherb Mountain Willowherb	Val di Monzoni Val Venegia Val di San Pellegrino
Orobanchaceae <i>Orobanche gracilis</i>	Broomrape Family Slender Broomrape	Woods near Tamion
Oxalidaceae <i>Oxalis acetosella</i>	Wood-sorrel Family Wood-sorrel	Rosengarten
Papaveraceae <i>Papaver aurantiacum (P.rhaeticum)</i> <i>Papaver rhoeas</i>	Poppy Family Rhaetian Poppy Corn Poppy	Below the Passo Sella Roadsides
Parnassiaceae <i>Parnassia palustris</i>	Grass of Parnassus Family Grass of Parnassus	Roadside above Tamion
Plantaginaceae <i>Plantago lanceolata</i> <i>Plantago major</i> <i>Plantago media</i>	Plantain Family Ribwort Plantain Greater Plantain Hoary or Lamb's-tail Plantain	Meadow above Tamion Tamion Meadow above Tamion

Group/Species	English Name (If any)	Location
Plumbaginaceae	Thrift Family	
<i>Armeria maritima</i> ssp. <i>alpina</i>	Mountain Thrift	Passo Pordoi
Polygalaceae	Milkwort Family	
<i>Polygala alpestris</i>	Mountain Milkwort	Woods near Tamion
<i>Polygala alpina</i>	Alpine Milkwort	Rosengarten
<i>Polygala amara</i>	Bitter Milkwort	Val Venegia
<i>Polygala chamaebuxus</i>	Shrubby Milkwort	Woods above Tamion
<i>Polygala niceaensis</i>	Nice Milkwort	Meadow above Tamion
Polygonaceae	Knotweed Family	
<i>Oxyria digyna</i>	Mountain Sorrel	Below the Passo Sella
<i>Persicaria bistorta</i>	Bistort	Below the Passo Sella
<i>Persicaria vivipara</i>	Alpine Bistort	Common
<i>Rumex acetosa</i>	Sorrel	Meadow above Tamion
<i>Rumex acetosella</i>	Sheep Sorrel	Val di Monzoni
<i>Rumex alpinus</i>	Monk's Rhubarb	Falcade
Primulaceae	Primrose Family	
<i>Androsace alpina</i>	Alpine Rock-jasmine	Passo Rolle
<i>Androsace chamaejasme</i>	Ciliate Rock-jasmine	Passo Pordoi
<i>Androsace vitaliana</i> subsp. <i>vitaliana</i>	Vitaliana	Passo Pordoi
<i>Primula auricula</i>	Bear's-ear Primrose	Passo Rolle
<i>Primula elatior</i>	Oxlip	Passo Pordoi
<i>Primula farinosa</i>	Bird's-eye Primrose	Val di Monzoni
<i>Primula halleri</i>	Long-flowered Primrose	Passo Rolle
<i>Primula minima</i>	Least Primrose	Passo Rolle
<i>Primula tyrolensis</i>	Tyrolean Primrose	Passo Rolle
<i>Primula veris</i> (leaves)	Cowslip	Meadows above Tamion
<i>Soldanella alpina</i>	Alpine Snowbell	Val di Monzoni
<i>Soldanella minima</i>	Least Snowbell	Rosengarten
<i>Soldanella pusilla</i>	Dwarf Snowbell	Val di Monzoni
Pyrolaceae	Wintergreen Family	
<i>Moneses uniflora</i>	One-flowered Wintergreen	Woods near Tamion
<i>Orthilla secunda</i>	Nodding Wintergreen	Val Venegia
<i>Pyrola media</i>	Intermediate Wintergreen	Below the Passo Sella
<i>Pyrola rotundifolia</i>	Round-leaved Wintergreen	Val Venegia
Ranunculaceae	Buttercup Family	
<i>Aconitum lycoctonum</i> subsp. <i>vulparia</i>	Wolf's Bane	Val di San Pellegino
<i>Anemone baldensis</i>	Monte Baldo Anemone	Passo Pordoi
<i>Aquilegia atrata</i>	Dark-flowered Columbine	Meadow near Tamion
<i>Aquilegia vulgaris</i>	Columbine	Roadsides
<i>Caltha palustris</i>	Marsh Marigold	Val de Sen Nicolo
<i>Clematis alpina</i>	Alpine Clematis	Woods near Tamion
<i>Hepatica nobilis</i> (leaves)	Hepatica	Woods near Tamion
<i>Pulsatilla alpina</i> subsp. <i>apiifolia</i>	Yellow Pasque Flower	Val di Monzoni
<i>Pulsatilla vernalis</i>	Spring Pasque Flower	Val di Monzoni
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Val di San Pellegrino
<i>Ranunculus acris</i>	Meadow Buttercup	Meadow above Tamion
<i>Ranunculus alpestris</i>	Alpine Buttercup	Passo Rolle
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	Meadow above Tamion

Group/Species	English Name (If any)	Location
<i>Ranunculus hybridus</i>	Hybrid Buttercup	Passo Pordoi
<i>Ranunculus keupferi</i>		Passo Pordoi
<i>Ranunculus montanus</i>	Mountain Buttercup	Woods near Tamion
<i>Ranunculus seguieri</i>	Sequiers Buttercup	Passo Rolle
<i>Thalictrum alpinum (leaves)</i>	Alpine Meadow Rue	Rosengarten
<i>Thalictrum aquilegifolium</i>	Great Meadow Rue	Val di San Pellegrino
<i>Trollius europaeus</i>	Globeflower	Meadow above Tamion
Resedaceae	Mignonette Family	
<i>Reseda lutea</i>	Mignonette Family	Vigo di Fassa
<i>Reseda luteola</i>	Weld	Vigo di Fassa
Rhamnaceae	Buckthorn Family	
<i>Rhamnus pumila</i>	Dwarf Buckthorn	Passo Pordoi
Rosaceae	Rose Family	
<i>Alchemilla alpina</i>	Alpine Lady's Mantle	Common
<i>Alchemilla glabra</i>	Smooth Lady's Mantle	Meadow above Tamion
<i>Aruncus dioicus</i>	Goat's-beard Spirea	Roadsides south of Falcade
<i>Crataegus monogyna</i>	Hawthorn	Verge near Tamion
<i>Dryas octopetala</i>	Mountain Avens	Passo Pordoi
<i>Filipendula ulmaria</i>	Meadowsweet	Roadside
<i>Fragaria vesca</i>	Wild Strawberry	Woods near Tamion
<i>Geum montanum</i>	Alpine Avens	Val di Monzoni
<i>Geum rivale</i>	Water Avens	Val di San Pellegrino
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	Woods near Tamion
<i>Potentilla anserina</i>	Silverweed	Tamion
<i>Potentilla aurea</i>	Golden Cinquefoil	Val di Monzoni
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Passo Rolle
<i>Potentilla erecta</i>	Tormentil	Tamion
<i>Potentilla nitida</i>	Pink Cinquefoil	Rosengarten
<i>Potentilla reptans</i>	Creeping Cinquefoil	Tamion
<i>Rosa pendulina</i>	Alpine Rose	Meadow near Tamion
<i>Rubus fruticosus agg</i>	Bramble	Tamion
<i>Rubus idaeus</i>	Raspberry	Val di Monzoni
<i>Rubus saxatilis</i>	Stone Bramble	Val Venegia
<i>Sanguisorba minor agg</i>	Salad Burnet	Meadow near Tamion
<i>Sorbus aucuparia</i>	Rowan	Woods near Tamion
<i>Sorbus chamaemespilis</i>	False Medlar	Rosengarten
Rubiaceae	Bedstraw Family	
<i>Cruciata laevipes</i>	Crosswort	Val di Monzoni
<i>Galium lucidum</i>		Woods near Tamion
<i>Galium megalospermum</i>	Swiss Bedstraw	Val Venegia
<i>Gallium mollugo agg</i>	Hedge Bedstraw	Woods near Tamion
<i>Galium verum</i>	Ladies bedstraw	Meadow North of Tamion
Salicaceae	Willow Family	
<i>Populus tremula</i>	Aspen	Val de Sen Nicolo
<i>Salix alpina</i>	Alpine Willow	Passo Pordoi
<i>Salix breviserrata</i>	Finely-toothed Willow	Passo Pordoi
<i>Salix caprea</i>	Goat Willow	Tamion
<i>Salix hegetschweileri</i>	Alpine Willow	Passo Pordoi

Group/Species	English Name (If any)	Location
<i>Salix herbacea</i>	Dwarf Willow	Rosengarten
<i>Salix purpurea</i>	Purple Willow	Val Venegia
<i>Salix reticulata</i>	Net-leaved Willow	Passo Pordoio
<i>Salix retusa</i>	Retuse-leaved Willow	Passo Rolle
Santalaceae	Sandalwood Family	
<i>Thesium alpinum</i>	Alpine Bastard Toadflax	Rosengarten
<i>Thesium linophyllum</i>	Flax-leaved Bastard Toadflax	Verge above Tamion
Saxifragaceae	Saxifrage Family	
<i>Chrysozotum alternifolium</i>	Alternate-leaved Golden Saxifrage	Rosengarten
<i>Saxifraga aizoides</i> (leaves)	Yellow Mountain Saxifrage	Rosengarten
<i>Saxifraga androsace</i>	Scree Saxifrage	Passo Pordoio
<i>Saxifraga aspera</i>	Rough Saxifrage	Passo di Vallas
<i>Saxifraga caesia</i> (leaves)	Blue Saxifrage	Rosengarten
<i>S. exerata</i> subsp. <i>moschata</i>	White Musky Saxifrage	Below the Passo Pordoio
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Passo Rolle
<i>Saxifraga paniculata</i>	Live-long Saxifrage	Val Venegia
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage	Rosengarten
Scrophulariaceae	Figwort Family	
<i>Bartsia alpina</i>	Alpine Bartsia	Passo Pordoio
<i>Euphrasia rosikoviana</i>	Eyebright	Val Venegia
<i>Linaria alpina</i>	Alpine Toadflax	Val di Monzoni
<i>Melampyrum sylvaticum</i>	Wood Cow-wheat	Woods near Tamion
<i>Paederota bonarota</i>	Bluish Paederota	Below the Passo Sella
<i>Pedicularis cenisia</i>	Mt. Cenis Lousewort	Rosengarten
<i>Pedicularis elongata</i>		Below the Passo Pordoio
<i>Pedicularis palustris</i>	Marsh Lousewort	Val Venegia
<i>Pedicularis verticillata</i>	Verticillate Lousewort	Common
<i>Rhinanthus aristatus</i>	Aristate Rattle	Meadow near Tamion
<i>Rhinanthus minor</i> agg	Hay Rattle	Meadow near Tamion
<i>Scrophularia canina</i> subsp. <i>hoppii</i>	Dog Figwort	Rosengarten
<i>Verbascum cf. lychnitis</i>		Vigo di Fassa
<i>Verbascum pulverulentum</i>	Hoary Mullein	Roadsides north of Pozza
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Rosengarten
<i>Veronica beccabunga</i>	Brooklime	Val Venegia
<i>Veronica bellidoides</i>	Violet Speedwell	Val Venegia
<i>Veronica chamaedrys</i>	Germander Speedwell	Common
<i>Veronica fruticans</i>	Rock Speedwell	Rosengarten
<i>Veronica officinalis</i>	Heath Speedwell	Woods near Tamion
<i>V. serpyllifolia</i> subsp. <i>humifusa</i>	Thyme-leaved Speedwell	Val de Sen Nicolo
<i>V. serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Speedwell	Woods near Tamion
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Paneveggio
Thymelaeaceae	Mezereon Family	
<i>Daphne cneorum</i>	Garland Flower	Val de Sen Nicolo
<i>Daphne mezereum</i>	Mezereon	Woods near Tamion
<i>Daphne striata</i>		Rosengarten
Urticaceae	Nettle Family	
<i>Parietaria judaica</i>	Pellitory-of-the-Wall	Venice Marco Polo Airport
<i>Urtica dioica</i>	Common Nettle	Frequent

Group/Species	English Name (If any)	Location
Valerianaceae	Valerian Family	
<i>Valeriana dioica</i>	Marsh Valerian	Val Venegia
<i>Valeriana montana</i>		Woods near Tamion
<i>Valeriana officinalis</i>	Common Valerian	Val di Monzoni
<i>Valeriana saxatilis</i>	Rock Valerian	Rosengarten
<i>Valeriana supina</i>	Dwarf Valerian	Rosengarten
<i>Valeriana tripteris</i>	Three-leaved Valerian	Rosengarten
Violaceae	Violet Family	
<i>Viola biflora</i>	Yellow Violet	Val di Monzoni
<i>Viola riviniana</i>	Common Dog Violet	Woods near Tamion
<i>Viola tricolor</i> subsp. <i>subalpina</i>	Heartsease	Val de Sen Nicolò
Liliidae (Monocotyledons)		
Cyperaceae	Sedge Family	
<i>Carex bigelowii</i>	Stiff Sedge	Passo Rolle
<i>Carex capillaris</i>	Hair Sedge	Val Venegia
<i>Carex caryophylla</i>	Spring Sedge	Verge North of Tamion
<i>Carex dioica</i>	Dioecious Sedge	Val Venegia
<i>Carex flacca</i>	Glaucous Sedge	Verge North of Tamion
<i>Carex nigra</i>	Common Sedge	Val Venegia
<i>Carex paniculata</i>	Great Tussock Sedge	Verge north of Tamion
<i>Carex pulicaris</i>	Flea Sedge	Paneveggio
<i>Carex viridula</i> subsp. <i>oedocarpa</i>	Common Yellow Sedge	Wet Track near Tamion
<i>C. viridula</i> subsp. <i>bracyrrhyncha</i>	Long-bracted Yellow Sedge	Val Venegia
<i>Eriophorum scheuchzeri</i>	A Cottongrass	Val Venegia
Iridaceae	Iris Family	
<i>Crocus albiflorus</i>	White-flowered Crocus	Passo Rolle
Juncaceae	Rush Family	
<i>Juncus trifidus</i>	Three-leaved Rush	Passo Rolle
<i>Luzula campestris</i>	Field Woodrush	Meadows near Tamion
<i>Luzula luzulooides</i>	White Woodrush	Verge North of Tamion
<i>Luzula multiflora</i>	Heath Woodrush	Val Venegia
<i>Luzula nivea</i>	Snowy Woodrush	Rosengarten
<i>Luzula pilosa</i>	Hairy Woodrush	Val de Sen Nicolò
<i>Luzula spicata</i>	Spiked Woodrush	Val Venegia
Juncaginaceae	Arrowgrass Family	
<i>Triglochin palustre</i>	Marsh Arrowgrass	Val Venegia
Liliaceae	Lily Family	
<i>Allium schoenoprasum</i> (leaves)	Chives	Passo Rolle
<i>Colchicum autumnale</i> (leaves)	Autumn Crocus	Meadow near Tamion
<i>Lilium bulbiferum</i>	Orange Lily	Meadow near Tamion
<i>Lilium martagon</i>	Martagon Lily	Val di San Pellegrino
<i>Lloydia serotina</i>	Snowdon Lily	Passo Rolle
<i>Maianthemum bifolium</i>	May Lily	Paneveggio
<i>Paradisea liliastrum</i>	St. Bruno's Lily	Val de Sen Nicolò
<i>Paris quadrifolia</i>	Herb Paris	Rosengarten
<i>Polygonatum odoratum</i>	Angular Solomon's-seal	Val de Sen Nicolò
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Val di San Pellegrino
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Verge north of Tamion

Group/Species	English Name (If any)	Location
<i>Veratrum album</i>	False White Helleborine	Val di San Pellegrino
Orchidaceae	Orchid Family	
<i>Coeloglossum viride</i>	Frog Orchid	Passo Rolle
<i>Cypripedium calceolus</i>	Lady's Slipper Orchid	Below the Passo Sella
<i>Dactylorhiza alpestris</i>	Broad-leaved Marsh Orchid	Val Venegia
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Woods near Tamion
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh Orchid	Val Venegia
<i>Gymnadenia albida</i>	Small White Orchid	Meadow above Tamion
<i>Gymnadenia austriaca</i>	Austrian Vanilla Orchid	Val di San Pellegrino
<i>Gymnadenia conopsea</i> agg	Fragrant Orchid	Meadows near Tamion
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant Orchid	Val de Sen Nicolo
<i>Gymnadenia rhellicani</i>	Black Vanilla Orchid	Val de Sen Nicolo
<i>Gymnadenia rubra</i>	Red Vanilla Orchid	Val de Sen Nicolo
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Woods near Tamion
<i>Neottia (Listera) ovata</i>	Twayblade	Woods near Tamion
<i>Ophrys insectifera</i>	Fly Orchid	Wood near Tamion
<i>Orchis militaris</i>	Military Orchid	Meadow near Tamion
<i>Orchis ovalis</i>	an Early Purple Orchid	Val de Sen Nicolo
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Path, Tamion
<i>Traunsteinera globosa</i>	Round-headed Orchid	Meadows north of Tamion
Poaceae (Gramineae)	Grass Family	
<i>Alopecurus pratensis</i>	Meadow Fox-tail	Woods near Tamion
<i>Arrhenatherum elatius</i>	False Oat-grass	Common
<i>Briza media</i>	Quaking Grass	Meadow near Tamion
<i>Bromopsis inermis</i>	Hungarian Brome	Vigo di Fassa
<i>Bromus hoedeaceus</i>	Soft Brome	Common
<i>Dactylis glomerata</i>	Cock's-foot	Common
<i>Festuca glauca</i>	Blue Fescue	Val de Sen Nicolo
<i>Festuca rubra</i> agg	Red Fescue	Common
<i>Helictotrichon pratense</i>	Meadow Oat Grass	Val di Monzoni
<i>Lolium perenne</i>	Perennial Rye-grass	Common
<i>Melica nutans</i>	Mountain Melick	Woods near Tamion
<i>Phleum pratense</i>	Timothy	Passo Rolle
<i>Poa alpina</i>	Alpine meadow-grass	Val di Monzoni
<i>Poa annua</i>	Annual Meadow-grass	Vigo di Fassa
<i>Poa bulbosa</i> var. <i>vivipara</i>	Bulbous Meadow-grass	Val di Monzoni
<i>Poa nemoralis</i>	Wood Meadow-grass	Woods near Tamion
<i>Poa pratense</i>	Smooth Meadow-grass	Meadow near Tamion
<i>Poa trivialis</i>	Rough Meadow-grass	Meadow near Tamion
<i>Sesleria caerulea</i>	Blue Moor-grass	Val di Monzoni
<i>Sesleria sphaerocephala</i>		Rosengarten

Birds (H = heard only)

	Common Name	Scientific Name	Trip
1	Little Egret	<i>Egretta garzetta</i>	✓
2	Grey Heron	<i>Ardea cinerea</i>	✓
3	Common Buzzard	<i>Buteo buteo</i>	✓
4	Common Kestrel	<i>Falco tinnunculus</i>	✓
5	Yellow-legged Gull	<i>Larus cachinnans</i>	✓
6	Common Wood Pigeon	<i>Columba palumbus</i>	✓
7	Feral Pigeon / Rock Dove	<i>Columba livia</i>	✓
8	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓
9	Common Cuckoo	<i>Cuculus canorus</i>	H
10	Common Swift	<i>Apus apus</i>	✓
11	European Green Woodpecker	<i>Picus viridis</i>	H
12	Great-spotted Woodpecker	<i>Dendrocopus major</i>	✓
13	Common Skylark	<i>Alauda arvensis</i>	✓
14	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>	✓
15	Barn Swallow	<i>Hirundo rustica</i>	✓
16	Common House Martin	<i>Delichon urbica</i>	✓
17	Water Pipit	<i>Anthus spinoletta</i>	✓
18	White Wagtail	<i>Motacilla alba</i>	✓
19	White-throated Dipper	<i>Cinclus cinclus</i>	✓
20	Winter Wren	<i>Troglodytes troglodytes</i>	H
21	Alpine Accentor	<i>Prunella collaris</i>	✓
22	European Robin	<i>Erithacus rubecula</i>	H
23	Common Nightingale	<i>Luscinia megarhynchos</i>	H
24	Black Redstart	<i>Phoenicurus ochruros</i>	✓
25	Northern Wheatear	<i>Oenanthe oenanthe</i>	✓
26	Fieldfare	<i>Turdus pilaris</i>	✓
27	Mistle Thrush	<i>Turdus viscivorus</i>	✓
28	Common Blackbird	<i>Turdus merula</i>	✓
29	Blackcap	<i>Sylvia atricapilla</i>	H
30	Chiffchaff	<i>Phylloscopus collybita</i>	H
31	Goldcrest	<i>Regulus regulus</i>	H
32	Great Tit	<i>Parus major</i>	✓
33	Coal Tit	<i>Parus ater</i>	✓
34	Crested Tit	<i>Parus cristatus</i>	H
35	Willow Tit	<i>Parus montanus</i>	✓
36	Common Magpie	<i>Pica pica</i>	✓
37	Eurasian Jay	<i>Garrulus glandarius</i>	✓
38	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>	✓
39	Yellow-billed Cough	<i>Pyrrhocorax graculus</i>	✓
40	Carrion Crow	<i>Corvus corone corone</i>	✓
41	Hooded Crow	<i>Corvus corone cornix</i>	✓
42	Common Raven	<i>Corvus corax</i>	✓
43	Common Starling	<i>Sturnus vulgaris</i>	✓
44	House Sparrow	<i>Passer domesticus</i>	✓
45	Italian House Sparrow	<i>Passer domesticus italiae</i>	✓
46	White-winged Snowfinch	<i>Montifringilla nivalis</i>	✓
47	Common Chaffinch	<i>Fringilla coelebs</i>	H
48	Common Linnet	<i>Acanthis cannabina</i>	✓
49	European Goldfinch	<i>Carduelis carduelis</i>	✓
50	European Greenfinch	<i>Carduelis chloris</i>	H

	Common Name	Scientific Name	Trip
51	European Serin	<i>Serinus serinus</i>	✓
52	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>	✓
53	Yellowhammer	<i>Emberiza citrinella</i>	✓

Butterflies

Species	Scientific Name	Location
Small White	<i>Artogeia rapae</i>	Tamion
Green-veined White	<i>Artogeia napi</i>	Near Tamion
Mountain Green-veined White	<i>Artogeia napi bryoniae</i>	Passo Pordo
Wood White	<i>Leptidea Sinapis</i>	Near Tamion
Small Copper	<i>Lycaena virgaureae</i>	Near Tamion
Sooty Copper	<i>Lycaena tityrus</i>	Val Venegia
Mazarine Blue	<i>Cyaniris semiargus</i>	Rosengarten
Amanda's Blue	<i>Agrodiaetus amanda</i>	Near Tamion
Red Admiral	<i>Vanessa atalanta</i>	Vigo di Fassa
Small Tortoiseshell	<i>Aglais urticae</i>	Near Tamion
Weaver's Fritillary	<i>Boloria dia</i>	Near Tamion
Ringlet	<i>Aphantopus hyperantus</i>	Passo Rolle
Speckled Wood	<i>Pararge aegeria</i>	Near Tamion
Scotch Argus	<i>Erebia aethiops</i>	Val di San Pellegrino
Meadow Brown	<i>Maniola jurtina</i>	Val San Nicolo
Grizzled Skipper	<i>Pyrgus malvae malvoides</i>	Val Venegia
Dingy Skipper	<i>Erynnis tages</i>	Val di San Pellegrino

Moths

Forester	<i>Adscita statices</i>	Val San Nicolo
a Burnet Moth	<i>Zygaena osterodensis</i>	Val San Nicolo
Chimney Sweep	<i>Odezia atrata</i>	Val di Monzoni
Speckled Yellow	<i>Pseudopanthera macularia</i>	Near Tamion
Burnet Companion	<i>Euclidia glyphica</i>	Val San Nicolo

Micro Moths

White Plume Moth	<i>Pterophorus pentadactylus</i>	Near Tamion
------------------	----------------------------------	-------------

Other Insects

Field Cricket	<i>Gryllus campestris</i>	Heard near Tamion
Common Pond Skater	<i>Gerris lacustris</i>	Val di San Pellegrino
Dung Beetle	<i>Scarabaeus semipunctatus</i>	Val di Monzoni
Rose Chafer	<i>Cetonia aurata</i>	Near Tamion
A Chafer	<i>Hoplia argentea</i>	Near Tamion
Seven-spot Ladybird	<i>Coccinella 7-punctata</i>	Near Tamion
Leaf Beetle	<i>Chrysolina coeruleans</i>	Val Venegia

Mammals

Red Squirrel	<i>Sciurus vulgaris</i>	Near Tamion
Alpine Marmot	<i>Marmotta marmotta</i>	Passa Pordo
Wood Mouse	<i>Apodemus sylvaticus</i>	Rosengarten

Species	Scientific Name	Location
Reptiles & Amphibians		
Agile Frog	<i>Rana dalmatina</i>	Passo di Vallas
Common Lizard	<i>Lacerta vivipara</i>	Tamion
Molluscs		
Roman Snail	<i>Helix pomatia</i>	Common after Rain