

# The Italian Dolomites

Naturetrek Tour Report

23 - 30 June 2010



Cimon della Pala



*Eritrichium nanum* – King of the Alps



*Thlaspi rotundifolium* – Round-leaved Penny-cress



Passo Pordoi, looking north

Report by Jessica Turner

Images courtesy of Ian Dudding



Naturetrek Cheriton Cheriton Alresford Hampshire SO24 0NG England  
T: +44 (0)1962 733051 F: +44 (0)1962 736426  
E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk) W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour Leader: Jessica Turner (Naturetrek Leader & Botanist)

Participants: Christine Dean  
Ian Dudding  
Ros Epton  
Karl Morin-Strom  
Leslie Tasker  
John Turner

## Day 1

Wednesday 23rd June

Weather: UK and Italy: hot and sunny

Five of the group members met Jessica at Gatwick Airport for the flight to Venice, where we enjoyed good views of the city as we landed at Marco Polo Airport. We soon had our luggage and the minibus, and were heading north on the A27 towards Belluno, and then on to Agordo, where we stopped for a coffee break in the town square. The final leg of our journey took us via Cencenighe, where we turned west to Falcade, over the Passo San Pellegrino, and down into the Fassa Valley. We soon reached the little hamlet of Tamion and the Hotel Gran Mugon, our base for the week. We received a warm welcome from Stefano and his sister Katia, and were soon enjoying an excellent dinner and some welcome rest.

## Day 2

Thursday 24th June

Weather: hot and sunny

We had a fairly leisurely start to the day and after a splendid breakfast we walked from the hotel to explore the meadows and woods round Tamion. Swallows were swooping round the buildings and a Black Redstart was seen at a nearby barn. We walked up past the tiny church, and soon found a flowery bank where we started to get our eyes in tune for the local plants, which included Golden Hawkbeard, (*Crepis aurea*), the dark blue Dragonmouth (*Horminium pyrenaicum*) and Meadow Clary (*Salvia pratensis*), the pink Small Sainfoin (*Onobrychis arenaria*), and the yellow Hay Rattle (*Rhinanthus minor* agg.). The meadows had not yet been cut for hay and, as we progressed, we found Bearded Bellflower (*Campanula barbata*), Dark Columbine (*Aquilegia atrata*), Alpine Aster (*Aster alpinus*) and the Alpine Rose (*Rosa pendulina*), with its spine-free stems. Unfortunately the Orange Lilies (*Lilium bulbiferum*) were still only in bud. Further on we found plenty of Fragrant Orchids (*Gymnadenia conopsea* agg.) but only one Round-headed Orchid (*Traunsteinera globosa*), just coming into flower. Chimney Sweeper Moths were noted over the meadows, and a Mazarine Blue and the Chafer *Hoplia caerulea* were seen.

The path entered a pine wood, with Spruce (*Picea abies* subsp. *abies*) and Larch (*Larix decidua*) where the underlying rocks were Sandstone, and the vegetation showed a corresponding change. Here the plants included Bilberry (*Vaccinium myrtillus*), Tormentil (*Potentilla erecta*) and a lovely patch of One-flowered Wintergreen (*Moneses uniflora*). We also found Mountain Milkwort (*Polygala alpestris*), Gypsophila (*Gypsophila repens*) and Common Butterwort (*Pinguicula vulgaris*).

The path followed the hillside, before emerging into another meadow full of flowers, including the very fragrant, prostrate and spiny *Genista germanica*, Giant Cat's-ear (*Hypochaeris uniflora*), the enormous, green-flowered White False Helleborine (*Veratrum album*) and a spike of the delicate, white St. Bruno's Lily (*Paradisea liliastrum*).

As we returned to Tamion along the road, a Golden Eagle circled low overhead, giving some excellent views. We then stopped to look at a large patch of Lady's Slipper Orchids (*Cypripedium calceolus*) on the bank, and also Fly Orchids (*Ophrys insectifera*), a couple of Military Orchids (*Orchis militaris*), Mountain Milk-vetch (*Oxytropis jacquini*), and a field full of St Bruno's Lilies (*Paradisea liliastrum*). On the little road to the hotel, we noted Yellow Melancholy Thistle (*Cirsium erisithales*), and some more Military Orchids in perfect condition.

After a short break, we boarded the vehicle to drive to Pozza di Fassa. We turned up into the Val de Sen Nicolo (also known as the Val San Nicolo) and then the Val di Monzoni, where we had our picnic of local cheeses and hams. Duly refreshed, we set off up the track towards the Rifugio Taramelli. In the lower meadows we found Trumpet Gentian (*Gentiana acaulis*), Bavarian Gentian (*Gentiana bavarica*), Yellow Violet (*Viola biflora*) and some bushes of the Alpenrose (*Rhododendron ferrugineum*), just coming into flower. Higher up, other plants included Alpine Snowbell (*Soldanella alpina*) and Spring Pasque Flower (*Pulsatilla vernalis*), which was almost over. Green Alder (*Alnus viridis*) and Yellow Alpine Pasque Flower (*Pulsatilla alpina* subsp. *apiifolia*) were also recorded.

Where we met the snow, it was thick across the path, but we crossed it, and continued the last steep climb to the Rifugio Taramelli, where some of the group rewarded ourselves with refreshments, and we all enjoyed the stunning views. A Black Redstart was nesting in the roof of the Rifugio. The path beyond the Rifugio was very snowy, so we decided to retrace our steps. We stopped on the way down the valley to see Rock Soapwort (*Saponaria ocymoides*) and also found Yellow Milk-vetch (*Oxytropis campestris*), before returning to the hotel for another excellent dinner.

## Day 3

Friday 25th June

Weather: Hot and sunny

Today we headed north up to the Pordoi Pass (2239m), via Canazei, parking in the main car park at the top of the pass. We took the footpath, route 601, along the famous 'Bindelweg', mentioned by Farrer, the author, traveller, botanist and flower painter, in his 1913 book 'The Dolomites'. We could tell that snow had not long left the bank above the path, where we found carpets of mauve Alpine Snowbell (*Soldanella alpina*), and a tiny clump of the pale pink Dwarf Snowbell (*Soldanella pusilla*). A little further on we found quantities of Monte Baldo Anemone (*Anemone baldense*), and the lemon-coloured Yellow Alpine Pasque Flower (*Pulsatilla alpina* subsp. *apiifolia*). A small boulder by the path held One-flowered Fleabane (*Erigeron uniflorus*), together with Moss Campion (*Silene acaulis*) and Mountain Avens (*Dryas octopetala*). Several willows were noted, including Net-leaved Willow (*Salix reticulata*), Finely-toothed Willow (*Salix breviserrata*), with purplish catkins, and the taller Alpine Willow (*Salix x hegetschweileri*).

On the shoulder we found Crocus (*Crocus albiflora*) and Oxlip (*Primula elatior*). We explored the cliffs to the right of the path, finding *Draba dubia*, Dwarf Buckthorn (*Rhamnus pumilus*) and Eidelweiss (*Leontopodium alpinum*), also known by the less romantic name of Alpine Cudweed! We also found a small clump of the delicate Snowdon Lily (*Lloydia serotina*).

We proceeded to the steep banks below a ski lift where Scree Saxifrage (*Saxifraga androsacea*), Purple Saxifrage (*Saxifraga oppositifolia*), Yellow Whitlow-grass (*Draba aizoides*) and a magnificent display of Vitaliana (*Androsace vitaliana* subsp. *vitaliana*) were located. On the other side were a few flowers of Least Primrose (*Primula minima*). There were few butterflies, but a Mountain Green-veined White was seen. We then made our way back down the path, and drove a short distance back down the road for our picnic.

We had lunch in a meadow with scattered boulders, by a stream, with Arolla and Dwarf Pines (*Pinus cembra* and *Pinus mugo*) around. The rocks were covered in Mountain Avens (*Dryas octopetala*), Matted Globularia (*Globularia cordifolia*) and a Musky Saxifrage (*Saxifraga exerata* subsp. *moschata*). On a boulder by the layby we were delighted to find a more accessible specimen of Edelweiss (*Leontopodium alpinum*). From here we set off towards the Sella Pass, admiring the magnificent views before dropping down towards Selva. We stopped at a spot where a stream came down the mountain to explore the margins of the adjacent pine woods. However, the gravel in the valley floor was being worked, and the presence of a JCB did detract somewhat from the experience. A number of Rhaetian Poppy (*Papaver aurantiacum*) were seen, as well as Intermediate Wintergreen (*Pyrola media*), a Mouse-ear (*Cerastium uniflorum*), Creeping Sandwort (*Moebria ciliata*), and a large clump of Lady's Slipper Orchid (*Cypripedium calceolus*), which were very fresh. It was then time to make our way back to Tamion for dinner.

## Day 4

Saturday 26th June

Weather: Hot and sunny

Today our destination was the Rosengarten. After another good breakfast, we boarded our vehicle for the short journey down to Vigo di Fassa, where we caught the cable-car up to the Rif. Ciampedie. We began our walk in the direction of the small village of Gardeccia. Alpenrose (*Rhododendron ferrugineum*), and Arolla Pine (*Pinus cembra*) were very much in evidence, together with False Medlar (*Sorbus chamaemispelus*), Blue-berried Honeysuckle (*Lonicera caerulea*) and the little Leafless-stemmed Speedwell (*Veronica aphylla*). Rock Speedwell (*Veronica fruticans*) was found by a closed Rifugio. In the village we stopped for a refreshment break, where Black Redstart and Crag Martins were present.

Climbing up beyond the village, *Gentiana bavarica* (Bavarian Gentian) and Trumpet Gentian (*Gentiana acaulis*) were evident all around. As the track grew steeper, we moved into an area of Dwarf Alpine Pine (*Pinus mugo*) and massive scattered limestone boulders. We set out our picnic amidst these, and were soon joined by Alpine Chough, which were very tame.

After our lunch, most of the group continued up the steep path to the Rifugio Preuss, which appeared to teeter on the cliff above. On the boulders we found the silvery leaves of Pink Cinquefoil (*Potentilla nitida*) but, sadly, no flowers yet, and Bluish Paederota (*Paederota bonarota*), also not quite out. Other plants included the tiny greyish clumps of the leaves of Blue Saxifrage (*Saxifraga caesia*), Mountain Avens (*Dryas octopetala*), Mount Cenis Lousewort (*Pedicularis cenisia*) and Least Snowbell (*Soldanella minima*). Short-leaved Gentian (*Gentiana brachyphylla*) and Triglav Gentian (*Gentiana terglouensis*) were also found, and a family of Alpine Accentors and Black Redstarts were in evidence. Eventually, we made our slow descent back to Gardeccia and on to Ciampedie. At Rifugio Negritella we stopped for refreshments before catching the cable-car down to Vigo di Fassa, and so back to the hotel.

## Day 5

Sunday 27th June

Weather: Hot and sunny

Today we journeyed south to Paneveggio, below the Rolle Pass, driving south to Predazzo, and turning east. We stopped at the Parco Naturale Visitor Centre where we explored the adjacent woods, meadow and river banks. Quantities of May Lily (*Maianthemum bifolium*), Nettle-leaved Speedwell (*Veronica urticifolia*), Whorled Solomon's Seal (*Polygonatum verticillatum*), Wood Stitchwort (*Stellaria nemorum*) and a small clump of Coralroot Orchids (*Corallorhiza trifida*) were found in the wood, while Aconite-leaved Buttercup (*Ranunculus aconitifolius*) was found on the river bank. The blue Perennial Cornflower (*Centaurea montana*), familiar from gardens, was on the grassy slope opposite the Centre.

From here we made our way up into the Val Venegia, and began our walk through some damp meadows. These held many splendid spikes of *Dactylorhiza majalis* (Broad-leaved Marsh Orchid) and Alpine Broad-leaved Marsh Orchid (*Dactylorhiza alpestris*). In little pockets in a rock, opposite the Rifugio Malga Venegiota, we found Alpine Fleabane (*Erigeron alpinus*), and some tiny examples of Moonwort (*Botrychium lunaria*). We then passed a cliff with Bluish Paederota (*Paederota baronota*) in flower, Rock Valerian (*Valeriana saxatile*), and a clump of Blue Saxifrage (*Saxifraga caesia*) covered in flower buds.

We had our picnic on a bank by the path, and then continued on up the path to a point where the trees gave way to major areas of scree. Here, on some very large boulders, we found Dwarf Alpenrose (*Rhodothamnus chamaecistus*), Bear's-ear Primrose (*Primula auricula*), Livelong Saxifrage (*Saxifraga paniculata*) frustratingly close to flowering, and one flowering plant of the rare endemic Tyrolean Primrose (*Primula tyrolensis*). We also found a large patch of Dwarf Valerian (*Valeriana supina*) while on some scree, we saw a small clump of another Dolomite endemic, Alpine Scurvy-grass (*Rhizobotrya alpina*), together with more Leafless-stemmed Speedwell (*Veronica aphylla*). Along the stream were some fine specimens of Spiniest Thistle (*Cirsium spinosissimum*), and a damp patch held the Cotton Grass *Eriophorum scheuchzeri*.

We then took the road to Falcade on the return journey, stopping on the north-east side of the Passo di Valles to look at Livelong Saxifrage (*Saxifraga paniculata*) in full flower. Another stop further down was by a meadow containing many spikes of Dark Rampion (*Phyteuma ovatum*), as well as Round-headed Rampion (*Phyteuma orbiculare*), while on the other side of the road was Dusky Cranesbill (*Geranium phaeum*). We then returned to Tamion.

## Day 6

Monday 28th June

Weather: Hot and sunny

Today we headed south-east again, this time for the Rolle Pass and the dramatic peak of Cimon della Pala. Passing through Paneveggio, we climbed up to the Pass at 1972m, and then took a dusty track on up to the Baita Segantini at 2200m, and began a walk up through the alpine grassland. We found Least Primrose (*Primula minima*), Monte Baldo Anemone (*Anemone baldensis*), Yellow Alpine Pasque Flower (*Anemone alpina* subsp. *apiifolia*), while Trailing Azalea (*Loiseleuria procumbens*) was just coming into flower. We then moved up into an area of loose rock and open ground where we found a large number of Sequier's Buttercup (*Ranunculus sequieri*), Mossy Cyphel (*Minuartia sedoides*), Spring Sandwort (*Minuartia verna*) and One-flowered Fleabane (*Erigeron uniflora*). Our ultimate aim was to reach an area of broken rocks and boulders below the looming cliffs of Cimon della Pala.

Moving on along the edge of the cliffs we found Long-flowered Primrose (*Primula halleri*), Snowdon Lily (*Lloydia serotina*), Mountain Avens (*Dryas octopetala*), the magenta Italian Alpine Sainfoin (*Hedysarum hedysaroides* subsp. *exaltatum*) and a number of plants of Bear's-ear Primrose (*Primula auricula*). By now we were at the base of the cliffs we had been aiming for, and started to examine the boulders. We soon found a magnificent clump of one of the specialities: King of the Alps (*Eritrichium nanum*) together with Alpine Buttercup (*Ranunculus alpestris*), *Draba dolomitica*, and the rare Tyrolean Primrose (*Primula tyrolensis*). *Androsace alpina*, Purple Saxifrage (*Saxifraga oppositifolia*), the pretty mauve Pyrenean Whitlow-grass (*Petrocallis pyrenaica*) and Triglav Gentian (*Gentiana terglouensis*) were also found, but the Dwarf Alpenrose (*Rhodothamnus chamaecistus*) was barely in flower. We made our way back to the Rifugio, where we had our rather late picnic before beginning our descent. Just as we reached the road, we stopped at a bank which had a good show of Southern Butterwort (*Pinguicula leptoceras*).

We then set off towards the Passo San Pellegrino and the Miralago where we explored the meadows behind the Rifugio. Plants here included Great Meadow Rue (*Thalictrum aquilegifolia*) and Alpine Clover (*Trifolium alpinum*), spikes of Spotted Gentian (*Gentiana punctata*), and a Martagon Lily (*Lilium martagon*) in flower. A flowering spike of Wolfsbane (*Aconitum lycoctonum* subsp. *vulparia*) was also found. The meadows were also extremely rich in orchids, including Lesser Butterfly Orchid (*Platanthera bifolia*), Fragrant Orchids (*Gymnadenia conopsea* agg.), Short-spurred Fragrant Orchid (*Gymnadenia odoratissima*), Small White Orchid (*Gymnadenia albida*) Austrian Vanilla Orchid (*Gymnadenia austriaca*), Dark Vanilla Orchids (*Gymnadenia rbellicani*) and Red Vanilla Orchids (*Gymnadenia rubra*). Eventually we dragged ourselves away from these riches, not before discovering a better spike of Martagon Lily (*Lilium martagon*) and flowering Whorled Solomon's Seal (*Polygonatum verticillatum*) by the carpark, and returned to the hotel for dinner.

## Day 7

Tuesday 29th June

Weather: Hot and sunny

Today the group had a free morning. Some chose to stay around the hotel, while others chose to walk from the hotel into Vigo, and to visit the Ladin Museum. The latter group reported finding Bird's-nest Orchid (*Neottia nidus-avis*) and Sticky Flax (*Linum viscosum*) en route. We then drove up to the Val de Sen Nicolo, this time continuing to explore this valley rather than turning off into the Val Monzoni. We parked the minibus and set up the picnic in the grassy parking area, where we found Smooth Honeywort (*Cerinth glabra*) and Rock Redcurrant (*Ribes petraeum*). We were also surrounded by many Mazarine Blue Butterflies, which, attracted by moisture and salts, were landing on the food and on us.

After lunch, we set off to explore the meadows of this valley, enjoying the different feel of the hay meadows. Alpine Milk-vetch (*Astragalus alpinus*), Heartsease (*Viola tricolor* subsp. *subalpinum*) and the harebell-like *Campanula scheuzeri* were all found, together with several plants of the petite dark blue Snow Gentian (*Gentiana nivalis*). Further on we found Garland Flower (*Daphne cneorum*), which is very similar to the *Daphne striata* we had found elsewhere. On some of the boulders were small clusters of the relatively unhairly form of Cobweb Houseleek (*Semprevivum arachnoideum* subsp. *arachnoideum*). We also located plenty of Vanilla Orchids: Austrian Vanilla Orchid (*Gymnadenia austriaca*) and Black Vanilla Orchid (*Gymnadenia rbellicani*), and two new orchid species, a form of Early Purple Orchid with wavy petals and sepals, *Orchis ovalis*, and the Burnt Orchid (*Orchis ustulata*). Eventually, we stopped for some refreshments at the Rifugio Baita Ciampie, before returning slowly down the valley, noting Alpine Honeysuckle (*Lonicera alpigena*) and Black Honeysuckle (*Lonicera nigra*) near the car park. It was then time to return to Tamion for our final evening.

## Day 8

Wednesday 30th June

Weather: fine, warm & sunny

After a leisurely breakfast, and with our packing complete, we had a little time to spend before setting off for the airport. Karl left after breakfast, to catch the bus to Bolzano, as he continued his travels, but the rest of the group went in search of the Bird's-nest Orchid (*Neottia nidus-avis*) found the previous day. This was duly admired and photographed, and we also noted some of the changes in the meadows over the week.

We then had to pack the bus, bid farewell to Katia and her family, and retrace our steps south to Venice's Marco Polo airport. We had a good flight back to the UK, our minds full of images of stunning scenery and alpine flowers.

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at [www.facebook.com](http://www.facebook.com) is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

## Species Lists

### Plants

<b>Group/Species</b>	<b>English Name (If any)</b>	<b>Location</b>
<b>PTERIDOPHYTES</b>	<b>FERNS &amp; ALLIES</b>	
<b>Lycopodiaceae</b> <i>Lycopodium annotinum</i>	<b>Clubmoss Family</b> Interrupted Clubmoss	Rosengarten
<b>Selaginellaceae</b> <i>Selaginella selaginoides</i>	<b>Lesser Clubmoss Family</b> Lesser Clubmoss	Tamion
<b>Equisetaceae</b> <i>Equisetum arvense</i> <i>Equisetum hymenale</i> <i>Equisetum palustre</i> <i>Equisetum variegatum</i>	<b>Horsetail Family</b> Common Horsetail Dutch Rush Marsh Horsetail Variegated Horsetail	Tamion Panneveggio Val Venegia Val Venegia
<b>Aspleniaceae</b> <i>Asplenium ruta-muraria</i> <i>Asplenium viride</i> <i>Asplenium trichomanes</i>	<b>Spleenwort Family</b> Wall Rue Green Spleenwort Maidenhair Spleenwort	Rosengarten Rosengarten Rosengarten
<b>Dennstaedtiaceae</b> <i>Pteridium aquilinum</i>	<b>Bracken Family</b> Bracken	Roadsides
<b>Dryopteridaceae</b> <i>Dryopteris filix-mas</i> <i>Polystichum lonchitis</i>	<b>Buckler Fern Family</b> Male-fern Holly Fern	Val di Monzoni Val di Monzoni
<b>Ophioglossaceae</b> <i>Botrichium lunaria</i>	<b>Adder's-tongue Family</b> Moonwort	Val Venegia
<b>Polypodiaceae</b> <i>Polypodium vulgare</i>	<b>Polypody Family</b> Common Polypody	Val di Monzoni
<b>Woodsiaceae</b> <i>Athyrium filix-femina</i> <i>Cystopteris fragilis</i> <i>Gymnocarpium dryopteris</i> <i>Gymnocarpium robertianum</i>	<b>Lady Fern Family</b> Lady Fern Brittle Bladder Fern Oak Fern Limestone Fern	Rosengarten Tamion Woods near Tamion Val de Sen Nicolo
<b>PINOPSIDA (GYMNOSPERMS)</b>	<b>CONIFERS</b>	
<b>Cupressaceae</b> <i>Juniperus communis</i> <i>J. communis</i> subsp. <i>alpina</i>	<b>Juniper Family</b> Juniper Dwarf Juniper	Tamion Val di Monzoni
<b>Pinaceae</b>  <i>Larix decidua</i> <i>Picea abies</i> subsp. <i>abies</i> <i>Pinus cembra</i> <i>Pinus mugo</i>	<b>Pine Family</b>  European Larch Spruce Arolla Pine Dwarf Mountain Pine	Woods near Tamion Woods near Tamion Below Passo Pordoi Rosengarten



Group/Species	English Name (If any)	Location
<i>Pinus nigra</i> subsp. <i>nigra</i>	Austrian or Black Pine	Woods near Tamion
<i>Pinus sylvestris</i>	Scots Pine	Woods near Tamion
<b>MAGNOLIOPSIDA (ANGIOSPERMS)</b>	<b>FLOWERING PLANTS</b>	
<b>Magnoliidae (Dicotyledons)</b>		
<b>Apiaceae</b>	<b>Carrot Family</b>	
<i>Anthriscus sylvestris</i>	Cow Parsley	Common
<i>Athamanta cretensis</i>	Athamanta	Below Sella
<i>Chaerophyllum hirsutum</i>	Hairy Chervil	Val Venegia
<i>Daucus carota</i>	Wild Carrot	Common
<i>Heracleum sphondylium</i>	Hogweed	Roadsides
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Woods near Tamion
<i>Ligusticum multellina</i>	Alpine Lovage	Val di Sen Nicolo
<i>Pimpinella major</i>	Greater Burnet-saxifrage	Common in meadows
<b>Asteraceae</b>	<b>Daisy Family</b>	
<i>Achillea atrata</i>	Dark-stemmed Sneezewort	Rosengarten
<i>Achillea clavenae</i>	Silvery Milfoil	Passo Pordoi
<i>Achillea millefolium</i>	Yarrow	Meadows near Tamion
<i>Achillea oxyloba</i>	Alpine Sneezewort	Rosengarten
<i>Adenostyles alliariae</i> (leaves)	Adenostyles	Woods near Tamion
<i>Antennaria carpathica</i>	Carpathian Cat's-foot	Passo Pordoi
<i>Antennaria dioica</i>	Cat's-foot	Rosengarten
<i>Arnica montana</i>	Arnica	Tamion
<i>Aster alpinus</i>	Alpine Aster	Tamion
<i>Aster bellidiastrum</i>	False Aster	Tamion
<i>Bupthalmum salicifolium</i>	Yellow Ox-eye	Verges near Vigo di Fassa
<i>Carduus defloratus</i> agg.	Alpine Thistle	Common
<i>Carduus personata</i>	Great Marsh Thistle	Val de Sen Nicolo
<i>Centaurea montana</i>	Perennial Cornflower	Paneveggio
<i>Centaurea nervosa</i>	Plume Knapweed	Meadow North of Tamion
<i>Centaurea pseudophrygia</i>	Wig Knapweed	Meadow North of Tamion
<i>Cirsium dissectum</i>	Meadow Thistle	Val Venegia
<i>Cirsium eriophorum</i>	Woolly Thistle	Val Venegia
<i>Cirsium erisithales</i>	Yellow Melancholy Thistle	Roadside, Tamion
<i>Cirsium palustre</i>	Marsh Thistle	Val Venegia
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Val Venegia
<i>Crepis aurea</i>	Golden Hawksbeard	Tamion
<i>Doronicum columnae</i>	Heart-leaved Leopardsbane	Passo Pordoi
<i>Erigeron alpinus</i>	Alpine Fleabane	Below Passo Pordoi
<i>Erigeron neglectus</i>	Neglected Fleabane	Val de Sen Nicolo
<i>Erigeron uniflorus</i>	One-flowered Fleabane	Passo Pordoi
<i>Hieracium alpinum</i> agg.	Alpine Hawkweed	Passo Pordoi
<i>Homogyne alpina</i>	Alpine Coltsfoot	Val di Monzoni
<i>Hypochaeris uniflora</i>	Giant Catsear	Meadow North of Tamion
<i>Leontodon hispidus</i>	Rough Hawkbit	Meadow North of Tamion
<i>Leontopodium alpinum</i>	Edelweiss	Passo Pordoi
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Tamion
<i>Petasites alba</i>	White Butterbur	Tamion
<i>Pilosella officinarum</i> agg.	Mouse-eared Hawkweed	Tamion
<i>Scorzonera aristata</i>	Bearded Vipersgrass	Val de Sen Nicolo
<i>Senecio squalidus</i>	Rock Ragwort	Val Venegia

Group/Species	English Name (If any)	Location
<i>Senecio vulgaris</i>	Common Groundsel	Tamion
<i>Solidago virgaurea</i>	Goldenrod	Val di Sen Nicolo
<i>Sonchus oleraceus</i>	Smooth Sowthistle	Vigo di Fassa
<i>Taraxacum agg</i>	Dandelion	Meadow North of Tamion
<i>Tephrosieris longifolia</i>	Southern Ragwort	Val Venegia
<i>Tragopogon dubius</i>	Goats-beard	Meadow North of Tamion
<i>Tussilago farfara</i>	Colt's-foot	Val di Monzoni
<b>Berberidaceae</b>	<b>Barberry Family</b>	
<i>Berberis vulgaris</i>	Barberry	Tamion
<b>Betulaceae</b>	<b>Birch Family</b>	
<i>Alnus viridis</i>	Green Alder	Val di Monzoni
<i>Betula pendula</i>	Silver Birch	Rosengarten
<b>Boraginaceae</b>	<b>Forget-me-not Family</b>	
<i>Cerinth glabra</i>	Smooth Honeywort	Val de Sen Nicolo
<i>Echium vulgare</i>	Viper's Bugloss	Roadsides
<i>Eritrichium nanum</i>	King of the Alps	Cimon della Pala
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Val di Monzoni
<i>Myosotis arvensis</i>	Field Forget-me-not	Woods near Tamion
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Val Venegia
<i>Pulmonaria australis</i>	a Lungwort	Passo Pordo
<b>Brassicaceae</b>	<b>Cabbage Family</b>	
<i>Alliaria petiolata</i>	Garlic Mustard	Woods near Tamion
<i>Arabis caucasica</i> subsp. <i>alpina</i>	Alpine Rock-cress	Val di Monzoni
<i>Arabis bellidifolia</i> subsp. <i>bellidifolia</i>	Alpine Bitter-cress	Rosengarten
<i>Arabis hirsuta</i>	Hairy Rock-cress	Rosengarten
<i>Barbarea</i> sp.	Winter-cress	Baita Segantini
<i>Biscutella laevigata</i>	Buckler Mustard	Val di Monzoni
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	Val di Monzoni
<i>Cardamine enneaphylos</i> (leaves)	Drooping Bitter-cress	Val Venegia
<i>Draba aizoides</i>	Yellow Whitlow-grass	Passo Pordo
<i>Draba dolomitica</i>	Dolomite Whitlow-grass	Cimon della Pala
<i>Draba dubia</i>	Austrian Whitlow-grass	Passo Pordo
<i>Erophila verna</i>	Common Whitlow-grass	Below Passo Sella
<i>Kernera saxatilis</i>	Kernera	Below Passo Sella
<i>Petrocallis pyrenaica</i>	Pyrenean Whitlowgrass	Cimon della Pala
<i>Pritzelago (Hutchensia) alpina</i>	Chamois Cress	Val di Monzoni
<i>Rhizobotrya alpina</i>	Alpine Scurvy-grass	Val Venegia
<i>Thlaspi rotundifolium</i> subsp. <i>rotundifolium</i>	Round-leaved Pennycress	Rosengarten
<b>Campanulaceae</b>	<b>Bellflower Family</b>	
<i>Campanula barbata</i>	Bearded Bellflower	Meadow above Tamion
<i>Campanula cochlearifolia</i> (leaves)	Fairy's Thimble	Rosengarten
<i>Campanula glomerata</i>	Clustered Bellflower	Tamion
<i>Campanula rapunculoides</i>	Creeping Bellflower	Vigo di Fassa
<i>Campanula rotundifolia</i>	Harebell	Common
<i>Campanula scheuchzeri</i>		Val de Sen Nicolo
<i>Phyteuma betonicifolium</i>	Betony-leaved Rampion	Val de Sen Nicolo
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Meadow above Tamion
<i>Phyteuma ovatum</i>	Dark Rampion	Passo di Vallas

Group/Species	English Name (If any)	Location
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>	
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Val de Sen Nicolo
<i>Lonicera caerulea</i>	Blue-berried Honeysuckle	Rosengarten
<i>Lonicera nigra</i>	Black Honeysuckle	Val de Sen Nicolo
<i>Sambucus nigra</i>	Elder	Roadsides
<i>Sambucus racemosus</i>	Red-berried Elder	Val Venegia
<b>Caryophyllaceae</b>	<b>Pink Family</b>	
<i>Cerastium arvense</i>	Field Mouse-ear	Val de Sen Nicolo
<i>Cerastium fontanum</i>	Common Mouse-ear	Rosengarten
<i>Cerastium uniflorum</i>	Glacier Mouse-ear	Below Passo Sella
<i>Gypsophila repens</i>	Gypsophila	Path above Tamion
<i>Lychnis flos-cuculi</i>	Ragged Robin	Meadow near Tamion
<i>Minuartia sedoides</i>	Mossy Cyphel	Cimon della Pala
<i>Minuartia verna</i>	Spring Sandwort	Passo Pordo
<i>Moehringia ciliata</i>	Creeping Sandwort	Below Passo Sella
<i>Saponaria ocymoides</i>	Rock Soapwort	Val de Sen Nicolo
<i>Silene acaulis</i>	Moss Campion	Val di Monzoni
<i>Silene alpestris</i>	Alpine Catchfly	Val Venegia
<i>Silene dioica</i>	Red Campion	Woods near Tamion
<i>Silene nutans</i>	Nottingham Catchfly	Meadow above Tamion
<i>Silene pusilla</i>		Val Venegia
<i>Silene vulgaris</i>	Bladder Campion	Meadow near Tamion
<i>Stellaria nemorum</i>	Wood Stitchwort	Paneveggio
<b>Cistaceae</b>	<b>Rock-rose Family</b>	
<i>Helianthemum nummularium</i>	Common Rockrose	Woods near Tamion
<i>H. oelandicum</i> subsp. <i>canum</i>	Hoary Rockrose	Near Tamion
<i>H. oelandicum</i> subsp. <i>oelandicum</i>	Alpine Rockrose	Passo Pordo
<b>Crassulaceae</b>	<b>Stonecrop Family</b>	
<i>Rhodiola rosea</i>	Roseroot	Val di Monzoni
<i>Sedum acre</i>	Biting Stonecrop	Val Venegia
<i>Sedum dasyphyllum</i>	Fat Stonecrop	Below Passo Sella
<i>Sempervivum arachnoideum</i> subsp. <i>arachnoideum</i>	Cobweb Houseleek	Val de Sen Nicolo
<b>Dipsacaceae</b>	<b>Teasel Family</b>	
<i>Knautia dipsacifolia</i>	Wood Scabious	Woods near Tamion
<i>Knautia arvensis</i>	Field Scabious	Val de Sen Nicolo
<i>Scabiosa columbaria</i>	Small Scabious	Meadow above Tamion
<i>Scabiosa vestina</i>	Tyrolean Scabious	Meadow above Tamion
<b>Ericaceae</b>	<b>Heath family</b>	
<i>Arctostaphylos uva-ursi</i>	Bearberry	Val Venegia
<i>Arctostaphylos alpina</i>	Alpine Bearberry	Val Venegia
<i>Erica carnea</i>	Spring Heath	Common
<i>Loiseleuria procumbens</i>	Trailing Azalea	Cimon della Pala
<i>Rhodonendron ferrugineum</i>	Alpenrose	Val di Monzoni
<i>Rhodonendron hirsutum</i>	Hairy Alpenrose	Rosengarten (in bud)
<i>Rhodothamnus chamaecistus</i>	Dwarf Alpenrose	Val Venegia
<i>Vaccinium myrtillus</i>	Bilberry	Common
<i>Vaccinium uliginosum</i>	Bog Whortleberry	Tamion
<i>Vaccinium vitis-idaea</i>	Cowberry	Rosengarten

Group/Species	English Name (If any)	Location
<b>Fabaceae</b>	<b>Pea Family</b>	
<i>Anthyllis vulneraria</i> agg	Kidney Vetch	Meadow near Tamion
<i>Astragalus alpinus</i>	Alpine Milk-vetch	Val de Sen Nicolo
<i>Astragalus australis</i>	Southern Milk-vetch	Val di San Pellegrino
<i>Genista germanica</i>	German Greenweed	Meadow above Tamion
<i>Hedysarum hedysaroides</i> subsp. <i>exaltatum</i>	Alpine Sainfoin	Cimon della Pala
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Meadow above Tamion
<i>Lathyrus pratensis</i>	Yellow Vetchling	Meadow above Tamion
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Passo Rolle
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Tamion
<i>Onobrychis arenaria</i>	Small Sainfoin	Meadow above Tamion
<i>Onobrychis montana</i>	Mountain Sainfoin	Rosengarten
<i>Oxytropis campestris</i>	Yellow Milk-vetch	Val de Sen Nicolo
<i>Oxytropis jacquinii</i>	Mountain Milk-vetch	Val Venegia
<i>Trifolium alpinum</i>	Alpine Clover	Val di San Pellegrino
<i>Trifolium badum</i>	Brown Clover	Below Passo Sella
<i>Trifolium montanum</i>	Mountain Clover	Meadow above Tamion
<i>Trifolium pratense</i> subsp. <i>pratense</i>	Red Clover	Meadow above Tamion
<i>Trifolium repens</i>	White Clover	Baita Segantini
<i>Vicia cracca</i>	Tufted vetch	Tamion
<i>Vicia sepium</i>	Bush Vetch	Woods near Tamion
<b>Gentianaceae</b>	<b>Gentian Family</b>	
<i>Gentiana acaulis</i>	Trumpet Gentian	Common
<i>Gentiana bavarica</i>	Bavarian Gentian	Common
<i>G.brachyphylla</i> subsp. <i>brachyphylla</i>	Short-leaved Gentian	Rosengarten
<i>Gentiana clusii</i>	Clusius's Gentian	Passo Pordo
<i>Gentiana lutea</i>	Yellow Gentian	Val de Sen Nicolo
<i>Gentiana nivalis</i>	Snow Gentian	Val de Sen Nicolo
<i>Gentiana punctata</i>	Spotted Gentian	Val di San Pellegrino
<i>Gentiana terglouensis</i>	Triglav Gentian	Rosengarten
<i>Gentiana verna</i>	Spring Gentian	Val di Monzoni
<i>Gentianella amarella</i>	Felwort	Val de Sen Nicolo
<i>Getianella germanica</i>	German Gentian	Meadows above Tamion
<b>Geraniaceae</b>	<b>Geranium Family</b>	
<i>Geranium phaeum</i>	Dusky Crane's-bill	Roadside near Falcade
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Woods near Tamion
<b>Globulariaceae</b>	<b>Globularia Family</b>	
<i>Globularia cordifolia</i>	Matted Globularia	Woods near Tamion
<b>Grossulariaceae</b>	<b>Gooseberry Family</b>	
<i>Ribes petraeum</i>	Rock redcurrant	Val Venegia
<b>Lamiaceae</b>	<b>Dead-nettle Family</b>	
<i>Acinos alpinus</i>	Alpine Basil Thyme	Woods near Tamion
<i>Ajuga pyramidalis</i>	Pyramidal Bugle	Val di Monzoni
<i>Ajuga reptans</i>	Bugle	Rosengarten
<i>Horminium pyrenaicum</i>	Dragonmouth	Meadow above Tamion
<i>Lamium album</i>	White Dead-nettle	Val de Sen Nicolo

<b>Group/Species</b>	<b>English Name (If any)</b>	<b>Location</b>
<i>Prunella vulgaris</i>	Self-heal	Common
<i>Salvia pratensis</i>	Meadow Clary	Meadow above Tamion
<i>Stachys alopecuroides</i>	Yellow Betony	Meadow above Tamion
<i>Stachys recta</i>	Yellow Woundwort	Meadow near Tamion
<i>Thymus polytrichus</i>	Wild Thyme	Common
<b>Lentabulariaceae</b>	<b>Blutterwort Family</b>	
<i>Pinguicula alpina</i>	Alpine Butterwort	Val di Monzoni
<i>Pinguicula leptoceras</i>	Southern Butterwort	Val Venegia
<i>Pinguicula vulgaris</i>	Common Butterwort	Woods near Tamion
<b>Linaceae</b>	<b>Flax Family</b>	
<i>Linum catharticum</i>	Purging or Fairy Flax	Tamion
<i>Linum viscosus</i>	Sticky Flax	Below Tamion
<b>Onagraceae</b>	<b>Willowherb Family</b>	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	Passo Pordoi (leaves)
<i>Epilobium alsinifolium</i>	Chickweed Willowherb	Val Venegia
<b>Orobanchaceae</b>	<b>Broomrape Family</b>	
<i>Orobanche gracilis</i>	Slender Broomrape	Woods near Tamion
<b>Oxalidaceae</b>	<b>Wood-sorrel Family</b>	
<i>Oxalis acetosella</i>	Wood-sorrel	Val di Monzoni
<b>Papaveraceae</b>	<b>Poppy Family</b>	
<i>Papaver aurantiacum (P.rhaeticum)</i>	Rhaetian Poppy	Below the Passo Sella
<i>Papaver rhoeas</i>	Corn Poppy	Roadsides
<b>Parnassiaceae</b>	<b>Grass of Parnassus Family</b>	
<i>Parnassia palustris</i>	Grass of Parnassus	Below Tamion
<b>Plantaginaceae</b>	<b>Plantain Family</b>	
<i>Plantago lanceolata</i>	Ribwort Plantain	Common
<i>Plantago major</i>	Greater Plantain	Common
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain	Common
<b>Plumbaginaceae</b>	<b>Thrift Family</b>	
<i>Armeria maritima subsp. alpina</i>	Mountain Thrift	Passo Pordoi
<b>Polygalaceae</b>	<b>Milkwort Family</b>	
<i>Polygala alpestris</i>	Mountain Milkwort	Woods near Tamion
<i>Polygala alpina</i>	Alpine Milkwort	Passo Pordoi
<i>Polygala amarella</i>	Bitter Milkwort	Rosengarten
<i>Polygala chamaebuxus</i>	Shrubby Milkwort	Woods above Tamion
<i>Polygala nicaeensis</i>	Nice Milkwort	Meadow above Tamion
<b>Polygonaceae</b>	<b>Knotweed Family</b>	
<i>Oxyria digyna</i>	Mountain Sorrel	Near Tamion
<i>Persicaria bistorta</i>	Bistort	Below the Passo Sella
<i>Persicaria vivipara</i>	Alpine Bistort	Common
<i>Rumex acetosa</i>	Sorrel	Meadow above Tamion
<i>Rumex acetosella</i>	Sheep Sorrel	Val di Monzoni

Group/Species	English Name (If any)	Location
<i>Rumex alpinus</i>	Monk's Rhubarb	Val di Monzoni
<b>Primulaceae</b>	<b>Primrose Family</b>	
<i>Androsace alpina</i>	Alpine Rock-jasmine	Cimon della Pala
<i>Androsace vitaliana</i> subsp. <i>vitaliana</i>	Vitaliana	Passo Pordoi
<i>Primula auricula</i>	Bear's-ear Primrose	Val Venegia
<i>Primula elatior</i>	Oxlip	Passo Pordoi
<i>Primula farinosa</i>	Bird's-eye Primrose	Tamion
<i>Primula halleri</i>	Long-flowered Primrose	Passo Pordoi
<i>Primula minima</i>	Least Primrose	Passo Pordoi
<i>Primula tyrolensis</i>	Tyrolean Primrose	Val Venegia
<i>Primula veris</i>	Cowslip	Tamion (leaves)
<i>Soldanella alpina</i>	Alpine Snowbell	Val di Monzoni
<i>Soldanella minima</i>	Least Snowbell	Rosengarten
<i>Soldanella pusilla</i>	Dwarf Snowbell	Passo Pordoi
<b>Pyrolaceae</b>	<b>Wintergreen Family</b>	
<i>Moneses uniflora</i>	One-flowered Wintergreen	Woods near Tamion
<i>Pyrola media</i>	Intermediate Wintergreen	Below the Passo Sella
<b>Ranunculaceae</b>	<b>Buttercup Family</b>	
<i>Aconitum lycoctonum</i> subsp. <i>vulparia</i>	Wolf's Bane	Val di San Pellegino
<i>Aconitum nepellus</i>	Common Monk's-hood	Rosengarten (leaves)
<i>Anemone baldensis</i>	Monte Baldo Anemone	Passo Pordoi
<i>Aquilegia atrata</i>	Dark-flowered Columbine	Meadow near Tamion
<i>Caltha palustris</i>	Marsh Marigold	Below Pordoi
<i>Clematis alpina</i>	Alpine Clematis	Woods near Tamion
<i>Hepatica nobilis</i>	Hepatica	Woods near Tamion (leaves)
<i>Pulsatilla alpina</i> subsp. <i>apiifolia</i>	Yellow Pasque Flower	Val di Monzoni
<i>Pulsatilla vernalis</i>	Spring Pasque Flower	Val di Monzoni
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Paneveggio
<i>Ranunculus acris</i>	Meadow Buttercup	Common
<i>Ranunculus alpestris</i>	Alpine Buttercup	Cimon della Pala
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	Common
<i>Ranunculus hybridus</i>	Hybrid Buttercup	Passo Pordoi
<i>Ranunculus montanus</i>	Mountain Buttercup	Passo Pordoi
<i>Ranunculus seguieri</i>	Sequiers Buttercup	Cimon della Pala
<i>Thalictrum aquilegifolium</i>	Great Meadow Rue	Val di San Pellegrino
<i>Trollius europaeus</i>	Globeflower	Val di Monzoni
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>	
<i>Rhamnus pumila</i>	Dwarf Buckthorn	Passo Pordoi
<b>Rosaceae</b>	<b>Rose Family</b>	
<i>Alchemilla alpina</i>	Alpine Lady's Mantle	Common
<i>Alchemilla glabra</i>	Smooth Lady's Mantle	Meadow above Tamion
<i>Crataegus monogyna</i>	Hawthorn	Verge near Tamion
<i>Dryas octopetala</i>	Mountain Avens	Passo Pordoi
<i>Filipendula ulmaria</i>	Meadowsweet	Roadside
<i>Fragaria vesca</i>	Wild Strawberry	Woods near Tamion
<i>Geum montanum</i>	Alpine Avens	Val di Monzoni
<i>Geum rivale</i>	Water Avens	Val di San Pellegrino
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	Woods near Tamion

<b>Group/Species</b>	<b>English Name (If any)</b>	<b>Location</b>
<i>Potentilla anserina</i>	Silverweed	Tamion
<i>Potentilla aurea</i>	Golden Cinquefoil	Val di Monzoni
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Passo Rolle
<i>Potentilla erecta</i>	Tormentil	Tamion
<i>Potentilla nitida</i>	Pink Cinquefoil	Rosengarten (leaves)
<i>Potentilla reptans</i>	Creeping Cinquefoil	Tamion
<i>Rosa pendulina</i>	Alpine Rose	Meadow near Tamion
<i>Rubus fruticosus</i> agg	Bramble	Tamion
<i>Rubus idaeus</i>	Raspberry	Val di Monzoni
<i>Rubus saxatilis</i>	Stone Bramble	Val Venegia
<i>Sanguisorba minor</i> agg	Salad Burnet	Meadow near Tamion
<i>Sorbus aucuparia</i>	Rowan	Woods near Tamion
<i>Sorbus chamaemespilis</i>	False Medlar	Rosengarten
<b>Rubiaceae</b>	<b>Bedstraw Family</b>	
<i>Cruciata laevipes</i>	Crosswort	Val di Monzoni
<i>Galium lucidum</i>		Woods near Tamion
<i>Galium megalospermum</i>	Swiss Bedstraw	Val Venegia
<i>Gallium mollugo</i> agg	Hedge Bedstraw	Woods near Tamion
<i>Galium verum</i>	Ladies Bedstraw	Below Tamion
<b>Salicaceae</b>	<b>Willow Family</b>	
<i>Populus tremula</i>	Aspen	Lago Venegia
<i>Salix alpina</i>	Alpine Willow	Val Venegia
<i>Salix breviserrata</i>	Finely-toothed Willow	Passo Pordoi
<i>Salix caprea</i>	Goat Willow	Tamion
<i>Salix hegetschweileri</i>	Alpine Willow	Passo Pordoi
<i>Salix herbacea</i>	Dwarf Willow	Rosengarten
<i>Salix purpurea</i>	Purple Willow	Tamion
<i>Salix reticulata</i>	Net-leaved Willow	Passo Pordoi
<i>Salix retusa</i>	Retuse-leaved Willow	Passo Rolle
<b>Santalaceae</b>	<b>Sandalwood Family</b>	
<i>Thesium alpinum</i>	Alpine Bastard Toadflax	Val Venegia
<i>Thesium linophyllum</i>	Flax-leaved Bastard Toadflax	Below Sella
<b>Saxifragaceae</b>	<b>Saxifrage Family</b>	
<i>Chrysozhenium alternifolium</i>	Alternate-leaved Golden Saxifrage	Rosengarten
<i>Saxifraga aizoides</i> (leaves)	Yellow Mountain Saxifrage	Rosengarten
<i>Saxifraga androsacea</i>	Scree Saxifrage	Passo Pordoi
<i>Saxifraga caesia</i> (leaves)	Blue Saxifrage	Passo Pordoi
<i>S. exerata</i> subsp. <i>moschata</i>	Musky Saxifrage	Below the Passo Pordoi
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Passo Pordoi
<i>Saxifraga paniculata</i>	Live-long Saxifrage	Passo Vallas
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage	Rosengarten
<b>Scrophulariaceae</b>	<b>Figwort Family</b>	
<i>Bartsia alpina</i>	Alpine Bartsia	Passo Pordoi
<i>Euphrasia roskoviana</i>	Eyebright	Tamion
<i>Linaria alpina</i>	Alpine Toadflax	Val di Monzoni
<i>Melampyrum sylvaticum</i>	Wood Cow-wheat	Val Venegia
<i>Paederota bonarota</i>	Bluish Paederota	Val Venegia
<i>Pedicularis cenisia</i>	Mt. Cenis Lousewort	Passo Pordoi

Group/Species	English Name (If any)	Location
<i>Pedicularis elongata</i>		Tamion
<i>Pedicularis palustris</i>	Marsh Lousewort	Val Venegia
<i>Pedicularis verticillata</i>	Verticillate Lousewort	Common
<i>Rhinanthus aristatus</i>	Aristate Rattle	Miralago
<i>Rhinanthus minor agg</i>	Hay Rattle	Meadow near Tamion
<i>Scrophularia canina</i> subsp. <i>hoppii</i>	Dog Figwort	Rosengarten
<i>Verbascum pulverulentum</i>	Hoary Mullein	Roadsides north of Pozza
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Rosengarten
<i>Veronica beccabunga</i>	Brooklime	Val Venegia
<i>Veronica chamaedrys</i>	Germander Speedwell	Common
<i>Veronica fruticans</i>	Rock Speedwell	Rosengarten
<i>Veronica officinalis</i>	Heath Speedwell	Woods near Tamion
<i>V. serpyllifolia</i> subsp. <i>humifusa</i>	Thyme-leaved Speedwell	Val de Sen Nicolo
<i>V. serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Speedwell	Rosengarten
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Paneveggio
<b>Thymelaeaceae</b>	<b>Mezereon Family</b>	
<i>Daphne cneorum</i>	Garland Flower	Val de Sen Nicolo
<i>Daphne mezereum</i>	Mezereon	Val di Monzoni
<i>Daphne striata</i>		Passo Pordo
<b>Urticaceae</b>	<b>Nettle Family</b>	
<i>Parietaria judaica</i>	Pellitory-of-the-Wall	Venice Marco Polo Airport
<i>Urtica dioica</i>	Common Nettle	Frequent
<b>Valerianaceae</b>	<b>Valerian Family</b>	
<i>Valeriana montana</i>		Woods near Tamion
<i>Valeriana officinalis</i>	Common Valerian	Val di Monzoni
<i>Valeriana saxatilis</i>	Rock Valerian	Val Venegia
<i>Valeriana supina</i>	Dwarf Valerian	Rosengarten
<i>Valeriana tripteris</i>	Three-leaved Valerian	Below Pordo
<b>Violaceae</b>	<b>Violet Family</b>	
<i>Viola biflora</i>	Yellow Violet	Val di Monzoni
<i>Viola riviniana</i>	Common Dog Violet	Woods near Tamion
<i>Viola tricolor</i> subsp. <i>subalpina</i>	Heartsease	Val de Sen Nicolo
<b>Liliidae (Monocotyledons)</b>		
<b>Cyperaceae</b>	<b>Sedge Family</b>	
<i>Carex capillaris</i>	Hair Sedge	Val Venegia
<i>Carex caryophyllea</i>	Spring Sedge	Tamion
<i>Carex dioica</i>	Dioecious Sedge	Val Venegia
<i>Carex flacca</i>	Glaucous Sedge	Val Venegia
<i>Carex nigra</i>	Common Sedge	Val Venegia
<i>Carex pulicaris</i>	Flea Sedge	Paneveggio
<i>Carex viridula</i> subsp. <i>oedocarpa</i>	Common Yellow Sedge	Wet Track near Tamion
<i>C. viridula</i> subsp. <i>bracyrrhyncha</i>	Long-bracted Yellow Sedge	Val Venegia
<i>Eriophorum scheuchzeri</i>	A Cottongrass	Val Venegia
<b>Iridaceae</b>	<b>Iris Family</b>	
<i>Crocus albiflorus</i>	White-flowered Crocus	Passo Pordo



Group/Species	English Name (If any)	Location
<b>Juncaceae</b>		
<i>Luzula campestris</i>	Rush Family Field Woodrush	Meadows near Tamion
<i>Luzula luzuloides</i>	White Woodrush	Verge North of Tamion
<i>Luzula multiflora</i>	Heath Woodrush	Val Venegia
<i>Luzula nivea</i>	Snowy Woodrush	Val di Monzoni
<i>Luzula pilosa</i>	Hairy Woodrush	Val de Sen Nicolo
<i>Luzula spicata</i>	Spiked Woodrush	Val Venegia
<b>Liliaceae</b>		
<i>Colchicum autumnale</i> (leaves)	Lily Family Autumn Crocus	Meadow near Tamion
<i>Lilium bulbiferum</i>	Orange Lily	Meadow near Canazei
<i>Lilium martagon</i>	Martagon Lily	Miralago
<i>Lloydia serotina</i>	Snowdon Lily	Cimon della Pala
<i>Maianthemum bifolium</i>	May Lily	Paneveggio
<i>Paradisea liliastrum</i>	St. Bruno's Lily	Val de Sen Nicolo
<i>Paris quadrifolia</i>	Herb Paris	Rosengarten
<i>Polygonatum odoratum</i>	Angular Solomon's-seal	Val de Sen Nicolo
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Miralago
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Val Venegia
<i>Veratrum album</i>	False White Helleborine	Tamion
<b>Orchidaceae</b>		
<i>Coeloglossum viride</i>	Orchid Family Frog Orchid	Val Venegia
<i>Coeloglossum viride var longibracteatum</i>	Frog Orchid	Val Venegia
<i>Corallorhiza trifida</i>	Coralroot Orchid	Panneveggio
<i>Cypripedium calceolus</i>	Lady's Slipper Orchid	Tamion
<i>Dactylorhiza alpestris</i>	Alpine Broad-leaved Marsh Orchid	Val Venegia
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Woods near Tamion
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh Orchid	Val Venegia
<i>Gymnadenia albida</i>	Small White Orchid	Miralago
<i>Gymnadenia austriaca</i>	Austrian Vanilla Orchid	Val Venegia
<i>Gymnadenia conopsea</i> agg	Fragrant Orchid	Meadows near Tamion
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant Orchid	Miralago
<i>Gymnadenia rhellicani</i>	Black Vanilla Orchid	Miralago
<i>Gymnadenia rubra</i>	Red Vanilla Orchid	Miralago
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Below Tamion
<i>Neottia (Listera) ovata</i>	Twayblade	Val Venegia
<i>Ophrys insectifera</i>	Fly Orchid	Wood near Tamion
<i>Orchis militaris</i>	Military Orchid	Meadow near Tamion
<i>Orchis ovalis</i>	an Early Purple Orchid	Val de Sen Nicolo
<i>Orchis ustulata</i>	Burnt Orchid	Val de Sen Nicolo
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Miralago
<i>Traunsteinera globosa</i>	Round-headed Orchid	Tamion
<b>Poaceae</b>		
<i>Alopecurus pratensis</i>	Grass Family Meadow Fox-tail	Woods near Tamion
<i>Arrhenatherum elatius</i>	False Oat-grass	Common
<i>Briza media</i>	Quaking Grass	Meadow near Tamion
<i>Bromus hoedeaceus</i>	Soft Brome	Common
<i>Dactylis glomerata</i>	Cock's-foot	Common
<i>Festuca glauca</i>	Blue Fescue	Val de Sen Nicolo
<i>Festuca rubra</i> agg	Red Fescue	Common
<i>Helictotrichon pratense</i>	Meadow Oat Grass	Val di Monzoni
<i>Lolium perenne</i>	Perennial Rye-grass	Common

Group/Species	English Name (If any)	Location
<i>Melica nutans</i>	Mountain Melick	Woods near Tamion
<i>Phleum pratense</i>	Timothy	Passo Rolle
<i>Poa alpina</i>	Alpine meadow-grass	Val di Monzoni
<i>Poa annua</i>	Annual Meadow-grass	Vigo di Fassa
<i>Poa bulbosa var. vivipara</i>	Bulbous Meadow-grass	Val di Monzoni
<i>Poa nemoralis</i>	Wood Meadow-grass	Woods near Tamion
<i>Poa pratense</i>	Smooth Meadow-grass	Meadow near Tamion
<i>Poa trivialis</i>	Rough Meadow-grass	Meadow near Tamion
<i>Sesleria caerulea</i>	Blue Moor-grass	Val di Monzoni
<i>Sesleria sphaerocephala</i>		Passo Pordoi

## Birds

(H = heard only, L = Leader only)

	Common Name	Scientific Name	Trip
1	Golden Eagle	<i>Aquila chrysaetos</i>	(
2	Common Kestrel	<i>Falco tinnunculus</i>	(
3	Yellow-legged Gull	<i>Larus cachinnans</i>	(
4	Feral Pigeon / Rock Dove	<i>Columba livia</i>	(
5	Common Wood Pigeon	<i>Columba palumbus</i>	(
6	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	(
7	Common Cuckoo	<i>Cuculus canorus</i>	H
8	Common Swift	<i>Apus apus</i>	✓
9	European Green Woodpecker	<i>Picus viridis</i>	L
10	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>	✓
11	Barn Swallow	<i>Hirundo rustica</i>	✓
12	Common House Martin	<i>Delichon urbica</i>	✓
13	Water Pipit	<i>Anthus spinoletta</i>	✓
14	Meadow Pipit	<i>Anthus p[ratensis]</i>	✓
15	Tree Pipit	<i>Anthus trivialis</i>	✓
16	White Wagtail	<i>Motacilla alba</i>	✓
17	Winter Wren	<i>Troglodytes troglodytes</i>	H
18	Alpine Accentor	<i>Prunella collaris</i>	✓
19	European Robin	<i>Erithacus rubecula</i>	✓
20	Common Redstart	<i>Phoenicurus phoenicurus</i>	✓
21	Black Redstart	<i>Phoenicurus ochruros</i>	✓
22	Fieldfare	<i>Turdus pilaris</i>	✓
23	Song Thrush	<i>Turdus philomelos</i>	H
24	Mistle Thrush	<i>Turdus viscivorus</i>	✓
25	Common Blackbird	<i>Turdus merula</i>	✓
26	Ring Ouzel	<i>Turdus torquatus alpestris</i>	✓
27	Blackcap	<i>Sylvia atricapilla</i>	✓
28	Chiffchaff	<i>Phylloscopus collybita</i>	✓
29	Goldcrest	<i>Regulus regulus</i>	H
30	Great Tit	<i>Parus major</i>	✓
31	Coal Tit	<i>Pariparus ater</i>	✓
32	Blue Tit	<i>Cyanistes caeruleus</i>	✓

	Common Name	Scientific Name	Trip
33	Crested Tit	<i>Parus cristatus</i>	L
34	Willow Tit	<i>Parus montanus</i>	✓
35	Short-toed Treecreeper	<i>Certhia brachydactyla</i>	✓
36	Common Magpie	<i>Pica pica</i>	(
37	Eurasian Jay	<i>Garrulus glandarius</i>	(
38	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>	H
39	Yellow-billed Cough	<i>Pyrrhocorax graculus</i>	✓
40	Carrion Crow	<i>Corvus corone corone</i>	✓
41	Hooded Crow	<i>Corvus corone cornix</i>	✓
42	Common Raven	<i>Corvus corax</i>	✓
43	Common Starling	<i>Sturnus vulgaris</i>	✓
44	House Sparrow	<i>Passer domesticus</i>	✓
45	Italian House Sparrow	<i>Passer domesticus italiae</i>	✓
46	White-winged Snowfinch	<i>Montifringilla nivalis</i>	✓
47	Common Chaffinch	<i>Fringilla coelebs</i>	✓
48	Common Linnet	<i>Acanthis cannabina</i>	✓
49	European Goldfinch	<i>Carduelis carduelis</i>	✓
50	European Greenfinch	<i>Carduelis chloris</i>	H
51	European Serin	<i>Serinus serinus</i>	✓
52	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>	L

## Butterflies

	Common Name	Scientific Name	Trip
		<b>Hesperiidae</b>	
1	Chequered Skipper	<i>Carterocephalus palaemon</i>	✓
2	Grizzled Skipper	<i>Pyrgus malvae</i>	✓
		<b>Pieridae</b>	
3	Wood White	<i>Leptidea sinapis</i>	✓
4	Large White	<i>Pieris brassicae</i>	✓
5	Mountain Green-veined White	<i>Pieris bryoniae</i>	✓
6	Green-veined White	<i>Pieris napi</i>	✓
7	Moroccan Orange Tip	<i>Anthocharis belia</i>	✓
8	Orange Tip	<i>Anthocharis cardamines</i>	✓
9	Clouded Yellow	<i>Colias crocea</i>	✓
		<b>Lycaenidae</b>	
10	Little Blue	<i>Cupido minimus</i>	✓
11	Mazarine Blue	<i>Cyaniris semiargus</i>	✓
12	Common Blue	<i>Polyommatus icarus</i>	✓
13	Amanda's Blue	<i>Polyommatus amandus</i>	✓
14	Brown Argus	<i>Aricia agestis</i>	✓
		<b>Nymphalidae</b>	
15	Small Tortoiseshell	<i>Inachis io</i>	✓
16	Red Admiral	<i>Vanessa atalanta</i>	✓
17	Pearl-bordered Fritillary	<i>Boloria euphrosyne</i>	✓
		<b>Satyrinae</b>	
18	Speckled Wood	<i>Pararge aegeria</i>	✓
19	Wall Brown	<i>Lasiommata megera</i>	✓
20	Small Heath	<i>Coenonympha pamphilus</i>	✓
21	Ringlet	<i>Aphantopus hyperantus</i>	✓
22	Meadow Brown	<i>Erebia aethiops</i>	✓
23	Dewy Ringlet	<i>Erebia pandrose</i>	✓

## Moths

1	Forester	<i>Adscita statices</i>	✓
2	a Burnet Moth	<i>Zygaena osterodensis</i>	✓

3	Chimney Sweeper	<i>Odezia atrata</i>	✓
4	Speckled Yellow	<i>Pseudopanthera macularia</i>	✓
5	Burnet Companion	<i>Euclidia glyphica</i>	✓
6	Small Magpie Moth	<i>Eurrhpara hortulata</i>	✓
7	White Plume Moth	<i>Pterophorus pentadactylus</i>	✓

### Other Insects

1	Field Cricket	<i>Gryllus campestris</i>	H
2	A Chafer	<i>Hoplia argentea</i>	✓
3	Seven-spot Ladybird	<i>Coccinella 7-punctata</i>	✓
4	Leaf Beetle	<i>Chrysolina coerulans</i>	✓

### Mammals

1	Roe Deer	<i>Capreolus capreolus</i>	✓
2	Alpine Marmot	<i>Marmotta marmotta</i>	✓

### Reptiles

1	Common Lizard	<i>Zootoca vivipara</i>	✓
---	---------------	-------------------------	---