

The Italian Dolomites

Naturetrek Tour Report

26 June - 3 July 2011



Edelweiss - *Leontopodium alpinum*



Hay meadow Val de Sen Nicolo



Passo di Valles



Orange Lilies - *Lilium bulbiferum*

Report and images compiled by Jessica Turner



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leader: Jessica Turner - Naturetrek Leader & Botanist

Participants: Robin Burns
Roger Douglas
Valerie Herring
Peter Herring
Irene Lockwood
Keith Lockwood
Glenna Toyne
David Toyne

Day 1

Sunday 26th June

Weather: UK and Italy: hot and sunny

Six of the group members met Jessica at Gatwick Airport for the Easyjet flight to Venice, where we enjoyed good views of the city as we landed at Marco Polo Airport. We soon had our luggage and the minibus, and were heading north on the A27 towards Belluno, and then on to Agordo, where we stopped for a coffee break in the town square.

The final leg of our journey took us via Cencenighe, where we turned west to Falcade, over the Passo San Pellegrino, noting with increasing excitement the range of flowers growing by the road. We descended to the Fassa Valley, where, before long, we reached the little hamlet of Tamion and the Hotel Gran Mugon, our base for the week. We received a warm welcome from Stefano and his sister Katia, and were soon enjoying dinner and some welcome rest.

Day 2

Monday 27th June

Weather: hot and sunny

We had a fairly leisurely start to the day and after a splendid breakfast we walked from the hotel to explore the meadows and woods round Tamion. Swallows were swooping round the buildings and a Black Redstart was seen at a nearby barn. We walked up past the church, and soon found a flowery bank where we started to get our eyes in tune for the local plants, which included Golden Hawksbeard, (*Crepis aurea*), the dark blue Dragonmouth (*Horminum pyrenaicum*), Meadow Clary (*Salvia pratensis*), Scheutz's Bellflower (*Campanula scheutzeri*), Small Sainfoin (*Onobrychis arenaria*), and Aristate Rattle (*Rhinanthus aristatus* agg.). Hay cutting had just started, but the unmown areas were still a mass of flowers and, as we progressed, we found Tyrolean Scabious (*Scabiosa vestina*), Dark Columbine (*Aquilegia atrata*), Alpine Aster (*Aster alpinus*) and the Alpine Rose (*Rosa pendulina*), with its spine-free stems. The Orange Lilies (*Lilium bulbiferum*) were just coming out, and there were many spikes of Slender Broomrape (*Orobanche gracilis*), Fragrant Orchids (*Gymnadenia conopsea* agg.) and Round-headed Orchid (*Traunsteinera globosa*). The meadows were alive with insect life, including Chimney Sweeper Moths, and a Mazarine Blue butterfly and the Chafer *Hoplia caerulea* were seen.

The path entered a pine wood, with Spruce (*Picea abies* subsp. *abies*) and Larch (*Larix decidua*) where the underlying rocks were Sandstone, and the vegetation showed a corresponding change. Here the plants included Spring Heath (*Erica carnea*), Tormentil (*Potentilla erecta*), a lovely patch of One-flowered Wintergreen (*Moneses uniflora*), May Lily (*Maianthemum bifolium*) and Shrubby Milkwort (*Polygala chamaebuxus*). As the path became more open again, we also found Gypsophila (*Gypsophila repens*) and Mountain Milk-vetch (*Oxytropis jacquinii*) and, in damper flushes, Bird's-eye Primrose (*Primula farinosa*), Tofield's Asphodel (*Tofieldia calyculata*) and Common Butterwort (*Pinguicula vulgaris*). There were tremendous numbers of Common Spotted Orchids (*Dactylorhiza fuchsii*) and Fragrant Orchids (*Gymnadenia conopsea* agg.), and some of these were deemed to be the Short-spurred Fragrant Orchid (*Gymnadenia odoratissima*). A Black Woodpecker was seen to fly overhead. The path followed the hillside, before emerging into another meadow full of flowers, including Bearded Bellflower (*Campanula barbata*), the very fragrant, prostrate and spiny *Genista germanica* and Giant Cat's-ear (*Hypochaeris uniflora*). A Fallow doe with its fawn was seen across the meadow.

As we started the return to Tamion along the road, we found some spikes of Coralroot Orchid (*Corallorhiza trifida*), a Lesser Butterfly Orchid (*Platanthera bifolia*) and a Fly Orchid (*Ophrys insectifera*). We then stopped to look at a large patch of Lady's Slipper Orchids (*Cypripedium calceolus*) on the bank, going past their prime, and further on, more Fly Orchids (*Ophrys insectifera*), Twayblade (*Neottia ovata*) and Bird's nest Orchids (*Neottia nidus-avis*). On the little road to the hotel, we noted Yellow Melancholy Thistle (*Cirsium erisibales*). As it was very hot and now quite late, we ate our picnic of local cheeses and hams in the shade of the hotel garden.

Duly refreshed, we drove to the Val de Sen Nicolo (also known as the Val San Nicolo) and then the Val di Monzoni, where we parked. Some of the group chose to stay in these lower meadows, while the rest set off up the track towards the Rifugio Taramelli. Here the rock is granite, and the conditions acidic. Along the track we found plenty of Alpenrose (*Rhododendron ferrugineum*), Yellow Violet (*Viola biflora*), Globeflower (*Trollius europaeus*) and Alpine Coltsfoot (*Homogyne alpina*). Green Alder (*Alnus viridis*) and Yellow Alpine Pasque Flower (*Pulsatilla alpina* subsp. *apiifolia*) were also recorded. We found a few specimens of Trumpet Gentian (*Gentiana acaulis*), but most were over. Where the path met the snow, we found Alpine Snowbell (*Soldanella alpina*) and some Dwarf Snowbell (*Soldanella pusilla*).

There was much less snow than the previous year, and we crossed it without difficulty, before continuing up the path to the Rifugio Taramelli, where some of the group enjoyed welcome refreshments. Further up we could see many Yellow Alpine Pasque Flowers (*Pulsatilla alpina* subsp. *apiifolia*), before we retraced our steps to the vehicle, noting on the way down cushions of Moss Campion (*Silene acaulis*). We joined the others, and returned to the hotel for an excellent dinner.

Day 3

Tuesday 28th June

Weather: Hot and sunny

Today our destination was the Rosengarten. After another good breakfast, we drove down to Vigo di Fassa, where we caught the Funivia (cable-car) up to the Rifugio Ciampedie. We began our walk in the direction of the small village of Gardeccia. It was already hot, so it was pleasant to be in the shade of the trees: Larch (*Larix decidua*), Spruce (*Picea abies*), and Austrian Black Pine (*Pinus nigra* subsp. *nigra*).

The shrub layer included plenty of Alpenrose (*Rhododendron ferrugineum*) coming into flower, Blue-berried Honeysuckle (*Lonicera caerulea*) and Alpine Clematis (*Clematis alpina*). Nutcrackers were both heard and seen. There was also a good show of Alpine Butterwort (*Pinguicula alpina*) on a damp bank, and in an open area the little Leafless-stemmed Speedwell (*Veronica aphylla*) and Rock Speedwell (*Veronica fruticans*) were found. Butterflies included Mazarine and Little Blues, and Scotch Argus.

In the village we stopped for a refreshment break, before finding some shade for our picnic under some Arolla Pines (*Pinus cembra*). Some of the group opted to remain here, finding the nest of a Black Redstart with three hungry fledglings, while others continued up the path. Here, *Gentiana bavarica* (Bavarian Gentian) and the other Trumpet Gentian (*Gentiana clusii*) were recorded, although most were over. As the track grew steeper, we moved into an area of Dwarf Alpine Pine (*Pinus mugo*) and massive scattered limestone boulders. On the boulders Bluish Paederota (*Paederota bonarota*), the tiny greyish clumps of the leaves of Blue Saxifrage (*Saxifraga caesia*) with its white flowers, Mountain Avens (*Dryas octopetala*), and Pink Cinquefoil (*Potentilla nitida*) coming into flower. Two Louseworts were recorded: Beaked Lousewort (*Pedicularis rostratocapitata*) and Pink Lousewort (*Pedicularis rosea*). A small clump of Triglav Gentian (*Gentiana terglouensis*) was also found. It was also pleasing to find a number of plants of Edelweiss (*Leontopodium alpinum*). On the scree by the path were Rhaetian Poppy (*Papaver aurantiacum*), Alpine Sneezewort (*Achillea oxyloba*) and Broad-leaved Mouse-ear (*Cerastium latifolium*).

Irene and Keith continued up to the Rifugio Preuss, where flocks of Alpine Chough were circling and playing. Eventually, we made our slow descent back to Gardeccia and on to Ciampedie. At Rifugio Negritella we stopped for refreshments before catching the cable-car down to Vigo di Fassa, and so back to the hotel.

Day 4

Wednesday 29th June

Weather: Hot and sunny

Today we headed north up to the Pordoi Pass (2239m), via Canazei, parking in the main car park at the top of the pass. We took the footpath, route 601, along the famous 'Bindelweg', mentioned by Farrer, the author, traveller, botanist and flower painter, in his 1913 book 'The Dolomites'. This year there was no evidence of snow, and the early spring flowers had been replaced by quantities of Monte Baldo Anemone (*Anemone baldense*). A small boulder by the path held One-flowered Fleabane (*Erigeron uniflorus*), and several willows were noted, including Net-leaved Willow (*Salix reticulata*), Finely-toothed Willow (*Salix breviserrata*), with purplish catkins, and the taller Alpine Willow (*Salix x hegetschweileri*). On the bank above were *Daphne striata*, Alpine Milk-vetch (*Astragalus alpinus*), Yellow Milk-vetch (*Oxytropus campestris*) and the large flowered Italian Sainfoin (*Hedysarum hedysaroides* subsp. *exaltatum*), and orchids including Frog Orchid (*Coeloglossum viride*), Small White Orchid (*Gymnadenia albida*), Austrian Vanilla Orchid (*Gymnadenia austriaca*) and Red Vanilla Orchid (*Gymnadenia rubra*). There were more Gentians here, and Trumpet Gentian (*Gentiana acaulis*), Clusius' Gentian (*Gentiana clusii*) and Spring Gentian (*Gentiana verna*) were all found. Several specimens of the showy Chamois Ragwort (*Senecio doronicum*) were by the path, and on the other side Pink Cinquefoil (*Potentilla nitida*) and Bluish Paederota (*Paederota bonarota*) were growing on a large boulder. Amongst the boulders below us were several Marmot, which could be heard whistling and were soon located, giving good views.

When we reached the shoulder, some opted to stay and enjoy the view, while other members of the group either explored the cliffs above, or walked on to the Rifugio.

We proceeded to the steep banks below the ski lift, where we found quantities of the small white and pink Ciliate Rock Jasmine (*Androsace chamaejasme*) and bright yellow Vitaliana (*Androsace vitaliana* subsp. *vitaliana*). We also found some Yellow Whitlow-grass (*Draba aizoides*), going over, and on the other side a Long-flowered Primrose (*Primula halleri*) and an Oxlip (*Primula elatior*). Butterflies seen included Mountain Green-veined White, Small Copper, and Dewy Ringlet. We then made our way back down the path, and drove a short distance back down the road for our picnic.

We had lunch in a meadow with scattered boulders, by a stream, with Arolla and Dwarf Pines (*Pinus cembra* and *Pinus mugo*) around. The rocks were covered in Mountain Avens (*Dryas octopetala*), Matted Globularia (*Globularia cordifolia*) and a Musky Saxifrage (*Saxifraga exarata* subsp. *moschata*). The meadow contained plenty more Vanilla, Fragrant and Frog Orchids (*Gymnadenia rubra*, *G. austriaca*, *G. conopsea*, and *Coeloglossum viride*) as well as Wild Liquorice (*Astragalus ghyocyphyllos*). On a boulder by the layby we were delighted to find more Edelweiss (*Leontopodium alpinum*), and we had excellent views of a pair of Ring Ouzels.

From here we set off towards the Sella Pass, stopping to admire the magnificent views before dropping down towards Selva. We stopped at a spot where a stream came down the mountain to explore the gravels and the margins of the adjacent pine woods. However, as a result of recent extensive gravel workings and a realignment of the road, we were unable to locate the key species here, and as it was hot, we made our way back to Tamion.

Day 5

Thursday 30th June

Weather: Hot and sunny

Today the group had a free morning. Some chose to stay around the hotel, while others chose to go into Vigo to visit the Ladin Museum, which gives a fascinating insight into the life, language and culture of Val di Fassa and the surrounding valleys. We then drove up to the Val de Sen Nicolo, this time continuing to explore this valley rather than turning off into the Val Monzoni. We parked the minibus and set up the picnic in the grassy parking area, where we found Smooth Honeywort (*Cerinth glabra*) and Rock Redcurrant (*Ribes petraeum*).

After lunch, we set off to explore the meadows of this valley, enjoying the different feel of the hay meadows. An early stop was to admire a fine Ghost Swift Moth. Alpine Milk-vetch (*Astragalus alpinus*), Heartsease (*Viola tricolor* subsp. *subalpinum*) and the harebell-like *Campanula scheuchzeri* were all found, together with several plants of Betony-leaved Rampion (*Phyteuma betonicifolium*). Further on we found Martagon Lily (*Lilium martagon*), Garland Flower (*Daphne cneorum*), which is very similar to the *Daphne striata* we had found elsewhere, and quantities of the petite dark blue Snow Gentian (*Gentiana nivalis*) in a new location. On some of the boulders were small clusters of the relatively unhairly form of Cobweb Houseleek (*Sempervivum arachnoideum* subsp. *arachnoideum*). We also located plenty of Vanilla Orchids: Austrian Vanilla Orchid (*Gymnadenia austriaca*) and Black Vanilla Orchid (*Gymnadenia rbellicani*), and a new orchid species, a form of Early Purple Orchid with wavy petals and sepals, *Orchis ovalis*, which was, sadly, over. We also found an interesting hybrid between a Vanilla Orchid and a Fragrant Orchid.

Eventually, we stopped for some refreshments at the Rifugio Baita Ciampie. Just by the Rifugio, enormous clouds of butterflies were gathered at a damp area of mud for the moisture and minerals: they were found to be mainly Mazarine Blue and Little Blue.

After our break, we returned slowly down the valley, diverting into another meadow to admire a patch of St Bruno's Lily (*Paradisea liliastrum*) and a fine plant of Fringed Pink (*Dianthus monspessulanus*). Near the car park we noted Alpine Honeysuckle (*Lonicera alpigena*) and Black Honeysuckle (*Lonicera nigra*), and One-flowered Wintergreen (*Moneses uniflora*) under the trees. We then returned to the hotel for another excellent dinner.

Day 6

Friday 1st July

Weather: Fine and sunny but quite windy; cooler

Today we headed south-east, this time for the Rolle Pass and the dramatic peak of Cimon della Pala. Passing through Paneveggio, we climbed up to the Pass at 1972m, and then took a dusty track on up to the Baita Segantini at 2200m, and began a walk up through the alpine grassland. We found Trailing Azalea (*Loiseleuria procumbens*), Monte Baldo Anemone (*Anemone baldensis*), seed heads of Yellow Alpine Pasque Flower (*Anemone alpine* subsp. *apiifolia*), Frog Orchid (*Coeloglossum viride*) and Small White Orchid (*Gymnadenia albida*). We then moved up into an area of loose rock and open ground where we found Mossy Cyphel (*Minuartia sedoides*), Spring Sandwort (*Minuartia verna*) and One-flowered Fleabane (*Erigeron uniflora*), but the Sequier's Buttercup (*Ranunculus sequieri*) was over. Our ultimate aim was to reach an area of broken rocks and boulders below the looming cliffs of Cimon della Pala.

Moving on along the edge of the cliffs we found Globe-headed Rampion (*Phyteuma hemisphericum*), Snowdon Lily (*Lloydia serotina*), Mountain Avens (*Dryas octopetala*), Bear's-ear Primrose (*Primula auricula*) and Roseroot (*Rhodiola rosea*). By now we were at the base of the cliffs we had been aiming for, and started to examine the boulders. We soon found a number of magnificent clumps of one of the specialities: King of the Alps (*Eritrichium nanum*). Alpine Buttercup (*Ranunculus alpestris*), *Draba dolomitica*, *Androsace alpina*, Least Primrose (*Primula minima*), the pretty mauve Pyrenean Whitlow-grass (*Petrocallis pyrenaica*), Dwarf Alpenrose (*Rhodothamnus chamaecistus*) and Triglav Gentian (*Gentiana terglouensis*) were also found.

We made our way back to the Rifugio, passing several plants of Spotted Gentian (*Gentiana punctata*) en route, where we had our rather late and windswept picnic. We then retreated for a warming coffee, before beginning our descent. In a meadow by the road a flowering spike of Yellow Gentian (*Gentiana lutea*) was noted, and as we reached the road, we stopped at a bank which had a good show of Southern Butterwort (*Pinguicula leptoceras*). Nearby, Fairy's Thimble (*Campanula cochlearifolia*) was growing out of a wall.

We then set off towards the Passo San Pellegrino and the Miralago where we explored the meadows behind the Rifugio. As we parked, we had excellent views of a family of Nutcrackers, at eye-level in the trees opposite. Plants here included Great Meadow Rue (*Thalictrum aquilegifolia*) and Alpine Clover (*Trifolium alpinum*), spikes of Spotted Gentian (*Gentiana punctata*), and St Bruno's Lily (*Paradisea liliastrum*). Wolfsbane (*Aconitum lycoctonum* subsp. *vulparia*) was also found, together with the bright tangerine-orange of Pinnate-leaved Ragwort (*Senecio abrotanifolius*). The meadows were also extremely rich in orchids, including Lesser Butterfly Orchid (*Platanthera bifolia*), Fragrant Orchids (*Gymnadenia conopsea* agg.), Short-spurred Fragrant Orchid (*Gymnadenia odoratissima*), Small White Orchid (*Gymnadenia albida*) Austrian Vanilla Orchid (*Gymnadenia austriaca*), Black Vanilla Orchids (*Gymnadenia rbellicani*) and Red Vanilla Orchids (*Gymnadenia rubra*). Eventually we dragged ourselves away from these riches, and returned to the hotel for dinner.

Day 7

Saturday 2nd July

Weather: Fine and sunny

Today we journeyed south again to Paneveggio, below the Rolle Pass, driving south to Predazzo, and turning east. We stopped at the Parco Naturale Visitor Centre where we explored the adjacent woods, meadow and river banks. Quantities of May Lily (*Maianthemum bifolium*), Nettle-leaved Speedwell (*Veronica urticifolia*), Whorled Solomon's Seal (*Polygonatum verticillatum*), Wood Stitchwort (*Stellaria nemorum*) and a small clump of Coralroot Orchids (*Corallorhiza trifida*) were found in the wood, while Aconite-leaved Buttercup (*Ranunculus aconitifolius*) was found on the river bank.

From here we made our way up into the Val Venegia, and began our walk through some damp meadows. These held many splendid spikes of *Dactylorhiza majalis* (Broad-leaved Marsh Orchid) and Alpine Broad-leaved Marsh Orchid (*Dactylorhiza alpestris*). A Common Frog was disturbed, and butterflies included Bright-eyed Ringlet and Shepherd's Fritillary. In little pockets in a rock, opposite the Rifugio Malga Venegiota, we found Alpine Fleabane (*Erigeron alpinus*), and some tiny examples of Moonwort (*Botrychium lunaria*). We then passed a cliff with Bluish Paederota (*Paederota baronota*) in flower, Rock Valerian (*Valeriana saxatile*), and a clump of Blue Saxifrage (*Saxifraga caesia*).

We had our picnic on a bank by the path, and then continued on up the path to a point where the trees gave way to major areas of scree. Here, on some very large boulders, we found Dwarf Alpenrose (*Rhodothamnus chamaecistus*), Livelong Saxifrage (*Saxifraga paniculata*), Blue Saxifrage (*Saxifraga caesia*) and, in a deep crevice, a fine specimen of Bear's-ear Primrose (*Primula auricula*). Sadly, the rare endemic Tyrolean Primrose (*Primula tyrolensis*) was over. We also found a large patch of Dwarf Valerian (*Valeriana supina*) while on some scree, we saw a small clump of another Dolomite endemic, Alpine Scurvy-grass (*Rhizobotrya alpina*), together with more Leafless-stemmed Speedwell (*Veronica aphylla*).

After a break for refreshments at the Rifugio Malga Venegiota, we dropped down to the river, to explore the gravel banks. Here we found Yellow Mountain Saxifrage (*Saxifraga aizoides*) and another Mouse-ear. We then took the road to Falcade on the return journey, stopping on the north-east side of the Passo di Valles to look at Rough Saxifrage (*Saxifraga aspera*) and Livelong Saxifrage (*Saxifraga paniculata*) in full flower. We then returned to Tamion for our final evening.

Day 8

Sunday 3rd July

Weather: fine, warm & sunny

After a leisurely breakfast, and with our packing complete, we had a little time to spend before setting off for the airport, so we took the bus up the road to see whether any of the Helleborines were yet in flower. Unfortunately some of the verge had been cut, but we did find both Broad-leaved Helleborine (*Epipactis helleborine*) and Dark Red Helleborine (*Epipactis atrorubens*) frustratingly close to flowering. We then went into the 'top' meadow from our first walk, and noted some of the changes that had happened over the week, as many of the flowers had died off in the hot sun.

We then had to pack the bus, bid farewell to Katia and her family, and retrace our steps south to Venice's Marco Polo airport. We had a good flight back to the UK, our minds full of images of stunning scenery and alpine flowers.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Plants

Scientific name	Common name	Location
PTERIDOPHYTES		
FERNS & ALLIES		
Lycopodiaceae	Clubmoss Family	
<i>Huperzia selago</i>	Fir Clubmoss	Val Venegia
Equisetaceae	Horestail Family	
<i>Equisetum arvense</i>	Field Horsetail	Tamion
<i>Equisetum hyemale</i>	Dutch Rush	Val Venegia
<i>Equisetum palustre</i>	Marsh Horsetail	Val Venegia
<i>Equisetum variegatum</i>	Variiegated Horsetail	Val Venegia
Aspleniaceae	Spleenwort family	
<i>Asplenium ruta-muraria</i>	Wall Rue	Rosengarten
<i>Asplenium viride</i>	Green Spleenwort	Rosengarten
<i>Asplenium adiantum-nigrum</i>	Black Spleenwort	Rosengarten
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Val Venegia
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Roadsides
Dryopteridaceae	Buckler-fern Family	
<i>Dryopteris filix-mas</i>	Male-fern	Val di Monzoni
<i>Polystichum lonchitis</i>	Holly-fern	Rosengarten
Ophioglossaceae	Adder's-tongue Family	
<i>Botrychium lunaria</i>	Moonwort	Val di Sen Nicolò
Polypodiaceae	Polypody Family	
<i>Polypodium vulgare agg</i>	Common Polypody	Val Venegia
Woodsiaceae	Lady-fern Family	
<i>Athyrium filix-femina</i>	Lady-fern	Val di Monzoni
<i>Cystopteris fragilis</i>	Brittle Bladder-fern	Rosengarten
<i>Gymnocarpium dryopteris</i>	Oak Fern	Val Venegia
<i>Gymnocarpium robertianum</i>	Limestone Fern	Val di Sen Nicolò
PINOPSIDA (GYMNOSPERMS)		
CONIFERS		
Cupressaceae	Juniper Family	
<i>Juniperus communis</i>	Common Juniper	Tamion
<i>Juniperus communis subsp. alpina</i>	Dwarf Juniper	Rosengarten
Pinaceae	Pine Family	
<i>Larix decidua</i>	European Larch	Tamion
<i>Picea abies subsp. abies</i>	Spruce	Tamion
<i>Pinus cembra</i>	Arolla Pine	Rosengarten
<i>Pinus mugo</i>	Dwarf Mountain Pine	Rosengarten
<i>Pinus nigra subsp. nigra</i>	Austrian or Black Pine	Val di Monzoni
<i>Pinus sylvestris</i>	Scots Pine	Tamion

Scientific name	Common name	Location
MAGNOLIOPSIDA (ANGIOSPERMS)		
FLOWERING PLANTS		
Magnoliidae (Dicotyledons)		
Apiaceae		
<i>Angelica sylvestris</i>	Wild Angelica	Near Paneveggio
<i>Anthriscus sylvestris</i>	Cow Parsley	Rosengarten
<i>Athamanta cretensis</i>	Athamanta	Tamion
<i>Chaerophyllum hirsutum</i>	Hairy Chervil	Rosengarten
<i>Daucus carota</i>	Wild Carrot	Common
<i>Heracleum mantegazzianum</i>	Giant Hogweed	Near Paneveggio
<i>Heracleum sphondylium</i>	Hogweed	Roadsides
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Tamion
<i>Ligusticum mutellina</i>	Alpine Lovage	Val de Sen Nicolò
<i>Ligusticum mutellinoides</i>	Unbranched Lovage	Rosengarten
<i>Pimpinella major</i>	Greater Burnet-saxifrage	Tamion
<i>Peucedanum ostruthium</i>	Masterwort	Rosengarten
Asteraceae		
<i>Achillea atrata</i>	Dark-stemmed Sneezewort	Cimon della Pala
<i>Achillea clavennae</i>	Silvery Milfoil	Rosengarten
<i>Achillea millefolium</i>	Yarrow	Tamion
<i>Achillea oxyloba</i>	Alpine Sneezewort	Rosengarten
<i>Adenostyles alliariae</i>	Adenostyles	Tamion
<i>Antennaria carpatica</i>	Carpathian Cat's-foot	Cimon della Pala
<i>Antennaria dioica</i>	Cat's-foot	Rosengarten
<i>Arnica montana</i>	Arnica	Tamion
<i>Aster alpinus</i>	Alpine Aster	Tamion
<i>Aster bellidiastrum</i>	False Aster	Tamion
<i>Buphthalmum salicifolium</i>	Yellow Oxeye	Tamion
<i>Carduus defloratus</i>	Alpine Thistle	Tamion
<i>Carduus personata</i>	Great Marsh Thistle	Val de Sen Nicolò
<i>Carlina acaulis</i>	Stemless Carline Thistle	Paneveggio
<i>Centaurea montana</i>	Perennial Cornflower	Paneveggio
<i>Centaurea pseudophrygia</i>	Wig Knapweed	Tamion
<i>Cirsium dissectum</i>	Meadow Thistle	Val Venegia
<i>Cirsium eriophorum</i>	Woolly Thistle	Val de Sen Nicolò (leaves)
<i>Cirsium erisithales</i>	Yellow Melancholy Thistle	Tamion
<i>Cirsium heterophyllum</i>	Melancholy Thistle	Miralago
<i>Cirsium palustre</i>	Marsh Thistle	Val Venegia
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Cimon della Pala
<i>Crepis aurea</i>	Golden Hawk's-beard	Tamion
<i>Doronicum columnae</i>	Heart-leaved Leopard's-bane	Rosengarten
<i>Erigeron acer</i>	Blue Fleabane	Val di Monzoni
<i>Erigeron alpinus</i>	Alpine Fleabane	Passo Pordoi
<i>Erigeron neglectus</i>	Neglected Fleabane	Rosengarten
<i>Erigeron uniflorus</i>	One-flowered Fleabane	Passo Pordoi
<i>Gnaphalium sylvaticum</i>	Heath Cudweed	Val Venegia
<i>Hieracium alpinum agg</i>	Alpine Hawkweed	Cimon della Pala
<i>Homogyne alpina</i>	Alpine Colt's-foot	Val di Monzoni
<i>Hypochaeris uniflora</i>	Giant Cat's-ear	Tamion
<i>Leontodon hispidus</i>	Rough Hawkbit	Tamion
<i>Leontopodium alpinum</i>	Edelweiss	Rosengarten
<i>Leucanthemopsis alpina</i>	Alpine Moon Daisy	Val di Monzoni

Scientific name	Common name	Location
<i>Leucanthemum vulgare</i>	Ox-eye daisy	Tamion
<i>Petasites alba</i>	White Butterbur	Val di Monzoni
<i>Pilosella aurantiaca</i>	Fox-and-Cubs	Val de Sen Nicolò
<i>Pilosella officinarum</i> agg.	Mouse-eared Hawkweed	Tamion
<i>Saussurea alpina</i>		Cimon della Pala (leaves)
<i>Scorzonera aristata</i>	Bearded Viper's-grass	Below Passo Pordoi
<i>Senecio abrotanifolius</i>	Pinnate-leaved Ragwort	Miralago
<i>Senecio cordatus</i>		Val Venegia
<i>Senecio doricum</i>	Chamois Ragwort	Passo Pordoi
<i>Senecio squalidus</i>	Rock Ragwort	Val di Monzoni
<i>Senecio vulgaris</i>	Groundsel	Tamion
<i>Solidago virgaurea</i>	Goldenrod	Rosengarten
<i>Taraxacum</i> agg.	Dandelion	Tamion
<i>Tephrosia longifolia</i> (<i>Senecio ovirensis</i>)	Southern Ragwort	Val Venegia
<i>Tragopogon dubium</i>	a Goat's-beard	Tamion
<i>Tussilago farfara</i>	Colt's-foot	Val di Monzoni
Berberidaceae	Barberry Family	
<i>Berberis vulgaris</i>	Barberry	Tamion
Betulaceae	Birch Family	
<i>Alnus viridis</i>	Green Alder	Val di Monzoni
<i>Betula pendula</i>	Silver Birch	Predazzo (planted)
Boraginaceae	Forget-me-not Family	
<i>Cerinth glabra</i>	Smooth Honeywort	Val de Sen Nicolò
<i>Eritrichium nanum</i>	King of the Alps	Cimon della Pala
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Val di Monzoni
<i>Myosotis arvensis</i>	Field Forget-me-not	Val di Monzoni
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Tamion
<i>Pulmonaria australis</i> (<i>P. visianii</i>)	a Lungwort	Passo Pordoi
Brassicaceae	Cabbage Family	
<i>Arabis caucasica</i> subsp. <i>alpina</i>	Alpine Rock-cress	Val di Monzoni
<i>Arabis bellidifolia</i> subsp. <i>bellidifolia</i>	an Alpine Rock-cress	Passo Pordoi
<i>Arabis hirsuta</i>	Hairy Rock-cress	Rosengarten
<i>Biscutella laevigata</i>	Buckler Mustard	Val di Monzoni
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	Tamion
<i>Cardamine amara</i>	Large Bitter-cress	Passo Pordoi
<i>Cardamine resedifolia</i>	Mignonette-leaved Bitter-cress	Val di Monzoni
<i>Draba aizoides</i>	Yellow Whitlow-grass	Passo Pordoi
<i>Draba dolomitica</i>	Dolomite Whitlow-grass	Cimon della Pala
<i>Draba dubia</i>	Austrian Whitlow-grass	Cimon della Pala
<i>Kernera saxatilis</i>	Kernera	Rosengarten
<i>Petrocallis pyrenaica</i>	Pyrenean Whitlow-grass	Cimon della Pala
<i>Pritzelago</i> (<i>Hutchinsia</i>) <i>alpina</i>	Chamois Cress	Val di Monzoni
<i>Rhizobotrya alpina</i>	Alpine Scurvy-grass	Val Venegia
<i>Thlaspi rotundifolium</i> subsp. <i>rotundifolium</i>	Round-leaved Penny-cress	Below Sella (in seed)
Campanulaceae	Bellflower Family	
<i>Campanula barbata</i>	Bearded Bellflower	Tamion
<i>Campanula cochlearifolia</i>	Fairy's Thimble	Passo Rolle
<i>Campanula glomerata</i>	Clustered Bellflower	Tamion

Scientific name	Common name	Location
<i>Campanula rotundifolia</i>	Harebell	Common
<i>Campanula scheuchzeri</i>	Scheuchz's Bellflower	Tamion
<i>Phyteuma betonicifolium</i>	Betony-leaved Rampion	Val de Sen Nicolò
<i>Phyteuma hemisphaericum</i>	Globe-headed Rampion	Cimon della Pala
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Tamion
<i>Phyteuma ovatum</i>	Dark Rampion	Roadsides
<i>Phyteuma sieberi</i>	a Rampion	Below Sella
Caprifoliaceae	Honeysuckle Family	
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Rosengarten
<i>Lonicera caerulea</i>	Blue-berried Honeysuckle	Rosengarten
<i>Lonicera nigra</i>	Black Honeysuckle	Val de Sen Nicolò
<i>Sambucus racemosa</i>	Red-berried Elderberry	Val de Sen Nicolò
Caryophyllaceae	Pink Family	
<i>Cerastium arvense</i>	Field Mouse-ear	Val di Monzoni
<i>Cerastium fontanum</i>	Common Mouse-ear	Val de Sen Nicolò
<i>Cerastium latifolium</i>	Broad-leaved Mouse-ear	Val Venegia
<i>Cerastium uniflorum</i>	Glacier Mouse-ear	Rosengarten
<i>Dianthus superbus subsp. alpestris</i>	Superb Pink	Val de Sen Nicolò
<i>Gypsophila repens</i>	Alpine Gypsophila	Tamion
<i>Lychnis flos-cuculi</i>	Ragged Robin	Tamion
<i>Minuartia austriaca</i>	Austrian Sandwort	Rosengarten
<i>Minuartia rupestris</i>	Rock Sandwort	Passo Pordoi
<i>Minuartia sedoides</i>	Mossy Cyphel	Cimon della Pala
<i>Minuartia verna</i>	Spring Sandwort	Rosengarten
<i>Silene acaulis</i>	Moss Champion	Val di Monzoni
<i>Silene alpestris</i>	Alpine Catchfly	Rosengarten
<i>Silene dioica</i>	Red Champion	Tamion
<i>Silene nutans</i>	Nottingham Catchfly	Tamion
<i>Silene pusilla</i>	a Catchfly	Val Venegia
<i>Silene rupestris</i>	Rock Catchfly	Val de Sen Nicolò
<i>Silene vulgaris</i>	Bladder Champion	Tamion
<i>Stellaria holostea</i>	Greater Stitchwort	Tamion
<i>Stellaria neglecta</i>	Greater Chickweed	Tamion
<i>Stellaria nemorum</i>	Wood Chickweed	Tamion
Chenopodiaceae	Goosefoot Family	
<i>Chenopodium bonus-henricus</i>	Good King Henry	Rosengarten
Cistaceae	Rock-rose Family	
<i>Helianthemum nummularium</i>	Rock-rose	Tamion
<i>Helianthemum oelandicum subsp. canum</i>	Hoary Rock-rose	Tamion
<i>Helianthemum oelandicum subsp. oelandicum</i>	Alpine Rock-rose	Rosengarten
Crassulaceae	Stonecrop Family	
<i>Rhodiola rosea</i>	Roseroot	Cimon della Pala
<i>Sedum atratum subsp. atratum</i>	Dark Stonecrop	Val Venegia
<i>Sedum sexangulare</i>	Tasteless Stonecrop	Val de Sen Nicolò
<i>Sempervivum arachnoideum subsp. arachnoideum</i>	a Cobweb Houseleek	Val de Sen Nicolò
Dipsacaceae	Teasel Family	
<i>Knautia dipsacifolia</i>	Wood Scabious	Val de Sen Nicolò
<i>Knautia arvensis</i>	Field Scabious	Tamion

Scientific name	Common name	Location
<i>Scabiosa columbaria</i>	Small Scabious	Val de Sen Nicolò
<i>Scabiosa lucida</i>	Shining Scabious	Val de Sen Nicolò
<i>Scabiosa vestina</i>	Tyrolean Scabious	Tamion
Ericaceae	Heather Family	
<i>Arctostaphylos uva-ursi</i>	Bearberry	Val di Monzoni
<i>Arctostaphylos alpina</i>	Alpine Bearberry	Passo Pordoi
<i>Erica carnea</i>	Spring Heath	Tamion
<i>Loiseleuria procumbens</i>	Trailing Azalea	Cimon delle Pala
<i>Rhododendron ferrugineum</i>	Alpenrose	Val di Monzoni
<i>Rhododendron hirsutum</i>	Hairy Alpenrose	Rosengarten
<i>Rhodothamnus chamaecistus</i>	Dwarf Alpenrose	Cimon delle Pala
<i>Vaccinium myrtillus</i>	Bilberry	Val di Monzoni
<i>Vaccinium uliginosum</i>	Bog Whortleberry	Val di Monzoni
<i>Vaccinium vitis-idaea</i>	Cowberry	Rosengarten
Fabaceae	Pea Family	
<i>Anthyllis vulneraria agg</i>	Kidney Vetch	Tamion
<i>Astragalus alpinus</i>	Alpine Milk-vetch	Val de Sen Nicolò
<i>Astragalus australis</i>	Southern Milk-vetch	Miralago
<i>Astragalus glycyphyllos</i>	Wild Liquorice	Passo Pordoi
<i>Astragalus penduliflorus</i>	Mountain Lentil	Val de Sen Nicolò
<i>Genista germanica</i>	German Greenweed	Tamion
<i>Hedysarum hedysaroides subsp. exaltatum</i>	Italian Sainfoin	Passo Pordoi
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Tamion
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Passo Rolle
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Tamion
<i>Onobrychis arenaria</i>	Small Sainfoin	Tamion
<i>Onobrychis montana</i>	Mountain Sainfoin	Tamion
<i>Oxytropis campestris</i>	Yellow Milk-vetch	Passo Pordoi
<i>Oxytropis jacquinii</i>	Mountain Milk-vetch	Tamion
<i>Trifolium alpinum</i>	Alpine Clover	Miralago
<i>Trifolium badium</i>	Brown Clover	Tamion
<i>Trifolium montanum</i>	Mountain Clover	Tamion
<i>Trifolium pratense subsp. pratense</i>	Red Clover	Tamion
<i>Trifolium repens</i>	White Clover	Val de Sen Nicolò
<i>Vicia cracca</i>	Tufted Vetch	Val de Sen Nicolò
<i>Vicia sepium</i>	Bush Vetch	Tamion
Gentianaceae	Gentian Family	
<i>Gentiana acaulis</i>	Trumpet Gentian	Val di Monzoni
<i>Gentiana bavarica</i>	Bavarian Gentian	Rosengarten
<i>Gentiana clusii</i>	Clusius's Gentian	Rosengarten
<i>Gentiana lutea</i>	Yellow Gentian	Cimon della Pala
<i>Gentiana nivalis</i>	Snow Gentian	Val de Sen Nicolò
<i>Gentiana punctata</i>	Spotted Gentian	Cimon della Pala
<i>Gentiana terglouensis</i>	Triglav Gentian	Rosengarten
<i>Gentiana verna</i>	Spring Gentian	Passo Pordoi
<i>Gentianella amarella</i>	Autumn Gentian	Val de Sen Nicolò
<i>Gentianella germanica</i>	Chiltern or German Gentian	Tamion
Geraniaceae	Crane's-bill Family	
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Tamion

Scientific name	Common name	Location
Globulariaceae <i>Globularia cordifolia</i>	Globularia Family Matted Globularia	Tamion
Grossulariaceae <i>Ribes petraeum</i>	Gooseberry Family Rock Redcurrant	Val de Sen Nicolò
Hypericaceae (Clusiaceae) <i>Hypericum maculatum</i>	St John's-wort Family Imperforate St John's-wort	Val de Sen Nicolò
Lamiaceae <i>Acinos alpinus</i> <i>Ajuga pyramidalis</i> <i>Galeopsis bifida</i> <i>Horminium pyrenaicum</i> <i>Lamium album</i> <i>Prunella grandiflora</i> <i>Prunella vulgaris</i> <i>Salvia pratensis</i> <i>Stachys alopecuroides</i> <i>Stachys recta</i> <i>Thymus polytrichus</i>	Dead-nettle Family Alpine Calamint Pyramidal Bugle Bifid Hemp-nettle Dragonmouth White Dead-nettle Large-flowered Self-heal Self-heal Meadow Clary Yellow Betony Yellow Woundwort Wild Thyme	Tamion Val di Monzoni Val Venegia Tamion Val de Sen Nicolò Val de Sen Nicolò Tamion Tamion Tamion Tamion Tamion
Lentibulariaceae <i>Pinguicula alpina</i> <i>Pinguicula leptoceras</i> <i>Pinguicula vulgaris</i>	Bladderwort Family Alpine Butterwort Southern Butterwort Common Butterwort	Rosengarten Passo Rolle Tamion
Onagraceae <i>Chamerion angustifolium</i> <i>Epilobium alpestre</i> <i>Epilobium alsinifolium</i>	Willowherb Family Rosebay Willowherb Whorled Willowherb Chickweed Willowherb	Tamion (leaves) Passo Pordoi Passo Rolle
Orobanchaceae <i>Orobanche gracilis</i>	Broomrape Family Slender Broomrape	Tamion
Oxalidaceae <i>Oxalis acetosella</i>	Wood Sorrel Family Wood Sorrel	Rosengarten
Papaveraceae <i>Papaver aurantiacum (P. rhaeticum)</i>	Poppy Family Rhaetian Poppy	Val di Monzoni
Parnassiaceae <i>Parnassia palustris</i>	Grass of Parnassus Family Grass of Parnassus	Val Venegia
Plantaginaceae <i>Plantago lanceolata</i> <i>Plantago major</i> <i>Plantago media</i>	Plantain Family Ribwort Plantain Greater Plantain Hoary Plantain	Roadsides Tamion Tamion
Plumbaginaceae <i>Armeria maritima subsp. alpina</i>	Thrift Family Mountain Thrift	Rosengarten

Scientific name	Common name	Location
Polygalaceae	Milkwort Family	
<i>Polygala alpestris</i>	Mountain Milkwort	Val di Monzoni
<i>Polygala alpina</i>	Alpine Milkwort	Rosengarten
<i>Polygala chamaebuxus</i>	Shrubby Milkwort	Tamion
<i>Polygala nicaeensis</i>	Nice Milkwort	Tamion
Polygonaceae	Knotweed Family	
<i>Oxyria digyna</i>	Mountain Sorrel	Passo Pordoi
<i>Persicaria vivipara</i>	Alpine Bistort	Tamion
<i>Rumex acetosa</i>	Sorrel	Tamion
<i>Rumex alpinus</i>	Monk's Rhubarb	Val di Monzoni
<i>Rumex scutatus</i>	French Sorrel	Below Sella
Primulaceae	Primrose Family	
<i>Androsace alpina</i>	Alpine Rock-jasmine	Cimon della Pala
<i>Androsace obtusifolia</i>	Blunt-leaved Rock-jasmine	Passo Pordoi
<i>Androsace vitaliana subsp. vitaliana</i>	Vitaliana	Passo Pordoi
<i>Primula auricula</i>	Bear's-ear Primrose	Cimon della Pala
<i>Primula elatior</i>	Oxlip	Passo Pordoi
<i>Primula farinosa</i>	Bird's-eye Primrose	Tamion
<i>Primula halleri</i>	Long-flowered Primrose	Passo Pordoi
<i>Primula minima</i>	Least Primrose	Cimon della Pala
<i>Primula tyrolensis</i>	Tyrolean Primrose	Val Venegia (over)
<i>Primula veris</i>	Cowslip	Rosengarten
<i>Soldanella alpina</i>	Alpine Snowbell	Val di Monzoni
<i>Soldanella pusilla</i>	Dwarf Snowbell	Val di Monzoni
Pyrolaceae	Wintergreen Family	
<i>Moneses uniflora</i>	One-flowered Wintergreen	Tamion
<i>Orthilia secunda</i>	Nodding Wintergreen	Val di Monzoni
<i>Pyrola media</i>	Intermediate Wintergreen	Val de Sen Nicolò
<i>Pyrola rotundifolia</i>	Round-leaved Wintergreen	Passo Pordoi
Ranunculaceae	Buttercup Family	
<i>Aconitum lycoctonum subsp. vulparia</i>	Wolf's-bane	Val de Sen Nicolò
<i>Aconitum napellus</i>	Common Monk's-hood	Val de Sen Nicolò
<i>Anemone baldensis</i>	Monte Baldo Anemone	Passo Pordoi
<i>Aquilegia atrata</i>	Dark Columbine	Tamion
<i>Caltha palustris</i>	Marsh Marigold	Passo Pordoi
<i>Clematis alpina</i>	Alpine Clematis	Rosengarten
<i>Hepatica nobilis</i>	Hepatica	Tamion (leaves)
<i>Pulsatilla alpina subsp. apiifolia</i>	Yellow Pasque Flower	Val di Monzoni
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Paneveggio
<i>Ranunculus acris</i>	Meadow Buttercup	Val di Monzoni
<i>Ranunculus alpestris</i>	Alpine Buttercup	Cimon della Pala
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	Tamion
<i>Ranunculus hybridus</i>	Hybrid Buttercup	Passo Pordoi
<i>Ranunculus montanus</i>	Mountain Buttercup	Passo Pordoi
<i>Ranunculus platanifolius</i>	-	Val de Sen Nicolò
<i>Ranunculus seguieri</i>	Sequier's Buttercup	Cimon della Pala (leaves)
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Rosengarten
<i>Trollius europaeus</i>	Globeflower	Val di Monzoni

Scientific name	Common name	Location
Resedaceae	Mignonette Family	
<i>Reseda lutea</i>	Mignonette	Vigo di Fassa
Rosaceae	Rose Family	
<i>Alchemilla glaucescens</i>	A Lady's-mantle	Tamion
<i>Aruncus dioicus</i>	Goat's-beard Spirea	Roadsides
<i>Dryas octopetala</i>	Mountain Avens	Rosengarten
<i>Filipendula vulgaris</i>	Dropwort	Vigo di Fassa
<i>Fragaria vesca</i>	Wild Strawberry	Tamion
<i>Geum montanum</i>	Mountain Avens	Val di Monzoni
<i>Geum rivale</i>	Water Avens	Val di Monzoni
<i>Potentilla anserina</i>	Silverweed	Tamion
<i>Potentilla aurea</i>	Golden Cinquefoil	Val di Monzoni
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Rosengarten
<i>Potentilla erecta</i>	Tormentil	Tamion
<i>Potentilla nitida</i>	Pink Cinquefoil	Rosengarten
<i>Rosa pendulina</i>	Alpine Rose	Tamion
<i>Rubus fruticosus</i> agg.	Bramble	Val di Monzoni
<i>Rubus idaeus</i>	Raspberry	Tamion
<i>Rubus saxatilis</i>	Stone Bramble	Tamion
<i>Sanguisorba minor</i> agg.	Salad Burnet	Tamion
<i>Sorbus aucuparia</i>	Rowan	Val di Monzoni
<i>Sorbus chamaemespilus</i>	False Medlar	Rosengarten
Rubiaceae	Bedstraw Family	
<i>Cruciata laevipes</i>	Crosswort	Val di Monzoni
<i>Galium anisophyllum</i>	a Bedstraw	Tamion
<i>Galium mollugo</i> subsp. <i>mollugo</i>	Hedge Bedstraw	Tamion
<i>Galium verum</i>	Ladies Bedstraw	Tamion
Salicaceae	Willow Family	
<i>Salix alpina</i>	Alpine Willow	Passo Pordoi
<i>Salix breviserrata</i>	Finely-toothed Willow	Passo Pordoi
<i>Salix caprea</i>	Goat Willow	Tamion
<i>Salix hegetschweileri</i>	Alpine Willow	Rosengarten
<i>Salix herbacea</i>	Least Willow	Passo Pordoi
<i>Salix mielichhoferi</i>	Austrian Willow	Rosengarten
<i>Salix purpurea</i>	Purple Willow	Tamion
<i>Salix reticulata</i>	Net-leaved Willow	Passo Pordoi
<i>Salix retusa</i>	Retuse-leaved Willow	Cimon della Pala
Santalaceae	Sandalwood Family	
<i>Thesium alpinum</i>	Alpine Bastard Toadflax	Val Venegia
<i>Thesium linophyllum</i>	Flax-leaved Bastard Toadflax	Tamion
Saxifragaceae	Saxifrage Family	
<i>Chrysosplenium alternifolium</i>	Alternate-leaved Golden Saxifrage	Rosengarten
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	Val Venegia
<i>Saxifraga aspera</i>	Rough Saxifrage	Passo Valles
<i>Saxifraga caesia</i>	Blue Saxifrage	Rosengarten
<i>Saxifraga exarata</i> subsp. <i>exarata</i>	Musky Saxifrage	Passo Pordoi
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Cimon della Pala (leaves)

Scientific name	Common name	Location
<i>Saxifraga paniculata</i>	Live-long Saxifrage	Val de Sen Nicolò
<i>Saxifraga rotundifolia</i>	Round-leaved Saxifrage	Rosengarten
Scrophulariaceae		
<i>Bartsia alpina</i>	Alpine Bartsia	Val di Monzoni
<i>Euphrasia rosikoviana</i>	an Eyebright	Tamion
<i>Linaria alpina</i>	Alpine Toadflax	Val di Monzoni
<i>Melampyrum sylvaticum</i>	Wood Cow-wheat	Tamion
<i>Paederota bonarota</i>	Bluish Paederota	Rosengarten
<i>Pedicularis elongata</i>	a Yellow Lousewort	Tamion
<i>Pedicularis palustris</i>	Marsh Lousewort	Val Venegia
<i>Pedicularis rosea</i>	Pink Lousewort	Cimon della Pala
<i>Pedicularis rostratocapitata</i>	Beaked Lousewort	Rosengarten
<i>Pedicularis verticillata</i>	Verticillate Lousewort	Tamion
<i>Rhinanthus aristatus</i>	Aristate Rattle	Tamion
<i>Rhinanthus minor agg.</i>	Hay Rattle	Tamion
<i>Scrophularia canina subsp. hoppii</i>	French Figwort	Rosengarten
<i>Verbascum pulverulentum</i>	Hoary Mullein	Tamion
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Rosengarten
<i>Veronica bellidioides</i>	Violet Speedwell	Cimon della Pala
<i>Veronica chamaedrys</i>	Germander Speedwell	Tamion
<i>Veronica fruticans</i>	Rock Speedwell	Rosengarten
<i>Veronica serpyllifolia subsp. serpyllifolia</i>	Thyme-leaved Speedwell	Val Venegia
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Tamion
Thymelaeaceae		
<i>Daphne cneorum</i>	Garland Flower	Val de Sen Nicolò
<i>Daphne mezereum</i>	Mezereon	Rosengarten
<i>Daphne striata</i>	a Daphne	Rosengarten
Urticaceae		
<i>Parietaria judaica</i>	Pellitory of the Wall	
<i>Parietaria officinalis</i>	Large Pelitory of the Wall	
<i>Urtica dioica</i>	Common Nettle	Val di Monzoni
Valerianaceae		
<i>Valeriana dioica</i>	Marsh Valerian	Tamion
<i>Valeriana montana</i>	Mountain Valerian	Rosengarten
<i>Valeriana saxatilis</i>	Rock Valerian	Rosengarten
<i>Valeriana supina</i>	Dwarf Valerian	Rosengarten
<i>Valeriana tripteris</i>	Three-leaved Valerian	Rosengarten
Violaceae		
<i>Viola biflora</i>	Yellow Violet	Val di Monzoni
<i>Viola tricolor subsp. subalpina</i>	Heartsease	Val de Sen Nicolò
Liliidae (Monocotyledons)		
Cyperaceae		
<i>Carex capillaris</i>	Hair Sedge	Val Venegia
<i>Carex caryophyllea</i>	Spring Sedge	Tamion
<i>Carex dioica</i>	Dioecious Sedge	Val Venegia
<i>Carex flacca</i>	Glaucous Sedge	Val Venegia

Scientific name	Common name	Location
<i>Carex nigra</i>	Common Sedge	Tamion
<i>Carex viridula subsp. oedocarpa</i>	Common Yellow Sedge	Tamion
<i>Carex viridula subsp. brachyrrhyncha</i>	Long-bracted Yellow Sedge	Val Venegia
<i>Eriophorum scheuchzeri</i>	a Cotton-grass	Val Venegia
Iridaceae	Iris Family	
<i>Crocus albiflorus</i>	White-flowered Crocus	Cimon della Pala (leaves)
Juncaceae	Rush Family	
<i>Luzula alpinopilosa</i>	Alpine Woodrush	Val di Monzoni
<i>Luzula campestris</i>	Good Friday Grass	Tamion
<i>Luzula luzuloides</i>	White Wood-rush	Tamion
<i>Luzula multiflora agg.</i>	Heath Wood-rush	Val Venegia
<i>Luzula nivea</i>	Snowy Wood-rush	Val di Monzoni
<i>Luzula pilosa</i>	Hairy Wood-rush	Val de Sen Nicolò
<i>Luzula spicata</i>	Spiked Wood-rush	Val Venegia
Liliaceae	Lily Family	
<i>Allium schoenoprasum</i>	Chives	Cimon della Pala
<i>Colchicum autumnale</i>	Autumn Crocus	Tamion
<i>Lillium bulbiferum subsp. bulbiferum</i>	Orange Lily	Tamion
<i>Lillium martagon</i>	Martagon Lily	Tamion
<i>Lloydia serotina</i>	Snowdon Lily	Cimon della Pala
<i>Maianthemum bifolium</i>	May Lily	Tamion
<i>Paradisea liliastrum</i>	St. Bruno's Lily	Val de Sen Nicolò
<i>Paris quadrifolia</i>	Herb Paris	Rosengarten
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Paneveggio
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Tamion
<i>Veratrum album</i>	White False Helleborine	Rosengarten
Orchidaceae	Orchid Family	
<i>Coeloglossum viride</i>	Frog Orchid	Val di Monzoni
<i>Coeloglossum viride var. longibracteatum</i>	Long-bracted Frog Orchid	Val Venegia
<i>Corallorhiza trifida</i>	Coralroot Orchid	Tamion
<i>Cypripedium calceolus</i>	Lady's Slipper Orchid	Tamion
<i>Dactylorhiza alpestris</i>	Broad-leaved Marsh Orchid	Val Venegia
<i>Dactylorhiza fuchsii</i>	Common Spotted-orchid	Tamion
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh Orchid	Val Venegia
<i>Epipactis atrorubens</i>	Dark Red Helleborine	Tamion
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Tamion
<i>Gymnadenia albida</i>	Small White Orchid	Rosengarten
<i>Gymnadenia austriaca</i>	Austrian Vanilla Orchid	Passo Pordoi
<i>Gymnadenia conopsea agg.</i>	Fragrant Orchid	Tamion
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant Orchid	Tamion
<i>Gymnadenia rhellicani</i>	Black Vanilla Orchid	Val de Sen Nicolò
<i>Gymnadenia rubra</i>	Red Vanilla Orchid	Passo Pordoi
<i>Gymnadenia rhellicani x conopsea</i>	a Hybrid	Val de Sen Nicolò
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Tamion
<i>Neottia ovata</i>	Twayblade	Tamion
<i>Ophrys insectifera</i>	Fly Orchid	Tamion
<i>Orchis ovalis</i>	an Early Purple Orchid	Miralago
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Tamion
<i>Traunsteinera globosa</i>	Round-headed Orchid	Tamion

Scientific name	Common name	Location
Poaceae	Grass Family	
<i>Alopecurus pratensis</i>	Meadow Fox-tail	Tamion
<i>Arrhenatherum elatius</i>	False Oat-grass	Tamion
<i>Brachypodium sylvaticum</i>	False Brome	Tamion
<i>Briza media</i>	Quaking-grass	Tamion
<i>Bromus hordeaceus</i>	Soft Brome	Common
<i>Dactylis glomerata</i>	Cock's-foot	Tamion
<i>Festuca glauca</i>	Blue Fescue	Val de Sen Nicolo
<i>Festuca rubra agg.</i>	Red Fescue	Common
<i>Helictotrichon pratense</i>	Meadow Oat-grass	Val di Monzoni
<i>Lolium perenne</i>	Perennial Rye-grass	Common
<i>Melica nutans</i>	Mountain Melick	Tamion
<i>Phleum pratense</i>	Timothy	Tamion
<i>Poa alpina</i>	Alpine Meadow-grass	Val di Monzoni
<i>Poa annua</i>	Annual Meadow-grass	Vigo di Fassa
<i>Poa bulbosa var. vivipara</i>	Bulbous Meadow-grass	Val di Monzoni
<i>Poa nemoralis</i>	Wood Meadow-grass	Tamion
<i>Poa pratense</i>	Smooth Meadow-grass	Tamion
<i>Poa trivialis</i>	Rough Meadow-grass	Tamion
<i>Sesleria caerulea</i>	Blue Moor-grass	Rosengarten
<i>Sesleria sphaerocephala</i>	-	Rosengarten

Birds (✓ = recorded but not counted; h = heard only; D = dead; L = Larva)

	Common name	Scientific name	June/July								
			26	27	28	29	30	1	2	3	
1	Mallard	<i>Anus platyrhynchos</i>								✓	
2	Grey Heron	<i>Ardea cinerea</i>	✓								
3	Little Egret	<i>Egretta garzetta</i>	✓								
4	Northern Goshawk	<i>Accipiter gentilis</i>						✓			
5	Common Kestrel	<i>Falco tinnunculus</i>					✓		✓		
6	Yellow-legged Gull	<i>Larus michahellis</i>	✓	✓							
7	Rock Dove/Feral Pigeon	<i>Columba livia</i>	✓	✓	✓			✓			
8	Common Cuckoo	<i>Cuculus canorus</i>		H	H	H					
9	Common Swift	<i>Apus apus</i>	✓				✓		✓	✓	
10	Great Spotted Woodpecker	<i>Dendrocopos major</i>			✓			H	H		
11	Black Woodpecker	<i>Dryocopus martius</i>		✓							
12	European Green Woodpecker	<i>Picus viridis</i>						H			
13	Eurasian Jay	<i>Garrulus glandarius</i>	✓	✓	✓			✓			
14	Common Magpie	<i>Pica pica</i>	✓	✓	✓	✓	✓	✓	✓	✓	
15	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>		H	✓			✓	5	✓	
16	Alpine Chough	<i>Pyrrhocorax graculus</i>			✓	✓			20	✓	
17	Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓	✓	✓	✓	
18	Hooded Crow	<i>Corvus cornix</i>						✓	✓		
19	Common Raven	<i>Corvus corax</i>					✓			H	
20	Marsh Tit	<i>Poecile palustris</i>								✓	
21	Coal Tit	<i>Parus ater</i>		✓	✓	✓	✓	✓	✓	✓	
22	Great Tit	<i>Parus major</i>		✓	✓	✓	✓	✓	✓	✓	
23	European Blue Tit	<i>Cyanistes caeruleus</i>		✓	✓	✓	✓			H	
24	Eurasian Skylark	<i>Alauda arvensis</i>							✓		
25	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓	✓	✓	✓	
26	Common House Martin	<i>Delichon urbicum</i>					✓	✓	✓	✓	

	Common name	Scientific name	June/July							
			26	27	28	29	30	1	2	3
27	Common Chiffchaff	<i>Phylloscopus collybita</i>		H	H	✓	H	✓	H	
28	Blackcap	<i>Sylvia atricapilla</i>		✓		✓			H	
29	Goldcrest	<i>Regulus regulus</i>		✓	✓	✓	✓	✓	✓	
30	Winter Wren	<i>Troglodytes troglodytes</i>		✓	✓	H	H		✓	
31	Eurasian Nuthatch	<i>Sitta europaea</i>			H					
32	Common Starling	<i>Sturnus vulgaris</i>	✓							
33	Ring Ouzel	<i>Turdus torquatus alpestris</i>				✓			✓	
34	Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓	✓	✓	
35	Fieldfare	<i>Turdus pilaris</i>	✓	✓	✓	✓	✓	✓	✓	
36	Song Thrush	<i>Turdus philomelos</i>		✓	H	✓	✓	✓	✓	
37	Mistle Thrush	<i>Turdus viscivorus</i>		✓			✓	✓	✓	
38	European Robin	<i>Erithacus rubecula</i>		H						
39	Black Redstart	<i>Phoenicurus ochruros</i>		✓	✓	✓	✓	✓	✓	
40	Common Redstart	<i>Phoenicurus phoenicurus</i>			✓		✓			
41	Stonechat	<i>Saxicola</i>						✓		
42	Northern Wheatear	<i>Oenanthe oenanthe</i>				✓				
43	House Sparrow	<i>Passer domesticus</i>			✓	✓	✓	✓	✓	
44	Italian House Sparrow	<i>Passer italiae</i>	✓	✓			✓	✓	✓	
45	Alpine Accentor	<i>Prunella colaris</i>						✓		
46	White Wagtail	<i>Motacilla alba</i>	✓	✓	✓	✓	✓	✓	✓	
47	Water Pipit	<i>Anthus spinoletta</i>				H				
48	Tree Pipit	<i>Anthus trivialis</i>					✓	✓	H	
49	Common Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓	✓	✓	✓	✓	
50	European Serin	<i>Serinus serinus</i>		✓				✓	✓	
51	Eurasian Siskin	<i>Carduelis spinus</i>		✓						
52	European Goldfinch	<i>Carduelis carduelis</i>		H			✓		✓	
53	Common Redpoll	<i>Carduelis flammea</i>					✓			
54	Common Linnet	<i>Acanthus cannabina</i>		✓				✓		
55	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>					H	✓	✓	
56	Yellowhammer	<i>Emberiza citrinella</i>				H				

Butterflies

1	Large White	<i>Pieris brassicae</i>				✓				
2	Small White	<i>Pieris rapae</i>		✓	✓	✓			✓	
3	Mountain Green-veined White	<i>Pieris bryoniae</i>			✓	✓			✓	
4	Small Copper	<i>Lycaena virgaureae</i>				✓				
5	Sooty Copper	<i>Lycaena tityrus</i>		✓						
6	Little Blue	<i>Cupido minimus</i>		✓	✓		✓		✓	
7	Mazarine Blue	<i>Cyaniris semiargus</i>		✓	✓		✓	✓	✓	
8	Common Blue	<i>Polyommatus icarus</i>		✓				✓		
9	Alpine Blue	<i>Albulina orbitulus</i>						✓		
10	Small Tortoiseshell	<i>Aglais urticae</i>		✓	✓	✓	✓	✓	✓	
11	Red Admiral	<i>Vanessa atalanta</i>		✓		✓	✓		✓	
12	Painted Lady	<i>Vanessa cardui</i>		✓						
13	Shepherd's Fritillary	<i>Boloria pales</i>		✓					✓	
14	Pearl-bordered Fritillary	<i>Boloria euphrosyne</i>		✓					✓	
15	Speckled Wood	<i>Pararge aegeria</i>		✓						
16	Alpine Heath	<i>Coenonympha gardetta</i>					✓			
17	Small Heath	<i>Coenonympha pamphilus</i>		✓						
18	Ringlet	<i>Aphantopus hyperanthus</i>		✓						
19	Meadow Brown	<i>Maniola jurtina</i>		✓						

	Common name	Scientific name	June/July								
			26	27	28	29	30	1	2	3	
20	Scotch Argus	<i>Erebia aethiops</i>			✓				✓		
21	Bright-eyed Ringlet	<i>Erebia oeme</i>								✓	
22	Dewy Ringlet	<i>Erebia pandrose</i>				✓			✓	✓	
23	Dingy Skipper	<i>Erynnis tages</i>		✓							
24	Grizzled Skipper	<i>Pyrgus malvae</i>		✓	✓	✓	✓	✓	✓	✓	
25	Alpine Grizzled Skipper	<i>Pyrgus andromedae</i>		✓	✓	✓	✓	✓	✓	✓	

Macro Moths

1	Forester	<i>Adscita stactices</i>					✓				
2	a Burnet Moth	<i>Zygaena osterodensis</i>					✓				
3	Chimney Sweeper	<i>Odezia atrata</i>		✓			✓				
4	Speckled Yellow	<i>Pseudopanthera macularia</i>				✓					
5	Hummingbird Hawkmoth	<i>Macroglossum stellatarum</i>		✓							
6	A brown & orange moth	<i>Psodos quadrifaria</i>			✓						
7	Ghost Swift	<i>Hepialus humuli</i>					✓				
8	A grey speckled moth	<i>Charissa pullata</i>								✓	

Micro Moths

1	Small Magpie	<i>Eurrhpara hortulata</i>					✓				
---	--------------	----------------------------	--	--	--	--	---	--	--	--	--

Others & invertebrates

1	Field Cricket	<i>Gryllus campestris</i>	H	H	H	H	✓	H	H	H
2	Garden Chafer	<i>Phyllopertha horticola</i>		✓	✓		✓			
3	a Chafer	<i>Hoplia caerulea</i>		✓			✓			
4	a Chafer	<i>Hoplia argentea</i>		✓						
5	Rose Chafer	<i>Cetonia aurata</i>					✓		✓	L
6	7-Spot Ladybird (black/ red spots)	<i>Coccinella 7-punctata</i>			✓					
7	Longhorn Beetle	<i>Monochamus sartor</i>					✓			
8	Leaf Beetle	<i>Clytra 4-punctata</i>							✓	
9	Leaf Beetle	<i>Chrysolina coeruleans</i>		✓						
10	Crab Spider (Yellow)	<i>Misumena vatia</i>		✓						

Mammals

1	Red Fox	<i>Vulpes vulpes</i>							✓	
2	Fallow Deer	<i>Dama dama</i>		✓						
3	Alpine Marmot	<i>Marmotta marmotta</i>				✓		✓		
4	Snow Vole	<i>Microtis nivalis</i>						✓		

Reptiles & Amphibians

1	Common Frog	<i>Rana temporaria</i>							✓	
2	Common Lizard	<i>Zootoca vivipara</i>		✓						
3	Slow Worm	<i>Anguis fragilis</i>					✓	D		

Molluscs

1	Roman Snail	<i>Helix pomatia</i>		✓						
---	-------------	----------------------	--	---	--	--	--	--	--	--