

Wild Flowers of Sicily

Naturetrek Tour Report

3 – 10 May 2017



Cretan Scabious



Pale Ophrys



Borage



Ragusa's Nine-spotted Moth

Report and images by Jessica Turner



Naturetrek

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

England

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Jessica Turner and Julia Quinonez (leaders) with 14 Naturetrek clients

Summary

Sicily is a fascinating island with a great range of plants. Mount Etna dominates the north-east of the island, resulting in some very specific habitats and endemic plants. The eruptions of Spring 2017 gave us the opportunity to experience a very recent lava flow, as well as seeing how the vegetation starts to colonise the older areas. In the Madonies and the Bosco di Ficuzza, the orchids were particularly fine, despite some confusing variations or hybrids! The birds, insect life and other wildlife were also enjoyed, along with delicious food and comfortable hotels. Thanks to the group members for their contributions too, towards a great week in a delightful location.

Day 1

Wednesday 3rd May

Gatwick to Catania; slopes of Mount Etna

Twelve group members met Jessica and Julia at Gatwick Airport for our 6.35am flight to Catania. Despite some delay in take-off, we made up time in the flight. As we came into land, we could see very clearly the towering cone of Mount Etna, above its ring of cloud. Having collected our luggage, we met the final two group members, who had joined us from the 'Spring Birding in Sicily' tour. We sorted the vehicles, loaded up, and soon joined the north-bound A18. We stopped for a snack lunch at a service station, with smart Spanish or Spanish-Italian hybrid Sparrows hopping around. We left the autostrada at the Giarre exit and made our way up to our hotel, the Case Perrotta on the outskirts of Sant'Alfio, where we received a warm welcome from Valentina. The hotel was once a monastery, then a winery, and has some fascinating and quite quirky buildings. We settled into our rooms and, after a short break, met to start our exploration of the area.

We drove up the road from Case Perrotta, stopping by a little chapel above Milo. Here, we noted the lava which was starting to be colonised by vegetation. The Mount Vesuvius lichen (*Stereocaulon vesuvianum*) is the first coloniser, followed later by plants such as Red Valerian (*Centranthus ruber*), Etna Sorrel (*Rumex scutatus* forma *aetnensis*) and Woad (*Isatis tinctoria* subsp. *canescens*). Etna Broom (*Genista aetnensis*) was common, although not in flower. We also found some Narrow-leaved Lupins (*Lupinus angustifolium*), a tiny pink *Petrorhagia dubia*, a pale form of Fodder Vetch (*Vicia villosa* subsp. *ambigua*), and Jersey Fern (*Anogramma leptophylla*). We found several Clovers, including Hare's-foot (*Trifolium arvensis*), Starry (*T. stellatum*) and *T. chesteri*. A tiny speciality was the Perennial Knawel *Scleranthus perennis* subsp. *vulcanicus*. Neighbouring established woodland held Downy Oak (*Quercus pubescens*). Being under Etna's ring of cloud, we could not see the summit. A Nightingale sang from some scrub, but we could not see it.

We then drove back to Case Perrotta, where we explored the extensive grounds, finding beautiful shows of Woad and Narrow-leaved Lupins, the 'usual'-coloured Fodder Vetch (*Vicia villosa*), and the two-tone pea *Lathyrus chymenum*. Grasses included Hare's-foot Grass (*Lagurus ovatus*) and Large Quaking Grass (*Brizia maxima*).

We met again after a break to discuss plans for the week and to start our checklists, before enjoying a delicious dinner. After such an early start for most, we then retired for some much-needed sleep.

Day 2

Thursday 4th May

Eastern slopes of Etna

Today we travelled from sea to mountain, ascending the eastern slopes of Mount Etna. Early birders reported good sightings of Subalpine Warblers in the grounds plus other species, including the ever-present Hoopoe and Nightingales. After a good breakfast, and with picnic supplies bought, we descended to the coast near Cottone, where the Fiumefreddo River enters the sea. Here, early finds included Three-horned Stock (*Matthiola tricuspidata*), Sea Stock (*Matthiola sinuata*), Sea Rocket (*Cakile maritima*) and Yellow Horned-poppy (*Glaucium flavum*). We were able to compare Crown Daisy with Corn Marigold (*Glebionis coronarium* and *G. segetum*). Tree Sparrows were flitting around the Eucalyptus trees and a Yellow-legged Gull flew by. Some of the group tested the sea temperature and enjoyed a paddle. We then moved on a short distance inland, to the Fiumefreddo Nature Reserve. Fiumefreddo means 'cold river', and the river carries the snow-melt from Etna. The low water temperature allows a number of different species to thrive which are rare elsewhere in Sicily. We parked in the shade and looked at a wall which bore many plants of Phagnalon (*Phagnalon rupestre*) and Annual Bellflower (*Campanula erinus*), before walking down the narrow path to the reserve. We were immediately struck by the lushness of the vegetation. Giant Reed (*Arundo donax*), White Willow (*Salix alba*) and White Poplar (*Populus alba*) towered above us, but so did Yellow Flag (*Iris pseudacorus*), Stinging Nettles (*Urtica dioica*) and Cretan Thistles (*Cirsium creticum*). Other plants included Water Mint (*Mentha aquatica*) and False Fox Sedge (*Carex cuprina*, formerly *C. otrubae*). One of the specialities of the reserve is Papyrus (*Cyperus papyrus siculus*). Cetti's Warbler and a Nightingale were singing, a flock of Bee-eaters passed overhead, and Italian Wall Lizards were enjoying the morning sun. Insects included Lesser Emperor dragonfly, Copper Demoiselle and Speckled Wood. In the adjacent meadow, we found *Lythrum hyssopifolia*, Lesser Swine-cress (*Coronopus didymus*) and plenty of Scarlet Pimpernel (*Anagallis arvensis*), though only the red form. Clouded Yellow and Large White butterflies were seen.

We then started to ascend the slopes of Etna, stopping for lunch above Linguaglossa, in what proved to be a very floristically-rich spot. Here we found forms of Green-winged Orchids (*Anacamptis morio* subsp. *morio* and the sparser subsp. *picta*), Toothed Orchids (*Neotinea tridentata*), Roman Orchids (*Dactylorhiza romana*), most of which had gone over but some were in good condition, a spike of Elder-flowered Orchid (*Dactylorhiza sambucina*), Dense-flowered Orchid (*Neotinea maculata*), emerging Pink Butterfly Orchid (*Anacamptis papilionacea*) and Violet Bird's-nest Orchid (*Limodorum arbortivum*). We also found a Green-winged x Pink Butterfly hybrid (*Anacamptis x gennarii*). A shady quarry held carpets of Spring Sowbread (*Cyclamen repandum*), and other plants included Cornflower (*Cyanus segetum*), bright pink Fedia (*Fedia cornucopiae*), and yellow *Biscutella didyma*.

Eventually we continued our climb, with our final main stop being Piano Provenzana (1785 metres) where we saw the 2002/3 lava flow, still very stark and black, but starting to be colonised in places. Here, we found many of the specialised and endemic species which survive in the hostile conditions of the volcano, which we had already seen elsewhere. In areas not affected by this flow, Juniper (*Juniperus communis* subsp. *hemisphaerica*), Etna Barberry (*Berberis aetnensis*), and Etna Milk-vetch (*Astracantha sicula*) sheltered quantities of Etna Pansy (*Viola aetnensis*), in shades from deep purple, through blue, lilac and yellow, to cream. Other plants here included *Potentilla calabra* and Etna Stonecrop (*Sedum aetnensis*), while birds feeding on the larva included Black Redstart, and Northern and Black-eared Wheatears. After a stop for refreshments at one of the bars, we returned to Sant' Alfio. After a break, we met to discuss the day, update our lists, and enjoy another delicious

dinner, before retiring after a long but fascinating day. As part of the feast of Sant'Alfio, local houses, including Case Perrotta, lit small bonfires at their gates at 8pm.

Day 3

Friday 5th May

Mount Etna

Today dawned fine, with some cloud around the summit of Etna. Bee-eater, Cuckoo, Hoopoe and Great Spotted Woodpecker were amongst the early morning birds, while Moorish Geckos and Italian Wall Lizard were seen on building walls. After a delicious breakfast, we set off through Zafferana, where we stopped to buy the picnic. While Jessica and Julia were shopping, group members saw Serin, and many Common plus a few Pallid Swifts. We then continued westwards, climbing the southern slopes of the volcano to reach the Rifugio Sapienza, the starting point for our ascent. Here, at 1900 metres, it was rather more chilly than at lower altitudes.

The first part of our journey was by cablecar to the Piccolo Rifugio at 2500 metres, where we transferred to the 4-wheel drive buses for the climb further, to c.2800 metres, the summit currently being 3340 metres, but changing with any eruption. Etna had been rather active this spring and the landscape had changed, with new lava flows and much new ash and dust coating everything. We climbed through banks of permanent snow and ice but, in general, there was relatively little lying snow, testament both to the warm weather and the volcanic activity. We could see a fumarole above, steaming away. Where we stopped, we were given the opportunity to walk across a lava flow to view an old, collapsed caldera. The lava on which we were walking was only 15 days old – surely the youngest piece of mountain underfoot for any of us! With a small lava flow, it only needs to cool for a few days before it is safe to walk on but, in places, we could feel the heat radiating around us. We had hazy but amazing views in all directions, and a Raven was spotted in the caldera. The wind was stirring the volcanic dust, so we were pleased to have refreshments at the half-way rifugio, before completing our descent to the car park. The whole group agreed it had been an amazing experience.

We then drove down south-westwards, finding a picnic spot in the shade by the Astrophysics Observatory. Exploring the area, we saw again species we'd seen the previous day such as Etna Tansy (*Tanacetum siculus*), Etna Barberry (*Berberis aetnensis*) and the leaves of the Ragwort *Senecio ambiguus*. We found a couple of plants with very tiny but beautiful flowers: the vetch *Vicia lathyroides*, and the Forget-me-not *Myosotis incrassata*. A Queen of Spain Fritillary was seen. Moving on, we stopped by an area of scrubby trees in a lava flow, finding a few spikes of Elder-flowered Orchid (*Dactylorhiza sambucina*) in shades of salmon-pink. Two Rock Buntings were seen on the lava flow, and a Blue Tit was nesting in a hole in the lava. We then drove back past the Rifugio Sapienza, stopping at a more extensive area of Sweet Chestnut woodland. Under the trees were carpets of the golden Leopard's-bane *Doronicum orientale*, plus Southern Daisy (*Bellis sylvestris*). There were more Elder-flowered Orchids here, in the more usual magenta and lemon shades. We also found many emerging spikes of Greater Broomrape (*Orobanche rapum-genistae*) parasitising the Etna Broom (*Genista aetnensis*). Common Blue and Small Heath butterflies were noted.

We then returned to Sant'Alfio. Along the way we passed several specimens of Manna Ash (*Fraxinus ornus*) and extensive stands of the yellow Thorny Broom (*Calicotome infesta*). A band was playing at several localities, including Case Perrotta, as part of the feast of Sant'Alfio, and another small bonfire was lit at the hotel gate at 8pm.

Day 4

Saturday 6th May

Transfer to Madonie Mountains

Today we moved on to our second destination, in the Madonie Mountains, further west, towards the north coast of the island. The geology of the Madonies is predominantly Carboniferous and Dolomitic limestone, and so provides a very different habitat and flora to that of Mount Etna.

We stopped to shop in Sant'Alfio, where everyone was preparing for the feast of their saints, and we were serenaded by another band. We then dropped down to the A18 towards Catania, then turning west on the A19. Along the way we noted Spotless Starlings, perched on the barriers on the edge of the autostrada, and some beautiful stretches of Blue Stonecrop (*Sedum caeruleum*), a reddish plant with pale blue flowers, and a Sicilian speciality. As we continued westwards, we saw large areas of Italian Sainfoin (*Hedysarum coronarium*), a native plant which is also cultivated as a fodder crop. We stopped for a break near Enna, where the blue form of Scarlet Pimpernel was found. We turned off the autostrada at Tremonzelli, towards Castellana Sicula, stopping after a few kilometres to look at the verges and field margins. Here we admired the wild Sweet Pea (*Lathyrus odoratus*), Italian Gladiolus (*Gladiolus italicus*), Yellow Asphodel (*Asphodeline lutea*), and Borage (*Borago officinalis*), amongst other species. A strange musty smell was linked to a tree infested with bright green beetles, later identified as the blister beetle Spanish Fly, which emits this odour. Corn Buntings were singing their jangly songs.

We stopped for lunch on the edge of Castellana Sicula, where Horse-chestnut trees provided some shade. We then took the road towards Petralia Soprana, stopping just below a hairpin bend to explore the grassy area. Here, we found many spikes of Sombre Bee Orchid (*Ophrys fusca* agg.), together with Pink Butterfly Orchids (*Anacamptis papilionacea* var. *grandiflora*), Long-spurred orchids (*Anacamptis morio* subsp. *longicornis*), dark Ophrys (*Ophrys sphegodes* subsp. *atrata*), Bertoloni's Bee Orchid (*Ophrys bertolonii*), Plough-share and Common Tongue Orchids (*Serapias vomeracea* and *S. lingua*), and a hybrid between them, *S. × intermedia*. We had to be very careful where we put our feet! Other plants included Bithynian Vetch and a pale blue form of Fodder Vetch (*Vicia bithynica* and *V. villosa*), Field Eryngo (*Eryngium campestre*) and big patches of Yellow Asphodel, while the sculptural *Carthamus pinnatus* and Red Star Thistle (*Centaurea calcitrapa*) were in the layby. Butterflies included Common Blue, Brown Argus and Clouded Yellow, a bright red Ladybird Spider was photographed and we found caterpillars of two moths, a Lackey and of Grass Eggar. Swallows were swooping low, and a male Stonechat showed well.

Eventually, we had to tear ourselves away from this beautiful place. We continued to climb up into the mountains, enjoying the views down to the sea to our north, and the late-afternoon sun. We soon arrived at our hotel, the Pomieri, which is perched on a hill with all-round views of the mountains, and was our base for the next four nights. We received a warm welcome from Ezio, Jacopo and Giuseppe, and soon settled into our rooms before meeting to discuss the day and enjoy a good dinner.

Day 5

Sunday 7th May

Vallone Madonna degli Angeli and Piano Battaglia

We woke to another fine, sunny and breezy day. Our main objective was to visit the Vallone Madonna degli Angeli, below Monte San Salvatore, which holds the last remaining site for the very rare Nebrod or Sicilian

Fir (*Abies nebrodensis*). About forty or so mature trees remain in the world, although there are a number of seedlings (all carefully tagged and recorded). Most of the group were dropped at the start of the walk, with time to explore, while a couple, plus Jessica and Julia, went on to the hill-top village of Polizza Generosa, where Jessica and Julia shopped for the picnic. As we were driving, a black Western Whip Snake crossed the road in front of us. Retracing our steps a little, we then parked in an area of Corsican Pine (*Pinus nigra* subsp. *laricio*), by the gates marking the start of the walk. A small hillock to the right of the path immediately drew our attention, with *Iris pseudopumila*, and several different *Ophrys*. The *Ophrys* species are quite confusing, as differences between them are slight, and they hybridise readily. While some botanists class them as separate species, there is a move now, with DNA analysis, only to recognise them as, at best, subspecies or only as varietal forms. We found an endemic variant of the Yellow Bee Orchid (*Ophrys lutea* subsp. *galilea*), recognised by some as *Ophrys archimedeae*. More straightforward was Brancifort's Orchid (*Orchis brancifortii*).

We set off up the path, initially through trees; a Short-toed Treecreeper and Coal Tit were seen, while others reported Firecrest. Near the first bend we found Naked Man Orchid (*Orchis italica*), Man Orchid (*Orchis anthropophora*), more Brancifort's Orchid, Yellow Bee Orchid (*Ophrys lutea*) and *Ophrys tenthredinifera* var. *grandiflora*, a Sicilian form of Sawfly Orchid. The track began to rise, becoming stonier, and with scree and cliffs to the sides. In this apparently very dry habitat, we found Golden Drops (*Onosma echioides* subsp. *canescens*), Candytuft (*Iberis pruitii*), mauve Sicilian Sad Stock (*Matthiola fruticulosa* var. *sicula*), the stunning blue flax, *Linum punctatum*, an endemic Alison, *Alyssum nebrodense*, and Amelanchier (*Amelanchier ovalis*) in full flower. Further up was the bellflower Edraianthus (*Edraianthus graminifolium*), Spring Cyclamen (*Cyclamen repandum*) were growing under the trees and bushes, and a surprise was a large and flowering spike of Violet Bird's-nest Orchid (*Limodorum abortivum*). Butterflies included Little Blue, and we also noted a couple of Humming-bird Hawk-moths. Where the path divided, we scanned the hillsides opposite, seeing a number of the trees. Some of us then took the right hand 'Sentiero Abies', and soon found a specimen tree and several seedlings, although surrounding vegetation made photography quite challenging.

We ate our picnic on the low walls by the start of the walk before driving back up the road and stopping by some rocky meadows. Here we found many more Brancifort's Orchids, together with two forms of Yellow Bee Orchid (*Ophrys lutea* subsp. *lutea*, and one spike of *Ophrys lutea* subsp. *galilea*, formerly known as *Ophrys sicula*), and some fine Bertoloni's Bee Orchid (*Ophrys bertolonii*). We also noted the sculptural basal-leaf rosettes of *Jurinea bocconii* and *Carthamus pinnatus*. Unfortunately, the rifugio where we had planned to stop for coffee was closed, so we moved on.

We then explored the top of Piano Battaglia. This is an area of boulder-strewn hillsides, at 1600 metres above sea level, with streams leading to a sink hole. We walked through the Daisies (*Bellis perennis* var. *strobliana*) and white stars of Mountain Star of Bethlehem (*Ornithogalum montanum*), with patches of Yellow Star of Bethlehem (*Gagea liotardii*). By the sink hole, where snow had lain longer, we found the deep blue Alpine Squill (*Scilla bifolia*) and pink Bird-in-a-bush (*Corydalis solida*) together with Lesser Celandine (*Ficaria verna* agg.). A large patch of Tazetta or Bunch-flowered Narcissi (*Narcissus tazetta*) was found by a stream, but the flowers were pretty well over. A flock of Red-billed Choughs were playing about, along with Hooded Crows, while Cirl Buntings were heard. We returned to the hotel, with time for a break or for local exploration, before meeting to go through our lists, discuss plans, and enjoy another excellent meal.

Day 6

Monday 8th May

Bosco di Ficuzza

Today, we set out to explore the Bosco di Ficuzza, some distance from Pomieri, but known to be a good place for orchids. We set off over Piano Battaglia and down towards Piano Torre. We stopped to admire some fine white Peonies (*Paeonia mascula*) by the road, along with carpets of Spring Sowbread (*Cyclamen repandum*), then in Collesano to shop for our picnic. A little further on, we stopped just after a bend to explore a rough field. Here we found a spiked Star of Bethlehem, *Ornithogalum narbonense*, tall, pinkish and some white heads of *Allium nigrum*, Rosy Garlic (*Allium roseum*) and an *Allium* with white starry flowers, *Allium subhirsutum*. Further exploration of the meadow showed quantities of the beautiful Blue Convolvulus (*Convolvulus tricolor*), the golden thistle-like Oyster Plant (*Scolymus grandiflora*), and the blue thistle-like *Carthamus caeruleus*. We found two different Yellow Star-thistles, not quite in flower: the usual *Centaurea solstitialis*, which has a winged stem, and *Centaurea sicula*, which does not. As we were about to leave, we also found some large spikes of *Ornithogalum arabicum* and Blue Hound's-tongue (*Cynoglossis creticum*). Turtle Doves were purring, and amongst the insect life we found Red-veined Darter dragonflies and Aetherie Fritillary, the latter a very localised species of southern Iberia, Sicily and north Africa.

We continued down to Campofelice where we stopped for fuel, and towards Palermo before continuing on to the Villabate exit, shortly before the outskirts of the city. From here we drove south-west down as far as Bolognetta, where we joined the SS118. After the town of Marineo we passed the Lago dello Scanzano and turned up towards Ficuzza, where King Fernando III (of Sicily, but IV of Naples) had a grand hunting lodge. We stopped for refreshments in this tiny village before continuing to climb into the woodland, which lies underneath the imposing Rocca Busambra.

We drove further up the hillside, finding a pull-in with magnificent views. The group explored while Jessica and Julia prepared lunch and, afterwards, we explored together. Here we found our target species, Pale Ophrys (*Ophrys fusca* subsp. *pallida*), of which most of the world population grows only in this area. Once we had got our eyes tuned to this small *Ophrys*, we found quite a number of spikes, some very fresh. We also found Provence Orchid (*Orchis provincialis*), a few spikes of Sombre Bee Orchid (*Ophrys fusca* agg.), Long-spurred Orchid (*Anacamptis morio* subsp. *longicornu*) and Tongue Orchids (*Serapias lingua*). A patch of the small blue iris Barbary Nut (*Moraea sisyrinchium*) was nice to see, as they only flower in the afternoon. Other species included Pink Hawk's-beard (*Crepis rubra*), some specimens of which had a very yellowish tinge, indicating hybridisation, probably with the yellow Smooth Hawk's-beard (*Crepis capillaris*), and plenty of starry-flowered *Allium subhirsutum*. Insects included the strange-looking Ascalaphids, and we had excellent views of the Sicilian subspecies of Long-tailed Tit. Eventually we moved back down towards the village where we explored another area, finding Beaked Ophrys (*Ophrys fuciflora* subsp. *oxyrrhyncos*) and Naked Man Orchid (*Orchis italica*). It was then time to set out on the long journey home, returning via Castellana Sicula. We enjoyed the evening light and beautiful views, until these were obscured by low cloud which enveloped the hotel. We all agreed that it had been a very enjoyable day.

Some of the group had opted to walk from the hotel, climbing the mountain opposite the hotel. They reported, amongst other sightings, Peonies, Nebrod Thrift (*Armeria canescens* subsp. *nebrodense*), Choughs and Glanville Fritillary butterfly. They too had had an excellent day.

Day 7

Tuesday 9th May

Isnello; Gibilmanna; Isnello Gorge

It was cooler and cloudier today, as we set off, up over Piano Battaglia. Our first stop was at below Piano Torre, where we found several spikes of the beautiful Lacaïta's Ophrys (*Ophrys fuciflora* subsp. *lacaïtae*). There was a good patch of Round-leaved Birthwort (*Aristolochia rotunda*) on the verge as well. We then moved down to the hillside village of Isnello, where we parked and explored the narrow streets and the market, while Jessica and Julia shopped for the picnic.

Our main destination for the morning was an area around the Sanctuary of Gibilmanna, on the north-facing slope of the Madonies. We parked below the church and set off along a footpath. Very soon we were finding spikes of Violet Limodore (*Limodorum abortivum*), with several growing close together in the light shade of Holm Oaks (*Quercus ilex*). Nearby were large, dark red spikes of a Broomrape, *Orobanche variegata*. Three species of Cistus: Sage-leaved (*Cistus salviflorus* with large white flowers), Narrow-leaved (*Cistus monspeliensis* with small white flowers) and the pink *Cistus creticus* were all abundant, indicating a more Mediterranean feel to the flora. As the path progressed, we also found Spotted Rock-rose (*Tuberaria guttata*), French Lavender (*Lavendula stoechas*) and Tree Heather (*Erica arborea*). It was pleasantly warm in the sun. We returned along the same path, overlooking a turquoise sea, so different from the mountains we had left.

We descended to a shady meadow for our final picnic, where Nuthatches were feeding amongst the Oak trees. We then retraced our steps towards Isnello, stopping at the river gorge before the village. On the rock faces were Cretan Scabious (*Scabiosa cretica*) with beautiful seedheads, while other plants above the gorge included Tree Spurge (*Euphorbia dendroides*), Crupina (*Crupina crupinastrum*), Bladder Vetch (*Tripodion tetraphyllum*) and Dodder (*Cuscuta epithymum*), together with an endemic Genista (*Genista ephedroides*). House Martins were nesting under the road bridge and a few Sand Martins were also seen, while Sicilian Wall Lizards and a Ragusa's Nine-spotted moth (a more southern species than the usual Nine-spotted, which is not in Sicily) gave prolonged views.

We decided then to return to Isnello, for a genuine 'gelato', which we enjoyed in the afternoon sun. A Fox walked down the pavement before disappearing through a fence, while on the return journey a group of Fallow Deer were seen. After a break, we met to complete our lists and enjoy our last dinner together, comparing notes on the highlights of an excellent week..

Day 8

Wednesday 10th May

Hotel Pomieri to Catania, to London Gatwick

We had a very early start this morning, in order to be at Catania for our morning flight back to Gatwick. The hotel staff were all there to give us an early breakfast and to wish us well. We said our farewells and thanks, travelling along a newly-opened route to the autostrada. We had excellent views of Mount Etna, with its steam hanging in the clear air. The journey went smoothly and we made good time, returning home with many memories and photographs of an enjoyable week, exploring the Wild Flowers (plus birds, butterflies and other insects, and reptiles!) of Sicily.

Species Lists:

Plants (** = Endemic to Sicily; * = Endemic to Italy and Sicily)

The layout of the plant list, and plant names have been updated in line with current taxonomy (mainly based on DNA studies)

Scientific name	Common name	Location/Notes
PTERIDOPHYTES		
Lycophytes		
Selaginellaceae		
<i>Selaginella denticulata</i>	Lesser Clubmoss Family Mediterranean Clubmoss	Gibilmanna
Calamophytes		
Equisetaceae		
<i>Equisetum telmateia</i>	Horsetail Family Giant Horsetail	Fiumefreddo
Leptosporangiate Ferns		
Aspleniaceae		
<i>Asplenium adiantum-nigrum</i>	True Ferns Spleenwort Family Black Spleenwort Rustyback Irish Spleenwort Forked Spleenwort Maidenhair Spleenwort	Gibilmanna
<i>Asplenium ceterach</i>		Above Milo
<i>Asplenium onopteris</i>		Above Linguaglossa
<i>Asplenium septentrionale</i>		Below Etna
<i>Asplenium trichomanes</i>		Case Perrotta
Cystopteraceae		
<i>Cystopteris fragilis</i>	Bladder-fern Family Brittle Bladder-fern	Above Linguaglossa
Dennstaedtiaceae		
<i>Pteridium aquilinum</i>	Bracken Family Bracken	Fiumefreddo
Dryopteridaceae		
<i>Dryopteris filix-mas</i>	Male-fern Family Male-fern	Gibilmanna
Polypodiaceae		
<i>Polypodium cambricum</i>	Polypody Family Southern Polypody	Case Perrotta
Pteridaceae		
<i>Anogramma leptophylla</i>	Ribbon Fern Family Jersey Fern	Above Milo
GYMNOSPERMS		
Cupressaceae		
<i>Juniperus communis</i> (ssp. <i>hemisphaericum</i>)	CONIFERS Juniper Family Juniper Prickly Juniper	Piano Provenzana
<i>Juniperus oxycedrus</i>		Vallone Madonna degli Angeli
Pinaceae		
<i>Abies nebrodensis</i> **	Pine Family Sicilian Fir (Nebro Pine) Aleppo Pine Corsican Pine Stone or Umbrella Pine	Vallone Madonna degli Angeli
<i>Pinus halepensis</i>		Lower slopes of Etna
<i>Pinus nigra</i> subsp. <i>laricio</i>		Piano Provenzana
<i>Pinus pinea</i>		Roadsides near Catania

Scientific name	Common name	Location/Notes
ANGIOSPERMS		
Pre-dicots		
Aristolochiaceae		
<i>Aristolochia rotunda</i>	Birthwort Family Birthwort	Piano Torre
Eu-dicots		
Acanthaceae		
<i>Acanthus mollis</i>	Bear's-breech Family Bear's-breech	Fiumefreddo and roadsides
Adoxaceae		
<i>Sambucus ebulus</i> <i>Sambucus nigra</i>	Moschatel Family Dwarf Elder Elder	Fiumefreddo Roadsides nr Castellana Sicula
Anacardiaceae		
<i>Pistacia terebinthus</i> <i>Pistacia lentiscus</i>	Sumach Family Turpentine Tree Lentisk	Isnello Gorge Gibilmanna
Apiaceae		
<i>Anthriscus nemerosa</i> <i>Cachrys ferulacea</i> <i>Conium maculatum</i> <i>Daucus carota</i> <i>Elaeoselinum asclepium</i> <i>Eryngium campestre</i> <i>Ferula communis</i> subsp. <i>communis</i> <i>Foeniculum vulgare</i> <i>Laserpitium siler</i> subsp. <i>garganicum</i> <i>Oenanthe globulosa</i> <i>Opoponax chironium</i> <i>Orlaya kochii</i> <i>Scandix pecten-veneris</i> <i>Smyrniium perfoliatum</i> ssp. <i>rotundifolium</i> <i>Thapsia garganica</i>	Carrot Family A Cow Parsley - Hemlock Wild Carrot Elaeoselinum Field Eryngo Giant Fennel Fennel A Sermountain Water Dropwort Hercules All-heal An Orlaya Shepherd's Needles Perfoliate Alexanders Thapsia	Nr Zafferana Common round Piano Battaglia Nr Castellana Sicula Isnello Gorge Bosco di Ficuzza (leaves) Below Petralia Soprana Roadsides Case Perrotta Vallone Madonna degli Angeli Below Petralia Soprana Vallone Madonna degli Angeli (leaves) Vallone Madonna degli Angeli Vallone Madonna degli Angeli Above Linguaglossa Above Milo (leaves)
Apocynaceae		
<i>Nerium oleander</i>	Periwinkle Family Oleander	Planted
Aquifoliaceae		
<i>Ilex aquifolia</i>	Holly Family Holly	Bosco di Ficuzza
Araliaceae		
<i>Hedera helix</i>	Ivy Family Ivy	Above Linguaglossa
Berberidaceae		
<i>Berberis aetnensis</i>	Barberry Family Etna Barberry	Piano Provenzana
Betulaceae		
<i>Betula aetnensis</i> ** <i>Corylus avellana</i>	Birch Family Etna Birch Hazel	Piano Provenzana Above Linguaglossa
Boraginaceae		
<i>Anchusa cretica</i>	Borage Family Cretan Alkanet	Above Milo

Scientific name	Common name	Location/Notes
<i>Borago officinalis</i>	Borage	Nr Castellana Sicula
<i>Cerintho majus</i>	Honeywort	Nr Castellana Sicula
<i>Cynoglossum creticum</i>	Blue Hound's-tongue	Nr Collesano
<i>Echium italicum</i>	Pale Bugloss	Below Petralia Soprana
<i>Echium plantagineum</i>	Purple Viper's-bugloss	Case Perrotta
<i>Myosotis incrassata</i>	a Forget-me-not	Below Etna
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Piano Battaglia roadside
<i>Onosma echioides</i> subsp. <i>canescens</i>	Golden Drops	Vallone Madonna degli Angeli
<i>Symphytum gussonei</i> **	A Comfrey	Near Hotel Pomieri
Brassicaceae		
<i>Aetheonema saxatile</i>	Burnt Candytuft	Vallone Madonna degli Angeli
<i>Alyssum nebrodense</i> **	An Alyssum	Vallone Madonna degli Angeli
<i>Arabidopsis thaliana</i>	Thale Cress	Case Perrotta
<i>Arabis alpina</i> subsp. <i>caucasica</i>	Alpine Rockcress	Piano Battaglia
<i>Arabis turrita</i>	Tower Cress	Above Linguaglossa
<i>Arabis verna</i>	Spring Rockcress	Vallone Madonna degli Angeli
<i>Aubrieta deltoidea</i>	an Aubrieta	Piano Battaglia roadside
<i>Barbarea bracteosa</i>	A Wintercress	Piano Battaglia
<i>Biscutella didyma</i>	A Buckler-mustard	Above Linguaglossa
<i>Bunias erucago</i>	Bunias	Case Perrotta
<i>Cakile maritima</i>	Sea Rocket	Cottone
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Case Perrotta
<i>Coronopus didymus</i>	Lesser Swine-cress	Fiumefreddo
<i>Erophila verna</i>	Whitlow Grass	Below Etna
<i>Erysimum bonannianum</i> **	A Treacle-mustard	Above Milo
<i>Hirschfeldia incana</i>	Hoary Mustard	Roadsides
<i>Iberis pruitii</i>	A Candytuft	Vallone Madonna degli Angeli
<i>Isatis tinctoria</i> subsp. <i>canescens</i>	Woad	Above Milo
<i>Lepidium hirtum</i> subsp. <i>nebrodense</i>	-	Piano Battaglia
<i>Matthiola fruticulosa</i> var. <i>sicula</i> **	Sad Stock	Vallone Madonna degli Angeli
<i>Matthiola sinuata</i>	Sea Stock	Cottone
<i>Matthiola tricuspidata</i>	Three-horned Stock	Cottone
<i>Sisymbrium officinale</i>	Hedge Mustard	Case Perrotta
Campanulaceae		
<i>Campanula dichotoma</i>	a Bellflower	Near Case Perrotta
<i>Campanula erinus</i>	Annual Bellflower	Fiumefreddo
<i>Edraianthus graminifolius</i>	Edraianthus	Vallone Madonna degli Angeli
<i>Legousia falcata</i>	Spicate Venus's Looking-glass	Meadows nr V. Madonna degli Angeli
Caprifoliaceae		
<i>Centranthus ruber</i>	Red Valerian	Above Milo
<i>Dipsacus fullonum</i>	Teasel	Roadsides
<i>Fedia cornucopiae</i>	Fedia	Above Linguaglossa
<i>Lonicera etrusca</i>	Etruscan Honeysuckle	Near Hotel Pomieri
<i>Scabiosa cretica</i>	-	Isnello Gorge
<i>Valeriana tuberosa</i>	A Valerian	Below Piano Battaglia
Caryophyllaceae		
<i>Arenaria grandiflora</i>	Large-flowered Sandwort	Vallone Madonna degli Angeli
<i>Cerastium tomentosum</i>	Snow-in-Summer	Vallone Madonna degli Angeli

Scientific name	Common name	Location/Notes
<i>Petrorhagia dubia</i> (velutina)	A Childing Pink	Above Milo
<i>Petrorhagia saxifraga</i>	Tunic Flower	Isnello Gorge
<i>Saponaria sicula</i>	Sicilian Soapwort	Piano Provenzana (leaves)
<i>Scleranthus aetnensis</i> **	a Knawel	Piano Provenzana
<i>Scleranthus marginatus</i>	a Knawel	Piano Battaglia
<i>Scleranthus perennis</i> subsp. <i>vulcanicus</i> **	a Perennial Knawel	Above Milo
<i>Silene conica</i>	Sand Catchfly	Above Milo
<i>Silene fuscata</i>	A Catchfly	Nr Castellana Sicula
<i>Silene gallica</i>	Small-flowered Catchfly	Above Milo
<i>Silene italica</i>	Italian Catchfly	Gibilmanna
<i>Silene latifolia</i>	White Campion	Case Perrotta
<i>Silene vulgaris</i>	Bladder campion	Case Perrotta
<i>Spergularia rubra</i>	Sand Spurrey	Below Etna
<i>Stellaria media</i>	Common Chickweed	Case Perrotta
<i>Stellaria neglecta</i>	Greater Chickweed	
Cistaceae	Rockrose Family	
<i>Cistus creticus</i>	Cretan Cistus	Gibilmanna
<i>Cistus monspeliensis</i>	Narrow-leaved Cistus	Gibilmanna
<i>Cistus salvifolius</i>	Sage-leaved Cistus	Gibilmanna
<i>Fumana thymifolia</i>	Thyme-leaved Fumana	Isnello Gorge
<i>Helianthemum nummularium</i> ssp. <i>grandiflorum</i>	Rock-rose	Vallone Madonna degli Angeli
<i>Helianthemum oelandicum</i> ssp. <i>italicum</i>	Hoary Rock-rose	Vallone Madonna degli Angeli
<i>Tuberaria guttata</i>	Spotted Rock-rose	Gibilmanna
Compositae (Asteraceae)	Daisy Family	
<i>Andryala integrifolia</i>	Andryala	Gibilmanna
<i>Anthemis aetnensis</i> **	Etna Daisy	Nr Piano Provenzana
<i>Anthemis arvensis</i>	Corn Chamomile	Above Milo
<i>Anthemis cretica</i> (montana)	-	Vallone Madonna degli Angeli
<i>Artemisia alba</i>	A Wormwood	Vallone Madonna degli Angeli
<i>Artemisia arborescens</i>	A Wormwood	Isnello Gorge
<i>Bellis annua</i>	Annual Daisy	Gibilmanna
<i>Bellis perennis</i> (var. <i>strobliana</i> **)	Daisy	Above Linguaglossa
<i>Bellis sylvestris</i>	Southern Daisy	Below Etna
<i>Calendula arvensis</i>	Field Marigold	Nr Castellana Sicula
<i>Carduus pycnocephalus</i>	Plymouth Thistle	
<i>Carduus macrocephalus</i> (subsp. <i>siculus</i>)	-	Vallone Madonna degli Angeli
<i>Carduus tenuiflorus</i>	Slender Thistle	Nr Collesano
<i>Carlina nebrodensis</i> **	Nebro Carlina Thistle	Vallone Madonna degli Angeli
<i>Carthamus</i> (<i>Carducellus</i>) <i>caeruleus</i>	Carduncellus	Nr Collesano
<i>Carthamus</i> (<i>Carduncellus</i>) <i>pinnatus</i>	-	Below Petralia Soprana
<i>Centaurea busambarensis</i> **	a grey-leaved Knapweed	Isnello Gorge
<i>Centaurea calcitrapa</i>	Red Star-thistle	Below Petralia Soprana
<i>Centaurea cyanus</i>	Cornflower	Above Linguaglossa
<i>Centaurea napifolia</i>	a Knapweed	Nr Collesano
<i>Centaurea sicula</i>	a Yellow Star-thistle	Nr Collesano
<i>Centaurea solstitialis</i>	Yellow Star-thistle	Nr Collesano
<i>Cirsium creticum</i>	Cretan Thistle	Fiumefreddo
<i>Crepis capillaris</i>	Smooth Hawk's-beard	Bosco di Ficuzza
<i>Crepis rubra</i>	Pink Hawk's-beard	Bosco di Ficuzza

Scientific name	Common name	Location/Notes
<i>Crepis capillaris</i> x <i>C. rubra</i>	a hybrid Hawk's-beard	Bosco di Ficuzza
<i>Crupina crupinastrum</i>	Crupina	Isnello Gorge
<i>Dittrichia viscosa</i>	Woody Fleabane (Stink Aster)	Cottone
<i>Doronicum orientale</i>	a Leopard's-bane	Above Linguaglossa
<i>Filago (Evax) astericifolia</i>	Greater Evax	Bosco di Ficuzza
<i>Filago (Evax) pygmaea</i>	Evax	Vallone Madonna degli Angeli
<i>Filago vulgaris</i>	Common Cudweed	Above Milo
<i>Galactites tomentosa</i>	Galactites	Roadsides
<i>Glebionis coronarium</i>	Crown Daisy	Cottone
<i>Glebionis segetum</i>	Corn Marigold	Cottone
<i>Helichrysum nebrodensis</i> **	An Everlasting	Vallone Madonna degli Angeli
<i>Helichrysum stoechas</i>	Curry Plant	Above Milo
<i>Hyoseris radiata</i>	Hyoseris	Vallone Madonna degli Angeli
<i>Jacobea ambigua</i> (<i>Senecio ambiguus</i>)**	A Ragwort	Above Milo (lvs)
<i>Jacobea candida</i> (<i>Senecio candidus</i>)**	A Ragwort	Vallone Madonna degli Angeli (lvs)
<i>Jurinea bocconii</i>	Jurinea	Meadows nr Vallone Madonna degli Angeli
<i>Launaea resedifolia</i>	-	Above Milo
<i>Notobasis syriaca</i>	Syrian Thistle	Isnello Gorge
<i>Pallenis spinosa</i>	Pallenis	Isnello Gorge
<i>Phagnalon rupestre</i>	Phagnalon	Fiumefreddo
<i>Ptilostemon stellatus</i>	Annual Ptilostemon	Isnello Gorge
<i>Ragadiolus edulis</i>	-	Gibilmanna
<i>Scolymus grandiflorus</i>	Oyster Plant	Nr Collesano
<i>Senecio squalidus</i> subsp. <i>aethnensis</i> **	A Ragwort	Piano Provenzana
<i>Senecio vulgaris</i>	Groundsel	Fiumefreddo
<i>Silybum marianum</i>	Milk Thistle	Case Perrotta
<i>Tanacetum siculum</i>	Etna Tansy	Piano Provenzana
<i>Tragopogon hybridum</i>	Hybrid Goat's-beard	Nr Collesano
<i>Tragopogon porrifolius</i>	Salsify	Isnello
<i>Tussilago farfara</i>	Colt's-foot	Piano Battaglia
<i>Urospermum dalechampii</i>	Urospermum	Fiumefreddo
Convolvulaceae	Bindweed Family	
<i>Calystegia silvatica</i>	Large Bindweed	Case Perrotta
<i>Convolvulus althaeoides</i>	Mallow-leaved Bindweed	Roadsides
<i>Convolvulus arvensis</i>	Field Bindweed	Roadsides
<i>Convolvulus tricolor</i>	-	Nr Collesano
<i>Cuscuta epithimum</i>	Common Dodder	Vallone Madonna degli Angeli
<i>Cuscuta campestris</i>	Field Dodder	Isnello Gorge
Crassulaceae	Stonecrop Family	
<i>Sedum aetnense</i> **	Etna Stonecrop	Piano Provenzana (lvs)
<i>Sedum caeruleum</i>	Blue Stonecrop	Roadsides
<i>Sedum forsterianum</i>	Rock Stonecrop	Above Milo
<i>Sedum hispanicum</i>	Spanish Stonecrop	Vallone Madonna degli Angeli (lvs)
<i>Sedum rubens</i>	Red Stonecrop	Below Etna
<i>Sedum stellatum</i>	Starry Stonecrop	Above Milo (lvs)
<i>Umbilicus horizontalis</i>	A Wall Pennywort	Gibilmanna
<i>Umbilicus rupestris</i>	Wall Pennywort	Above Milo

Scientific name	Common name	Location/Notes
Ericaceae	Heather Family	
<i>Erica arborea</i>	Tree Heather	Gibilmanna
Euphorbiaceae	Spurge Family	
<i>Euphorbia characias</i>	Large Mediterranean Spurge	Gibilmanna
<i>Euphorbia dendroides</i>	Tree Spurge	Isnello Gorge
<i>Euphorbia helioscopia</i>	Sun Spurge	Case Perrotta
<i>Euphorbia maculata</i>	Spotted Spurge	Fiumefreddo
<i>Euphorbia rigida</i>	Narrow-leaved Glaucous Spurge	Below Petralia Soprana
<i>Ricinus communis</i>	Castor Oil Plant	Above Milo
Fagaceae	Beech Family	
<i>Castanea sativa</i>	Sweet Chestnut	Slopes of Etna
<i>Fagus sylvatica</i>	Beech	Piano Provenzana
<i>Quercus ilex</i>	Holly Oak	Vallone Madonna degli Angeli
<i>Quercus petraea</i>	Durmast Oak	Nr Hotel Pomieri
<i>Quercus pubescens</i>	Downy Oak	Slopes of Etna
<i>Quercus suber</i>	Cork Oak	Nr Piano Torre
Gentianaceae	Gentian Family	
<i>Blackstonia perfoliata</i>	Yellow-wort	Isnello
Geraniaceae	Geranium Family	
<i>Erodium cicutarium</i>	Common Stork's-bill	Case Perrotta
<i>Geranium lucidum</i>	Shining Crane's-bill	Above Milo
<i>Geranium molle</i>	Dove's-foot Crane's-bill	Above Milo
<i>Geranium purpureum</i>	Little Robin	Above Milo
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	Nr Piano Torre
<i>Geranium sanguineum</i>	Bloody Crane's-bill	Nr Pollizzi Generosa
Hypericaceae	St. John's Wort Family	
<i>Hypericum perforatum</i>	a St. John's-wort	Bosco di Ficuzza
<i>Hypericum perforatum</i>	Perforate St. John's-wort	Gibilmanna
Lamiaceae	Dead-nettle Family	
<i>Ajuga orientalis</i>	Oriental Bugle	Nr Gibilmanna
<i>Clinopodium (Acinos) alpinum</i>	Alpine Basil Thyme	Vallone Madonna degli Angeli
<i>Lamium amplexicaule</i>	Henbit Dead-nettle	Fiumefreddo
<i>Lamium maculatum</i>	Spotted Dead-nettle	Gibilmanna
<i>Lavandula stoechas</i>	French Lavender	Gibilmanna
<i>Melittis melissophyllum</i>	Bastard Balm	Gibilmanna
<i>Mentha aquatica</i>	Water Mint	Fiumefreddo
<i>Mentha arvensis</i>	Corn Mint	Below Petralia Sporana
<i>Mentha pulegium</i>	Pennyroyal	Case Perrotta
<i>Micromeria graeca (M. consentina*)</i>	-	Above Milo
<i>Origanum vulgare</i>	Marjoram	Gibilmanna
<i>Prasium majus</i>	Prasium	Isnello Gorge
<i>Salvia verbenaca</i>	Wild Clary	Case Perrotta
<i>Sideritis romana</i>	-	Cottone
<i>Thymus vulgaris</i>	Wild Thyme	Vallone Madonna degli Angeli
<i>Teucrium scorodonia</i>	Wood Sage	Gibilmanna

Scientific name	Common name	Location/Notes
Leguminosae (Fabaceae)	Pea Family	
<i>Anthyllis vulneraria</i> agg.	Kidney Vetch	Below Petralia Sporana
<i>Astragalus depressus</i>	Sprawling Milk-vetch	Piano Battaglia
<i>Astragalus hamosus</i>	-	Near Castellana Sicula
<i>Astracantha (Astragalus) nebrodensis</i> **	-	Vallone Madonna degli Angeli
<i>Astracantha (Astragalus) siculus</i> **	Etna Milk-vetch	Piano Provenzana
<i>Bitumaria bituminosa</i>	Pitch Trefoil	Isnello Gorge
<i>Calycotome infesta</i>	Thorny Broom	Above Linguaglossa
<i>Calycotome villosa</i>	-	Gibilmanna
<i>Cytisus villosus</i>	Hairy Broom	Above Linguaglossa
<i>Genista aetnensis</i> **	Etna Broom	Slopes of Etna
<i>Genista cupanii</i> **	an endemic Greenweed	Hotel Pomieri
<i>Genista ephedroides</i> *	an endemic Greenweed	Isnello Gorge
<i>Hedysarum coronarium</i>	Italian Sainfoin	Common in west
<i>Hippocrepis emerus</i> subsp. <i>emeroides</i>	A Scorpion-vetch	Vallone Madonna degli Angeli
<i>Lathyrus aphaca</i>	Yellow Vetchling	Fiumefreddo
<i>Lathyrus clymenum</i>	-	Case Perrotta
<i>Lathyrus odoratus</i> **	Sweet Pea	Near Castellana Sicula
<i>Lathyrus setifolius</i>	Red Vetchling	Above Milo
<i>Lotus ornithopodioides</i>	-	Bosco di Ficuzza
<i>Lotus pedunculatus</i>	Greater Bird's-foot Trefoil	Fiumefreddo
<i>Lotus tetragonolobus (T. purpureus)</i>	Asparagus Pea	Below Petralia Sporana
<i>Lupinus angustifolius</i>	Narrow-leaved Lupin	Case Perrotta
<i>Medicago lupulina</i>	Black Medick	Piano Battaglia
<i>Medicago orbicularis</i>	Disc Medick	Near Castellana Sicula
<i>Melilotus italicus</i>	a Melilot	Near Castellana Sicula
<i>Ornithopus compressus</i>	Compressed Bird's-foot	Case Perrotta
<i>Robinia pseudoacacia</i>	False Acacia	Roadsides
<i>Spartium junceum</i>	Spanish Broom	Roadsides
<i>Trifolium arvense</i>	Hare's-foot Clover	Above Milo
<i>Trifolium campestre</i>	Hop Trefoil	Above Milo
<i>Trifolium cherleri</i>	-	Above Milo
<i>Trifolium incarnatum</i> subsp. <i>molineri</i>	-	Above Milo
<i>Trifolium repens</i>	White Clover	Fiumefreddo
<i>Trifolium resupinatum</i>	Reversed Clover	Near Collesano
<i>Trifolium stellatum</i>	Starry Clover	Above Milo
<i>Trifolium subterraneum</i>	Burrowing Clover	Above Linguaglossa
<i>Trifolium tomentosum</i>	Woolly Trefoil	Near Castellana Sicula
<i>Tripodion (Anthyllis) tetraphyllum</i>	Bladder Vetch	Isnello Gorge
<i>Vicia bithynica</i>	-	Below Petralia Sporana
<i>Vicia faba</i>	Broad Bean	Fields
<i>Vicia hybrida</i>	Hairy Yellow Vetch	Above Linguaglossa
<i>Vicia lathyroides</i>	-	Below Etna
<i>Vicia sativa</i> subsp. <i>nigra</i>	Small Common Vetch	Above Linguaglossa
<i>Vicia tetrasperma</i>	Smooth Tare	Below Etna
<i>Vicia villosa</i>	Fodder Vetch	Case Perrotta
<i>Vicia villosa</i> subsp. <i>ambigua</i>	Fodder Vetch (pale)	Above Milo
Linaceae	Flax Family	
<i>Linum bienne</i>	Biennial Flax	Near Collesano
<i>Linum punctatum</i>	A Flax	Vallone Madonna degli Angeli
<i>Linum strictum</i>	Upright Yellow Flax	Near Collesano

Scientific name	Common name	Location/Notes
Lythraceae <i>Lythrum hyssopifolia</i>	Loosestrife Family -	Fiumefreddo
Malvaceae <i>Lavatera arborea</i> <i>Lavatera trimestris</i> <i>Malva sylvestris</i>	Mallow Family Tree Mallow Annual Mallow Common Mallow	Roadsides Near Collesano Case Perrotta
Moraceae <i>Ficus carica</i>	Mulberry Family Fig	Scattered
Oleaceae <i>Fraxinus angustifolia</i> <i>Fraxinus ornus</i> <i>Olea europaea</i>	Olive Family Narrow-leaved Ash Flowering Ash Olive	Bosco di Ficuzza Near Zafferana Common
Orobanchaceae <i>Bartsia (Bellardia) trixago</i> <i>Odontites bocconii**</i> <i>Orobanche minor</i> <i>Orobanche ramosa</i> <i>Orobanche rapum-genistae</i> <i>Orobanche variegata</i> <i>Parentucellia latifolia</i> <i>Parentucellia viscosa</i>	Broomrape Family Bellardia A perennial Bartsia Common Broomrape Branched Broomrape Greater Broomrape A Broomrape Southern Red Bartsia Yellow Bartsia	Below Petralia Sporana Vallone Madonna degli Angeli Below Petralia Sporana Bosco di Ficuzza Below Etna Gibilmanna Below Petralia Sporana Below Petralia Sporana
Oxalidaceae <i>Oxalis corniculata</i> <i>Oxalis pres-caprae</i>	Wood-sorrel Family Procumbent Yellow Sorrel Bermuda Buttercup	Fiumefreddo Cottone
Paeoniaceae <i>Paeonia mascula</i>	Peony Family Peony	Piano Torre
Papaveraceae <i>Corydalis solida</i> <i>Fumaria capreolata</i> <i>Fumaria officinalis</i> <i>Glaucium flavum</i> <i>Papaver rhoeas</i> <i>Papaver somniferum</i>	Poppy Family Bird-in-a-bush White Ramping Fumitory Common Fumitory Yellow Horned-poppy Common Poppy Opium Poppy	Piano Battaglia Case Perrotta Above Linguaglossa Cottone Fields Near Castellana Sicula
Plantaginaceae <i>Antirrhinum majus</i> <i>Linaria purpurea</i> <i>Misopates orontium</i> <i>Plantago bellardii</i> <i>Plantago cupani</i> <i>Plantago lanceolata</i> <i>Plantago major</i> <i>Plantago serraria</i> <i>Veronica beccabunga</i> <i>Veronica cymbalaria</i>	Plantain Family Snapdragon Purple Toadflax Weasel-snout A Plantain (pinnatisect leaves) Ribwort Plantain Greater Plantain A Plantain (toothed leaves) Brooklime White Speedwell	Gibilmanna Above Milo Fiumefreddo Above Milo Vallone Madonna degli Angeli (meadow) Hotel Pomieri Hotel Pomieri Bosco di Ficuzza Near Hotel Pomieri Gibilmanna

Scientific name	Common name	Location/Notes
<i>Veronica peregrina</i>	Neckweed	Fiumefreddo
<i>Veronica persica</i>	Common Field Speedwell	Fiumefreddo
Plumbaginaceae	Thrift Family	
<i>Armeria canescens</i> subsp. <i>nebrodensis</i>	Nebroth Thrift	Above Hotel Pomieri
Polygonaceae	Dock Family	
<i>Persicaria hydropiper</i>	Waterpepper	Fiumefreddo
<i>Rumex acetosa</i>	Sorrel	Vallone Madonna degli Angeli
<i>Rumex bucephaliflorus</i>	Horned Dock	Above Milo
<i>Rumex scutatus</i>	French Sorrel	Vallone Madonna degli Angeli
<i>Rumex scutatus forma aetnensis</i> **	Etna Sorrel	Above Milo
Portulacaceae	Blinks Family	
<i>Portulaca oleracea</i>		Fiumefreddo
Primulaceae	Primrose Family	
<i>Anagallis arvensis</i>	Scarlet Pimpernel	Fiumefreddo
<i>Anagallis arvensis</i> (var. <i>caerulea</i>)	Scarlet Pimpernel (Blue-flowered)	Enna Services
<i>Anagallis arvensis</i> subsp. <i>foemina</i>	Blue Pimpernel	Near Castellana Sicula
<i>Cyclamen hederifolium</i>	Common Sowbread	Gibilmanna
<i>Cyclamen repandum</i>	Spring Sowbread	Above Linguaglossa
<i>Primula vulgaris</i>	Primrose	Near Hotel Pomieri
<i>Samolus valerandi</i>	Brookweed	Fiumefreddo
Ranunculaceae	Buttercup Family	
<i>Anemone apennina</i>	Blue Anemone	Piano Battaglia
<i>Anemone hortensis</i>	An Anemone	Vallone Madonna degli Angeli
<i>Clematis vitalba</i>	Traveller's Joy	Fiumefreddo
<i>Ficaria verna</i> agg.	Lesser Celandine	Piano Battaglia
<i>Nigella damascena</i>	Love-in-a-mist	Near Collesano
<i>Ranunculus arvensis</i>	Corn Buttercup	Fiumefreddo
<i>Ranunculus millefoliatus</i>	Million-leaved Buttercup	Piano Battaglia
<i>Ranunculus monspeliacus</i> subsp. <i>saxatilis</i>	-	Below Etna
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Vallone Madonna degli Angeli
Resedaceae	Mignonette Family	
<i>Reseda alba</i>	White Mignonette	Cottone
Rhamnaceae	Buckthorn Family	
<i>Rhamnus alaternus</i>	Mediterranean Buckthorn	Idsnello Gorge
Rosaceae	Rose Family	
<i>Amelanchier ovalis</i>	Juneberry	Vallone Madonna degli Angeli
<i>Crataegus orientalis</i> (C. <i>laciniata</i>)	A Hawthorn	Near Piano Torre
<i>Crataegus monogyna</i>	Hawthorn	Vallone Madonna degli Angeli
<i>Geum urbanum</i>	Wood Avens	Case Perrotta
<i>Potentilla calabra</i>	A Cinquefoil	Piano Provenzana
<i>Potentilla reptans</i>	Creeping Cinqufoil	Fiumefreddo
<i>Prunus spinosa</i>	Blackthorn	Bosco di Ficuzza
<i>Pyrus amygdaliformis</i>	Almond-leaved Pear	Below Petralia Sporana

Scientific name	Common name	Location/Notes
<i>Pyrus communis</i>	Wild Pear	Near Hotel Pomieri
<i>Rosa canina</i> agg.	Dog Rose	Above Milo
<i>Rubus fruticosus</i> agg.	Bramble	Above Milo
<i>Sanguisorba minor</i>	Salad Burnet	Above Milo
<i>Sorbus aria</i>	Whitebeam	Vallone Madonna degli Angeli
Rubiaceae	Bedstraw Family	
<i>Galium aparine</i>	Cleavers	Above Linguaglossa
<i>Rubia peregrina</i>	Madder	Fiumefreddo
<i>Sherardia arvensis</i>	Field Madder	Fiumefreddo
<i>Galium murale</i>		Above Milo
Salicaceae	Willow Family	
<i>Populus alba</i>	White Poplar	Fiumefreddo
<i>Salix alba</i>	White Willow	Fiumefreddo
Santalaceae	Sandalwood Family	
<i>Osyris alba</i>	Osyris	
<i>Viscum album</i> subsp. <i>album</i>	Mistletoe	Roadside trees
Sapindaceae	Maple Family	
<i>Acer campestre</i>	Field Maple	Vallone Madonna degli Angeli
<i>Acer monspessulanum</i>	Montpelier Maple	Vallone Madonna degli Angeli
Saxifragaceae	Saxifrage Family	
<i>Saxifraga bulbifera</i>	Bulbous Saxifrage	Vallone Madonna degli Angeli
<i>Saxifraga carpetana</i>		Piano Battaglia
<i>Saxifraga granulata</i>	Meadow Saxifrage	Above Linguaglossa
Scrophulariaceae	Figwort Family	
<i>Scrophularia canina</i>	French Figwort	Fiumefreddo
<i>Scrophularia peregrina</i>		Fiumefreddo
<i>Verbascum sinuatum</i>	Wavy-leaved Mullein	Isnello
Simaroubaceae	Tree of Heaven family	
<i>Ailanthus altissima</i>	Tree of Heaven	Roadsides
Solanaceae	Nightshade Family	
<i>Solanum dulcemara</i>	Woody Nightshade	Fiumefreddo
<i>Solanum nigrum</i>	Black Nightshade	Isnello Gorge
Urticaceae	Nettle Family	
<i>Parietaria judacea</i>	Pelitory-of-the-Wall	Fiumefreddo
<i>Parietaria officinalis</i>	-	Fiumefreddo
<i>Urtica dioica</i>	Nettle	Fiumefreddo
<i>Urtica membranacea</i>	Mediterranean Nettle	Fiumefreddo
<i>Urtica urens</i>	Small Nettle	Fiumefreddo
Thymelaeaceae	Daphne Family	
<i>Daphne laureola</i>	Spurge Laurel	Below Etna
Verbenaceae	Verbena Family	
<i>Lantana camara</i>	Lantana	Enna Services (planted)

Scientific name	Common name	Location/Notes
Violaceae		
<i>Viola aethnensis</i> **	Etna Pansy	Piano Provenzana
<i>Viola odorata</i>	Sweet Violet	Near Hotel Pomieri
<i>Viola riviniana</i>	Common Dog Violet	Near Hotel Pomieri
Monocots		
Amaryllidaceae		
<i>Allium nigrum</i>	-	Bosco di Ficuzza
<i>Allium roseum</i>	Rosy Garlic	Isnello Gorge
<i>Allium subhirsutum</i>	Hairy Garlic	Bosco di Ficuzza
<i>Allium triquetrum</i>	Three-cornered Leek	Fiumefreddo
<i>Narcissus tazetta</i>	Bunch-flowered Narcissus	Piano Battaglia
Asparagaceae		
<i>Agave americana</i>	Agave or Century Plant	Near Collesano
<i>Asparagus acutifolius</i>	Prickly Asparagus	Gibilmanna
<i>Bellevalia dubia</i>	(blue)	Below Petralia Sporana
<i>Bellevalia romana</i>	(white)	Below Petralia Sporana
<i>Drimia (Urginea) maritima</i>	Sea Squill	Isnello Gorge
<i>Leopoldia comosa</i>	Tassel Hyacinth	Above Linguaglossa
<i>Muscari neglectum</i>	Grape Hyacinth	Vallone Madonna degli Angeli
<i>Ornithogalum arabicum</i>	A Star of Bethlehem	Near Collesano
<i>Ornithogalum montanum</i>	Mountain Star of Bethlehem	Piano Battaglia
<i>Ornithogalum narbonense</i>	A Spiked Star of Bethlehem	Near Collesano
<i>Ornithogalum umbellatum</i>	Star of Bethlehem	Below Petralia Sporana
<i>Ruscus aculeatus</i>	Butcher's-broom	Vallone Madonna degli Angeli
<i>Scilla bifolia</i>	Alpine Squill	Piano Battaglia
Cyperaceae		
<i>Carex caryophyllea</i>	Spring Sedge	Below Etna
<i>Carex cuprina (otrubae)</i>	False Fox Sedge	Fiumefreddo
<i>Cyperus papyrus</i> (subsp. <i>siculus</i> **)	Papyrus	Fiumefreddo
Dioscoraceae		
<i>Dioscorea (Tamus) communis</i>	Black Bryony	Fiumefreddo
Iridaceae		
<i>Gladiolus italicus</i>	Italian Gladiolus	Near Castellana Sicula
<i>Hermodactylus tuberosus</i>	Snake's-head Iris	Above Linguaglossa, in seed
<i>Iris pseudacorus</i>	Yellow Flag	Fiumefreddo
<i>Iris pseudopumila</i> (Purple form)	An Iris	Vallone Madonna degli Angeli
<i>Iris pseudopumila</i> (Yellow two-tone form)	An Iris	Vallone Madonna degli Angeli
<i>Moraea sisyrrinchium</i>	Barbary Nut	Bosco di Ficuzza
Juncaceae		
<i>Juncus bufonius</i>	Toad Rush	Fiumefreddo
<i>Luzula forsteri</i>	Southern Woodrush	Bosco di Ficuzza
Liliaceae		
<i>Gagea liotardii</i> (<i>G. fragifera</i> , <i>G. fistulosa</i>)	A Yellow Star of Bethlehem	Piano Battaglia

Scientific name	Common name	Location/Notes
Orchidaceae		
Orchid Family		
<i>Note: The Orchidaceae are an evolving group, and subject to debate between 'splitters' (eg. Delforge) and 'lumpers' (eg Kew). This list follows the Kew classification.</i>		
<i>Anacamptis morio</i> subsp. <i>morio</i>	Green-winged Orchid	Above Linguaglossa
<i>Anacamptis morio</i> subsp. <i>longicornu</i>	Long-spurred Orchid	Below Petralia Soprana
<i>Anacamptis morio</i> subsp. <i>picta</i>	a Green-winged Orchid	Above Linguaglossa
<i>Anacamptis papilionacea</i> (var. <i>grandiflora</i>)	Pink Butterfly Orchid	Above Linguaglossa
<i>A. x gennarii</i> (<i>A. papilionacea</i> x <i>A. morio</i>)	a hybrid Orchid	Above Linguaglossa
<i>Dactylorhiza romana</i> subsp. <i>romana</i>	Roman Orchid	Above Linguaglossa
<i>Dactylorhiza sambucina</i>	Elder-flowered Orchid	Below Etna
<i>Limodora abortivum</i>	Violet Bird's-nest Orchid	Vallone Madonna degli Angeli
<i>Neotinea maculata</i>	Dense-flowered Orchid	Vallone Madonna degli Angeli
<i>Neotinea tridentata</i>	Toothed Orchid	Above Linguaglossa
<i>Ophrys apifera</i>	Bee Orchid	Gibilmanna
<i>Ophrys bertolonii</i>	Bertoloni's Bee Orchid	Below Petralia Soprana
<i>Ophrys fuciflora</i> subsp. <i>lacaitae</i>	Lacaita's Ophrys	Below Piano Torre
<i>Ophrys fuciflora</i> subsp. <i>oxyrrhynchos</i>	Beaked Ophrys	Bosco di Ficuzza
<i>Ophrys fusca</i> agg.	Sombre Bee Orchid	Below Petralia Soprana
<i>Ophrys fusca</i> subsp. <i>pallida</i>	Pale Ophrys	Bosco di Ficuzza
<i>O. f. subsp. fusca x pallida</i>	a hybrid Ophrys	Bosco di Ficuzza
<i>O. lutea</i> ssp. <i>galilea</i> (formerly <i>archimedeae</i>)**	-	Vallone Madonna degli Angeli
<i>Ophrys lutea</i> subsp. <i>lutea</i>	Yellow Bee Orchid	Vallone Madonna degli Angeli
<i>Ophrys sphegodes</i> subsp. <i>atrata</i> (<i>incubacea</i>)	Dark Ophrys	Below Petralia Soprana
<i>O. tenthredinifera</i> (formerly <i>grandiflora</i> **)	a Sawfly Orchid	Vallone Madonna degli Angeli
<i>Orchis anthroporhiza</i>	Man Orchid	Vallone Madonna degli Angeli
<i>Orchis brancifortii</i> *	Brancifort's Orchid	Vallone Madonna degli Angeli
<i>Orchis italica</i>	Naked Man Orchid	Vallone Madonna degli Angeli
<i>Orchis provincialis</i>	Provence Orchid	Bosco di Ficuzza
<i>Serapias lingua</i>	Tongue Orchid	Below Petralia Soprana
<i>Serapias vomeracea</i>	Plough-share Tongue Orchid	Below Petralia Soprana
<i>Serapias x intermedia</i>	A hybrid Tongue Orchid	Below Petralia Soprana
Poaceae		
Grass Family		
<i>Aegilops ovalis</i>	Aegilops	Near Castellana Sicula
<i>Aira caryophyllea</i>	Silver Hair-grass	Above Milo
<i>Ampelodesmos mauritanicus</i>	Mauritanian Grass	Vallone Madonna degli Angeli
<i>Anthoxanthum odorata</i>	Sweet Vernal Grass	Above Milo
<i>Arundo donax</i>	Giant Reed	Fiumefreddo
<i>Avena sterilis</i>	Winter Wild-oat	Near Castellana Sicula
<i>Briza maxima</i>	Great Quaking-grass	Above Milo
<i>Catapodium rigidum</i>	Fern Grass	Fiumefreddo
<i>Cynosurus echinatus</i>	Rough Dog's-tail	Near Castellana Sicula
<i>Dactylis glomerata</i>	Cock's Foot	Gibilmanna
<i>Festuca vivipara</i>	Viviperous Fescue	Above Milo
<i>Hordeum murinum</i>	Wall Barley	Near Castellana Sicula
<i>Lagurus ovatus</i>	Hare's-tail Grass	Above Linguaglossa
<i>Lolium perenne</i>	Perennial Rye-grass	Near Castellana Sicula
<i>Melica uniflora</i>	Wood Melick	Gibilmanna
<i>Phragmites australis</i>	Common Reed	Roadsides

Scientific name	Common name	Location/Notes
<i>Sesleria nitida</i>	-	Vallone Madonna degli Angeli
Sparganiaceae	Bur-reed Family	
<i>Sparganium erectum</i>	Branched Bur-reed	Fiumefreddo
Xanthorrhoeaceae	Asphodel Family	
<i>Asphodeline lutea</i>	Yellow Asphodel	Below Etna
<i>Asphodelus aestivus</i>	Common Asphodel	Widespread
FUNGI		
Lecanoromycetes	LICHENS	
<i>Stereocaulon vesuvianum</i>	Mount Vesuvius Lichen	Slopes of Etna

Birds (✓ = recorded but not counted; H = heard, LO = leader only)

	Common name	Scientific name	May						
			3	4	5	6	7	8	9
1	Black Kite	<i>Milvus migrans</i>				✓			
2	Common Buzzard	<i>Buteo buteo</i>	✓	✓		✓	✓	✓	✓
3	Yellow-legged Gull	<i>Larus michahellis</i>	✓	✓	✓	✓		✓	✓
4	Rock Dove / Feral Pigeon	<i>Columba livia (feral)</i>	✓	✓	✓	✓	✓	✓	✓
5	Common Wood Pigeon	<i>Columba palumbus</i>	✓	✓	✓	✓	✓	✓	✓
6	European Turtle Dove	<i>Streptopelia turtur</i>						H	
7	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓	✓	✓	✓		✓	✓
8	Common Cuckoo	<i>Cuculus canorus</i>	✓	✓	✓	✓	H	H	H
9	Tawny Owl	<i>Strix aluco</i>	✓				H		
10	Common Swift	<i>Apus apus</i>	✓	✓	✓	✓	✓	✓	✓
11	Pallid Swift	<i>Apus pallidus</i>			✓				
12	European Bee-eater	<i>Merops apiaster</i>	✓	✓	✓				
13	Eurasian Hoopoe	<i>Upupa epops</i>	H	✓	✓	✓			
14	Great Spotted Woodpecker	<i>Dendrocopos major</i>			✓		✓	✓	✓
15	Common Kestrel	<i>Falco tinnunculus</i>	✓	✓	✓	✓	✓	✓	✓
16	Eurasian Golden Oriole	<i>Oriolus oriolus</i>				2			
17	Eurasian Jay	<i>Garrulus glandarius</i>	✓	✓	✓	✓	✓	✓	✓
18	Eurasian Magpie	<i>Pica pica</i>	✓	✓	✓	✓	✓	✓	✓
19	Red -billed Chough	<i>Pyrhocorax pyrrhocorax</i>					✓	✓	✓
20	Western Jackdaw	<i>Coloeus monedula</i>				✓		✓	✓
21	Hooded Crow	<i>Corvus cornix</i>	✓	✓	✓	✓	✓	✓	✓
22	Northern Raven	<i>Corvus corax</i>			✓	✓	✓	✓	
23	Coal Tit	<i>Parus ater</i>			✓		✓	✓	
24	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>	✓	✓	✓	✓	✓	✓	✓
25	Great Tit	<i>Parus major</i>	✓	✓	✓	✓	✓	✓	✓
26	Woodlark	<i>Lullula arborea</i>					✓	✓	✓
27	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓	✓	✓
28	Sand Martin	<i>Riparia riparia</i>							✓
29	Common House Martin	<i>Delichon urbicum</i>	✓	✓	✓	✓	✓	✓	✓
30	Long-tailed Tit	<i>Aegithalos caudatus siculus</i>					✓	✓	✓
31	Cetti's Warbler	<i>Cettia cetti</i>		H	✓			H	H
32	Common Chiffchaff	<i>Phylloscopus collybita</i>			✓	✓	✓	✓	✓
33	Wood Warbler	<i>Phylloscopus sibilatrix</i>			✓				
34	Zitting Cisticola	<i>Cisticola juncidis</i>		✓					
35	Eurasian Blackcap	<i>Sylvia atricapilla</i>	✓	✓	✓	✓	✓	✓	✓

	Common name	Scientific name	May						
			3	4	5	6	7	8	9
36	Subalpine Warbler	<i>Sylvia cantillans</i>		✓	✓	✓	✓	✓	✓
37	Sardinian Warbler	<i>Sylvia melanocephala</i>		✓	✓	✓	✓	✓	✓
38	Common Firecrest	<i>Regulus ignicapilla</i>		H	✓		✓	✓	✓
39	Eurasian Wren	<i>Troglodytes troglodytes</i>	H	H	✓	H	✓	✓	H
40	Eurasian Nuthatch	<i>Sitta europaea</i>			✓		✓	✓	✓
41	Short-toed Treecreeper	<i>Certhia brachydactyla</i>			✓		✓		✓
42	Spotless Starling	<i>Sturnus unicolor</i>	✓	✓	✓	✓		✓	✓
43	Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓	✓	✓
44	Mistle Thrush	<i>Turdus viscivorus</i>						✓	✓
45	European Robin	<i>Erithacus rubecula</i>	✓				H	✓	✓
46	Common Nightingale	<i>Luscinia megarhynchos</i>	H	✓	H	✓		H	H
47	Black Redstart	<i>Phoenicurus ochruros</i>		✓					
48	European Stonechat	<i>Saxicola torquata</i>				✓			
49	Northern Wheatear	<i>Oenanthe oenanthe</i>		✓	✓				
50	Black-eared Wheatear	<i>Oenanthe hispanica</i>		✓					
51	Blue Rock Thrush	<i>Monticola solitarius</i>					H		H
52	Italian Sparrow	<i>Passer italiae</i>	✓	✓	✓			✓	✓
53	Spanish Sparrow	<i>Passer hispaniolensis</i>	✓	✓	✓	✓		✓	✓
54	Eurasian Tree Sparrow	<i>Passer montanus</i>		✓	✓				
55	Grey Wagtail	<i>Motacilla cinerea</i>		✓				✓	✓
56	White Wagtail	<i>Motacilla alba</i>		✓	✓	✓			✓
57	(a Blue-headed) Yellow Wagtail	<i>Motacilla flava</i> ssp.		✓					
58	Tree Pipit	<i>Anthus trivialis</i>			H				
59	Common Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓	✓	✓	✓	✓
60	European Greenfinch	<i>Chloris chloris</i>		H					✓
61	Common Linnet	<i>Linaria cannabina</i>		✓					
62	European Goldfinch	<i>Carduelis carduelis</i>	✓	✓	✓	✓	✓	✓	✓
63	European Serin	<i>Serinus serinus</i>	✓	✓	✓	✓		✓	✓
64	Corn Bunting	<i>Emberiza calandra</i>				✓		✓	H
65	Rock Bunting	<i>Emberiza cia</i>			✓		✓		
66	Cirl Bunting	<i>Emberiza cirlus</i>					✓	✓	H

Mammals (D=dead; S=signs of)

1	Western Hedgehog	<i>Erinaceus europaeus</i>		D					
2	Red Fox	<i>Vulpes vulpes</i>					S		LO
3	Fallow Deer	<i>Dama dama</i>					S		✓
4	Rabbit	<i>Oryctolagus cuniculus</i>				✓			
5	Feral 'Wild' Pig						✓		✓

Amphibians & Reptiles

1	Moorish Gecko	<i>Tarentola mauritanica</i>	✓	✓	✓	✓			✓
2	Western Green Lizard	<i>Lacerta bilineata</i>		✓		D			
3	Italian Wall Lizard	<i>Podarcis sicula</i>	✓	✓	✓	✓	✓	✓	✓
4	Sicilian Wall Lizard	<i>Podarcis wagleriana</i>					✓	✓	✓
5	Italian Three-toed Skink	<i>Chalcides chalcides</i>						✓	
6	Western Whip Snake	<i>Hierophis viridiflavus</i>					✓		

Butterflies

1	Swallowtail	<i>Papilio machaon</i>		✓			✓		✓
2	Large White	<i>Pieris brassicae</i>	✓	✓	✓	✓	✓	✓	✓

	Common name	Scientific name	May						
			3	4	5	6	7	8	9
3	Small White	<i>Pieris rapae</i>		✓	✓	✓		✓	✓
4	Orange Tip	<i>Anthocharis cardamines</i>					✓	✓	
5	Eastern Bath White	<i>Pontia edusa</i>				✓			
6	Clouded Yellow	<i>Colias crocea</i>		✓	✓	✓	✓	✓	✓
7	Small Copper	<i>Lycaena phlaeas</i>					✓	✓	
8	Little Blue	<i>Cupido minimus</i>					✓		
9	Holly Blue	<i>Celastrina argiolus</i>						✓	
10	Brown Argus	<i>Aricia agestis</i>				✓	✓		
11	Common Blue	<i>Polyommatus icarus</i>			✓	✓	✓	✓	
12	Red Admiral	<i>Vanessa atalanta</i>			✓			✓	
13	Painted Lady	<i>Vanessa cardui</i>						✓	
14	Queen of Spain Fritillary	<i>Issoria lathonia</i>			✓	✓			
15	Glanville Fritillary	<i>Melitaea cinxia</i>					✓	✓	
16	Aetherie Fritillary	<i>Melitaea aetherie</i>						✓	
17	Meadow Brown	<i>Maniola jurtina</i>				✓			
18	Southern Speckled Wood	<i>Pararge aegeria aegeria</i>		✓					✓
19	Wall Brown	<i>Lasiommata megera</i>			✓	✓		✓	✓
20	Small Heath	<i>Coenonympha pamphilus</i>		✓	✓	✓	✓	✓	✓

Macros Moths (C=caterpillar)

1	Forester	<i>Adscita statices</i>					✓		
2	Grass Eggar	<i>Lasiocampa trifolii</i>				C	C		
3	A Lackey (not found in UK)	<i>Malacosoma franconica</i>				C			
4	Humming-bird Hawk-moth	<i>Macroglossum stellatarum</i>					✓		
5	Pine Processionary Moth - tent	<i>Thaumetopoea pityocampa</i>		✓	✓	✓			
6	Ragusa's Nine-spotted Moth	<i>Amata kruegeri</i>							✓
7	Burnet Companion	<i>Euclidia glyphica</i>							✓
8	Four-spotted	<i>Tyta luctuosa</i>							✓

Other Invertebrates

Copper Demoiselle, *Calopteryx haemorrhoidalis*

Azure Damselfly, *Coenagrion puella*

Red-veined Darter, *Sympetrum fonscolombii*

Groundhopper sp., *Tetrigidae sp.*

Ascalaphid, *Libelloides coccajus*

Wasp sp., *Vespa sp.*

Honey Bee, *Apis mellifera*

Chafer, *Oxythyria funesta*

Spanish Fly (a blister beetle), *Lytta vesicolaria*

Musk Beetle (a long-horn), *Aromia moschata*

A Sand Beetle, *Pimelia sp.*

Island Bluetail, *Ischnura genei*

Lesser Emperor, *Anax parthenope*

Black-and-red Bug, *Lygaeus sp.*

Froghopper, *Cercopis vulnerata*

Beefly, *Bombylius sp.*

Carpenter Bee, *Xylocopa violacea*

White-tailed Bumblebee, *Bombus lucorum*

7-Spot Ladybird, *Coccinella 7-punctata*

Fat-thigh Beetle, *Oedemera nobilis*

A black long-horn with white stripe, *Agapanthia suturalis*

Ladybird Spider, *Eresus kollari*

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans. Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!



Italian Sainfoin



Sweet Pea