

Namibia, Botswana & Zambia – Etosha to the Victoria Falls!

Naturetrek Tour Report

24th February – 12th March 2023



Black Rhino



Blue Cranes



Cheetahs



Buffalo

Tour report and images by Neil Macleod



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Neil Macleod & Jakes de Jager (leaders) with 16 Naturetrek clients

Day 1

Saturday 25th February

Waterberg

Weather: Minimum 16, Maximum 34 Celsius with clear skies

Meeting the group at Windhoek airport, we loaded the luggage and departed. We had to make a short diversion to the local hospital as one of the clients was feeling unwell. While waiting at the hospital we saw Rosy-faced Lovebirds, Little Swift, African Palm Swift, Rock Martin, White-backed Mousebird, House Sparrow. Thankfully we were soon on the road again driving north towards our overnight stop, Waterberg Plateau Park where we saw Greater Kudu, Chacma Baboon, Rock Hyrax and Impala. A few notable birds included: Steppe Buzzard, Pale Chanting Goshawk, Black-winged Kite, Kori Bustard, Fork-tailed Drongo, Lilac-breasted Roller. We arrived at sunset and checked into our rooms and met for the short drive to dinner. On the way we heard and saw Freckled Nightjar as well as good views of a Small Spotted Genet.

Distance travelled: 310 km

Day 2

Sunday 26th February

Halali

Weather: Minimum 18 Maximum 37 Celsius with clear skies

Some of the group met just before sunrise at 06:30 for a short and easy walk to find a few birds. Others opted to lie-in and met for breakfast at 07:30.

We saw a pair of Verreaux's Eagles, African Grey Hornbill, Bradfield's Swift, Laughing Dove, Glossy Starling, Pale-winged Starling, Red-eyed Bulbul, Eurasian Golden Oriole and we heard a Rockrunner but didn't manage to catch sight of it. As for mammals we saw Chacma Baboons, Banded Mongoose and Damara Dikdik.

After breakfast we drove/walked back to our rooms and then departed with the vehicles at 09:00. Driving slowly to seek some of the Namibian endemics we had good views of Ruppel's Parrot, Lesser Masked and Southern Masked Weaver, Burchell's Starling, Glossy Starling, Groundscraper Thrush, Southern Grey-headed Sparrow, Grey Go-away-bird. We departed Waterberg at 10:00, stopping for lunch en-route to Etosha National Park and entering the park at 15:00.

In Etosha we saw: Gemsbok, Black Rhino, Springbok, Southern Giraffe, Black Faced Impala, Burchell's Zebra, Blue Wildebeest, Ostrich, Greater Kestrel, Western Red-footed Falcon, Kori Bustard, Northern Black Korhaan, Red-capped Lark, Spike-heeled Lark, Rufous-naped Lark, Sabota Lark, Grey-backed Sparrow-Lark.

We met at 19:15 to do our checklist followed by dinner.

Distance travelled: 330 km

Day 3

Monday 27th February

Halali

Weather: Minimum 19 Maximum 36 Celsius and partly cloudy

Meeting at 06:00 we had a coffee or tea before we departed for our sunrise game-drive at 06:45, returning for breakfast at 09:00. During the drive we saw a mother and calf Black Rhino and other mammals including Giraffe, Greater Kudu, Springbok, Red Hartebeest, Black Faced Impala, Blue Wildebeest, Steenbok and Scrub Hare. Birding highlights included Ostrich, Pale Chanting Goshawk, Western Red-footed Falcon, Amur Falcon, Greater Kestrel, Gabar Goshawk, Northern Black Korhaan, Red-crested Korhaan, Kori Bustard, Black Crow, Pied Crow, Red-headed Finch, Red-billed Quelea, Red-capped Lark, Spike-heeled Lark, Rufous-naped Lark and Sabota Lark.

Following breakfast, we met for a walk through the grounds and to the floodlit waterhole. On the way we saw Black Kite, Fork-tailed Drongo, Wattled Starling, Glossy Starling, Shikra, Ovambo Sparrowhawk, and had excellent views of several Violet Wood-Hoopoes. After a siesta we met again at 16:00 for an afternoon game-drive. We saw another Black Rhino, two separate sightings of a male and then a female Lion, a lone African Elephant bull, Black Faced Impala, Southern Giraffe and Springbok. We also saw a Bataleur Eagle, Tawny Eagle, Shikra, Bare-cheeked Babblers, Forked-tailed Drongo, Sabota Lark, Rufous-naped Lark, Lilac-breasted Roller, Eurasian Roller, Egyptian Geese, Red-billed Teal, Greenshank, Wood Sandpiper, Blacksmith and Crowned Lapwings and Black-winged Stilt. We returned to the lodge and met to do the checklist and have dinner. After dinner we searched for owls.

Distance travelled: 90 km

Day 4

Tuesday 28th February

Emanya Lodge

Weather: Minimum 19 Maximum 34 Celsius, partly cloudy

We all have breakfast at our own leisure, meeting with our bags and ready to go at 08:00.

We saw Violet Wood Hoopoe, Damara Hornbill. Southern White-crowned Shrike before departing. En-route we saw African Elephant, Black Rhino, Burchell's Zebra, Gemsbok, Greater Kudu, Springbok, Black-faced Impala, Banded Mongoose, Steenbok and Cheetah. The birds included Blue Crane, Kori Bustard, Greater and Lesser Flamingo, Black-winged Stilt, Northern Black Korhaan, Red-crested Korhaan, Ruff, Chestnut-banded Plover, Kittlitz's Plover, Greenshank, Double-banded Courser, White Stork, Marabou Stork, Western Cattle Egret, Little Egret, White-headed Vulture, White-backed Vulture, Lapped-faced Vulture, Gabar Goshawk, Pale Chanting Goshawk, Red-faced Mousebird, Lesser Kestrel, and Western Red-footed Falcon.

We arrived at Namutoni, the Eastern most camp in Etosha for lunch at 13:00. After lunch we did a short drive before we departed the park at 16:30 and headed to our overnight accommodation just outside the park. We

arrived at 17:00 and met to do the checklist followed by dinner at 19:00. Dinner was served outside under the African skies.

Distance travelled: 140 km

Day 5

Wednesday 1st March

Emanya Lodge

Weather: Minimum 19 Maximum 34 Celsius, partly cloudy

Following an early breakfast, we departed for our morning drive. Before we'd even left the lodge, we saw several birds as well as mammal species including Bearded Woodpecker, Red-billed Buffalo Weaver, Lesser Masked Weaver, Grey Go Away Bird, Greater Kudu, Cape Eland and Gemsbok.

During the full day in Etosha National Park, we had stunning views of African Elephant, Black Rhino, three Cheetah as well as most of the plain's mammals. The extensive bird list included Grey-headed Gull, Whiskered Tern, White-winged Tern, Marabou Stork, African Spoonbill, Little Egret, Grey Heron, Tawny Eagle, Bataleur Eagle, Pale Chanting Goshawk, Greater Kestrel, Brown-crowned Tchagra, Lesser Grey Shrike, Red-backed Shrike, Monotonous Lark, Red Capped Lark, Sabota Lark, Rufous-naped Lark, Red-breasted Swallow, Long-billed Crombec, Icterine Warbler, Rattling Cisticola, Desert Cisticola, Zitting Cisticola, Black-chested Prinia, Grey-backed Cameroptera, to name a few.

Distance travelled: 130 km

Day 6

Thursday 2nd March

Emanya Lodge

Weather: Minimum 15 Maximum 35 Celsius, clear skies

After breakfast we got ready to depart and saw Southern White-crowned Shrike, Pearl-spotted Owlet, Black-faced Babbler, Marabou Stork, Red-billed Buffalo Weaver, Lesser Masked Weaver, Red-billed Spurfowl, Blacksmith Lapwing, Crowned Lapwing, and Bearded Woodpecker.

Unfortunately, just 10km into the journey one of the vehicles experienced some problems and we decided to return to the lodge where Neil arranged for another night in this great location whilst the vehicle was fixed. An afternoon game drive into Etosha National Park delivered many highlights.

Distance travelled: 60 km

Day 7

Friday 3rd March

Mahangu Safari Lodge

Weather: Minimum 18 Maximum 34 Celsius, clear skies

Following breakfast, we departed at 08:00 and drove to Mahangu Park which took most of the day.

On the way we saw Brown Snake Eagle, Dark Chanting Goshawk, Rufous-crowned Roller, Lilac-breasted Roller and Fork-tailed Drongo. We had a picnic lunch en-route and arrived at our next destination at 16:00.

After checking into our rooms and met on the deck overlooking the Okavango River for our afternoon boat activity that started at 17:00. The change to wet habitat presented a range of new species including Hippopotamus, Waterbuck, Red Lechwe, Impala, Chacma Baboon, Goliath Heron, Little Egret, Intermediate Egret, Squacco Heron, Striated Heron, African Fish Eagle, White-backed Vulture, Bataleur Eagle, Pied Kingfisher, Malachite Kingfisher, Woodland Kingfisher, Southern Carmine Bee-eater, White-fronted Bee-eater, Little Bee-eater, Water Thick-knee, Allan's Gallinule, Spur-winged Goose, Egyptian Geese, Pygmy Geese, White-faced Whistling Duck, Black-crowned Night Heron, White-backed Night Heron.

We returned to the lodge at 19:00 and met for dinner at 19:45.

Distance travelled: 600 km

Day 8

Saturday 4th March

Mahangu Safari Lodge

Weather: Minimum 18 Maximum 36 Celsius, partly cloudy

Breakfast was taken on the wooden deck, and then departed for our game drive into the park where we saw: Buffalo, Giraffe, Impala, Red Lechwe, Roan Antelope, Vervet Monkey, alongside Open-billed Stork, Yellow-billed Stork, African Darter, African Spoonbill, Spur-winged Goose, Pygmy Goose, Goliath Heron, Black Heron, Little Egret and Intermediate Egret. We returned to the lodge and met for lunch on the deck.

After lunch and a siesta, and took a short walk in the gardens where we saw Lesser Honeyguide, African Paradise Flycatcher, White-browed Robin-chat, Cardinal Woodpecker, Bennet's Woodpecker, Marico Flycatcher, Long-billed Crombec, Black Crake and Swamp Boubou.

On our afternoon game drive, we saw several mammal species and added Common Reedbuck to our list. Some birds seen include Terrestrial Brownbul, Yellow-bellied Greenbul, Blue Cheeked Bee-eater, Arrow-marked Babbler, Hartlaub's Babbler, Glossy Starling, Meve's Starling, Burchell's Starling, White-browed Scrub Robin, Ashy Flycatcher, Blue Waxbill, Red Billed Buffalo Weaver, White-browed Sparrow Weaver, Golden Weaver, Spectacled Weaver, Village Weaver and Red-billed Quelea - regarded as the most numerous undomesticated birds on earth. Once again we dined under the clear African skies.

Distance travelled: 80 km

Day 9

Sunday 5th March

Mahangu Safari Lodge

Weather: Minimum 21 Maximum 35 Celsius, partly cloudy

We took breakfast on the deck before departing the lodge at 08:00.

Crossing the border into Botswana, we took a very exciting boat trip to find some of the very elusive birds of the area. We got straight into two speed boats and jetted off on the Okavango River. Unfortunately we did not manage to see any Pel's Owls but we did have great views of many other bird species including: African Fish Eagle, Osprey, Yellow-billed Kite, Black Crane, Water Thick-knee, Long-toed Lapwing, Blacksmith Lapwing, Crowned Lapwing, African Jacana, Wood Sandpiper, African Openbill, Darter, Reed Cormorant, Hadada Ibis, Black-crowned and White-backed Night Heron, Purple Heron, Grey Heron, Great Egret, Intermediate Egret, Little Egret, Hammerkop, African Marsh Harrier, Southern Carmine Bee-eater, Little Bee-eater, Blue Cheeked Bee-eater, White-fronted Bee-eater, Yellow-bellied Greenbul, Terrestrial Brownbul, Dark-capped Bulbul, Wire-tailed Swallow, Lesser Striped Swallow, Lesser Swamp Warbler, Greater Swamp Warbler, Chirping Cisticola, Luapula Cisticola, Tawny-flanked Prinia, Yellow White-eye and many more.

We had lunch in Botswana and return to our lodge for 17:00. The daily checklist was followed by dinner at 19:30.

Distance travelled: 120 km

Day 10

Monday 6th March

Zambezi River Lodge

Weather: Minimum 19 Maximum 34 Celsius, partly cloudy

We met on the deck to do a short walk in the gardens before departing on a breakfast cruise on the Okavango River. During the walk we saw Purple-banded Sunbird, Collared Sunbird, White-browed Coucal, Arrow-marked Babbler, Hartlaub's Babbler, Dark-capped Bulbul, Yellow-bellied Greenbul, Grey-rumped Swallow, Lesser Striped Swallow, Mosque Swallow and an African Rock Python in a tree.

We had a great breakfast on the river and saw several bird species as well as mammals. We returned to the lodge at 09:30 and departed shortly afterwards.

During our drive to our lunch destination, we saw Steppe Buzzard, Yellow-billed Kite, Dark Chanting Goshawk, Bataleur Eagle, Lapped-faced Vulture. Mammals along the road included Chacma Baboon, Greater Kudu, Waterbuck, Elephants and Vervet Monkeys. Over lunch we added Peter's Epauled Fruit Bat and also Chobe Dwarf Gecko to our ever-growing list. After lunch we continued our journey to our destination on the banks of the Zambezi River. We arrived just after 17:00 and, having checked into their rooms some of the group decided

to explore the grounds and found a good range of birds including Giant Kingfisher, Chinspot Batis, Comb-billed Duck, Spur-winged Goose, Allan's Gallinule, Water Thick-knee, Blacksmith Lapwing, Wattled Lapwing, African Jacana, Common Sandpiper, Wood Sandpiper, African Openbill Stork, African Darter, White-backed Night Heron, Black-crowned Night Heron, Squacco Heron, Striated Heron, Barn Owl, Red-faced Mousebird, Green Woodhoopoe, Black-backed Puffback, Magpie Shrike, Lesser Grey Shrike, Red-backed Shrike, African Paradise Flycatcher,

After completing the checklist, we had dinner at 19:00

Distance travelled: 380 km

Day 11

Tuesday 7th March

Chobe Safari Lodge

Weather: Minimum 19 Maximum 34 Celsius, partly cloudy

Meeting for a short, pre-breakfast walk on the property, we saw Brown-hooded Kingfisher, Rufous-bellied Heron, African Darter, White-faced Whistling Duck, Spectacled Weaver, Brown-throated Weaver, Holub's Golden Weaver, Chinspot Batis, Icterine Warbler, Willow Warbler. Returning to breakfast and to collect the luggage, we set off at 09:00. We made a short coffee stop en route and saw Schalow's Turaco, Red Bishop and a few others. Continuing to our next destination we had lunch on the terrace overlooking the Chobe River and then in the afternoon, we had a short nature drive seeing African Elephant, Chacma Baboon, Warthog, Impala, Black-chested Snake Eagle, Black-headed Heron, Black heron, Common Sandpiper, Wood Sandpiper, Sacred Ibis, Glossy Ibis, Pink-backed Pelican, Comb-Billed Duck, Black Winged Stilt, Southern Ground Hornbill.

Returning to the lodge at 17:30 we met to do the checklist and had dinner.

Distance travelled: 180 km

Day 12

Wednesday 8th March

Chobe Safari Lodge

Weather: Minimum 19 Maximum 32 Celsius, mostly sunny

On a pre-breakfast walk we saw: White-backed Night Heron, Tropical Boubou, Half-collared Kingfisher, Terrestrial Brownbul, Yellow-bellied Greenbul.

What followed was a wonderful morning boat ride into Chobe National Park with excellent views of many animals including: Elephant, Buffalo, Hippo, Crocodiles, Nile Monitor, Impala, Chacma Baboons, Bushbuck, African Fish Eagle, Black Heron, Goliath Heron, Little Egret, Intermediate Egret, Great-white Egret, Striated Heron, Squacco Heron, African Darter, Reed Cormorant, Rosy-throated Longclaw, African Pipit, Yellow Wagtail, Cape Wagtail,

African Pied Wagtail, African Cuckoo, Levallant's Cuckoo, Jacobin Cuckoo, Spur-winged Goose, Pygmy Goose, Red-billed Teal, White-faced Whistling Duck, Fulvous Whistling Duck to name a few.

Returning to the lodge we met for lunch on the terrace and then took a short siesta before the afternoon activity - another wonderful boat trip with many Elephants swimming, drinking and cooling off in the river. We saw Southern Giraffe, Buffalo, Hippo, Impala, Chacma Baboon, Vervet Monkey, Warthog and several bird species on the river cruise, returning to the lodge just after 18:00.

Day 13

Thursday 9th March

Camp Nkwazi

Weather: Minimum 19 Maximum 34 Celsius, partly cloudy

Many in the group decided to do an optional extra game drive into the park starting at 05:45.

Those remaining took a short bird walk around the property before breakfast. They saw: Schalow's Turaco, Collared Palm Thrush, Yellow-bellied Greenbul, Terrestrial Brownbul, Retz's Helmetshrike, Half-collared Kingfisher, Dark-capped Bulbul, White-browed Robin-chat, Blue Waxbill, Collared Sunbird, Warthog, Vervet Monkey and Bushbuck.

Crossing the border and the Zambezi River, we had lunch in Livingstone and explored the Victoria Waterfalls in all their might, with millions of liters of water dropping over the edge forming a curtain of water. Here we saw Red-winged Starling. We arrived at our lodge which is situated on the banks of the Zambezi River just after 17:00 and settled into rooms before meeting for dinner.

Distance travelled: 130 km

Day 14

Friday 10th March

Camp Nkwazi

Weather: Minimum 19 Maximum 33 Celsius, partly cloudy

Some of the group rose early and met on the deck to search for the African Finfoot and we took a short walk on the property before breakfast. Birds seen included: Red-faced Cisticola, Trumpeter Hornbill, Yellow-bellied Greenbul, Black-backed Puffback, Copper Sunbird, Purple-banded Sunbird, Cut-throat Finch and Tropical BouBou.

The rest of the morning was spent at leisure and to relax in the stunning location. Lunch was on a deck overlooking the river and then we met up again at 16:00 for a quick cup of coffee/tea before departing on an afternoon sunset cruise along the Zambezi at 16:30.

Day 15

Saturday 11th March

Departure

Weather: Minimum 21 Maximum 33 Celsius, sunny

On this final day, a brief pre-breakfast walk delivered a few more bird species. We departed the lodge and headed for the Zimbabwe border at 09:00 and arrived at the airport three hours later.

Distance travelled: 60 km

Total species seen:

Birds: 319

Mammals: 37

Reptiles: 8

Total kilometres travelled: 2610 km

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.




www.facebook.com/naturetrekwildlifeholidays



www.twitter.com/naturetrektours



www.instagram.com/naturetrek_wildlife_holidays



From top left clockwise: Trumpet Thorn, Spotted Hyena, Rock Python, African Pygmy Goose

Species lists

Birds

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|--------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Common Ostrich | <i>Struthio camelus</i> | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | | |
| White-faced Whistling Duck | <i>Dendrocygna viduata</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Fulvous Whistling Duck | <i>Dendrocygna bicolor</i> | | | | | | | | | | | | ✓ | | | |
| Spur-winged Goose | <i>Plectropterus gambensis</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Knob-billed Duck | <i>Sarkidiornis melanotos</i> | | | | | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | |
| Egyptian Goose | <i>Alopochen aegyptiaca</i> | | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| South African Shelduck | <i>Tadorna cana</i> | | | | ✓ | ✓ | | | | | | | | | | |
| African Pygmy Goose | <i>Nettapus auritus</i> | | | | | | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | |
| Blue-billed Teal | <i>Spatula hottentota</i> | | | | | ✓ | | | | | | | | | | |
| Cape Teal | <i>Anas capensis</i> | | | | | ✓ | | | | | | | | | | |
| Red-billed Teal | <i>Anas erythrorhyncha</i> | | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | |
| Southern Pochard | <i>Netta erythrophthalma</i> | | | | ✓ | ✓ | | | | | | | | | | |
| Helmeted Guineafowl | <i>Numida meleagris</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | |
| Crested Francolin | <i>Ortygornis sephaena</i> | | | | | | | | | | | | | ✓ | | |
| Common Quail | <i>Coturnix coturnix</i> | | | | ✓ | | | | | | | | | | | |
| Red-billed Spurfowl | <i>Pternistis adspersus</i> | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | |
| Swainson's Spurfowl | <i>Pternistis swainsonii</i> | | | | | | | | ✓ | | | | ✓ | | | |
| Freckled Nightjar | <i>Caprimulgus tristigma</i> | | ✓ | | | | | | | | | | | | | |
| Square-tailed Nightjar | <i>Caprimulgus fossii</i> | ✓ | | | | | | | | | | | | | | |
| African Palm Swift | <i>Cypsiurus parvus</i> | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | | ✓ | | | | |
| Alpine Swift | <i>Tachymarpis melba</i> | | ✓ | | | | | | | | | | | | | |
| Common Swift | <i>Apus apus</i> | ✓ | ✓ | | | | | ✓ | | | | | | | | |
| Bradfield's Swift | <i>Apus bradfieldi</i> | | ✓ | | | | | | | | | | | | | |
| Little Swift | <i>Apus affinis</i> | ✓ | ✓ | ✓ | | | | ✓ | | | | | | | | |
| White-rumped Swift | <i>Apus caffer</i> | ✓ | ✓ | ✓ | | | | | | | | | | | | |
| Grey Go-away-bird | <i>Crinifer concolor</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Schalow's Turaco | <i>Tauraco schalowi</i> | | | | | | | | | | | ✓ | | | | |
| Kori Bustard | <i>Ardeotis kori</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Red-crested Korhaan | <i>Lophotis ruficrista</i> | | | ✓ | ✓ | ✓ | | | | | | | | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|----------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Northern Black Korhaan | <i>Afrotis afraoides</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Coppery-tailed Coucal | <i>Centropus cupreicaudus</i> | | | | | | | ✓ | | | | | | | | |
| White-browed Coucal | <i>Centropus superciliosus</i> | | | | | | | | | | ✓ | | ✓ | | | |
| Levaillant's Cuckoo | <i>Clamator levaillantii</i> | | | | | | | | | ✓ | | | ✓ | | | |
| Jacobin Cuckoo | <i>Clamator jacobinus</i> | | | | | ✓ | | | | ✓ | | | ✓ | | | |
| Diederik Cuckoo | <i>Chrysococcyx caprius</i> | | | | | | | | | | | | | | | |
| Klaas's Cuckoo | <i>Chrysococcyx klaas</i> | | | | | | | | | | | | ✓ | | | |
| Black Cuckoo | <i>Cuculus clamosus</i> | | | | | | | | ✓ | | | | | | | |
| African Cuckoo | <i>Cuculus gularis</i> | | | | | | | | | | | | ✓ | | | |
| Double-banded Sandgrouse | <i>Pterocles bicinctus</i> | | | | | ✓ | | | | | | | | | | |
| Rock Dove - I | <i>Columba livia</i> | | | | | | | | | | | | | | | |
| Speckled Pigeon | <i>Columba guinea</i> | ✓ | ✓ | | | | | | | | | | | | | |
| Mourning Collared Dove | <i>Streptopelia decipiens</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| Red-eyed Dove | <i>Streptopelia semitorquata</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Ring-necked Dove | <i>Streptopelia capicola</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Laughing Dove | <i>Spilopelia senegalensis</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Emerald-spotted Wood Dove | <i>Turtur chalcospilos</i> | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| Namaqua Dove | <i>Oena capensis</i> | | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | | | | |
| African Green Pigeon | <i>Treron calvus</i> | | | | | | | | | ✓ | ✓ | | | | | |
| Lesser Moorhen | <i>Paragallinula angulata</i> | | | | ✓ | | | | | | | | | | | |
| Common Moorhen | <i>Gallinula chloropus</i> | | | | ✓ | ✓ | | ✓ | | | | ✓ | ✓ | | | |
| Red-knobbed Coot | <i>Fulica cristata</i> | | | | | ✓ | | | | | | | | | | |
| Allen's Gallinule | <i>Porphyrio alleni</i> | | | | | | | ✓ | | | ✓ | ✓ | | | | |
| Black Crake | <i>Zapornia flavirostra</i> | | | | | | | | ✓ | ✓ | | | | | | |
| Wattled Crane | <i>Grus carunculata</i> | | | | | | | | ✓ | | | | | | | |
| Blue Crane | <i>Grus paradisea</i> | | | ✓ | ✓ | | | | | | | | | | | |
| Little Grebe | <i>Tachybaptus ruficollis</i> | | | | ✓ | ✓ | | | | | | | | | | |
| Black-necked Grebe | <i>Podiceps nigricollis</i> | | | | ✓ | | | | | | | | | | | |
| Greater Flamingo | <i>Phoenicopterus roseus</i> | | | | ✓ | ✓ | | | | | | | | | | |
| Lesser Flamingo | <i>Phoeniconaias minor</i> | | | | ✓ | ✓ | | | | | | | | | | |
| Common Buttonquail | <i>Turnix sylvaticus</i> | | | | ✓ | | | | | | | | | | | |
| Water Thick-knee | <i>Burhinus vermiculatus</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|--------------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Black-winged Stilt | <i>Himantopus himantopus</i> | | | ✓ | ✓ | | | ✓ | ✓ | | | ✓ | ✓ | | | |
| Pied Avocet | <i>Recurvirostra avosetta</i> | | | | ✓ | | | | | | | | | | | |
| Long-toed Lapwing | <i>Vanellus crassirostris</i> | | | | | | | | | ✓ | ✓ | | ✓ | | | |
| Blacksmith Lapwing | <i>Vanellus armatus</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| White-crowned Lapwing | <i>Vanellus albiceps</i> | | | | | | | | | | | ✓ | ✓ | ✓ | | |
| Crowned Lapwing | <i>Vanellus coronatus</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | |
| African Wattled Lapwing | <i>Vanellus senegallus</i> | | | | | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | |
| Kittlitz's Plover | <i>Charadrius pecuarius</i> | | | | ✓ | ✓ | | | | | | | ✓ | | | |
| Three-banded Plover | <i>Charadrius tricollaris</i> | | | ✓ | | | | | | | | ✓ | ✓ | | | |
| Chestnut-banded Plover | <i>Charadrius pallidus</i> | | | | ✓ | ✓ | | | | | | | | | | |
| Greater Painted-snipe | <i>Rostratula benghalensis</i> | | | | | ✓ | | | | | | | | | | |
| African Jacana | <i>Actophilornis africanus</i> | | | | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Ruff | <i>Calidris pugnax</i> | | | | ✓ | ✓ | | ✓ | ✓ | | | | | | | |
| Curlew Sandpiper | <i>Calidris ferruginea</i> | | | | | ✓ | | | | | | | | | | |
| Little Stint | <i>Calidris minuta</i> | | | | | ✓ | | | | | | | | | | |
| Great Snipe | <i>Gallinago media</i> | | | | | ✓ | | | | | | | | | | |
| Black-tailed Godwit | <i>Limosa limosa</i> | | | | | | | | | | | ✓ | ✓ | | | |
| Common Sandpiper | <i>Actitis hypoleucos</i> | | | | | | | | | | ✓ | ✓ | ✓ | | | |
| Marsh Sandpiper | <i>Tringa stagnatilis</i> | | | ✓ | ✓ | ✓ | | | ✓ | | | | | | | |
| Wood Sandpiper | <i>Tringa glareola</i> | | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Common Greenshank | <i>Tringa nebularia</i> | | | ✓ | ✓ | ✓ | | | | | | | | | | |
| Temminck's Courser | <i>Cursorius temminckii</i> | | | ✓ | | | | | | | | | | | | |
| Double Banded Courser | <i>Rhinoptilus Africanus</i> | | ✓ | ✓ | ✓ | | | | | | | | | | | |
| Grey-headed Gull | <i>Chroicocephalus cirrocephalus</i> | | | | | ✓ | | | | | | | | | | |
| Whiskered Tern | <i>Chlidonias hybrida</i> | | | | | ✓ | | | | | | | ✓ | | | |
| White-winged Tern | <i>Chlidonias leucopterus</i> | | | | | ✓ | | | | | | ✓ | ✓ | | | |
| Yellow-billed Stork | <i>Mycteria ibis</i> | | | | | | | | ✓ | | | | | | | |
| African Openbill | <i>Anastomus lamelligerus</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Abdim's Stork | <i>Ciconia abdimii</i> | | ✓ | | | | | | | | | | | | | |
| White Stork | <i>Ciconia ciconia</i> | | | | ✓ | | | | | | | | | | | |
| Marabou Stork | <i>Leptoptilos crumenifer</i> | | ✓ | | ✓ | ✓ | ✓ | | | | | ✓ | ✓ | | | |
| African Darter | <i>Anhinga rufa</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|---------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Reed Cormorant | <i>Microcarbo africanus</i> | | | | | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | |
| African Sacred Ibis | <i>Threskiornis aethiopicus</i> | | | | | | | | | | | ✓ | ✓ | | | |
| Hadada Ibis | <i>Bostrychia hagedash</i> | | | | | | | | | ✓ | | ✓ | ✓ | | | |
| Glossy Ibis | <i>Plegadis falcinellus</i> | | | | | | | | | | | | ✓ | | | |
| African Spoonbill | <i>Platalea alba</i> | | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | ✓ | | | |
| Dwarf Bittern | <i>Ixobrychus sturmii</i> | | | | | | | ✓ | | ✓ | | | | | | |
| White-backed Night Heron | <i>Gorsachius leuconotus</i> | | | | | | | | | ✓ | ✓ | | ✓ | | | |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i> | | | | | | | ✓ | | | ✓ | | ✓ | | | |
| Striated Heron | <i>Butorides striata</i> | | | | | | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | |
| Squacco Heron | <i>Ardeola ralloides</i> | | | | | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | |
| Rufous-bellied Heron | <i>Ardeola rufiventris</i> | | | | | | | | | | | ✓ | | | | |
| Western Cattle Egret | <i>Bubulcus ibis</i> | | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Grey Heron | <i>Ardea cinerea</i> | | | | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | |
| Black-headed Heron | <i>Ardea melanocephala</i> | | | | | | | | | | | ✓ | | | | |
| Goliath Heron | <i>Ardea goliath</i> | | | | | | | ✓ | ✓ | | ✓ | | ✓ | | | |
| Purple Heron | <i>Ardea purpurea</i> | | | | | | | | | ✓ | | | | | | |
| Great Egret | <i>Ardea alba</i> | | | | | | | ✓ | | | | | ✓ | | | |
| Intermediate Egret | <i>Ardea intermedia</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Black Heron | <i>Egretta ardesiaca</i> | | | | | | | | ✓ | | | ✓ | ✓ | | | |
| Little Egret | <i>Egretta garzetta</i> | | | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Hamerkop | <i>Scopus umbretta</i> | | | | | | | | ✓ | | | | | | | |
| Pink-backed Pelican | <i>Pelecanus rufescens</i> | | | | | | | | | | | ✓ | | | | |
| Secretarybird | <i>Sagittarius serpentarius</i> | | ✓ | ✓ | | | | | | | | | | | | |
| Western Osprey | <i>Pandion haliaetus</i> | | | | | | | | | ✓ | | ✓ | | | | |
| Black-winged Kite | <i>Elanus caeruleus</i> | | ✓ | ✓ | | | | | | ✓ | | | | | | |
| White-backed Vulture | <i>Gyps africanus</i> | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | | | |
| White-headed Vulture | <i>Trigonoceps occipitalis</i> | | | | ✓ | ✓ | | | ✓ | | | | | | | |
| Lappet-faced Vulture | <i>Torgos tracheliotos</i> | | | | ✓ | | | | | | ✓ | | | | | |
| Black-chested Snake Eagle | <i>Circaetus pectoralis</i> | | ✓ | | | | | | | | | ✓ | | | | |
| Brown Snake Eagle | <i>Circaetus cinereus</i> | | | | | | ✓ | | | | | | | | | |
| Bateleur | <i>Terathopius ecaudatus</i> | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | | |
| Tawny Eagle | <i>Aquila rapax</i> | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | ✓ | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|---------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Verreaux's Eagle | <i>Aquila verreauxii</i> | | ✓ | | | | | | | | | | | | | |
| African Hawk-Eagle | <i>Aquila spilogaster</i> | | ✓ | | | | | | | | | | | | | |
| Gabar Goshawk | <i>Micronisus gabar</i> | | ✓ | ✓ | ✓ | | | | | | | | ✓ | | | |
| Dark Chanting Goshawk | <i>Melierax metabates</i> | | | | | | ✓ | | | | ✓ | | ✓ | | | |
| Pale Chanting Goshawk | <i>Melierax canorus</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| African Goshawk | <i>Accipiter tachiro</i> | | | | | | | | | | | | ✓ | | | |
| Shikra | <i>Accipiter badius</i> | | | ✓ | | | | | | | ✓ | | | | | |
| Little Sparrowhawk | <i>Accipiter minullus</i> | | | ✓ | | | ✓ | | | | | | | | | |
| Ovambo Sparrowhawk | <i>Accipiter ovampensis</i> | | | | | | ✓ | | | | | | | | | |
| African Marsh Harrier | <i>Circus ranivorus</i> | | | | | | | | | ✓ | | | | | | |
| Black Kite | <i>Milvus migrans</i> | | | ✓ | | | | | | | | | | | | |
| Yellow-billed Kite | <i>Milvus aegyptius</i> | ✓ | ✓ | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| African Fish Eagle | <i>Haliaeetus vocifer</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Common Buzzard | <i>Buteo buteo</i> | | ✓ | ✓ | | | | ✓ | | | | | | | | |
| Western Barn Owl | <i>Tyto alba</i> | | | | | | | | | | ✓ | | | | | |
| Pearl-spotted Owlet | <i>Glaucidium perlatus</i> | | | | | | ✓ | | | | | | | | | |
| African Barred Owlet | <i>Glaucidium capense</i> | | | | | | | | | | | ✓ | | | | |
| White-backed Mousebird | <i>Colius colius</i> | | ✓ | | | | | | | | | | | | | |
| Red-faced Mousebird | <i>Urocolius indicus</i> | | | | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| African Hoopoe | <i>Upupa africana</i> | | | ✓ | | | | | | | | | | | | |
| Green Wood Hoopoe | <i>Phoeniculus purpureus</i> | | | | | | | | ✓ | ✓ | ✓ | | | | | |
| Violet Wood Hoopoe | <i>Phoeniculus damarensis</i> | | | ✓ | ✓ | | | | | | | | ✓ | | | |
| Common Scimitarbill | <i>Rhinopomastus cyanomelas</i> | | | | | ✓ | | ✓ | ✓ | ✓ | | | | | | |
| Southern Ground Hornbill | <i>Bucorvus leadbeateri</i> | | | | | | | | | | | ✓ | | | | |
| Damara Red-billed Hornbill | <i>Tockus damarensis</i> | | | ✓ | | | | | | | | | | | | |
| Southern Red-billed Hornbill | <i>Tockus rufirostris</i> | | | ✓ | | ✓ | ✓ | | | | | | | | | |
| Southern Yellow-billed Hornbill | <i>Tockus leucomelas</i> | | | ✓ | ✓ | ✓ | ✓ | | | ✓ | | ✓ | | | | |
| Monteiro's Hornbill - N | <i>Tockus monteiri</i> | | | | | | | | | ✓ | | | | | | |
| Bradfield's Hornbill | <i>Lophoceros bradfieldi</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | | | | | |
| African Grey Hornbill | <i>Lophoceros nasutus</i> | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Trumpeter Hornbill | <i>Bycanistes bucinator</i> | | | | | | | | | | | | | | ✓ | |
| Purple Roller | <i>Coracias naevius</i> | | ✓ | | | ✓ | | ✓ | ✓ | ✓ | | | | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|--------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Lilac-breasted Roller | <i>Coracias caudatus</i> | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| European Roller | <i>Coracias garrulus</i> | | | ✓ | ✓ | ✓ | | | | | | | | | | |
| Broad-billed Roller | <i>Eurystomus glaucurus</i> | | | | | | | | ✓ | ✓ | | | | | | |
| Grey-headed Kingfisher | <i>Halcyon leucocephala</i> | | | ✓ | | | | | | | | | | | | |
| Brown-hooded Kingfisher | <i>Halcyon albiventris</i> | | | | | | | | ✓ | ✓ | | ✓ | ✓ | | ✓ | |
| Striped Kingfisher | <i>Halcyon chelicuti</i> | | | | | | | | ✓ | | | ✓ | ✓ | | | |
| Woodland Kingfisher | <i>Halcyon senegalensis</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | | | | |
| Malachite Kingfisher | <i>Corythornis cristatus</i> | | | | | | | ✓ | | ✓ | | | ✓ | | | |
| Half-collared Kingfisher | <i>Alcedo semitorquata</i> | | | | | | | | | | | | ✓ | | | |
| Giant Kingfisher | <i>Megaceryle maxima</i> | | | | | | | | | | ✓ | | | | | |
| Pied Kingfisher | <i>Ceryle rudis</i> | | | | | | | ✓ | | ✓ | | ✓ | ✓ | | | |
| Swallow-tailed Bee-eater | <i>Merops hirundineus</i> | | | | | ✓ | | | | | | | | | | |
| Little Bee-eater | <i>Merops pusillus</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| White-fronted Bee-eater | <i>Merops bullockoides</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| Blue-cheeked Bee-eater | <i>Merops persicus</i> | | | | | | | | ✓ | ✓ | | | ✓ | | | |
| European Bee-eater | <i>Merops apiaster</i> | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | | | |
| Southern Carmine Bee-eater | <i>Merops nubicoides</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Yellow-fronted Tinkerbird | <i>Pogoniulus chrysoconus</i> | | | | | | | | | | | ✓ | | | ✓ | |
| Acacia Pied Barbet | <i>Tricholaema leucomelas</i> | | | | ✓ | ✓ | | | ✓ | | | | | | | |
| Black-collared Barbet | <i>Lybius torquatus</i> | | | | | | | | ✓ | ✓ | | ✓ | | | ✓ | |
| Crested Barbet | <i>Trachyphonus vaillantii</i> | | | | | | | | | | ✓ | | | | | |
| Lesser Honeyguide | <i>Indicator minor</i> | | | | | | | | ✓ | | | | | | | |
| Bennett's Woodpecker | <i>Campethera bennettii</i> | | | | | | | | | | | | | | | |
| Golden-tailed Woodpecker | <i>Campethera abingoni</i> | | ✓ | | | | | | ✓ | | | | | | | |
| Bearded Woodpecker | <i>Chloropicus namaquus</i> | | | | | ✓ | | | | | | | | | | |
| Cardinal Woodpecker | <i>Dendropicos fuscescens</i> | | | | | | | | ✓ | | | | | | | |
| Lesser Kestrel | <i>Falco naumanni</i> | | | | ✓ | | | | | | | | | | | |
| Rock Kestrel | <i>Falco rupicolus</i> | | ✓ | | | ✓ | | | | | | | | | | |
| Greater Kestrel | <i>Falco rupicoloides</i> | | ✓ | | | | | | | | | | | | | |
| Red-footed Falcon | <i>Falco vespertinus</i> | | ✓ | ✓ | ✓ | | | | | | | | | | | |
| Amur Falcon | <i>Falco amurensis</i> | | | ✓ | ✓ | | | | | | | | | | | |
| Meyer's Parrot | <i>Poicephalus meyeri</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|----------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Rüppell's Parrot - N | <i>Poicephalus rueppellii</i> | | ✓ | | | | | | | | | | | | | |
| Chinspot Batis | <i>Batis molitor</i> | | | | | | | | | | ✓ | ✓ | | | | |
| Grey-headed Bushshrike | <i>Malaconotus blanchoti</i> | | | | | | | | | | | | | | ✓ | |
| Brown-crowned Tchagra | <i>Tchagra australis</i> | | ✓ | | ✓ | ✓ | | | ✓ | | | | | | | |
| Black-backed Puffback | <i>Dryoscopus cubla</i> | | ✓ | | ✓ | | | | ✓ | ✓ | ✓ | ✓ | | | ✓ | |
| Tropical Boubou | <i>Laniarius major</i> | | | | | | | | | | | ✓ | ✓ | | | |
| Swamp Boubou | <i>Laniarius bicolor</i> | | | | | | | | ✓ | ✓ | | | | | | |
| Crimson-breasted Shrike | <i>Laniarius atrococcineus</i> | | ✓ | | | | | | ✓ | | | | | | | |
| Brubru | <i>Nilaus afer</i> | | | | | | | | | | ✓ | | | | | |
| Retz's Helmetshrike | <i>Prionops retzii</i> | | | | | | | | ✓ | | | | | ✓ | ✓ | |
| Black Cuckooshrike | <i>Campephaga flava</i> | | | | | | | | | | | | | | ✓ | |
| Magpie Shrike | <i>Urolestes melanoleucus</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Southern White-crowned Shrike | <i>Eurocephalus anguitimens</i> | | | | ✓ | | ✓ | | | | ✓ | | | | | |
| Red-backed Shrike | <i>Lanius collurio</i> | | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | | | |
| Lesser Grey Shrike | <i>Lanius minor</i> | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | | | | |
| African Golden Oriole | <i>Oriolus auratus</i> | | | | | | | | | | | | | | | |
| Eurasian Golden Oriole | <i>Oriolus oriolus</i> | | ✓ | | | | | | | | | | | | | |
| Fork-tailed Drongo | <i>Dicrurus adsimilis</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| African Paradise Flycatcher | <i>Terpsiphone viridis</i> | | ✓ | | | | | | | ✓ | ✓ | ✓ | ✓ | | | |
| Cape Crow | <i>Corvus capensis</i> | | ✓ | ✓ | ✓ | | | ✓ | ✓ | | | | | | | |
| Pied Crow | <i>Corvus albus</i> | | ✓ | ✓ | ✓ | | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | |
| Southern Black Tit | <i>Melaniparus niger</i> | | | | | | | | | | | ✓ | | | | |
| Cape Penduline Tit | <i>Anthoscopus minutus</i> | | | | | | | | | | | | | | ✓ | |
| Spike-heeled Lark | <i>Chersomanes albofasciata</i> | | ✓ | | | | | | | | | | | | | |
| Grey-backed Sparrow-Lark | <i>Eremopterix verticalis</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Sabota Lark | <i>Calendulauda sabota</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Rufous-naped Lark | <i>Mirafr africana</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Monotonous Lark | <i>Mirafr passerina</i> | | | | | ✓ | | | | | | | | | | |
| Red-capped Lark | <i>Calandrella cinerea</i> | | ✓ | ✓ | | | | | | | | | ✓ | | | |
| Yellow-bellied Greenbul | <i>Chlorocichla flaviventris</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Terrestrial Brownbul | <i>Phyllastrephus terrestris</i> | | | | | | | | ✓ | ✓ | | ✓ | ✓ | | | |
| African Red-eyed Bulbul | <i>Pycnonotus nigricans</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|------------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Dark-capped Bulbul | <i>Pycnonotus tricolor</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Banded Martin | <i>Neophedina cincta</i> | | | | | ✓ | | | | | | | | | | |
| Brown-throated Martin | <i>Riparia paludicola</i> | | | | | | | | | ✓ | | | | | | |
| Grey-rumped Swallow | <i>Pseudhirundo griseopyga</i> | | | | | | | | | ✓ | ✓ | ✓ | ✓ | | | |
| Rock Martin | <i>Ptyonoprogne fuligula</i> | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | | |
| Wire-tailed Swallow | <i>Hirundo smithii</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Barn Swallow | <i>Hirundo rustica</i> | | ✓ | ✓ | ✓ | | | | | | ✓ | ✓ | ✓ | | | |
| Common House Martin | <i>Delichon urbicum</i> | | | | | | | | | | | ✓ | ✓ | | | |
| Red-breasted Swallow | <i>Cecropis semirufa</i> | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | | | |
| Mosque Swallow | <i>Cecropis senegalensis</i> | | | | | | | | | | ✓ | ✓ | ✓ | | | |
| Lesser Striped Swallow | <i>Cecropis abyssinica</i> | ✓ | ✓ | | | | | ✓ | | ✓ | ✓ | | ✓ | | | |
| Greater Striped Swallow | <i>Cecropis cucullata</i> | | ✓ | | | | | ✓ | | | | | | | | |
| Long-billed Crombec | <i>Sylvietta rufescens</i> | | | | ✓ | ✓ | ✓ | | | ✓ | | ✓ | | | | |
| Willow Warbler | <i>Phylloscopus trochilus</i> | | | | | | | | | | | ✓ | | | | |
| Greater Swamp Warbler | <i>Acrocephalus rufescens</i> | | | | | | | | | | ✓ | | | | | |
| Lesser Swamp Warbler | <i>Acrocephalus gracilirostris</i> | | | | | | | | | ✓ | ✓ | | | | | |
| Great Reed Warbler | <i>Acrocephalus arundinaceus</i> | | | | | | | | | ✓ | | | | | | |
| Icterine Warbler | <i>Hippolais icterina</i> | | | | | ✓ | | | ✓ | ✓ | ✓ | | | | | |
| Red-faced Cisticola | <i>Cisticola erythrops</i> | | | | | | | | | | | | | | ✓ | |
| Rattling Cisticola | <i>Cisticola chiniana</i> | | | | | ✓ | | | ✓ | | | | | | | |
| Tinkling Cisticola | <i>Cisticola rufilatus</i> | | | | | | | | ✓ | | | | | | | |
| Luapula Cisticola | <i>Cisticola luapula</i> | | | | | | | | | ✓ | | | ✓ | | | |
| Chirping Cisticola | <i>Cisticola pipiens</i> | | | | | | | | | ✓ | | | | | | |
| Zitting Cisticola | <i>Cisticola juncidis</i> | | ✓ | | ✓ | ✓ | | | | | | | | | | |
| Desert Cisticola | <i>Cisticola aridulus</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Tawny-flanked Prinia | <i>Prinia subflava</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | | ✓ | | | |
| Black-chested Prinia | <i>Prinia flavicans</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Yellow-breasted Apalis | <i>Apalis flavida</i> | | | | ✓ | | | | | | | | | | | |
| Grey-backed Camaroptera | <i>Camaroptera brevicaudata</i> | | ✓ | ✓ | ✓ | ✓ | | | ✓ | | ✓ | | | | | |
| Southern Yellow White-eye | <i>Zosterops anderssoni</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | | | | |
| Arrow-marked Babbler | <i>Turdoides jardineii</i> | | | | | | | | ✓ | ✓ | ✓ | | | | | |
| Bare-cheeked Babbler | <i>Turdoides gymnogenys</i> | | | ✓ | | | | | | | | | | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|---------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Hartlaub's Babbler | <i>Turdoides hartlaubii</i> | | | | | | | | ✓ | ✓ | ✓ | | | | | |
| Black-faced Babbler | <i>Turdoides melanops</i> | | | | | | ✓ | | | | | | | | | |
| Common Myna - I | <i>Acridotheres tristis</i> | | | | | | | | | | | ✓ | | | | |
| Wattled Starling | <i>Creatophora cinerea</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Cape Starling | <i>Lamprotornis nitens</i> | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | | |
| Greater Blue-eared Starling | <i>Lamprotornis chalybaeus</i> | | | | | | | | ✓ | ✓ | ✓ | | | | | |
| Meves's Starling | <i>Lamprotornis mevesii</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Burchell's Starling | <i>Lamprotornis australis</i> | | ✓ | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Pale-winged Starling | <i>Onychognathus nabouroup</i> | | ✓ | | | | | | | | | | | | | |
| Yellow-billed Oxpecker | <i>Buphagus africanus</i> | | | | | | | | | ✓ | | | ✓ | | | |
| Red-billed Oxpecker | <i>Buphagus erythrorhynchus</i> | | ✓ | | | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | |
| Groundscraper Thrush | <i>Turdus litsitsirupa</i> | | ✓ | | | | | | | | ✓ | | | | | |
| Kurrichane Thrush | <i>Turdus libonyana</i> | | | | | | | | | | | | ✓ | | | |
| Kalahari Scrub Robin | <i>Cercotrichas paena</i> | | | | ✓ | | | | | | | | | | | |
| White-browed Scrub Robin | <i>Cercotrichas leucophrys</i> | | | | ✓ | ✓ | | | ✓ | | | | | | | |
| Marico Flycatcher | <i>Melaenornis mariquensis</i> | | | | ✓ | ✓ | | | ✓ | ✓ | ✓ | | | | | |
| Spotted Flycatcher | <i>Muscicapa striata</i> | | | | | | | | ✓ | | ✓ | ✓ | | | | |
| Ashy Flycatcher | <i>Muscicapa caerulescens</i> | | | | | | | | ✓ | ✓ | | | | | | |
| White-browed Robin-Chat | <i>Cossypha heuglini</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Collared Palm Thrush | <i>Cichladusa arquata</i> | | | | | | | | | | | | ✓ | ✓ | | |
| African Stonechat | <i>Saxicola torquatus</i> | | | | | | | | | ✓ | | | ✓ | | | |
| Capped Wheatear | <i>Oenanthe pileata</i> | | | ✓ | | | | | | | | | | | | |
| Collared Sunbird | <i>Hedydipna collaris</i> | | | | | | | | | ✓ | | | | | | |
| Scarlet-chested Sunbird | <i>Chalcomitra senegalensis</i> | | | | | | | | | | | | ✓ | | | |
| Marico Sunbird | <i>Cinnyris mariquensis</i> | | ✓ | | | ✓ | | | ✓ | ✓ | | ✓ | | | | |
| Purple-banded Sunbird | <i>Cinnyris bifasciatus</i> | | | | | | | | | | ✓ | | ✓ | | | |
| White-bellied Sunbird | <i>Cinnyris talatala</i> | | | | | | | | | ✓ | | | | | | |
| Dusky Sunbird | <i>Cinnyris fuscus</i> | | ✓ | | ✓ | ✓ | | | | | | | | | | |
| Copper Sunbird | <i>Cinnyris cupreus</i> | | | | | | | | | ✓ | | | ✓ | | | |
| Great Sparrow | <i>Passer motitensis</i> | | | | ✓ | | | | | | | | | | | |
| Northern Grey-headed Sparrow | <i>Passer griseus</i> | | | | | | | | | | | ✓ | ✓ | | | |
| Southern Grey-headed Sparrow | <i>Passer diffusus</i> | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|-------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| House Sparrow - I | <i>Passer domesticus</i> | ✓ | ✓ | | | | | | | | | | | | | |
| Red-billed Buffalo Weaver | <i>Bubalornis niger</i> | | | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| White-browed Sparrow-Weaver | <i>Plocepasser mahali</i> | | ✓ | | ✓ | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | | |
| Sociable Weaver | <i>Philetairus socius</i> | | ✓ | | | | | | | | | | | | | |
| Scaly-feathered Weaver | <i>Sporopipes squamifrons</i> | | | | ✓ | ✓ | | | | | | | | | | |
| Thick-billed Weaver | <i>Amblyospiza albifrons</i> | | | | | | | | | ✓ | | | | | | |
| Spectacled Weaver | <i>Ploceus ocularis</i> | | | | | | | | ✓ | ✓ | | ✓ | ✓ | | | |
| Holub's Golden Weaver | <i>Ploceus xanthops</i> | | | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Southern Brown-throated Weaver | <i>Ploceus xanthopterus</i> | | | | | | | | | ✓ | | | ✓ | | | |
| Lesser Masked Weaver | <i>Ploceus intermedius</i> | | ✓ | | ✓ | ✓ | | | | | | | | | | |
| Southern Masked Weaver | <i>Ploceus velatus</i> | | ✓ | | ✓ | ✓ | | | | | | ✓ | | | | |
| Village Weaver | <i>Ploceus cucullatus</i> | | | | | | | | ✓ | | | | | | | |
| Chestnut Weaver | <i>Ploceus rubiginosus</i> | | | | | ✓ | | | | | | | | | | |
| Red-billed Quelea | <i>Quelea quelea</i> | | ✓ | ✓ | | ✓ | | | ✓ | | ✓ | ✓ | | | | |
| Southern Red Bishop | <i>Euplectes orix</i> | | | | ✓ | ✓ | | | | ✓ | | ✓ | | | | |
| Yellow Bishop | <i>Euplectes capensis</i> | | | | | | | | | | | | ✓ | | | |
| Fan-tailed Widowbird | <i>Euplectes axillaris</i> | | | | | | | | | ✓ | | | ✓ | | | |
| White-winged Widowbird | <i>Euplectes albonotatus</i> | | | | | | | | | ✓ | | | | | | |
| Bronze Mannikin | <i>Spermestes cucullata</i> | | | | | | | | | | | ✓ | | | | |
| Black-faced Waxbill | <i>Brunhilda erythronotos</i> | | | | | | | | ✓ | | | | | | | |
| Common Waxbill | <i>Estrilda astrild</i> | | | | | | | | | ✓ | ✓ | | | | | |
| Cut-throat Finch | <i>Amadina fasciata</i> | | | | | | | | | | | | | | ✓ | |
| Red-headed Finch | <i>Amadina erythrocephala</i> | | | | ✓ | | | | | | | | | | | |
| Violet-eared Waxbill | <i>Granatina granatina</i> | | | | ✓ | | | | | | | | | | | |
| Blue Waxbill | <i>Uraeginthus angolensis</i> | | | | ✓ | ✓ | | | ✓ | | | ✓ | | | ✓ | |
| Green-winged Pytilia | <i>Pytilia melba</i> | | | | ✓ | | | | | | | | | | | |
| Shaft-tailed Whydah | <i>Vidua regia</i> | | ✓ | | ✓ | | | | ✓ | | | | | | | |
| Long-tailed Paradise Whydah | <i>Vidua paradisaea</i> | | | | ✓ | | | | ✓ | | | | | | | |
| Western Yellow Wagtail | <i>Motacilla flava</i> | | | | | | | | | | | | ✓ | | | |
| Cape Wagtail | <i>Motacilla capensis</i> | | | | | | | | | ✓ | | ✓ | ✓ | | | |
| African Pied Wagtail | <i>Motacilla aguimp</i> | | | | | | | | | | ✓ | ✓ | ✓ | | | |
| Rosy-throated Longclaw | <i>Macronyx ameliae</i> | | | | | | | | | | | | ✓ | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| African Pipit | <i>Anthus cinnamomeus</i> | | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | ✓ | | | |
| Buffy Pipit | <i>Anthus vaalensis</i> | | | | ✓ | | | | ✓ | | | | | | | |
| Plain-backed Pipit | <i>Anthus leucophrys</i> | | | | | | | | | | ✓ | | | | | |
| Black-throated Canary | <i>Crithagra atrogularis</i> | | ✓ | ✓ | ✓ | | | | | | | | | | | |
| Lark-like Bunting | <i>Emberiza impetuani</i> | | ✓ | ✓ | | | | | | | | | | | | |
| Cinnamon-breasted Bunting | <i>Emberiza tahapisi</i> | | ✓ | | | | | | | | | | | | | |
| Golden-breasted Bunting | <i>Emberiza flaviventris</i> | | | | | ✓ | | | | | | | | | | |

Mammals

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|-------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Common Rock Hyrax | <i>Procavia capensis</i> | | ✓ | | | | | | | | | | | | | |
| African Elephant | <i>Loxodonta africana</i> | | | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Aardvark | <i>Orycteropus afer</i> | | | | | | | | | | | | | ✓ | | |
| Cheetah | <i>Acinonyx jubatus</i> | | | | ✓ | ✓ | | | | | | | | | | |
| African Wildcat | <i>Felis lybica</i> | | | | ✓ | | | | | | | | | | | |
| Lion | <i>Panthera leo</i> | | | ✓ | | | | | | | | | | | | |
| Common Genet | <i>Genetta genetta</i> | | ✓ | | | | | | | | | | | | | |
| Spotted Hyaena | <i>Crocuta crocuta</i> | | | | ✓ | | | | | | | | | | | |
| Banded Mongoose | <i>Mungos mungo</i> | | ✓ | | ✓ | ✓ | | | | | | | | | | |
| Black-backed Jackal | <i>Lupulella mesomelas</i> | | ✓ | | ✓ | ✓ | | | | | | ✓ | | | | |
| African Clawless Otter | <i>Aonyx capensis</i> | | | | | | | | | ✓ | | | | | | |
| Plains Zebra | <i>Equus quagga</i> | | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | | ✓ | | | | |
| White Rhinoceros - I | <i>Ceratotherium simum</i> | | | | ✓ | | | | | | | | | | ✓ | |
| Black Rhinoceros - I | <i>Diceros bicornis</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Common Warthog | <i>Phacochoerus africanus</i> | | | | ✓ | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | |
| Giraffe | <i>Giraffa camelopardalis</i> | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Impala | <i>Aepyceros melampus</i> | | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | |
| Springbok | <i>Antidorcas marsupialis</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Common Wildebeest | <i>Connochaetes taurinus</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Roan Antelope | <i>Hippotragus equinus</i> | | | | | | | | ✓ | | | | | | | |

| E=Endemic, N=Near-endemic I=Introduced | | February - March 2023 | | | | | | | | | | | | | | |
|--|---------------------------------|-----------------------|----|----|----|---|---|---|---|---|---|---|---|---|----|----|
| Common name | Scientific name | 25 | 26 | 27 | 28 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| Waterbuck | <i>Kobus ellipsiprymnus</i> | | | | | | | ✓ | | ✓ | ✓ | ✓ | | | | |
| Southern Lechwe | <i>Kobus leche</i> | | | | | | | ✓ | ✓ | | ✓ | ✓ | | | | |
| Kirk's Dikdik | <i>Madoqua kirkii</i> | | ✓ | | | | | | | | | | | | | |
| Gemsbok | <i>Oryx gazella</i> | | ✓ | ✓ | ✓ | | | | | | | | | | | |
| Steenbok | <i>Raphicerus campestris</i> | | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| Southern Reedbuck | <i>Redunca arundinum</i> | | | | | | | | ✓ | | | | | | | |
| Common Duiker | <i>Sylvicapra grimmia</i> | | | | | ✓ | | | | | ✓ | | | | | |
| African Buffalo | <i>Syncerus caffer</i> | | | | | | | | ✓ | ✓ | | ✓ | ✓ | | | |
| Common Eland | <i>Tragelaphus oryx</i> | | | | ✓ | ✓ | | | | | | | | | | |
| Bushbuck | <i>Tragelaphus scriptus</i> | | | | | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | |
| Greater Kudu | <i>Tragelaphus strepsiceros</i> | ✓ | ✓ | | ✓ | ✓ | | | ✓ | ✓ | ✓ | | ✓ | | | |
| Hippopotamus | <i>Hippopotamus amphibius</i> | | | | | | | ✓ | ✓ | ✓ | ✓ | | ✓ | | | |
| Peter's Epauletted Fruit Bat | <i>Epomophorus crypturus</i> | | | | | | | | | | ✓ | | | | | |
| Vervet | <i>Chlorocebus pygerythrus</i> | | | | | | | | ✓ | ✓ | ✓ | | | | | |
| Chacma Baboon | <i>Papio ursinus</i> | | ✓ | | | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | |
| Cape Scrub Hare - N | <i>Lepus saxatilis</i> | | | ✓ | ✓ | | | | | | | | | | | |
| Smith's Bush Squirrel | <i>Paraxerus cepapi</i> | | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | | |
| South African Ground Squirrel | <i>Xerus inauris</i> | | ✓ | ✓ | ✓ | | | | | | | | | | | |