Nepal - A Birdwatching Tour

Naturetrek Tour Report

3 - 13 November 2017



View from Phulchowki hill



Chestnut-tailed Minla at Phulchowki



Wild Elephant at Koshi Tappu WR



Gharial at Rapti River, Chitwan NP

Report and images by Suchit Basnet



Naturetrek Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk W: www.naturetrek.co.uk

Tour participants: Suchit Basnet (leader) with seven Naturetrek clients

Day 1

Friday 3rd November

In flight from London Heathrow to Kathmandu via Doha on Qatar Airlines

Day 2

Saturday 4th November

The flight to Kathmandu landed at 3.40pm at Tribhuwan International Airport, where the temperature was about 18°C with light drizzle. Five group members met Suchit and Badri before being transported to Hotel Royal Singi, where we met Robert and Bill in the hotel lobby, completing the tour group. After a briefing by Suchit about the next day and the tour ahead, group members made their own arrangements for dinner.

Day 3

Sunday 5th November

We had a cooked breakfast at 6am before leaving for Phulchowki at 7am with a packed lunch. On the lower slopes near the marble quarry we saw some common birds such as House Crow and Jungle Crow. We also had good views of Red-billed Blue Magpie, Black-lored and Green-backed Tits, Grey Treepie, Great Barbet, Greater Yellownape and Black Eagle, to name a few.

We drove to the highest point and then slowly walked down, stopping for our packed lunch. After lunch the birds became quiet, but we did watch a nice flock which included warblers, tits, shrike babbler and yuhinas. We ended the day around 3pm and headed back to the hotel, but due to the traffic it was 4pm before we arrived back.

Day 4

Monday 6th November

Today we had to fly to Koshi. After breakfast at 6am, we set off from the hotel at 6.30am. It was a nice, clear morning with a blue sky. Our flight took off around 8.15am and after 40 minutes we reached Biratnagar. We had jeeps waiting for us and decided to go via Gurju lake and reach camp for lunch. It was a very productive visit to Gurju as we saw Pheasant-tailed Jacana, Cotton Pigmy Goose, Ferruginous and Tufted Ducks and many other species of waterfowl which we would not see anywhere else on the trip.

We reached camp around noon. After sorting our tents, we got together for lunch at 12.30pm. It was a hot day and the temperature in the sun was about 30°C. After lunch, we set out on foot at 2.30pm towards the northern side of the reserve. It was still hot when we started, but became pleasant as the day went by. The vehicles were behind us with a supply of water, and we could leave our bags in them. We drove back to camp at 5pm as it slowly started to become dark. Sunset was at 5.15pm and it was dark by 5.45pm.

Later, we gathered at 6.30pm to log the day's sightings, and dinner was at 7pm.

Day 5

Tuesday 7th November

Today we started after a 6am breakfast. We set off in two jeeps towards the centre of the reserve at Kusaha. It was here we saw a male (wild) Elephant. It was in 'musth' and sticking around the five female working Elephants at the reserve headquarters, hoping to mate. In the morning we explored the central section of the reserve and in the afternoon we explored the southern side. It was a good day for raptors and sightings included Shikra, White-eyed Buzzard, Indian Spotted Eagle, Short-tailed Snake Eagle and Booted Eagle.

We ended the day at 5pm, met for the log at 6.30pm over drinks, and dinner followed at 7.30pm.

Day 6

Wednesday 8th November

Due to the monsoon floods on the Koshi River, the landscape had changed a lot. Hence we could not do the boat ride as the time taken to float downstream between the start and end points was seven to eight hours. Also the vast open sands may have held a few species, but not much for such a long time spent looking. So we decided to go to the area near the boat starting point and scan the surround areas for birds. We started early at 6am with a packed breakfast and hot water for tea/coffee. Upon reaching the spot we scanned the area using three telescopes while having our breakfast. We were very excited and happy to find eight Indian Coursers on the bank across the river!

After breakfast we drove another two kilometres and found Ashy-crowned Sparrow-Larks, Greater Short-toed Larks, Oriental Skylark and one Hume's Short-toed Lark on the sandy open grounds. We had a short walk to the acacia trees and found three Bay-backed Shrikes. Apart from this we saw Himalayan Buzzard, Long-legged Buzzard and Booted Eagle. As the sun became hotter, we headed back to camp by 10.30am for lunch.

After lunch, at 2.30pm we drove to the Koshi Barrage to see the Ganges River Dolphins. We were very lucky to find about three individuals. We watched them come up for breath until all of us had had good views and were satisfied. Then we drove about four kilometres west to a spot where we saw 166 Grey-headed Lapwings and three Lesser Adjutant Storks. Around 4.30pm we headed back to the camp.

We then met at 6.30pm for the log and had an early dinner at 7pm. After dinner, whilst we were chatting, a medium-sized bat entered the dining hall, flew around and landed on the floor. A group member went to catch the bat and free it outside, despite warnings not to touch it. Unfortunately he was bitten on his right index finger, which caused many calls before receiving advice on what to do, and it was around 10pm when we got to bed.

Day 7

Thursday 9th November

Today was a day of travel to Chitwan National Park. We started out after an early breakfast at 6am with a packed lunch. On the way we made two comfort stops before reaching Hetauda. At Hetauda we went to a regular wintering ground for Ibisbill. As we had our lunch we scanned the boulders below and Robert found one in the open! We had excellent views and watched it for a long time until everyone was satisfied, especially Barry!

After that it took us about two hours to reach Bharatpur, the closest big town near Chitwan National Park. Here we spent about 45 minutes to find a Rabies vaccination for Bill after his bat bite. We reached the lodge around

5pm. After a welcome drink we went to our rooms and met again at 6.30pm for the log. Then, at 7pm, there was a cultural dance performed by the Tharu tribe. Dinner was served at 7.30pm.

Day 8

Friday 10th November

The morning was misty. We had our breakfast at 6am and set out walking at 6.45am. The visibility was about 100 metres but as we reached the grassland, the mist slowly started to lift and the sun broke through about 8.15am. The grassland birds became active and we saw grassland specialties such as Smoky Warbler, and Chestnut-capped, Yellow-eyed and Slender-billed Babblers. A few of us had a glimpse of Rufous-rumped Grassbird, which didn't show itself again. We found a nice flock of Crested Buntings and two Brown Crakes. At the end of the forest, two jeeps were waiting to take us to the boating point.

After a ten-minute drive we reached the boat starting point, where we boarded two wooden boats. On the way downstream we spotted Greenshank, White-throated, Common and Pied Kingfishers, Osprey, Asian Openbill, Red-naped Ibis, Ruddy Shelduck and two types of Crocodile: the flesh-eating Marsh Mugger and the fish-eating Gharial. The boat trip lasted about 40 minutes and after a short walk, we caught our jeeps to drive back to the lodge for lunch.

After lunch, at 3.30pm we went, with the help of Elephants, to find the Rhinoceros in the tall grassland and dense forest cover. We found six Greater One-horned Rhinoceros, plenty of Hog and Spotted Deer, A Changeable Hawk-Eagle on a tree, and a Mugger Crocodile on the ponds. We returned to the lodge around 5.30pm, and met again at 6.30pm to record our sightings for the day over a drink, with dinner at 7.30pm

Day 9

Saturday 11th November

Today we set out, after an early breakfast at 6am, in two jeeps and carrying a packed lunch for a full-day safari. We drove slowly through the Sal forest with grassy undergrowth. Sightings included Grey-crowned Prinia, Puff-throated Babbler, Alexandrine Parakeet, Grey-breasted Prinia and Oriental Pied Hornbill. We had our packed lunch on the Sara lake road. We drove to the Reu River but, as it was impossible to cross, we had to return from there. On the drive back we had a fine view of a Rhinoceros, Spotted Deer stags with velvety horns, and Peafowl with long tails. We got back to the lodge at 5.45pm. We did our log and retired to bed after dinner.

Day 10

Sunday 12th November

We set off after breakfast at 7am with a packed lunch. It was a misty morning and after crossing Narayangath, we came to a small village called Jugedi and joined the end of a queue of lorries and other vehicles going to Kathmandu. We found out that due to the roadworks, the road had been closed for eight hours the previous day. All the vehicles coming from Kathmandu were stuck as a huge bolder had fallen on the road and could not be cleared. The traffic from Kathmandu was given priority to go first and it looked like our side of the line was hardly moving. It took us five hours to complete six kilometres! Suchit contacted Badri in the Kathmandu office and he pulled a few strings to get eight seats on a plane to Kathmandu from Bharatpur. We turned around at 1.30pm to catch the 3.30pm flight to Kathmandu. The journey back was not as bad as we had anticipated and only took us 45 minutes to reach the airport. We flew at 4pm and again had marvelous views of the snow-capped

peaks. On reaching Kathmandu we were transferred to Hotel Royal Singi, where we said our thanks and goodbyes to Suchit. Badri took Bill to the clinic for more vaccinations.

Day 11

Monday 13th November

After breakfast at Hotel Royal Singi, at 8.30am we transferred to Tribhuwan International Airport to catch the noon flight back to London, where another Naturetrek adventure came to an end.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The Naturetrek Facebook page is now live; do please pay us a visit!



Koshi Camp

Species Lists

Birds (✓=recorded but not counted; H = heard only)

| | | | November | | | | | | | | | |
|----|------------------------|-----------------------------|----------|----------|----|----|----------|----------|----------|----------|--|--|
| | Common Name | Scientific Name | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| 1 | Black Francolin | Francolinus francolinus | | | | | | 1 | | | | |
| 2 | Swamp Francolin | Francolinus gularis | | | 4 | | | | | | | |
| 3 | Red Junglefowl | Gallus gallus | | | | | | 2 | 3 | 2 | | |
| 4 | Indian Peafowl | Pavo cristatus | | | | | | 2 | 2 | | | |
| 5 | Lesser Whistling Duck | Dendrocygna javanica | | 50 | 15 | 10 | 8 | | | | | |
| 6 | Ruddy Shelduck | Tadorna ferruginea | | | | 8 | | 7 | 10 | | | |
| 7 | Cotton Pygmy Goose | Nettapus coromandelianus | | 15 | | | | | | | | |
| 8 | Gadwall | Mareca strepera | | 10 | 1f | 12 | | | | П | | |
| 9 | Eurasian Wigeon | Mareca penelope | | 2 | | | | | | Т | | |
| 10 | Mallard | Anas platyrhynchos | | | 2 | | | | | П | | |
| 11 | Northern Pintail | Anas acuta | | | 1m | | | | | П | | |
| 12 | Eurasian Teal | Anas crecca | | 1f | | | | | | \vdash | | |
| 13 | Common Pochard | Aythya ferina | | 10 | | | | | | \vdash | | |
| 14 | Ferruginous Duck | Aythya nyroca | | 20 | | | | | | \Box | | |
| 15 | Tufted Duck | Aythya fuligula | | 15 | | | | | | | | |
| 16 | Little Grebe | Tachybaptus ruficollis | | 10 | | | | | | \vdash | | |
| 17 | Asian Openbill | Anastomus oscitans | | | 3 | 4 | 30 | 8 | | \vdash | | |
| 18 | Black Stork | Ciconia nigra | | | 8 | 26 | | 9 | | \vdash | | |
| 19 | Woolly-necked Stork | Ciconia episcopus | | | | | | 2 | 2 | \vdash | | |
| 20 | Lesser Adjutant | Leptoptilos javanicus | | 1 | | 3 | ✓ | 9 | 2 | \vdash | | |
| 21 | Black-headed Ibis | Threskiornis melanocephalus | | 2 | 15 | 10 | | | | + | | |
| 22 | Red-naped Ibis | Pseudibis papillosa | | 5 | 6 | 2 | | 2 | | + | | |
| 23 | Little Egret | Egretta garzetta | | 4 | 2 | 6 | ✓ | 3 | | \vdash | | |
| 24 | Grey Heron | Ardea cinerea | | | 5 | | | 1 | | \vdash | | |
| 25 | Purple Heron | Ardea purpurea | | 2 | 7 | | | <u> </u> | | \vdash | | |
| 26 | Great Egret | Casmerodius albus | | _ | 2 | 1 | | 1 | 2 | \vdash | | |
| 27 | Intermediate Egret | Mesophoyx intermedia | | 2 | 2 | 10 | | 6 | <u> </u> | \vdash | | |
| 28 | Eastern Cattle Egret | Bubulcus coromandus | | 50 | 25 | 70 | ✓ | 5 | 10 | \vdash | | |
| 29 | Indian Pond Heron | Ardeola grayii | | 6 | 5 | 50 | ✓ | 10 | 5 | 2 | | |
| 30 | Little Heron | Butorides striatus | | | | | ✓ | | | 一 | | |
| 31 | Little Cormorant | Phalacrocorax niger | | 10 | 12 | 15 | 5 | 3 | | \vdash | | |
| 32 | Great Cormorant | Phalacrocorax carbo | | 7 | 25 | 20 | | 1 | | \vdash | | |
| 33 | Oriental Darter | Anhinga melanogaster | | , · | | | | 2 | | \vdash | | |
| 34 | Collared Falconet | Microhierax caerulescens | | 1 | | | ✓ | 6 | | \vdash | | |
| 35 | Lesser Kestrel | Falco naumanni | | <u> </u> | 26 | | 2 | 2 | | \vdash | | |
| 36 | Common Kestrel | Falco tinnunculus | | 1 | 1 | 3 | ∠ ✓ | | | ╁ | | |
| 37 | Amur Falcon | Falco amurensis | | - ' | 12 | 3 | 1.5K | | | ⊬ | | |
| 38 | Eurasian Hobby | Falco subbuteo | 1 | | 12 | | 1.51 | | | ⊬ | | |
| | • | | <u> </u> | | | | | 1 | | ⊬ | | |
| 39 | Peregrine Falcon | Falco peregrinus | | 4 | 4 | 4 | 4 | 1 | | \vdash | | |
| 40 | Black-winged Kite | Elanus caeruleus | ✓ | 1 | 1 | 1 | 1 | | | \vdash | | |
| 41 | Black Kite | Milvus migrans | V | 2 | 1 | | 1 | | | \vdash | | |
| 42 | Western Osprey | Pandion haliaetus | | 2 | 2 | | | 2 | | \vdash | | |
| 43 | Grey-headed Fish Eagle | Ichthyophaga ichthyaetus | | | | | | | 1 | 1 | | |
| 44 | Crested Honey Buzzard | Pernis ptilorhyncus | | | 1 | | 1 | | 1 | \vdash | | |
| 45 | White-rumped Vulture | Gyps bengalensis | | | 3 | | | | | 1 | | |
| 46 | Himalayan Vulture | Gyps himalayensis | | | | | 2 | | | | | |

| | | | November | | | | | | | | | | | |
|----|----------------------------|-------------------------------------|----------|----------|----------|----------|----------|----------|-----|----------|--|--|--|--|
| | Common Name | Scientific Name | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | |
| 47 | Short-toed Snake Eagle | Circaetus gallicus | | | 15 | | | | | | | | | |
| 48 | Crested Serpent Eagle | Spilornis cheela | | | 1 | | | | | | | | | |
| 49 | Black Eagle | Ictinaetus malayensis | 2 | | | | | | | | | | | |
| 50 | Western Marsh Harrier | Circus aeruginosus | | | 1f | | | | | | | | | |
| 51 | Hen Harrier | Circus cyaneus | | | 1m | | | | | | | | | |
| 52 | Shikra | Accipiter badius | | | 1 | | | 2 | | | | | | |
| 53 | Eurasian Sparrowhawk | Accipiter nisus | | | 1f | | | | | П | | | | |
| 54 | White-eyed Buzzard | Butastur teesa | | | 2 | | | | | П | | | | |
| 55 | Himalayan Buzzard | Buteo buteo burmanicus | | | | 1 | | | | П | | | | |
| 56 | Long-legged Buzzard | Buteo rufinus | | | 1 | 1 | | | | | | | | |
| 57 | Indian Spotted Eagle | Aquila hastata | | | 1 | | | | | | | | | |
| 58 | Greater Spotted Eagle | Aquila clanga | | | | | | 2 | | \vdash | | | | |
| 59 | Bonelli's Eagle | Hieraaetus fasciatus | 1 | | | | | | | \vdash | | | | |
| 60 | Booted Eagle | Hieraaetus pennatus | | | 1 | 1 | | | | \vdash | | | | |
| 61 | Changeable Hawk-Eagle | Spizaetus cirrhatus | | | | | | 1 | 1 | \vdash | | | | |
| 62 | Brown Crake | Amaurornis akool | | | | | | 2 | h | \vdash | | | | |
| 63 | White-breasted Waterhen | Amaurornis phoenicurus | | | 1 | | | | | + | | | | |
| 64 | Grey-headed Swamphen | Porphyrio poliocephalus | | 1 | 1 | | | | | \vdash | | | | |
| 65 | Common Moorhen | Gallinula chloropus | | 2 | 6 | 5 | | | | t | | | | |
| 66 | Eurasian Coot | Fulica atra | | 15 | | _ | | | | + | | | | |
| 67 | Pheasant-tailed Jacana | Hydrophasianus chirurgus | | 8 | | | | | | \vdash | | | | |
| 68 | Bronze-winged Jacana | Metopidius indicus | | 2 | 5 | 1 | ✓ | | | \vdash | | | | |
| 69 | Ibisbill | Ibidorhyncha struthersii | | _ | | <u> </u> | 1 | | | \vdash | | | | |
| 70 | River Lapwing | Vanellus duvaucelii | + | | | | <u> </u> | 2 | 2 | \vdash | | | | |
| 71 | Grey-headed Lapwing | Vanellus cinereus | + | | | 116 | | | | \vdash | | | | |
| 72 | Red-wattled Lapwing | Vanellus indicus | | 2 | 4 | 10 | ✓ | 5 | 2 | \vdash | | | | |
| 73 | Little Ringed Plover | Charadrius dubius | | | 2 | 3 | | 3 | 1 | \vdash | | | | |
| 74 | Common Greenshank | Tringa nebularia | | | 1 | | | 1 | ' | \vdash | | | | |
| 75 | Green Sandpiper | Tringa nebulana Tringa ochropus | + | 1 | 1 | 2 | _ | <u> </u> | 1 | \vdash | | | | |
| 76 | Wood Sandpiper | Tringa glareola | | ' | <u>'</u> | 5 | | | ' | ╁ | | | | |
| 77 | Common Sandpiper | | + | | | 1 | 1 | | 1 | \vdash | | | | |
| | Little Stint | Actitis hypoleucos Calidris minuta | + | | 1 | | <u> </u> | | - | ₩ | | | | |
| 78 | Temminck's Stint | | + | | 1 | 1 | | | | ⊬ | | | | |
| 79 | | Calidris temminckii | + | | | | | | | ⊬ | | | | |
| 80 | Indian Courser | Cursorius coromandelicus | - | | | 8 | | | | ⊬ | | | | |
| 81 | River Tern | Sterna aurantia | + | / | | 1 | | | 40 | ⊬ | | | | |
| 82 | Rock Dove | Columba livia | ✓ | · • | | | | | 10 | ⊬ | | | | |
| 83 | Oriental Turtle Dove | Streptopelia orientalis | 3 | | 2 | | | | 1 | ╄ | | | | |
| 84 | Spotted Dove | Streptopelia chinensis | - | 25 | ✓ | √ | ✓ | ✓ | 20 | | | | | |
| 85 | Red Collared Dove | Streptopelia tranquebarica | | 15 | ✓ | | | | _ | ╄ | | | | |
| 86 | Eurasian Collared Dove | Streptopelia decaocto | - | 12 | ✓ | ✓ | ✓ | ✓ | 6 | ╄ | | | | |
| 87 | Yellow-footed Green Pigeon | Treron phoenicoptera | - | | 20 | | | | | ╄ | | | | |
| 88 | Alexandrine Parakeet | Psittacula eupatria | 1 | 4 | | | | h | 12 | \vdash | | | | |
| 89 | Rose-ringed Parakeet | Psittacula krameri | ~ | 5 | 12 | 10 | | 12 | 30 | | | | | |
| 90 | Plum-headed Parakeet | Psittacula cyanocephala | - | 50 | | | | | 100 | \perp | | | | |
| 91 | Common Hawk-Cuckoo | Hierococcyx varius | - | | 1 | | | | | \perp | | | | |
| 92 | Asian Koel | Eudynamys scolopacea | 1 | 1 | | | | | | \perp | | | | |
| 93 | Greater Coucal | Centropus sinensis | | 5 | 10 | 1 | | 1 | | \perp | | | | |
| 94 | Lesser Coucal | Centropus bengalensis | | | 1 | | | 1 | 2 | | | | | |

| | | November | | | | | | | | | |
|-----|-------------------------------|---------------------------|----------|----------|----------|--------|---|----------|----------|----------|--|
| | Common Name | Scientific Name | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 96 | Collared Owlet | Glaucidium brodiei | h | | | | | | | | |
| 97 | Jungle Owlet | Glaucidium radiatum | | | 1 | | | | | | |
| 98 | Spotted Owlet | Athene brama | | 2 | 3 | 3 | 1 | | | | |
| 99 | Brown Hawk-Owl | Ninox scutulata | | | | | | 1 | h | | |
| 100 | White-rumped Spinetail | Zoonavena sylvatica | | | | | | | 8 | | |
| 101 | House Swift | Apus affinis | | 12 | | | | | | | |
| 102 | Crested Treeswift | Hemiprocne coronata | | 3 | | | | | 30 | | |
| 103 | Eurasian Hoopoe | Upupa epops | | | 1 | 1 | | 1 | 1 | | |
| 104 | Indian Roller | Coracias benghalensis | | 1 | | 2 | 6 | 5 | 2 | | |
| 105 | Common Kingfisher | Alcedo atthis | | | | | | 2 | | | |
| 106 | Stork-billed Kingfisher | Pelargopsis capensis | | 1 | | 1 | 1 | | | | |
| 107 | White-throated Kingfisher | Halcyon smyrnensis | 1 | 4 | 4 | 10 | 5 | 5 | 3 | | |
| 108 | Pied Kingfisher | Ceryle rudis | | 1 | 1 | | 1 | 2 | 2 | \vdash | |
| 109 | Green Bee-eater | Merops orientalis | | 10 | 15 | 10 | | 8 | 10 | | |
| 110 | Oriental Pied Hornbill | Anthracoceros albirostris | \top | <u> </u> | <u> </u> | | | 1 | 2 | \vdash | |
| 111 | Great Barbet | Megalaima virens | 2 | | | | | <u> </u> | | \vdash | |
| 112 | Blue-throated Barbet | Megalaima asiatica | +- | 10 | 4 | 4 | | | 1 | \vdash | |
| 113 | Coppersmith Barbet | Megalaima haemacephala | | 1 | _ | _ | | | <u> </u> | | |
| 114 | Speckled Piculet | Picumnus innominatus | 1 | <u> </u> | | | | | | \vdash | |
| 115 | Brown-capped Pygmy Woodpecker | Dendrocopos nanus | +- | 2 | | | | | | \vdash | |
| 116 | Grey-capped Pygmy Woodpecker | Dendrocopos canicapillus | + | | | | | | 3 | \vdash | |
| 117 | Fulvous-breasted Woodpecker | Dendrocopos macei | | 3 | 1 | 2 | | 6 | 1 | | |
| 118 | Yellow-crowned Woodpecker | Dendrocopos mahrattensis | | 3 | | ∠ ✓ | | 0 | | | |
| 119 | Lesser Yellownape | Picus chlorolophus | + | | | _ | | 1 | | ⊬ | |
| 120 | · · | Picus flavinucha | 1 | | _ | | | - | | - | |
| | Greater Yellownape | | <u>'</u> | | | | | | | | |
| 121 | Streak-throated Woodpecker | Picus xanthopygaeus | | | | | | | 1 | | |
| 122 | Grey-headed Woodpecker | Picus canus | + | | | | | | 2 | - | |
| 123 | Himalayan Flameback | Dinopium shorii | - | | | | | 2 | | | |
| 124 | Black-rumped Flameback | Dinopium benghalense | + | 2 | 1 | 1 | | - | | - | |
| 125 | Buff-spotted Flameback | Chrysocolaptes lucidus | - | | | | | 3 | | _ | |
| 126 | Eurasian Jay | Garrulus glandarius | 2 | | | | | - | | | |
| 127 | Red-billed Blue Magpie | Urocissa erythrorhyncha | 4 | | | | | | | _ | |
| 128 | Rufous Treepie | Dendrocitta vagabunda | - | 3 | 15 | 15 | 3 | 7 | 1 | | |
| 129 | Grey Treepie | Dendrocitta formosae | 6 | | | | | | | | |
| 130 | House Crow | Corvus splendens | 50 | 100 | ✓ | 500 | ✓ | ✓ | ✓ | | |
| 131 | Large-billed Crow | Corvus macrorhynchos | 1 | | | | | | | | |
| 132 | Indian Jungle Crow | Corvus culminatus | 5 | 20 | ✓ | 50 | ✓ | ✓ | ✓ | ✓ | |
| 133 | Ashy Woodswallow | Artamus fuscus | | 7 | | | 1 | | 8 | | |
| 134 | Black-hooded Oriole | Oriolus xanthornus | | 4 | 5 | 2 | | 2 | 2 | | |
| 135 | Maroon Oriole | Oriolus traillii | 2 | | | | | | | | |
| 136 | Large Cuckooshrike | Coracina macei | | | | | | 3 | 1 | | |
| 137 | Black-winged Cuckooshrike | Coracina melaschistos | | 3 | 1 | 1 | | | | | |
| 138 | Rosy Minivet | Pericrocotus roseus | | 1f | | | | | | | |
| 139 | Small Minivet | Pericrocotus cinnamomeus | | | | | | | 30 | | |
| 140 | Long-tailed Minivet | Pericrocotus ethologus | 12 | | | | | | | | |
| 141 | Orange Minivet | Pericrocotus flammeus | | | | | | | 12 | | |
| 142 | Yellow-bellied Fantail | Rhipidura hypoxantha | 2 | | | | | | | | |
| 143 | White-throated Fantail | Rhipidura albicollis | | 1 | 1 | 1 | 2 | | | | |
| 144 | Common Iora | Aegithina tiphia | | | | 1 | | | 4 | \vdash | |

| | | | November | | | | | | | | | |
|-----|-------------------------------------|--|----------|-----|----------|----------|--------------|----------|----|-------------|--|--|
| | Common Name | Scientific Name | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| 145 | Common Woodshrike | Tephrodornis pondicerianus | | | | | | | 7 | | | |
| 146 | Brown Shrike | Lanius cristatus | | 2 | 2 | 1 | 3 | 1 | | | | |
| 147 | Bay-backed Shrike | Lanius vittatus | | | | 3 | | | | | | |
| 148 | Long-tailed Shrike | Lanius schach | | 1 | 3 | 5 | | 3 | 2 | | | |
| 149 | Grey-backed Shrike | Lanius tephronotus | | | | | 2 | 1 | | | | |
| 150 | Black Drongo | Dicrurus macrocercus | | 100 | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| 151 | Ashy Drongo | Dicrurus leucophaeus | 4 | | | | | | | | | |
| 152 | White-bellied Drongo | Dicrurus caerulescens | | | | | | 1 | 3 | | | |
| 153 | Bronzed Drongo | Dicrurus aeneus | | 2 | | 3 | | | 3 | | | |
| 154 | Spangled Drongo | Dicrurus hottentottus | | 6 | 3 | | | | 3 | | | |
| 155 | Greater Racket-tailed Drongo | Dicrurus paradiseus | | | | | | 2 | | | | |
| 156 | Cinereous Tit | Parus cinereus | 1 | 1 | 2 | | | 2 | 8 | | | |
| 157 | Green-backed Tit | Parus monticolus | 2 | | | | | | | | | |
| 158 | Black-lored Tit | Parus xanthogenys | 5 | | | | | | | | | |
| 159 | Yellow-browed Tit | Sylviparus modestus | 7 | | | | | | | | | |
| 160 | Black-throated Tit | Aegithalos concinnus | 5 | | | | | | | | | |
| 161 | Grey-throated Martin | Riparia chinensis | | | 15 | ✓ | ✓ | 25 | 15 | | | |
| 162 | Barn Swallow | Hirundo rustica | 12 | | | 2 | 1 | 20 | 10 | | | |
| 163 | Rufous-winged Lark | Mirafra assamica | | | | | | 1 | | | | |
| 164 | Ashy-crowned Sparrow-Lark | Eremopterix grisea | | | | 7 | | | | | | |
| 165 | Greater Short-toed Lark | Calandrella brachydactyla | | | | 20 | | | | | | |
| 166 | Hume's Short-toed Lark | Calandrella acutirostris | | | | 1 | | | | \vdash | | |
| 167 | Sand Lark | Calandrella raytal | | | | 15 | | | | \vdash | | |
| 168 | Oriental Skylark | Alauda gulgula | | | | 1 | | | | \vdash | | |
| 169 | Red-whiskered Bulbul | Pycnonotus jocosus | | 5 | 10 | 2 | | | 50 | \vdash | | |
| 170 | Himalayan Bulbul | Pycnonotus leucogenys | | | | | | | | 1 | | |
| 171 | Red-vented Bulbul | Pycnonotus cafer | | 10 | 50 | ✓ | ✓ | ✓ | 20 | <u> </u> | | |
| 172 | Black Bulbul | Hypsipetes leucocephalus | 3 | | | | | | | | | |
| 173 | Zitting Cisticola | Cisticola juncidis | | h | 1 | | | | | \vdash | | |
| 174 | Grey-crowned Prinia | Prinia cinereocapilla | | | <u> </u> | | | | 3 | \vdash | | |
| 175 | Grey-breasted Prinia | Prinia hodgsonii | | | | | | | 6 | \vdash | | |
| 176 | Plain Prinia | Prinia inornata | | | 1 | | | | | \vdash | | |
| 177 | Blyth's Reed Warbler | Acrocephalus dumetorum | | | h | 1 | | h | 1 | | | |
| 178 | Thick-billed Warbler | Acrocephalus aedon | | h | 2 | <u> </u> | | ļ | | | | |
| 179 | Common Tailorbird | Orthotomus sutorius | | 3 | 1 | | | h | 1 | ┢ | | |
| 180 | Dusky Warbler | Phylloscopus fuscatus | | h | h | | | | | \vdash | | |
| 181 | Smoky Warbler | Phylloscopus fuligiventer | | | -"- | | | 2 | 1 | \vdash | | |
| 182 | Tickell's Leaf Warbler | Phylloscopus affinis | | 20 | 25 | 2 | ✓ | | 1 | ┢ | | |
| 183 | Buff-barred Warbler | Phylloscopus pulcher | 30 | 20 | 20 | | , | | ' | ┢ | | |
| 184 | Ashy-throated Warbler | Phylloscopus maculipennis | 2 | | | | | | | | | |
| 185 | | Phylloscopus chloronotus | 6 | | | | | | | ⊬ | | |
| 186 | Lemon-rumped Warbler Hume's Warbler | Phylloscopus humei | 0 | 1 | | | | | | | | |
| 187 | Greenish Warbler | Phylloscopus trochiloides | - | 4 | 15 | 5 | ✓ | h | h | ⊬ | | |
| | Western Crowned Warbler | Phylloscopus occipitalis | - | - | 13 | - | Ľ | - " | 1 | \vdash | | |
| 188 | | | 10 | | | | - | | 1 | - | | |
| 189 | Grey-hooded Warbler | Seicercus xanthoschistos | 10 | | | | | | | \vdash | | |
| 190 | Black-faced Warbler | Abroscopus schisticeps | 8 | | | | - | | | - | | |
| 191 | Striated Grassbird | Megalurus palustris | - | | 1 | | | | | | | |
| 192 | Rufous-rumped Grassbird | Graminicola bengalensis Garrulax albogularis | 12 | | | | | 1 | | _ | | |

| | | | November | | | | | | | | | |
|-----|---------------------------------|--|--------------|----------|-----|----------|----------|----------|----------|----------|--|--|
| | Common Name | Scientific Name | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| 194 | Chestnut-crowned Laughingthrush | Garrulax erythrocephalus | 3 | | | | | | | | | |
| 195 | Puff-throated Babbler | Pellorneum ruficeps | | | | | | | 1 | | | |
| 196 | Chestnut-capped Babbler | Timalia pileata | | | | | | 3 | 3 | | | |
| 197 | Yellow-eyed Babbler | Chrysomma sinense | | | | | | 5 | 1 | | | |
| 198 | Striated Babbler | Turdoides earlei | | | 5 | | | 7 | 3 | | | |
| 199 | Slender-billed Babbler | Turdoides longirostris | | | | | | 3 | | | | |
| 200 | Jungle Babbler | Turdoides striatus | | 15 | 30 | ✓ | ✓ | ✓ | 30 | | | |
| 201 | Green Shrike Babbler | Pteruthius xanthochlorus | 2 | | | | | | | | | |
| 202 | Hoary-throated Barwing | Actinodura nipalensis | h | | | | | | | | | |
| 203 | Bar-throated Siva | Minla strigula | | 5 | | | | | | | | |
| 204 | White-browed Fulvetta | Alcippe vinipectus | 3 | | | | | | | | | |
| 205 | Rufous Sibia | Heterophasia capistrata | 40 | | | | | | | | | |
| 206 | Rufous-vented Yuhina | Yuhina occipitalis | 5 | | | | | | | | | |
| 207 | Oriental White-eye | Zosterops palpebrosus | | 4 | 6 | | h | | | | | |
| 208 | Chestnut-bellied Nuthatch | Sitta castanea | | | Ì | | | | 4 | | | |
| 209 | White-tailed Nuthatch | Sitta himalayensis | 6 | | | | | | | | | |
| 210 | Velvet-fronted Nuthatch | Sitta frontalis | | | | | | | 2 | | | |
| 211 | Chestnut-tailed Starling | Sturnus malabaricus | | 2 | 50 | | | 5 | | | | |
| 212 | Asian Pied Starling | Sturnus contra | | 30 | 30 | 50 | ✓ | | 15 | \vdash | | |
| 213 | Common Myna | Acridotheres tristis | 15 | 50 | 100 | ✓ | ✓ | √ | ✓ | | | |
| 214 | Jungle Myna | Acridotheres fuscus | 2 | | | | 50 | 20 | ✓ | \vdash | | |
| 215 | Blue Rock Thrush | Monticola solitarius | | | | 1 | | | | \vdash | | |
| 216 | Blue Whistling Thrush | Myophonus caeruleus | 1 | | | | | | | \vdash | | |
| 217 | Orange-headed Thrush | Zoothera citrina | | | 1 | | | | | \vdash | | |
| 218 | Scaly Thrush | Zoothera dauma | | | 1 | | | | | | | |
| 219 | Dark-sided Flycatcher | Muscicapa sibirica | 1 | | | | | | | \vdash | | |
| 220 | Rufous-gorgeted Flycatcher | Ficedula strophiata | 2 | | | | | | | \vdash | | |
| 221 | Taiga Flycatcher | Ficedula albicilla | Ē | 1 | 4 | 6 | 1 | 3 | √ | \vdash | | |
| 222 | Verditer Flycatcher | Eumyias thalassina | | 1 | 2 | 1 | | | | \vdash | | |
| 223 | Pale-chinned Flycatcher | Cyornis poliogenys | | i i | _ | | | | 1 | \vdash | | |
| 224 | Grey-headed Canary-Flycatcher | Culicicapa ceylonensis | | 2 | 15 | 7 | | | | \vdash | | |
| 225 | Siberian Rubythroat | Luscinia calliope | | h | 1m | h | h | | 1f | \vdash | | |
| 226 | Bluethroat | Luscinia svecica | | | | | | 1 | 1 | \vdash | | |
| 227 | Oriental Magpie-Robin | Copsychus saularis | 1 | 2 | 2 | 1 | 2 | | | | | |
| 228 | Black Redstart | Phoenicurus ochruros | ا | 1 | _ | 2 | | | | \vdash | | |
| 229 | White-capped Redstart | Chaimarrornis leucocephalus | 1 | <u> </u> | | | | | | 1 | | |
| 230 | Plumbeous Water Redstart | Rhyacornis fuliginosus | <u> </u> | | | | | | | 2f | | |
| 231 | Common Stonechat | Saxicola torquata | | 1 | 3 | 6 | 2 | 7 | ✓ | | | |
| 232 | White-tailed Stonechat | Saxicola leucura | | <u> </u> | J | 0 | | 2m | 1 | \vdash | | |
| 233 | Pied Bush Chat | Saxicola redicura Saxicola caprata | | | | | | 4 | 2 | - | | |
| 234 | Fire-breasted Flowerpecker | Dicaeum ignipectus | 4 | | | | | 7 | | - | | |
| 235 | Green-tailed Sunbird | | 1f | | | | | | | - | | |
| 235 | Fire-tailed Sunbird | Aethopyga nipalensis Aethopyga ignicauda | 5 | | | | | | | \vdash | | |
| 237 | | Passer domesticus | 20 | ✓ | | ✓ | ✓ | ✓ | ✓ | \vdash | | |
| | House Sparrow | | | ✓ | | V | | V | V | - | | |
| 238 | Eurasian Tree Sparrow | Passer montanus | 5 | 4 | 10 | 45 | ✓ | ✓ | ✓ | - | | |
| 239 | White Wagtail | Motacilla alba | | 4 | 10 | 15 | | | | - | | |
| 240 | White-browed Wagtail | Motacilla maderaspatensis | | | 25 | | | 3 | 2 | - | | |
| 241 | Western Yellow Wagtail | Motacilla flava Motacilla cinerea | _ | | 35 | | | | | ₩ | | |

| | Common Name | Scientific Name | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|-----|----------------------|-----------------------|---|---|----|----|---|----|----|----|
| 243 | Richard's Pipit | Anthus richardi | | | | 3 | | | | |
| 244 | Paddyfield Pipit | Anthus rufulus | | | 4 | 10 | 2 | 5 | | |
| 245 | Tawny Pipit | Anthus campestris | | | | 8 | | | | |
| 246 | Olive-backed Pipit | Anthus hodgsoni | | | 40 | 5 | | 10 | ✓ | |
| 247 | Baya Weaver | Ploceus philippinus | | | | | | | 40 | |
| 248 | Red Avadavat | Amandava amandava | | | | | | | 2 | |
| 249 | Scaly-breasted Munia | Lonchura punctulata | | 5 | 2 | 2 | | | ✓ | |
| 250 | Common Rosefinch | Carpodacus erythrinus | | | 7 | | | 4 | | |
| 251 | Brown Bullfinch | Pyrrhula nipalensis | 2 | | | | | | | |
| 252 | Crested Bunting | Melophus lathami | | | | | | 17 | | |

Mammals

| 1 | Indian Pipistrelle | Pipistrellus coromandra | | | | | | | 2 | |
|----|-------------------------------|-------------------------|---|---|----|---|----|----|----|---|
| 2 | Greater Short-nosed Fruit Bat | Cinopterus sphinx | | | | 1 | | | | |
| 3 | Assam Macaque | Macaca assamensis | 1 | | | | | | | |
| 4 | Rhesus Macaque | Macaca mulatta | | 8 | | | 50 | 15 | 10 | 4 |
| 5 | Asiatic Golden Jackal | Canis aureus | | | 5 | | | | | |
| 6 | Ganges River Dolphin | Platanista gangetica | | | | 4 | 2 | | | |
| 7 | Greater One-horned Rhinoceros | Rhinoceros unicornis | | | | | | 6 | 1 | |
| 8 | Wild Boar | Sus scrofa | | | | | | 1 | | |
| 9 | Muntjac (Barking Deer) | Muntiacus muntjak | h | | | | | | | |
| 10 | Spotted Deer (Chital) | Cervus axis | | | | | | 6 | 12 | |
| 11 | Hog Deer | Cervus porcinus | | | 1 | | | 20 | 1 | |
| 12 | (Wild) Water Buffalo | Bubalus bubalis | | | 15 | | | | | |
| 13 | Asian Elephant | Elephas maximus | | | 1m | | | | | |
| 14 | Orange-bellied Squirrel | Dremomys lokriah | h | | | | | | | |
| 15 | Nilgai (Blue Bull) | Boselapus tragocamelus | | | 1f | | | | | |
| 16 | Yellow-throated Marten | Martes flavigula | 2 | | | | | | | |
| | | | | | | | | | | |

Reptiles & Amphibians

| 1 | Gharial | Gavialis gengeticus | | | 3 | 2 | |
|---|----------------|----------------------|--|--|---|---|--|
| 2 | Marsh Muggar | Crocodylus palustris | | | 2 | | |
| 3 | Burmese Python | Pvthon bivittatus | | | 1 | | |



Grey-crowned Prinia at Chitwan NP