

# Slovenia - Alpine Flowers of the Julian Alps

Naturetrek Tour Report

25th June – 2nd July 2025

---



Edelweiss



Arran Brown



Lake Bohinj



Shaggy Hawkweed

Tour report by Steve Gater and Luca Boscain

---



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour participants: Steve Gater and Luca Boscain (leaders) with 14 Naturetrek clients

## Summary

The Julian Alps of Slovenia host spectacular wildlife and scenery. In spite of very hot conditions, we managed to walk and explore different habitats to find amazing flora, fauna and geology. There were so many highlights, so many special moments of fun and awe. We were excited by excellent views of so many different species of bellflowers, buttercups, masterworts, vetches, saxifrages, thistles, orchids and many other genera and families. Of course, Edelweiss was a favourite. We also saw a host of butterflies, common and rare species alike. Was Blue-spot Hairstreak, Hungarian Glider, Pearly Heath, or Marbled White the most admired? And we enjoyed seeing so many birds too, from Red-backed Shrike, to Black Woodpecker, to Spotted Nutcracker and more. Our boat trip across the calm Lake Bohinj and the cable-car ride to the high-altitude Vogel Ski Centre were scenic and photographic treats too.

## Day 1

**Tuesday 25th June**

We met at Heathrow Airport for a short BA flight to Ljubljana, where we met Luca, who had driven there from Italy. Our drive took in a stop near Bled to collect two clients who had travelled by train, and then we drove on to our base for the week, Hotel Alpinum. This is a large, modern and comfortable four-star hotel, well situated in the small village of Ribčev Laz. It overlooks Lake Bohinj with stunning views of the mountain-fringed water. Walking from the hotel offered such amazing scenery and a chance to see wonderful wildlife within minutes.

We quickly found our rooms and assembled for our first meal, selected from a wide range of dishes and took advantage of included wine and beer. We had time to introduce ourselves, to become orientated to our new surroundings, and to share an outline of the exciting week to come. We headed to our rooms with great expectations.

## Day 2

**Wednesday 26th June**

The sky was blue; the weather forecast said it would be dry and hot. And it proved to be very hot too, the first day of a week of very high temperatures. We spent our day walking along the northern edge of Lake Bohinj. It was a great day, but tiring in the heat, so we finished earlier than normal.

A pre-breakfast walk behind the hotel produced Grey Heron adults and young, Barn Swallow, House Martin, Tree Sparrow and Kestrel, and Grey-headed Woodpecker was heard. The pre-breakfast visit to local supermarkets did not go as well though; we discovered that all were shut Slovenia's independence day! Fortunately, the hotel stepped in to provide very generous packed lunches.

By 9.30am we were aboard the small electric boat that glides along the calm Lake Bohinj from Ribčev Laz to its western end where, thirty minutes later, we disembarked at the small village of Ukanc. On the crossing we saw Mallard adults and young, and Yellow-legged Gulls. And we spotted many fish in the water: Common Gudgeon, Common Chubb, Brown Trout and Perch. The water was clear; only paddle or electric boats are allowed on the lake, which helps to support this healthy state. As we disembarked, we found various plants in and on the side of the water: Annual Fleabane (*Erigeron annuus*), Marsh Woundwort (*Stachys palustris*), Greater Knapweed (*Centaurea*

*scabiosa*) and Spiked Water-milfoil (*Myriophyllum spicatum*). We enjoyed a stop for coffee and toilets before heading out of the village, which was busy with campers, and coming across more beautiful plants. Meadow Clary (*Salvia pratensis*) was common and very splendid. We admired Broad-leaved Sermountain (*Laserpitium latifolium*) and the other large sermountain species (*Siler montanum*), alongside many tall Yellow Melancholy Thistles (*Cirsium erisithales*). There were plenty of bellflowers, including Harebell (*Campanula rotundifolia*), Spreading Bellflower (*Campanula patula*), Creeping Bellflower (*Campanula rapunculoides*) and Nettle-leaved Bellflower (*Campanula trachelium*). We also saw Blue Bugle (*Ajuga genevensis*), Shining Meadow-Rue (*Thalictrum lucidum*) and many lovely Yellow Ox-eyes (*Telekia speciosa*). Occasional purple flowers of Alpine Sowbread (*Cyclamen purpurascens*) peeped out from under the taller vegetation.

Many orchids grew alongside the path; we saw Red Helleborine (*Cephalanthera rubra*), Dark Red Helleborine (*Epipactis atrorubens*), Bird's-nest Orchid (*Neottia nidus-avis*), Common-spotted Orchid (*Dactylorhiza maculata* subsp. *fuschii*) and Narrow-leaved Helleborine (*Cephalanthera longifolia*). Other smart plants included Martagon Lily (*Lilium martagon*), Pannonic Thistle (*Cirsium pannonicum*), Mountain Germander (*Teucrium montanum*), Wood Scabious (*Knautia dipsacifolia*), Branched St. Bernard's Lily (*Anthericum ramosum*).

With so many plants in flower on this sweltering day, butterflies were plentiful. We followed the flight of Adonis Blue, Heath and Silver-washed Fritillaries, Pearly Heath and more. Other insects included the common, brightly marked Nine-spotted moths, iridescent Rose Chafers and dragonflies such as Brilliant Emerald. Surprisingly, we only saw a few lizards, all Common Wall Lizards, and two Grass Snakes were spotted.

About halfway along our walk, we took lunch in the shade and shortly heard the call of a Black Woodpecker. We were in luck, seeing the bird perched not too high above us, giving excellent views. We were pleased to see and hear other birds: Cuckoo, Great Spotted Woodpecker, Jay, Coal and Marsh Tits, Chiffchaff, Wood Warbler and Blackcap. Many more plant species were growing along the path. We picked out Fringed Pink (*Dianthus sternbergii*), Jupiter's Distaff (*Salvia glutinosa*), Carnic Masterwort (*Astrantia carniolica*), Tunic Flower (*Petrorhagia saxifraga*) and Tyrol Knapweed (*Centaurea nigrescens*). Hop Hornbeam (*Ostrya carpinifolia*), was a very smart tree. We came across several species of ferns: Maidenhair Spleenwort (*Asplenium trichomanes*), Green Spleenwort (*Asplenium viride*), Male Fern (*Dryopteris felix-mas*), Lady Fern (*Athyrium felix-femina*), Common Polypody (*Polypodium vulgare*) and the familiar Bracken (*Pteridium aquilinum*), together with Slender Broomrape (*Orobanche gracilis*) and Sand Leek (*Allium scorodoprasum*). We were tired by the end of our walk, and well-satisfied by all that we had seen. Our checklist was a long one, after a delicious dinner. Then we took to our beds and had a well-deserved sleep.

## Day 3

## Thursday 27th June

On the pre-breakfast walk we saw a family of Grey-headed Woodpeckers, and a family of Northern Ravens. We also saw Spotted Flycatcher, and Song and Mistle Thrushes. We spotted and heard other species throughout the day: Grey Heron, Common Buzzard, Common Swift and more. At lunch Common Chaffinches and Alpine Choughs entertained us as they were so eager to snatch food crumbs. We picked out, high in pine trees, Crossbill, Nuthatch and Marsh Tit. Black Redstarts were flying around the hotel.

Another hot day was forecast, and the prediction as correct, so we chose to drive north into the Triglavski Narodni Park, to explore the paths at the Vršič Pass at 1610m. The drive took us through the delightful small town of Bled, then along the motorway to Krasna Gora, from where we climbed high along the hairpin bends. We had set off

early, but it was still hard to find a parking space here! Fortunately, we found space by the refugio to enjoy coffee. While it was slightly cooler at the pass, it was still hot enough to encourage various butterflies to be active. We were delighted by close views of Mazarine Blue, Duke of Burgundy, Woodland Ringlet, Alpine Heath and Clouded Yellow. The greatest variety of species, of course, came among the alpine flora and we saw many splendid species in full flower.

By lunchtime, we had seen Bladder Gentians (*Gentiana utriculosa*), Pinnate-leaved Ragwort (*Jacobaea abrotanifolia*) and Carinthian Mouse Ear (*Cerastium carinthiacum*). Along a narrow trail we discovered two species of Valerian, Mountain (*Valeriana montana*) and Three-leaved (*Valeriana tripteris*), and, on rocky scree, the umbellifer Athamanta (*Athamanta cretensis*). Alpine Rose (*Rosa pendulina*) was beautiful in flower. We switched habitat to a wooded area where we saw Bird's-eye Primrose (*Primula farinosa*) and then, a little further on, Squarrose Knapweed (*Centaurea triumfetti*) and Serrated Wintergreen (*Orthilia secunda*). Perhaps the most impressive plants here were good numbers of the stunning Dark Columbine (*Aquilegia atrata*).

Finally, we drove a short distance downhill to a meadow and adjacent wood. Here we saw Slender Broomrape (*Orobanche gracilis*). Three spikes of Coralroot Orchid (*Corallorhiza trifida*) were a great find and we also enjoyed seeing Dense-flowered Fragrant Orchid (*Gymnadenia densiflora*) and Lesser Butterfly Orchid (*Platanthera bifolia*). We found many more butterflies; the star find was Clouded Apollo, with several lazily floating over the vegetation, giving excellent views. After an enjoyable dinner and checklist, we ended the evening in a most magical way, watching fireflies only a two-minute walk away from our hotel, along with a Common Glow-worm. We were mesmerised and humbled by this simple, yet amazing, experience. Who says fairies don't exist?

## Day 4

## Friday 28th June

Another hot day began with low cloud over the lake, creating a beautiful scene, ideal for photographers. Before breakfast we had great sightings of Lesser Spotted Woodpecker, Grey Heron, Hooded Crow and Northern Raven. Four Mallards were on the water, and later nine more flew over as we did our checklist. Black Redstarts were around the hotel buildings. We planned to stay local and to avoid the heat where possible, so we drove the short distance to the village of Stara Fužina and the carpark beyond. A fairly level track ran through the adjacent field, and here we quickly spotted a pair of Red-backed Shrikes. We had fantastic views as the birds hunted for food and perched up on small bushes and trees. We wondered if two dead, tail-less, Eastern Green Lizards that we found may have met them earlier. A Cuckoo was calling; so too were Blackcap, Chiffchaff, Nuthatch, Spotted Flycatcher and Robin. We welcomed hearing, then seeing, a Goldcrest high in the pines.

There were plenty of butterflies on the wing already. We enjoyed taking close-up pictures of Mountain Green-veined White, Wood White, Brimstone, Holly Blue, Duke of Burgundy, Meadow Brown and Pearly Heath. The latter was very common, and attracted to sweaty skin! We added Narrow-bordered Five-spot Burnet and Oak Eggar moths to our records. Then we drove along a narrow road to the refugio of Koča na Vojah for coffee, and more butterfly hunting in a wonderful small meadow. And we took in yet more as we ate our picnic lunch. We were surrounded by Small and Sooty Coppers, and four blues: Holly, Little, Alcon and Common. There were different species of fritillaries too: Silver-washed, Dark Green, Thor's and more than fifty Glanville Fritillaries. We also admired Arran Brown and the large Hungarian Glider. And we enjoyed the picnic too, with fresh bread from the refugio.

For the afternoon, there was a choice to walk in the Mostinca Gorge, or to go back to the carpark along the road; most chose the former, more difficult option. Along the way, we saw a rich variety of woodland or damp-loving plants. These included Hart's-tongue Fern (*Asplenium scolopendrium*), Hacquetia (*Hacquetia epipactis*), Creeping Yellow-cress, (*Rorippa sylvestris*), Cabbage Thistle (*Cirsium oleraceum*) and Restharrow (*Ononis spinosa*). A large Bramble (*Rubus fruticosus* agg.) attracted a veritable swarm of butterflies. The buttery and slimy leaves of Alpine Butterwort (*Pinguicula alpina*) were nestled in damp moss, and Marsh Marigold (*Caltha palustris*) and Broad-leaved Cottongrass (*Eriophorum latifolium*) grew nearby. We noticed several trees: Hornbeam (*Carpinus betulus*), Hop Hornbeam (*Ostrya carpinifolia*), Aspen (*Populus tremula*), Wayfaring Tree (*Viburnum lantana*) and Whitebeam (*Aria* agg.). We were delighted to find Herb Paris (*Paris quadrifolia*), Dark-red helleborine (*Epipactis atrorubens*), Red Helleborine (*Cephalanthera rubra*) and lots of Fragrant Orchids (*Gymnadenia conopsea*), newly in flower.

On the river we saw Grey Wagtail and watched, with delight, a Dipper as it gracefully dived into the water and then popped back out onto a rock with food to savour. It was difficult to leave these lovely birds. From the carpark, the group walked on through the village of Stara Fužina to the hotel, while the leaders walked back up the road to collect the vans. Everyone met up for dinner, then completed a very healthy checklist. We had enjoyed an interesting day and were well-satisfied as we headed to our rooms.

## Day 5

## Saturday 29th June

Before breakfast, on yet another dry and hot day, we found Grey Heron, Wood Pigeon, Common Swift, Great Spotted Woodpecker and Jay. Then a Red Squirrel skipped along the road as we waited to set off. Our venue was the Vrata valley, one-hour's drive north into the Triglav Massif. New regulations were in place which prevented us from parking our vans at Slap Peričnik, so the only option was to drop the clients off there to see this spectacular waterfall for themselves, which they did and enjoyed. Orange Lilies (*Lilium bulbiferum*) grew along the road and Sweet William (*Dianthus barbatus*) was in flower, and both were a delight to see. The vans reappeared to take everyone up to the forest road, which ends at a refugio at Varta, for coffee. This is a stopping point of one stage of several high-altitude walks.

Today our walk was less ambitious in terms of distance and height; it concentrated on seeing some interesting plants, such as Einsel's Columbine (*Aquilegia einseleana*), Tolpis (*Tolpis staticifolia*), Crimped Bellflower (*Favratia zoyzii*), and an ox-eye daisy (*Leucanthemum ircutianum*), all present in good numbers. We also enjoyed finding Blue Saxifrage (*Saxifraga caesia*). Lots of butterflies were on the wing, including Black-veined and Wood Whites, Brimstone, Common Blue, Comma, and Silver-washed and Pearl-bordered Fritillaries. One client was lucky enough to see a Chequered Skipper. We saw several moths, including Oak Eggar, Nine-spotted, and Mullein (caterpillars). So, we had much to chat about over our lazy picnic lunch in the shade; it was hot but bearable.

Thirty minutes later we arrived at a different habitat, a peat bog in the small village of Goreljek. While we were disappointed to see it so dry and being encroached upon by willows, we were not disappointed by our finds. We discovered Arnica (*Arnica montana*), Whorled Solomon's Seal (*Polygonatum verticillatum*), Bearded Bellflower (*Campanula barbata*), a rampion (*Phyteuma persicifolium*), One-flowered Wintergreen (*Moneses uniflora*) and *Erigeron glabrus*. We were not surprised to see few Round-leaved Sundews (*Drosera rotundifolia*) were growing in the Sphagnum Moss, with Hair's-tail Cottongrass (*Eriophorum vaginatum*) nearby. Fox and Cubs (*Pilosella aurantiaca*) were in bright flower, Ragged Robin (*Silene flos-cuculi*) was very ragged indeed, and Marsh Marigold (*Caltha palustris*) had gone over into fruit. Common (*Carex nigra*) and Bottle Sedges (*Carex rostrata*) and White Buttercup (*Ranunculus*

*platanifolius*) also grew in the damp. There were plenty of ferns, and we were pleased to see a small patch of Hard Fern (*Blechnum spicant*). A Common Toad skulked under a low tree, out of the heat, and a Common Redstart may have been doing the same. During the day, we had also heard Cuckoo, Common Buzzard, Great Spotted Woodpecker, Coal and Willow Tits, Dunnock, Firecrest and Goldcrest. We saw Grey Heron, Kestrel, Marsh Tit, Chiffchaff and more species. Once again, we enjoyed our dinner and completed a daily checklist, which ended with a sighting of a Hawfinch on a nearby pine tree. What a great way to end a wonderful day: drinks were called for!

## Day 6

## Sunday 30th June

After a quiet bird walk, then a tasty breakfast, we made sandwiches to take on our exploration of high-altitude flora. A five-minute drive to the west of Lake Bohinji took us to the Vogel Ski Centre and the cable-car which, in another five minutes, lifted us to 1500m. The views were stunning, and while the temperature was a little cooler than below, it was still hot. We enjoyed coffee before setting off to see some equally spectacular plants. Shaggy Hawkweed (*Hieracium villosum*) was indeed shaggy but not in flower, and another yellow-flowering plant was the more familiar Kidney Vetch (*Anthyllis vulneraria*). Black-stemmed Sneezewort (*Achillea atrata*), with its white flowers, was very common and striking. The pink flowers of Dwarf Alpenrose (*Rhodothamnus chamaecistus*) caught the eye, as did the pink flowers of Adenostyles (*Adenostyles alpina*) that were just emerging from bud. The distinctive fruit of Buckler Mustard (*Biscutella laevigata*) and purple flowers of Alpine Catmint (*Clinopodium alpinum*) helped identification.

We took the chair lift to gain a further 150m in height, to an area where Mountain Thrift (*Armeria alpina*) was flowering, and we also saw South-eastern Thistle (*Carduus carduelis*), Woolly Rock-jasmine (*Androsace villosa*) and Horned Rampion (*Phyteuma sieberi*). Lady's Mantle species were aplenty, including *Alchemilla xanthochlora*, *A. monticola* and *A. filicaulis*. Different bellflowers grew along the track, a new species being Fairy Thimble (*Campanula cochlearifolia*). And we identified different speedwell species: Long-leaved Speedwell (*Veronica longifolia*) was particularly lovely in flower. In addition, we found patches of saxifrages; Yellow Mountain Saxifrage (*Saxifraga aizoides*) especially caught the eye. Two Globeflowers (*Trollius europaeus*) had gone over, but were still nice to find, as were two species of lousewort, Verticillate (*Pedicularis verticillata*) and Beaked (*Pedicularis rostratocapitata*). Large carpets of Mountain Avens (*Antennaria dioica*) leaves spread along the rocks, occasionally showing white and cream flowers. The fruit 'clocks' of these superb plants were abundant and most attractive. So too were the flowers of Large White Buttercup (*Ranunculus platanifolius*) and Dark Rampion (*Phyteuma ovatum*).

The second chair lift wasn't working, which left us to walk, with the bonus of seeing more plants as we slowly ascended. Perhaps the prize find was Edelweiss (*Leontopodium nivale*); we discovered and admired several plants just coming into flower. How can you see this iconic species plant without bursting into song? We were glad to see new butterfly species (Silky and Dewy Ringlets, Northern Wall Brown, Safflower Skipper), as well as many more species seen earlier. Other invertebrates seen included the distinctive Yellow-banded Moth and the longhorn beetle *Oxymirus cursor*. An Alpine Marmot was calling, but was not seen. Crossbills called and flew over. We were ready for a drink at the excellent café, before we descended quickly in the cable car and returned to Ribčev Laz for a chance to swim or simply to relax. One client set up online messaging group, on which everyone quickly shared their images and excitement. It had been another excellent day.

## Day 7

## Monday 1st July

Our plan to visit another high-altitude venue at the Mangrt Saddle was scuppered by the approach road being blocked in two long stretches, so we chose to revisit the Vrata valley and walk as high as we could. And it turned out to be a great alternative. We arrived by 10.30am to take advantage of coffee at the refugio there. We retraced our day five route and continued along the track and, at times, in the dry riverbed. The rock here is limestone, so part of the river is subterranean. Some plants washed down from on high manage to root and establish themselves at lower altitude in such habitats; our sighting of Edelweiss was one example. We saw some more special plants, starting with a small patch of Crimped Bellflower (*Farratia zoysii*), nestled between boulders. We found two species of clubmoss, Interrupted (*Lycopodium annotinum*) and Swiss (*Selaginella helvetica*).

There were three species of orchid: lots of Fragrant (*Gymnadenia conopsea*), two individuals of Short-spurred Fragrant (*Gymnadenia odoratissima*) and a single Bird's-nest Orchid (*Neottia nidus-avis*). We saw plenty of ferns: Wall Rue (*Asplenium ruta-muraria*), Green Spleenwort (*Asplenium viride*), Holly Fern (*Polystichum lonchitis*), Beech Fern (*Phegopteris connectitis*), Brittle Bladder Fern (*Cystopteris fragilis*) and more. There were more exciting discoveries, including Bright Scabious (*Scabiosa lucida*), Creeping Gypsophila (*Gypsophila repens*) and a colt's-foot (*Homogyne sylvestris*). There were two new trees, Eastern Spindle (*Euonymus latifolius*) and an Alpine Laburnum (*Laburnum alpinum*) fully-decorated in bright yellow inflorescences. We found Corn Poppy (*Papaver rhoeas*), but were too early for the endemic Julian Poppy. The leaves of Bear's-ear Primrose (*Primula auricula*) matched the vernacular name. We added two more saxifrages to the list: Encrusted (*Saxifraga crustata*) and Spoon-leaved (*S. cuneifolia*).

There were lots of butterflies, including new species for the trip. We saw Black-veined, Mountain Green-veined, Small and Wood Whites, Brimstone and Clouded Yellow, plus White Admiral, Silver-washed, Spotted and Heath Fritillaries, Alpine Heath, Arran Brown, Large Skipper, and the star find of a single Blue-spot Hairstreak, in fresh condition.

Birding highlights were watching Treecreepers in the carpark, a client recognising Blackcap for the first time and, later, a female Black Redstart observing us as we compiled our checklist. We heard and saw many others over the day. Distant views of Alpine Chamois were enough to add it to our species tally.

## Day 8

## Tuesday 2nd July

Today, our last day, allowed sufficient time to visit Vogar, a small collection of chalets with a fantastic viewpoint overlooking Lake Bohinj. To walk to this spot, we passed several alpine meadows, packed with special plants attended by special butterflies. The first meadow was wet enough to hold *Sphagnum* mosses and, nestled within, the wonderful Grass-of-parnassus (*Parnassia palustris*). Also on display were Manna Ash (*Fraxinus ornus*), Dark Mullein (*Verbascum nigrum*), Greater Masterwort (*Astrantia major*), Broad-leaved Sermountain (*Laserpitium latifolium*), Lesser Meadow-rue (*Thalictrum minus*), Sweet Cicely (*Myrrhus odorata*) and Spiked Rampion (*Phyteuma spicatum*). While we only found a few Martagon Lilies (*Lilium martagon*), they were coming into flower and looking splendid.

And the meadows were alive with butterflies. In just two hours, we saw more than twenty species, including Mountain Green-veined White, Arran Brown and Marbled White. There was enough time for coffee and views of Hawfinch and Nutcracker flying over.



So, well-satisfied, we drove back to the hotel to rejoin the clients who had stayed in the village, to enjoy our final picnic lunch, before heading off to the railway station and airport. It had been a short day, and far too short a week to see all the wonderful wildlife that makes up this magical place, the Julian Alps. We left Slovenia with fond memories of a special week, shared with special people and wonderful wildlife.



Carnic Lily

## Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

[naturetrek.co.uk/e-newsletter-signup](https://naturetrek.co.uk/e-newsletter-signup)

Scan to  
sign up!



## Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek\\_wildlife\\_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



[facebook.com/naturetrekwildlifeholidays](https://www.facebook.com/naturetrekwildlifeholidays)



[naturetrek.bsky.social](https://bsky.app/profile/naturetrek.social)



[x.com/naturetrektours](https://x.com/naturetrektours) (formerly Twitter)



## Species lists

### Plants

Scientific name	Common name	Day	Location
* = Very localised distribution or endemic			
<b>BRYOPHYTES</b>	<b>MOSSES</b>		
<i>Bartramia halleriana</i>	Haller's Apple Moss	4	Mostnica gorge
<i>Ctenidium molluscum</i>	Comb-moss	2	Bohinj lake
<i>Dicranum</i> sp.	a moss	4	Mostnica gorge
<i>Eurhynchium striatum</i>	Common Striated Feather-moss	4	Mostnica gorge
<i>Exsertotheca crispa</i>	Crisped Neckera	7	Ribčev Laz
<i>Hylocomiadelphus triquetrus</i>	Rough Goose Neck Moss	4	Mostnica gorge
<i>Leucodon sciuroides</i>	Squirrel-tail Moss	4	Mostnica gorge
<i>Plagiomnium</i> sp.	a moss	5	Ribčev Laz
<i>Polytrichum commune</i>	Common Haircap Moss	5	Goreljek bog
<i>Sphagnum</i> cfr. <i>girgensohnii/russowii</i>	a bog moss	5	Goreljek bog
<i>Sphagnum recurvum</i> gr.	a bog moss	5	Goreljek bog
<i>Thuidium</i> sp.	a fern moss	4	Mostnica gorge
<b>PTERIDOPHYTES</b>	<b>FERNS &amp; ALLIES</b>		
<b>Lycophytes</b>	<b>Clubmosses &amp; Quillworts</b>		
<b>Lycopodiaceae</b>	<b>Clubmoss Family</b>		
<i>Lycopodium annotinum</i>	Interrupted Clubmoss	7	Vrata valley
<b>Selaginellaceae</b>	<b>Lesser Clubmoss Family</b>		
<i>Selaginella selaginoides</i>	Lesser Clubmoss	3	Vršič pass
<i>Selaginella helvetica</i>	Swiss Clubmoss	7	Vrata valley
<b>Calamophytes</b>	<b>Horsetails</b>		
<b>Equisetaceae</b>	<b>Horsetail Family</b>		
<i>Equisetum</i> cfr. <i>arvense</i>	Common Horsetail	3	Vršič pass
<i>Equisetum palustre</i>	Marsh Horsetail	5	Goreljek bog
<b>Leptosporangiate Ferns</b>	<b>True Ferns</b>		
<b>Aspleniaceae</b>	<b>Spleenwort Family</b>		
<i>Asplenium ruta-muraria</i>	Wall Rue	2	Bohinj lake
<i>Asplenium scolopendrium</i>	Hart's-tongue Fern	4	Mostnica gorge
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	2	Bohinj lake
<i>Asplenium viride</i>	Green Spleenwort	2	Bohinj lake
<b>Blechnaceae</b>	<b>Hard-fern Family</b>		
<i>Blechnum spicant</i>	Hard-fern	5	Goreljek bog
<b>Cystopteridaceae</b>	<b>Bladder-fern Family</b>		
<i>Cystopteris alpina</i>	Alpine Bladder-fern	6	Vogel ski resort
<i>Cystopteris fragilis</i>	Brittle Bladder-fern	7	Vrata valley
<i>Gymnocarpium dryopteris</i>	Oak Fern	2	Bohinj lake
<i>Gymnocarpium robertianum</i>	Limestone Fern	6	Vogel ski resort
<b>Dennstaedtiaceae</b>	<b>Bracken Family</b>		
<i>Pteridium aquilinum</i>	Bracken	2	Ribčev Laz
<b>Dryopteridaceae</b>	<b>Buckler-fern Family</b>		
<i>Dryopteris filix-mas</i>	Male-fern	7	Vrata valley
<i>Dryopteris villarii</i>	Rigid Buckler-fern	6	Vogel ski resort
<i>Polystichum lonchitis</i>	Holly Fern	3	Vršič pass
<b>Polypodiaceae</b>	<b>Polypody Family</b>		
<i>Polypodium vulgare</i>	Common Polypody	3	Vršič pass
<b>GYMNOSPERMS</b>	<b>CONIFERS</b>		
<b>Cupressaceae</b>	<b>Juniper Family</b>		

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Juniperus communis</i>	Common Juniper	4	Bohinj lake
<i>Juniperus communis</i> var. <i>saxatilis</i>	Alpine Juniper	3	Vršič pass
<b>Pinaceae</b>	<b>Pine Family</b>		
<i>Abies alba</i>	European Silver Fir	5	Goreljek
<i>Larix decidua</i>	European Larch	3	Vršič pass
<i>Picea abies</i>	Spruce	2	Ribčev Laz
<i>Pinus mugo</i>	Dwarf Mountain Pine	3	Vršič pass
<i>Pinus nigra</i>	Austrian or Black Pine	2	Bohinj lake
<i>Pinus sylvestris</i>	Scots Pine	2	Ribčev Laz
<b>ANGIOSPERMS</b>	<b>FLOWERING PLANTS</b>		
<b>Pre-Dicots</b>	<b>Primitive Angiosperms</b>		
<b>Aristolochiaceae</b>	<b>Birthwort Family</b>		
<i>Asarum europaeum</i>	Asarabacca	4	Mostnica gorge (leaves)
<b>Eu-dicots</b>	<b>True Dicotyledons</b>		
<b>Amaranthaceae</b>	<b>Amaranth Family</b>		
<i>Blitum bonus-henricus</i>	Good King Henry	6	Vogel ski resort
<b>Anacardiaceae</b>	<b>Sumach Family</b>		
<i>Cotinus coggygria</i>	Smoke-tree	4	Mostnica gorge (leaves)
<b>Apiaceae</b>	<b>Carrot Family</b>		
<i>Aegopodium podagraria</i>	Ground Elder	4	Mostnica gorge
<i>Astrantia bavarica</i> *	Bavarian Masterwort	6	Vogel ski resort
<i>Astrantia carniolica</i> *	Carnic Masterwort	2	Bohinj lake
<i>Astrantia major</i>	Great Masterwort	2	Ribčev Laz
<i>Athamanta cretensis</i>	Candy Carrot	3	Vršič pass
<i>Chaerophyllum hirsutum</i>	Hairy Chervil	3	Vršič pass
<i>Daucus carota</i>	Wild Carrot	5	Ribčev Laz
<i>Heracleum austriacum</i>	Pink Hogweed	6	Vogel ski resort
<i>Heracleum sphondylium</i>	Hogweed	8	Vogar
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	8	Vogar
<i>Laserpitium peucedanoides</i>	a Sermountain	3	Vršič pass
<i>Peucedanum oreoselinum</i>	Mountain Parsley	4	Mostnica gorge
<i>Peucedanum verticillare</i>	Giant Hog Fennel	5	Ribčev Laz
<i>Sanicula epipactis</i>	Hacquetia	4	Mostnica gorge
<i>Sanicula europaea</i>	Sanicle	4	Mostnica gorge (in seed)
<i>Siler montanum</i>	a Sermountain	2	Bohinj lake
<b>Apocynaceae</b>	<b>Periwinkle Family</b>		
<i>Vinca minor</i>	Lesser Periwinkle	2	Ribčev Laz (leaves)
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	2	Bohinj lake
<b>Asteraceae (Compositae)</b>	<b>Daisy Family</b>		
<i>Achillea clavennae</i>	Silvery Milfoil	6	Vogel ski resort
<i>Achillea millefolium</i> gr.	Yarrow	2	Bohinj lake
<i>Adenostyles alpina</i>	Alpine Adenostyles	3	Vršič pass
<i>Aposeris foetida</i>	Aposeris	3	Vršič pass
<i>Arnica montana</i>	Arnica	5	Goreljek bog
<i>Aster bellidiastrum</i>	False Aster	3	Vršič pass
<i>Bellis perennis</i>	Daisy	3	Vršič pass
<i>Bupthalmum salicifolium</i>	Yellow Ox-eye	2	Bohinj lake
<i>Carduus carduelis</i>	South-eastern Thistle	6	Vogel ski resort
<i>Carduus defloratus</i>	Alpine Thistle	2	Bohinj lake
<i>Carduus nutans</i>	Musk Thistle	4	Bohinj lake
<i>Carlina acaulis</i>	Stemless Carlina Thistle	3	Vršič pass (dead flowers)

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Centaurea jacea julica</i>	Brown Knapweed	2	Bohinj lake
<i>Centaurea nigrescens</i>	Tyrol Knapweed	2	Bohinj lake
<i>Centaurea scabiosa</i>	a Greater Knapweed	2	Bohinj lake
<i>Centaurea triumfettii</i>	Squarrose Knapweed	3	Vršič pass
<i>Cichorium intybus</i>	Chicory	2	Ribčev Laz
<i>Cirsium arvense</i>	Creeping Thistle	2	Bohinj lake
<i>Cirsium carniolicum*</i>	a yellow thistle	3	Vršič pass
<i>Cirsium erisithales</i>	Yellow Melancholy Thistle	2	Bohinj lake
<i>Cirsium oleraceum</i>	Cabbage Thistle	4	Mostnica gorge
<i>Cirsium palustre</i>	Marsh Thistle	3	Vršič pass
<i>Crepis aurea</i>	Golden Hawksbeard	3	Vršič pass
<i>Erigeron annuus</i>	Annual Fleabane	2	Ribčev Laz
<i>Erigeron glabratus</i>	A fleabane	5	Vrata valley
<i>Eupatorium cannabinum</i>	Hemp Agrimony	7	Ribčev Laz (in bud)
<i>Hieracium pilosum</i>	Fimbriate-pitted Hawkweed	6	Vogel ski resort
<i>Hieracium villosum</i>	Shaggy Hawkweed	6	Vogel ski resort
<i>Homogyne discolor*</i>	Tomentose Colt's-foot	6	Vogel ski resort (leaves)
<i>Homogyne sylvestris*</i>	a Colt's-foot	7	Vrata valley (gone over)
<i>Lactuca muralis</i>	Wall Lettuce	2	Bohinj lake
<i>Leontodon hispidus brumatii</i>	Rough Hawkbit	7	Vrata valley
<i>Leontodon incanus</i>	a hawkbit	7	Vrata valley
<i>Leontopodium nivale</i>	Edelweiss	7	Vrata valley
<i>Leucanthemum vulgare</i> gr.	Ox-eye Daisy	2	Bohinj lake
<i>Lophiolepis eriophora</i>	Woolly Thistle	3	Vršič pass (leaves)
<i>Petasites paradoxus</i>	Alpine Butterbur	3	Vršič pass (in seed)
<i>Pilosella aurantiaca</i>	Fox-and-cubs	5	Goreljek bog
<i>Pilosella hoppeana</i>	a hawkweed	4	Bohinj lake
<i>Pilosella piloselloides</i>	Smooth Hawkweed	5	Vrata valley
<i>Prenanthes purpurea</i>	Purple Lettuce	4	Mostnica gorge
<i>Jacobaea abrotanifolia</i>	Pinnate-leaved Ragwort	3	Vršič pass
<i>Senecio rupestris</i>	Rock Ragwort	6	Vogel ski resort
<i>Solidago virgaurea</i>	Goldenrod	6	Vogel ski resort
<i>Telekia speciosa</i>	Yellow Ox-eye	2	Bohinj lake
<i>Tolpis staticifolia</i>	Tolpis	5	Vrata valley
<i>Tragopogon orientalis</i>	Eastern Goat's-beard	2	Bohinj lake
<i>Tussilago farfara</i>	Colt's-foot	3	Vršič pass (leaves)
<b>Balsaminaceae</b>	<b>Balsam Family</b>		
<i>Impatiens parviflora</i>	Small Balsam	2	Ribčev Laz
<b>Betulaceae</b>	<b>Birch Family</b>		
<i>Betula pendula</i>	Silver Birch	3	Kranjska Gora
<i>Carpinus betulus</i>	Hornbeam	4	Bohinj lake
<i>Corylus avellana</i>	Hazel	2	Bohinj lake (in fruit)
<i>Ostrya carpinifolia</i>	Hop Hornbeam	2	Bohinj lake
<b>Boraginaceae</b>	<b>Forget-me-not Family</b>		
<i>Cerinthe minor</i>	Lesser Honeywort	4	Bohinj lake
<i>Echium vulgare</i>	Viper's-bugloss	2	Bohinj lake
<i>Myosotis alpestris</i>	Alpine Forget-me-not	6	Vogel ski resort
<i>Symphytum officinale</i>	Common Comfrey	2	Ribčev Laz
<b>Brassicaceae</b>	<b>Cabbage Family</b>		
<i>Arabis alpina</i>	Alpine Rock-cress	3	Vršič pass
<i>Biscutella laevigata</i>	a Buckler Mustard	6	Vogel ski resort

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Cardamine bulbifera</i>	Bulbous Bitter-cress	2	Bohinj lake (in seed)
<i>Cardamine enneaphyllos</i>	Drooping Bitter-cress	3	Vrščič pass (in seed)
<i>Kernera saxatilis</i>	Kernera	6	Vogel ski resort
<i>Noccaea minima*</i>	a penny-cress	6	Vogel ski resort
<i>Noccaea praecox</i>	Early Penny-cress	4	Ribčev Laz (in seed)
<i>Rorippa sylvestris</i>	Creeping Yellow-cress	4	Bohinj lake
<b>Campanulaceae</b>	<b>Bellflower Family</b>		
<i>Campanula barbata</i>	Bearded Bellflower	5	Goreljek bog
<i>Campanula carnica</i>	Flax-leaved Bellflower	4	Mostnica gorge
<i>Campanula cochleariifolia</i>	Fairy's-thimble	5	Vrata valley
<i>Campanula glomerata</i>	Clustered Bellflower	2	Bohinj lake
<i>Campanula patula</i>	Spreading Bellflower	6	Vogel ski resort
<i>Campanula rapunculoides</i>	Creeping Bellflower	4	Ribčev Laz
<i>Campanula scheuchzeri</i>	Scheuchz's Bellflower	5	Vrata valley
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	2	Ribčev Laz
<i>Campanula witasekiana*</i>	Paniculate Bellflower	5	Goreljek bog
<i>Favratia zoysii*</i>	Crimped Bellflower	7	Vrata valley
<i>Phyteuma orbiculare</i>	Round-headed Rampion	3	Vrščič pass
<i>Phyteuma sieberi*</i>	Horned Rampion	6	Vogel ski resort
<i>Phyteuma persicifolium</i>	a Rampion	5	Goreljek bog
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>		
<i>Knautia drymeja</i>	Hungarian Widow Flower	2	Ribčev Laz
<i>Knautia longifolia</i>	a scabious	6	Vogel ski resort
<i>Lomelosia graminifolia</i>	Grass Leaved Scabious	2	Bohinj lake
<i>Lonicera caerulea</i>	Blue-berried Honeysuckle	3	Vrščič pass (in fruit)
<i>Lonicera xylosteum</i>	Fly Honeysuckle	5	Ribčev Laz (in fruit)
<i>Scabiosa lucida</i>	Bright Scabious	7	Vrata valley
<i>Scabiosa triandra</i>	a scabious	4	Bohinj lake
<i>Valeriana montana</i>	Mountain Valerian	3	Vrščič pass
<i>Valeriana officinalis</i> gr.	Common Valerian	6	Vogel ski resort
<i>Valeriana saxatilis</i>	Rock Valerian	6	Vogel ski resort
<i>Valeriana tripteris</i>	Three-leaved Valerian	3	Vrščič pass (in seed)
<b>Caryophyllaceae</b>	<b>Pink Family</b>		
<i>Arenaria serpyllifolia</i>	Thyme-leaved Sandwort	3	Vrščič pass
<i>Cerastium carinthiacum</i>	A mouse-ear	3	Vrščič pass
<i>Cerastium elongatum*</i>	A mouse-ear	5	Vrata valley
<i>Cerastium holosteoides</i>	Common Mouse-ear Chickweed	5	Vrata valley
<i>Dianthus hyssopifolius</i>	Fringed Pink	6	Ribčev Laz
<i>Dianthus sternbergii*</i>	a Fringed Pink	3	Vrščič pass
<i>Gypsophila repens</i>	Creeping Baby's-breath	5	Vrata valley
<i>Heliosperma alpestre</i>	Alpine Catchfly	3	Vrščič pass
<i>Moehringia muscosa</i>	Mossy Sandwort	2	Ribčev Laz
<i>Petrorhagia saxifraga</i>	Tunic Flower	2	Bohinj lake
<i>Sabulina austriaca</i>	a sandwort	6	Vogel ski resort
<i>Sabulina verna</i>	Spring Sandwort	3	Vrščič pass
<i>Silene dioica</i>	Red Campion	5	Goreljek bog
<i>Silene flos-cuculi</i>	Ragged Robin	5	Goreljek bog
<i>Silene latifolia</i>	White Campion	2	Ribčev Laz
<i>Silene nutans</i>	Nottingham Catchfly	2	Bohinj lake
<i>Silene vulgaris</i>	Bladder Campion	2	Ribčev Laz
<i>Stellaria graminea</i>	Lesser Stitchwort	4	Mostnica gorge

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Stellaria media</i>	Common Chickweed	2	Bohinj lake
<b>Celastraceae</b>	<b>Spindle Family</b>		
<i>Euonymus europaeus</i>	Spindle	5	Ribčev Laz (in fruit)
<i>Euonymus verrucosus</i>	Eastern Spindle	7	Ribčev Laz (in fruit)
<i>Parnassia palustris</i>	Grass-of-Parnassus	8	Vogar
<b>Cistaceae</b>	<b>Rock-rose Family</b>		
<i>Helianthemum nummularium</i>	Common Rock-rose	2	Bohinj lake
<i>Helianthemum alpestre</i>	Alpine Rock-rose	3	Vršič pass
<b>Convolvulaceae</b>	<b>Bindweed Family</b>		
<i>Convolvulus arvensis</i>	Field Bindweed	4	Bohinj lake
<b>Cornaceae</b>	<b>Dogwood Family</b>		
<i>Cornus sanguinea</i>	Dogwood	2	Bohinj lake
<b>Crassulaceae</b>	<b>Stonecrop Family</b>		
<i>Sedum album</i>	White Stonecrop	8	Vogar
<i>Sedum atratum</i>	Dark Stonecrop	6	Vogel ski resort
<i>Sedum hispanicum</i>	Spanish Stonecrop	8	Vogar
<i>Sedum sexangulare</i>	Tasteless Stonecrop	2	Ribčev Laz
<b>Droseraceae</b>	<b>Sundew Family</b>		
<i>Drosera rotundifolia</i>	Round-leaved Sundew	5	Goreljek bog
<b>Ericaceae</b>	<b>Heath family</b>		
<i>Calluna vulgaris</i>	Common Heather	5	Goreljek bog (leaves)
<i>Erica carnea</i>	Spring Heath	3	Vršič pass
<i>Moneses uniflora</i>	One-flowered Wintergreen	3	Vršič pass
<i>Pyrola rotundifolia</i>	Round-leaved Wintergreen	3	Vršič pass
<i>Rhododendron hirsutum</i>	Hairy Alpenrose	3	Vršič pass
<i>Vaccinium myrtillus</i>	Bilberry	3	Vršič pass
<i>Vaccinium oxycoccos</i>	Cranberry	5	Goreljek bog
<i>Vaccinium vitis-idaea</i>	Cowberry	3	Vršič pass
<b>Euphorbiaceae</b>	<b>Spurge Family</b>		
<i>Euphorbia amygdaloides</i>	Wood Spurge	2	Ribčev Laz
<i>Euphorbia cyparissias</i>	Cypress Spurge	3	Vršič pass
<i>Mercurialis perennis</i>	Dog's Mercury	4	Mostnica gorge
<b>Fagaceae</b>	<b>Oak &amp; Beech Family</b>		
<i>Fagus sylvatica</i>	Beech	2	Ribčev Laz
<i>Quercus robur</i>	Pendunculate Oak	4	Bohinj lake
<b>Gentianaceae</b>	<b>Gentian Family</b>		
<i>Centaurium erythraea</i>	Common Centaury	2	Bohinj lake
<i>Gentiana asclepiadea</i>	Willow-leaved Gentian	2	Bohinj lake (leaves)
<i>Gentiana clusii</i>	Clusius' Gentian	6	Vogel ski resort (gone over)
<i>Gentiana cruciata</i>	Cross Gentian	3	Vršič pass (leaves)
<i>Gentiana utriculosa</i>	Bladder Gentian	3	Vršič pass
<b>Geraniaceae</b>	<b>Geranium Family</b>		
<i>Geranium columbinum</i>	Long-stalked Crane's-bill	4	Bohinj lake
<i>Geranium phaeum</i>	Dusky Crane's-bill	2	Ribčev Laz
<i>Geranium robertianum</i>	Herb Robert	2	Ribčev Laz
<i>Geranium sylvaticum</i>	Wood Crane's-bill	3	Vršič pass
<b>Haloragaceae</b>	<b>Water Milfoil Family</b>		
<i>Myriophyllum spicatum</i>	European Water-milfoil	2	Bohinj lake
<b>Hypericaceae</b>	<b>St. John's-wort Family</b>		
<i>Hypericum maculatum</i>	Imperforate St. John's-wort	2	Bohinj lake

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Hypericum montanum</i>	Pale St.John's-wort	2	Ribčev Laz
<i>Hypericum perforatum</i>	Perforate St. John's-wort	5	Ribčev Laz
<b>Juglandaceae</b>	<b>Walnut Family</b>		
[ <i>Juglans regia</i> ]	Walnut	4	Bohinj lake (leaves)
<b>Lamiaceae</b>	<b>Dead-nettle Family</b>		
<i>Ajuga genevensis</i>	Blue Bugle	2	Bohinj lake
<i>Ajuga pyramidalis</i>	Pyramidal Bugle	3	Vršič pass
<i>Ajuga reptans</i>	Bugle	3	Vršič pass
<i>Betonica alopecuroides</i>	Yellow Betony	3	Vršič pass
<i>Betonica officinalis</i>	Betony	2	Bohinj lake
<i>Clinopodium alpinum</i>	Alpine Basil Thyme	3	Vršič pass
<i>Clinopodium vulgare</i>	Wild Basil	4	Bohinj lake
<i>Galeopsis pubescens</i>	Hairy Hemp-nettle	2	Bohinj lake
<i>Glechoma</i> cfr. <i>hederacea</i>	Ground-ivy	2	Ribčev Laz (leaves)
<i>Lamium galeobdolon</i>	Yellow Archangel	3	Vršič pass
<i>Lamium maculatum</i>	Spotted Deadnettle	4	Ribčev Laz
<i>Lamium purpureum</i>	Red Dead-nettle	6	Vogel ski resort
<i>Mentha longifolia</i>	Horse Mint	3	Vršič pass (leaves)
<i>Origanum vulgare</i>	Wild Marjoram	4	Bohinj lake (in bud)
<i>Prunella grandiflora</i>	Large-flowered Selfheal	2	Bohinj lake
<i>Prunella vulgaris</i>	Selfheal	2	Bohinj lake
<i>Salvia glutinosa</i>	Jupiter's Distaff	2	Ribčev Laz
<i>Salvia pratensis</i>	Meadow Clary	2	Bohinj lake
<i>Stachys recta</i>	Yellow Woundwort	2	Bohinj lake
<i>Stachys sylvatica</i>	Hedge Woundwort	3	Vršič pass
<i>Teucrium chamaedrys</i>	Wall Germander	2	Bohinj lake
<i>Teucrium montanum</i>	Mountain Germander	2	Bohinj lake
<i>Thymus praecox polytrichus</i>	Hairy Thyme	3	Vršič pass
<i>Thymus</i> cfr. <i>pulegioides</i>	Large Thyme	2	Bohinj lake
<b>Fabaceae</b>	<b>Pea Family</b>		
<i>Anthyllis vulneraria</i>	Kidney-vetch	2	Bohinj lake
<i>Astragalus glycyphyllos</i>	Wild Liquorice	2	Bohinj lake (in seed)
<i>Chamaecytisus supinus</i>	a hairy broom	2	Bohinj lake
<i>Genista radiata</i>	Southern Greenweed	3	Vršič pass
<i>Genista tinctoria</i>	Dyers Greenweed	2	Bohinj lake
<i>Hippocrepis comosa</i>	Horseshoe Vetch	3	Vršič pass
<i>Laburnum alpinum</i>	Alpine Laburnum	7	Vrata valley
<i>Lathyrus pratensis</i>	Yellow Vetchling	7	Vrata valley
<i>Lathyrus vernus</i>	Spring Vetchling	2	Ribčev Laz (in seed)
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	2	Bohinj lake
<i>Lotus germanicus</i>	a white bird's-foot trefoil	2	Bohinj lake
<i>Medicago lupulina</i>	Black Medick	2	Bohinj lake
<i>Melilotus albus</i>	White Melilot	2	Bohinj lake
<i>Ononis spinosa</i>	Restharrow	4	Bohinj lake
<i>Robinia pseudoacacia</i>	False Acacia	7	Lesce
<i>Trifolium campestre</i>	Hop Trefoil	2	Bohinj lake
<i>Trifolium medium</i>	Zigzag Clover	8	Vogar
<i>Trifolium montanum</i>	Mountain Clover	6	Vogel ski resort
<i>Trifolium pallescens</i>	Fading Clover	3	Vršič pass
<i>Trifolium pratense</i>	Red Clover	2	Ribčev Laz
<i>Trifolium repens</i>	White Clover	2	Bohinj lake



Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Vicia sepium</i>	Bush Vetch	3	Vršič pass
<i>Vicia sylvatica</i>	Wood Vetch	8	Vogar
<i>Vicia tenuifolia</i>	Fine-leaved Vetch	2	Bohinj lake
<b>Lentibulariaceae</b>	<b>Bladderwort Family</b>		
<i>Pinguicula alpina</i>	Alpine Butterwort	4	Mostnica gorge (leaves)
<b>Linaceae</b>	<b>Flax Family</b>		
<i>Linum catharticum</i>	Purging or Fairy Flax	3	Vršič pass
<i>Linum julicum</i> *	Julian Flax	6	Vogel ski resort
<b>Lythraceae</b>	<b>Purple-loosestrife Family</b>		
<i>Lythrum salicaria</i>	Purple-loosestrife	2	Bohinj lake
<b>Malvaceae</b>	<b>Mallow Family</b>		
<i>Tilia cordata</i>	Small-leaved Lime	2	Bohinj lake
<b>Oleaceae</b>	<b>Olive Family</b>		
<i>Fraxinus excelsior</i>	Ash	2	Bohinj lake
<i>Fraxinus ornus</i>	Manna or Flowering Ash	2	Bohinj lake
<i>Ligustrum vulgare</i>	Wild Privet	2	Bohinj lake
<b>Onagraceae</b>	<b>Willowherb Family</b>		
<i>Chamaenerion angustifolium</i>	Rosebay Willowherb	4	Mostnica gorge (leaves)
<i>Epilobium montanum</i>	Broad-leaved Willowherb	3	Vršič pass
<i>Epilobium</i> cfr. <i>roseum</i>	Pale Willowherb	2	Ribčev Laz
<b>Orobanchaceae</b>	<b>Broomrape Family</b>		
<i>Euphrasia cuspidata</i>	an eyebright	7	Vrata valley
<i>Euphrasia officinalis</i>	Eyebright	3	Vršič pass
<i>Melampyrum pratense</i>	Common Cow-wheat	2	Bohinj lake
<i>Melampyrum sylvaticum</i>	Small Cow-wheat	3	Vršič pass
<i>Orobanche gracilis</i>	Slender Broomrape	3	Vršič pass
<i>Pedicularis elongata</i>	a lousewort	3	Vršič pass
<i>Pedicularis julica</i> *	a lousewort	3	Vršič pass
<i>Pedicularis rostratocapitata</i>	Beaked Lousewort	6	Vogel ski resort
<i>Pedicularis verticillata</i>	Verticillate Lousewort	6	Vogel ski resort
<i>Rhinanthus</i> cfr. <i>freynii</i>	Freyn's Rattle	2	Bohinj lake
<i>Rhinanthus glacialis</i>	Aristate Yellow Rattle	2	Ribčev Laz
<b>Oxalidaceae</b>	<b>Wood-sorrel Family</b>		
<i>Oxalis acetosella</i>	Wood-sorrel	4	Mostnica gorge (leaves)
<b>Papaveraceae</b>	<b>Poppy Family</b>		
<i>Chelidonium majus</i>	Greater Celandine	4	Bohinj lake
<i>Papaver rhoeas</i>	Corn Poppy	7	Vrata valley
<b>Plantaginaceae</b>	<b>Plantain Family</b>		
<i>Digitalis grandiflora</i>	Large Yellow Foxglove	4	Mostnica gorge
<i>Globularia cordifolia</i>	Matted Globularia	6	Vogel ski resort
<i>Paederota lutea</i> *	Yellow Paederota	3	Vršič pass
<i>Plantago major</i>	Greater Plantain	2	Ribčev Laz (leaves)
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain	2	Bohinj lake
<i>Veronica chamaedrys</i>	Germander Speedwell	3	Vršič pass
<i>Veronica longifolia</i>	Long-leaved Speedwell	6	Vogel ski resort
<i>Veronica officinalis</i>	Heath Speedwell	5	Vrata valley
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	3	Vršič pass
<b>Plumbaginaceae</b>	<b>Thrift Family</b>		
<i>Armeria alpina</i>	Mountain Thrift	6	Vogel ski resort
<b>Polygalaceae</b>	<b>Milkwort Family</b>		
<i>Polygala alpestris</i>	Mountain Milkwort	3	Vršič pass

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Polygala</i> cfr. <i>vulgaris</i>	Common Milkwort	4	Mostnica gorge
<b>Polygonaceae</b>	<b>Knotweed Family</b>		
<i>Bistorta vivipara</i>	Alpine Bistort	3	Vršič pass
<i>Rumex</i> sp.	a dock	5	Ribčev Laz
<i>Rumex scutatus</i>	French Sorrel	2	Bohinj lake
<b>Primulaceae</b>	<b>Primrose Family</b>		
<i>Cyclamen purpurascens</i>	Alpine Sowbread	2	Ribčev Laz
<i>Lysimachia nummularia</i>	Creeping-jenny	5	Ribčev Laz (leaves)
<i>Primula auricula</i>	Bear's-ear Primrose	7	Vrata valley (leaves)
<i>Primula farinosa</i>	Bird's-eye Primrose	3	Vršič pass
<i>Primula vulgaris</i>	Common Primrose	2	Bohinj lake (leaves)
<b>Ranunculaceae</b>	<b>Buttercup Family</b>		
<i>Aconitum lamarckii</i>	Northern Wolf's-bane	2	Bohinj lake
<i>Aconitum</i> cfr. <i>degenii</i> *	a Monk's-hood	8	Vogar
<i>Anemonoides trifolia</i>	Three-leaved Anemone	3	Vršič pass
<i>Anemone nemorosa</i>	Wood Anemone	6	Vogel ski resort (leaves)
<i>Aquilegia einseleana</i> *	Einsel's Columbine	5	Vrata valley
<i>Aquilegia iulia</i> *	A columbine	6	Vogel ski resort
<i>Aquilegia nigricans</i>	Blackish Columbine	3	Vršič pass
<i>Caltha palustris</i>	Marsh Marigold	4	Mostnica gorge (in fruit)
<i>Clematis alpina</i>	Alpine Clematis	6	Vogel ski resort
<i>Clematis recta</i>	Upright Clematis	2	Ribčev Laz
<i>Clematis vitalba</i>	Old-Man's-Beard	2	Ribčev Laz
<i>Helleborus niger</i>	Christmas Rose	3	Vršič pass
<i>Hepatica nobilis</i>	Hepatica	2	Ribčev Laz (leaves)
<i>Pulsatilla alpina</i>	Alpine Pasqueflower	6	Vogel ski resort
<i>Ranunculus acris</i>	Meadow Buttercup	3	Vršič pass
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	2	Bohinj lake
<i>Ranunculus hybridus</i>	Hybrid Buttercup	6	Vogel ski resort (leaves)
<i>Ranunculus platanifolius</i>	Large White Buttercup	5	Goreljek bog
<i>Ranunculus tuberosus</i>	Wood Buttercup	4	Mostnica gorge
<i>Thalictrum minus</i>	Lesser Meadow-rue	2	Bohinj lake
<i>Trollius europaeus</i>	Globeflower	6	Vogel ski resort
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>		
<i>Frangula alnus</i>	Alder Buckthorn	4	Bohinj lake (in fruit)
<i>Rhamnus fallax</i>	an Alpine Buckthorn	2	Bohinj lake (leaves)
<b>Rosaceae</b>	<b>Rose Family</b>		
<i>Agrimonia eupatoria</i>	Common Agrimony	4	Bohinj lake
<i>Alchemilla vulgare</i> gr.	A lady's-mantle	3	Vršič pass
<i>Aria edulis</i>	Whitebeam	4	Mostnica gorge (leaves)
<i>Aruncus dioicus</i>	Goatsbeard Spiraea	2	Ribčev Laz
<i>Chamaemespilus alpina</i>	False Medlar	3	Vršič pass
<i>Crataegus monogyna</i>	Hawthorn	2	Bohinj lake (leaves)
<i>Dryas octopetala</i>	Mountain Avens	3	Vršič pass
<i>Filipendula ulmaria</i>	Meadowsweet	2	Bohinj lake
<i>Fragaria vesca</i>	Wild Strawberry	3	Vršič pass
<i>Geum rivale</i>	Water Avens	3	Vršič pass
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	2	Bohinj lake (in seed)
<i>Potentilla caulescens</i>	Lax Potentilla	7	Ribčev Laz
<i>Potentilla crantzii</i>	Alpine Cinquefoil	6	Vogel ski resort
<i>Potentilla erecta</i>	Tormentil	2	Bohinj lake

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Potentilla reptans</i>	Creeping Cinquefoil	2	Bohinj lake
<i>Prunus spinosa</i>	Blackthorn	4	Bohinj lake (in fruit)
<i>Rosa canina</i> gr.	Dog Rose	2	Bohinj lake
<i>Rosa glauca</i>	Blue-leaved Rose	6	Vogel ski resort
<i>Rosa pendulina</i>	Alpine Rose	3	Vršič pass
<i>Rubus idaeus</i>	Raspberry	3	Vršič pass
<i>Rubus saxatilis</i>	Stone Bramble	6	Vogel ski resort
<i>Rubus</i> cfr. <i>ulmifolius</i>	Elm-leaf Blackberry	4	Bohinj lake
<i>Sorbus aucuparia</i>	Rowan	2	Bohinj lake (leaves)
[ <i>Spiraea japonica</i> ]	Japanese Spirea	2	Ribčev Laz
<b>Rubiaceae</b>	<b>Bedstraw Family</b>		
<i>Cruciata glabra</i>	Smooth Crosswort	3	Vršič pass
<i>Galium album</i>	Hedge Bedstraw	8	Vogar
<i>Galium anisophyllum</i>	Alpine Bedstraw	3	Vršič pass
<i>Galium laevigatum</i>	a bedstraw	2	Ribčev Laz
<i>Galium palustre</i>	Marsh Bedstraw	5	Goreljek bog
<i>Galium verum</i>	Lady's Bedstraw	2	Bohinj lake
<b>Salicaceae</b>	<b>Willow &amp; Poplar Family</b>		
<i>Populus tremula</i>	Aspen	4	Bohinj lake (leaves)
<i>Salix appendiculata</i>	Large-leaved Willow	3	Vršič pass
<i>Salix</i> cfr. <i>caprea</i>	Goat Willow	4	Bohinj lake (leaves)
<i>Salix eleagnos</i>	Rosemary Willow	2	Bohinj lake
<i>Salix glabra</i>	Smooth Willow	3	Vršič pass
<i>Salix purpurea</i>	Purple Willow	3	Vršič pass
<b>Santalaceae</b>	<b>Sandalwood Family</b>		
<i>Thesium alpinum</i>	Alpine Bastard Toadflax	2	Bohinj lake
<b>Sapindaceae</b>	<b>Maple Family</b>		
<i>Acer campestre</i>	Field Maple	2	Bohinj lake (leaves)
<i>Acer platanoides</i>	Norway Maple	8	Vogar (leaves)
<i>Acer pseudoplatanus</i>	Sycamore	2	Bohinj lake (leaves)
<b>Saxifragaceae</b>	<b>Saxifrage Family</b>		
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	7	Vrata valley
<i>Saxifraga caesia</i>	Blue Saxifrage	5	Vrata valley
<i>Saxifraga crustata</i>	Encrusted Saxifrage	7	Vrata valley (leaves)
<i>Saxifraga cuneifolia</i>	Spoon-leaved Saxifrage	3	Vršič pass
<i>Saxifraga hostii</i>	Host's Saxifrage	8	Vogar (leaves)
<b>Scrophulariaceae</b>	<b>Figwort Family</b>		
<i>Scrophularia juratensis</i>	Alpine Figwort	3	Vršič pass
<i>Scrophularia nodosa</i>	Common Figwort	2	Ribčev Laz
<i>Verbascum chaixii</i>	Nettle-leaved Mullein	2	Bohinj lake
<i>Verbascum thapsus</i>	Great Mullein	4	Ribčev Laz
<b>Simaroubaceae</b>	<b>Quassia Family</b>		
[ <i>Ailanthus altissima</i> ]	Tree of Heaven	7	Lesce
<b>Solanaceae</b>	<b>Nightshade Family</b>		
<i>Solanum dulcamara</i>	Bittersweet	2	Bohinj lake
<b>Thymelaeaceae</b>	<b>Mezereon Family</b>		
<i>Daphne mezereum</i>	Mezereon	5	Vrata valley (in fruit)
<b>Urticaceae</b>	<b>Nettle Family</b>		
<i>Urtica dioica</i>	Common Nettle	2	Bohinj lake
<b>Verbenaceae</b>	<b>Verbena Family</b>		
<i>Verbena officinalis</i>	Vervain	4	Bohinj lake

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<b>Viburnaceae</b>	<b>Moschatel Family</b>		
<i>Sambucus ebulus</i>	Dwarf Elder	2	Bohinj lake
<i>Sambucus racemosa</i>	Red-berried Elder	8	Vogar (in fruit)
<i>Viburnum lantana</i>	Wayfaring Tree	4	Bohinj lake (in fruit)
<b>Monocots</b>	<b>Monocotyledons</b>		
<b>Amaryllidaceae</b>	<b>Daffodil Family</b>		
<i>Allium scorodoprasum</i>	Sand Leek	2	Ribčev Laz
<b>Asparagaceae</b>	<b>Asparagus Family</b>		
<i>Anthericum ramosum</i>	Branched St. Bernard's Lily	2	Bohinj lake
<i>Convallaria majalis</i>	Lily-of-the-Valley	2	Ribčev Laz (leaves)
<i>Maianthemum bifolium</i>	May Lily	3	Vršič pass
<i>Polygonatum multiflorum</i>	Solomon's Seal	2	Ribčev Laz (in fruit)
<i>Polygonatum odoratum</i>	Angular Solomon's Seal	6	Ribčev Laz (in fruit)
<i>Polygonatum verticillatum</i>	Whorled Solomon's Seal	8	Vogar (in fruit)
<b>Colchicaceae</b>	<b>Meadow Saffron Family</b>		
<i>Colchicum autumnale</i>	Autumn Crocus (leaves)	3	Vršič pass (leaves)
<b>Cyperaceae</b>	<b>Sedge Family</b>		
<i>Carex brizoides</i>	Alpine Grass	5	Goreljek bog
<i>Carex echinata</i>	Star Sedge	5	Goreljek bog
<i>Carex flacca</i>	Glaucous Sedge	2	Bohinj lake
<i>Carex hirta</i>	Hairy Sedge	3	Vršič pass
<i>Carex leersii</i>	Grassland Sedge	5	Vrata valley
<i>Carex lepidocarpa</i>	Long-bracted Yellow-sedge	4	Mostnica gorge
<i>Carex nigra</i>	Common Sedge	5	Goreljek bog
<i>Carex oederi</i>	Little Green Sedge	2	Bohinj lake
<i>Carex pendula</i>	Hanging Sedge	2	Bohinj lake
<i>Carex rostrata</i>	Bottle Sedge	5	Goreljek bog
<i>Carex sempervirens</i>	Evergreen Sedge	6	Vogel ski resort
<i>Carex sylvatica</i>	Wood Sedge	7	Vrata valley
<i>Eriophorum latifolium</i>	Broad-leaved Cotton-grass	4	Mostnica gorge
<i>Eriophorum vaginatum</i>	Hare's-tail Cotton-grass	4	Goreljek bog
<b>Juncaceae</b>	<b>Rush Family</b>		
<i>Juncus compressus</i>	Flattened Rush	5	Goreljek bog
<i>Luzula luzuloides rubella</i>	White Woodrush	5	Goreljek bog
<i>Luzula nivea</i>	Snowy Woodrush	3	Vršič pass
<b>Liliaceae</b>	<b>Lily Family</b>		
<i>Lilium bulbiferum</i>	Orange Lily	5	Vrata valley
<i>Lilium carnolicum*</i>	Carnic Lily	6	Vogel ski resort
<i>Lilium martagon</i>	Martagon Lily	6	Vogel ski resort
<b>Melanthiaceae</b>	<b>Herb-paris Family</b>		
<i>Paris quadrifolia</i>	Herb Paris	4	Mostnica gorge
<i>Veratrum lobelianum</i>	Green False Helleborine	3	Vršič pass
<b>Orchidaceae</b>	<b>Orchid Family</b>		
<i>Cephalanthera damasonium</i>	White Helleborine	4	Bohinj lake (in seed)
<i>Cephalanthera rubra</i>	Red Helleborine	3	Vršič pass
<i>Corallorhiza trifida</i>	Coralroot Orchid	3	Vršič pass (in seed)
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	3	Vršič pass
<i>Epipactis atrorubens</i>	Dark Red Helleborine	2	Bohinj lake
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	2	Ribčev Laz
<i>Gymnadenia conopsea</i>	Fragrant Orchid	6	Vogel ski resort
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant Orchid	7	Vrata valley

Scientific name	Common name	Day	Location
<b>* = Very localised distribution or endemic</b>			
<i>Gymnadenia rhellicani</i>	Alpine Vanilla Orchid	6	Vogel ski resort
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	2	Bohinj lake
<i>Neottia ovata</i>	Twayblade	3	Vršič pass
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	3	Vršič pass
<b>Poaceae</b>	<b>Grass Family</b>		
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass	8	Vogar
<i>Briza media</i>	Quaking Grass	2	Bohinj lake
<i>Calamagrostis epigejos</i>	Bushgrass	4	Bohinj lake
<i>Dactylis glomerata</i>	Cock's-foot	2	Bohinj lake
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	3	Vršič pass
<i>Lolium perenne</i>	Perennial Ryegrass	7	Ribčev Laz
<i>Melica ciliata</i>	Soft Melick	2	Bohinj lake
<i>Melica nutans</i>	Mountain Melick	2	Ribčev Laz
<i>Molinia caerulea</i>	Purple Moor-grass	4	Mostnica gorge
<i>Phleum bertolonii</i>	Smaller Cat's-tail	7	Ribčev Laz
<i>Poa alpina</i>	Viviparous Alpine Meadow-grass	3	Vršič pass
<b>Tofieldiaceae</b>	<b>Scottish Asphodel Family</b>		
<i>Tofieldia calyculata</i>	Tofield's Asphodel	3	Vršič pass

## Fungi

Scientific name	Common name	Day	Location
<i>Trametes versicolor</i>	Turkey-tail	8	Vogar
<i>Suillellus luridus</i>	Lurid Bolete	5	Vrata valley

## Lichens

Scientific name	Common name	Day	Location
<i>Cetrelia</i> sp.	A sea-storm lichen	4	Ribčev Laz
<i>Peltigera</i> sp.	a pelt lichen	5	Goreljek bog
<i>Pseudevernia furfuracea</i>	Tree Moss	5	Goreljek bog

## Birds (H = Heard only)

Common name	Scientific name	June-July 2025							
		24	25	26	27	28	29	30	1
Mallard	<i>Anas platyrhynchos</i>		7	2	15	1	5		2
Common Swift	<i>Apus apus</i>		1	1		15	H		
Common Cuckoo	<i>Cuculus canorus</i>		H		H	H			
Feral Pigeon	<i>Columba livia</i> var. <i>domestica</i>					1			
Common Wood Pigeon	<i>Columba palumbus</i>	3	H			5			3
Yellow-legged Gull	<i>Larus michahellis</i>		1						
Grey Heron	<i>Ardea cinerea</i>	3	5	5	5	3	7	2	1
Common Buzzard	<i>Buteo buteo</i>			1		1	1		3
Lesser Spotted Woodpecker	<i>Dryobates minor</i>				1				
Great Spotted Woodpecker	<i>Dendrocopos major</i>		H	H	H	H	H		2H
Black Woodpecker	<i>Dryocopus martius</i>		1		H				
European Green Woodpecker	<i>Picus viridis</i>				1				
Grey-headed Woodpecker	<i>Picus canus</i>		H	3	H	1		1	
Common Kestrel	<i>Falco tinnunculus</i>		1		1	3		1	1
Red-backed Shrike	<i>Lanius collurio</i>				5				2

Common name	Scientific name	June-July 2025							
		24	25	26	27	28	29	30	1
Eurasian Jay	<i>Garrulus glandarius</i>		1	2	3	2	H		
Eurasian Magpie	<i>Pica pica</i>								1
Northern Nutcracker	<i>Nucifraga caryocatactes</i>								2
Alpine Chough	<i>Pyrrhocorax graculus</i>			5					
Hooded Crow	<i>Corvus cornix</i>	5	2H	3	2			1	
Northern Raven	<i>Corvus corax</i>			4	H	H	3	H	H
Coal Tit	<i>Parus ater</i>		5H	2H	2H	5H	2H	5	3H
Crested Tit	<i>Lophophanes cristatus</i>			3	H	H	H	1	1
Marsh Tit	<i>Poecile palustris</i>		2H	2	4	3		H	2H
Willow Tit	<i>Poecile montanus</i>			H		H			4
Eurasian Blue Tit	<i>Cyanistes caeruleus</i>				H				
Great Tit	<i>Parus major</i>		4	H	4	3	1		
Barn Swallow	<i>Hirundo rustica</i>		5	1	1			3	5
Western House Martin	<i>Delichon urbicum</i>		15	10	5	10	10	10	5
Long-tailed Tit	<i>Aegithalos caudatus</i>				3				
Wood Warbler	<i>Phylloscopus sibilatrix</i>		H						
Western Bonelli's Warbler	<i>Phylloscopus bonelli</i>	H	1	H	H	4	H		
Common Chiffchaff	<i>Phylloscopus collybita</i>		3H	5H	3H	5	2H	2H	3H
Eurasian Blackcap	<i>Sylvia atricapilla</i>	H	5H	5H	6H	5H	3	3	3H
Common Firecrest	<i>Regulus ignicapilla</i>				2	H			
Goldcrest	<i>Regulus regulus</i>			2H		H		2	H
Eurasian Wren	<i>Troglodytes troglodytes</i>			2H		H		2H	H
Eurasian Nuthatch	<i>Sitta europaea</i>	H	2H	3	H	H	H	H	
Eurasian Treecreeper	<i>Certhia familiaris</i>					2H		4	
Common Starling	<i>Sturnus vulgaris</i>				1		3	1	
Song Thrush	<i>Turdus philomelos</i>	H	1	2	2	2		H	1
Mistle Thrush	<i>Turdus viscivorus</i>			2	H		2	H	
Common Blackbird	<i>Turdus merula</i>	2	3	5	5	5	3	3	1
Spotted Flycatcher	<i>Muscicapa striata</i>		3H	2	2H	2	2		
European Robin	<i>Erithacus rubecula</i>	H	2	5	2H	3H	5	3	2
Black Redstart	<i>Phoenicurus ochruros</i>		1	1	1	2	5	2	1
Common Redstart	<i>Phoenicurus phoenicurus</i>					H			
White-throated Dipper	<i>Cinclus cinclus</i>				2				
Eurasian Tree Sparrow	<i>Passer montanus</i>		3	5	2	5	3	2	1
House Sparrow	<i>Passer domesticus</i>	2	2	2	2H	5	2	1	3
Dunnock	<i>Prunella modularis</i>			H		2	5H	H	
Grey Wagtail	<i>Motacilla cinerea</i>		H	H	2			2	
White Wagtail	<i>Motacilla alba alba</i>	1	1	1	1	H	2		
Water Pipit	<i>Anthus spinoletta</i>						H	H	
Eurasian Chaffinch	<i>Fringilla coelebs</i>	1	10	5	3	5	3	5	H
Hawfinch	<i>Coccothraustes coccothraustes</i>				3	1			3
Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>			2H		3	H	2H	2H
European Greenfinch	<i>Chloris chloris</i>			H	H	H	H		
Red Crossbill	<i>Loxia curvirostra</i>			5			10		
European Goldfinch	<i>Carduelis carduelis</i>		3	1	10	6	3H	H	2
European Serin	<i>Serinus serinus</i>		H				H		H
Eurasian Siskin	<i>Spinus spinus</i>							H	
Rock Bunting	<i>Emberiza cia</i>								H



## Mammals

H = heard, S = signs		June-July 2025							
Common name	Scientific name	24	25	26	27	28	29	30	1
Eurasian Red Squirrel	<i>Sciurus vulgaris</i>			1		1			
Alpine Marmot	<i>Marmota marmota</i>						H		
European Mole	<i>Talpa europaea</i>			S	S	S			S
Alpine Chamois	<i>Rupicapra rupicapra</i>							2	

## Reptiles &amp; amphibians

D = dead		June-July 2025							
Common name	Scientific name	24	25	26	27	28	29	30	1
Eastern Green Lizard	<i>Lacerta viridis</i>				D				
Carniolian Lizard	<i>Zootoca carniolica</i>					4		2?	
Common Wall Lizard	<i>Podarcis muralis</i>		5						1
European Slow-worm	<i>Anguis fragilis</i>					1			
Eastern Grass Snake	<i>Natrix natrix</i>		2						
Common Toad	<i>Bufo bufo</i>				D	1			

## Fishes

		June-July 2025							
Common name	Scientific name	24	25	26	27	28	29	30	1
Danube Barbel	<i>Barbus</i> cfr. <i>balcanicus</i>		1				10		
Common Chub	<i>Squalius cephalus</i>		50		5		✓		
Rainbow Trout	<i>Oncorhynchus mykiss</i>		1						
Sun Perch	<i>Lepomis gibbosus</i>		20						

## Butterflies

		June-July 2025							
Common name	Scientific name	24	25	26	27	28	29	30	1
Clouded Apollo	<i>Parnassius mnemosyne</i>			5					
Chequered Skipper	<i>Carterocephalus palaemon</i>					1			
Large Skipper	<i>Ochlodes sylvanus</i>		10	1	3	2		15	10
Small Skipper	<i>Thymelicus sylvestris</i>				5				
Dingy Skipper	<i>Erynnis tages</i>					5		5	
Alpine Grizzled Skipper	<i>Pyrgus andromedae</i>						4	2	
Wood White	<i>Leptidea sinapis</i> gr.		10		3	5		2	
Common Brimstone	<i>Gonepteryx rhamni</i>		15	3	2	1	1	3	
Clouded Yellow	<i>Colias croceus</i>		2					1	
Black-veined White	<i>Aporia crataegi</i>		5	1		3		2	1
Small White	<i>Pieris rapae</i>			2			1	3	
Mountain Green-veined White	<i>Pieris bryoniae</i>			5			40	2	
Green-veined White	<i>Pieris napi</i>				1				
Duke of Burgundy	<i>Hamearis lucina</i>			10	1			3	
Sooty Copper	<i>Lycaena tityrus</i>			1					
Small Copper	<i>Lycaena phlaeas</i>				1				
Scarce Copper	<i>Lycaena vigaureae</i>				2				3
Green Hairstreak	<i>Callophrys rubi</i>			1			1		
White-letter Hairstreak	<i>Satyrrium w-album</i>		1						
Blue-spot Hairstreak	<i>Satyrrium spini</i>							1	

Common name	Scientific name	June-July 2025							
		24	25	26	27	28	29	30	1
Holly Blue	<i>Celastrina argiolus</i>				3				
Alcon Blue	<i>Phengaris alcon</i>				3				
Little Blue	<i>Cupido minimus</i>				1	3	2	2	
Silver-studded Blue	<i>Plebejus argus</i>			5					
Mazarine Blue	<i>Cyaniris semiargus</i>		1	2			2	1	
Mountain Brown Argus	<i>Aricia artaxerxes</i>			1				2	
Chalk-hill Blue	<i>Lysandra coridon</i>							3	1
Common Blue	<i>Polyommatus icarus</i>		3	2	1	1	1		
Hungarian Glider	<i>Neptis rivularis</i>		4		4				
White Admiral	<i>Limenitis camilla</i>				7		1	2	2
Marbled Fritillary	<i>Brenthis daphne</i>								2
Silver-washed Fritillary	<i>Argynnis paphia</i>		10		15	5	2	5	2
Dark Green Fritillary	<i>Speyeria aglaja</i>				4			2?	3
Pearl-bordered Fritillary	<i>Boloria euphrosyne</i>					2		3	1
Weaver's Fritillary	<i>Boloria dia</i>				1				
Painted Lady	<i>Vanessa cardui</i>						3		
Red Admiral	<i>Vanessa atalanta</i>				1		1	3	1
Small Tortoiseshell	<i>Aglais urticae</i>			1		1	3		
Comma	<i>Polygonia c-album</i>					1			
Asian Fritillary	<i>Euphydryas intermedia</i>			5			2		
Spotted Fritillary	<i>Melitaea didyma</i>							1	
Heath Fritillary	<i>Melitaea athalia</i>		15	10	50	50		2	30
Small Heath	<i>Coenonympha pamphilus</i>		1						
Alpine Heath	<i>Coenonympha gardetta</i>			10			2	5	
Pearly Heath	<i>Coenonympha arcania</i>		20		5				10
Woodland Brown	<i>Lopinga achine</i>		1		3				2
Speckled Wood	<i>Pararge aegeria aegeria</i>		1			1			
Large Wall Brown	<i>Lasiommata maera</i>					1		7	5
Northern Wall Brown	<i>Lasiommata petropolitana</i>						1		
Common Marbled White	<i>Melanargia galathea</i>				5			1	5
Meadow Brown	<i>Maniola jurtina</i>		10		10				3
Silky Ringlet	<i>Erebia gorge</i>						1		
Dewy Ringlet	<i>Erebia pandrose</i>						15		
Large Ringlet	<i>Erebia euryale</i>			1					
Arran Brown	<i>Erebia ligea</i>		2	1	3	2		10	10
Woodland Ringlet	<i>Erebia medusa</i>			3					
Mountain Ringlet	<i>Erebia epiphron</i>			1					

## Moths

C = caterpillar, D = dead		June-July 2025							
Common name	Scientific name	24	25	26	27	28	29	30	1
Transparent Burnet	<i>Zygaena purpuralis</i> gr.			3					3
Six-spot Burnet	<i>Zygaena</i> cfr. <i>filipendulae</i>		C						
Narrow-bordered Five-spot Burnet	<i>Zygaena loniceræ</i>				20				30
Southerly Burnet	<i>Zygaena transalpina</i>				5			1	5
Garden Grass-veneer	<i>Chrysoteuchia culmella</i>				1				
Silver-barred Sable	<i>Pyrausta cingulata</i>							5	
a mint moth	<i>Pyrausta</i> sp.				1				
a tortrix	<i>Epiblema petasitis</i>							1	

C = caterpillar, D = dead		June-July 2025							
Common name	Scientific name	24	25	26	27	28	29	30	1
The Pygmy	<i>Thyris fenestrella</i>								1
a forester	<i>Adscita/Jordanita</i> sp.				1				
Oak Eggar	<i>Lasiocampa</i> cfr. <i>quercus</i>			2		1	1	7	
Marbled Minor	<i>Oligia strigilis</i> gr.		1		2				
Broad-bordered Bee Hawk-moth	<i>Hemaris fuciformis</i>						3		
Hummingbird Hawk-moth	<i>Macroglossum stellatarum</i>				1		1	2	
Smoky Wave	<i>Scopula ternata</i>			1					
Silver-ground Carpet	<i>Xanthorhoe montanata</i>			1					
Argent & Sable	<i>Rheumaptera hastata</i>			1					
Sharp-angled Peacock	<i>Macaria alternata</i>				1				
Drab Looper	<i>Minoa murinata</i>		1						
Latticed Heath	<i>Chiasmia clathrata</i>								2
Limestone Annulet	<i>Charissa</i> cfr. <i>pullata</i>								1
Speckled Yellow	<i>Pseudopanthera macularia</i>								1
Orange Moth	<i>Angerona prunaria</i>					D			
Mottled Beauty	<i>Alcis repandata</i>								1
Great Oak Beauty	<i>Hypomecis roboraria</i>				3	1			
Barred Red	<i>Hylaea fasciaria</i>								1
Yellow Banded	<i>Psodos quadrifaria</i>						10		
Buff-tip	<i>Phalera bucephala</i>					D			
Cream-spot Tiger	<i>Arctia villica</i>						D		
Nine-spotted	<i>Amata phegea</i>		20	2	30	10	3		
Red-necked Footman	<i>Atolmis rubricollis</i>								1
Buff Footman	<i>Eilema depressa</i>						1		
Small Purple-barred	<i>Phytometra viridaria</i>						1		
Burnet Companion	<i>Euclidia glyphica</i>			3					
Silver Y	<i>Autographa gamma</i>			1					
Striped Lychnis	<i>Cucullia</i> cfr. <i>lychnitis</i>					5C			
Marbled White Spot	<i>Protodeltote pygarga</i>				1				
The Grey	<i>Hadena caesia</i>								1

## Damselflies & dragonflies

		June-July 2025							
Common name	Scientific name	24	25	26	27	28	29	30	1
Beautiful Demoiselle	<i>Calopteryx virgo</i>								1
Common Bluetail	<i>Ischnura elegans</i>		1						
Common Bluet	<i>Enallagma cyathigerum</i>		5						
Large Red Damsel	<i>Pyrrhosoma nymphula</i>				1				
Blue Featherleg	<i>Platycnemis pennipes</i>		20						
Blue Emperor	<i>Anax imperator</i>		1						
Lesser Emperor	<i>Anax parthenope</i>		1						
Common Clubtail	<i>Gomphus vulgatissimus</i>		1						
a goldring	<i>Cordulegaster</i> sp.				1				
Downy Emerald	<i>Cordulia aenea</i>		20						
Black-tailed Skimmer	<i>Orthetrum cancellatum</i>		2						

## Grasshoppers and crickets

Common name	Scientific name	June-July 2025							
		24	25	26	27	28	29	30	1
Common Saw Bush-cricket	<i>Barbitistes serricauda</i>								1
Wart-biter Cricket	<i>Decticus verrucivorus</i>								1
Field Cricket	<i>Gryllus campestris</i>				3H				5H
Common Mountain Grasshopper	<i>Podisma pedestris</i>					2		1	

## Other invertebrates

Common name	Scientific name	June-July 2025							
		24	25	26	27	28	29	30	1
<b>Scorpionflies</b>	<b>Mecoptera</b>								
German Scorpionfly	<i>Panorpa germanica</i>							3	
<b>True Bugs</b>	<b>Hemiptera</b>								
Dock Bug	<i>Coreus marginatus</i>		1						
Italian Striped Shield-bug	<i>Graphosoma italicum</i>		1		2				
A fire-bug	<i>Spilostethus saxatilis</i>				1				
<b>True Flies</b>	<b>Diptera</b>								
Two-banded Wasp hoverfly	<i>Chrysotoxum bicinctum</i>							1	
Marmalade hoverfly	<i>Episyrphus balteatus</i>			2					
Drone-fly	<i>Eristalis tenax</i>						1		
Great Pied hoverfly	<i>Volucella pellucens</i>							1	
a hoverfly	<i>Syrphus</i> sp.						1		
<b>Bees, Wasps and Ants</b>	<b>hymenoptera</b>								
a wasp	<i>Amblyjoppa fuscipennis</i>								1
Honey Bee	<i>Apis mellifera</i>		2		1		1		
Gypsy Cuckoo Bumblebee	<i>Bombus</i> cfr. <i>bohemicus</i>							1	
Wurflen's Bumble Bee	<i>Bombus mastrucatus</i>			2				1	
Mountain Bumblebee	<i>Bombus monticola</i>					1			
a cuckoo bumblebee	<i>Bombus</i> cfr. <i>sylvestris/norvegicus</i>							1	
Hercules Carpenter Ant	<i>Camponotus</i> cfr. <i>herculeanus</i>					✓			
Wood Ant	<i>Formica rufa</i> gr.			✓	✓		✓	✓	
Carpenter Bee	<i>Xylocopa</i> cfr. <i>violacea</i>				1				
<b>Beetles</b>	<b>Coleoptera</b>								
a longhorn beetle	<i>Anastrangalia</i> sp.							1	
Rose Chafer	<i>Cetonia aurata</i>		10	10	5	1			1
a leaf beetle	<i>Clytra</i> sp.						1		
Pine Sawyer Beetle	<i>Monochamus sutor</i>			2					
a chafer	<i>Oxythyrea funesta</i>				5				
Spotted Longhorn Beetle	<i>Rutpela maculata</i>		1		5	5		2	1
Black-striped Longhorn Beetle	<i>Stenurella melanura</i>				1				
Bee Beetle	<i>Trichius</i> cfr. <i>fasciatus</i>		3		1	2	1	1	1
<b>Spiders</b>	<b>Araneae</b>								
Green Huntsman Spider	<i>Micrommata virescens</i>				1				
Walnut Orbweaver	<i>Nuctenea umbratica</i>								1
<b>Harvestmen</b>	<b>Opiliones</b>								
Saddleback Harvestman	<i>Mitopus morio</i>			1					
<b>Molluscs</b>	<b>Mollusca</b>								
Ash-black Slug	<i>Limax cinereoniger</i>				1				
Roman Snail	<i>Helix pomatia</i>				3			1	1