

Venezuela - Oilbirds, Harpy Eagles & Table Mountains

Naturetrek Tour Report

16 November - 1 December 2011

Report compiled by Cecilia Herrera



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leader: Cecilia Herrera Local Guide & Ornithologist

Participants: David Todd
John Chainey
Jenny Spence
Tom Radford
Richard Land
Roland Holz
John Flood
Jeremy Bradley
Lindsay Bradley
Silvio Sommazzi

Day 1

Wednesday 16th November

Upon arrival at the international airport of Caracas, the guests were transferred to Hotel Ole Caribe in Macuto, and had dinner before retiring to bed.

Day 2

Thursday 17th November

Weather: clear in am. Partly clouded in pm

We left at 5:15am to the domestic airport (next to the International) checked in on our local flight to Cumana town in the east of Venezuela. We had breakfast at the airport before departure at 8:00 am. We arrived at Cumana around 9 am. We took off to our destination Chacopata Lagoon, 2 ½ hours away. Driving along the coast toward Chacopata we saw lots of Magnificent Frigatebirds some Royal Terns, Brown Boobies and Brown Pelicans. Further ahead, we came close to some small ponds where we saw a group of Common Moorhens, Caribbean Coots, Least Grebe and Blue-winged Teal.

We arrived at Chacopata and we started enjoying our birding site. We scanned the lagoon and saw flocks of Royal Terns, Black Skimmers, some Laughing Gulls, Least Tern, Semipalmated Plover, Semipalmated Sandpiper, Western Sandpiper, Short-billed Dowitcher, Grey Plover, Sanderling, Ruddy Turnstone, Whimbrel, Greater Yellow-leg, Willet, and Scarlet Ibis. At some point, after enjoying the sights, we had our picnic lunch. In the xerophytic forest behind, Buffu Hummingbird (S) was buzzing around. Also around was Russet-throated Puffbird (S), Glaucous Tanager (S), and Bare-eyed Pigeon (S) amongst others. After a beautiful afternoon, we drove to Finca Vuelta Larga in Guaraunos (some 3 hours away passing through Carupano City), our next destination for the following 3 days.

Day 3

Friday 18th November

Weather: clear sky

We had early breakfast and around 6:30 we left to another section of this Finca where there is a large lagoon surrounded by forest.

Walking around the lagoon we saw: Palm Tanager, Rufous-tailed Jacamar, Black-dotted Piculet (one of our target birds!), Blue-chinned Sapphire, Yellow-chinned Spinetail, Short-crested Flycatcher, Black-crowned and Yellow-crowned Night-heron, Hoatzin, White-winged Swallow, some Scarlet Ibis, Whistling Heron, Lesser & Greater Yellow-headed Vulture, Grey Hawk, two Peregrine Falcon one adult and one juvenile, Spot-breasted Wood pecker and three Horned Screamer. We got back to the main dirt road and walked along it. We heard a White-bellied Antbird, and after a while we saw it. The other target bird around here is the Scarlet Horned Manakin. We managed to see one adult and one sub adult. What a spectacular bird! After this we went back for lunch at Fica Vuelta Larga.

In the afternoon, we went to Caño Amarillo, another section of the Finca. It's a dirt road with forest on our right and savannah on our left. We drove and walked several sections of this road which ends at Caño (small river) Amarillo. Along here we saw a beautiful green and yellow snake about 1 metre long whose common name in Spanish is Machete. We also saw American Pygmy Kingfisher, and some people also saw the Red & Green Kingfisher, Cream-colored Woodpecker, White-chested Emerald, Long-winged Harrier hunting low on the grassland, Black-capped Donacobius, Bat Falcon, Little Cuckoo, Glittering-throated Emerald, and a flock of Yellow-hooded Blackbirds. I heard a Jet Antbird, called it and some people had a glimpse of it, it wasn't in an easy one to spot. Overhead flocks of Orange-winged parrots and Yellow-crowned Parrot, Bare-eyed Pigeon and Pale-vented Pigeons were flying away.

Day 4

Saturday 19th November

Weather: clear sky in the morning. Overcast in the afternoon

This morning, we left at 4:30 am to Las Melenas in Cerro Humo arriving at 6:30 am and having breakfast at the spot. Whilst eating, a flock of Venezuelan Parakeets (S) and Golden-winged Parakeets flew over. Around in a nearby bush were Sooty-headed Tyrannulet and Golden-faced Tyrannulet. We then started the trail. This quite steep trail goes through a cloud forest in the Paria National Park where we expect to see some of the endemics of this area. The trail produced: Rufous-breasted Wren, Brown-capped Vireo, Groove-billed Toucanet (S), Bay-headed Tanager, Speckled Tanager, Black-faced Antthrush, White-tailed Sabrewing (S), Paria Whitestart (E), female & male Plain Antvireo, male & female Slaty Antwren, Handsome Fruiteater (E), Slate-crowned Antpitta, Cocoa Woodcreeper, Blue-capped Tanager, Tree-striped Warbler, White-shoulder Tanager, White-winged tanager, Chestnut-crowned Becard, and Black-poll Warbler, amongst others. Then we went back for lunch to Finca Vuelta Larga. In the afternoon we went to another section of the Finca, another dirt road that initially goes through some kind of grassland with some forest along the edge and eventually it gets denser and wetter. Around here we saw Trinidad Euphonia (S), Pale-breasted Spinetail, Green Ibis, Southern Greyish Saltator, Glittering-throated Emerald, a tough to see Stripe Cuckoo, Streaked-headed Woodcreeper, and Grey-necked Woodrail amongst others.

Day 5

Sunday 20th November

Weather: clear sky in am. Some clouds in pm

After having breakfast at 5:30, we left to Caño Ajies jetty. While waiting to get onboard, we saw Yellow-rumped Cacique, Black-necked Aracari and White-throated Toucan.

On the way we saw Crimson-crested Woodpecker, Green & Rufous Kingfisher, Little Blue Heron, Spotted Sandpiper, Common Black Hawk, Bat Falcon, and Long-winged Harrier. We passed the area where our target bird, the Rufous-crab Hawk usually is. We went further. After a while we turned back, and kept looking thoroughly. At last we got it! We passed my scope around so everybody could have a look through it. On the way back, we had several stops that produced Semipalmated Plover, Spotted Toddy-flycatcher, Bicolored Conebill, poor views of a Black-throated Antbird, heard the Silvered Antbird but it didn't come closer, and found an American Pygmy Kingfisher.

After lunch, we departed to our next destination, around 3 hours away, the Guacharo's Cave (Oilbird's Cave). It was a beautiful drive through a hilly area and the afternoon light was beautiful too. We arrived at Posada Campo Claro, left our things in the rooms and set off to the Oilbird Cave. We arrived at the cave at around 5:40 pm and waited to see the Oilbirds come out. Around 6:10 pm, the Oilbirds started to come out and bats as well. The Oilbirds come out by the front section of the entrance of the cave and the bats by the right hand side of it. One could hear them coming from the deep darkness of the cave. The Oilbirds kept coming out in waves. There were thousands!

Day 6

Monday 21st November

Weather: partly cloudy in am. Rainy in pm

After our early breakfast we departed to Cerro Perú, by recommendation of Francisco (a young and enthusiast birder) to see the elusive, endangered and endemic species, the Grey-headed Warbler. It is basically a trail that goes through a cloud forest along the ridge of part of Cerro Peru. From the guesthouse, we took a road that after some 25 minutes we reached the spot from where we started to walk. Initially one walks through some pastures and then one is inside the cloud forest. This trail at first has some steep muddy slopes that go down a short distance some 200 m to a creek and up again, also a short distance, and it eventually flattens and is easier to walk. Before we got to the trail we saw American Redstart, Blue-capped Tanager, Lesser Goldfinch, Green Hermit, Black-faced Tanager, Rufous-collared Sparrow, and Ochre-breasted Brushfinch (S). Then walking the trail we saw more of the same tanagers we had seen, Slaty-capped Flycatcher, Fawn-breasted Tanager, again the Handsome Fruiteater (E), Groove-billed Toucanet (S), and Venezuelan Sylph (E) one of the target birds! At some point and already at the ridge, John saw a black cat a bit larger than a domestic one, that disappeared fast down the slope. It was probably a Jaguarundi! We walked a little further and I started to call the warbler. It didn't come to start with, but instead we saw Oleaginous Hemispingus and Ochre-breasted Brushfinch again. After a while, the warbler turned up! At first, not everybody had a good view, but we had a second chance and everybody saw it, 2 - 3 of them! After this, we had a mixed species flock that contained Olivaceous and Cocoa Woodcreeper, Crested Spinetail (S), Plain Xenop, Blackburnian Warbler, Slate-throated Whitestart, Golden Olive Woodpecker, and Inca Jays, amongst others.

After lunch, we went back to the Oilbird cave to have a look inside. Although it's an optional thing to do, everybody wanted to go inside and also have a closer view of the Oilbirds, - when seen flying coming out of the cave one can't see what they look like that well. It is forbidden to spotlight them. We took a guide, as it is mandatory, who guided us in and explained different things about the cave; the different formations, the wildlife inside, the oilbirds, the history. It was fascinating. We saw several of the Oilbirds really close, on their nests up on the ledges and lots flying around. The entrance mouth is 23 m high x 28 m wide! It is the second largest cave of calcium carbonate in Venezuela. The first one is in Sierra de Perijá, on the western border of the country.

Day 7

Tuesday 22nd November

Weather: clear skies in the morning and partly cloudy in the afternoon

After an early breakfast, we went birding around the garden and the coffee farm which are shaded by Erythrina and Inga trees, good for the birds. But first, at the bird table we saw Blue-grey Tanager, Inca Jay, Pale-breasted Thrush, and Bananaquit. Around the garden we saw Bicolored Wren, Oriole Blackbird, Rusty-margined Flycatcher, White-tipped Dove, Orange-crowned Oriole, Copper-rumped Hummingbird (S), Fork-tailed Woodnymph female, Burnish-buff Tanager, Yellow Oriole, Rufous-vented Chachalaca (S), Sooty-capped Hummingbird (S), and Streaked Saltator, and above us a mixed flock of Short tailed and Grey-rumped Swifts.

We left at 8am to our next destination, Taguapire Lodge in El Palmar, around 8 hours. We had a long drive ahead of us, which included crossing the largest river of Venezuela, the Orinoco, through the new and majestic Orinoquia Bridge, which is 3.300 metres long. We had our picnic lunch near a lookout spot across the Orinoco River. We continued on our route, and arrived at Taguapire and settled in for the following three days.

Day 8

Wednesday 23rd November

Weather: overcast in the morning. Some rain in the afternoon

After a very early breakfast at 3:45 am, we departed to see magnificent Harpy Eagle. Our local guide Javier knew where the nest of now 2 and a 1/2 year old sub-adult is. In fact, the same nest that a crew of the BBC had filmed a few years ago. It took around 2 hours to get to the spot on two 4-wheel drive Toyotas. Along the way, we did a few stops to see Red & Green Macaw, White-throated & Yellow-ridge Toucan, Black-necked Aracari, Yellow-tufted Woodpecker, Long-tailed Tyrant, Blue-head Parrot, Piratic 6 Variegated Flycatcher and Painted Parakeet, all of them with the scope too! We arrived at a clearing with a little house and small crops around. A few metres away is the forest edge. We took the trail that goes to the Harpy Eagle nest, a big Kapok tree, one of the main trees the Harpy Eagles uses to build their nests. We got there and looked. Nothing... The Eagle was not in the tree. We waited a long while. In the meantime, we saw around Black Nunbird, Red-rumped Cacique, in the understorey, and with the help of recordings, saw White-bellied Antbird, White-browed Antbird, Dusky Antbird, Guianan Slaty Antshrike, Short-tailed Pygmy-tyrant and Helmeted Pygmy-Tyrant. After that we walked to another section of the forest, not far away, as Javier had found an ant swarm. We saw the Rufous-throated and the White-plumed Antbird, which are strict ant followers. The White-plumed tends to be in less number than the Rufous-throated.

We went back to the little house area and had the packed lunch. The plan was to go back to the nest after lunch. While having lunch we saw White-eyed Parakeet, the beautiful Spangle Cotinga, Violaceous, Purple-throated and White-vented Euphonias feeding on clumps of mistletoe. Then suddenly, a female (the mother) Harpy Eagle flew in and perched on tree 500 m away in this open area. What an exiting moment! We had great views!! We spent a long while enjoying this sight until it eventually flew away.

After this we walked along the dirt road. We saw the Spangle Cotinga again, a female Peacock Coquette in a low bush, White-chested Emerald, Slate-headed Toddy-flycatcher, and Green-rumped Parrotlets, amongst others. But nothing could beat the spectacle of the Harpy Eagle!

Day 9

Thursday 24th November

Weather: clear sky in the morning. Overcast in the afternoon

After an early breakfast, we went to Rio Grande Bridge, 45 minutes away. We got out there and started to walk around the edge of the river. Here we saw Amazon Kingfisher, White-necked Jacobin and Crimson Topaz insect feeding, American Pygmy Kingfisher, a Sungrebe disappearing down stream, close views of two Riverside Warblers after playback, two Guianan-streaked Antwrens, Cayenne Jay up in the canopy, and Amazonian Violaceous Trogon, amongst others.

Then we walked toward the logging camp, some 700 m away. On this walk, we saw Black-spotted Barbet (S), two juvenile male Golden-headed Manakins rehearsing a display, Versicolored Emerald, Green-tailed Jacamar, Buff-throated Woodcreeper, Grey-headed Kite, Greater Yellow-headed Vulture, King Vulture, Short-tailed Hawk, and Slate-headed Toddy-flycatcher in near bushes. We climb on board the vehicles again and drove past the camp to our next stop some metres before the grid trail system. We got out and saw Red-legged Honeycreepers up in the canopy. I started to call the Musician Wren. Two responded! One on the left and one on the right - the right one sounded closer. We stepped inside the forest and called again. It came closer and closer. We had fantastic views! Then we went to the grid trails inside the forest. After a short while inside the silent forest, we started to hear the Ferruginous-backed Antbird. We worked on it and eventually everybody saw it. We walked the trails for sometime, and then went back to the main dirt road for a picnic lunch.

After lunch, we went back to the trails and eventually saw White-crowned Manakin, Orange-bellied Manakin (S), Purple-throated Fruitcrow up in a break in the forest canopy, Great Jacamar, heard at the distance a Thrush-like Antpitta. We went back to the main dirt road and walked for a while. I played different calls; one was of the Painted Toddy-flycatcher, but no luck. Instead, we saw a very good bird, female and male Rose-breasted Chat! In addition, we had brief views of Mouse-colored Antshrike and Wing-barred Piprites.

Day 10

Friday 25th November

Weather: Overcast in the morning. Clear early afternoon. Rainy later

After breakfast, we took the road to La Tigra. Initially this road goes through some pasture, marshes, passes a small patch of forest and then to a metal/wooden bridge, where we got off. This morning we saw Purple Gallinule in the marshy area, Blue-chinned Sapphire, Little Chachalaca, Plain-breasted Ground-dove, Plane-crested Spinetail, Horned Screamer, Southern-beardless Tyrannulet, Cinnamon Attila, Swallowing Puffbird, Black-crowned Tityra, Turquoise Tanager, Yellow Tyrannulet, and Golden-spangle Piculet, amongst others.

We went back to the lodge to enjoy lunch in front of the bird feeder, where one can see our national bird, the Venezuelan Troupial (S) amongst others. We then departed to our next destination, Barquilla de Fresa Lodge at the foothill of La Escalera, around 4 ½ hours away. As we arrived with some daylight, we enjoyed the hummingbird feeders, famous in this place. We were delighted with Crimson Topaz male and female, Black-throated Mango female and male, White-necked Jacobin, Grey-breasted Sabrewing, Fork-tailed Woodnymph female and male and Long-billed Starthroat.

Day 11

Saturday 26th November

Weather: Overcast. Light rain in the afternoon

After an early breakfast, we went straight to the area where most of the endemics and semi-endemics are found, around 1200m a.s.l., starting from 170 m a.s.l. We stopped at the bend where several flowering *Clusia* sp. bushes are and usually attract lots of hummingbird and others but there wasn't much activity, it seemed like the flowers were not "ripe enough". A bit further up at the bend there was a fruiting *Ficus* sp.. Around here we saw Black-hooded Thrush (S), Black-billed Thrush, Yellow-bellied Tanager, Red-banded Fruiteater! (S), Olive Manakin (S), Tepui Whitestart (S), Red-shouldered Tanager, Black-headed Tanager, Brown Violetear, and Tepui Mountain Grackle (S) amongst others. Then we went inside the forest on our left. Here we saw, after some work, a pair of Ruddy Toddy-flycatchers (S) and also a male Amethyst Woodstar. We also saw the endemic Streak-backed Antshrike after some playback and had some great views of both female & male. But the Roraiman Barbtail didn't show up. We would try for it in other spots...

We spent the entire day birding the road toward the top of La Escalera road (1.440m a.s.l.) going through cloud forest. But most of the day we spent in what I call the "hot spot". We even had our picnic lunch here. This spot is one of the leks for the Scarlet-horned Manakin. Besides, there tends to be a mixed species flock moving around. It produced, the Scarlet-horned Manakin (S) which we saw several time on this day, a flock of the beautiful Paradise Tanager, Yellow-bellied, Bay-headed, White-winged, Summer and Olive-backed Tanager (S), Tepui Greenlet (S), Roraiman Antwren (S), Plain Antwren female & male, Roraiman Warbler (S), Peacock Coquette female (in scope!), Tepui Warbler (S), Tepui Spinetail (S), Orange-bellied Manakin (S), McConnell's Spinetail (S), Slate-throated Whitestart, Black-fronted Tyrannulet (E) (not good views), and Chapman's Bristle-Tyrant (S), amongst others. We definitely had a great day! We saw lost of the specialties of this area!

Day 12

Sunday 27th November

Weather: Clear skies in the morning. Overcast and some rain in the afternoon

Today the plan was to start in a lower section of La Escalera road, Piedra de La Virgen at 400m a.s.l. and then to the Cock of the Rock lek at around 700 m a.s.l. Then from there we would work our way down eventually and have lunch at Barquilla Guest house, enjoy the garden and the hummingbird feeder, and in the afternoon go to the Capuchin bird lek area.

On our way to Piedra de La Virgen we saw three Black Curassows crossing the road! The stop at Piedra de la Virgen didn't produce much; Cliff Flycatchers, Copper-rumped Hummingbird (S) and heard the Guianan Toucanet. Then we moved up to the Guianan Cock of the Rock area. This spot is also great because there tends to be a mixed species flock around. At first, we didn't see the Cock of the Rock but did find a mixed species flock. We were able to identify female & male Fulvous-shrike Tanager (the flock leader), Tawny-crowned & Buff-checked Greenlet, Black-capped Becard, Golden-olive Woodpecker, Opal-rumped, Speckled Tanager, Sharpbill, Grey-crowned Flatbill, Chestnut-rumped & Stripe Woodcreeper, Purple-throated Euphonia, and by voice, Spot-tailed and Todd's (S) Antwren. Not everybody saw them all well, as they are moving fast and there are many things catching one's attention. Further on and lower, while walking down the road we eventually saw, our first Cock of the Rock a female and after a while, a brief view of a male.

We went down the road to a lookout, on a Precambrian granitic rock outcrop, technically called Inselberg, which is an isolated rocky hill. From the lookout, one can see a vast and magnificent rainforest area lying some hundred metres down. While the group was taking pictures of the view I went around to see if I could flush a Blackish Nightjar, as I know they dwell around. And I did. We had great views of it!

We went back for lunch at the lodge and enjoyed the hummingbird feeders in the garden where one can have great views. Crimson Topaz, Black-throated Mango, Long-billed Starthroat, Grey-breasted Saberwing, Rufous-breasted Hermit and Fork-tailed Woodnymph.

In the afternoon, we went for our next goal, the Capuchinbird. It is not far from the lodge. One takes the same paved road and at some point, you turn into a dirt road for 5 Km. Here we got out and took a forest trail to the spot. I started calling the bird and eventually it responded, so we followed the sound. We got to where the bird was calling; it is always high up in the canopy. We spotted it! We struggled with the scope to find a good position to see the bird, which is always fun, and we managed to see it very well!

Day 13

Monday 28th November

Weather: partly cloudy all day.

We went straight to the Cock of the Rock spot. The mixed species flock was around, but with fewer birds. It gave the chance for people to catch up with some of the birds, for example, the Sharpbill was around. The new bird here was a Black-eared Fairy, two Yellow-throated Flycatchers were high up in the canopy, and again we had a brief view of a flying across male Cock of the Rock. Further on and higher, at the flowering *Clusias* sp. spot, we saw Rufous-breasted Sabrewing (S) and the Velvet-browed Brilliant (S). We went to where the fruiting *Ficus* sp. was, and again saw the Red-banded Fruiteater (S)! I started calling the semi-endemic Tepui Foliage-gleaner in two different spots. It came briefly. Some people had a brief view. This was a tough one.

Then we went to the “hot spot”. Here we saw the Scarlet-horned Manakin again, feeding out in the open! We also found Paradise Tanagers, Roraiman Antwren (S), Plain Xenops, Peacock Coquette female again, and Orange-bellied Euphonia (the Tepui race), amongst others. Next, we went to Soldado Pionero at the top of La Gran Sabana. Around here we saw the unavoidable Rufous-collared Sparrow, Black-faced Tanager, Tropical Mockingbird and Ruddy-breasted Seedeater.

After this, we went for lunch at Aponwao River - a nice spot with a sandy beach typical of black water rivers. Then we drove to the Tepui lookout, El Oso. We never know how the weather is going to be. We got lucky. It was not too cloudy so we enjoyed a great view. The Eastern Tepui chain comprises Uei, Roraima, Kukenán, Yuruaní, Wadakapiapué, Karaurín e Ilú (elevations between 2.730 - 2.500 m a.s.l.), one of the main features of the Gran Sabana and Venezuela. In this spot, we saw Tawny Headed Swallow and Tepui Golden-Throat (E).

Then we went back, and as we were approaching the Luepa military area, the bus started to have some problem. We stopped and got out while Gregorio, our driver, checked the vehicle. In the meantime, around here we saw Ruddy-breasted Seedeater, a brief view of a Hooded Siskin and, to my surprise, Plumbeous Seedeater, which I had not seen in several years! Gregorio fixed the problem, it had to do with the gas filter which he replaced, and then we headed back to the lodge.

Day 14

Tuesday 29th November

Weather: Early morning rainy until 9 am. Clear skies the rest of the day

We boarded the vehicle and went back to La Escalera to see what we had missed. One of the target birds this morning was the White and Bearded Bellbird and Tepui Antpitta. We went to the Clusia sp. spot. I was looking for the semi-endemic Greater Flowerpiercer. Instead, we had great views of a pair Rose-collared Piha (S)!

We went to the Tepui Antpitta spot, and while the group was looking for bellbirds, I went to call the Antpitta. Eventually it responded, so I called the group, but the bird didn't show up! At a certain point we saw the Fiery-shouldered Parakeet (S), which had eluded us up to now. The other new birds were Coraya Wren and a male Peacock Coquette. We saw again the Scarlet-horned Manakin, and a male Guiana Cock-of-the Rock, but no luck with the bellbirds. Unfortunately, it was time to go back, to have a last look at the feeders, have lunch and depart to Puerto Ordaz to overnight.

Day 15

Wednesday 30th November

Weather: partly cloudy

After breakfast, most of group went with our driver Gregorio to the airport to take the flight to Caracas. At Caracas airport they were met and taken to lunch and later checked in for the international flight back to the UK.

[I stayed behind to go with four participants to do the Canaima Extension, which is really worth doing to take advantage that one is already here, in order to visit this majestic part of the National Park Canaima and the famous Angel Falls.]

Day 16

Thursday 1st December

Arrive back in the UK

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species List

Birds (✓ = recorded but not counted; H = heard only; h = heard; S = semi-endemic; E = Endemic; name = only that participant)

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
1	Little Tinamou	<i>Crypturellus soui</i>									*						
2	Least Grebe	<i>Tachybaptus dominicus</i>		✓													
3	Pied-billed Grebe	<i>Podilymbus podiceps</i>		✓													
4	Brown Booby	<i>Sula leucogaster</i>		✓													
5	Brown Pelecan	<i>Pelecanus occidentalis</i>		✓													
6	Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>		✓			✓										
7	Magnificent Frigatebird	<i>Fregata magnificens</i>		✓													
8	Horned Screamer	<i>Anhima cornuta</i>			✓							✓					
9	White-faced Whistling-Duck	<i>Dendrocygna viduata</i>					✓	✓									
10	Black-bellied Whistling-Duck	<i>Dendrocygna autumnalis</i>			✓	✓	✓										
11	Blue-winged Teal	<i>Anas discors</i>		✓													
12	Rufescent Tiger-Heron	<i>Tigrisoma lineatum</i>								✓		✓					
13	Cocoi Heron	<i>Ardea cocoi</i>					✓										
14	Great Blue Heron	<i>Ardea herodias</i>					✓										
15	Great Egret	<i>Ardea alba</i>		✓	✓	✓		✓				✓					
16	Snowy Egret	<i>Egretta thula</i>		✓		✓						✓					
17	Little Blue Heron	<i>Egretta caerulea</i>		✓			✓					✓					
18	Tricoloured Heron	<i>Egretta tricolor</i>		✓													
19	Cattle Egret	<i>Bubulcus ibis</i>		✓	✓	✓	✓	✓		✓	✓	✓					
20	Striated Heron	<i>Butorides striatus</i>			✓	✓				✓	✓	✓					
21	Whistling Heron	<i>Syrigma sibilatrix</i>			✓						✓						
22	Capped Heron	<i>Pilherodius pileatus</i>			✓		✓										
23	Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>			✓												
24	Yellow-crowned Night-Heron	<i>Nyctanassa violacea</i>			✓												
25	Green Ibis	<i>Mesembrinibis cayennensis</i>				✓				✓		✓					
26	Scarlet Ibis	<i>Eudocimus ruber</i>		✓	✓		✓										
27	Maguari Stork	<i>Ciconia maguari</i>							✓								
28	Jabiru	<i>Jabiru mycteria</i>							✓								
29	King Vulture	<i>Sarcoramphus papa</i>								✓	✓						

	Common Name	Scientific Name	Status	November															
				17	18	19	20	21	22	23	24	25	26	27	28	29	30		
30	Black Vulture	<i>Coragyps atratus</i>		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓			
31	Turkey Vulture	<i>Cathartes aura</i>		✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓			
32	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>			✓		✓												
33	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>								✓	✓	✓		✓					
34	Osprey	<i>Pandion haliaetus</i>		✓															
35	Grey-headed Kite	<i>Leptodon cayanensis</i>									✓	✓							
36	White-tailed Kite	<i>Elanus leucurus</i>			✓														
37	Slender-billed Kite	<i>Rostrhamus hamatus</i>			✓														
38	Double-toothed Kite	<i>Harpagus bidentatus</i>		juv							✓			✓					
39	Crane Hawk	<i>Geranospiza caerulescens</i>				✓				✓									
40	Savanna Hawk	<i>Buteogallus meridionalis</i>						✓		✓	✓	✓							
41	Rufous Crab-Hawk	<i>Buteogallus aequinoctialis</i>					✓												
42	Common Black Hawk	<i>Buteogallus anthracinus</i>		✓			✓												
43	Long-winged Harrier	<i>Circus buffoni</i>			✓		✓												
44	Great Black Hawk	<i>Buteogallus urubitinga</i>			✓														
45	Black-collared Hawk	<i>Busarellus nigricollis</i>			✓	✓	✓												
46	Grey Hawk	<i>Buteo nitidus</i>			✓	✓	✓												
47	Roadside Hawk	<i>Buteo magnirostris</i>			✓					✓	✓	✓	✓						
48	Broad-winged Hawk	<i>Buteo platypterus</i>											✓						
49	Short-tailed Hawk	<i>Buteo brachyurus</i>									✓								
50	White-tailed Hawk	<i>Buteo albicaudatus</i>							✓						✓				
51	Harpy Eagle	<i>Harpia harpyja</i>							✓										
52	Black-and-white Hawk-Eagle	<i>Spizastur melanoleucus</i>																	
53	Black Hawk-Eagle	<i>Spizaetus tyrannus</i>				h					✓	✓			✓				
54	Crested Caracara	<i>Caracara cheriway</i>		✓	✓	✓	✓		✓	✓	✓	✓			✓				
55	Yellow-headed Caracara	<i>Milvago chimachima</i>		✓	✓	✓			✓	✓	✓	✓			✓				
56	Laughing Falcon	<i>Herpetotheres cachinnans</i>								✓		h							
57	American Kestrel	<i>Falco sparverius</i>					✓		✓	✓	✓								
58	Merlin	<i>Falco columbarius</i>						✓											
59	Aplomado Falcon	<i>Falco femoralis</i>							✓	✓					✓				
60	Bat Falcon	<i>Falco rufigularis</i>			✓		✓							✓					
61	Peregrine Falcon	<i>Falco peregrinus</i>			✓														

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
62	Rufous-vented Chachalaca	<i>Ortalis ruficauda</i>	S	✓	✓		✓		✓								
63	Little Chachalaca	<i>Ortalis motmot</i>							✓	✓	✓						
64	Black Curassow	<i>Crax alector</i>									h			✓			
65	Rufous-sided Crake	<i>Laterallus melanophaius</i>			h												
66	Crested Bobwhite	<i>Colinus cristatus</i>								✓	✓						
67	Grey-necked Wood-Rail	<i>Aramides cajanea</i>			✓	✓											
68	Purple Gallinule	<i>Porphyryla martinica</i>				✓				✓		✓					
69	Common Moorhen	<i>Gallinula chloropus</i>		✓								✓					
70	Caribbean Coot	<i>Fulica caribaea</i>		✓													
71	Limpkin	<i>Aramus guarauna</i>		✓	✓	✓	✓										
72	Double-striped Thick-knee	<i>Burhinus bistriatus</i>								✓							
73	Southern Lapwing	<i>Vanellus chilensis</i>		✓	✓				✓	✓	✓						
74	Grey Plover	<i>Pluvialis squatarola</i>		✓													
75	Semipalmated Plover	<i>Charadrius semipalmatus</i>		✓			✓										
76	Wattled Jacana	<i>Jacana jacana</i>		✓	✓	✓	✓			✓	✓	✓	✓				
77	Greater Yellowlegs	<i>Tringa melanoleuca</i>		✓													
78	Willet	<i>Catoptrophorus semipalmatus</i>		✓													
79	Spotted Sandpiper	<i>Actitis macularia</i>			✓		✓			✓							
80	Whimbrel	<i>Numenius phaeopus</i>		✓													
81	Ruddy Turnstone	<i>Arenaria interpres</i>		✓													
82	Sanderling	<i>Calidris alba</i>		✓													
83	Semipalmated Sandpiper	<i>Calidris pusilla</i>		✓													
84	Western Sandpiper	<i>Calidris mauri</i>		✓													
85	White-rumped Sandpiper	<i>Calidris fuscicollis</i>		✓													
86	Short-billed Dowitcher	<i>Limnodromus griseus</i>		✓													
87	Laughing Gull	<i>Larus atricilla</i>		✓													
88	Royal Tern	<i>Sterna maxima</i>		✓													
89	Least Tern	<i>Sterna antillarum</i>		✓													
90	Black Skimmer	<i>Rynchops niger</i>		✓													
91	Feral Pigeon	<i>Columba livia</i>		✓		✓		✓	✓			✓	✓		✓		
92	Bare-eyed Pigeon	<i>Columba corensis</i>	S	✓	✓												
93	Pale-vented Pigeon	<i>Columba cayennensis</i>			✓	✓		✓		✓	✓						

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
94	Ruddy Pigeon	<i>Columba subvinacea</i>				h					✓						
95	Plumbeous Pigeon	<i>Columba plumbea</i>									h			h			
96	Eared Dove	<i>Zenaida auriculata</i>			✓	✓			✓								
97	Scaled Dove	<i>Scardafella squammata</i>		✓		h											
98	Common Ground-Dove	<i>Columbina passerina</i>		✓	✓		✓		✓								
99	Plain-breasted Ground-Dove	<i>Columbina minuta</i>										✓					
100	Ruddy Ground-Dove	<i>Columbina talpacoti</i>		✓	✓	✓	✓	✓	✓	✓	✓	✓					
101	White-tipped Dove	<i>Leptotila verreauxi</i>			✓		✓	✓	✓								
102	Grey-fronted Dove	<i>Leptotila rufaxilla</i>			✓						✓			✓			
103	Lined Quail-Dove	<i>Geotrygon linearis</i>				h											
104	Red-and-green Macaw	<i>Ara chloroptera</i>								✓		✓	✓	✓	h		
105	Scarlet-fronted Parakeet	<i>Aratinga wagleri</i>			h												
106	White-eyed Parakeet	<i>Aratinga leucophthalmus</i>							✓	✓	✓	✓					
107	Brown-throated Parakeet	<i>Aratinga pertinax</i>			✓	✓	✓		✓	h		✓			✓		
108	Painted Parakeet	<i>Pyrrhura picta</i>								✓							
109	Venezuelan Parakeet	<i>Pyrrhura emma</i>	E			✓		h									
110	Fiery-shouldered Parakeet	<i>Pyrrhura egregia</i>	S										h			✓	
111	Green-rumped Parrotlet	<i>Forpus passerinus</i>								✓	✓						
112	Dusky-billed Parrotlet	<i>Forpus sclateri</i>												Holz			
113	Golden-winged Parakeet	<i>Brotogeris chrysopterus</i>				✓				✓	✓						
114	Tepui Parrotlet	<i>Nannopsittaca panychlora</i>	S										h				
115	Lilac-tailed Parrotlet	<i>Touit batavica</i>	S							h							
116	Blue-headed Parrot	<i>Pionus menstruus</i>							✓	✓	✓						
117	Red-billed Parrot	<i>Pionus sordidus</i>															
118	Dusky Parrot	<i>Pionus fuscus</i>	S							✓							
119	Yellow-crowned Parrot	<i>Amazona ochrocephala</i>		✓	✓	✓	✓		✓								
120	Orange-winged Parrot	<i>Amazona amazonica</i>		✓	✓	✓	✓		✓	✓	✓	✓		✓			
121	Mealy Parrot	<i>Amazona farinosa</i>								✓	✓	✓		✓		✓	
122	Red-fan Parrot	<i>Deroptyus accipitrinus</i>															
123	Squirrel Cuckoo	<i>Piaya cayana</i>			✓	✓			✓	✓	h	h			✓		
124	Black-bellied Cuckoo	<i>Piaya melanogaster</i>													✓		
125	Little Cuckoo	<i>Piaya minuta</i>			✓												

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
126	Greater Ani	<i>Crotophaga major</i>			✓	✓											
127	Smooth-billed Ani	<i>Crotophaga ani</i>		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	
128	Striped Cuckoo	<i>Tapera naevia</i>			h	✓											
129	Hoatzin	<i>Opisthocomus hoazin</i>			✓	✓											
130	Tropical Screech-Owl	<i>Otus choliba</i>				h											
131	Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>											h	h	h	h	
132	Oilbird	<i>Steatornis caripensis</i>					✓	✓									
133	Blackish Nightjar	<i>Caprimulgus nigrescens</i>												✓			
134	Spot-tailed Nightjar	<i>Caprimulgus maculicaudus</i>								✓							
135	White-collared Swift	<i>Streptoprocne zonaris</i>												✓	✓	✓	
136	Tepui Swift	<i>Cypseloides nelsoni</i>	S												✓		
137	Short-tailed Swift	<i>Chaetura brachyura</i>			✓	✓	✓		✓	✓	✓	✓					
138	Band-rumped Swift	<i>Chaetura spinicauda</i>								✓	✓			✓			
139	Grey-rumped Swift	<i>Chaetura cinereiventris</i>							✓	✓				✓			
140	Lesser Swallow-tailed Swift	<i>Panyptila cayennensis</i>												✓			
141	Neotropical Palm-Swift	<i>Tachornis squamata</i>			✓	✓	✓										
142	Rufous-breasted Hermit	<i>Glaucis hirsuta</i>				✓								✓		✓	
143	Green Hermit	<i>Phaethornis guy</i>						✓									
144	Eastern Long-tailed Hermit	<i>Phaethornis superciliosus</i>									✓						
145	Sooty-capped Hermit	<i>Phaethornis augusti</i>				✓			✓								
146	Reddish Hermit	<i>Phaethornis ruber</i>								✓					✓		
147	Rupurumi Hermit	<i>Phaethornis rupurumii</i>											✓				
148	Little Hermit	<i>Phaethornis longuemareus</i>			h		✓										
149	Blue-fronted Lancebill	<i>Doryfera johannae</i>											✓		✓		
150	Grey-breasted Sabrewing	<i>Campylopterus largipennis</i>											✓	✓	✓	✓	
151	Rufous-breasted Sabrewing	<i>Campylopterus hyperythrus</i>	S										✓		✓	✓	
152	White-tailed Sabrewing	<i>Campylopterus ensipennis</i>	S			✓		✓									
153	White-necked Jacobin	<i>Florisuga mellivora</i>								✓	✓		✓	✓	✓	✓	
154	Brown Violetear	<i>Colibri delphinae</i>											✓	✓	✓	✓	
155	Black-throated Mango	<i>Anthracothorax nigricollis</i>			✓	✓	✓						✓	✓	✓	✓	
156	Ruby-topaz Hummingbird	<i>Chrysolampis mosquitus</i>			✓												
157	Crimson Topaz	<i>Topaza pella</i>									✓		✓	✓	✓	✓	

	Common Name	Scientific Name	Status	November															
				17	18	19	20	21	22	23	24	25	26	27	28	29	30		
158	Tufted Coquette	<i>Lophornis ornata</i>											✓						
159	Peacock Coquette	<i>Lophornis pavonina</i>											✓		✓	✓			
160	Racquet-tailed Coquette	<i>Discosura longicauda</i>								✓									
161	Blue-chinned Sapphire	<i>Chlorestes notatus</i>			✓	✓	✓					✓							
162	Blue-tailed Emerald	<i>Chlorostilbon mellisugus</i>						✓											
163	Fork-tailed Woodnymph	<i>Thalurania furcata</i>				✓			✓	✓			✓	✓	✓	✓			
164	White-chinned Sapphire	<i>Hylocharis cyanus</i>							h	h									
165	Golden-tailed Sapphire	<i>Chrysuronia oenone</i>				✓		✓											
166	Tepui Goldenthrout	<i>Polytmus milleri</i>	E												✓				
167	Buffy Hummingbird	<i>Leucippus fallax</i>	S	✓															
168	White-chested Emerald	<i>Amazilia chionopectus</i>	S		✓	✓				✓				✓					
169	Versicoloured Emerald	<i>Amazilia versicolor</i>								✓									
170	Glittering-throated Emerald	<i>Amazilia fimbriata</i>			✓	✓	✓												
171	Copper-rumped Hummingbird	<i>Amazilia tobaci</i>	S		✓		✓		✓					✓					
172	Velvet-browed Brilliant	<i>Heliodoxa xanthonys</i>	S												✓				
173	Caripe or Venezuelan Sylph	<i>Agelaiocercus berlepschi</i>	E					✓											
174	Black-eared Fairy	<i>Heliophryx aurita</i>													✓				
175	Long-billed Starthroat	<i>Heliomaster longirostris</i>											✓	✓	✓	✓			
176	Amethyst Woodstar	<i>Calliphlox amethystina</i>											✓						
177	Black-tailed Trogon	<i>Trogon melanurus</i>												✓					
178	Amazonian White-tailed Trogon	<i>Trogon viridis</i>								✓	✓								
179	Masked Trogon	<i>Trogon personatus</i>											✓	✓	✓				
180	Amazonian Violaceous Trogon	<i>Trogon violaceus</i>									✓								
181	Ringed Kingfisher	<i>Ceryle torquata</i>			✓				✓			✓							
182	Amazon Kingfisher	<i>Chloroceryle amazona</i>									✓								
183	Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>			✓		✓												
184	American Pygmy Kingfisher	<i>Chloroceryle aenea</i>			✓		✓												
185	Rufous-tailed Jacamar	<i>Galbula ruficauda</i>			✓														
186	Green-tailed Jacamar	<i>Galbula galbula</i>									✓	h							
187	Great Jacamar	<i>Jacamerops aurea</i>									✓								
188	Pied Puffbird	<i>Notharchus tectus</i>									✓								
189	Russet-throated Puffbird	<i>Hypnelus ruficollis</i>	S	✓	✓														

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
190	Black Nunbird	<i>Monasa atra</i>							✓	✓	✓						
191	Swallow-winged Puffbird	<i>Chelidoptera tenebrosa</i>								✓	✓						
192	Black-spotted Barbet	<i>Capito niger</i>	S							h	✓			✓		✓	
193	Groove-billed Toucanet	<i>Aulacorhynchus sulcatus</i>	S			✓		✓	✓								
194	Guianan Toucanet	<i>Selenidera culik</i>												h			
195	Black-necked Araçari	<i>Pteroglossus aracari</i>					✓			✓	✓						
196	Green Araçari	<i>Pteroglossus viridis</i>								✓	✓	✓					
197	Channel-billed Toucan	<i>Ramphastos vitellinus</i>								✓		✓					
198	White-throated Toucan	<i>Ramphastos tucanus</i>			✓	✓	✓			✓	✓	✓		✓			
199	Golden-spangled Piculet	<i>Picumnus exilis</i>									✓	✓		✓	✓	✓	
200	Black-dotted Piculet	<i>Picumnus nigropunctatus</i>	E		✓												
201	Spot-breasted Woodpecker	<i>Chrysomitris punctigula</i>			✓												
202	Golden-olive Woodpecker	<i>Piculus rubiginosus</i>						✓					✓	✓	✓		
203	Cream-coloured Woodpecker	<i>Celeus flavus</i>			✓												
204	Lineated Woodpecker	<i>Dryocopus lineatus</i>			✓	✓	✓				✓						
205	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>								✓							
206	Red-crowned Woodpecker	<i>Melanerpes rubricapillus</i>		✓	✓	✓	✓		✓	✓		✓					
207	Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>					✓		✓		✓			✓			
208	McConnell's Spinetail	<i>Synallaxis macconnelli</i>	S										✓		h	h	
209	Pale-breasted Spinetail	<i>Synallaxis albescens</i>				✓			h			h					
210	Plain-crowned Spinetail	<i>Synallaxis gujanensis</i>										✓					
211	Stripe-breasted Spinetail	<i>Synallaxis cinnamomea</i>				✓		h									
212	Yellow-chinned Spinetail	<i>Certhiaxis cinnamomea</i>			✓												
213	Crested Spinetail	<i>Cranioleuca subcristata</i>	S					✓									
214	Tepui Spinetail	<i>Cranioleuca demissa</i>	S										✓			✓	
215	Plain Thornbird	<i>Phacellodomus inornatus</i>	S			h											
216	Roraiman Barbtail	<i>Roraimia adusta</i>	S										✓				
217	Tepui Foliage-gleaner	<i>Automolus roraimae</i>	S												✓		
218	Plain Xenops	<i>Xenops minutus</i>				✓		✓						✓	✓		
219	Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>						✓		✓							
220	Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>											✓	✓	✓		
221	Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>						✓									

	Common Name	Scientific Name	Status	November															
				17	18	19	20	21	22	23	24	25	26	27	28	29	30		
222	Strong-billed Woodcreeper	<i>Xiphocolaptes promeropirhynchus</i>						✓											
223	Striped Woodcreeper	<i>Xiphorhynchus obsoletus</i>												✓					
224	Chestnut-rumped Woodcreeper	<i>Xiphorhynchus pardalotus</i>											✓	✓					
225	Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>								h	✓	h	h						
226	Cocoa Woodcreeper	<i>Xiphorhynchus susurrans</i>				✓		✓											
227	Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>				✓													
228	Montane Woodcreeper	<i>Lepidocolaptes lacrymiger</i>			✓														
229	Red-billed Scythebill	<i>Campylorhamphus trochilrostris</i>					✓												
230	Fasciated Antshrike	<i>Cymbilaimus lineatus</i>									h			h					
231	Great Antshrike	<i>Taraba major</i>			✓					h	✓								
232	Barred Antshrike	<i>Thamnophilus doliatus</i>							h										
233	Black-crested Antshrike	<i>Sakesphorus canadensis</i>																	
234	Barred Antshrike	<i>Thamnophilus doliatus</i>																	
235	Mouse-coloured Antshrike	<i>Thamnophilus murinus</i>									✓				h				
236	Guianan Slaty-Antshrike	<i>Thamnophilus punctatus</i>							✓										
237	Streak-backed Antshrike	<i>Thamnophilus insignis</i>	E										✓		h				
238	Plain Antwren	<i>Dysithamnus mentalis</i>				✓							✓						
239	Pygmy Antwren	<i>Myrmotherula brachyura</i>																	
240	Guianan Streaked-Antwren	<i>Myrmotherula surinamensis</i>									✓								
241	Slaty Antwren	<i>Myrmotherula schisticolor</i>				✓													
242	Spot-tailed Antwren	<i>Herpsilochmus sticturus</i>												h					
243	Todd's Antwren	<i>Herpsilochmus stictocephalus</i>												h					
244	Roraiman Antwren	<i>Herpsilochmus roraimae</i>	S										✓		✓				
245	Long-tailed Antbird	<i>Drymophila caudata</i>				✓													
246	Ash-winged Antwren	<i>Terenura spodioptila</i>													h				
247	Grey Antbird	<i>Cercomacra cinerascens</i>								h									
248	Dusky Antbird	<i>Cercomacra tyrannina</i>								✓	h								
249	Jet Antbird	<i>Cercomacra nigricans</i>			✓														
250	White-browed Antbird	<i>Myrmoborus leucophrys</i>								✓									
251	Warbling Antbird	<i>Hypocnemis cantator</i>												h					
252	Black-chinned Antbird	<i>Hypocnemoides melanopogon</i>					✓												
253	Spot-winged Antbird	<i>Schistocichla leucostigma</i>											David						

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
254	Silvered Antbird	<i>Sclateria naevia</i>			h		h										
255	White-bellied Antbird	<i>Myrmeciza longipes</i>			✓					✓							
256	Ferruginous-backed Antbird	<i>Myrmeciza ferruginea</i>									✓						
257	White-plumed Antbird	<i>Pithys albifrons</i>								✓							
258	Rufous-throated Antbird	<i>Gymnophrys rufigula</i>								✓							
259	Black-faced Antthrush	<i>Formicarius analis</i>				✓		2 pers.									
260	Short-tailed Antthrush	<i>Chamaeza campanisona</i>												2 pers.			
261	Scaled Antpitta	<i>Grallaria guatemalensis</i>						h								h	
262	Thrush-like Antpitta	<i>Myrmothera campanisona</i>									h						
263	Tepui Antpitta	<i>Myrmothera simplex</i>	S													h	
264	Slate-crowned Antpitta	<i>Grallaricula nana</i>				✓											
265	Sooty-headed Tyrannulet	<i>Phyllomyias griseiceps</i>				✓											
266	Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>				✓											
267	Southern Beardless-Tyrannulet	<i>Camptostoma obsoletum</i>			✓	✓						✓					
268	Mouse-coloured Tyrannulet	<i>Phaeomyias murina</i>															
269	Forest Elaenia	<i>Myiopagis gaimardii</i>			h					h		✓					
270	Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>			✓				✓			✓		✓			
271	Lesser Elaenia	<i>Elaenia chiriquensis</i>							✓								
272	Northern Scrub-Flycatcher	<i>Sublegatus arenarum</i>		Holz													
273	White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>						✓									
274	Yellow Tyrannulet	<i>Capsiemia flaveola</i>								h		✓					
275	Olive-striped Flycatcher	<i>Mionectes olivaceus</i>				✓			✓								
276	McConnell's Flycatcher	<i>Mionectes macconnelli</i>										David					
277	Slaty-capped Flycatcher	<i>Leptopogon superciliosus</i>				✓		✓									
278	Black-fronted Tyrannulet	<i>Phylloscartes nigrifrons</i>	E										✓				
279	Chapman's Bristle-Tyrant	<i>Pogonotriccus chapmani</i>	S										✓				
280	Short-tailed Pygmy-Tyrant	<i>Myiornis ecaudatus</i>								✓	h	h					
281	Helmeted Pygmy-Tyrant	<i>Lophotriccus galeatus</i>								✓	✓						
282	Ruddy Tody-Flycatcher	<i>Poecilatriccus russatsum</i>	S										✓				
283	Slate-headed Tody-Flycatcher	<i>Poecilatriccus sylvia</i>								✓	✓						
284	Common Tody-Flycatcher	<i>Todirostrum cinereum</i>			✓	✓	✓		✓			✓					
285	Painted Tody-Flycatcher	<i>Todirostrum pictum</i>									h						

	Common Name	Scientific Name	Status	November															
				17	18	19	20	21	22	23	24	25	26	27	28	29	30		
286	Grey-crowned Flatbill	<i>Tolmomyias poliocephalus</i>											✓	✓					
287	Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomea</i>				✓													
288	Smoke-coloured Pewee	<i>Contopus fumigatus</i>											✓						
289	Olive-sided Flycatcher	<i>Contopus cooperi</i>											✓	✓	✓				
290	Black Phoebe	<i>Sayornis nigricans</i>											John						
291	Cliff Flycatcher	<i>Hirundinea ferruginea</i>												✓	✓				
292	Long-tailed Tyrant	<i>Colonia colonus</i>								✓	✓								
293	Cattle Tyrant	<i>Machetornis rixosus</i>			✓				✓			✓							
294	Pied Water-Tyrant	<i>Fluvicola pica</i>			✓	✓						✓							
295	White-headed Marsh-Tyrant	<i>Arundinicola leucocephala</i>			✓							✓							
296	Cinnamon Attila	<i>Attila cinnamomeus</i>			h		h					✓							
297	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>				✓	✓					✓							
298	Short-crested Flycatcher	<i>Myiarchus ferox</i>			✓	✓													
299	Great Kiskadee	<i>Pitangus sulphuratus</i>		✓	✓	✓	✓	✓	✓	✓		✓							
300	Lesser Kiskadee	<i>Phylodyor lictor</i>				h	✓												
301	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>			h			h	✓	h									
302	Social Flycatcher	<i>Myiozetetes similis</i>			✓	✓	✓		✓		✓	✓					✓		
303	Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>			✓	✓	✓		✓	✓		✓		✓		✓			
304	Yellow-throated Flycatcher	<i>Conopias parva</i>													✓				
305	Piratic Flycatcher	<i>Legatus leucophaeus</i>								✓	✓	✓		✓		✓			
306	Variegated Flycatcher	<i>Empidonomus varius</i>					✓			✓		✓							
307	Tropical Kingbird	<i>Tyrannus melancholicus</i>		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
308	Grey Kingbird	<i>Tyrannus dominicensis</i>		✓															
309	Fork-tailed Flycatcher	<i>Tyrannus savana</i>		✓					✓										
310	Wing-barred Piprites	<i>Piprites chloris</i>				h					✓								
311	Screaming Piha	<i>Lipaugus vociferans</i>								✓	h	h		✓					
312	Rose-collared Piha	<i>Lipaugus streptophorus</i>	S												✓	✓			
313	Black-capped Becard	<i>Pachyramphus marginatus</i>												✓	✓				
314	Black-and-white Becard	<i>Pachyramphus albogriseus</i>						David											
315	Chestnut-crowned Becard	<i>Pachyramphus castaneus</i>				✓													
316	Black-crowned Tityra	<i>Tityra inquisitor</i>			✓							✓							
317	Black-tailed Tityra	<i>Tityra cayana</i>								✓		✓							

	Common Name	Scientific Name	Status	November														
				17	18	19	20	21	22	23	24	25	26	27	28	29	30	
318	Sharpbill	<i>Oxyruncus cristatus</i>												✓	✓			
319	Handsome Fruiteater	<i>Pipreola formosa</i>	E			✓		✓										
320	Red-banded Fruiteater	<i>Pipreola whitelyi</i>	S										✓		✓			
321	Spangled Cotinga	<i>Cotinga cayana</i>								✓								
322	Bearded Bellbird	<i>Procnias averano</i>											h					
323	White Bellbird	<i>Procnias alba</i>											h		h	h		
324	Purple-throated Fruitcrow	<i>Querula purpurata</i>									✓							
325	Capuchinbird	<i>Perissocephalus tricolor</i>												✓				
326	Guianan Cock-of-the-rock	<i>Rupicola rupicola</i>												✓		✓		
327	Olive Manakin	<i>Chloropipo uniformis</i>	S										✓		✓	✓		
328	Crimson-hooded Manakin	<i>Pipra aureola</i>			✓													
329	Scarlet-horned Manakin	<i>Pipra cornuta</i>	S										✓		✓	✓		
330	Golden-headed Manakin	<i>Pipra erythrocephala</i>								✓	2 juv							
331	White-crowned Manakin	<i>Dixiphia pipra</i>									✓							
332	Orange-bellied Manakin	<i>Lepidothrix suavisissima</i>	S								✓		✓	✓	✓	✓		
333	Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>				✓			✓	✓		✓				h		
334	Slaty-capped Shrike-Vireo	<i>Vireolanius leucotis</i>												✓	h			
335	Red-eyed Vireo	<i>Vireo olivaceus</i>												✓				
336	Brown-capped Vireo	<i>Vireo leucophrys</i>				✓												
337	Scrub Greenlet	<i>Hylophilus flavipes</i>										h						
338	Tepui Greenlet	<i>Hylophilus sclateri</i>	S										✓					
339	Golden-fronted Greenlet	<i>Hylophilus aurantiifrons</i>			✓	✓			h									
340	Buff-cheeked Greenlet	<i>Hylophilus muscicapinus</i>												✓	✓			
341	Tawny-crowned Greenlet	<i>Hylophilus ochraceiceps</i>												✓				
342	Cayenne Jay	<i>Cyanocorax cayanus</i>									✓			h				
343	Inca Jay	<i>Cyanocorax yncas</i>						✓	✓									
344	Grey-breasted Martin	<i>Progne chalybea</i>			✓				✓	✓	✓	✓						
345	White-winged Swallow	<i>Tachycineta albiventer</i>			✓		✓					✓						
346	Blue-and-white Swallow	<i>Notiochelidon cyanoleuca</i>					✓		✓				✓		✓	✓		
347	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>				✓	✓		✓	✓		✓			✓			
348	Tawny-headed Swallow	<i>Alopochelidon fucata</i>																
349	Barn Swallow	<i>Hirundo rustica</i>		✓														

	Common Name	Scientific Name	Status	November															
				17	18	19	20	21	22	23	24	25	26	27	28	29	30		
350	Black-capped Donacobius	<i>Donacobius atricapillus</i>			✓	✓													
351	Bicoloured Wren	<i>Campylorhynchus griseus</i>		✓	✓	✓	✓	✓	✓										
352	Coraya Wren	<i>Thryothorus coraya</i>									h		h		h	✓			
353	Rufous-breasted Wren	<i>Thryothorus rutilus</i>				✓													
354	Buff-breasted Wren	<i>Thryothorus leucotis</i>										h							
355	Stripe-backed Wren	<i>Campylorhynchus nuchalis</i>			✓	✓	✓												
356	House Wren	<i>Troglodytes aedon</i>			✓	✓	✓	✓	✓	✓		✓	✓		✓	✓			
357	Musician Wren	<i>Cyphorhinus arada</i>									✓								
358	Flutist Wren	<i>Microcerculus ustulatus</i>	S										h	h					
359	Long-billed Gnatwren	<i>Ramphocaenus melanurus</i>				✓								✓					
360	Tropical Gnatcatcher	<i>Poliophtila plumbea</i>		✓															
361	Rufous-brown Solitaire	<i>Cichlopsis leucogenys</i>											✓				✓		
362	Yellow-legged Thrush	<i>Platycichla flavipes</i>				✓											✓		
363	Glossy-black Thrush	<i>Turdus serranus</i>						✓											
364	Black-hooded Thrush	<i>Turdus olivater</i>	S										✓		✓	✓			
365	Bare-eyed Thrush	<i>Turdus nudigenis</i>				✓	✓	✓	✓										
366	Black-billed Thrush	<i>Turdus ignobilis</i>											✓			✓			
367	Pale-breasted Thrush	<i>Turdus leucomelas</i>			✓		✓	✓	✓										
368	White-necked Thrush	<i>Turdus albicollis</i>									h								
369	Tropical Mockingbird	<i>Mimus gilvus</i>		✓			✓	✓	✓	✓	✓	✓	✓		✓				
370	Tropical Parula	<i>Parula pitiayumi</i>				✓		✓					✓	✓	✓				
371	Yellow Warbler	<i>Dendroica aestiva</i>			✓	✓	✓						✓		✓				
372	Blackpoll Warbler	<i>Dendroica striata</i>				✓													
373	Blackburnian Warbler	<i>Dendroica fusca</i>				✓		✓											
374	American Redstart	<i>Setophaga ruticilla</i>				✓		✓					✓	✓	✓	✓			
375	Northern Waterthrush	<i>Seiurus noveboracensis</i>		h	h				✓										
376	Slate-throated Whitestart	<i>Myioborus miniatus</i>						✓					✓	✓	✓				
377	Paria Whitestart	<i>Myioborus pariae</i>	E			✓													
378	Tepui Whitestart	<i>Myioborus castaneocapillus</i>	S										✓						
379	Three-striped Warbler	<i>Basileuterus tristriatus</i>				✓													
380	Roraiman Warbler	<i>Basileuterus roraimae</i>	S										✓	✓	✓				
381	Grey-headed Warbler	<i>Basileuterus griseiceps</i>	E					✓											

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
382	Riverside Warbler	<i>Phaeothlypis rivularis</i>									✓						
383	Rose-breasted Chat	<i>Granatellus pelzelni</i>										✓					
384	Bananaquit	<i>Coereba flaveola</i>			✓	✓	h	✓	✓	✓	✓	✓	✓	✓	✓	✓	
385	Bicoloured Conebill	<i>Conirostrum bicolor</i>					✓										
386	Black-faced Tanager	<i>Schistochlamys melanopis</i>						✓							✓		
387	Magpie Tanager	<i>Cissopis leveriana</i>									✓						
388	Oleaginous Hemispingus	<i>Hemispingus frontalis</i>						✓									
389	Guira Tanager	<i>Hemithraupis guira</i>				✓		✓	✓		✓						
390	Olive-backed Tanager	<i>Mitrospingus oleagineus</i>	S										✓	✓		✓	
391	Fulvous Shrike-Tanager	<i>Lanio fulvus</i>												✓	✓		
392	White-lined Tanager	<i>Tachyphonus rufus</i>					✓	✓	✓	✓		✓					
393	Flame-crested Tanager	<i>Tachyphonus cristatus</i>									✓						
394	Fulvous-crested Tanager	<i>Tachyphonus surinamus</i>												✓			
395	Red-shouldered Tanager	<i>Tachyphonus phoenicius</i>											✓				
396	White-shouldered Tanager	<i>Tachyphonus luctuosus</i>				✓										✓	
397	Highland Hepatic-Tanager	<i>Piranga lutea</i>				✓											
398	Summer Tanager	<i>Piranga rubra</i>				✓									✓		
399	White-winged Tanager	<i>Piranga leucoptera</i>				✓		✓					✓	✓			
400	Silver-beaked Tanager	<i>Ramphocelus carbo</i>			✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	
401	Blue-grey Tanager	<i>Thraupis episcopus</i>			✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	
402	Glaucous Tanager	<i>Thraupis glaucocolpa</i>	S	✓													
403	Palm Tanager	<i>Thraupis palmarum</i>			✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	
404	Blue-capped Tanager	<i>Thraupis cyanocephala</i>				✓		✓									
405	Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>						✓									
406	Violaceous Euphonia	<i>Euphonia violacea</i>								✓		✓			✓		
407	Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>											✓		✓		
408	White-vented Euphonia	<i>Euphonia minuta</i>								✓							
409	Trinidad Euphonia	<i>Euphonia trinitatis</i>	S			✓											
410	Purple-throated Euphonia	<i>Euphonia chlorotica</i>								✓				✓			
411	Blue-naped Chlorophonia	<i>Chlorophonia cyanea</i>						Lindsay									
412	Black-headed Tanager	<i>Tangara cyanoptera</i>											✓		✓	✓	
413	Burnished-buff Tanager	<i>Tangara cayana</i>							✓		✓			✓			

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
414	Turquoise Tanager	<i>Tangara mexicana</i>								✓		✓		✓			
415	Opal-rumped Tanager	<i>Tangara velia</i>												✓			
416	Paradise Tanager	<i>Tangara chilensis</i>											✓			✓	
417	Spotted Tanager	<i>Tangara punctata</i>								✓							
418	Speckled Tanager	<i>Tangara guttata</i>				✓	✓	✓					✓	✓	✓	✓	
419	Yellow-bellied Tanager	<i>Tangara xanthogastra</i>											✓		✓	✓	
420	Bay-headed Tanager	<i>Tangara gyrola</i>				✓		✓	✓				✓	✓			
421	Blue Dacnis	<i>Dacnis cayana</i>								✓	✓	✓		✓			
422	Green Honeycreeper	<i>Chlorophanes spiza</i>									✓		✓	✓			
423	Purple Honeycreeper	<i>Cyanerpes caeruleus</i>				✓					✓			✓	✓		
424	Red-legged Honeycreeper	<i>Cyanerpes cyaneus</i>									✓			✓			
425	Greyish Saltator	<i>Saltator coerulescens</i>			✓	✓	✓	✓	✓								
426	Streaked Saltator	<i>Saltator albicollis</i>							✓								
427	Buff-throated Saltator	<i>Saltator maximus</i>										John					
428	Yellow-green Grosbeak	<i>Caryothraustes canadensis</i>									✓						
429	Blue-black Grassquit	<i>Volatinia jacarina</i>				✓				✓		✓					
430	Black-faced Grassquit	<i>Tiaris bicolor</i>		✓													
431	Lesser Seed-Finch	<i>Oryzoborus angolensis</i>								✓		✓					
432	Grey Seedeater	<i>Sporophila intermedia</i>				✓						✓					
433	Plumbeous Seedeater	<i>Sporophila plumbea</i>													✓		
434	Lesson's Seedeater	<i>Sporophila bouvronides</i>			✓												
435	Yellow-bellied Seedeater	<i>Sporophila nigricollis</i>					✓		✓								
436	Ruddy-breasted Seedeater	<i>Sporophila minuta</i>								✓					✓		
437	Saffron Finch	<i>Sicalis flaveola</i>							✓			✓					
438	Ochre-breasted Brush-Finch	<i>Atlapetes semirufus</i>	S					✓									
439	Tepui Brush-Finch	<i>Atlapetes personatus</i>	S										✓		✓	✓	
440	Stripe-headed Brush-Finch	<i>Buarremon torquatus</i>						✓									
441	Black-striped Sparrow	<i>Arremonops conirostris</i>							h								
442	Dickcissel	<i>Spiza americana</i>										✓					
443	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>						✓							✓		
444	Yellow-hooded Blackbird	<i>Agelaius icterocephalus</i>			✓	✓											
445	Eastern Meadowlark	<i>Sturnella magna</i>							✓	✓	✓	✓					

	Common Name	Scientific Name	Status	November													
				17	18	19	20	21	22	23	24	25	26	27	28	29	30
446	Red-breasted Blackbird	<i>Sturnella militaris</i>			✓	✓				✓		✓					
447	Tepui Mountain-Grackle	<i>Macroagelaius imthurni</i>	S										✓		✓	✓	
448	Carib Grackle	<i>Quiscalus lugubris</i>		✓	✓	✓	✓	✓	✓		✓	✓					
449	Shiny Cowbird	<i>Molothrus bonariensis</i>			✓				✓	✓							
450	Giant Cowbird	<i>Molothrus oryzivorus</i>								John							
451	Venezuelan Troupial	<i>Icterus icterus</i>	S						✓			✓					
452	Yellow Oriole	<i>Icterus nigrogularis</i>		✓	✓		✓		✓	✓		✓					
453	Orange-crowned Oriole	<i>Icterus auricapillus</i>							✓								
454	Oriole Blackbird	<i>Gymnomystax mexicanus</i>							✓								
455	Yellow-rumped Cacique	<i>Cacicus cela</i>						✓				✓				✓	
456	Red-rumped Cacique	<i>Cacicus haemorrhous</i>								✓	✓		✓				
457	Crested Oropendola	<i>Psarocolius decumanus</i>			✓	✓	✓	✓	✓			✓	✓	✓		✓	
458	Green Oropendola	<i>Psarocolius viridis</i>								✓	h			✓			
459	Hooded Siskin	<i>Carduelis magellanica</i>														✓	
460	Lesser Goldfinch	<i>Carduelis psaltria</i>						✓									

Other Taxa

1	Jaguarundi							John									
2	Red-howler Monkey			h	h					h							
3	Wedge-headed Capuchin Monkey									✓			✓				
4	Guianan Saki Monkey												✓				
5	Red -tailed Squirrel				✓			✓	✓								
6	Ratus ratus							✓									
7	Red-rumped Agouti											✓			✓		
8	Armadillo											✓					
9	Spectacle Caiman											✓					
10	Side-necked Terrapine											✓					
11	Tegu Lizard										✓						
12	Fake Fer de lance					✓											
13	Machete Snake		✓								✓						
14	Green Iguana		✓			✓											