

# The Wild Flowers of the Cape & Namaqualand

Naturetrek Tour Report

3rd – 16th September 2025

---



*Gazania pectinata*



*Babiana vanzyliae*



*Babiana hirsuta*



*Pelargonium praemorsum*

Tour report and images by David Tattersfield

---



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour participants: David Tattersfield (Naturetrek leader), Gavin Sims and Caspar Badenhorst (local guides) with 11 clients.

## Day 1

## Wednesday 3rd September

We assembled at Heathrow Terminal 5 for our overnight flight to Cape Town.

## Day 2

## Thursday 4th September

We arrived at Cape Town International Airport, in the late morning, and were welcomed by our local guides, Gavin and Caspar. We headed north to join the N1 highway towards Worcester, and after passing through the Huguenot Tunnel, we stopped at Du Kloof Lodge. Either side of lunch, we explored the adjacent fynbos, where we found an overwhelming diversity of plants. The area had burned, since our last visit and many plants had been reduced to blackened skeletons. Among those which had survived the fire, we identified Oleander-leaved Protea *Protea neriifolia*, Common Sunshine Conebush *Leucadendron salignum*, the prickly Climber's Friend *Cliffortia ruscifolia*, the leathery-leaved, Wild Clove Bush *Montinia caryophyllacea*, and two of South Africa's many heaths, *Erica plukenetii* and *Erica trichadenia*. The fire had stimulated the flowering of several geophytes, such as *Lachenalia lutea*, *Wurmbea spicata*, the pink *Gladiolus hirsutus*, *Aristea spiralis*, and our first orchid *Satyrium erectum*. In the bellflower family, *Cyphia bulbosa* was plentiful and climbing *Cyphia volubilis* made a fine show, scrambling through the burnt undergrowth.

Continuing through dramatic mountain scenery, we soon arrived in Worcester and settled into our guesthouse. After a substantial home-cooked dinner, we talked over our plans for the coming days, before retiring to bed for a much-needed sleep.

## Day 3

## Friday 5th September

We spent the morning in the Karoo Desert National Botanical Garden, on the northern edge of Worcester. Climatically the area falls within the Karoo biome, which includes the Namaqualand desert to the north. During most of our visit, we explored a circular trail through the natural scrub, beyond the formal garden, where the underlying geology consists of the Malmesbury Shales, within the Cape Fold Belt. Shrubby members of the Daisy family were common, especially the blue *Felicia filifolia*, and yellow-flowered *Pteronia incana*, *Athanasia trifurcata*, *Oedera squarrosa*, and *Euryops abrotanifolius*. Also prominent were *Passerina obtusifolia*, in the Daphne family, *Selago glutinosa*, in the Figwort family, and Cape Spotted Aloe *Aloe microstigma*. Beneath the shrubs and among the rocks, a wide range of succulents included *Haworthia herbacea*, *Tulista pumila*, the pink-flowered Kebab Bush *Crassula rupestris*, and *Adromischus filicaulis* subsp. *marlothii*.

The garden is mainly devoted to displays of succulent families and genera, but these are interspersed with many other native plants and carpets of colourful daisies. Malachite Sunbird, Southern double-collared Sunbird and Cape Sugarbird were busily pollinating the aloes, and a range of other birds included Cape Spurfowl, White-backed Mousebird, Southern Fiscal and Bokmakierie. After a quite overwhelming morning of discoveries, we had lunch in the newly opened restaurant before leaving at 2.00pm.

After a long drive north, with a short comfort break, we arrived at our hotel in Clanwilliam, with time to relax, before going out for our evening meal.

## Day 4

## Saturday 6th September

After a filling breakfast, we drove up into the Cederberg Mountains, a vast and dramatic landscape of eroded sandstones. Our first stop was in mountain fynbos, on the Pakhuis Pass, where among the larger shrubs, we found Sandrose Mallow *Anisodonteia scabrosa*, silver-leaved bushes of Wagon Tree *Protea nitida*, both male and female forms of *Leucadendron pubescens*, glossy-berried *Phyllica oleifolia*, and Wild Rosemary *Erioccephalus africanus*. The gigantic groundsel *Othobona parviflora* towered above everything else, while at ground level, a little searching was required to find congested hummocks of *Pelargonium alternans*, the thread-like spiraled leaves of *Bulbine torta*, and, tucked under the rocks, the flat, paired leaves and green flowers of *Massonia bifolia*.

At the Traveller's Rest Farm, we enjoyed watching Cape Weavers building their grass nests, before walking along the Sevilla Rock Art trail. Despite good rains early in the year, it was clear that there had been none recently and many of the annuals were setting seed. Nevertheless, we found a great variety of plants such as *Meliantbus major*, and the tall silver-leaved shrub *Calobota cytisoides*. On the ground, showy bulbous species included orange *Moraea miniata*, *Gladiolus venustus*, *Lapeirousia divaricata*, several colour variants of *Ferraria crispa*, a pale-flowered form of *Lachenalia unifolia*, and bluish-mauve spikes of *Cyanella hyacinthoides*. A wet patch of sand had bright red rosettes of *Drosera trinervia*, and in the shade were the yellow pouched flowers of *Hemimeris racemosa* and the tuberous *Crassula umbella*. Under the overhangs in the sandstone cliffs, we marveled at the ancient rock paintings left by the San people, before returning to the restaurant for lunch.

We saw Bontebok, Springbok and Common Eland, behind game fences, as we returned to Clanwilliam, and had just sufficient time for a short visit to Ramskop Flower Reserve, before dinner.

## Day 5

## Sunday 7th September

We were fortunate that our visit had coincided with the annual flower show in the church. Soon after breakfast we enjoyed a magnificent and imaginative display of flowers, many from the local area, and a great introduction to the astonishing diversity that awaited us in the days ahead.

After shopping for lunch snacks, we travelled north through Vredendal and Lutzville and along the western edge of the Knersvlakte, where patches of white quartzite pebbles form a unique landscape. Seemingly barren, at first glance, we soon found an amazing variety of cryptic succulent plants. Clusters of silver paired leaves indicated *Argyroderma delaetii*, *Argyroderma subalbum*, and *Antimima dualis*. Almost invisible among them were small clusters of *Conophytum minutum*, already well into summer dormancy after their brief period of winter growth. *Oophytum nanum*, with bright red leaves was conspicuous, due to its bright magenta flowers, and nearby were the glistening paired leaves of the annual *Diplosoma luckhoffii*. Much more obvious were flowering plants of Samphire-leaved Pelargonium *Pelargonium crithmifolium*, the white *Lapeirousia pyramidalis*, and Magnificent Gazania *Gazania leiopoda*. Once we had rejoined the N7, we continued north and were soon settling in at the Kamieskroon Hotel, our base for the next three nights.

## Day 6

## Monday 8th September

Driving to Skilpad Wildflower Reserve, within the Namaqua National Park, we spent the morning walking the 3km Korhaan trail. Countless numbers of orange daisies carpeted the landscape, in all directions, mostly annual

species of *Ursinia*, but among them were Kamiesberg Beetle Daisy *Gorteria diffusa* subsp. *calendulacea*, *Arctotis acaulis*, *Arctotis fastuosa*, *Arctotis hirsuta* and bold patches of *Gazania leiopoda*. The silver-leaved shrub, *Calobota sericea* was very common and often infested with black and yellow caterpillars. Other common shrubs included *Hermannia trifurca*, *Hermannia amoena*, and the blue-flowered Wild Sage *Salvia africana*. The red-flowered Wax Twiner *Microloma sagittatum* was frequently scrambling through bushes and among several colourful geophytes, we noted *Lapeirousia silenoides*, the yellow Granite Namaqua Spiderlily *Ferraria macrochlamys*, and the vivid cerise *Pelargonium incrassatum*.

After a bite to eat, we drove around the higher part of the Reserve, where the stunning flower displays continued to amaze. We watched Southern Rock Agama and Western Rock Skink, basking on granite outcrop and found *Pelargonium barkleyi*, flowering in deep shade, and rounded bushes of the showy Five-fingered Pelargonium *Pelargonium praemorsum*, which was new to the trip. After a hot day, it was good to get back for cold drinks before dinner.

## Day 7

## Tuesday 9th September

This morning, we headed up to Goegap Nature Reserve, close to the town of Springbok. After a cool and misty start, the low cloud gradually lifted as we arrived. During the morning, we explored the Hester Malan Garden, which had good displays of succulent species from Namaqualand and beyond, including many mature Quiver Trees *Aloidendron dichotomum*, and a magnificent collection of shrubby species of Pelargonium. After a picnic lunch, we set off on our drive around the reserve. As in other places we had visited, the premature failure of the rains in July had brought the growing season to an end, for many of the annual daisies, and few flowers remained. However, there were still plenty of highlights, during our visit. In a few places there were mats of the pale cream annual *Mesembryanthemum sinuosum*, white-flowered *Moraea serpentina*, with coiled leaves, and the striking bulb *Ornithoglossum vulgare*, with reflexed petals. In many places, the orange *Ursinia anthemoides*, and yellow *Gazania lichtensteinii* were still in good flower, and *Drosanthemum floribundum* and shrubby *Leipoldtia schultzei* formed stunning drifts of bright purple, across the landscape. Mounds of white-flowered *Colpias mollis* sprung from shaded cracks in granite boulders, and in one small area, where bands of quartz reached the surface, we found the hairy rosettes of *Anacampseros namaquensis*, and the cryptic *Anacampseros albissima*, that closely resembles a pile of bird droppings. As the sun began to fade, the flowers started to close, and we made our way back to our hotel to catch up on our checklists, before dinner.

## Day 8

## Wednesday 10th September

After breakfast, we loaded the vehicles and headed south for our rendezvous with Salome, our local guide on the Knersvlakte.

We spent an absorbing time discovering the unique assemblage of succulents that have adapted to this harsh environment. Populations of *Argyroderma delaetii* were notable, among the white quartz pebbles, along with *Oophytum nanum*, the remarkable, fleshy-leaved, *Mesembryanthemum digitatum*, Necklace Pearlfig *Monilaria moniliiformis*, a variety of Crassulas, and the tiny Pygmy Butterbush *Tylecodon pygmaeus*, which was barely distinguishable from its surroundings. Even more remarkable were the cryptic Stone Grasshoppers of the genus *Trachypetrella*, that have achieved the ultimate in mimicry and are virtually indistinguishable from the quartz pebbles. Other flowering plants included the orange-flowered Spiderlily *Ferraria variabilis*, *Gladiolus skullyi*, bright yellow *Lachenalia framesii*, spiny hummocks of *Sarcocaulon spinosum*, and Partridge-breasted Aloe *Gonialoe variegata*.

Driving on to Vanrhynsdorp, we had lunch at the Kokerboom Nursery, on the outskirts of town, and enjoyed browsing through the interesting selection of succulents, in the sales area. After checking into our guest house, we had a delicious buffet dinner of home-cooked food, at the restaurant down the road.

## Day 9

## Thursday 11th September

We drove via the steep Vanrhyns Pass to the Bokkeveld Escarpment and the small town of Nieuwoudtville, widely recognised as the Bulb Capital of the World. At Hantam Botanic Garden, a damp sandy area had many broad prostrate leaves of *Brunsvigia bosmaniae* and *Crossyne flava*, summer-flowering members of the Amaryllis family. Other common bulbs included the pale blues of *Moraea tripetala*, and *Ixia rapunculoides*, and canary yellow *Babiana vanzijliae*. *Dolichos decumbens*, a creeping pea, with blue flowers was common, and we recorded a single spike of an orchid, Bokkeveld Monkshood *Corycium ingeanum*. Elsewhere on the reserve, there were fields of Pink Cape Tulip *Moraea bifida* and abundant yellow Cat's-tail *Bulbinella elegans*. Unfortunately for us, there was little else in flower, due to the recent drought, and we had to content ourselves with an indoor display in the visitor centre.

After a light lunch at a farmhouse, we were back out among the flowers and found good examples of *Cyanella alba*, purple *Lachenalia suaveolens*, and the Corkscrew Glasstulp *Moraea pritzeliana*, with deep-blue flowers and the most amazing, twisted leaves. Our final stop of the afternoon was at the Glacier Pavement, where the sandstone bedrock bears striations, carved by glaciers during an intense period of glaciation in the late Carboniferous, around 300 million years ago. Around us, the best bulbs of the day included the striking orange *Sparaxis elegans*, the Blue Pride of Nieuwoudtville *Geissorhiza splendidissima*, and the bright red *Romulea pudica*. The day had been good for birds, too, with new records and particular highlights including Cape Clapper Lark, Red-capped Lark, flocks of Glossy Ibis, Verreaux's Eagle, Blue Crane, and excellent views of Ludwig's Bustard.

## Day 10

## Friday 12th September

Before leaving Vanrhynsdorp, we visited the former town jail, which now combines an interesting museum with an excellent selection of succulents for sale. We drove west to the coast at Lambert's, where we spent the rest of the morning visiting Bird Island, the home to the world's largest colony of Cape Gannet. The well-placed hide allowed us perfect close views of the thousands of birds that had gathered here, at the start of their breeding season. Other birds included Sandwich Tern, Greater Crested Tern, Hartlaub's, Kelp, and Grey-headed Gulls, and Cape Fur Seals were hauled out on the rocks. We enjoyed a substantial lunch in the harbourside restaurant, before resuming our journey south.

After passing Elands Bay, stunning carpets of *Drosanthemum hispidum* merited a stop and among these were new plants, such as Grey Dune Saladbush *Didelta carnosae* var. *tomentosa*, mats of *Carpobrotus acinaciformis*, and the tall, white-flowered Southern Treefig *Stoeberia utilis*, only known from this stretch of coastal sandveld. A final floral spectacle awaited us in the sand dunes, north of Velddrif, where we walked among thousands of the spectacular red flowers of Strandlily *Babiana hirsuta*, an unforgettable sight. Soon afterwards, we arrived in Langebaan and settled into our comfortable accommodation at the Farmhouse Hotel.

## Day 11

## Saturday 13th September

After breakfast, we entered the West Coast National Park at the Langebaan Gate. We took a slow drive so we could admire the strandveld vegetation and birds. By the roadside were lots of pale-yellow Green Bonnet orchids *Pterygonium volucris*, mixed with a few *Corycium orobanchoides*. Towards the bird hide, on the shore of the lagoon, there were large bushes of Golden Sage *Salvia aurea*, and we found the bright red *Pelargonium fulgidum*, the long-tubed *Babiana tubulosa*, and the large yellow flowers of *Grielum grandiflorum*, while the birders noted White-fronted, Three-banded, Grey, and Kittlitz's Plovers, along the edge of the saltmarsh.

At the Seeberg Viewpoint, we walked among stunning carpets of daisies, patches of blue *Moraea fugax*, and yellow and white Livingstone Daisy *Cleretum bellidiforme*, with several large Angulate Tortoises for company. The greenish orchid *Satyrium odorum* was plentiful, among the bushes, and the dark blue *Geissorhiza aspera*, and a stunning specimen of *Ferraria crispa* provided additional highlights.

We had good views of the endemic Black Harrier, as we drove around the lagoon to the Postberg section of the park, which only opens to visitors during the spring flower season. We had lunch on the coast at Plankiesbaai, where we were free to explore, on foot. The steep slopes of limestone hill, here, were covered in a dazzling display of flowers, provided by the silver-leaved *Gazania pectinata*, bright purple *Lampranthus vernalis*, and pink Dune Starfig *Amphibolia laevis*.

Sadly, time was against us and we left the Park by its southern gate and made our way to Cape Town, enjoying a clear view of Table Mountain, as we approached the city. Once we had installed ourselves in the Noordhoek Hotel, we had dinner at The Toad in the Village, next door.

## Day 12

## Sunday 14th September

At the entrance to the Cape of Good Hope Nature Reserve, prominent plants of the fynbos provided a brief introduction to the diversity of the Cape flora. These included Wagon Tree *Protea nitida*, Cluster Spiderhead *Serruria glomerata*, glossy-red *Erica plukenettii*, Salt and Pepper Heath *Erica imbricata*, China Flower *Adenandra villosa*, and the showy pink everlasting flower, *Phaenocoma prolifera*.

Beside the road to Olifantsbos Bay, a marshy area had stands of the tall, white Swamp Daisy *Osmitopsis astrericooides*, and a superb colony of the endangered Marsh Pagoda *Mimetes birtus*. Other proteaceous plants included Common Spiderhead *Serruria fasciflora*, the pink Peninsula Silky-puff *Diastella divaricata* and sprawling mats of the rodent-pollinated *Leucospermum hypophyllocarpodendron*. In addition, in one small area, we found such plants as Alice Sundew *Drosera aliciae*, the red-flowered Rat's Tail *Babiana ringens*, silver-leaved *Petalacte coronata*, orange *Manulea tomentosa*, yellow-flowered *Penaea mucronata*, and *Euphorbia tuberosa*, to name but a few. Near the beach, there were many flowering plants of Medusa's Head Spurge *Euphorbia caput-medusae*, dense mounds of Cape May *Coleonema album*, the caudiciform *Tylecodon paniculatus*, and robust plants of Pigs Ears *Cotyledon orbiculata*. The list went on!

At Cape Point, we climbed up to the old lighthouse, where prominent plants included the leathery-leaved Cape Sumach *Osyris comprssa*, sprawling mats of yellow-flowered *Cullumia squarrosa*, and *Polygala myrtifolia*, a plant commonly cultivated in Mediterranean gardens. The distinctive, red-flowered *Gladiolus cunonis* was a welcome new

addition. As we left, we photographed an imposing plant of Tree Pagoda *Mimetes fimbriifolius*, which is confined to the Cape Peninsula and the lower slopes of Table Mountain.

Our final stop of the day was at Boulders Beach, where we enjoyed amazing views of the thriving colony of African Penguins, among the rounded granite boulders. In the evening, we enjoyed a delicious dinner at Jakes, in Noordhoek.

## Day 13

Monday 15th September

Stopping first at Silvermine Nature Reserve, we were surprised to find it had been severely burned in June and all that remained were the charred skeletons of its former glory. However, beneath these, there were abundant signs of life. There were abundant spikes of *Satyrium odorum*, and occasional Orange Satyre *Satyrium coriifolium*, and the yellow Two-horn Satyre *Satyrium bicornis*. Other colourful plants, in the Iris family, included blue *Babiana angustifolia*, deep yellow *Moraea ochroleuca*, orange *Watsonia meriana*, the beautiful white *Gladiolus debilis*, and large clumps of *Aristea spiralis*. Finally, in wet boggy ground, we found masses of the long-leaved Cape Sundew *Drosera capensis*.

We then took the scenic route through Constantia to Kirstenbosch Botanical Garden, where we were free to explore the gardens and adjacent fynbos. At the top of the garden, we admired the beautiful Silver Tree *Leucadendron argenteum*, King *Protea Protea cynaroides* was at its spectacular best, and we enjoyed watching Cape Sugarbirds, Southern Double-collared and Malachite Sunbirds, busily feeding among beautiful displays of *Leucospermum* and *Erica* species.

Finally, we had lunch at the Kirstenbosch Tea Room before making our way to the airport to catch the flight back to Heathrow. It had been a wonderful trip and we gave a special thankyou to Gavin and Casper for their safe driving and for sharing their excellent birding skills.

## Day 14

Wednesday 16th September

After an overnight flight, we arrived back at Heathrow in the early morning.

### Receive our e-newsletter

Join the Naturetrek email list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers.

[naturetrek.co.uk/e-newsletter-signup](https://naturetrek.co.uk/e-newsletter-signup)

Scan to  
sign up!



### Social Media

We're social! Follow us on Instagram, Facebook, Bluesky and X and be the first to hear about the launch of new tours, offers, exciting sightings and photos from our recently returned holidays.



[instagram.com/naturetrek\\_wildlife\\_holidays](https://www.instagram.com/naturetrek_wildlife_holidays)



[facebook.com/naturetrekwildlifeholidays](https://www.facebook.com/naturetrekwildlifeholidays)



[naturetrek.bsky.social](https://bsky.app/profile/naturetrek.social)



[x.com/naturetrektours](https://x.com/naturetrektours) (formerly Twitter)

## Species lists

### Plants

Latin name	Common name / description	Notes / Location
<b>PTERIDOPHYTES</b>	<b>FERNS</b>	
<b>Cyathaceae</b>	<b>Tree Fern Family</b>	
<i>Cyathea capensis</i>	Cape Tree Fern	Kirstenbosch
<b>Dennstaedtiaceae</b>	<b>Bracken Family</b>	
<i>Pteridium aquilinum</i>	<b>Bracken</b>	Widespread
<b>Gleicheniaceae</b>	<b>Gleichenia Family</b>	
<i>Gleichenia polypodioides</i>	Rhizomatous branching fern	Cape Peninsula
<b>Osmundaceae</b>	<b>Royal Fern Family</b>	
<i>Todea barbara</i>	King fern. Large streamside fern	Silvermine
<b>Pteridaceae</b>	<b>Brake Fern Family</b>	
<i>Cheilanthes capensis</i>	Cape Lip Fern	
<b>Schizaeaceae</b>	<b>Schizaea Family</b>	
<i>Anemia vestita</i>	Scented Fern	Cederberg
<b>GYMNOSPERMS</b>	<b>CONIFERS</b>	
<b>Pinaceae</b>	<b>Pine Family</b>	
<i>Pinus pinaster</i>	Maritime Pine	Naturalised alien
<i>Pinus pinea</i>	Stone Pine	Planted. Alien
<i>Pinus radiata</i>	Monterey Pine	Plantations. Alien
<b>Podocarpaceae</b>	<b>Yellowwood Family</b>	
<i>Podocarpus elongatus</i>	Breede River Yellowwood	Kirstenbosch
<i>Podocarpus latifolius</i>	Real Yellowwood	Kirstenbosch
<b>ANGIOSPERMS</b>	<b>FLOWERING PLANTS</b>	
	<b>DICOTYLEDONS</b>	
<b>Aizoaceae</b>	<b>Ice Plant Family</b>	
<i>Acroanthus teretifolia</i>	Sprawling perennial. Small solitary white flowers	
<i>Aizoon africanum</i>	Erect yellow-green shrub	Namaqualand
<i>Aizoon fruticosum</i>	Fleshy-leaved shrub, pink flowers	Namaqualand
<i>Aizoon paniculatum</i>	Pink Baconfig	Cape Peninsula
<i>Aizoon sarcophyllum</i>	Prostrate grey-leaved shrub, pink flowers	Widespread
<i>Amphibolia laevis</i>	Dune Starfig. Trailing succulent with pink flowers	Postberg. West Coast National Park
<i>Antimima dualis</i>	Clustered stone plant	Knersvlakte
<i>Argyrodema delaetii</i>	Stone plant in quartz patches	Knersvlakte

Latin name	Common name / description	Notes / Location
<i>Argyroderma fissum</i>	Finger Argyroderma	Knersvlakte
<i>Argyroderma subalbum</i>	Clustered stone plant in quartz patches	Knersvlakte
<i>Carprobrotus acinaciformis</i>	Large trailing succulent. Pink flowers	Widespread
<i>Carprobrotus edulis</i>	Large trailing succulent. Yellow flowers	Widespread
<i>Carprobrotus quadrifidus</i>	West-coast Sourfig. Large pink flowers	West Coast National Park
<i>Cephalophyllum spissum</i>	Dense Starfig. Clump-forming succulent	Knersvlakte
<i>Cheiridopsis denticulata</i>	Robust finger plant. Large white or yellow flowers	Skilpad, Goegap
<i>Cheiridopsis rostrata</i>	Beaked Clockfig. Clustered succulent	Coastal rocks. West Coast NP
<i>Cleretum bellidiforme</i>	Livingstone Daisy. Various colours	Widespread
<i>Cleretum papulosum</i>	Prostrate annual. Small yellow flowers	Cederberg. Skilpad
<i>Cleretum rourkei</i>	Red to orange flowers	West Coast National Park
<i>Conicosia elongata</i>	Large yellow flowers	Widespread in Namaqualand
<i>Conophytum calculus</i>	Clustered plant in quartz patches	Knersvlakte
<i>Conophytum ficiforme</i>	Clustered stone plant	Near Worcester on shale outcrops
<i>Conophytum minisculum</i>	Clustered plant on rock sheets	Cederberg
<i>Conophytum minutum</i>	Clustered plant in quartz patches	Knersvlakte
<i>Conophytum obcordellum</i>	Stone plant on rock sheets	Cederberg
<i>Conophytum subfenestratum</i>	Stone plant in quartz patches	Knersvlakte
<i>Diplosoma luckhoffii</i>	Annual with papillose succulent leaves	Western Knersvlakte
<i>Drosanthemum floribundum</i>	Large magenta patches	Common
<i>Drosanthemum hispidum</i>	Hispid stems, magenta flowers	Widespread
<i>Drosanthemum schoenlandianum</i>	Knersvlakte Dewfig. White flowers	Knersvlakte
<i>Drosanthemum speciosum</i>	Red to orange flowers	Worcester
<i>Jordaniella dubia</i>	Strandveld Beachfig. Yellow flowers	West coast
<i>Lampranthus aureus</i>	Orange Dewplant	West Coast National Park
<i>Lampranthus stipulaceus</i>	Shrubby succulent with showy purple flowers	West coast
<i>Lampranthus vernalis</i>	Spring Brightfig. Purple prostrate succulent	Postberg
<i>Lampranthus</i> spp.	Unidentified species	Widespread
<i>Leipoldtia schultzei</i>	Spreading shrub with showy purple flowers	Cederberg to Namaqualand
<i>Malephora purpureocrocea</i>	Mat-forming succulent with red flowers	Knersvlakte
<i>Mesembryanthemum barklyi</i>	Elephant Salt Salad. Large-leaved annual	Lambert's Bay
<i>Mesembryanthemum corallinum</i>	Mat-forming. Stems resemble string of beads	Knersvlakte
<i>Mesembryanthemum crystallinum</i>	Common Iceplant	Widespread. Mostly coastal
<i>Mesembryanthemum digitatum</i>	Thick succulent leaves	Knersvlakte
<i>Mesembryanthemum guerichianum</i>	Large leaved Ice Plant. Prostrate annual	Widespread
<i>Mesembryanthemum leptarthron</i>	Almost leafless jointed stems. White flowers	Knersvlakte
<i>Mesembryanthemum liliputanum</i>	Dwarf succulent	Knersvlakte
<i>Mesembryanthemum sinuosum</i>	Prostrate annual with pale yellow flowers	Goegap
<i>Monilaria moniliformis</i>	Necklace Pearfig. White flowers	Knersvlakte
<i>Oophytum nanum</i>	Dwarf stone plant with magenta flowers	Knersvlakte
<i>Oscularia cedarbergensis</i>	Pink-flowered succulent shrub	Sevilla. Rock sheets
<i>Ruschia langebaanensis</i>	Creeping Tentfig. Magenta flowers	West Coast National Park. Seeberg
<i>Ruschia macowanii</i>	Beach Tentfig. Shrubby pink succulent	West coast to Cape Peninsula
<i>Ruschia radicans</i>	Trailing species with pink flowers	West coast
<i>Ruschia robusta</i>	Shrub to 1m. Spine tipped with purple flowers	Namaqualand
<i>Ruschia</i> spp.	Many unidentified from over 200 species	Widespread

Latin name	Common name / description	Notes / Location
<i>Stoeberia frutescens</i>	Succulent shrub to 1 m	Hester Malan
<i>Stoeberia utilis</i>	Southern Treefig. Shrub to 2m. White flowers	West coast. South of Lambert's Bay
<i>Tetragonia decumbens</i>	Dune Spinach. Sprawling succulent shrub	West coast
<i>Tetragonia fruticosa</i>	Sprawling shrub. Winged fruit	Namaqualand
<i>Tetragonia portulacoides</i>	Sprawling shrub. Yellow flowers	Nieuwoudtville
<i>Tetragonia rosea</i>	Pink flowers	Sevilla
<b>Amaranthaceae</b>	<b>Amaranth and Goosefoot Family</b>	
<i>Atriplex nummularia</i>	Old Man's Saltbush	Cultivated
<i>Atriplex lindleyi</i> subsp. <i>inflata</i>	Australian Saltbush	Invasive weed
<i>Chenolea diffusa</i>	Grey shoreline plant	West Coast National Park
<i>Salicornia meyeriana</i>	Marsh Samphire	West coast
<b>Anacampserotaceae</b>	<b>Anacampseros Family</b>	
<i>Anacampseros albissima</i>	Resembles bird droppings	Goegap
<i>Anacampseros arachnoides</i>	Columns of brown leaves with axillary hairs	Knersvlakte
<i>Anacampseros comptonii</i>	Dwarf succulent on rock sheets	Cederberg
<i>Anacampseros filamentosa</i>	Clump-forming dwarf succulent	Kamieskroon
<i>Anacampseros namaquensis</i>	Hairy dwarf succulent	Goegap
<i>Anacampseros retusa</i>	Dwarf succulent	Cederberg
<b>Anacardiaceae</b>	<b>Rhus Family</b>	
<i>Searsia incisa</i>	Shrub with trifoliolate leaves	Widespread
<i>Searsia laevigata</i>	Robust evergreen shrub	West Coast National Park
<i>Searsia glauca</i>	Large glaucous-leaved shrub	Boulders Bay
<i>Searsia rosmarinifolia</i>	Rosemary Currenthrus	Fynbos. Du Kloof
<i>Searsia undulata</i>	Sticky-leaved shrub	Cederberg
<i>Searsia</i> spp. (formerly Rhus)	Shrubs with trifoliolate leaves	Widespread
<b>Apiaceae</b>	<b>Carrot Family</b>	
<i>Arctopus echinatus</i>	Flat prickly rosettes	Widespread
<i>Annesorhiza macrocarpa</i>	Wild Aniseroot	Sand dunes, Velddrif
<i>Dasispermum suffruticosum</i>	Dune Celery	Sand dunes, Velddrif
<b>Apocynaceae</b>	<b>Oleander Family</b>	
<i>Cynanchum africanum</i>	Climber. Brown twisted petals and white corona	West Coast National Park
<i>Microloma sagittatum</i>	Wax Twiner. Slender climber, red flowers	Namaqualand and west coast
<i>Quaqua mammillaris</i>	Stem succulent	Namaqualand
<i>Stapelia erectiflora</i>	Stem succulent	Sevilla
<b>Araliaceae</b>	<b>Ivy Family</b>	
<i>Cussonia thyrsoiflora</i>	Cape Coast Cabbage-tree. Glossy digitate leaves	Cape Point
<b>Asteraceae</b>	<b>Daisy Family</b>	
<i>Anaxeton laeve</i>	White Everlasting	Cape Peninsula
<i>Arctotheca calendula</i>	Cape Weed. Yellow flowers with black disc	Widespread
<i>Arctotheca populifolia</i>	Cape Beach Daisy. Grey foliage.	Coastal sand

Latin name	Common name / description	Notes / Location
<i>Arctotis acaulis</i>	Robust daisy with white or orange flowers	Skilpad and Nieuwoudville
<i>Arctotis aspera</i>	Sticky Rough African Daisy	Cape Peninsula
<i>Arctotis breviscapa</i>	Sandveld Daisy. Annual with orange flowers	West Coast National Park
<i>Arctotis fastuosa</i>	Orange flowers with dark ring	Skilpad and Goegap
<i>Arctotis hirsuta</i>	Perennial. Yellow, orange or white flowers	Widespread
<i>Arctotis revoluta</i>	Yellow-flowered shub, with crinckly leaves	Widespread in Namaqualand
<i>Arctotis stoechadifolia</i>	Silvery perennial, cream flowers	West Coast National Park
<i>Athanasia trifurcata</i>	Grey-leaved shrub with rayless, yellow flowers	Worcester Botanic Garden
<i>Berkheya fruticosa</i>	Grey African Thistle	Knersvlakte
<i>Berkheya glabrata</i>	Spiny yellow thistle	Hantam Botanic Garden
<i>Berkheya heterophylla</i>	Spiny yellow thistle	Nieuwoudtville
<i>Chrysocoma ciliata</i>	Small shrub with yellow discoid flowers	Nieuwoudtville
<i>Cichorium intybus</i>	Cicory	Occasional. Alien
<i>Cotula barbata</i>	Small, yellow hairy annual	Nieuwoudtville
<i>Cotula nudicaulis</i>	White Buttons	Glacier pavement
<i>Cotula turbinata</i>	Common Button Daisy	Widespread
<i>Cotula</i> spp.	Several unidentified species	
<i>Crassothonna cylindrica</i>	Fleshy-leaved shrub to 1m, yellow flowers	West Coast National Park
<i>Cullumia squarrosa</i>	Prickly sprawling shrub. Yellow flowers	Cape Point
<i>Curio radicans</i>	Creeping succulent	Worcester
<i>Didelta carnosa</i>	Shrub with yellow flowers with fleshy bracts	Common in Namaqualand
<i>Didelta carnosa</i> var. <i>tomentosa</i>	Grey Dune Saladbush	West coast dunes
<i>Didelta spinosa</i>	Shrub with yellow flowers with fleshy bracts	Widespread in Namaqualand
<i>Dimorphotheca nudicaulis</i>	Perennial. White flowers, with red reverse	Cape Peninsula
<i>Dimorphotheca pinnata</i>	Jackal Daisy. Pale-orange annual	Knersvlakte
<i>Dimorphotheca pluvialis</i>	Rain Daisy. Annual with white flowers	Locally very common
<i>Dimorphotheca sinuata</i>	Cape Marigold. Orange or yellow flowers	Locally very common
<i>Edmondia sesamoides</i>	Common Paperflower	Cape Peninsula
<i>Elytropappus rhinocerotis</i>	Rhinoceros Bush	Dominant in renosterveld
<i>Erigeron canadensis</i>	Canadian Fleabane	Occasional weed. Alien
<i>Erigeron karvinskianus</i>	Mexican Daisy	Worcester Botanic Garden. Alien
<i>Eriocephalus africanus</i>	Wild Rosemary. Common shrub	West coast and Cape Peninsula
<i>Eriocephalus microphyllus</i>	Minileaf Capok	Kamiesberg
<i>Eriocephalus punctulatus</i>	Cape Chamomile. White-flowered shrub	Nieuwoudtville
<i>Eriocephalus purpureus</i>	Purple Capok. Purple flowers and fluffy seedheads	Cederberg and Nieuwoudtville
<i>Eriocephalus racemosus</i>	Silver-leaved shrub to 1m with fluffy white fruits	West Coast National Park
<i>Eriocephalus</i> spp.	Unidentified species	
<i>Euryops abrotanifolius</i>	Large shrub with finely divided leaves	Worcester to Cape Peninsula
<i>Euryops pectinatus</i>	Grey-leaf Euryops	Widely cultivated
<i>Euryops speciosissimus</i>	Large shrub, yellow flowers	Cederberg
<i>Euryops virgineus</i>	Tall shrub with terminal yellow flowers	Cape Peninsula
<i>Felicia amoena</i>	Compact shrub. Bright blue flowers	West coast
<i>Felicia australis</i>	Blue flowered annual	Widespread
<i>Felicia elongata</i>	White rays with maroon ring	West coast
<i>Felicia filifolia</i>	Fine-leaved Felicia. Needle-like leaves	Widespread

Latin name	Common name / description	Notes / Location
<i>Felicia merxmuelleri</i>	Blue-flowered perennial	Cederberg and Nieuwoudtville
<i>Felicia</i> spp.	Other unidentified species	
<i>Foveolina tenella</i>	Slender white annual daisy	North of Lutzville and west coast
<i>Gazania heterochaeta</i>	Yellow or orange flowers. Leaves weakly pinnate	Widespread inland
<i>Gazania leiopoda</i>	Magnificent Gazania. Orange or red flowers	Common in Namaqualand and Goegap
<i>Gazania lichtensteinii</i>	Yellow flowers with black markings	Common in Namaqualand
<i>Gazania pectinata</i>	Cockscomb Gazania. Orange flowers	West Coast National Park
<i>Gazania rigida</i>	Karoo Gazania. Large orange flowers	Widespread inland
<i>Gazania tenuifolia</i>	Beetledaisy Gazania. Small yellow flowers	Occasional in Namaqualand
<i>Gorteria diffusa</i> subsp. <i>calendulacea</i>	Kamiesberg Beetle Daisy	Skilpad
<i>Gorteria diffusa</i> subsp. <i>diffusa</i>	Beetle Daisy	Hantam Botanic Garden
<i>Gorteria personata</i>	Small Beetle Daisy. Yellow with bristly bracts	Cederberg, Nieuwoudtville and coast
<i>Gymnodiscus capillaris</i>	Cape Hairdaisy. Yellow annual with basal rosette	Cape Peninsula
<i>Helichrysum revolutum</i>	Silver-grey shrub with yellow corymbs	West Coast National Park
<i>Leysera gnaphalodes</i>	Silver, hairy shrublet. Solitary yellow flowers	Widespread
<i>Metalasia cephalotes</i>	Spreading shrub	Common in fynbos
<i>Metalasia densa</i>	Erect shrub, with white flowerheads	Common. West coast
<i>Metalasia muricata</i>	Common shrub with white flowers	Cape Peninsula
<i>Oedera capensis</i>	Prickly shrublet, yellow flowers	Cape Point
<i>Oedera squarrosa</i>	Shrub with terminal clusters of yellow flowers	Worcester Botanic Garden
<i>Oncosiphon suffruticosus</i>	Shrubby Mayweed	Locally dominant. West coast
<i>Osmitopsis asteriscoides</i>	Swamp Daisy. Tall shrub with white flowers	Cape Peninsula
<i>Osteospermum amplectens</i>	Dassie Boneseed. Tall annual	Kamieskroon Hotel
<i>Osteospermum moniliferum</i>	Large, yellow-flowered shrub with fleshy berries	West coast to Cape Peninsula
<i>Osteospermum monstrosum</i>	Tall annual. Yellow flowers, winged fruit	Widespread in Namaqualand
<i>Osteospermum oppositifolium</i>	Shrub, with yellow flowers, winged fruit	Namaqualand
<i>Osteospermum pinnatum</i>	Annual. White to orange flowers	Common
<i>Osteospermum sinuatum</i>	Low shrub. Yellow flowers, winged fruit	Goegap
<i>Othonna filicaulis</i>	Straggly succulent with lance-shaped leaves	Mainly coastal
<i>Othonna intermedia</i>	Grey orbiculate leaves, yellow flowers	Knersvlakte
<i>Othonna parviflora</i>	Tall yellow-flowered shrub	Pakhuis Pass
<i>Pentzia incana</i>	Wiry shrub with yellow rayless flowers	Nieuwoudtville
<i>Petalacte coronata</i>	White woolly shrublet, white flowers	Cape Peninsula
<i>Phaenocoma prolifera</i>	Pink and white everlasting flower	Cape Peninsula
<i>Polyarrhena reflexa</i>	Lax shrub with solitary white flowers	Silvermine
<i>Pteronia incana</i>	Ash Bush. Grey-leaved shrub. Yellow-flowers shrub with grey leaves	Worcester
<i>Rhynchosidium pumilum</i>	Ground cover. Yellow flowers	Nieuwoudtville
<i>Senecio aloides</i>	Succulent-leaved yellow daisy	West coast
<i>Senecio arenarius</i>	Purple-flowered annual	Very common. West Coast NP
<i>Senecio cakilefolius</i>	Pink carpets	West coast
<i>Senecio elegans</i>	Purple Ragwort	Widespread
<i>Senecio littoreus</i>	Loosely-branched annual with yellow flowers	West coast to Cape Peninsula
<i>Senecio spiraeifolius</i>	Fern-leaved Groundsel	Glacier pavement
<i>Senecio rigidus</i>	Hard Ragwort. Rigid shrub with broad leaves	Cape peninsula

Latin name	Common name / description	Notes / Location
<i>Sonchus asper</i>	Prickly Sow-thistle	Occasional alien
<i>Sonchus oleraceus</i>	Smooth Sow-thistle	Occasional alien
<i>Syncarpha speciosissima</i>	Cape Everlasting. Paeony white bracts	Cape Peninsula
<i>Tarchonanthus camphoratus</i>	Large shrub with grey-green leaves, felted beneath	Boulders Bay
<i>Ursinia anthemoides</i>	Finely-divided foliage. Orange or yellow flowers	Cederberg to Namaqualand. Common
<i>Ursinia cakilefolia</i>	Yellow/orange flowers with dark centre	Cederberg to Namaqualand. Common
<i>Ursinia calenduliflora</i>	Orange flowers with darker central ring	Common in Namaqualand
<b>Bignoniaceae</b>	<b>Trumpet Vine Family</b>	
<i>Tecomaria capensis</i>	Cape Honeysuckle	Boulders Beach
<b>Boraginaceae</b>	<b>Borage Family</b>	
<i>Amsinckia menziesii</i>	Yellow flowered annual	Alien weed
<i>Anchusa capensis</i>	Tall dark blue perennial	Skilpad
<i>Codon royerii</i>	Spiny shrub. White urn-shaped flowers	Nieuwoudtville
<i>Echium plantagineum</i>	Mediterranean Bugloss. Paterson's Curse	Roadside weed
<i>Lobostemon fruticosus</i>	Shrub with blue flowers	Widespread
<i>Lobostemon glaucophyllus</i>	Grey Healthbush	Pakhuis Pass
<i>Lobostemon montanus</i>	Shrub with blue flowers	Pakhuis Pass
<b>Brassicaceae</b>	<b>Cabbage Family</b>	
<i>Heliophila acuminata</i>	Dark blue annual	Nieuwoudtville
<i>Heliophila coronopifolia</i>	Bright blue flowers	Cederberg and west coast
<i>Heliophila laciniata</i>	Tall spikes of white flowers	Skilpad
<i>Heliophila lactea</i>	Tall annual. Pale blue flowers	Namaqualand
<i>Heliophila variabilis</i>	White or blue flowers	Goegap and Skilpad
<i>Heliophila</i> spp.	Unidentified species. Around 60, in the region	
<b>Bruniaceae</b>	<b>Brunia Family</b>	
<i>Berzelia abrotanoides</i>	Tall shrub with white ball-shaped flowers.	Cederberg to Cape Peninsula
<i>Berzelia lanuginosa</i>	Tall shrub with cream ball-shaped flowers.	Cederberg to Cape Peninsula
<i>Staavia radiata</i>	Small shrub with terminal white or pink flowers	Cape Peninsula
<b>Campanulaceae</b>	<b>Bellflower Family</b>	
<i>Cyphia bulbosa</i>	Upright geophyte with pale lavender flowers	Widespread in fynbos
<i>Cyphia digitata</i>	Twining herb with digitate leaves	Worcester, Cederberg
<i>Cyphia volubilis</i>	Twining herb. Leaves narrow with small teeth	Du Kloof and Skilpad
<i>Lobelia pinifolia</i>	Erect shrub with blue flowers	Cape Peninsula
<i>Lobelia setacea</i>	Slender Lobelia. Perennial with wiry stems	Cape Peninsula and Kirstenbosch
<i>Monopsis debilis</i>	Annual with deep purple flowers	Sevilla
<i>Wahlenbergia annularis</i>	Pale-blue annual with large flowers	Goegap
<i>Wahlenbergia prostrata</i>	Prostrate herb with blue flowers	Bokkeveld plateau
<i>Wahlenbergia nodosa</i>	Wiry shrub. Narrow leaves, stary white flowers	Worcester Botanic Garden
<i>Wahlenbergia roelliflora</i>	Branched annual with showy pale blue flowers	Skilpad
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>	

Latin name	Common name / description	Notes / Location
<i>Scabiosa africana</i>	African Scabious	Cape Peninsula
<b>Caryophyllaceae</b>		
<b>Pink Family</b>		
<i>Cerastium glomeratum</i>	Sticky Mouse-ear	Scattered records. Alien
<i>Dianthus namaensis</i>	Namaqua Pink	Skilpad
<i>Petrorhagia prolifera</i>	Childing Pink	Scattered records. Alien
<i>Silene burchellii</i>	African Catchfly	Skilpad
<i>Silene gallica</i>	German Catchfly. Alien	Locally common weed. Alien
<i>Silene rigens</i>	Tall Catchfly. White or pink flowers	West Coast National Park
<i>Silene undulata</i>	Sticky perennial. White or pink flowers	Namaqualand to Cape Point
<i>Spergularia media</i>	Greater Sand-spurrey	West coast. Alien
<i>Stellaria media</i>	Common Chickweed	Scattered records. Alien
<b>Casuarinaceae</b>		
<b>She-oak Family</b>		
<i>Casuarina equisetifolia</i>	Horsetail She-oak	Planted as windbreaks. Alien
<b>Celastraceae</b>		
<b>Spindle Family</b>		
<i>Maytenus lucida</i>	Cape Koko Tree. Dense evergreen shrub	West Coast NP and Cape Point
<i>Putterlickia pyracantha</i>	False Spike-thorn. Spiny shrub with red fruit	West Coast National Park
<b>Crassulaceae</b>		
<b>Stonecrop Family</b>		
<i>Adromischus filicaulis</i> subsp. <i>marlothii</i>	Shrubby leaf-succulent	Worcester
<i>Adromischus hemisphericus</i>	Leaf succulent	West Coast National Park
<i>Adromischus marianiae</i> subsp. <i>immaculatus</i>	Leaf succulent	Knersvlakte
<i>Cotyledon orbiculata</i>	Pigs Ears	Worcester and west coast
<i>Crassula alpestris</i>	Terminal clusters of white flowers	Glacier pavement
<i>Crassula ammophila</i>	Tall, spindly succulent shrub	West coast sandveld
<i>Crassula aphylla</i>	Vernal Pool Stonecrop. Minute annual	Cederberg
<i>Crassula atropurpurea</i>	Small succulent shrub	Widespread inland
<i>Crassula barkleyi</i>	Compact succulent with imbricate leaves	Knersvlakte
<i>Crassula capitella</i> subsp. <i>thyrsiflora</i>	Rosettes of mottled leaves	Knersvlakte
<i>Crassula columnaris</i> subsp. <i>columnaris</i>	Buddha's Temple. Monocarpic dwarf succulent	Knersvlakte
<i>Crassula cotyledonis</i>	Small shrubby species	Cederberg
<i>Crassula deceptor</i>	Columns of grey, spotted leaves	Knersvlakte
<i>Crassula dichotoma</i>	Annual with yellow or orange flowers	West coast
<i>Crassula expansa</i>	Decumbent succulent, with white flowers	Widespread
<i>Crassula fascicularis</i>	Clusters of tubular cream flowers	Cape Peninsula
<i>Crassula muscosa</i>	Lizard's-tail	Widespread
<i>Crassula natans</i>	Red patches in wet depressions	Scattered records
<i>Crassula nudicaulis</i>	Red succulent leaves, white flowers	Rock sheets
<i>Crassula pubescens</i>	Club-shaped leaves	Worcester Botanic Garden
<i>Crassula rupestris</i>	Kebab Bush	Worcester Botanic Garden
<i>Crassula strigosa</i>	Annual succulent on damp rock sheets	Sevilla and Nieuwoudtville
<i>Crassula tomentosa</i>	Furry Stonecrop. Hair-fringed leaves	Widespread
<i>Crassula umbella</i>	Shade-dwelling tuberous succulent	Cederberg
<i>Crassula undulata</i>	Fringe Stonecrop. Small shrub	Pakhuis Pass

Latin name	Common name / description	Notes / Location
<i>Crassula vaillantii</i>	Narrow-leaved Mossy Stonecrop. depressions	Wet Widespread
<i>Tylecodon grandiflorus</i>	Dwarf Butterbush. Caudiciform shrub	Cape Peninsula
<i>Tylecodon paniculatus</i>	Butterbush. Robust caudiciform shrub	Widespread
<i>Tylocodon pygmaeus</i>	Pygmy Butterbush. Dwarf caudiciform	Knersvlakte
<i>Tylecodon reticulatus</i>	Thorny Butterbush. Spiny caudiciform	Knersvlakte
<i>Tylecodon wallichii</i>	Large succulent shrub, with knobby stems	Widespread
<b>Droseraceae</b>		
<b>Sundew Family</b>		
<i>Drosera aliciae</i>	Alice Sundew. Spoon-shaped leaves	Cape Peninsula
<i>Drosera capensis</i>	Cape Sundew	Silvermine
<i>Drosera trinervia</i>	Small reddish rosettes of leaves	Widespread
<b>Ericaceae</b>		
<b>Heath Family</b>		
<i>Erica baccans</i>	Berry Heath. Pink flowers	Cape Peninsula
<i>Erica corifolia</i>	Purple-tip Heath. Urn-shaped pink flowers	Cape Peninsula
<i>Erica hirtiflora</i>	Pink flowers, covering considerable areas	Cape Peninsula
<i>Erica imbricata</i>	Salt and Pepper Heath. White flowers	Cape Peninsula
<i>Erica labialis</i>	Two-lipped Heath Small tubular flowers	Cape Peninsula
<i>Erica plukenetii</i>	Tubular red flowers, protruding stamens	Du Kloof and Cape Peninsula
<i>Erica trichadenia</i>	Flowers pink and bowl-shaped. Leaves bristly	Du Kloof
<i>Erica</i> spp.	Several unidentified species	Fynbos
<b>Euphorbiaceae</b>		
<b>Spurge Family</b>		
<i>Euphorbia burmannii</i>	Branched shrub	West Coast National Park
<i>Euphorbia caput-medusae</i>	Prostrate succulent shrub	West coast and Cape Peninsula
<i>Euphorbia dregeana</i>	Large succulent shrub	Goegap
<i>Euphorbia hamata</i>	Succulent shrub	Knersvlakte
<i>Euphorbia mauritanica</i>	Tall succulent shrub with yellow bracts	Common
<i>Euphorbia tuberculata</i>	Large succulent with terminal inflorescence	Cederberg and west coast
<i>Euphorbia tuberosa</i>	Broad-leaved tuberous geophyte	Cape Peninsula
<b>Fabaceae</b>		
<b>Pea Family</b>		
<i>Acacia</i> spp.	Several alien species, mostly Australian	Widespread in fynbos
<i>Aspalathus linearis</i>	Rooibos Tea	Cultivated
<i>Bolusafrá bituminosa</i>	Sticky Tar Pea	Silvermine
<i>Calobota angustifolia</i>	Common grey shrub. Yellow flowers	Namaqualand and west coast
<i>Calobota cytisoides</i>	Tall silver-leaved shrub. Yellow flowers	Widespread
<i>Calobota sericea</i>	Common grey shrub. Pale yellow flowers	Sandy soils. Namaqualand
<i>Dolichos decumbens</i>	Procumbent, with purple racemes	Hantam Botanic Garden
<i>Euchlora hirsuta</i>	Sprawling perennial with yellow flowers	Hantam Botanic Garden
<i>Indigofera heterophylla</i>	Prostrate with bright pink flowers	Bokkeveld plateau
<i>Indigofera incana</i>	Sprawling with upright orange-red flowers	West Coast National Park
<i>Lessertia diffusa</i>	Prostrate with racemes of inflated fruits	Widespread
<i>Lessertia frutescens</i>	Balloon Pea. Red flowers and inflated fruit	Widespread
<i>Lessertia</i> sp.	Scrambling herb	Seeberg. West Coast National Park
<i>Lotononis hirsuta</i>	Prostrate with yellow flowers	Hantam Botanic Garden

Latin name	Common name / description	Notes / Location
<i>Lupinus luteus</i>	Yellow Lupin	Cultivated. Alien
<i>Medicago polymorpha</i>	Bur Clover	Occasional weed
<i>Podalyria calyptata</i>	Water Blossom Pea. Large shrub	Cape Peninsula
<i>Podalyria sericea</i>	Small silver-leaved shrub, pink flowers	Cape Peninsula
<i>Vachellia karroo</i>	Sweet Thorn	Namaqualand
<i>Virgilia oroboides</i>	Pink-flowered tree, with pinnate leaves	Cape Peninsula
<i>Wiborgia monoptera</i>	Spiny, grey shrub with yellow flowers	Namaqualand
<i>Wiborgia sericea</i>	Silky Pennypea	Glacier pavement
<b>Gentianaceae</b>	<b>Gentian Family</b>	
<i>Sebaea albens</i>	White-flowered annual	West coast
<i>Sebaea aurea</i>	Golden Yellowwort	Du Kloof. Wideapread
<i>Sebaea exacoides</i>	Clusters of yellow flowers	West coast
<b>Geraniaceae</b>	<b>Geranium Family</b>	
<i>Erodium cicutarium</i>	Common Stork's-bill	Frequent roadside weed
<i>Erodium moschatum</i>	Musk Stork's-bill	Occasional. Alien
<i>Geranium incanum</i>	Carpet Geranium	Kirstenbosch
<i>Pelargonium abrotanifolium</i>	Southernwood-leaf Stork's-bill	Worcester Botanic Garden
<i>Pelargonium alchemilloides</i>	Lady's Mantle Pelargonium	Cape Peninsula
<i>Pelargonium alternans</i>	Small shrub with thickened trunk	Cederberg
<i>Pelargonium barklyi</i>	Geophyte. Orbicular leaves, white flowers	Skilpad
<i>Pelargonium capitatum</i>	Sprawling, with pink flowers	Cape Peninsula
<i>Pelargonium crithmifolium</i>	Samphire-leaved Pelargonium	Knersvlakte
<i>Pelargonium cucculatum</i>	Tree Pelargonium	Cape Peninsula
<i>Pelargonium dasyphyllum</i>	Thick-stemmed, small shrub	Goegap
<i>Pelargonium elongatum</i>	Leaves with reddish zonal markings	Clanwilliam to Cape Peninsula
<i>Pelargonium fulgidum</i>	Scrambling shrub. Bright red flowers	West coast
<i>Pelargonium gibbosum</i>	Scrambling shrub with nodular stems	West coast
<i>Pelargonium incrassatum</i>	Geophyte. Pink flowers	Locally common in Namaqualand
<i>Pelargonium lobatum</i>	Geophyte with large, prostrate leaves	West coast
<i>Pelargonium magenteum</i>	Shrub with magenta flowers	Cederberg
<i>Pelargonium myrrhifolium</i>	Spreading herb. Pink, purple-veined flowers	Widespread in fynbos
<i>Pelargonium praemorsum</i>	Five-fingered Pelargonium. Medium shrub	Skilpad and Goegap
<i>Pelargonium scabrum</i>	Sticky Stork's-bill	Pakhuis Pass
<i>Pelargonium senecioides</i>	Annual with pinnatifid leaves	West Coast National Park
<i>Pelargonium spinosum</i>	Large shrub, white flowers	Hester Malan Garden
<i>Pelargonium triste</i>	Geophyte with pale yellow flowers	Skilpad and Silvermine
<i>Pelargonium xerophyton</i>	Succulent stemmed small shrub	Worcester and Goegap. Cultivated
<i>Sarcocaulon spinosum</i>	Spiny succulent shrub, yellow flowers	Knersvlakte and Skilpad
<b>Kewaceae</b>		
<i>Kewa salsoloides</i>	Succulent herb with pink flowers	Common in Namaqualand
<b>Lamiaceae</b>	<b>Dead-nettle Family</b>	
<i>Leonotis leonurus</i>	Whorls of orange flowers	Occasional in fynbos
<i>Pseudodictamnus africana</i>	Cape Horehound	West coast and Cape Peninsula

Latin name	Common name / description	Notes / Location
<i>Salvia africana</i>	Wild Sage. Blue flowers	Skilpad and west coast
<i>Salvia aurea</i>	Golden Sage	West Coast National Park
<i>Stachys aethiopica</i>	African Stachys	West Coast National Park
<i>Stachys rugosa</i>	Grey Tea Stachys	Skilpad
<b>Lauraceae</b>	<b>Laurel Family</b>	
<i>Cassytha ciliolata</i>	False Dodder. Yellowish parasitic vine	Frequent in fynbos
<i>Ocotea bullata</i>	Stinkwood. Evergreen tree	Kirstenbosch
<b>Limeaceae</b>		
<i>Limeum africanum</i>	Prostrate plant, with terminal white flowers	Widespread in Namaqualand
<b>Loranthaceae</b>	<b>Mistletoe Family</b>	
<i>Septulina glauca</i>	Candles. Red-flowered parasite	West Coast National Park
<b>Malvaceae</b>	<b>Mallow Family</b>	
<i>Anisidontea scabrosa</i>	Sandrose Mallow	Pakhuis Pass
<i>Grewia occidentalis</i>	Showy pink-flowered shrub	Worcester Botanic Garden
<i>Hermannia alnifolia</i>	Bright yellow flowers	Namaqualand
<i>Hermannia althaeifolia</i>	Orange/yellow flowers	Namaqualand
<i>Hermannia amoena</i>	Grey-leaved shrub with yellow flowers	Skilpad
<i>Hermannia cuneifolia</i>	Wedge Dollsrose. Yellow flowers	Namaqualand. Glacir pavement
<i>Hermannia johanssenii</i>	Nodding yellow flowers	Nieuwoudtville
<i>Hermannia trifurca</i>	Purple Dollsrose. Pink-flowered shrub	Widespread
<i>Malva arborea</i>	Tree Mallow	Lambert's Bay. Alien
<b>Meliaceae</b>	<b>Mahogany Family</b>	
<i>Nymania capensis</i>	Chinese Lantern	Worcester Botanic Garden
<b>Meliantaceae</b>	<b>Melianthus Family</b>	
<i>Melianthus elongatus</i>	Red flowered shrub	West Coast National Park
<i>Melianthus major</i>	Giant Honey Flower. Tall shrub with red flowers	Cederberg
<i>Melianthus pectinatus</i>	Grey-leaved shrub with red flowers	Skilpad
<b>Molluginaceae</b>	<b>Carpetweed Family</b>	
<i>Pharnaceum elongatum</i>	Sprawling shrublet with white flowers	Cape Peninsula
<i>Pharnaceum lanatum</i>	Small shrub with clusters of white flowers	Widespread
<b>Montiniaceae</b>	<b>Rattlebush Family</b>	
<i>Montinia caryophyllacea</i>	Shrub with leathery leaves and white flowers	Fynbos
<b>Moraceae</b>	<b>Fig Family</b>	
<i>Ficus ilicina</i>	Large spreading tree	Letterklip
<b>Oleaceae</b>	<b>Olive Family</b>	
<i>Olea europaea</i> subsp. <i>africana</i>	African Olive	Occasional
<b>Orobanchaceae</b>	<b>Broomrape Family</b>	

Latin name	Common name / description	Notes / Location
<i>Hyobanche sanguinea</i>	Cat's Claws. Red parasite	West Coast National Park
<i>Orobanche ramosa</i>	Branched Broomrape	Occasional. Alien
<b>Oxalidaceae</b>	<b>Wood-sorrel Family</b>	
<i>Oxalis dregei</i>	White flowers, with yellow centre	Streambanks. Skilpad
<i>Oxalis flava</i>	Large palmate leaves, yellow flowers	Ramskop. Glacier pavement
<i>Oxalis namaquana</i>	Glabrous with bright yellow flowers	Along watercourses in Namaqualand
<i>Oxalis obtusa</i>	Yellow, pink or white flowers	Common
<i>Oxalis pes-caprae</i>	Cape Sorrel	Widespread
<i>Oxalis purpurea</i>	Large bright-pink flowers	Common
<i>Oxalis pusilla</i>	White or pink flowers	West coast
<i>Oxalis versicolor</i>	White flowers, pink buds	Du Kloof
<i>Oxalis</i> spp.	Many unidentified	
<b>Papaveraceae</b>	<b>Poppy Family</b>	
<i>Cysticapnos vesicaria</i> subsp.	Climber. Pink flowers, inflated fruit	Locally common
<i>Argemone ochroleuca</i>	Mexican Poppy	Alien weed
<b>Penaeaceae</b>	<b>Penaea Family</b>	
<i>Penaea mucronata</i>	Small shrub. Yellow flowers	Cape Peninsula
<i>Penaea sarcocolla</i>	Small shrub with terminal pink flowers	Cape Peninsula
<b>Plantaginaceae</b>	<b>Plantain Family</b>	
<i>Plantago lanceolata</i>	Ribwort Plantain	Widespread. Alien
<b>Plumbaginaceae</b>	<b>Plumbago Family</b>	
<i>Dyerophytum africanum</i>	Lax shrub with terminal heads of papery bracts	Goegap
<i>Limonium peregrinum</i>	Nayive coastal shrub with magenta flowers	West coast
<i>Limonium acuminatum</i>	Prostrate wiry flower stems	Postberg, West Coast National Park
<i>Plumbago auriculata</i>	Blue-flowered shrub	Boulders Beach
<b>Polygalaceae</b>	<b>Milkwort Family</b>	
<i>Muraltia ericoides</i>	Pink flowers	Common
<i>Muraltia heisteria</i>	Spiky Purple Gorse. Pink/deep purple flowers	Widespread in fynbos
<i>Muraltia scoparia</i>	Leafless shrub with pink flowers	Nieuwoudtville
<i>Muraltia spinosa</i>	Tall shrub with pink flowers	Widespread
<i>Polygala bracteolata</i>	Butterfly Falsepea. Racemes of pink flowers	Du Kloof
<i>Polygala myrtifolia</i>	Shrub with large pink flowers	Cape Point
<b>Primulaceae</b>	<b>Primrose Family</b>	
<i>Anagallis arvensis</i>	Scarlet Pimpernel. Red and blue forms	Alien weed
<b>Proteaceae</b>	<b>Protea Family</b>	
<i>Brabejum stellatifolium</i>	Wild Almond	Kirstenbosch
<i>Diastella divaricata</i>	Peninsula Silky-puff	Cape Peninsula
<i>Leucadendron argenteum</i>	Silver Tree	Kirstenbosch
<i>Leucadendron laeureolum</i>	Golden Conebush	Cape Peninsula

Latin name	Common name / description	Notes / Location
<i>Leucadendron pubescens</i>	Grey Conebush	Pakhuis Pass
<i>Leucadendron salignum</i>	Common Sunshine Conebush	The commonest species in the fynbos
<i>Leucadendron xanthoconus</i>	Sickle-leaf Conebush	Cape Peninsula
<i>Leucospermum conocarpodendron</i>	Tree Pincushion. Yellow flowers	Cape Peninsula
<i>Leucospermum cordifolium</i>	Common Conebush	Silvermine
<i>Leucospermum hypophyllocarpodendron</i>	Prostrate shrub with yellow flowers	Cape Peninsula
<i>Mimetes cucullatus</i>	Common Pagoda	Cape Peninsula
<i>Mimetes fimbriifolius</i>	Tree Pagoda. Confined to the Peninsula	Cape Peninsula
<i>Mimetes hirtus</i>	Marsh Pagoda	Cape Peninsula
<i>Protea acaulos</i>	Prostrate shrub	Silvermine
<i>Protea nitida</i>	Wagon Tree	Widespread in fynbos
<i>Protea cynaroides</i>	King Protea	Cape Peninsula
<i>Protea laurifolia</i>	Grey-leaf Sugarbush	Du Kloof, Cederberg
<i>Protea lepidocarpodendron</i>	Cream bracts with apical black hairs	Silvermine
<i>Protea neriifolia</i>	Oleander-leaved Protea	Near Silvermine
<i>Protea repens</i>	Common Sugarbush	Widespread in fynbos
<i>Serruria fasciflora</i>	Common Spiderhead. Clusters of pink flowers	Cape Peninsula
<i>Serruria glomerata</i>	Cluster Spiderhead. Low shrub with white flowers	Cape Peninsula
<i>Serruria villosa</i>	Golden Spiderhead. Solitary yellow flowerheads	Cape Peninsula
<b>Ranunculaceae</b>	<b>Buttercup Family</b>	
<i>Knowltonia capensis</i>	Low-growing herb	Silvermine
<i>Knowltonia vesicatoria</i>	Hellebore-like herb.	Kirstenbosch
<i>Ranunculus muricatus</i>	Spiny-fruited Buttercup	Occasional. Alien
<b>Rosaceae</b>	<b>Rose Family</b>	
<i>Cliffortia ruscifolia</i>	Climber's Friend	Widespread in fynbos
<i>Grielum humifusum</i>	Bright yellow flowers, white centre	Widespread
<i>Grielum grandiflorum</i>	Sand Primrose	West coast
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>	
<i>Phylica buxifolia</i>	Large shrub with heads of sessile white flowers	Cape Peninsula
<i>Phylica oleifolia</i>	Shrub with shiny red fruit	Cederberg
<i>Trichocephalus stipularis</i>	Dogface. Rounded shrub with fluffy flowerheads	Cape Peninsula
<b>Rutaceae</b>	<b>Citrus Family</b>	
<i>Adenandra uniflora</i>	Single terminal white flowers, pink reverse	Cape Peninsula
<i>Adenandra villosa</i>	China Flower. Terminal clusters of white flowers	Cape Peninsula
<i>Agathosma ciliaris</i>	Dense aromatic shrublet with prominent stamens.	Cape Peninsula
<i>Coleonema album</i>	Cape May. Fragrant shrub with white flowers	Cape Peninsula
<i>Diosma hitsuta</i>	Aromatic shrub, with white flowers	Cape Peninsula
<b>Santalaceae</b>	<b>Sandalwood Family</b>	
<i>Osyris compressa</i>	Cape Sumach. Grey-leaved shrub with red berries	Cape Peninsula
<i>Viscum capense</i>	Cape Mistletoe	West Coast National Park
<b>Sapindaceae</b>	<b>Soapberry Family</b>	

Latin name	Common name / description	Notes / Location
<i>Dodonea viscosa</i> subsp. <i>angustifolia</i>	Sand Olive	Skilpad
<b>Scrophulariaceae</b>	<b>Figwort Family</b>	
<i>Aptosimum indivisum</i>	Compct shrub with dark blue flowers	Namaqualand
<i>Aptosimum spinescens</i>	Spiny shrub with dark blue flowers	Namaqualand
<i>Chaenostoma uncinatum</i>	Small shrub. Pink flowers with yellow throat	Worcester Botanic Garden
<i>Colpias mollis</i>	Compact shrub with white flowers	Rock crevices. Goegap
<i>Diascia cardiosepala</i>	Mauve flowers with dark centre	Nieuwoudtville
<i>Diascia elongata</i>	Dark pink flowers	Cape Peninsula
<i>Diascia namaquensis</i>	Dark purple flowers with two long spurs	Widespread
<i>Diascia rudolphii</i>	Orange flowers, with yellow centre	Knersvlakte
<i>Dischisma ciliatum</i>	Fringed False Slugwort	West coast to Cape Peninsula
<i>Hebenstretia dentata</i>	Annual, white flowers with orange spot	Widespread
<i>Hebenstretia robusta</i>	Perennial, white flowers with orange spot	Widespread
<i>Hemimeris racemosa</i>	Yellow pouched flower	Common in shade
<i>Hemimeris sabulosa</i>	Yellow pouched flower	Bokkeveld Mountains
<i>Lyperia tristis</i>	Erect annual, tubular yellow flowers	Sandy soils, throughout
<i>Manulea altissima</i>	Tall herb, creamy flowers	Namaqualand
<i>Manulea cheiranthus</i>	Annual with spidery orange flowers	Cape Peninsula. Silvermine
<i>Manulea silenoides</i>	Starbone Fingerphlox. Erect to spreading annual	Skilpad
<i>Manulea tomentosa</i>	Narrow-petalled orange flowers	West coast to Cape Peninsula
<i>Microdon dubius</i>	Cat's Tail. Tubular yellow flowers	Fynbos
<i>Nemesia anisocarpa</i>	Yellow flowers with 4 stout white lobes	Nieuwoudtville
<i>Nemesia barbata</i>	Blue lower petals	Widespread
<i>Nemesia cheiranthus</i>	Yellow flowers, 4 narrow long white lobes	Nieuwoudtville
<i>Nemesia diffusa</i>	Wiry perennial. Small lavender flowers	Seeberg. West Coast National Park
<i>Nemesia versicolor</i>	Annual. Flowers blue or yellow	Widespread
<i>Oftia africana</i>	Creeping white-flowered shrub	Cederberg and Cape Peninsula
<i>Peliostomum virgatum</i>	Low shrub with dark blue flowers	Goegap
<i>Selago glutinosa</i>	Dense cylindrical spikes of white flowers	Worcester Botanic Garden
<i>Zalusianskya affinis</i>	Sandveld Drumsticks	Namaqualand
<i>Zalusianskya benthamiana</i>	Tubular yellow flowers in terminal cluster	Skilpad and Goegap
<i>Zalusianskya pumila</i>	Dwarf Drumsticks	Knersvlakte
<i>Zaluzianskya villosa</i>	Annual. Fowers blue or pink with yellow centre	West coast to Cape Peninsula
<b>Solanaceae</b>	<b>Tomato Family</b>	
<i>Lycium afrum</i>	Thorny shrub. Tubular purple flowers	West Coast National Park
<i>Lycium ferocissimum</i>	African Boxthorn. Spiny shrub wth red berries	West coast to Cape Peninsula
<i>Lycium tetrandrum</i>	Mouse Honeythorn	West Coast National Park
<i>Nicotiana glauca</i>	Shrub Tobacco	Alien
<i>Solanum burchellii</i>	Grey-leaved hrub with red berries	Goegap
<i>Solanum tomentosum</i>	A Thornapple	Sevilla and Goegap
<b>Stilbaceae</b>	<b>Stilbe Family</b>	
<i>Stilbe ericoides</i>	Ericoid shrublet with pink flowers	Cape Peninsula

Latin name	Common name / description	Notes / Location
<b>Thymelaeaceae</b>	<b>Daphne Family</b>	
<i>Gnidia pinifolia</i>	White flowers in terminal cluster	Cape Peninsula
<i>Struthiola ciliata</i>	Wiry shrub with cream or pink flowers	Cape Peninsula
<i>Struthiola leptantha</i>	Slender shrub, long-tubed white flowers	Cape Peninsula
<i>Struthiola striata</i>	Upright shrub. Tubular yellow flowers	Cape Peninsula
<i>Passerina obtusifolia</i>	Ericoid shrub. Terminal heads of cream flowers	Worcester Botanic Garden
<i>Passerina vulgaris</i>	Common shrub. Pink and green flowers	Cape Peninsula
<b>Zygophyllaceae</b>	<b>Caltrop Family</b>	
<i>Roepera cordifolia</i>	Succulent leaves with yellow flowers.	Knersvlakte and west coast
<i>Roepera morgsana</i>	Succulent shrub with large winged fruit	Common and widespread
<i>Roepera sessilifolia</i>	White flowers with pink stripes	Silvermine
<i>Roepera teretifolia</i>	Prostrate shrub with fleshy leaves	Knersvlakte
<i>Zygophyllum augea</i>	Yellow/green shrub with succulent leaves	Knersvlakte
<b>MONOCOTYLEDONS</b>		
<b>Amaryllidaceae</b>	<b>Amaryllis Family</b>	
<i>Brunsvigia bosmaniae</i>	Broad flat leaves	Nieuwoudtville
<i>Brunsvigia orientalis</i>	Broad flat leaves	West coast
<i>Crossyne flava</i>	Large flat leaves, with bristly margins	Bokkeveld plateau
<i>Haemanthus</i> sp.	Broad spreading leaves	Kamieskroon
<i>Tulbaghia dregeana</i>	Ajuin Wild Garlic	Skilpad
<b>Aponogetonaceae</b>	<b>Cape Pondweed Family</b>	
<i>Aponogeton distachyos</i>	Water Hawthorn	Occasional on ponds
<b>Araceae</b>	<b>Arum Family</b>	
<i>Zantedeschia aethiopica</i>	Calla Lily	Common in damp places
<b>Asparagaceae</b>	<b>Asparagus Family</b>	
<i>Albuca canadensis</i>	Tall, with pendant cream flowers	Widespread
<i>Albuca cooperi</i>	Nodding yellow flowers	Common and widespread
<i>Albuca flaccida</i>	Nodding yellow flowers	Widespread, mostly coastal
<i>Albuca fragrans</i>	Very tall, yellow flowers	West Coast National Park
<i>Albuca secunda</i>	Broad basal leaves	Skilpad
<i>Albuca spiralis</i>	Pendulous yellow flowers, spiral leaves	Worcester, Cederberg
<i>Albuca</i> spp.	Several unidentified. White or yellow	
<i>Asparagus aethiopicus</i>	Spiny climber to 3m	Sevilla
<i>Asparagus asparagoides</i>	Scrambling climber with broad cladodes	Widespread
<i>Asparagus capensis</i>	Thorny shrub with needle-like cladodes	Widespread
<i>Asparagus ovatus</i>	Glossy ovate cladodes	West coast to Cape Point
<i>Asparagus rubicundus</i>	Dark spiny stems and soft thread-like cladode	Nieuwoudtville to Cape Peninsula
<i>Chlorophytum crassinerve</i>	Leathery basal leaves. Striped flowers	Namaqualand and Nieuwoudtville
<i>Chlorophytum graminifolium</i>	Narrow basal leaves. Striped flowers	Widespread
<i>Drimia elata</i>	Purplish flowers with reflexed petals	West coast to Cape Peninsula

Latin name	Common name / description	Notes / Location
<i>Drimia filifolia</i>	White flowers, narrow leaves	West Coast National Park
<i>Drimia fragrans</i>	Narrow leaves, white flowers, purple stripe	Widespread
<i>Lachenalia attenuata</i>	Single striped leaf. Flowers pale blue	Worcester
<i>Lachenalia carnosa</i>	Maroon or pink flowers	Namaqualand
<i>Lachenalia framesii</i>	Bright yellow and pink flowers	Knersvlakte
<i>Lachenalia lutea</i>	Yellow Viooltjie	Du Kloof
<i>Lachenalia mutabilis</i>	Blue/yellow flowers	Widespread
<i>Lachenalia pallida</i>	Pale yellow spikes with purplish apex	Clanwilliam to west coast
<i>Lachenalia suaveolens</i>	Flowers deep purple, with white apical margin	Nieuwoudtville
<i>Lachenalia unifolia</i>	Whitish to pale blue flowers. Single banded leaf	Sevilla
<i>Lachenalia violacea</i>	Wavy leaf. Flowers green/purple	Occasional
<i>Massonia angustifolia</i>	Flat paired leaves	Glacier pavement
<i>Massonia bifolia</i>	Flat, paired leaves, green flowers	Rock sheets. Cederberg
<i>Massonia depressa</i>	Hedgehog Lily. Large, flat paired leaves	Namaqualand and Nieuwoudtville
<i>Massonia pseudoechinata</i>	Fat paired leaves. Nieuwoudtville	Glacier pavement
<i>Ornithogalum dubium</i>	Small plant, white or yellow flowers	Rock sheets. Widespread
<i>Ornithogalum maculatum</i>	Orange flowers, with black spots	Widespread
<i>Ornithogalum multiflorum</i>	Small geophyte. Yellow flowers	Rock sheets. Cederberg
<i>Ornithogalum polyphyllum</i>	Showy white flowers, green stripes	Widespread
<i>Ornithogalum suaveolens</i>	Tall, with yellow, green-striped flowers	Widespread
<i>Ornithogalum thyrsoides</i>	Chincherinchee	Widespread
<i>Ornithogalum xanthochlorum</i>	Robust, broad-leaved bulb. Yellow flowers	Occasional
<i>Ornithogalum</i> spp.	Several unidentified species	
<b>Asphodelaceae</b>		
<i>Aloe melanacantha</i>	Black spines	Skilpad
<i>Aloe microstigma</i>	Cape Spotted Aloe	Worcester
<i>Aloe mitriformis</i>	Mitre Aloe	Granite rocks. West coast
<i>Aloidendron dichotomum</i>	Quiver Tree	Northern Namaqualand
<i>Aloidendron ramosissimum</i>	Maiden's Quiver Tree	Cultivated
<i>Bulbine annua</i>	Yellow flowers, succulent leaves	West Coast National Park
<i>Bulbine frutescens</i>	Robust succulent. Yellow flowers	North of Lutzville
<i>Bulbine praemorsa</i>	Succulent leaves, yellow flowers	Widespread
<i>Bulbine quartzicola</i>	Fleshy leaves	Knersvlakte
<i>Bulbine succulenta</i>	Succulent leaves, yellow flowers	Widespread
<i>Bulbine torta</i>	Thread-like, spiral leaves	Cederberg
<i>Bulbinella caudafelis</i>	White flowers	Cederberg and Nieuwoudtville
<i>Bulbinella eburniflora</i>	Cream flowers	Nieuwoudtville
<i>Bulbinella elegans</i>	Slender plant, yellow flowers	Hantam Botanic Garden
<i>Bulbinella gracilis</i>	Many narrow cylindrical leaves	Sevilla
<i>Bulbinella latifolia</i>	Broad leaves. Tall yellow flowers	Nieuwoudtville
<i>Bulbinella nutans</i>	Robust plants in wet soils	Nieuwoudtville
<i>Gonialoe variegata</i>	Partridge-breasted Aloe	Knersvlakte
<i>Haworthia herbacea</i>	Compact succulent-leaved rosettes	Worcester
<i>Trachyandra bulbinifolia</i>	Narrow green leaves	Goegap
<i>Trachyandra divaricata</i>	Sprawling perennial	Coastal sands
<i>Trachyandra falcata</i>	Thick sickle-like leaves	Widespread

Latin name	Common name / description	Notes / Location
<i>Trachyandra filiformis</i>	Thread-like leaves	West Coast National Park
<i>Trachyandra hirsutiflora</i>	Narrow hairy leaves	Cape Peninsula
<i>Trachyandra muricata</i>	Robust plant with branching panicles	Widespread
<i>Trachyandra tortilis</i>	Folded leaves, pinkish flowers	Goegap
<i>Trachyandra</i> spp.	Several unidentified species	
<i>Tulista pumila</i>	Succulent rosettes of tuberculate leaves	Worcester
<b>Colchicaceae</b>	<b>Autumn Crocus Family</b>	
<i>Baeometra uniflora</i>	Beetle Lily. Showy yellow flowers	Silvermine
<i>Colchicum capense</i>	White bracts	Widespread
<i>Colchicum eucomoides</i>	Greenish bracts	Widespread
<i>Ornithoglossum vulgare</i>	Green/purple geophyte	Goegap
<i>Wurmbea spicata</i>	Black-rimmed petals	Du Kloof
<b>Commelinaceae</b>	<b>Spiderwort Family</b>	
<i>Commelina africana</i>	A Spiderwort.	Boulders
<i>Commelina benghalensis</i>	Blue flowers	Boulders
<b>Cyperaceae</b>	<b>Sedge Family</b>	
<i>Ficinia radiata</i>	Star Sedge. Broad yellow bracts	Cape Peninsula
<i>Tetraria bromoides</i>	Robust clumps of narrow leaves	Cape Peninsula
<i>Tetraria thermalis</i>	Robust clumps of broad leaves	Cape Peninsula
<b>Dioscoraceae</b>	<b>Yam Family</b>	
<i>Dioscorea elephanipss</i>	Elephant's Foot	Ramskop
<b>Haemodoraceae</b>	<b>Bloodwort Family</b>	
<i>Dilatris corymbosa</i>	Mauve flowers	Silvermine (in bud)
<i>Wachendorfia paniculata</i>	Pleated leaf. Orange flowers	West Coast National Park
<i>Wachendorfia thyrsiflora</i>	Narrow yellow flower spike	Ramskop
<b>Hypoxidaceae</b>	<b>Star Lily Family</b>	
<i>Pauridia aquatica</i>	White flowers, bordering pools	Nieuwoudtville
<i>Pauridia capensis</i>	Large white flowers, with black centre	Cape Peninsula
<i>Pauridia</i> aff. <i>maximiliana</i>	Long broad leaves with yellow flowers	Sevilla
<i>Pauridia serrata</i>	Starry white or yellow flowers	Nieuwoudtville
<b>Iridaceae</b>	<b>Iris Family</b>	
<i>Aristea spiralis</i>	Pale Capeblue	Du Kloof. Silvermine
<i>Babiana ambigua</i>	Blue or pink flowers	Cederberg to Cape Peninsula
<i>Babiana angustifolia</i>	Dark blue flowers with black centre	Silvermine
<i>Babiana curviscapa</i>	Blue flowers with white markings	Skilpad
<i>Babiana hirsuta</i>	Strandlily. Tall, with red flowers	Sand dunes. West coast
<i>Babiana ringens</i>	Rat's Tail. Red flower	Cape Peninsula
<i>Babiana tubulosa</i>	Hairy leaves. Flowers with long tube	West Coast National Park
<i>Babiana vanzijliae</i>	Yellow flowers	Nieuwoudtville
<i>Chasmanthe aethiopica</i>	Tall plant with orange/red flowers	Sevilla
<i>Ferraria crispa</i>	Broad fleshy leaves, blackish flowers	West Coast National Park

Latin name	Common name / description	Notes / Location
<i>Ferraria divaricata</i>	Yellow/orange with blue stripes	Knersvlakte
<i>Ferraria ferrariola</i>	Speckled Spiderlily. Pale yellow flowers	Namaqualand
<i>Ferraria macrochlamys</i> subsp. <i>macrochlamys</i>	Granite Namaqua Spiderlily	Skilpad
<i>Ferraria uncinata</i>	Blue flowers	Ramskop
<i>Ferraria variabilis</i>	Orange flowers	Knersvlakte
<i>Geissorhiza aspera</i>	Dark blue flowers	West Coast National Park
<i>Geissorhiza</i> aff. <i>pseudinaequalis</i>	Short racemes of pale blue flowers	Sevilla
<i>Geissorhiza splendidissima</i>	Blue Pride of Nieuwoudtville	Bokkeveld plateau
<i>Gladiolus alatus</i>	Showy red flowers	Widespread
<i>Gladiolus debilis</i>	White with red markings on lower tepals	Silvermine
<i>Gladiolus cunonius</i>	Bright red flowers	Cape Point
<i>Gladiolus debilis</i>	White with red markings on lower tepals	Silvermine
<i>Gladiolus hirsutus</i>	Pink flowers with red-streaked lower tepals	Du Kloof
<i>Gladiolus orchidiflorus</i>	Flowers greenish, with purple markings	West Coast National Park
<i>Gladiolus skullyi</i>	Flowers cream with purple markings	Knersvlakte
<i>Gladiolus tristis</i>	Tall, with yellow flowers	Silvermine
<i>Gladiolus venustus</i>	Flowers purple and yellow	Sevilla
<i>Hesperantha cucculata</i>	White flowers, red on reverse	Widespread
<i>Hesperantha pauciflora</i>	Pink flowers	Bokkeveld plateau. Common
<i>Hesperantha vaginata</i>	Yellow flowers. Black centre and reverse	Hantam Botanic Garden
<i>Ixia ramulosa</i>	Deep purple pendant flowers	Skilpad
<i>Ixia rapunculoides</i>	Spikes of blue flowers	Hantam Botanic Garden
<i>Lapeirousia divaricata</i>	White with red streaks on lower tepals	Cederberg
<i>Lapeirousia fabricii</i>	White flowers, with red markings	Knersvlakte
<i>Lapeirousia jacquinii</i>	Purple. Lower tepals with white stripes	Very common
<i>Lapeirousia oreogena</i>	Purple with black and white markings	Hantam Botanic Garden
<i>Lapeirousia pyramidalis</i>	White flowers with purple stripes	Knersvlakte
<i>Lapeirousia silenoides</i>	Red flowers	Namaqualand
<i>Lapeirousia violacea</i>	Purple flowers	Hantam Botanic Garden
<i>Melasmaerula graminea</i>	Racemes of delicate cream flowers	Locally common, throughout
<i>Moraea bifida</i>	Pink Cape Tulip	Nieuwoudtville
<i>Moraea ciliata</i>	Blue flowers	Nieuwoudtville
<i>Moraea collina</i>	Branched yellow or pink flowers	Cape Peninsula. Common
<i>Moraea flaccida</i>	One-leaf Cape Tulip. Pink or orange flowers	Cape Peninsula. Common
<i>Moraea fugax</i>	Sweet Tulp. Flowers blue, yellow or white	West coast to Cape Peninsula
<i>Moraea gawleri</i>	Small species. Very variable	Widespread
<i>Moraea lugubris</i>	Blue flowers	Cape Peninsula
<i>Moraea miniata</i>	Two-leaf Cape Tulip. Orange or yellow flowers	Widespread. The commonest species
<i>Moraea ochroleuca</i>	Bright yellow flowers. Single leaf	Silvermine
<i>Moraea pritzeliana</i>	Corkscrew Glasstulp. Blue flowers	Nieuwoudtville
<i>Moraea schlechteri</i>	Schlechter's Moraea. Branched yellow flowers	Goegap
<i>Moraea serpentina</i>	Coiled leaves. White and yellow flowers	Goegap
<i>Moraea tripetala</i>	Pale blue flowers	Hantam Botanic Garden
<i>Romulea citrina</i>	Yellow flowers with brownish reverse	Skilpad
<i>Romulea flava</i>	Yellow flowers with green reverse	Skilpad
<i>Romulea hirta</i>	Pale yellow flowers	Namaqualand
<i>Romulea luteiflora</i>	Yellow with dark eye	Glacier pavement

Latin name	Common name / description	Notes / Location
<i>Romulea multisulcata</i>	White and yellow flowers	Pools. Bokkeveld escarpment
<i>Romulea pudica</i>	Red flowers with dark eye	Glacier pavement
<i>Romulea rosea</i>	Pink Satin Flower	Sevilla
<i>Sparaxis elegans</i>	Orange flowers with purple centre	Nieuwoudtville
<i>Sparaxis villosa</i>	Pale yellow with violet upper tepal	Worcester
<i>Watsonia meriana</i>	Orange flowers	Silvermine
<i>Watsonia</i> spp.	Unidentified	
<b>Orchidaceae</b>	<b>Orchid Family</b>	
<i>Corycium ingeanum</i>	Bokkeveld Monkshood	Hantam Botanic Garden
<i>Corycium orobanchoides</i>	Dense spikes of green/purple flowers	West Coast National Park
<i>Holothrix aspera</i>	Pair of basal leaves with tiny cream flowers	Widespread
<i>Pterygodium volucris</i>	Green Bonnet. Dense spike of pale yellow flowers	West Coast National Park
<i>Satyrium bicornis</i>	Twohorn Satyre. Yellow flowers	Silvermine
<i>Satyrium coriifolium</i>	Orange Satyre.	Silvermine
<i>Satyrium erectum</i>	Small Pink Satyre. Broad basal leaves	Du Kloof, Worcester, Silvermine
<i>Satyrium odorum</i>	Scented Satyre, Greenish flowers	West Coast NP and Cape Peninsula
<b>Poaceae</b>	<b>Grass Family</b>	
<i>Briza maxima</i>	Greater Quaking-grass	Occasional. Alien
<i>Cenchrus setaceus</i>	Fountain Grass	Roadsides. Alien
<i>Hyparrhenia hirta</i>	Thatching Grass	Common and widespread
<i>Phragmites australis</i>	Common Reed	Wet areas
<i>Stipagrostis ciliata</i>	Tall perennial with rings of stiff white hairs	Skilpad
<b>Restionaceae</b>	<b>Restio Family</b>	
Several genera and many species	Rush-like plants in fynbos.	
<b>Techophilaaceae</b>	<b>Techophilea Family</b>	
<i>Cyanella alba</i>	White flowers	Nieuwoudtville
<i>Cyanella alba</i> subsp. <i>flavescens</i>	Yellow flowers	Cederberg
<i>Cyanella hyacinthoides</i>	Bluish-mauve flowers	Widespread
<i>Cyanella orchidiformis</i>	Spike of mauve flowers	Cederberg and Namaqualand
<b>Thurniaceae</b>		
<i>Prionium serratum</i>	Reed like Forming dense stands	Fynbos
<b>Typhaceae</b>	<b>Bulrush Family</b>	
<i>Typha capensis</i>	Cape Bulrush	Occasional in swamps
<b>Lichens</b>		
<i>Psora crenata</i>	Brick Scale lichen	Knersvlakte
<i>Teloschistes capensis</i>	Cape Hair Lichen. Bright orange	West coast

## Birds (H = heard)

E=Endemic, N=near endemic; I=introduced		September 2025											
Common Name	Latin name	4	5	6	7	8	9	10	11	12	13	14	15
Common Ostrich	<i>Struthio camelus</i>		✓	✓				✓		✓	✓	✓	
Spur-winged Goose	<i>Plectropterus gambensis</i>		✓						✓	✓			
Egyptian Goose	<i>Alopochen aegyptiaca</i>	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓
South African Shelduck	<i>Tadorna cana</i>								✓				
Cape Shoveler	<i>Spatula smithii</i>									✓	✓		
African Black Duck	<i>Anas sparsa</i>	✓											
Yellow-billed Duck	<i>Anas undulata</i>		✓						✓				
Cape Teal	<i>Anas capensis</i>								✓		✓		
Red-billed Teal	<i>Anas erythrorhyncha</i>									✓	✓		
Helmeted Guineafowl	<i>Numida meleagris</i>	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓
Grey-winged Francolin	<i>Scleroptila afra</i>								✓		✓		
Cape Spurfowl - N	<i>Pternistis capensis</i>	✓	✓								✓	✓	✓
Common Quail	<i>Coturnix coturnix</i>								✓				
African Penguin	<i>Spheniscus demersus</i>											✓	
Little Grebe	<i>Tachybaptus ruficollis</i>					✓							
Greater Flamingo	<i>Phoenicopterus roseus</i>									✓			
Lesser Flamingo	<i>Phoeniconaias minor</i>									✓			
White Stork	<i>Ciconia ciconia</i>									✓			
African Sacred Ibis	<i>Threskiornis aethiopicus</i>	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓
Hadada Ibis	<i>Bostrychia hagedash</i>	✓	✓	✓				✓	✓	✓		✓	✓
Glossy Ibis	<i>Plegadis falcinellus</i>				✓				✓				
African Spoonbill	<i>Platalea alba</i>		✓							✓			
Western Cattle Egret	<i>Bubulcus ibis</i>		✓					✓		✓	✓		
Grey Heron	<i>Ardea cinerea</i>										✓		
Black-headed Heron	<i>Ardea melanocephala</i>					✓				✓	✓	✓	
Little Egret	<i>Egretta garzetta</i>									✓			
Hamerkop	<i>Scopus umbretta</i>	✓											
Cape Gannet	<i>Morus capensis</i>									✓			
Reed Cormorant	<i>Microcarbo africanus</i>				✓								
Crowned Cormorant	<i>Microcarbo coronatus</i>											✓	

E=Endemic, N=near endemic; I=introduced		September 2025												
Common Name	Latin name	4	5	6	7	8	9	10	11	12	13	14	15	
White-breasted Cormorant	<i>Phalacrocorax lucidus</i>										✓			
Cape Cormorant	<i>Phalacrocorax capensis</i>									✓	✓	✓		
Secretarybird	<i>Sagittarius serpentarius</i>									✓				
Black-winged Kite	<i>Elanus caeruleus</i>						✓			✓	✓			
Booted Eagle	<i>Hieraaetus pennatus</i>		✓	✓			✓							
Verreaux's Eagle	<i>Aquila verreauxii</i>								✓					
Pale Chanting Goshawk	<i>Melierax canorus</i>						✓		✓	✓				
Black Harrier	<i>Circus maurus</i>										✓			
Yellow-billed Kite	<i>Milvus aegyptius</i>			✓	✓					✓	✓	✓		
African Fish Eagle	<i>Haliaeetus vocifer</i>			✓										
Jackal Buzzard	<i>Buteo rufofuscus</i>		✓		✓	✓				✓	✓		✓	
Ludwig's Bustard	<i>Neotis ludwigii</i>								✓					
Southern Black Korhaan - E	<i>Afrotis afra</i>									✓	✓			
Red-knobbed Coot	<i>Fulica cristata</i>					✓		✓		✓				
Blue Crane	<i>Grus paradisea</i>		✓					✓	✓	✓				
African Oystercatcher	<i>Haematopus moquini</i>									✓	✓			
Black-winged Stilt	<i>Himantopus himantopus</i>							✓		✓	✓			
Pied Avocet	<i>Recurvirostra avosetta</i>										✓			
Blacksmith Lapwing	<i>Vanellus armatus</i>	✓								✓	✓	✓		
Grey Plover	<i>Pluvialis squatarola</i>										✓			
Kittlitz's Plover	<i>Charadrius pecuarius</i>										✓			
Three-banded Plover	<i>Charadrius tricollaris</i>										✓			
White-fronted Plover	<i>Charadrius marginatus</i>										✓			
Whimbrel	<i>Numenius phaeopus</i>										✓			
Little Stint	<i>Calidris minuta</i>									✓				
Grey-headed Gull	<i>Chroicocephalus cirrocephalus</i>									✓				
Hartlaub's Gull	<i>Chroicocephalus hartlaubii</i>									✓	✓	✓		
Kelp Gull	<i>Larus dominicanus</i>									✓	✓	✓		
Caspian Tern	<i>Hydroprogne caspia</i>										✓			
Greater Crested Tern	<i>Thalasseus bergii</i>									✓	✓	✓		
Sandwich Tern	<i>Thalasseus sandvicensis</i>									✓	✓			
Common Tern	<i>Sterna hirundo</i>										✓			

E=Endemic, N=near endemic; I=introduced		September 2025											
Common Name	Latin name	4	5	6	7	8	9	10	11	12	13	14	15
Rock Dove - I	<i>Columba livia</i>	✓	✓	✓						✓			
Speckled Pigeon	<i>Columba guinea</i>	✓	✓	✓			✓			✓		✓	
Red-eyed Dove	<i>Streptopelia semitorquata</i>											✓	
Ring-necked Dove	<i>Streptopelia capicola</i>	✓	✓	✓	✓	✓	✓	✓					✓
Laughing Dove	<i>Spilopelia senegalensis</i>	✓	✓	✓	✓				✓	✓			
Namaqua Dove	<i>Oena capensis</i>									✓	✓		
Spotted Eagle-Owl	<i>Bubo africanus</i>												✓
African Black Swift	<i>Apus barbatus</i>			✓									
Little Swift	<i>Apus affinis</i>						✓	✓			✓		
White-rumped Swift	<i>Apus caffer</i>	✓		✓			✓						
White-backed Mousebird	<i>Colius colius</i>		✓	✓			✓				✓		
Giant Kingfisher	<i>Megaceryle maxima</i>			✓									
Pied Kingfisher	<i>Ceryle rudis</i>			✓									
African Hoopoe	<i>Upupa africana</i>						✓		✓	✓			
Acacia Pied Barbet	<i>Tricholaema leucomelas</i>					✓							
Rock Kestrel	<i>Falco rupicolus</i>		✓	✓	✓		✓	✓			✓	✓	
Greater Kestrel	<i>Falco rupicoloides</i>				✓			✓		✓	✓		
Pirit Batis	<i>Batis pirit</i>					✓							
Bokmakierie	<i>Telophorus zeylonus</i>		✓	✓		✓	✓				✓		✓
Southern Boubou	<i>Laniarius ferrugineus</i>	✓		✓								✓	
Southern Fiscal	<i>Lanius collaris</i>	✓	✓	✓		✓	✓	✓	✓	✓	✓		
Cape Crow	<i>Corvus capensis</i>							✓	✓	✓			
Pied Crow	<i>Corvus albus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
White-necked Raven	<i>Corvus albicollis</i>											✓	
Fairy Flycatcher	<i>Stenostira scita</i>		✓										
Cape Long-billed Lark - N	<i>Certhilauda curvirostris</i>										✓		
Black-eared Sparrow-Lark	<i>Eremopterix australis</i>							✓					
Karoo Lark - E	<i>Calendulauda albescens</i>						✓						
Cape Clapper Lark	<i>Mirafrapa apiata</i>					✓			✓				
Large-billed Lark	<i>Galerida magnirostris</i>				✓	✓	✓	✓	✓	✓	✓		
Red-capped Lark	<i>Calandrella cinerea</i>								✓				
African Red-eyed Bulbul	<i>Pycnonotus nigricans</i>			✓									

E=Endemic, N=near endemic; I=introduced		September 2025											
Common Name	Latin name	4	5	6	7	8	9	10	11	12	13	14	15
Cape Bulbul - E	<i>Pycnonotus capensis</i>	✓	✓	✓				✓			✓	✓	✓
Brown-throated Martin	<i>Riparia paludicola</i>									✓			
White-throated Swallow	<i>Hirundo albigularis</i>			✓					✓		✓		
Rock Martin	<i>Ptyonoprogne fuligula</i>	✓	✓	✓	✓	✓	✓						
Greater Striped Swallow	<i>Cecropsis cucullata</i>			✓					✓				
Cape Grassbird	<i>Sphenoeacus afer</i>										✓	✓	
Grey-backed Cisticola	<i>Cisticola subruficapilla</i>		✓			✓					✓		
Levaillant's Cisticola	<i>Cisticola tinniens</i>										✓		
Karoo Prinia	<i>Prinia maculosa</i>		✓	✓		✓	✓				✓	✓	✓
Bar-throated Apalis	<i>Apalis thoracica</i>		✓								✓		
Rufous-eared Warbler	<i>Malcorus pectoralis</i>							✓					
Layard's Warbler	<i>Sylvia layardi</i>		✓										
Cape White-eye	<i>Zosterops virens</i>	✓	✓	✓								✓	✓
Cape Sugarbird - E	<i>Promerops cafer</i>		✓	✓								✓	✓
Common Starling - I	<i>Sturnus vulgaris</i>	✓	✓	✓					✓	✓	✓		
Wattled Starling	<i>Creatophora cinerea</i>								✓				
Cape Glossy Starling	<i>Lamprotornis nitens</i>					✓							
Pied Starling	<i>Lamprotornis bicolor</i>		✓		✓								
Red-winged Starling	<i>Onychognathus morio</i>	✓		✓	✓					✓	✓	✓	✓
Pale-winged Starling	<i>Onychognathus naboroupp</i>					✓	✓	✓					
Olive Thrush	<i>Turdus olivaceus</i>	✓											
Karoo Thrush	<i>Turdus smithi</i>	✓	✓				✓		✓				
Karoo Scrub Robin	<i>Cercotrichas coryphoeus</i>		✓								✓		
Chat Flycatcher	<i>Melaenornis infuscatus</i>					✓							
Fiscal Flycatcher	<i>Melaenornis silens</i>	✓		✓								✓	
Cape Robin-Chat	<i>Cossypha caffra</i>	✓	✓	✓	✓					✓	✓		✓
African Stonechat	<i>Saxicola torquatus</i>			✓					✓				
Karoo Chat	<i>Emarginata schlegelii</i>						✓						
Ant-eating Chat	<i>Myrmecocichla formicivora</i>				✓	✓	✓			✓			
Mountain Wheatear	<i>Myrmecocichla monticola</i>					✓	✓						
Capped Wheatear	<i>Oenanthe pileata</i>					✓	✓	✓					
Familiar Chat	<i>Oenanthe familiaris</i>		✓			✓	✓		✓	✓			

E=Endemic, N=near endemic; I=introduced		September 2025											
Common Name	Latin name	4	5	6	7	8	9	10	11	12	13	14	15
Orange-breasted Sunbird - E	<i>Anthobaphes violacea</i>											✓	
Malachite Sunbird	<i>Nectarinia famosa</i>	✓	✓	✓		✓						✓	✓
Southern Double-collared Sunbird	<i>Cinnyris chalybeus</i>		✓	✓		✓				✓	✓	✓	✓
Dusky Sunbird	<i>Cinnyris fuscus</i>					✓	✓		✓				
House Sparrow - I	<i>Passer domesticus</i>	✓	✓	✓		✓	✓	✓	✓	✓		✓	✓
Cape Sparrow	<i>Passer melanurus</i>		✓	✓	✓	✓	✓		✓				
Cape Weaver	<i>Ploceus capensis</i>		✓	✓		✓			✓	✓	✓	✓	
Southern Masked Weaver	<i>Ploceus velatus</i>								✓	✓			
Southern Red Bishop	<i>Euplectes orix</i>		✓	✓					✓	✓			
Yellow Bishop	<i>Euplectes capensis</i>	✓		✓		✓			✓			✓	
Common Waxbill	<i>Estrilda astrild</i>			✓									✓
Pin-tailed Whydah	<i>Vidua macroura</i>									✓			
Cape Wagtail	<i>Motacilla capensis</i>	✓		✓		✓				✓		✓	✓
Yellow Canary	<i>Crithagra flaviventris</i>			✓		✓							✓
Brimstone Canary	<i>Crithagra sulphurata</i>												✓
Streaky-headed Seedeater	<i>Crithagra gularis</i>	✓											
White-throated Canary	<i>Crithagra albogularis</i>					✓					✓		
Cape Canary	<i>Serinus canicollis</i>	✓		✓						✓			H
Black-headed Canary	<i>Serinus alario</i>					✓							
Cape Bunting	<i>Emberiza capensis</i>		✓	✓		✓	✓				✓	✓	

## Mammals

E = evidence		September 2025												
Common Name	Latin name	4	5	6	7	8	9	10	11	12	13	14	15	
Aardvark	<i>Orycteropus afer</i>					E	E		E					
Rock Hyrax	<i>Procavia capensis</i>	✓		✓		✓						✓		
Chacma Baboon	<i>Papio ursinus</i>								✓					
Scrub Hare	<i>Lepus saxatilis</i>					✓								
Four-striped Grass Mouse	<i>Rhabdomys pumilio</i>						✓							
Brant's Whistling Rat	<i>Paotomys brantsii</i>						✓							
Dassie Rat	<i>Petromus tyoicus</i>						✓							
Common Bottlenose Dolphin	<i>Tursiops truncatus</i>										✓			
Southern Right Whale	<i>Eubalaena australis</i>											✓		
Bontebok	<i>Damaliscus pygargus</i>			✓								✓		
Common Duiker	<i>Sylvicapra grimmia</i>					✓								
Common Eland	<i>Taurotragus oryx</i>			✓							100	✓		
Springbok	<i>Antidorcas marsupialis</i>			✓		✓	✓			✓	✓			
Cape Mountain Zebra	<i>Equus zebra zebra</i>						✓							
Small Grey Mongoose	<i>Galerella purverulenta</i>					✓		✓		✓	✓	✓		
Yellow Mongoose	<i>Cynictis penicillata</i>				✓	✓								
Suricate (Meerkat)	<i>Suricata suricatta</i>				✓									
Cape Fur Seal	<i>Arctocephalus pusillus</i>									✓	✓	✓		

## Reptiles

		September 2025												
Common Name	Latin Name	4	5	6	7	8	9	10	11	12	13	14	15	
<b>Reptiles</b>														
Angulate Tortoise	<i>Chersina angulata</i>	✓				✓					✓	✓		
Speckled Tortoise	<i>Chersobius signatus</i>			✓										
Southern Rock Agama	<i>Agama atra</i>			✓		✓	✓				✓	✓		
Karoo Girdled Lizard	<i>Karusasaurus polygonus</i>			✓										
Cape Girdled Lizard	<i>Cordylus cordylus</i>									✓				
Black Girdled Lizard	<i>Cordylus niger</i>											✓		

Common Name	Latin Name	September 2025											
		4	5	6	7	8	9	10	11	12	13	14	15
Cape Skink	<i>Trachylepis capensis</i>			✓									
Karasberg Tree Skink	<i>Trachylepis sparsa</i>			✓									
Western Rock Skink	<i>Trachylepis sulcata</i>			✓			✓						